MARUICHI SUNSCO

MARUICHI SUN STEEL JOINT STOCK COMPANY

Group Company of MARUICHI STEEL TUBE LTD., JAPAN

COMPANY PROFILE



| 3 | Introduction |
|----|---|
| | |
| 4 | Certificates |
| | |
| 6 | Manufacturing Process of Coil Products |
| | |
| 8 | Manufacturing Process of Pipe & Tube Products |
| | |
| 10 | Coil Products |
| | |
| 12 | Pipe & Tube Products |
| | |
| 16 | Testing Equipments |
| 17 | |
| 17 | Coil Products Supply Record |
| 18 | Dina Draduata Cumply Dagard |
| 10 | Pipe Products Supply Record |
| 20 | Maruichi Sun Steel (Hanoi) Co., Ltd. |
| | Marticin Sun Steel (Hanol) 60., Ltu. |
| 22 | Maruichi Group |
| | maraioni oroup |

INTRODUCTION





MARUICHI SUN STEEL JOINT STOCK COMPANY (SUNSCO),

a 100% foreign capital company, was established in 1996 with the purpose of supplying High Quality steel products to Vietnamese local market.

After starting the operation of Steel Pipe Mill in 1998, we have continued to expand our production facilities such as, Color Coating Line, Continuous Galvanizing Line, Cold Rolling Mill, Push-Pull Pickling Line and 16 in Steel Pipe Mill, including our own Power Generating Plant.

In 2013, we also have started No.2 Continuous Galvanizing Line and No.2 Color Coating Line enable us to develop higher Quality products, more volume of production quantity to satisfy the market demand.

Utilizing all those above mentioned facilities, we are currently manufacturing and selling following products;

- Hot-dip 55%Al-Zn Coated Steel Coil
- Hot-dip Galvanized Steel Coil (HR base metal and CR base metal)


- Prepainted hot-dip 55%Al-Zn Coated Steel Coil
- Carbon Steel Pipe & Tube
- Galvanized Steel Pipe & Tube

With regard to above Coils and ERW-Pipe & Tube certified with JIS, we are the first and sole manufacturer in Vietnam who is allowed to put JIS-mark on the products.

We are supplying those products not only in Vietnamese local market but also to overseas market as well, such as to ASEAN countries, Australia and USA.

We commit ourselves that, as a group company of Maruichi Steel Tube Ltd., Japan,

We will keep improving our quality and service in order to contribute to the development and quality needs to build up infrastructure of Vietnam, as well as for the safety of all the people using our products.





CERTIFICATES






1. JIS Certificate (Pipe) G 3452, G 3454, G 3444, G 3466





2. JIS Certificate (Coil) G 3302, G 3321, G 3322



3. API Spec 5L Certificate

CERTIFICATES





4. MS 2383 Certificate



5. MS 1196 Certificate



6. ISO/IEC 17025 Certificate




7. ISO 9001 Certificate



8. ISO 14001 Certificate



MANUFACTURING PROCESS OF COIL PRODUCTS



MANUFACTURING PROCESS OF COIL PRODUCTS





Push-Pull Pickling Line



6-High Cold Rolling Mill



No.1 Continuous Galvanizing Line




No.2 Continuous Galvanizing Line



Color Coating Line



MANUFACTURING PROCESS OF PIPE & TUBE PRODUCTS









Un-coiler





Accumulator Forming

MANUFACTURING PROCESS OF PIPE & TUBE PRODUCTS









Ultrasonic tester on 16" pipe mill



Eddy current tester on small pipe mill



Cutting



Facing



Hydrostatic tester

PZ (PRE-ZINC) PIPE



PZ tube mill




Zn spray



Threading

HDG (HOT-DIP GALVANIZED) PIPE





COIL PRODUCTS

| | | | Available siz | e rang | je | | |
|---|---|--|--|--------|--|--|--|
| Products Lines | Standard | Thickness | Standard Width | | Coating | | |
| Hot-dip galvanized steel strip in coil (GI) | SUNSCOZINC*1 JIS G 3302 ASTM A653 | BMT*2 0.25 - 3.2mm 0.008" - 0.125" | 914mm 1200mm 1219mm 36" - 48.5" | | Z06 ~ Z27 G20 - G90 | | |
| Hot-dip 55%Al-Zn alloy-coated steel strip in coil (GL) | SUNCOAT55*1 JIS G 3321 ASTM A792 MS 1196 SNI 4096 | BMT ^{*2} 0.20 - 1.2mm 0.008" - 0.047" | 914mm 1200mm 1219mm 36" - 48.5" | 1 | .Z50 ~ AZ150 (g/m²) AZ30 ~ AZ55 (oz/ft²) | | |
| Prepainted hot-dip 55%Al-Zn alloy-coated steel strip in coil | SUNCOLOR55 *1 JIS G 3322 | BMT*2 0.20 - 1.2 | 914mm 1200mm 1219mm | PPGL | Top 18~28μm Back 18 ~ 20μm (2 coat) 5 ~ 15μm (1 coat) | | |
| (PPGL/SPGL) | MS 2383 | 0.008" - 0.047" | 36" - 48.5" | SPGL | Top 10μm Back 5μm | | |

- * 1) Our original standard* 2) BMT; Base Metal Thickness
- SUNCOAT55 & SUNCOLOR55 have superior corrosion-resistance, because 55%Al-Zn coating has both the features of barrier protection of Al and sacrificial protection of Zn.
- Bright coating-spangle of SUNCOAT55 and great color variety of SUNCOLOR55, as well as those superior corrosion-resistance, will surely give the customers much satisfaction.
- Hot-dip 55%Al-Zn coated steel coil is generally applied to roof, wall, inner parts of home electrics and computer and so on.
- Prepainted hot-dip 55%Al-Zn coated steel coil is generally applied to roof, wall, partition, heat insulation and so on.





SUNCOAT55 SUNCOLOR55

COIL PRODUCTS SUNSCO



Metal Roofing




Metal Wall & Siding Panel



Sandwich Panel



Clean Room Panel



Ceiling / Various Interior Parts



| Usage | Cross Section | Standard | Available Size Range | | | |
|----------------------|---------------|-----------------|---|--|--|--|
| | | JIS G 3444 STK | 21.7 x 1.4mm ~ 406.4 x 12.7mm | | | |
| | | ASTM A500 | 5.563" x 0.125" ~ 16.000" x 0.500" | | | |
| General Structure | | JIS G 3466 STKR | 40 x 40 x 1.6mm ~ 300 x 300 x 12.0mm 60 x 30 x 1.6mm ~ 400 x 200 x 12.0mm | | | |
| | | ASTM A500 | 4" x 4" x 0.125" ~ 12" x 12" x 0.500" 5" x 3" x 0.125" ~ 16" x 8" x 0.500" | | | |
| | | AS/NZS1163 | 20 x 20 x 1.6mm ~ 125 x 125 x 3.0mm* | | | |
| Machine | | STKM | 12.7 x 0.6mm ~ 114.3 x 6.0mm | | | |
| Structure | | STKMR | 14 x 14 x 0.8mm ~ 50 x 50 x3.6mm | | | |
| | | JIS G 3452 SGP | 15A ~ 400A | | | |
| Dinin | | JIS G 3454 STPG | 15A x SCH40 ~ 400A x SCH40 | | | |
| Piping | | ASTM A53 | NPS2 x 0.154" ~ NPS16 x 0.500" | | | |
| | | BS 1387 | DN15 x EXTRA LIGHT ~ DN150 x HEAVY | | | |
| Line Pipe | | API 5L | 5.563" x 0.156" ~ 16.000" x 0.500" | | | |
| | | BS 31 | 3/4 " ~ 2" (PZ)* ³ | | | |
| Conduit | | BS 4568 | 20mm ~ 32mm (PZ)*3 | | | |
| | | ANSI EMT / IMC | 1/2" ~ 4"(PZ)** ³ | | | |

 $\mbox{\em \%}$ 3) PZ; Pre-galvanized tube made of hot-dip galvanized steel sheet

| | | 0.6 | 0.8 | 1.0 | 1.2 | 1.4 | 1.6 | 2.0 | 2.3 | 2.8 | 3.2 | 4.0 | 4.5 | 4.8 | 5.0 | 5.2 | 5.3 | 5.5 | 5.8 | 6.0 | 6.4 | 8.0 | 8.2 | 9.0 | 9.3 | 9.5 | 10.3 | 11.0 | 12.0 | 12.7 |
|----------------|-------------|----------|--|-------------|--------|----------|----------|-----|------|--------|--------|--------|-----|--------|-----|--------|-----|--------|--------|--------|--------|-----|--------|-----|--------|--------|------|--------|----------------------|--------|
| OD(mm/inch | /T(mm/inch) | 0.024* | 0.0 | 1.0 | 0.047" | 2.4 | 0.063" | 2.0 | 0095 | 0.109* | 0.125" | 0.156" | 4.5 | 0.188" | 5.0 | 0.203" | 5.5 | 0.216" | 0.226" | 0.237* | 0.250" | | 0.322" | 5.0 | 0.365" | 0.375" | | 0.432* | 12.0 | 0.500" |
| 12.7 | _ | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 15.9 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 19.1 | 0.750" | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 21.7 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 22.2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 25.4 | 1.00" | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 27.2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 31.8 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 34.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 38.1 | 1.50" | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 42.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 42.7 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | ш | |
| 48.6 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 50.8 | 2.000" | | | | | | | | | | | | | | | | | | | | | | | | | | | | ldot | |
| 54.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | \square | |
| 60.5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | ш | |
| 73.0 | 2.875" | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 76.3 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | $\vdash \vdash$ | |
| 89.1 | | _ | | | | | | | | | | | | | | | | | | | | | | | | | | | \vdash | |
| 101.6 | | _ | | | | | | | | | | | | | | | | | | | | | | | | | | | $\vdash \vdash$ | |
| 114.3 | 4.500" | | | | | | | | | | | | | | | | | | | | | | | | | | | | $\vdash \vdash$ | |
| 127.0 | | _ | | | | | | | | | | | | | | | | | | | | | | | | | | | $\vdash\vdash\vdash$ | |
| 139.8 | | <u> </u> | | | | | | | | | | | | | | | | | | | | | | | | | | | $\vdash\vdash$ | |
| 141.3 165.2 | 5.563" | | | | | | | | | | | | | | | | | | | | | | | | | | | | $\vdash\vdash$ | |
| 168.3 | 6.625" | \vdash | - | | | _ | \vdash | - | | | | | | | | | | | | | | | | | | | | | \vdash | |
| 190.7 | 0.025 | \vdash | | | | | | | | | | | | | | | | | | | | | | | | | | | \vdash | |
| 216.3 | | \vdash | | | | | - | | | | | | | | | | | | | | | | | | | | | | | |
| 219.1 | 8.625" | - | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 267.4 | 0.023 | \vdash | | _ | | \vdash | \vdash | | | | | | _ | | | | | | | | | | | | | | | | | |
| 273.1 | 10.75" | \vdash | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 318.5 | 20170 | \vdash | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 323.9 | 12.75" | \vdash | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 355.6 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 406.4 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| .00.4 | 20.00 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

Available Size Range (Round)





| | WT(mm/inch) | 0.8 | 1.0 | 1.2 | 1.4 | 1.6 | 2.0 | 2.3 | 2.6 | 3.0 | 3.2 | 4.0 | 4.5 | 5.0 | 6.0 | 6.4 | 8.0 | 9.0 | 9.5 | 12.0 | 12.7 |
|-------------|-------------|-----|-----|--------|-----|--------|-----|--------|-----|-----|--------|-----|-----|-----|-----|--------|--------|-----|--------|------|--------|
| OD(mm/inch) | <u> </u> | | | 0.047" | | 0.063" | | 0.095" | | | 0.125" | | | | | 0.250" | 0.312" | | 0.375" | | 0.500" |
| 14x14 | | | | | | | | | | | | | | | | | | | | | |
| 16x16 | 5/8"x5/8" | | | | | | | | | | | | | | | | | | | | |
| 19x19 | 3/4"x3/4" | | | | | | | | | | | | | | | | | | | | |
| 20x20 | | | | | | | | | | | | | | | | | | | | | |
| 25x25 | 1"x1" | | | | | | | | | | | | | | | | | | | | |
| 30x30 | | | | | | | | | | | | | | | | | | | | | |
| 32x32 | | | | | | | | | | | | | | | | | | | | | |
| 35x35 | | | | | | | | | | | | | | | | | | | | | |
| 38x38 | 1.5"x1.5" | | | | | | | | | | | | | | | | | | | | |
| 40x40 | | | | | | | | | | | | | | | | | | | | | |
| 50x50 | 2"x2" | | | | | | | | | | | | | | | | | | | | |
| 60x60 | | | | | | | | | | | | | | | | | | | | | |
| 75x75 | 3"x3" | | | | | | | | | | | | | | | | | | | | |
| 90x90 | 3.5"x3.5" | | | | | | | | | | | | | | | | | | | | |
| 100x100 | 4"x4" | | | | | | | | | | | | | | | | | | | | |
| 125x125 | 5"x5" | | | | | | | | | | | | | | | | | | | | |
| 150x150 | 6"x6" | | | | | | | | | | | | | | | | | | | | |
| 175x175 | 7"x7" | | | | | | | | | | | | | | | | | | | | |
| 200x200 | 8"x8" | | | | | | | | | | | | | | | | | | | | |
| 250x250 | 10"x10" | | | | | | | | | | | | | | | | | | | | |
| 300x300 | 12"x12" | | | | | | | | | | | | | | | | | | | | |

Available Size Range (Square)

| Available |
|-----------------|
| To be discussed |

| | MATTING OF PROPERTY | 0.8 | 1.0 | 1.2 | 1.4 | 1.6 | 2.0 | 2.3 | 2.6 | 3.0 | 3.2 | 4.0 | 4.5 | 5.0 | 6.0 | 6.4 | 8.0 | 9.0 | 9.5 | 12.0 | 12.7 |
|-------------|---------------------|-----|-----|--------|-----|--------|-----|--------|-----|-----|--------|-----|-----|-----|-----|--------|--------|-----|--------|------|--------|
| OD(mm/inch) | WT(mm/inch) | 0.0 | 2.0 | 0.047" | 2 | 0.063" | 2.0 | 0.095" | 2.0 | 5.0 | 0.125" | | 5 | 5.0 | 0.0 | 0.250" | 0.312" | 3.0 | 0.375" | 12.0 | 0.500" |
| 23.8x14 | | | | 0.017 | | 0.005 | | 0.033 | | | 0.125 | | | | | 0.230 | 0.512 | | 0.575 | | 0.500 |
| 26x13 | 1"x0.5" | | | | | | | | | | | | | | | | | | | | |
| 30x15 | 1 70.5 | | | | | | | | | | | | | | | | | | | | |
| 38x13 | 1.5"x0.5" | | | | | | | | | | | | | | | | | | | | |
| 40x20 | 10 //010 | | | | | | | | | | | | | | | | | | | | |
| 40x25 | | | | | | | | | | | | | | | | | | | | | |
| 50x25 | 2"x1" | | | | | | | | | | | | | | | | | | | | |
| 50x26 | | | | | | | | | | | | | | | | | | | | | |
| 50x30 | | | | | | | | | | | | | | | | | | | | | |
| 50x30 | | | | | | | | | | | | | | | | | | | | | |
| 60x30 | | | | | | | | | | | | | | | | | | | | | |
| 80x40 | | | | | | | | | | | | | | | | | | | | | |
| 75x45 | | | | | | | | | | | | | | | | | | | | | |
| 100x50 | 4"x2" | | | | | | | | | | | | | | | | | | | | |
| 125x75 | 5"x3" | | | | | | | | | | | | | | | | | | | | |
| 150x75 | 6"x3" | | | | | | | | | | | | | | | | | | | | |
| 150x100 | 6"x4" | | | | | | | | | | | | | | | | | | | | |
| 175x100 | 7"x4" | | | | | | | | | | | | | | | | | | | | |
| 175x125 | 7"x5" | | | | | | | | | | | | | | | | | | | | |
| 200x100 | 8"x4" | | | | | | | | | | | | | | | | | | | | |
| 200x150 | 8"x6" | | | | | | | | | | | | | | | | | | | | |
| 250x100 | 10"x4" | | | | | | | | | | | | | | | | | | | | |
| 250x150 | 10"x6" | | | | | | | | | | | | | | | | | | | | |
| 300x200 | 12"x8" | | | | | | | | | | | | | | | | | | | | |
| 350x150 | 14"x6" | | | | | | | | | | | | | | | | | | | | |
| 350x250 | 14"x10" | | | | | | | | | | | | | | | | | | | | |
| 400x200 | 16"x8" | | | | | | | | | | | | | | | | | | | | |

Available Size Range (Rectangular)







Piping




Line Pipe




Fitting Pipe



Structure



Pipe Pile



Steel Column





Motorcycle parts (frame, shock absorber, exhaust muffler)



Green House



Scaffolding



Steel Conduit Tube



Furniture Office Rack



Medical Bed



TESTING EQUIPMENTS

We, SUNSCO, assure and investigate the product's quality with some test equipment.




Tensile tester





Impact tester



Digital micro scope



Colorimetry tester



Salt spray tester

COIL PRODUCTS SUPPLY RECORD





Project Name: Thuan Phat contruction Project - 2017 **Standard:** SUNCOLOR55 / SPGL

G300

Segment: Roof & Wall

Location: Binh Duong Province



Project Name: Brotex (Viet Nam)

Project - 2014

Standard: SUNCOLOR55 PPGL

G550

Location: Tay Ninh Province **Segment:** Roof & Wall



Project Name: Nhà Máy chế biến

Bột Mì - 2016

Standard: SUNCOLOR55 / SPGL

J300

Segment: Roof & Wall **Location:** Tay Ninh Province



Project Name: Sagawa Project -

2016

Standard: SUNCOAT55 G550 Segment: Roof & Wall Location: Dong Nai Province



Project Name: Tayca (Viet Nam)

Project - 2016

Standard: SUNCOAT55 G550 **Segment:** Roof & Wall **Location:** Dong Nai Province



Project Name: AKEBONO Project -

2016

Standard: SUNCOAT55 G550 Segment: Roof & Wall Location: Hung Yen Province



Project Name: Nippon Paint

Project - 2014

Standard: SUNCOLOR55 PPGL

G550

Segment: Roof & Wall **Location:** Vinh Phuc Province



Project Name: HASHIMA Project -

2016

Standard: SUNCOLOR55 SPGL

G300

Segment: Roof & Wall **Location:** Hà Nam Province



Project Name: E-Mart (Viet Nam)

Project - 2015

Standard: SUNCOLOR55 PPGL

G550

Segment: Roof & Wall **Location:** HCM City



Project Name: FUJITRANS Project -

2016

Standard: SUNCOLOR55 /SUNCOAT55 G550 Segment: Roof & Wall Location: Myanmar



PIPE PRODUCTS SUPPLY RECORD



Project Name: Tan Son Nhat International Airport Station -Upgrade The Domestis Terminal -

Standard: ASTM A53M Gr.B **Segment:** Mechanical System Location: Tan Binh Dist., HCMC



Project Name: Da Nang City's Administrative Center - 2012 Standard: ASTM A53M Gr.B **Segment:** Mechanical System **Location:** Da Nang City



Project Name: Vung Ang 1 Thermal Power Project - 2012 Standard: ASTM A53M Gr.B **Segment:** Fire fighting system Location: Ha Tinh Province



Project Name: Vincom Center A Tower Project - 2012 Standard: ASTM A53M Gr.B Segment: Mechanical System + Fire fighting system Location: Dist.1, HCMC



Project Name: The National Assembly House - 2013 Standard: ASTM A53M Gr.B Segment: Mechanical System Location: Ha Noi City



Project Name: Aeon Mall Tan Phu Project (Aeon No.1) - 2013 **Standard:** BS 1387-M / JIS G 3452

Segment: Mechanical System +

Fire fighting system

Location: Tan Phu Dist., HCMC



Project Name: Ho Tram Casino Project - 2012

Standard: ASTM A53M Gr.B Segment: Mechanical System +

Fire fighting system

Location: Ba Ria Vung Tau Province



Project Name: Duyen Hai 1 Thermal Power Plant Project

- 2014/2015

Standard: ASTM A53M Gr.B Segment: Water Supply and

Drainage

Location: Tra Vinh Province



Project Name: Aeon Mall Long Bien Project - 2014/2015

Standard: JIS G 3452 SGP / ASTM

A53M Gr.B

Segment: Mechanical & Electrical

Location: Ha Noi City



Project Name: Vincom Mega Mall

Thao Dien -2015

Standard: ASTM A53M Gr.B **Segment:** Mechanical & Electrical Location: Ho Chi Minh City

PIPE PRODUCTS SUPPLY RECORD





Project Name: Samsung HCMC CE

Complex - 2015

Standard: JIS G 3466 STKR400 Seament: Flame of Mill Location: Saigon Hi-Tech Park,

Dist.9, HCMC



Project Name: Aeon Mall Binh

Duong Project - 2015

Standard: BS1387 / JIS G 3452 SGP Segment: Mechanical & Electrical Location: Binh Duong Province



Project Name: Aeon Mall Binh Tan

Project - 2015/2016

Standard: BS1387 / JIS G 3452 SGP Segment: Mechanical & Electrical Location: Ho Chi Minh City



Project Name: Vinhomes Central

Park - Tan Cang Project

Standard: ASTM A53M Gr.B Segment: Mechanical & Electrical Location: Ho Chi Minh City



Project Name: Da Nang **International Airport Station**

Proiect - 2016

Standard: ASTM A53M Gr.B Segment: Mechanical & Electrical

Location: Da Nang City



Project Name: Saigon Centre

Project - 2016

Standard: ASTM A53M Gr.B **Segment:** Mechanical & Electrical Location: Ho Chi Minh City



Project Name: Ho Chi Minh City

Urban Railways

Project: Ben Thanh - Suoi Tien Section (Line 1) - 2016/2017 **Standard:** JIS G 3444 STK400 Segment: Flame of station,

handrail

Location: Ho Chi Minh City



Project Name: Aeon Mall Phnom Penh Project - 2016/2017

Standard: BS1387/JIS G 3452 SGP/ASTM A53M Gr.B

Segment: Mechanical & Electrical

Location: Phnom Penh



Project Name: Mektec Manufacturing Co.,Ltd Project - Hung Yen - 2017 Standard: BS1387/JIS G 3452

SGP/ASTM A53M Gr.B Segment: Water Supply and

Drainage

Location: Hung Yen Province



Project Name: Vinhomes Golden River (Vinhomes Ba Son) Project -

2017

Standard: ASTM A53M Gr.B Segment: Mechanical & Electrical Location: Ho Chi Minh City



MARUICHI SUN STEEL (HANOI) CO., LTD.



MARUICHI SUN STEEL (HANOI) CO., LTD. (SUNSCO/HANOI), a 100% subsidiary company of MARUICHI SUN STEEL JOINT STOCK COMPANY (SUNSCO), being established in 2008 and start its operation in 2010.

Our policy is to produce & supply the Japanese Quality Tube Products to the customers in Vietnam. To do so, we have adopted equipments and quality control systems from MARUICHI STEEL TUBE LTD., who is the No.1 shareholder in the welded steel tube market in Japan and is the major shareholder of SUNSCO.

Now, we produce our steel tubes with following specifications.

- •STK (Carbon steel tubes for general structure)
- •STKR (Carbon steel square and rectangular tubes for general structure)
- •STKM (Carbon steel tubes for machine structure)
- •STKMR (Carbon steel square and rectangular tubes for machine structure)
- STAM (Electric resistance welded carbon steel tubes for automobile)
- •SGP (Carbon steel pipes for ordinary piping)

Apart from those standard quality tube products we also produce special quality tube products which are to be used for Automobile, Motorbike, and Furniture etc, if inquired.

SUNSCO/HANOI wishes to have support, guidance and cooperation from all the customers in Vietnam and our products to be accepted with satisfaction.

Address: Binh Xuyen Industrial Zone, Huong Canh Town, Binh Xuyen District,

Vinh Phuc Province, Vietnam

Tel: (+84) 211-3582877 **Fax:** (+84) 211-3582868

Email: sunsteel-hanoi@maruichisunsteel.com

http://www.maruichisunsteel.com/


MARUICHI SUN STEEL (HANOI) CO., LTD.



Round tube (STK, STKM, STAM, SGP)

| | _ | | | | | | | | | | | | | | | | |
|--------------------------|------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| | | 0.6 | 0.8 | 1.0 | 1.2 | 1.4 | 1.6 | 1.8 | 2.0 | 2.3 | 2.6 | 2.8 | 3.2 | 3.5 | 3.8 | 4.0 | 4.2 |
| | 15.9 | | | | | | | | | | | | | | | | |
| | 17.3 | | | | | | | | | | | | | | | | |
| | 19.1 | | | | | | | | | | | | | | | | |
| | 21.7 | | | | | | | | | | | | | | | | |
| | 22.2 | | | | | | | | | | | | | | | | |
| | 25.4 | | | | | | | | | | | | | | | | |
| | 27.2 | | | | | | | | | | | | | | | | |
| Outside Diameter: D (mm) | 28.6 | | | | | | | | | | | | | | | | |
| ı ı | 29.4 | | | | | | | | | | | | | | | | |
|] :: D | 31.8 | | | | | | | | | | | | | | | | |
| eteı | 34.0 | | | | | | | | | | | | | | | | |
| l ü | 35.0 | | | | | | | | | | | | | | | | |
| i i | 38.1 | | | | | | | | | | | | | | | | |
| ide | 41.0 | | | | | | | | | | | | | | | | |
| uts | 42.7 | | | | | | | | | | | | | | | | |
| | 45.0 | | | | | | | | | | | | | | | | |
| | 48.6 | | | | | | | | | | | | | | | | |
| | 50.8 | | | | | | | | | | | | | | | | |
| | 54.0 | | | | | | | | | | | | | | | | |
| | 60.5 | | | | | | | | | | | | | | | | |
| | 60.8 | | | | | | | | | | | | | | | | |
| | 76.3 | | | | | | | | | | | | | | | | |

Square, Rectanguler & Oval (STKR, STKMR)



*54 x 20 (Oval)

Stainless RoundTube (SUS409L)

| | _ | | | | | | |
|--------------------------|------|-----|-----|-----|-----|-----|-----|
| | | 1.0 | 1.2 | 1.4 | 1.6 | 1.8 | 2.0 |
| | 19.1 | | | | | | |
| () | 21.7 | | | | | | |
| | 22.2 | | | | | | |
| D (| 25.4 | | | | | | |
| er: | 27.2 | | | | | | |
| met | 28.6 | | | | | | |
|)iai | 29.4 | | | | | | |
| le I | 31.8 | | | | | | |
| Outside Diameter: D (mm) | 34.0 | | | | | | |
| 00 | 35.0 | | | | | | |
| | 38.1 | | | | | | |

Available

Available with Inner Flash Trimming

To be discussed



MARUICHI GROUP

Profile


SERVING CUCTOMERS THROUGH TUBE MAKING

Maruichi Steel Tube Ltd. and its group companies have been offering customers dedicated services through tube making since its establishment in 1947.

Maruichi Steel Tube Ltd. has been engaged in tube making, amassing technological knowhow and expertise, and having lined up a large number of the latest tube mills, cold reduction and continuous hot-dip galvanizing lines. Those enables company to meet customers' needs for a wide range of round tube's size (from 8mm to 508mm) and similar size of square and rectangular tube (from $11mm \times 11mm \times 1.0mm$ to $400mm \times 400mm \times 19mm$).


Our group is one of the very few general steel tube manufacturers in the world that is highly evaluated as a world leader among the welded steel tube industries.


Through our facilities in each regional market in Japan, they are capable of offering good quality products and speedy service to every local customer. We are also serving overseas end users through the affiliates operating in Vietnam, Indonesia, Philippine, China, India, Mexico, and USA.



MARUICHI GROUP









MARUICHI SUN STEEL JOINT STOCK COMPANY (SUNSCO)

DT743 Road, Dong Tac Quarter, Tan Dong Hiep Ward Di An County, Binh Duong Province, Vietnam

TAX CODE 3700236207 **TEL** +84 274 374 2777

EMAIL info@maruichisunsteel.com **FAX** +84 274 374 2223

MARUICHI SUN STEEL (HANOI) CO., LTD.

Binh Xuyen Industrial Zone, Huong Canh Town, Binh Xuyen District,

Vinh Phuc Province, Vietnam **TEL**: (+84) 211-3582877 FAX: (+84) 211-3582868

EMAIL: sunsteel-hanoi@maruichisunsteel.com

http://www.maruichisunsteel.com/