

Hamilton® Woods

Quality Accessories on Natural Wood Plinth Plates

An attractive and unique range Woods is available in four natural wood finishes with a choice of Ovolo or Chamfered edge. The plates of the Woods range are manufactured from timber sourced from sustainable woodland, as far as possible. They are treated to meet BS EN standards and carry all of Hamilton's standard electrical inserts. Ideal for a building with character.

- Four natural wood finishes
- Choice of Ovolo or Chamfered edge
- Plates treated to meet BS EN standards
- Suitable for all the standard Hamilton electrical inserts
- Euro Fix options also available (see separate EuroFix section)



Ovolo
Profile Edge



Chamfered
Profile Edge



WOA T21 PB



WOM SPN SC-B



WOL 2X40 BC



WOA US5 B



WOD SS1 PB-B



WOL R21 PB-W

Hamilton® *fashion, finish, function and flexibility*



WOD R22 PB-B

Rocker Switches



**1 gang 10AX
2 way Rocker**
Nominal Plate Size:
88 x 88 mm
Min. Wall Box
Depth: 25 mm
Technical Insert
Reference: **R21**
Product Code



**2 gang 10AX
2 way Rocker**
Nominal Plate Size:
88 x 88 mm
Min. Wall Box
Depth: 25 mm
Technical Insert
Reference: **R22**
Product Code











**3 gang 10AX
2 way Rocker**
Nominal Plate Size:
88 x 88 mm
Min. Wall Box
Depth: 25 mm
Technical Insert
Reference: **R23**
Product Code



**4 gang 10AX
2 way Rocker**
Nominal Plate Size:
146 x 88 mm
Min. Wall Box
Depth: 25 mm
Technical Insert
Reference: **R24**
Product Code



**6 gang 10AX
2 way Rocker**
Nominal Plate Size:
146 x 88 mm
Min. Wall Box
Depth: 25 mm
Technical Insert
Reference: **R26**
Product Code

| Wood Plinth and Edge Profile | Insert Finish | Insert Surround Colour | Product Code | Product Code | Product Code | Product Code | Product Code |
|---|---|------------------------|--------------|--------------|--------------|--------------|--------------|
|  <p>Light Oak Ovolo Edge</p> | Polished Brass | White | WOL R21 PB-W | WOL R22 PB-W | WOL R23 PB-W | WOL R24 PB-W | WOL R26 PB-W |
| | Polished Brass | Black | WOL R21 PB-B | WOL R22 PB-B | WOL R23 PB-B | WOL R24 PB-B | WOL R26 PB-B |
| | Bright Chrome | White | WOL R21 BC-W | WOL R22 BC-W | WOL R23 BC-W | WOL R24 BC-W | WOL R26 BC-W |
| | Bright Chrome | Black | WOL R21 BC-B | WOL R22 BC-B | WOL R23 BC-B | WOL R24 BC-B | WOL R26 BC-B |
| | Satin Chrome | White | WOL R21 SC-W | WOL R22 SC-W | WOL R23 SC-W | WOL R24 SC-W | WOL R26 SC-W |
| | Satin Chrome | Black | WOL R21 SC-B | WOL R22 SC-B | WOL R23 SC-B | WOL R24 SC-B | WOL R26 SC-B |
| | Antique Brass | Black | WOL R21 AB-B | WOL R22 AB-B | WOL R23 AB-B | WOL R24 AB-B | WOL R26 AB-B |
| |  <p>Light Oak Chamfered Edge</p> | Polished Brass | White | WCL R21 PB-W | WCL R22 PB-W | WCL R23 PB-W | WCL R24 PB-W |
| Polished Brass | | Black | WCL R21 PB-B | WCL R22 PB-B | WCL R23 PB-B | WCL R24 PB-B | WCL R26 PB-B |
| Bright Chrome | | White | WCL R21 BC-W | WCL R22 BC-W | WCL R23 BC-W | WCL R24 BC-W | WCL R26 BC-W |
| Bright Chrome | | Black | WCL R21 BC-B | WCL R22 BC-B | WCL R23 BC-B | WCL R24 BC-B | WCL R26 BC-B |
| Satin Chrome | | White | WCL R21 SC-W | WCL R22 SC-W | WCL R23 SC-W | WCL R24 SC-W | WCL R26 SC-W |
| Satin Chrome | | Black | WCL R21 SC-B | WCL R22 SC-B | WCL R23 SC-B | WCL R24 SC-B | WCL R26 SC-B |
| Antique Brass | | Black | WCL R21 AB-B | WCL R22 AB-B | WCL R23 AB-B | WCL R24 AB-B | WCL R26 AB-B |
|  <p>Medium Oak Ovolo Edge</p> | | Polished Brass | White | WOM R21 PB-W | WOM R22 PB-W | WOM R23 PB-W | WOM R24 PB-W |
| | Polished Brass | Black | WOM R21 PB-B | WOM R22 PB-B | WOM R23 PB-B | WOM R24 PB-B | WOM R26 PB-B |
| | Bright Chrome | White | WOM R21 BC-W | WOM R22 BC-W | WOM R23 BC-W | WOM R24 BC-W | WOM R26 BC-W |
| | Bright Chrome | Black | WOM R21 BC-B | WOM R22 BC-B | WOM R23 BC-B | WOM R24 BC-B | WOM R26 BC-B |
| | Satin Chrome | White | WOM R21 SC-W | WOM R22 SC-W | WOM R23 SC-W | WOM R24 SC-W | WOM R26 SC-W |
| | Satin Chrome | Black | WOM R21 SC-B | WOM R22 SC-B | WOM R23 SC-B | WOM R24 SC-B | WOM R26 SC-B |
| | Antique Brass | Black | WOM R21 AB-B | WOM R22 AB-B | WOM R23 AB-B | WOM R24 AB-B | WOM R26 AB-B |
| |  <p>Medium Oak Chamfered Edge</p> | Polished Brass | White | WCM R21 PB-W | WCM R22 PB-W | WCM R23 PB-W | WCM R24 PB-W |
| Polished Brass | | Black | WCM R21 PB-B | WCM R22 PB-B | WCM R23 PB-B | WCM R24 PB-B | WCM R26 PB-B |
| Bright Chrome | | White | WCM R21 BC-W | WCM R22 BC-W | WCM R23 BC-W | WCM R24 BC-W | WCM R26 BC-W |
| Bright Chrome | | Black | WCM R21 BC-B | WCM R22 BC-B | WCM R23 BC-B | WCM R24 BC-B | WCM R26 BC-B |
| Satin Chrome | | White | WCM R21 SC-W | WCM R22 SC-W | WCM R23 SC-W | WCM R24 SC-W | WCM R26 SC-W |
| Satin Chrome | | Black | WCM R21 SC-B | WCM R22 SC-B | WCM R23 SC-B | WCM R24 SC-B | WCM R26 SC-B |
| Antique Brass | | Black | WCM R21 AB-B | WCM R22 AB-B | WCM R23 AB-B | WCM R24 AB-B | WCM R26 AB-B |
|  <p>Dark Oak Ovolo Edge</p> | | Polished Brass | White | WOD R21 PB-W | WOD R22 PB-W | WOD R23 PB-W | WOD R24 PB-W |
| | Polished Brass | Black | WOD R21 PB-B | WOD R22 PB-B | WOD R23 PB-B | WOD R24 PB-B | WOD R26 PB-B |
| | Bright Chrome | White | WOD R21 BC-W | WOD R22 BC-W | WOD R23 BC-W | WOD R24 BC-W | WOD R26 BC-W |
| | Bright Chrome | Black | WOD R21 BC-B | WOD R22 BC-B | WOD R23 BC-B | WOD R24 BC-B | WOD R26 BC-B |
| | Satin Chrome | White | WOD R21 SC-W | WOD R22 SC-W | WOD R23 SC-W | WOD R24 SC-W | WOD R26 SC-W |
| | Satin Chrome | Black | WOD R21 SC-B | WOD R22 SC-B | WOD R23 SC-B | WOD R24 SC-B | WOD R26 SC-B |
| | Antique Brass | Black | WOD R21 AB-B | WOD R22 AB-B | WOD R23 AB-B | WOD R24 AB-B | WOD R26 AB-B |
| |  <p>Dark Oak Chamfered Edge</p> | Polished Brass | White | WCD R21 PB-W | WCD R22 PB-W | WCD R23 PB-W | WCD R24 PB-W |
| Polished Brass | | Black | WCD R21 PB-B | WCD R22 PB-B | WCD R23 PB-B | WCD R24 PB-B | WCD R26 PB-B |
| Bright Chrome | | White | WCD R21 BC-W | WCD R22 BC-W | WCD R23 BC-W | WCD R24 BC-W | WCD R26 BC-W |
| Bright Chrome | | Black | WCD R21 BC-B | WCD R22 BC-B | WCD R23 BC-B | WCD R24 BC-B | WCD R26 BC-B |
| Satin Chrome | | White | WCD R21 SC-W | WCD R22 SC-W | WCD R23 SC-W | WCD R24 SC-W | WCD R26 SC-W |
| Satin Chrome | | Black | WCD R21 SC-B | WCD R22 SC-B | WCD R23 SC-B | WCD R24 SC-B | WCD R26 SC-B |
| Antique Brass | | Black | WCD R21 AB-B | WCD R22 AB-B | WCD R23 AB-B | WCD R24 AB-B | WCD R26 AB-B |
|  <p>Antique Mahogany Finish Ovolo Edge</p> | | Polished Brass | White | WOA R21 PB-W | WOA R22 PB-W | WOA R23 PB-W | WOA R24 PB-W |
| | Polished Brass | Black | WOA R21 PB-B | WOA R22 PB-B | WOA R23 PB-B | WOA R24 PB-B | WOA R26 PB-B |
| | Bright Chrome | White | WOA R21 BC-W | WOA R22 BC-W | WOA R23 BC-W | WOA R24 BC-W | WOA R26 BC-W |
| | Bright Chrome | Black | WOA R21 BC-B | WOA R22 BC-B | WOA R23 BC-B | WOA R24 BC-B | WOA R26 BC-B |
| | Satin Chrome | White | WOA R21 SC-W | WOA R22 SC-W | WOA R23 SC-W | WOA R24 SC-W | WOA R26 SC-W |
| | Satin Chrome | Black | WOA R21 SC-B | WOA R22 SC-B | WOA R23 SC-B | WOA R24 SC-B | WOA R26 SC-B |
| | Antique Brass | Black | WOA R21 AB-B | WOA R22 AB-B | WOA R23 AB-B | WOA R24 AB-B | WOA R26 AB-B |
| |  <p>Antique Mahogany Finish Chamfered Edge</p> | Polished Brass | White | WCA R21 PB-W | WCA R22 PB-W | WCA R23 PB-W | WCA R24 PB-W |
| Polished Brass | | Black | WCA R21 PB-B | WCA R22 PB-B | WCA R23 PB-B | WCA R24 PB-B | WCA R26 PB-B |
| Bright Chrome | | White | WCA R21 BC-W | WCA R22 BC-W | WCA R23 BC-W | WCA R24 BC-W | WCA R26 BC-W |
| Bright Chrome | | Black | WCA R21 BC-B | WCA R22 BC-B | WCA R23 BC-B | WCA R24 BC-B | WCA R26 BC-B |
| Satin Chrome | | White | WCA R21 SC-W | WCA R22 SC-W | WCA R23 SC-W | WCA R24 SC-W | WCA R26 SC-W |
| Satin Chrome | | Black | WCA R21 SC-B | WCA R22 SC-B | WCA R23 SC-B | WCA R24 SC-B | WCA R26 SC-B |
| Antique Brass | | Black | WCA R21 AB-B | WCA R22 AB-B | WCA R23 AB-B | WCA R24 AB-B | WCA R26 AB-B |

Rocker Switches



WOL R31 SC-W



1 gang 10AX Intermediate Rocker

Nominal Plate Size: 88 x 88 mm
Min. Wall Box Depth: 25 mm

Technical Insert Reference: R31
Product Code

| Wood Plinth and Edge Profile | Insert Finish | Insert Surround Colour | Product Code |
|---|----------------|------------------------|--------------|
|  | Polished Brass | White | WOL R31 PB-W |
| | Polished Brass | Black | WOL R31 PB-B |
| | Bright Chrome | White | WOL R31 BC-W |
| | Bright Chrome | Black | WOL R31 BC-B |
| | Satin Chrome | White | WOL R31 SC-W |
| | Satin Chrome | Black | WOL R31 SC-B |
| | Antique Brass | White | WOL R31 AB-W |
| | Antique Brass | Black | WOL R31 AB-B |
|  | Polished Brass | White | WCL R31 PB-W |
| | Polished Brass | Black | WCL R31 PB-B |
| | Bright Chrome | White | WCL R31 BC-W |
| | Bright Chrome | Black | WCL R31 BC-B |
| | Satin Chrome | White | WCL R31 SC-W |
| | Satin Chrome | Black | WCL R31 SC-B |
| | Antique Brass | White | WCL R31 AB-W |
| | Antique Brass | Black | WCL R31 AB-B |
|  | Polished Brass | White | WOM R31 PB-W |
| | Polished Brass | Black | WOM R31 PB-B |
| | Bright Chrome | White | WOM R31 BC-W |
| | Bright Chrome | Black | WOM R31 BC-B |
| | Satin Chrome | White | WOM R31 SC-W |
| | Satin Chrome | Black | WOM R31 SC-B |
| | Antique Brass | White | WOM R31 AB-W |
| | Antique Brass | Black | WOM R31 AB-B |
|  | Polished Brass | White | WCM R31 PB-W |
| | Polished Brass | Black | WCM R31 PB-B |
| | Bright Chrome | White | WCM R31 BC-W |
| | Bright Chrome | Black | WCM R31 BC-B |
| | Satin Chrome | White | WCM R31 SC-W |
| | Satin Chrome | Black | WCM R31 SC-B |
| | Antique Brass | White | WCM R31 AB-W |
| | Antique Brass | Black | WCM R31 AB-B |
|  | Polished Brass | White | WOD R31 PB-W |
| | Polished Brass | Black | WOD R31 PB-B |
| | Bright Chrome | White | WOD R31 BC-W |
| | Bright Chrome | Black | WOD R31 BC-B |
| | Satin Chrome | White | WOD R31 SC-W |
| | Satin Chrome | Black | WOD R31 SC-B |
| | Antique Brass | White | WOD R31 AB-W |
| | Antique Brass | Black | WOD R31 AB-B |
|  | Polished Brass | White | WCD R31 PB-W |
| | Polished Brass | Black | WCD R31 PB-B |
| | Bright Chrome | White | WCD R31 BC-W |
| | Bright Chrome | Black | WCD R31 BC-B |
| | Satin Chrome | White | WCD R31 SC-W |
| | Satin Chrome | Black | WCD R31 SC-B |
| | Antique Brass | White | WCD R31 AB-W |
| | Antique Brass | Black | WCD R31 AB-B |
|  | Polished Brass | White | WOA R31 PB-W |
| | Polished Brass | Black | WOA R31 PB-B |
| | Bright Chrome | White | WOA R31 BC-W |
| | Bright Chrome | Black | WOA R31 BC-B |
| | Satin Chrome | White | WOA R31 SC-W |
| | Satin Chrome | Black | WOA R31 SC-B |
| | Antique Brass | White | WOA R31 AB-W |
| | Antique Brass | Black | WOA R31 AB-B |
|  | Polished Brass | White | WCA R31 PB-W |
| | Polished Brass | Black | WCA R31 PB-B |
| | Bright Chrome | White | WCA R31 BC-W |
| | Bright Chrome | Black | WCA R31 BC-B |
| | Satin Chrome | White | WCA R31 SC-W |
| | Satin Chrome | Black | WCA R31 SC-B |
| | Antique Brass | White | WCA R31 AB-W |
| | Antique Brass | Black | WCA R31 AB-B |









WOA TP BL-B



1 gang 10A Triple Pole Rocker

Nominal Plate Size: 88 x 88 mm
Min. Wall Box Depth: 25 mm

Technical Insert Reference: TP
Product Code









| Wood Plinth and Edge Profile | Insert Finish | Insert Surround Colour | Product Code |
|---|---------------|------------------------|--------------|
|  | White Plastic | White | WOL TP WH-W |
| | Black Plastic | Black | WOL TP BL-B |
|  | White Plastic | White | WCL TP WH-W |
| | Black Plastic | Black | WCL TP BL-B |
|  | White Plastic | White | WOM TP WH-W |
| | Black Plastic | Black | WOM TP BL-B |
|  | White Plastic | White | WCM TP WH-W |
| | Black Plastic | Black | WCM TP BL-B |
|  | White Plastic | White | WOD TP WH-W |
| | Black Plastic | Black | WOD TP BL-B |
|  | White Plastic | White | WCD TP WH-W |
| | Black Plastic | Black | WCD TP BL-B |
|  | White Plastic | White | WOA TP WH-W |
| | Black Plastic | Black | WOA TP BL-B |
|  | White Plastic | White | WCA TP WH-W |
| | Black Plastic | Black | WCA TP BL-B |



WCM T22 PB

Toggle Switches



| Wood Plinth and Edge Profile | Insert Finish | 1 gang 20AX 2 way Toggle Nominal Plate Size: 88 x 88 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: T21 Product Code | 2 gang 20AX 2 way Toggle Nominal Plate Size: 88 x 88 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: T22 Product Code | 3 gang 20AX 2 way Toggle Nominal Plate Size: 146 x 88 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: T23 Product Code | 4 gang 20AX 2 way Toggle Nominal Plate Size: 146 x 88 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: T24 Product Code | 1 gang 20AX Intermediate Toggle Nominal Plate Size: 88 x 88 mm Min. Wall Box Depth 25 mm Technical Insert Reference: T31 Product Code |
|--|--|---|---|--|--|--|
| Light Oak Ovolo Edge  | Polished Brass Bright Chrome Satin Chrome Antique Brass | WOL T21 PB WOL T21 BC WOL T21 SC WOL T21 AB | WOL T22 PB WOL T22 BC WOL T22 SC WOL T22 AB | WOL T23 PB WOL T23 BC WOL T23 SC WOL T23 AB | WOL T24 PB WOL T24 BC WOL T24 SC WOL T24 AB | WOL T31 PB WOL T31 BC WOL T31 SC WOL T31 AB |
| Light Oak Chamfered Edge  | Polished Brass Bright Chrome Satin Chrome Antique Brass | WCL T21 PB WCL T21 BC WCL T21 SC WCL T21 AB | WCL T22 PB WCL T22 BC WCL T22 SC WCL T22 AB | WCL T23 PB WCL T23 BC WCL T23 SC WCL T23 AB | WCL T24 PB WCL T24 BC WCL T24 SC WCL T24 AB | WCL T31 PB WCL T31 BC WCL T31 SC WCL T31 AB |
| Medium Oak Ovolo Edge  | Polished Brass Bright Chrome Satin Chrome Antique Brass | WOM T21 PB WOM T21 BC WOM T21 SC WOM T21 AB | WOM T22 PB WOM T22 BC WOM T22 SC WOM T22 AB | WOM T23 PB WOM T23 BC WOM T23 SC WOM T23 AB | WOM T24 PB WOM T24 BC WOM T24 SC WOM T24 AB | WOM T31 PB WOM T31 BC WOM T31 SC WOM T31 AB |
| Medium Oak Chamfered Edge  | Polished Brass Bright Chrome Satin Chrome Antique Brass | WCM T21 PB WCM T21 BC WCM T21 SC WCM T21 AB | WCM T22 PB WCM T22 BC WCM T22 SC WCM T22 AB | WCM T23 PB WCM T23 BC WCM T23 SC WCM T23 AB | WCM T24 PB WCM T24 BC WCM T24 SC WCM T24 AB | WCM T31 PB WCM T31 BC WCM T31 SC WCM T31 AB |
| Dark Oak Ovolo Edge  | Polished Brass Bright Chrome Satin Chrome Antique Brass | WOD T21 PB WOD T21 BC WOD T21 SC WOD T21 AB | WOD T22 PB WOD T22 BC WOD T22 SC WOD T22 AB | WOD T23 PB WOD T23 BC WOD T23 SC WOD T23 AB | WOD T24 PB WOD T24 BC WOD T24 SC WOD T24 AB | WOD T31 PB WOD T31 BC WOD T31 SC WOD T31 AB |
| Dark Oak Chamfered Edge  | Polished Brass Bright Chrome Satin Chrome Antique Brass | WCD T21 PB WCD T21 BC WCD T21 SC WCD T21 AB | WCD T22 PB WCD T22 BC WCD T22 SC WCD T22 AB | WCD T23 PB WCD T23 BC WCD T23 SC WCD T23 AB | WCD T24 PB WCD T24 BC WCD T24 SC WCD T24 AB | WCD T31 PB WCD T31 BC WCD T31 SC WCD T31 AB |
| Antique Mahogany Finish Ovolo Edge  | Polished Brass Bright Chrome Satin Chrome Antique Brass | WOA T21 PB WOA T21 BC WOA T21 SC WOA T21 AB | WOA T22 PB WOA T22 BC WOA T22 SC WOA T22 AB | WOA T23 PB WOA T23 BC WOA T23 SC WOA T23 AB | WOA T24 PB WOA T24 BC WOA T24 SC WOA T24 AB | WOA T31 PB WOA T31 BC WOA T31 SC WOA T31 AB |
| Antique Mahogany Finish Chamfered Edge  | Polished Brass Bright Chrome Satin Chrome Antique Brass | WCA T21 PB WCA T21 BC WCA T21 SC WCA T21 AB | WCA T22 PB WCA T22 BC WCA T22 SC WCA T22 AB | WCA T23 PB WCA T23 BC WCA T23 SC WCA T23 AB | WCA T24 PB WCA T24 BC WCA T24 SC WCA T24 AB | WCA T31 PB WCA T31 BC WCA T31 SC WCA T31 AB |

Hotel Card Switches



WOD C11 BC-B

Adjustable Time Delay 10 seconds – 5 minutes.
Suitable for 44 mm and 54 mm width Hotel Key Cards.



1 gang
10A (6AX) On/Off
with Blue LED
Locator

Nominal Plate Size:
88 x 88 mm

Min. Wall Box
Depth: 35 mm

Technical Insert
Reference: C11

Product Code









1 gang
12-24 V AC/DC
+/- 10% On/Off with
Blue LED Locator
(Suitable for
KNX BUS System)

Nominal Plate Size:
88 x 88 mm

Min. Wall Box
Depth: 35 mm

Technical Insert
Reference: CKNX

Product Code

| Wood Plinth and Edge Profile | Insert Finish | Insert Surround Colour | Product Code | Product Code |
|--|----------------|------------------------|--------------|---------------|
| Light Oak Ovolo Edge  | Polished Brass | White | WOL C11 PB-W | WOL CKNX PB-W |
| | Polished Brass | Black | WOL C11 PB-B | WOL CKNX PB-B |
| | Bright Chrome | White | WOL C11 BC-W | WOL CKNX BC-W |
| | Bright Chrome | Black | WOL C11 BC-B | WOL CKNX BC-B |
| | Satin Chrome | White | WOL C11 SC-W | WOL CKNX SC-W |
| | Satin Chrome | Black | WOL C11 SC-B | WOL CKNX SC-B |
| | Antique Brass | Black | WOL C11 AB-B | WOL CKNX AB-B |
| Light Oak Chamfered Edge  | Polished Brass | White | WCL C11 PB-W | WCL CKNX PB-W |
| | Polished Brass | Black | WCL C11 PB-B | WCL CKNX PB-B |
| | Bright Chrome | White | WCL C11 BC-W | WCL CKNX BC-W |
| | Bright Chrome | Black | WCL C11 BC-B | WCL CKNX BC-B |
| | Satin Chrome | White | WCL C11 SC-W | WCL CKNX SC-W |
| | Satin Chrome | Black | WCL C11 SC-B | WCL CKNX SC-B |
| | Antique Brass | Black | WCL C11 AB-B | WCL CKNX AB-B |
| Medium Oak Ovolo Edge  | Polished Brass | White | WOM C11 PB-W | WOM CKNX PB-W |
| | Polished Brass | Black | WOM C11 PB-B | WOM CKNX PB-B |
| | Bright Chrome | White | WOM C11 BC-W | WOM CKNX BC-W |
| | Bright Chrome | Black | WOM C11 BC-B | WOM CKNX BC-B |
| | Satin Chrome | White | WOM C11 SC-W | WOM CKNX SC-W |
| | Satin Chrome | Black | WOM C11 SC-B | WOM CKNX SC-B |
| | Antique Brass | Black | WOM C11 AB-B | WOM CKNX AB-B |
| Medium Oak Chamfered Edge  | Polished Brass | White | WCM C11 PB-W | WCM CKNX PB-W |
| | Polished Brass | Black | WCM C11 PB-B | WCM CKNX PB-B |
| | Bright Chrome | White | WCM C11 BC-W | WCM CKNX BC-W |
| | Bright Chrome | Black | WCM C11 BC-B | WCM CKNX BC-B |
| | Satin Chrome | White | WCM C11 SC-W | WCM CKNX SC-W |
| | Satin Chrome | Black | WCM C11 SC-B | WCM CKNX SC-B |
| | Antique Brass | Black | WCM C11 AB-B | WCM CKNX AB-B |
| Dark Oak Ovolo Edge  | Polished Brass | White | WOD C11 PB-W | WOD CKNX PB-W |
| | Polished Brass | Black | WOD C11 PB-B | WOD CKNX PB-B |
| | Bright Chrome | White | WOD C11 BC-W | WOD CKNX BC-W |
| | Bright Chrome | Black | WOD C11 BC-B | WOD CKNX BC-B |
| | Satin Chrome | White | WOD C11 SC-W | WOD CKNX SC-W |
| | Satin Chrome | Black | WOD C11 SC-B | WOD CKNX SC-B |
| | Antique Brass | Black | WOD C11 AB-B | WOD CKNX AB-B |
| Dark Oak Chamfered Edge  | Polished Brass | White | WCD C11 PB-W | WCD CKNX PB-W |
| | Polished Brass | Black | WCD C11 PB-B | WCD CKNX PB-B |
| | Bright Chrome | White | WCD C11 BC-W | WCD CKNX BC-W |
| | Bright Chrome | Black | WCD C11 BC-B | WCD CKNX BC-B |
| | Satin Chrome | White | WCD C11 SC-W | WCD CKNX SC-W |
| | Satin Chrome | Black | WCD C11 SC-B | WCD CKNX SC-B |
| | Antique Brass | Black | WCD C11 AB-B | WCD CKNX AB-B |
| Antique Mahogany Finish Ovolo Edge  | Polished Brass | White | WOA C11 PB-W | WOA CKNX PB-W |
| | Polished Brass | Black | WOA C11 PB-B | WOA CKNX PB-B |
| | Bright Chrome | White | WOA C11 BC-W | WOA CKNX BC-W |
| | Bright Chrome | Black | WOA C11 BC-B | WOA CKNX BC-B |
| | Satin Chrome | White | WOA C11 SC-W | WOA CKNX SC-W |
| | Satin Chrome | Black | WOA C11 SC-B | WOA CKNX SC-B |
| | Antique Brass | Black | WOA C11 AB-B | WOA CKNX AB-B |
| Antique Mahogany Finish Chamfered Edge  | Polished Brass | White | WCA C11 PB-W | WCA CKNX PB-W |
| | Polished Brass | Black | WCA C11 PB-B | WCA CKNX PB-B |
| | Bright Chrome | White | WCA C11 BC-W | WCA CKNX BC-W |
| | Bright Chrome | Black | WCA C11 BC-B | WCA CKNX BC-B |
| | Satin Chrome | White | WCA C11 SC-W | WCA CKNX SC-W |
| | Satin Chrome | Black | WCA C11 SC-B | WCA CKNX SC-B |
| | Antique Brass | Black | WCA C11 AB-B | WCA CKNX AB-B |

Power Sockets



WOL SS2 SC-W











1 gang 13A Double Pole Switched Socket

Nominal Plate Size:
88 x 88 mm
Min. Wall Box
Depth: 35 mm
Technical Insert
Reference: **SS1**
Product Code






2 gang 13A Double Pole Switched Socket

Nominal Plate Size:
146 x 88 mm
Min. Wall Box
Depth: 35 mm
Technical Insert
Reference: **SS2**
Product Code

| Wood Plinth and Edge Profile | Insert Finish | Insert Surround Colour | Product Code | Product Code |
|--|----------------|------------------------|--------------|--------------|
| Light Oak Ovolo Edge  | Polished Brass | White | WOL SS1 PB-W | WOL SS2 PB-W |
| | Polished Brass | Black | WOL SS1 PB-B | WOL SS2 PB-B |
| | Bright Chrome | White | WOL SS1 BC-W | WOL SS2 BC-W |
| | Bright Chrome | Black | WOL SS1 BC-B | WOL SS2 BC-B |
| | Satin Chrome | White | WOL SS1 SC-W | WOL SS2 SC-W |
| | Satin Chrome | Black | WOL SS1 SC-B | WOL SS2 SC-B |
| | Antique Brass | Black | WOL SS1 AB-B | WOL SS2 AB-B |
| | | | | |
| Light Oak Chamfered Edge  | Polished Brass | White | WCL SS1 PB-W | WCL SS2 PB-W |
| | Polished Brass | Black | WCL SS1 PB-B | WCL SS2 PB-B |
| | Bright Chrome | White | WCL SS1 BC-W | WCL SS2 BC-W |
| | Bright Chrome | Black | WCL SS1 BC-B | WCL SS2 BC-B |
| | Satin Chrome | White | WCL SS1 SC-W | WCL SS2 SC-W |
| | Satin Chrome | Black | WCL SS1 SC-B | WCL SS2 SC-B |
| | Antique Brass | Black | WCL SS1 AB-B | WCL SS2 AB-B |
| | | | | |
| Medium Oak Ovolo Edge  | Polished Brass | White | WOM SS1 PB-W | WOM SS2 PB-W |
| | Polished Brass | Black | WOM SS1 PB-B | WOM SS2 PB-B |
| | Bright Chrome | White | WOM SS1 BC-W | WOM SS2 BC-W |
| | Bright Chrome | Black | WOM SS1 BC-B | WOM SS2 BC-B |
| | Satin Chrome | White | WOM SS1 SC-W | WOM SS2 SC-W |
| | Satin Chrome | Black | WOM SS1 SC-B | WOM SS2 SC-B |
| | Antique Brass | Black | WOM SS1 AB-B | WOM SS2 AB-B |
| | | | | |
| Medium Oak Chamfered Edge  | Polished Brass | White | WCM SS1 PB-W | WCM SS2 PB-W |
| | Polished Brass | Black | WCM SS1 PB-B | WCM SS2 PB-B |
| | Bright Chrome | White | WCM SS1 BC-W | WCM SS2 BC-W |
| | Bright Chrome | Black | WCM SS1 BC-B | WCM SS2 BC-B |
| | Satin Chrome | White | WCM SS1 SC-W | WCM SS2 SC-W |
| | Satin Chrome | Black | WCM SS1 SC-B | WCM SS2 SC-B |
| | Antique Brass | Black | WCM SS1 AB-B | WCM SS2 AB-B |
| | | | | |
| Dark Oak Ovolo Edge  | Polished Brass | White | WOD SS1 PB-W | WOD SS2 PB-W |
| | Polished Brass | Black | WOD SS1 PB-B | WOD SS2 PB-B |
| | Bright Chrome | White | WOD SS1 BC-W | WOD SS2 BC-W |
| | Bright Chrome | Black | WOD SS1 BC-B | WOD SS2 BC-B |
| | Satin Chrome | White | WOD SS1 SC-W | WOD SS2 SC-W |
| | Satin Chrome | Black | WOD SS1 SC-B | WOD SS2 SC-B |
| | Antique Brass | Black | WOD SS1 AB-B | WOD SS2 AB-B |
| | | | | |
| Dark Oak Chamfered Edge  | Polished Brass | White | WCD SS1 PB-W | WCD SS2 PB-W |
| | Polished Brass | Black | WCD SS1 PB-B | WCD SS2 PB-B |
| | Bright Chrome | White | WCD SS1 BC-W | WCD SS2 BC-W |
| | Bright Chrome | Black | WCD SS1 BC-B | WCD SS2 BC-B |
| | Satin Chrome | White | WCD SS1 SC-W | WCD SS2 SC-W |
| | Satin Chrome | Black | WCD SS1 SC-B | WCD SS2 SC-B |
| | Antique Brass | Black | WCD SS1 AB-B | WCD SS2 AB-B |
| | | | | |
| Antique Mahogany Finish Ovolo Edge  | Polished Brass | White | WOA SS1 PB-W | WOA SS2 PB-W |
| | Polished Brass | Black | WOA SS1 PB-B | WOA SS2 PB-B |
| | Bright Chrome | White | WOA SS1 BC-W | WOA SS2 BC-W |
| | Bright Chrome | Black | WOA SS1 BC-B | WOA SS2 BC-B |
| | Satin Chrome | White | WOA SS1 SC-W | WOA SS2 SC-W |
| | Satin Chrome | Black | WOA SS1 SC-B | WOA SS2 SC-B |
| | Antique Brass | Black | WOA SS1 AB-B | WOA SS2 AB-B |
| | | | | |
| Antique Mahogany Finish Chamfered Edge  | Polished Brass | White | WCA SS1 PB-W | WCA SS2 PB-W |
| | Polished Brass | Black | WCA SS1 PB-B | WCA SS2 PB-B |
| | Bright Chrome | White | WCA SS1 BC-W | WCA SS2 BC-W |
| | Bright Chrome | Black | WCA SS1 BC-B | WCA SS2 BC-B |
| | Satin Chrome | White | WCA SS1 SC-W | WCA SS2 SC-W |
| | Satin Chrome | Black | WCA SS1 SC-B | WCA SS2 SC-B |
| | Antique Brass | Black | WCA SS1 AB-B | WCA SS2 AB-B |
| | | | | |

Power Sockets



| Wood Plinth and Edge Profile | Insert Finish | Insert Surround Colour | 1 gang 5A Unswitched Socket Nom. Plate Size: 88 x 88 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: US5 Product Code | 1 gang 16A German Unswitched Socket Nom. Plate Size: 88 x 88 mm Min. Wall Box Depth: 47 mm Technical Insert Reference: 6126 Product Code | 1 gang 15A American Unswitched Socket Nom. Plate Size: 88 x 88 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: 5258 Product Code | 2 gang 15A American Unswitched Socket Nom. Plate Size: 146 x 88 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: 5320 Product Code | Shaver Dual Voltage Unswitched Socket Nom. Plate Size: 88 x 146 mm Min. Wall Box Depth: 47 mm Technical Insert Reference: SHS Product Code |
|--|--------------------------------|------------------------|---|--|--|---|--|
| Light Oak Ovolo Edge  | White Plastic Black Plastic | White Black | WOL US5 W WOL US5 B | WOL 6126 W WOL 6126 B | WOL 5258 W WOL 5258 B | WOL 5320 W WOL 5320 B | WOL SHS W WOL SHS B |
| Light Oak Chamfered Edge  | White Plastic Black Plastic | White Black | WCL US5 W WCL US5 B | WCL 6126 W WCL 6126 B | WCL 5258 W WCL 5258 B | WCL 5320 W WCL 5320 B | WCL SHS W WCL SHS B |
| Medium Oak Ovolo Edge  | White Plastic Black Plastic | White Black | WOM US5 W WOM US5 B | WOM 6126 W WOM 6126 B | WOM 5258 W WOM 5258 B | WOM 5320 W WOM 5320 B | WOM SHS W WOM SHS B |
| Medium Oak Chamfered Edge  | White Plastic Black Plastic | White Black | WCM US5 W WCM US5 B | WCM 6126 W WCM 6126 B | WCM 5258 W WCM 5258 B | WCM 5320 W WCM 5320 B | WCM SHS W WCM SHS B |
| Dark Oak Ovolo Edge  | White Plastic Black Plastic | White Black | WOD US5 W WOD US5 B | WOD 6126 W WOD 6126 B | WOD 5258 W WOD 5258 B | WOD 5320 W WOD 5320 B | WOD SHS W WOD SHS B |
| Dark Oak Chamfered Edge  | White Plastic Black Plastic | White Black | WCD US5 W WCD US5 B | WCD 6126 W WCD 6126 B | WCD 5258 W WCD 5258 B | WCD 5320 W WCD 5320 B | WCD SHS W WCD SHS B |
| Antique Mahogany Finish Ovolo Edge  | White Plastic Black Plastic | White Black | WOA US5 W WOA US5 B | WOA 6126 W WOA 6126 B | WOA 5258 W WOA 5258 B | WOA 5320 W WOA 5320 B | WOA SHS W WOA SHS B |
| Antique Mahogany Finish Chamfered Edge  | White Plastic Black Plastic | White Black | WCA US5 W WCA US5 B | WCA 6126 W WCA 6126 B | WCA 5258 W WCA 5258 B | WCA 5320 W WCA 5320 B | WCA SHS W WCA SHS B |

Television Coaxial Sockets



WCM TV W



**1 gang
Non Isolated
TV**

1 In/1 Out
Nom. Plate Size:
88 x 88 mm
Min. Wall Box
Depth: 25 mm
Technical Insert
Reference: **TV**
Product Code

**Isolated
TV/FM
Diplexer**

1 In/2 Out
Nom. Plate Size:
88 x 88 mm
Min. Wall Box
Depth: 25 mm
Technical Insert
Reference: **TVFM**
Product Code

**1 gang
Isolated
TV**

1 In/1 Out
Nom. Plate Size:
88 x 88 mm
Min. Wall Box
Depth: 25 mm
Technical Insert
Reference: **TVI**
Product Code

**2 gang
Non Isolated
TV+ Satellite**

2 In/2 Out
Nom. Plate Size:
88 x 88 mm
Min. Wall Box
Depth: 35 mm
Technical Insert
Reference: **TVSAT**
Product Code

**1 gang
Non Isolated
Satellite**

Nom. Plate Size:
88 x 88 mm
Min. Wall Box
Depth 35 mm
Technical Insert
Reference: **SATN**
Product Code

**1 gang
Isolated
Satellite**

Nom. Plate Size:
88 x 88 mm
Min. Wall Box
Depth 35 mm
Technical Insert
Reference: **SATI**
Product Code

**Wood Plinth
and Edge Profile**

Insert Finish

**Insert
Surround
Colour**

Light Oak
Ovolo Edge

White Plastic
Black Plastic

White
Black

WOL TV W
WOL TV B

WOL TVFM W
WOL TVFM B

WOL TVI W
WOL TVI B

WOL TVSAT W
WOL TVSAT B

WOL SATN W
WOL SATN B

WOL SATI W
WOL SATI B



Light Oak
Chamfered Edge

White Plastic
Black Plastic

White
Black

WCL TV W
WCL TV B

WCL TVFM W
WCL TVFM B

WCL TVI W
WCL TVI B

WCL TVSAT W
WCL TVSAT B

WCL SATN W
WCL SATN B

WCL SATI W
WCL SATI B



Medium Oak
Ovolo Edge

White Plastic
Black Plastic

White
Black

WOM TV W
WOM TV B

WOM TVFM W
WOM TVFM B

WOM TVI W
WOM TVI B

WOM TVSAT W
WOM TVSAT B

WOM SATN W
WOM SATN B

WOM SATI W
WOM SATI B



Medium Oak
Chamfered Edge

White Plastic
Black Plastic

White
Black

WCM TV W
WCM TV B

WCM TVFM W
WCM TVFM B

WCM TVI W
WCM TVI B

WCM TVSAT W
WCM TVSAT B

WCM SATN W
WCM SATN B

WCM SATI W
WCM SATI B



Dark Oak
Ovolo Edge

White Plastic
Black Plastic

White
Black

WOD TV W
WOD TV B

WOD TVFM W
WOD TVFM B

WOD TVI W
WOD TVI B

WOD TVSAT W
WOD TVSAT B

WOD SATN W
WOD SATN B

WOD SATI W
WOD SATI B



Dark Oak
Chamfered Edge

White Plastic
Black Plastic

White
Black

WCD TV W
WCD TV B

WCD TVFM W
WCD TVFM B

WCD TVI W
WCD TVI B

WCD TVSAT W
WCD TVSAT B

WCD SATN W
WCD SATN B

WCD SATI W
WCD SATI B



Antique
Mahogany Finish
Ovolo Edge

White Plastic
Black Plastic

White
Black

WOA TV W
WOA TV B

WOA TVFM W
WOA TVFM B

WOA TVI W
WOA TVI B

WOA TVSAT W
WOA TVSAT B

WOA SATN W
WOA SATN B

WOA SATI W
WOA SATI B



Antique
Mahogany Finish
Chamfered Edge

White Plastic
Black Plastic

White
Black

WCA TV W
WCA TV B

WCA TVFM W
WCA TVFM B

WCA TVI W
WCA TVI B

WCA TVSAT W
WCA TVSAT B

WCA SATN W
WCA SATN B

WCA SATI W
WCA SATI B











Digital Television Coaxial Sockets - Screened Non Isolated - DAB Compatible



WOL DTRID B











| Wood Plinth and Edge Profile | Insert Finish | Insert Surround Colour | Non Isolated TV/FM/Satellite Triplexer 1 In/3 Out Nom. Plate Size: 88 x 88 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: DTRID Product Code | 1 gang TV Non Isolated (Female) Nom. Plate Size: 88 x 88 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: DTV F Product Code | 1 gang TV Non Isolated (Male) Nom. Plate Size: 88 x 88 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: DTVM Product Code | 1 gang Non Isolated Satellite Nom. Plate Size: 88 x 88 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: DSAT Product Code | Non Isolated TV/FM/Satellite 1/Satellite 2 Quadplexer 2 In/4 Out Nom. Plate Size: 88 x 88 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: DENT Product Code | Non Isolated TV/FM/Satellite 1/Satellite 2 Quadplexer 2 In/4 Out + TVF + TCS Nom. Plate Size: 146 x 88 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: DSAT+ Product Code |
|--|--------------------------------|------------------------|--|--|---|---|--|--|
| Light Oak Ovolo Edge  | White Plastic Black Plastic | White Black | WOL DTRID W WOL DTRID B | WOL DTVF W WOL DTVF B | WOL DTVM W WOL DTVM B | WOL DSAT W WOL DSAT B | WOL DENT W WOL DENT B | WOL DSAT+ W WOL DSAT+ B |
| Light Oak Chamfered Edge  | White Plastic Black Plastic | White Black | WCL DTRID W WCL DTRID B | WCL DTVF W WCL DTVF B | WCL DTVM W WCL DTVM B | WCL DSAT W WCL DSAT B | WCL DENT W WCL DENT B | WCL DSAT+ W WCL DSAT+ B |
| Medium Oak Ovolo Edge  | White Plastic Black Plastic | White Black | WOM DTRID W WOM DTRID B | WOM DTVF W WOM DTVF B | WOM DTVM W WOM DTVM B | WOM DSAT W WOM DSAT B | WOM DENT W WOM DENT B | WOM DSAT+ W WOM DSAT+ B |
| Medium Oak Chamfered Edge  | White Plastic Black Plastic | White Black | WCM DTRID W WCM DTRID B | WCM DTVF W WCM DTVF B | WCM DTVM W WCM DTVM B | WCM DSAT W WCM DSAT B | WCM DENT W WCM DENT B | WCM DSAT+ W WCM DSAT+ B |
| Dark Oak Ovolo Edge  | White Plastic Black Plastic | White Black | WOD DTRID W WOD DTRID B | WOD DTVF W WOD DTVF B | WOD DTVM W WOD DTVM B | WOD DSAT W WOD DSAT B | WOD DENT W WOD DENT B | WOD DSAT+ W WOD DSAT+ B |
| Dark Oak Chamfered Edge  | White Plastic Black Plastic | White Black | WCD DTRID W WCD DTRID B | WCD DTVF W WCD DTVF B | WCD DTVM W WCD DTVM B | WCD DSAT W WCD DSAT B | WCD DENT W WCD DENT B | WCD DSAT+ W WCD DSAT+ B |
| Antique Mahogany Finish Ovolo Edge  | White Plastic Black Plastic | White Black | WOA DTRID W WOA DTRID B | WOA DTVF W WOA DTVF B | WOA DTVM W WOA DTVM B | WOA DSAT W WOA DSAT B | WOA DENT W WOA DENT B | WOA DSAT+ W WOA DSAT+ B |
| Antique Mahogany Finish Chamfered Edge  | White Plastic Black Plastic | White Black | WCA DTRID W WCA DTRID B | WCA DTVF W WCA DTVF B | WCA DTVM W WCA DTVM B | WCA DSAT W WCA DSAT B | WCA DENT W WCA DENT B | WCA DSAT+ W WCA DSAT+ B |

Telephone and Data Outlets



WOA 2J12 B



| Wood Plinth and Edge Profile | Insert Finish | Insert Surround Colour | 1 gang Telephone Master Nom. Plate Size: 88 x 88 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: TCM Product Code | 1 gang Telephone Slave Nom. Plate Size: 88 x 88 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: TCS Product Code | 1 gang RJ12 Outlet Unshielded Nom. Plate Size: 88 x 88 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: J12 Product Code | 2 gang RJ12 Outlet Unshielded Nom. Plate Size: 88 x 88 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: 2J12 Product Code | 1 gang RJ45 CAT 5E Outlet Unshielded Nom. Plate Size: 88 x 88 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: J45 Product Code | 2 gang RJ45 CAT 5E Outlet Unshielded Nom. Plate Size: 88 x 88 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: 2J45 Product Code |
|---|--------------------------------|------------------------|---|--|---|--|--|---|
| Light Oak Ovolo Edge  | White Plastic Black Plastic | White Black | WOL TCM W WOL TCM B | WOL TCS W WOL TCS B | WOL J12 W WOL J12 B | WOL 2J12 W WOL 2J12 B | WOL J45 W WOL J45 B | WOL 2J45 W WOL 2J45 B |
| Light Oak Chamfered Edge  | White Plastic Black Plastic | White Black | WCL TCM W WCL TCM B | WCL TCS W WCL TCS B | WCL J12 W WCL J12 B | WCL 2J12 W WCL 2J12 B | WCL J45 W WCL J45 B | WCL 2J45 W WCL 2J45 B |
| Medium Oak Ovolo Edge  | White Plastic Black Plastic | White Black | WOM TCM W WOM TCM B | WOM TCS W WOM TCS B | WOM J12 W WOM J12 B | WOM 2J12 W WOM 2J12 B | WOM J45 W WOM J45 B | WOM 2J45 W WOM 2J45 B |
| Medium Oak Chamfered Edge  | White Plastic Black Plastic | White Black | WCM TCM W WCM TCM B | WCM TCS W WCM TCS B | WCM J12 W WCM J12 B | WCM 2J12 W WCM 2J12 B | WCM J45 W WCM J45 B | WCM 2J45 W WCM 2J45 B |
| Dark Oak Ovolo Edge  | White Plastic Black Plastic | White Black | WOD TCM W WOD TCM B | WOD TCS W WOD TCS B | WOD J12 W WOD J12 B | WOD 2J12 W WOD 2J12 B | WOD J45 W WOD J45 B | WOD 2J45 W WOD 2J45 B |
| Dark Oak Chamfered Edge  | White Plastic Black Plastic | White Black | WCD TCM W WCD TCM B | WCD TCS W WCD TCS B | WCD J12 W WCD J12 B | WCD 2J12 W WCD 2J12 B | WCD J45 W WCD J45 B | WCD 2J45 W WCD 2J45 B |
| Antique Mahogany Finish Ovolo Edge  | White Plastic Black Plastic | White Black | WOA TCM W WOA TCM B | WOA TCS W WOA TCS B | WOA J12 W WOA J12 B | WOA 2J12 W WOA 2J12 B | WOA J45 W WOA J45 B | WOA 2J45 W WOA 2J45 B |
| Antique Mahogany Finish Chamfered Edge  | White Plastic Black Plastic | White Black | WCA TCM W WCA TCM B | WCA TCS W WCA TCS B | WCA J12 W WCA J12 B | WCA 2J12 W WCA 2J12 B | WCA J45 W WCA J45 B | WCA 2J45 W WCA 2J45 B |



WOD DPN PB-B

Double Pole Switches











1 gang 20A Double Pole Rocker + Neon

Nominal Plate Size:
88 x 88 mm
Min. Wall Box
Depth: 25 mm
Technical Insert
Reference: **DPN**
Product Code

45A Double Pole Red Rocker + Neon + 13A Switched Socket

Nominal Plate Size:
146 x 88 mm
Min. Wall Box
Depth: 35 mm
Technical Insert
Reference: **45SS1**
Product Code

| Wood Plinth and Edge Profile | Insert Finish | Insert Surround Colour | 1 gang 20A Double Pole Rocker + Neon | 45A Double Pole Red Rocker + Neon + 13A Switched Socket |
|--|---|---|--|--|
| Light Oak Ovolo Edge  | Polished Brass Polished Brass Bright Chrome Bright Chrome Satin Chrome Satin Chrome Antique Brass | White Black White Black White Black Black | WOL DPN PB-W WOL DPN PB-B WOL DPN BC-W WOL DPN BC-B WOL DPN SC-W WOL DPN SC-B WOL DPN AB-B | WOL 45SS1 PB-W WOL 45SS1 PB-B WOL 45SS1 BC-W WOL 45SS1 BC-B WOL 45SS1 SC-W WOL 45SS1 SC-B WOL 45SS1 AB-B |
| Light Oak Chamfered Edge  | Polished Brass Polished Brass Bright Chrome Bright Chrome Satin Chrome Satin Chrome Antique Brass | White Black White Black White Black Black | WCL DPN PB-W WCL DPN PB-B WCL DPN BC-W WCL DPN BC-B WCL DPN SC-W WCL DPN SC-B WCL DPN AB-B | WCL 45SS1 PB-W WCL 45SS1 PB-B WCL 45SS1 BC-W WCL 45SS1 BC-B WCL 45SS1 SC-W WCL 45SS1 SC-B WCL 45SS1 AB-B |
| Medium Oak Ovolo Edge  | Polished Brass Polished Brass Bright Chrome Bright Chrome Satin Chrome Satin Chrome Antique Brass | White Black White Black White Black Black | WOM DPN PB-W WOM DPN PB-B WOM DPN BC-W WOM DPN BC-B WOM DPN SC-W WOM DPN SC-B WOM DPN AB-B | WOM 45SS1 PB-W WOM 45SS1 PB-B WOM 45SS1 BC-W WOM 45SS1 BC-B WOM 45SS1 SC-W WOM 45SS1 SC-B WOM 45SS1 AB-B |
| Medium Oak Chamfered Edge  | Polished Brass Polished Brass Bright Chrome Bright Chrome Satin Chrome Satin Chrome Antique Brass | White Black White Black White Black Black | WCM DPN PB-W WCM DPN PB-B WCM DPN BC-W WCM DPN BC-B WCM DPN SC-W WCM DPN SC-B WCM DPN AB-B | WCM 45SS1 PB-W WCM 45SS1 PB-B WCM 45SS1 BC-W WCM 45SS1 BC-B WCM 45SS1 SC-W WCM 45SS1 SC-B WCM 45SS1 AB-B |
| Dark Oak Ovolo Edge  | Polished Brass Polished Brass Bright Chrome Bright Chrome Satin Chrome Satin Chrome Antique Brass | White Black White Black White Black Black | WOD DPN PB-W WOD DPN PB-B WOD DPN BC-W WOD DPN BC-B WOD DPN SC-W WOD DPN SC-B WOD DPN AB-B | WOD 45SS1 PB-W WOD 45SS1 PB-B WOD 45SS1 BC-W WOD 45SS1 BC-B WOD 45SS1 SC-W WOD 45SS1 SC-B WOD 45SS1 AB-B |
| Dark Oak Chamfered Edge  | Polished Brass Polished Brass Bright Chrome Bright Chrome Satin Chrome Satin Chrome Antique Brass | White Black White Black White Black Black | WCD DPN PB-W WCD DPN PB-B WCD DPN BC-W WCD DPN BC-B WCD DPN SC-W WCD DPN SC-B WCD DPN AB-B | WCD 45SS1 PB-W WCD 45SS1 PB-B WCD 45SS1 BC-W WCD 45SS1 BC-B WCD 45SS1 SC-W WCD 45SS1 SC-B WCD 45SS1 AB-B |
| Antique Mahogany Finish Ovolo Edge  | Polished Brass Polished Brass Bright Chrome Bright Chrome Satin Chrome Satin Chrome Antique Brass | White Black White Black White Black Black | WOA DPN PB-W WOA DPN PB-B WOA DPN BC-W WOA DPN BC-B WOA DPN SC-W WOA DPN SC-B WOA DPN AB-B | WOA 45SS1 PB-W WOA 45SS1 PB-B WOA 45SS1 BC-W WOA 45SS1 BC-B WOA 45SS1 SC-W WOA 45SS1 SC-B WOA 45SS1 AB-B |
| Antique Mahogany Finish Chamfered Edge  | Polished Brass Polished Brass Bright Chrome Bright Chrome Satin Chrome Satin Chrome Antique Brass | White Black White Black White Black Black | WCA DPN PB-W WCA DPN PB-B WCA DPN BC-W WCA DPN BC-B WCA DPN SC-W WCA DPN SC-B WCA DPN AB-B | WCA 45SS1 PB-W WCA 45SS1 PB-B WCA 45SS1 BC-W WCA 45SS1 BC-B WCA 45SS1 SC-W WCA 45SS1 SC-B WCA 45SS1 AB-B |









Double Pole Switches



WCL 45N W



**1 gang 45A
Double Pole
Red Rocker + Neon**
Nominal Plate Size:
88 x 88 mm
Min. Wall Box
Depth: 25 mm
Technical Insert
Reference: 45N
Product Code

| Wood Plinth and Edge Profile | Insert Finish | Insert Surround Colour | |
|--|----------------------------|------------------------|------------------------|
| Light Oak Ovolo Edge  | Red Plastic Red Plastic | White Black | WOL 45N W WOL 45N B |
| Light Oak Chamfered Edge  | Red Plastic Red Plastic | White Black | WCL 45N W WCL 45N B |
| Medium Oak Ovolo Edge  | Red Plastic Red Plastic | White Black | WOM 45N W WOM 45N B |
| Medium Oak Chamfered Edge  | Red Plastic Red Plastic | White Black | WCM 45N W WCM 45N B |
| Dark Oak Ovolo Edge  | Red Plastic Red Plastic | White Black | WOD 45N W WOD 45N B |
| Dark Oak Chamfered Edge  | Red Plastic Red Plastic | White Black | WCD 45N W WCD 45N B |
| Antique Mahogany Finish Ovolo Edge  | Red Plastic Red Plastic | White Black | WOA 45N W WOA 45N B |
| Antique Mahogany Finish Chamfered Edge  | Red Plastic Red Plastic | White Black | WCA 45N W WCA 45N B |

Connection Units











WOM SPN SC-B



1 gang 13A Double Pole Fused Spur + Neon
 Nominal Plate Size:
 88 x 88 mm
 Min. Wall Box
 Depth: 35 mm
 Technical Insert
 Reference: **SPN**
 Product Code



1 gang 13A Fuse Only
 Nominal Plate Size:
 88 x 88 mm
 Min. Wall Box
 Depth: 35 mm
 Technical Insert
 Reference: **FO**
 Product Code

| Wood Plinth and Edge Profile | Insert Finish | Insert Surround Colour | Product Code | Product Code |
|--|---|---|--|---|
| Light Oak Ovolo Edge  | Polished Brass Polished Brass Bright Chrome Bright Chrome Satin Chrome Satin Chrome Antique Brass | White Black White Black White Black Black | WOL SPN PB-W WOL SPN PB-B WOL SPN BC-W WOL SPN BC-B WOL SPN SC-W WOL SPN SC-B WOL SPN AB-B | WOL FO PB-W WOL FO PB-B WOL FO BC-W WOL FO BC-B WOL FO SC-W WOL FO SC-B WOL FO AB-B |
| Light Oak Chamfered Edge  | Polished Brass Polished Brass Bright Chrome Bright Chrome Satin Chrome Satin Chrome Antique Brass | White Black White Black White Black Black | WCL SPN PB-W WCL SPN PB-B WCL SPN BC-W WCL SPN BC-B WCL SPN SC-W WCL SPN SC-B WCL SPN AB-B | WCL FO PB-W WCL FO PB-B WCL FO BC-W WCL FO BC-B WCL FO SC-W WCL FO SC-B WCL FO AB-B |
| Medium Oak Ovolo Edge  | Polished Brass Polished Brass Bright Chrome Bright Chrome Satin Chrome Satin Chrome Antique Brass | White Black White Black White Black Black | WOM SPN PB-W WOM SPN PB-B WOM SPN BC-W WOM SPN BC-B WOM SPN SC-W WOM SPN SC-B WOM SPN AB-B | WOM FO PB-W WOM FO PB-B WOM FO BC-W WOM FO BC-B WOM FO SC-W WOM FO SC-B WOM FO AB-B |
| Medium Oak Chamfered Edge  | Polished Brass Polished Brass Bright Chrome Bright Chrome Satin Chrome Satin Chrome Antique Brass | White Black White Black White Black Black | WCM SPN PB-W WCM SPN PB-B WCM SPN BC-W WCM SPN BC-B WCM SPN SC-W WCM SPN SC-B WCM SPN AB-B | WCM FO PB-W WCM FO PB-B WCM FO BC-W WCM FO BC-B WCM FO SC-W WCM FO SC-B WCM FO AB-B |
| Dark Oak Ovolo Edge  | Polished Brass Polished Brass Bright Chrome Bright Chrome Satin Chrome Satin Chrome Antique Brass | White Black White Black White Black Black | WOD SPN PB-W WOD SPN PB-B WOD SPN BC-W WOD SPN BC-B WOD SPN SC-W WOD SPN SC-B WOD SPN AB-B | WOD FO PB-W WOD FO PB-B WOD FO BC-W WOD FO BC-B WOD FO SC-W WOD FO SC-B WOD FO AB-B |
| Dark Oak Chamfered Edge  | Polished Brass Polished Brass Bright Chrome Bright Chrome Satin Chrome Satin Chrome Antique Brass | White Black White Black White Black Black | WCD SPN PB-W WCD SPN PB-B WCD SPN BC-W WCD SPN BC-B WCD SPN SC-W WCD SPN SC-B WCD SPN AB-B | WCD FO PB-W WCD FO PB-B WCD FO BC-W WCD FO BC-B WCD FO SC-W WCD FO SC-B WCD FO AB-B |
| Antique Mahogany Finish Ovolo Edge  | Polished Brass Polished Brass Bright Chrome Bright Chrome Satin Chrome Satin Chrome Antique Brass | White Black White Black White Black Black | WOA SPN PB-W WOA SPN PB-B WOA SPN BC-W WOA SPN BC-B WOA SPN SC-W WOA SPN SC-B WOA SPN AB-B | WOA FO PB-W WOA FO PB-B WOA FO BC-W WOA FO BC-B WOA FO SC-W WOA FO SC-B WOA FO AB-B |
| Antique Mahogany Finish Chamfered Edge  | Polished Brass Polished Brass Bright Chrome Bright Chrome Satin Chrome Satin Chrome Antique Brass | White Black White Black White Black Black | WCA SPN PB-W WCA SPN PB-B WCA SPN BC-W WCA SPN BC-B WCA SPN SC-W WCA SPN SC-B WCA SPN AB-B | WCA FO PB-W WCA FO PB-B WCA FO BC-W WCA FO BC-B WCA FO SC-W WCA FO SC-B WCA FO AB-B |

Leading Edge Push On/Off Resistive Dimmers

Note: Tungsten filament GU10 lamps must be branded and with a fused base.

Note: When using mains voltage halogen lamps - dimmers should be de-rated by 25%.

Note: When dimming LED lamps de-rate by 75% - please contact our Technical Department for compatibility.



WOL 2X40 BC



Wood Plinth and Edge Profile

Insert Finish

**1 gang 400W
2 way Dimmer**

Nominal Plate Size:
88 x 88 mm
Min. Wall Box
Depth: 35 mm
Technical Insert
Reference: **1X40**
Product Code

**2 gang 400W
2 way (Max. 300
watts per gang)
Dimmer**

Nominal Plate Size:
146 x 88 mm
Min. Wall Box
Depth: 35 mm
Technical Insert
Reference: **WD2X40**
Product Code

**3 gang 400W
2 way (Max. 300
watts per gang)
Dimmer**

Nominal Plate Size:
146 x 88 mm
Min. Wall Box
Depth: 35 mm
Technical Insert
Reference: **W3X40**
Product Code

**4 gang 400W
2 way (Max. 250
watts per gang)
Dimmer**

Nominal Plate Size:
146 x 88 mm
Min. Wall Box
Depth: 35 mm
Technical Insert
Reference: **W4X40**
Product Code

**1 gang 600W
2 way Dimmer**

Nominal Plate Size:
146 x 88 mm
Min. Wall Box
Depth: 35 mm
Technical Insert
Reference: **WD1X60**
Product Code

Light Oak
Ovolo Edge



Polished Brass
Bright Chrome
Satin Chrome
Antique Brass

WOL 1X40 PB
WOL 1X40 BC
WOL 1X40 SC
WOL 1X40 AB

WOL 2X40 PB
WOL 2X40 BC
WOL 2X40 SC
WOL 2X40 AB

WOL 3X40 PB
WOL 3X40 BC
WOL 3X40 SC
WOL 3X40 AB

WOL 4X40 PB
WOL 4X40 BC
WOL 4X40 SC
WOL 4X40 AB

WOL 1X60 PB
WOL 1X60 BC
WOL 1X60 SC
WOL 1X60 AB

Light Oak
Chamfered Edge



Polished Brass
Bright Chrome
Satin Chrome
Antique Brass

WCL 1X40 PB
WCL 1X40 BC
WCL 1X40 SC
WCL 1X40 AB

WCL 2X40 PB
WCL 2X40 BC
WCL 2X40 SC
WCL 2X40 AB

WCL 3X40 PB
WCL 3X40 BC
WCL 3X40 SC
WCL 3X40 AB

WCL 4X40 PB
WCL 4X40 BC
WCL 4X40 SC
WCL 4X40 AB

WCL 1X60 PB
WCL 1X60 BC
WCL 1X60 SC
WCL 1X60 AB

Medium Oak
Ovolo Edge



Polished Brass
Bright Chrome
Satin Chrome
Antique Brass

WOM 1X40 PB
WOM 1X40 BC
WOM 1X40 SC
WOM 1X40 AB

WOM 2X40 PB
WOM 2X40 BC
WOM 2X40 SC
WOM 2X40 AB

WOM 3X40 PB
WOM 3X40 BC
WOM 3X40 SC
WOM 3X40 AB

WOM 4X40 PB
WOM 4X40 BC
WOM 4X40 SC
WOM 4X40 AB

WOM 1X60 PB
WOM 1X60 BC
WOM 1X60 SC
WOM 1X60 AB

Medium Oak
Chamfered Edge



Polished Brass
Bright Chrome
Satin Chrome
Antique Brass

WCM 1X40 PB
WCM 1X40 BC
WCM 1X40 SC
WCM 1X40 AB

WCM 2X40 PB
WCM 2X40 BC
WCM 2X40 SC
WCM 2X40 AB

WCM 3X40 PB
WCM 3X40 BC
WCM 3X40 SC
WCM 3X40 AB

WCM 4X40 PB
WCM 4X40 BC
WCM 4X40 SC
WCM 4X40 AB

WCM 1X60 PB
WCM 1X60 BC
WCM 1X60 SC
WCM 1X60 AB

Dark Oak
Ovolo Edge



Polished Brass
Bright Chrome
Satin Chrome
Antique Brass

WOD 1X40 PB
WOD 1X40 BC
WOD 1X40 SC
WOD 1X40 AB

WOD 2X40 PB
WOD 2X40 BC
WOD 2X40 SC
WOD 2X40 AB

WOD 3X40 PB
WOD 3X40 BC
WOD 3X40 SC
WOD 3X40 AB

WOD 4X40 PB
WOD 4X40 BC
WOD 4X40 SC
WOD 4X40 AB

WOD 1X60 PB
WOD 1X60 BC
WOD 1X60 SC
WOD 1X60 AB

Dark Oak
Chamfered Edge



Polished Brass
Bright Chrome
Satin Chrome
Antique Brass

WCD 1X40 PB
WCD 1X40 BC
WCD 1X40 SC
WCD 1X40 AB

WCD 2X40 PB
WCD 2X40 BC
WCD 2X40 SC
WCD 2X40 AB

WCD 3X40 PB
WCD 3X40 BC
WCD 3X40 SC
WCD 3X40 AB

WCD 4X40 PB
WCD 4X40 BC
WCD 4X40 SC
WCD 4X40 AB

WCD 1X60 PB
WCD 1X60 BC
WCD 1X60 SC
WCD 1X60 AB

Antique Mahogany Finish
Ovolo Edge



Polished Brass
Bright Chrome
Satin Chrome
Antique Brass

WOA 1X40 PB
WOA 1X40 BC
WOA 1X40 SC
WOA 1X40 AB

WOA 2X40 PB
WOA 2X40 BC
WOA 2X40 SC
WOA 2X40 AB

WOA 3X40 PB
WOA 3X40 BC
WOA 3X40 SC
WOA 3X40 AB

WOA 4X40 PB
WOA 4X40 BC
WOA 4X40 SC
WOA 4X40 AB

WOA 1X60 PB
WOA 1X60 BC
WOA 1X60 SC
WOA 1X60 AB

Antique Mahogany Finish
Chamfered Edge



Polished Brass
Bright Chrome
Satin Chrome
Antique Brass

WCA 1X40 PB
WCA 1X40 BC
WCA 1X40 SC
WCA 1X40 AB

WCA 2X40 PB
WCA 2X40 BC
WCA 2X40 SC
WCA 2X40 AB

WCA 3X40 PB
WCA 3X40 BC
WCA 3X40 SC
WCA 3X40 AB

WCA 4X40 PB
WCA 4X40 BC
WCA 4X40 SC
WCA 4X40 AB

WCA 1X60 PB
WCA 1X60 BC
WCA 1X60 SC
WCA 1X60 AB

Leading Edge Push On/Off Inductive Dimmers

Note: When dimming LED lamps de-rate by 75% - please contact our Technical Department for compatibility.



WOA 1X2V PB



**1 gang 200VA
2 way Dimmer**
Nominal Plate Size:
88 x 88 mm
Min. Wall Box
Depth: 35 mm
Technical Insert
Reference: **1X2V**
Product Code



**1 gang 300VA
2 way Dimmer**
Nominal Plate Size:
88 x 88 mm
Min. Wall Box
Depth: 35 mm
Technical Insert
Reference: **1X3V**
Product Code

**Wood Plinth
and Edge Profile**

Insert Finish

Light Oak
Ovolo Edge

Polished Brass
Bright Chrome
Satin Chrome
Antique Brass

WOL 1X2V PB
WOL 1X2V BC
WOL 1X2V SC
WOL 1X2V AB

WOL 1X3V PB
WOL 1X3V BC
WOL 1X3V SC
WOL 1X3V AB



Light Oak
Chamfered Edge

Polished Brass
Bright Chrome
Satin Chrome
Antique Brass

WCL 1X2V PB
WCL 1X2V BC
WCL 1X2V SC
WCL 1X2V AB

WCL 1X3V PB
WCL 1X3V BC
WCL 1X3V SC
WCL 1X3V AB



Medium Oak
Ovolo Edge

Polished Brass
Bright Chrome
Satin Chrome
Antique Brass

WOM 1X2V PB
WOM 1X2V BC
WOM 1X2V SC
WOM 1X2V AB

WOM 1X3V PB
WOM 1X3V BC
WOM 1X3V SC
WOM 1X3V AB



Medium Oak
Chamfered Edge

Polished Brass
Bright Chrome
Satin Chrome
Antique Brass

WCM 1X2V PB
WCM 1X2V BC
WCM 1X2V SC
WCM 1X2V AB

WCM 1X3V PB
WCM 1X3V BC
WCM 1X3V SC
WCM 1X3V AB



Dark Oak
Ovolo Edge

Polished Brass
Bright Chrome
Satin Chrome
Antique Brass

WOD 1X2V PB
WOD 1X2V BC
WOD 1X2V SC
WOD 1X2V AB

WOD 1X3V PB
WOD 1X3V BC
WOD 1X3V SC
WOD 1X3V AB



Dark Oak
Chamfered Edge

Polished Brass
Bright Chrome
Satin Chrome
Antique Brass

WCD 1X2V PB
WCD 1X2V BC
WCD 1X2V SC
WCD 1X2V AB

WCD 1X3V PB
WCD 1X3V BC
WCD 1X3V SC
WCD 1X3V AB



Antique Mahogany Finish
Ovolo Edge

Polished Brass
Bright Chrome
Satin Chrome
Antique Brass

WOA 1X2V PB
WOA 1X2V BC
WOA 1X2V SC
WOA 1X2V AB

WOA 1X3V PB
WOA 1X3V BC
WOA 1X3V SC
WOA 1X3V AB



Antique Mahogany Finish
Chamfered Edge

Polished Brass
Bright Chrome
Satin Chrome
Antique Brass

WCA 1X2V PB
WCA 1X2V BC
WCA 1X2V SC
WCA 1X2V AB

WCA 1X3V PB
WCA 1X3V BC
WCA 1X3V SC
WCA 1X3V AB





WOL 1XTE BC

Trailing Edge Push On/Off Dimmers

Note: Tungsten filament GU10 lamps must be branded and with a fused base.

Note: When using mains voltage halogen lamps - dimmers should be de-rated by 25%.

Note: When using mains voltage halogen load transformers - maximum rating is 210VA.

Note: When dimming LED lamps de-rate by 75% - please contact our Technical Department for compatibility.



1 gang 250W/210VA Trailing Edge Multi-Way Dimmer
Nominal Plate Size: 88 x 88 mm
Min. Wall Box Depth: 35 mm
Technical Insert Reference: **1XTE Product Code**

2 gang 250W/210VA (Max. 200 watts per gang) Trailing Edge Multi-Way Dimmer
Nominal Plate Size: 88 x 88 mm
Min. Wall Box Depth: 35 mm
Technical Insert Reference: **W2XTE Product Code**

3 gang 250W/210VA Trailing Edge Multi-Way Dimmer
Nominal Plate Size: 146 x 88 mm
Min. Wall Box Depth: 35 mm
Technical Insert Reference: **3XTE Product Code**

4 gang 250W/210VA (Max. 200 watts per gang) Trailing Edge Multi-Way Dimmer
Nominal Plate Size: 146 x 88 mm
Min. Wall Box Depth: 35 mm
Technical Insert Reference: **W4XTE Product Code**

Wood Plinth and Edge Profile

Insert Finish

Light Oak Ovolo Edge



Polished Brass
Bright Chrome
Satin Chrome
Antique Brass

WOL 1XTE PB
WOL 1XTE BC
WOL 1XTE SC
WOL 1XTE AB

WOL 2XTE PB
WOL 2XTE BC
WOL 2XTE SC
WOL 2XTE AB

WOL 3XTE PB
WOL 3XTE BC
WOL 3XTE SC
WOL 3XTE AB

WOL 4XTE PB
WOL 4XTE BC
WOL 4XTE SC
WOL 4XTE AB

Light Oak Chamfered Edge



Polished Brass
Bright Chrome
Satin Chrome
Antique Brass

WCL 1XTE PB
WCL 1XTE BC
WCL 1XTE SC
WCL 1XTE AB

WCL 2XTE PB
WCL 2XTE BC
WCL 2XTE SC
WCL 2XTE AB

WCL 3XTE PB
WCL 3XTE BC
WCL 3XTE SC
WCL 3XTE AB

WCL 4XTE PB
WCL 4XTE BC
WCL 4XTE SC
WCL 4XTE AB

Medium Oak Ovolo Edge



Polished Brass
Bright Chrome
Satin Chrome
Antique Brass

WOM 1XTE PB
WOM 1XTE BC
WOM 1XTE SC
WOM 1XTE AB

WOM 2XTE PB
WOM 2XTE BC
WOM 2XTE SC
WOM 2XTE AB

WOM 3XTE PB
WOM 3XTE BC
WOM 3XTE SC
WOM 3XTE AB

WOM 4XTE PB
WOM 4XTE BC
WOM 4XTE SC
WOM 4XTE AB

Medium Oak Chamfered Edge



Polished Brass
Bright Chrome
Satin Chrome
Antique Brass

WCM 1XTE PB
WCM 1XTE BC
WCM 1XTE SC
WCM 1XTE AB

WCM 2XTE PB
WCM 2XTE BC
WCM 2XTE SC
WCM 2XTE AB

WCM 3XTE PB
WCM 3XTE BC
WCM 3XTE SC
WCM 3XTE AB

WCM 4XTE PB
WCM 4XTE BC
WCM 4XTE SC
WCM 4XTE AB

Dark Oak Ovolo Edge



Polished Brass
Bright Chrome
Satin Chrome
Antique Brass

WOD 1XTE PB
WOD 1XTE BC
WOD 1XTE SC
WOD 1XTE AB

WOD 2XTE PB
WOD 2XTE BC
WOD 2XTE SC
WOD 2XTE AB

WOD 3XTE PB
WOD 3XTE BC
WOD 3XTE SC
WOD 3XTE AB

WOD 4XTE PB
WOD 4XTE BC
WOD 4XTE SC
WOD 4XTE AB

Dark Oak Chamfered Edge



Polished Brass
Bright Chrome
Satin Chrome
Antique Brass

WCD 1XTE PB
WCD 1XTE BC
WCD 1XTE SC
WCD 1XTE AB

WCD 2XTE PB
WCD 2XTE BC
WCD 2XTE SC
WCD 2XTE AB

WCD 3XTE PB
WCD 3XTE BC
WCD 3XTE SC
WCD 3XTE AB

WCD 4XTE PB
WCD 4XTE BC
WCD 4XTE SC
WCD 4XTE AB

Antique Mahogany Finish Ovolo Edge



Polished Brass
Bright Chrome
Satin Chrome
Antique Brass

WOA 1XTE PB
WOA 1XTE BC
WOA 1XTE SC
WOA 1XTE AB

WOA 2XTE PB
WOA 2XTE BC
WOA 2XTE SC
WOA 2XTE AB

WOA 3XTE PB
WOA 3XTE BC
WOA 3XTE SC
WOA 3XTE AB

WOA 4XTE PB
WOA 4XTE BC
WOA 4XTE SC
WOA 4XTE AB

Antique Mahogany Finish Chamfered Edge



Polished Brass
Bright Chrome
Satin Chrome
Antique Brass

WCA 1XTE PB
WCA 1XTE BC
WCA 1XTE SC
WCA 1XTE AB

WCA 2XTE PB
WCA 2XTE BC
WCA 2XTE SC
WCA 2XTE AB

WCA 3XTE PB
WCA 3XTE BC
WCA 3XTE SC
WCA 3XTE AB

WCA 4XTE PB
WCA 4XTE BC
WCA 4XTE SC
WCA 4XTE AB



WOA EURO2

EuroFix Plates complete with Fixing Grid

Minimum Wall Box Depth is dependent on the EuroFix insert fitted - please see the EuroFix section for our complete range of inserts.



2 Module EuroFix Plate
Nominal Plate Size: 88 x 88 mm
Aperture Size: 50 x 50 mm
Technical Insert Reference: **EURO2**
Product Code

4 Module EuroFix Plate
Nominal Plate Size: 146 x 88 mm
Aperture Size: 100 x 50 mm
Technical Insert Reference: **EURO4**
Product Code

Wood Plinth and Edge Profile

Light Oak Ovolo Edge



WOL EURO2

WOL EURO4

Light Oak Chamfered Edge



WCL EURO2

WCL EURO4

Medium Oak Ovolo Edge



WOM EURO2

WOM EURO4

Medium Oak Chamfered Edge



WCM EURO2

WCM EURO4

Dark Oak Ovolo Edge



WOD EURO2

WOD EURO4

Dark Oak Chamfered Edge



WCD EURO2

WCD EURO4

Antique Mahogany Finish Ovolo Edge



WOA EURO2

WOA EURO4

Antique Mahogany Finish Chamfered Edge



WCA EURO2

WCA EURO4



WOL BPS

Blank Plates



Blank Plate Single
Nominal Plate Size: 88 x 88 mm
Technical Insert Reference: **BPS**
Product Code

Blank Plate Double
Nominal Plate Size: 146 x 88 mm
Technical Insert Reference: **BPD**
Product Code

Wood Plinth and Edge Profile

Light Oak Ovolo Edge



WOL BPS

WOL BPD

Light Oak Chamfered Edge



WCL BPS

WCL BPD

Medium Oak Ovolo Edge



WOM BPS

WOM BPD

Medium Oak Chamfered Edge



WCM BPS

WCM BPD

Dark Oak Ovolo Edge



WOD BPS

WOD BPD

Dark Oak Chamfered Edge



WCD BPS

WCD BPD

Antique Mahogany Finish Ovolo Edge



WOA BPS

WOA BPD

Antique Mahogany Finish Chamfered Edge



WCA BPS

WCA BPD



Surface Mounted Wall Box Surrounds



Surface Mounted Wall Box Surround Single
 Nominal Size: 93 x 93 x 30 mm
 Fits over 25 mm Surface Mounted Box Technical Insert
 Reference: **WBFS**
 Product Code

Surface Mounted Wall Box Surround Double
 Nominal Size: 150 x 93 x 30 mm
 Fits over 25 mm Surface Mounted Box Technical Insert
 Reference: **WBFD**
 Product Code

Wood Surround

Light Oak



WL BFS

WL BFD

Medium Oak



WM BFS

WM BFD

Dark Oak



WD BFS

WD BFD

Antique Mahogany Finish



WA BFS

WA BFD