

||||>> HENRAD

STELRAD RADIATOR GROUP

Any room.
Any home.
Any lifestyle.



Contents

3/4	Compact
5/6	Compact K3
7/8	Everest Line
9/10	Everest Line Concept
11/12	Alto Line
13/14	Plan
15/16	Plan Concept
17/18	Plan Vertical
19/24	Verona Range
20	- Verona Single Plane
20	- Verona Double Plane
21/22	- Verona Vertical Single
22	- Verona Vertical Double RANGE EXTENSION
23	- Verona Lo-Line
24	- Verona Slimline
25/26	Column Range
26	- Column 2
26	- Column 2 Vertical
26	- Column 3
26	- Column 4
27/28	Column Concept
29/30	Arno Towel Rail Range
30	- Arno Single
30	- Arno Double
31/32	Verona Towel Rail
33/34	LST Standard
35/36	Colour Range
37	Accessories
38	Glossary

Why Not Upgrade?

Column

from **£158.65** exc. VAT.*



Upgrade to a
Column
from **£59.81**



Plan

from **£98.84** exc. VAT.*




Upgrade to a
Plan
from **£18.07**



Everest Line

from **£80.77** exc. VAT.*



Upgrade to a
Everest Line
from **£64.63**



Compact

from **£16.14** exc. VAT.*



*Compact, Everest Line & Plan based on 300 x 500 Type 11, Column based on 500 x 628 Column 2.

Compact

With a slim profile and smooth, white finish, Compact radiators will blend into any room in the house, to provide guaranteed heating performance.



Compact

Single Convector Type 11 & Type 21
Double Convector Type 22

Working pressure:
Tested to withstand 10.0 bar

Have you considered
Everest Line?





Type 11

Type 21

Type 22

For technical and installation information visit our website www.henrad.co.uk/downloads



Height mm	Length mm	SINGLE CONVECTOR TYPE 11				SINGLE CONVECTOR TYPE 21				DOUBLE CONVECTOR TYPE 22			
		Henrad Code	Heat emissions Watts	Btu/hr	Henrad Price	Henrad Code	Heat emissions Watts	Btu/hr	Henrad Price	Henrad Code	Heat emissions Watts	Btu/hr	Henrad Price
300	500	2031105	255	868	£16.14	2032105	373	1271	£24.30	2032205	491	1675	£30.73
	1000	2031110	509	1737	£32.02	2032110	745	2542	£48.28	2032210	982	3351	£61.28
	1500	2031115	764	2605	£47.94	2032115	1118	3813	£72.27	2032215	1473	5026	£91.85
	1600	-	-	-	-	-	-	-	-	2032216	1571	5362	£122.52
	2000	2031120	1018	3473	£63.88	2032120	1490	5084	£96.26	2032220	1964	6701	£122.40
450	400	2011104	302	1032	£19.26	2012104	422	1440	£27.97	2012204	548	1871	£35.05
	500	2011105	378	1290	£24.00	2012105	528	1800	£34.88	2012205	686	2339	£43.79
	600	2011106	454	1548	£28.76	2012106	633	2160	£41.81	2012206	823	2807	£52.53
	700	2011107	529	1806	£33.54	2012107	739	2520	£48.74	2012207	960	3274	£61.28
	800	2011108	605	2064	£38.29	2012108	844	2880	£55.67	2012208	1097	3742	£70.01
	900	2011109	680	2322	£43.07	2012109	950	3240	£62.61	2012209	1234	4210	£78.74
	1000	2011110	756	2579	£47.86	2012110	1055	3600	£69.56	2012210	1371	4678	£87.48
	1100	2011111	832	2837	£52.61	2012111	1161	3960	£76.47	2012211	1508	5146	£96.23
	1200	2011112	907	3095	£57.40	2012112	1266	4320	£83.41	2012212	1645	5613	£104.96
	1400	2011114	1058	3611	£66.92	2012114	1477	5040	£97.27	2012214	1919	6549	£122.45
	1600	2011116	1210	4127	£76.47	2012116	1688	5759	£111.13	2012216	2194	7485	£139.92
	1800	2011118	1361	4643	£86.02	2012118	1899	6479	£124.99	2012218	2468	8420	£157.40
	2000	2011120	1512	5159	£95.58	2012120	2110	7199	£138.86	2012220	2742	9356	£174.89
	2200	2011122	1663	5675	£105.12	-	-	-	-	2012222	3016	10291	£192.38
2400	2011124	1814	6191	£114.67	-	-	-	-	2012224	3290	11227	£209.87	
600	300	2061103	294	1003	£26.47	-	-	-	-	-	-	-	-
	400	2061104	392	1338	£25.05	2062104	538	1836	£36.09	2062204	693	2364	£44.98
	500	2061105	490	1672	£31.26	2062105	673	2295	£45.04	2062205	866	2955	£56.21
	600	2061106	588	2006	£37.51	2062106	807	2753	£54.01	2062206	1039	3546	£67.44
	700	2061107	686	2341	£43.74	2062107	942	3212	£62.98	2062207	1212	4137	£78.69
	800	2061108	784	2675	£49.97	2062108	1076	3671	£71.93	2062208	1386	4728	£89.93
	900	2061109	882	3009	£56.21	2062109	1211	4130	£80.91	2062209	1559	5319	£101.15
	1000	2061110	980	3344	£62.45	2062110	1345	4589	£89.88	2062210	1732	5910	£112.39
	1100	2061111	1078	3678	£68.71	2062111	1480	5048	£98.84	2062211	1905	6501	£123.62
	1200	2061112	1176	4013	£74.93	2062112	1614	5507	£107.83	2062212	2078	7092	£134.88
	1400	2061114	1372	4681	£87.40	2062114	1883	6425	£125.77	2062214	2425	8273	£157.35
	1600	2061116	1568	5350	£99.88	2062116	2152	7343	£143.69	2062216	2771	9455	£179.83
	1800	2061118	1764	6019	£112.37	2062118	2421	8260	£161.64	2062218	3118	10637	£202.30
	2000	2061120	1960	6688	£124.84	2062120	2690	9178	£179.58	2062220	3464	11819	£223.53
2200	2061122	2156	7356	£137.33	-	-	-	-	2062222	3810	13001	£247.26	
2400	2061124	2352	8025	£149.80	-	-	-	-	2062224	4157	14183	£269.73	
700	400	2071104	447	1527	£28.72	2072104	612	2088	£41.31	2072204	784	2676	£51.38
	500	2071105	559	1906	£35.88	2072105	765	2610	£51.59	2072205	981	3345	£64.22
	600	2071106	670	2287	£43.04	2072106	918	3132	£61.87	2072206	1177	4015	£77.07
	700	2071107	782	2668	£50.20	2072107	1071	3654	£72.17	2072207	1373	4684	£89.93
	800	2071108	894	3049	£57.39	2072108	1224	4176	£82.45	2072208	1569	5353	£102.77
	900	2071109	1005	3430	£64.53	2072109	1377	4698	£92.73	2072209	1765	6022	£115.63
	1000	2071110	1117	3811	£71.70	2072110	1530	5220	£103.01	2072210	1961	6691	£128.47
	1100	2071111	1229	4192	£78.85	2072111	1683	5742	£113.30	2072211	2157	7360	£141.30
	1200	2071112	1340	4573	£86.02	2072112	1836	6264	£123.58	2072212	2353	8029	£154.17
	1400	2071114	1564	5336	£100.36	2072114	2142	7309	£144.14	2072214	2745	9367	£179.89
	1600	2071116	1787	6098	£114.69	2072116	2448	8353	£164.70	2072216	3138	10705	£205.57
	1800	2071118	2011	6860	£129.01	2072118	2754	9397	£185.31	2072218	3530	12044	£231.26
	2000	2071120	2234	7622	£143.35	2072120	3060	10441	£205.87	2072220	3922	13382	£256.98
	2600	2071126	2904	9908	£186.43	-	-	-	-	-	-	-	-


Compact K3



The Compact K3 is the ideal choice for low energy systems, providing outstanding heat output from a smaller footprint.

Prices
exclude
VAT

Compact K3



Compact K3

Triple Convector Type 33

Height mm	Length mm	Henrad Code	Heat emissions		Henrad Price
			Watts	Btu/hr	
600	400	2063304	956	3262	£142.48
	500	2063305	1195	4077	£165.36
	600	2063306	1433	4889	£183.04
	700	2063307	1672	5705	£199.68
	800	2063308	1911	6520	£211.12
	900	2063309	2150	7336	£228.80
	1000	2063310	2389	8151	£243.36
	1100	2063311	2628	8967	£268.32
	1200	2063312	2867	9782	£293.28
	1400	2063314	3345	11413	£377.52

Btu/hr @ $\Delta t50^{\circ}\text{C}$

Working pressure:
Tested to withstand 8.0 bar



For technical and installation
information visit our website
www.henrad.co.uk/downloads



Everest Line



With its flat front panel featuring pleasing horizontal lines the Everest Line radiator offers contemporary good looks, adding a new dimension to any room.

Prices exclude VAT

Everest Line Type 11



Working pressure:
Tested to withstand 8.0 bar



For technical and installation information visit our website
www.henrad.co.uk/downloads



Everest Line Single Convector Type 11

Height mm	Length mm	Henrad Code	Heat emissions		Henrad Price
			Watts	Btu/hr	
300	500	3031105	235	802	£80.77
	1000	3031110	469	1601	£116.95
	1500	3031115	704	2401	£162.19
500	400	3051104	298	1017	£84.24
	600	3051106	448	1530	£93.27
	800	3051108	598	2040	£111.38
	1000	3051110	746	2545	£129.48
	1200	3051112	897	3060	£147.58
	1400	3051114	1046	3570	£165.67
	1600	3051116	1194	4075	£183.77
	1800	3051118	1343	4584	£201.86
600	400	3061104	348	1188	£87.72
	600	3061106	522	1782	£105.81
	800	3061108	696	2375	£123.91
	1000	3061110	870	2969	£142.01
	1200	3061112	1044	3563	£160.11
	1400	3061114	1219	4158	£178.19
	1600	3061116	1392	4751	£196.30
	1800	3061118	1566	5345	£214.40
	2000	3061120	1741	5939	£232.48

Btu/hr @ $\Delta t50^{\circ}\text{C}$

Everest Line Type 22



Everest Line Double Convector Type 22

Height mm	Length mm	Henrad Code	Heat emissions		Henrad Price
			Watts	Btu/hr	
300	500	3032205	465	1587	£109.31
	1000	3032210	929	3171	£154.55
	1500	3032215	1394	4756	£199.79
500	400	3052204	555	1894	£125.30
	600	3052206	833	2843	£143.41
	800	3052208	1110	3788	£161.50
	1000	3052210	1388	4737	£179.60
	1200	3052212	1666	5686	£197.69
	1400	3052214	1943	6631	£215.79
	1600	3052216	2222	7580	£233.89
	1800	3052218	2499	8526	£251.97
600	400	3062204	640	2184	£137.83
	600	3062206	961	3280	£155.93
	800	3062208	1281	4372	£174.03
	1000	3062210	1601	5464	£192.13
	1200	3062212	1921	6556	£210.22
	1400	3062214	2241	7649	£228.33
	1600	3062216	2563	8744	£246.43
	1800	3062218	2883	9836	£264.51
	2000	3062220	3203	10928	£282.61

Btu/hr @ $\Delta t50^{\circ}\text{C}$

Have you considered Plan?

Everest Line Concept



With its flat front panel featuring pleasing horizontal lines the Everest Line radiator offers contemporary good looks, adding a new dimension to any room.

Now available from stock in slate grey and in a range of popular sizes to suit most homes.

Prices exclude VAT

Everest Line Concept in RAL A7015 Slate grey available from stock.

Everest Line Concept Type 11



Everest Line Concept

Single Convector Type 11

Height mm	Length mm	Henrad Code	Heat emissions		Henrad Price
			Watts	Btu/hr	
600	400	3261104	348	1187	£142.48
	600	3261106	522	1781	£160.57
	800	3261108	696	2375	£178.66
	1000	3261110	870	2968	£196.77
	1200	3261112	1044	3562	£214.86
	1400	3261114	1218	4156	£232.95

Btu/hr @ $\Delta t50^{\circ}\text{C}$

Everest Line Concept

Double Convector Type 22

Height mm	Length mm	Henrad Code	Heat emissions		Henrad Price
			Watts	Btu/hr	
600	400	3262204	640	2184	£192.59
	600	3262206	961	3279	£210.68
	800	3262208	1281	4371	£228.79
	1000	3262210	1601	5463	£246.89
	1200	3262212	1921	6554	£264.97
	1400	3262214	2241	7646	£283.09

Btu/hr @ $\Delta t50^{\circ}\text{C}$

Working pressure:
Tested to withstand 8.0 bar



For technical and installation information visit our website
www.henrad.co.uk/downloads



Available only in RAL A7015 Slate grey.

Alto Line



The Alto Line radiator incorporates all the features of the Everest Line but with a vertical line design.

Prices exclude VAT

Alto Line



Alto Line

Double Convector Type 22

Height mm	Length mm	Henrad Code	Heat emissions		Henrad Price
			Watts	Btu/hr	
1600	300	3162203	1026	3501	£356.42
	500	3162205	1710	5835	£374.50
1800	400	3182204	1476	5036	£361.19
	500	3182205	1845	6295	£392.60
	600	3182206	2214	7554	£461.70
2000	400	3202204	1588	5405	£421.39
	500	3202205	1980	6756	£458.04
	600	3202206	2376	8107	£538.65

Btu/hr @ $\Delta t 50^{\circ}\text{C}$

Working pressure:
Tested to withstand 8.0 bar



For technical and installation information visit our website
www.henrad.co.uk/downloads



Centre Tap TRV is now available, see page 37

Plan




Simplicity itself, the Plan range features a smooth, flat front panel with integrated top grille and side panels, providing a minimalistic, slimline, sleek and

modern appearance. Available in a range of sizes the Plan provides an instant level of sophistication to any room.

Prices exclude VAT

Plan Type 11



Working pressure:
Tested to withstand 8.0 bar



For technical and installation information visit our website www.henrad.co.uk/downloads



Plan Type 22



Have you considered **Verona?**

Plan Single Convector Type 11

Height mm	Length mm	Henrad Code	Heat emissions		Henrad Price
			Watts	Btu/hr	
300	500	4031105	235	802	£98.84
	1000	4031110	469	1601	£154.52
	1500	4031115	704	2401	£210.20
500	400	4051104	298	1017	£115.55
	600	4051106	448	1530	£137.83
	800	4051108	597	2040	£160.11
	1000	4051110	746	2545	£182.38
	1200	4051112	895	3060	£204.65
	1400	4051114	1044	3570	£226.93
	1600	4051116	1194	4075	£249.20
600	1800	4051118	1343	4584	£271.48
	400	4061104	348	1188	£129.48
	600	4061106	522	1782	£151.75
	800	4061108	696	2375	£174.03
	1000	4061110	870	2969	£196.31
	1200	4061112	1044	3563	£218.59
	1400	4061114	1218	4158	£240.85
	1600	4061116	1392	4751	£263.12
	1800	4061118	1566	5345	£285.40
	2000	4061120	1741	5939	£307.67

Btu/hr @ Δt50°C

Plan Double Convector Type 22

Height mm	Length mm	Henrad Code	Heat emissions		Henrad Price
			Watts	Btu/hr	
300	500	4032205	465	1587	£157.35
	1000	4032210	929	3171	£213.03
	1500	4032215	1394	4756	£268.73
500	400	4052204	555	1894	£176.81
	600	4052206	833	2843	£199.08
	800	4052208	1110	3788	£221.35
	1000	4052210	1388	4737	£243.64
	1200	4052212	1666	5686	£265.92
	1400	4052214	1943	6631	£288.19
	1600	4052216	2222	7580	£310.47
	1800	4052218	2499	8526	£332.74
600	400	4062204	640	2184	£192.13
	600	4062206	961	3280	£214.41
	800	4062208	1281	4372	£236.67
	1000	4062210	1601	5464	£258.95
	1200	4062212	1921	6556	£281.24
	1400	4062214	2241	7649	£303.51
	1600	4062216	2563	8744	£325.78
	1800	4062218	2883	9836	£348.05
2000	4062220	3203	10928	£370.32	

Btu/hr @ Δt50°C

Plan Concept



Simplicity itself, the Plan range features a smooth, flat front panel with integrated top grille and side panels.

Now available from stock in slate grey and in a range of popular sizes to suit most homes.



Plan Concept in RAL A7015 Slate grey available from stock.

Plan Type 11



Plan Concept

Single Convector Type 11

Height mm	Length mm	Henrad Code	Heat emissions		Henrad Price
			Watts	Btu/hr	
600	400	4251104	348	1187	£184.24
	600	4251106	522	1781	£206.50
	800	4251108	696	2375	£228.79
	1000	4251110	870	2968	£251.07
	1200	4251112	1044	3562	£273.34
	1400	4251114	1218	4156	£295.61

Btu/hr @ $\Delta t50^{\circ}\text{C}$

Plan Concept

Double Convector Type 22

Height mm	Length mm	Henrad Code	Heat emissions		Henrad Price
			Watts	Btu/hr	
600	400	4252204	640	2184	£246.89
	600	4252206	961	3279	£269.16
	800	4252208	1281	4371	£291.43
	1000	4252210	1601	5463	£313.71
	1200	4252212	1921	6554	£335.99
	1400	4252214	2241	7646	£358.27

Btu/hr @ $\Delta t50^{\circ}\text{C}$

Working pressure:
Tested to withstand 8.0 bar



For technical and installation information visit our website
www.henrad.co.uk/downloads



Available only in RAL A7015 Slate grey.

Plan Vertical



With an exceptionally slim profile and silky-smooth surface, the Henrad Plan Vertical offers a stylish alternative for domestic or commercial developments.

Prices
exclude
VAT

Plan Type 22



Plan Vertical

Double Convector Type 22

Height mm	Length mm	Henrad Code	Heat emissions		Henrad Price
			Watts	Btu/hr	
1800	400	4182204	1476	5036	£511.23
	500	4182205	1845	6295	£555.68
	600	4182206	2214	7554	£653.48
2000	400	4202204	1588	5405	£596.43
	500	4202205	1980	6756	£648.30
	600	4202206	2376	8107	£762.40

Btu/hr @ $\Delta t 50^{\circ}\text{C}$

Working pressure:
Tested to withstand 8.0 bar



For technical and installation
information visit our website
www.henrad.co.uk/downloads



Centre Tap TRV is now available, see page 37

Verona Range



Verona Double Plane

Offering visual appeal combined with advanced technology, the Verona provides a contemporary solution for a huge range of applications

The single and double plane radiators allow you to choose the right output for any situation.

Prices exclude VAT

Verona Single Plane



Verona Single Plane

Height mm	Length mm	Henrad Code	Heat emissions		Henrad Price
			Watts	Btu/hr	
444	800	248349	627	2139	£207.77
	1000	248351	784	2675	£225.95
	1200	248353	941	3211	£249.44
592	500	248363	501	1709	£191.71
	600	248364	601	2051	£204.93
	700	248365	701	2392	£218.15
	800	248366	802	2737	£231.38
	1000	248368	1002	3419	£257.83
	1200	248370	1202	4101	£284.26
	1400	248371	1403	4787	£310.70
	1600	248372	1603	5470	£337.15
	1800	248373	1804	6156	£363.59
2000	248374	2004	6838	£390.04	

Btu/hr @ $\Delta t50^{\circ}\text{C}$

Verona Double Plane



Verona Double Plane

Height mm	Length mm	Henrad Code	Heat emissions		Henrad Price
			Watts	Btu/hr	
444	800	248400	1095	3736	£421.47
	1000	248402	1369	4671	£457.68
	1200	248404	1643	5606	£504.68
592	600	248415	1018	3474	£416.48
	700	248416	1188	4054	£442.92
	800	248417	1358	4634	£469.36
	900	248418	1527	5210	£495.81
	1000	248419	1697	5790	£522.25
	1200	248421	2036	6947	£575.13
	1400	248422	2376	8107	£628.02
	1600	248423	2715	9264	£680.91
	1800	248424	3055	10424	£733.79
2000	248425	3394	11581	£786.68	

Btu/hr @ $\Delta t50^{\circ}\text{C}$

Floor mounting bracket information

Length mm	Feet Required
400 - 1500	2
1600 - 3500	3

Optional extra to have no lugs. This needs specifying at the time of ordering for floor standing only.

Working pressure:
Tested to withstand 4.0 bar



For technical and installation information visit our website
www.henrad.co.uk/downloads



Verona Vertical



Verona Vertical

With a choice of five types and a variety of sizes and outputs, the Verona allows extensive flexibility of siting, whilst breaking new barriers in heating efficiency.

Make a statement with Verona Vertical! Combining modern style and appeal that will fit in any new or existing space.

Prices
exclude
VAT

Verona Vertical Single



Verona Vertical Single

Height mm	Length mm	Henrad Code	Heat emissions		Henrad Price
			Watts	Btu/hr	
1800	444	248340	852	2907	£244.60
	592	248341	1136	3876	£310.70
	740	248342	1420	4845	£376.81
2000	444	248343	942	3214	£310.70
	592	248344	1256	4286	£376.81
	740	248345	1570	5357	£442.92

Btu/hr @ $\Delta t50^{\circ}\text{C}$

Verona Vertical Double

Height mm	Length mm	Henrad Code	Heat emissions		Henrad Price
			Watts	Btu/hr	
1800	444	248640	1254	4279	£528.32
	592	248641	1672	5705	£639.00
	740	248642	2090	7131	£767.45
2000	444	248643	1386	4729	£583.23
	592	248644	1848	6306	£718.68
	740	248645	2310	7882	£852.50

Btu/hr @ $\Delta t50^{\circ}\text{C}$

Working pressure:
Tested to withstand 4.0 bar



For technical and installation
information visit our website
www.henrad.co.uk/downloads



Verona Lo-Line

The modern Verona Lo-Line radiator has been specifically designed to be sited under window locations.



Verona Lo-Line Double Convector Type 22

Height mm	Length mm	Henrad Code	Heat emissions		Henrad Price
			Watts	Btu/hr	
148	800	248308	541	1846	£224.76
	1400	248311	946	3228	£297.49
	2000	248314	1352	4613	£376.81
	2200	248315	1487	5074	£403.25
296	800	248316	898	3064	£381.97
	1400	248319	1571	5360	£477.46
	2000	248322	2244	7657	£603.62
	2200	248323	2453	8370	£614.80

Btu/hr @ $\Delta t50^{\circ}\text{C}$

Working pressure:
Tested to withstand 4.0 bar



For technical and installation information visit our website
www.henrad.co.uk/downloads



Floor mounting bracket information

Length mm	Feet Required
400 - 1500	2
1600 - 3500	3

Optional extra to have no lugs. This needs specifying at the time of ordering for floor standing only.

Verona Slimline

The practical design of the Verona Slimline radiator is ideally suited to smaller spaces to deliver maximum heat output.

Prices
exclude
VAT



Verona Slimline

Height mm	Length mm	Henrad Code	Heat emissions		Henrad Price
			Watts	Btu/hr	
1800	320	248300	872	2976	£264.43
	440	248301	1199	4092	£330.53
	520	248302	1417	4836	£396.65
	640	248303	1744	5952	£462.75
2000	320	248304	978	3338	£310.70
	440	248305	1344	4587	£376.81
	520	248306	1589	5423	£442.92
	640	248307	1956	6676	£509.03

Btu/hr @ $\Delta t 50^{\circ}\text{C}$

Working pressure:
Tested to withstand 4.6 bar



For technical and installation
information visit our website
www.henrad.co.uk/downloads



Column Range



Have you considered
Column Concept?

The most modern execution of a traditional concept, this classic style brings innovation and reliability to a high performance design.

Vertical and horizontal options offer a modern alternative to a traditional panel radiator, and will enhance both contemporary and traditional settings.

Prices exclude VAT

Column 2

Height mm	Length mm	Henrad Code	Heat emissions Watts	Btu/hr	Henrad Price
500	628	263012	499	1703	£158.65
	858	263013	691	2358	£216.76
	1042	263014	845	2884	£263.24
	1272	263015	1037	3539	£321.35
600	628	263028	589	2010	£171.88
	858	263029	815	2782	£218.15
	1042	263030	997	3403	£264.43
	1272	263031	1223	4174	£343.76

Btu/hr @ $\Delta t50^{\circ}\text{C}$

Column 2 Vertical

Height mm	Length mm	Henrad Code	Heat emissions Watts	Btu/hr	Henrad Price
1800	352	263054	868	2962	£211.55
	444	263055	1116	3809	£277.66
2000	352	263056	1197	4084	£218.15
	444	263057	1242	4239	£284.26

Btu/hr @ $\Delta t50^{\circ}\text{C}$

Due to production tolerances, the length of the product and therefore the tap centres could contain a variation of +/- 1.5% of the overall stated length.

Column 2 Vertical



Floor Mounting Brackets are available from stock, see page 37

Column 3

Height mm	Length mm	Henrad Code	Heat emissions Watts	Btu/hr	Henrad Price
300	858	263002	576	1966	£232.58
	1042	263003	704	2403	£273.60
	1272	263004	864	2949	£331.86
500	444	263016	464	1583	£171.88
	628	263017	671	2290	£203.81
	858	263018	929	3171	£224.76
	1042	263019	1135	3874	£297.49
	1272	263020	1393	4754	£383.42
	1456	263021	1600	5459	£409.87
	1870	263022	2064	7044	£515.63
600	444	263032	548	1870	£185.10
	628	263033	792	2703	£211.55
	858	263034	1096	3741	£244.60
	1042	263035	1340	4573	£304.10
	1272	263036	1644	5611	£390.04
	1456	263037	1888	6444	£423.08
750	1870	263038	2436	8314	£542.09
	858	263044	1337	4563	£304.10
	1042	263045	1635	5580	£356.98
	1272	263046	2006	6844	£462.75
	1456	263047	2303	7858	£542.09

Btu/hr @ $\Delta t50^{\circ}\text{C}$

Column 4

Height mm	Length mm	Henrad Code	Heat emissions Watts	Btu/hr	Henrad Price
500	858	263025	1217	4152	£277.66
	1042	263026	1487	5074	£343.76
	1272	263027	1825	6227	£416.48
600	628	263040	1037	3538	£224.76
	858	263041	1436	4900	£277.66
	1042	263042	1756	5991	£343.76
750	1272	263043	2155	7353	£416.48
	628	263050	1266	4320	£264.43
	858	263051	1753	5981	£343.76
	1042	263052	2143	7312	£409.87
	1272	263053	2630	8974	£515.63

Btu/hr @ $\Delta t50^{\circ}\text{C}$

Working pressure:
Tested to withstand 8.0 bar



For technical and installation information visit our website
www.henrad.co.uk/downloads



Column Concept



A new take on a timeless classic, Column Concept will add a touch of class to any room.

Available in Slate grey and in a range of popular sizes to suit most homes.

Prices exclude VAT

Henrad Column Concept in RAL A7015 Slate grey available from stock.

Column Concept 4



Column Concept 3

Height mm	Length mm	Henrad Code	Heat emissions		Henrad Price
			Watts	Btu/hr	
600	628	263133	792	2703	£323.35
	858	263134	1096	3741	£356.40
	1042	263135	1340	4573	£415.90
	1272	263136	1644	5611	£501.84

Btu/hr @ $\Delta t50^{\circ}\text{C}$

Column Concept 4

Height mm	Length mm	Henrad Code	Heat emissions		Henrad Price
			Watts	Btu/hr	
600	628	263140	1037	3538	£336.56
	858	263141	1436	4900	£389.46
	1042	263142	1756	5991	£455.56
	1272	263143	2155	7353	£528.28

Btu/hr @ $\Delta t50^{\circ}\text{C}$

Working pressure:
Tested to withstand 8.0 bar



For technical and installation information visit our website
www.henrad.co.uk/downloads



Available only in RAL A7015 Slate grey.

Floor Mounting Brackets are available from stock, see page 37

Arno Towel Rail Range



Colour illustrated Iron grey RAL A7011

Elegant tube on tube design consisting of a tight array of slim tubes makes the Arno range an easy choice for any bathroom or kitchen.

Prices exclude VAT



Arno Single

Height mm	Length mm	Henrad Code	UIN Colour*	Heat emissions		Henrad Price
				Watts	Btu/hr	
792	450	417902450	417902451	408	1392	£247.81
	500	417902500	417902501	452	1542	£278.45
	600	417902600	417902601	540	1842	£309.08
	750	417902750	417902751	672	2293	£339.70
1088	450	411002450	411002451	560	1911	£263.12
	500	411002500	411002501	615	2098	£293.76
	600	411002600	411002601	725	2474	£324.40
	750	411002750	411002751	890	3037	£355.01
1680	450	411602450	411602451	849	2897	£355.01
	500	411602500	411602501	929	3170	£387.04
	600	411602600	411602601	1090	3719	£417.66
	750	411602750	411602751	1331	4541	£448.30
1976	450	411902450	411902451	985	3361	£387.04
	500	411902500	411902501	1080	3685	£417.66
	600	411902600	411902601	1271	4337	£448.30
	750	411902750	411902751	1557	5312	£478.92

Btu/hr @ $\Delta t50^{\circ}\text{C}$



Arno Double

Height mm	Length mm	Henrad Code	UIN Colour*	Heat emissions		Henrad Price
				Watts	Btu/hr	
792	450	427902450	427902451	593	2023	£324.40
	500	427902500	427902501	657	2242	£355.01
	600	427902600	427902601	787	2685	£387.04
	750	427902750	427902751	982	3351	£417.66
1088	450	421002450	421002451	775	2644	£355.01
	500	421002500	421002501	860	2934	£387.04
	600	421002600	421002601	1030	3514	£417.66
	750	421002750	421002751	1287	4391	£448.30
1680	450	421602450	421602451	1200	4094	£463.62
	500	421602500	421602501	1327	4528	£494.24
	600	421602600	421602601	1583	5401	£524.87
	750	421602750	421602751	1967	6711	£556.89
1976	450	421902450	421902451	1409	4808	£509.55
	500	421902500	421902501	1556	5309	£541.57
	600	421902600	421902601	1852	6319	£572.20
	750	421902750	421902751	2296	7834	£602.85

Btu/hr @ $\Delta t50^{\circ}\text{C}$

Working pressure:
Tested to withstand 6.0 bar

For technical and installation
information visit our website
www.henrad.co.uk/downloads



Centre Tap TRV is now available, see page 37

Colour options available, see page 35

Tube Dimensions



*Price of coloured radiators are available on request.

When a coloured radiator has been ordered it cannot be cancelled or returned. All coloured radiators have up to an 8 week lead time from date of order.

Verona Towel Rail



The Verona Towel Rail offers a stunning alternative to tubular towel rails. Providing a contemporary solution to a wide range of building applications.

Prices exclude VAT



Colour illustrated Pastel orange RAL A2003

Verona Towel Rail

Height mm	Length mm	Henrad Code	UIN Colour*	Heat emissions		Henrad Price
				Watts	Btu/hr	
796	450	437902450	437902451	369	1259	£341.10
	600	437902600	437902601	483	1648	£363.38
1121	450	431102450	431102451	503	1716	£403.74
	600	431102600	431102601	658	2245	£426.03
1446	450	431402450	431402451	639	2180	£480.32
	600	431402600	431402601	834	2846	£502.59
1706	450	431702450	431702451	749	2556	£647.38
	600	431702600	431702601	975	3327	£669.66

Btu/hr @ $\Delta t 50^{\circ}\text{C}$

Colour options available, see page 35

*Price of coloured radiators are available on request.
When a coloured radiator has been ordered it cannot be cancelled or returned.
All coloured radiators have up to an 8 week lead time from date of order.

Tube Dimensions



Working pressure:
Tested to withstand 4.0 bar



For technical and installation information visit our website
www.henrad.co.uk/downloads



Centre Tap TRV is now available, see page 37

LST Standard



The LST Standard has been specifically designed to meet the highest standards for low surface temperature radiators.

The range meets the NHS guidance for 'safe hot water and surface temperature'. All radiators are finished with an anti-bacterial paint as standard.

Prices exclude VAT

LST Standard



LST Standard

Single Convector Type 11

Casing Height mm	Casing Length mm	Henrad Code	Heat emissions		Henrad Price
			Watts	Btu/hr	
500	560	145400	196	669	£231.38
	560	145424	290	989	£245.92
650	760	145425	435	1484	£312.02
	960	145426	580	1979	£341.11
	1160	145427	725	2474	£372.84
	1360	145428	870	2968	£397.97

Btu/hr @ $\Delta t50^{\circ}\text{C}$

LST Standard

Double Convector Type 22

Casing Height mm	Casing Length mm	Henrad Code	Heat emissions		Henrad Price
			Watts	Btu/hr	
500	560	145416	348	1187	£245.92
	760	145417	522	1781	£293.52
	1160	145419	870	2968	£397.97
650	560	145440	478	1631	£298.81
	760	145441	717	2446	£342.43
	960	145442	956	3262	£438.95
	1160	145443	1195	4077	£510.35
	1360	145444	1434	4893	£584.39
	1560	145445	1673	5708	£695.45
	1760	145446	1912	6524	£769.49
	1960	145447	2151	7341	£846.16
800	760	145465	922	3146	£401.93
	960	145466	1230	4197	£532.82
	1160	145467	1537	5244	£646.53
	1360	145468	1844	6295	£731.15
	1560	145469	2152	7343	£835.60
	1760	145470	2459	8393	£926.83
	1960	145471	2767	9441	£1047.14

Btu/hr @ $\Delta t50^{\circ}\text{C}$

- LST Standard gives you the option to specify controls.
- LST Standard has the option to reverse the attractive outer casing to suit the pipe layout.
- For peace of mind the paint finish is anti-bacterial.
- The LST Standard comes complete with all components required in one easy package.
- The internal emitter generates excellent heat outputs through convection.
- Tested to high standards, the emitter has a maximum working pressure of 116psi (8.0 bar) and conforms to BS EN 442.


Working pressure:
Tested to withstand 8.0 bar




For technical and installation information visit our website www.henrad.co.uk/downloads

Colour Range


Natural Colour




NT110
Papyrus white
510110



NT120
Pearl white
510120




NT130
Champagne
510130




NT140
Beige
510140



NT150
Beige grey
510150



NT160
Pebble grey
510160



NT170
Quartz grey
510170



SN110
Cream white
530110



SN120
Cream
530120



SN130
Mocca
530130



SN140
Bordeaux
530140



SN150
Sepia
530150



SN160
Pale blue
530160



SN170
Black
530170


Metallic Colour



ML110
Dove grey
520110



ML120
Titanium grey
520120



ML130
Blue grey
520130



ML140
Granite
520140



ML150
Cappuccino
520150



ML160
Terra brown
520160



ML170
Graphite black
520170

RAL Colour



A1004
Golden yellow
541004



A2003
Pastel orange
542003



A3002
Carmine red
543002



A3003
Robin red
543003



A5002
Ultramarine blue
545002



A6018
Yellow green
546018



A7001
Silver grey
547001



A7011
Iron grey
547011



A7016
Anthracite grey
547016



A7030
Stone grey
547030



A7035
Light grey
547035



A8017
Chocolate brown
548017



A9003
Signal white
549003



A9005
Jet black
549005



A9016
Traffic white



A7015
Slate grey
*Available for Column
Concept, Everest Line
Concept & Plan Concept

The colours shown throughout the brochure are reproduced as accurately as this process will allow and can be made to order on the identified products.

Please Note: Colour options are available in the Arno Towel Rail Range and Verona Towel Rail only. Price of coloured radiators are available on request. When a coloured radiator has been ordered it cannot be cancelled or returned. All coloured radiators have up to an 8 week lead time from date of order.



Accessories

Centre Tap TRV

Available from stock



UIN	Description	Henrad Price
14531310	Centre Tap TRV Straight White - 10mm	£52.65
14531312	Centre Tap TRV Straight White - 1/2in	£52.65
14531315	Centre Tap TRV Straight White - 15mm	£52.65
14531410	Centre Tap TRV Straight Chrome - 10mm	£52.65
14531412	Centre Tap TRV Straight Chrome - 1/2in	£52.65
14531415	Centre Tap TRV Straight Chrome - 15mm	£52.65
14531510	Centre Tap TRV Angled L White - 10mm	£52.65
14531512	Centre Tap TRV Angled L White - 1/2in	£52.65
14531515	Centre Tap TRV Angled L White - 15mm	£52.65

UIN	Description	Henrad Price
14531610	Centre Tap TRV Angled L Chrome - 10mm	£52.65
14531612	Centre Tap TRV Angled L Chrome - 1/2in	£52.65
14531615	Centre Tap TRV Angled L Chrome - 15mm	£52.65
14531710	Centre Tap TRV Angled R White - 10mm*	£52.65
14531712	Centre Tap TRV Angled R White - 1/2in*	£52.65
14531715	Centre Tap TRV Angled R White - 15mm*	£52.65
14531810	Centre Tap TRV Angled R Chrome - 10mm*	£52.65
14531812	Centre Tap TRV Angled R Chrome - 1/2in*	£52.65
14531815	Centre Tap TRV Angled R Chrome - 15mm*	£52.65

*Centre Tap TRV Angled R are only suitable for Towel Rails

Column Floor mounting brackets

Available from stock

UIN 148137

(sold in pairs)

A9016

Traffic white



Column Floor mounting brackets

Available from stock

UIN 148139





(sold in pairs)

A7015

Slate grey



Glossary

Btu/hr	British Thermal Unit per hour is the standard measurement used to state the amount of output of any heat generating device.
Watts	Is another measurement for heat output, 1 watt is equivalent to 3.412 Btu/hr.
Type 11	Also known as Type K1, is a type of radiator with 1 radiator panel and 1 set of convection fins.
Type 21	Also known as Type P+, is a type of radiator with 2 radiator panels and 1 set of convection fins.
Type 22	Also known as Type K2, is a type of radiator with 2 radiator panels and 2 sets of convection fins.
Type 33	Also known as Type K3, is a type of radiator with 3 radiator panels and 3 sets of convection fins.
Δt	Refers to the difference in temperature between the water circulating in the central heating system and that of the ambient temperature. It is important to use the correct Δt when selecting your radiators, as the same radiator will have different outputs at different water temperatures.
$\Delta t50$	$\Delta t50$ is the UK standard, however Henrad also quote at lower levels for lower water temperature systems.
Heat loss	Is the amount of heat a room loses, it is therefore an important calculation when determining what size radiator is required to heat a room to the correct level.
Warranty	The warranty covers any defect that is attributable to a manufacturing, assembly or material fault, further details available on request.
	Is a set of International regulations related to quality management systems.
TBOE / BOE	Refers to which position the pipes are connected to the radiator, OE means opposite end i.e. 1 pipe on each side, TB is top bottom i.e. 1 pipe is connected to the top and 1 to the bottom, B is both pipes connected to the bottom.
	EN 442 is the European standard which defines the manufacturing standards for radiators and convectors which operate at temperatures of less than 120°C. The standard defines the type of steel which must be used, the type of pressure testing which must be carried out and the accuracy of the heat outputs quoted in the literature.
RAL	A European wide colour matching system.
BSP	British Standard Piping.
	The CE marking is the manufacturers declaration that the product meets the requirements of the applicable EC directive. This is applicable to all Henrad products.
	The Manufacturers' Association of Radiators and Convectors.

||| HENRAD

STELRAD RADIATOR GROUP



Henrad (UK) Limited, Marriott Road, Mexborough, South Yorkshire S64 8BN.
Telephone: 0844 543 6200 Facsimile: 0844 543 6300

www.henrad.co.uk

UIN 208863
HPR/5K/0120