



Innovations In Illumination
- Marine & RV -



C-Rail LED Light



Features

12VDC / 24VDC Optional
Max Wattage 10w
LED PCB (Printed Circuit Board)
300 Lumens varies with Color
Clear Lens

Colors

Blue (10w)
Red (5w)
White (5w)
Amber (5w)
Green (10w)

Finishes

Stainless Steel (316)
SS (316) Powder Coat Black
SS (316) Powder Coat White

Available Sizes

Length 3 1/2"
Rail Sizes - • 7/8" to 1" • 1 1/8" to 1 1/4"

Coming soon
For Rails sizes up to 3 1/2" Lengths – 2" and 6"

Installation Instructions

- 1) Drill hole in railing and de-burr hole.
- 2) Run Power Wires into railing. Connect to 12VDC power source.
- 3) Remove backing from Bergquest Heatsink Tape on back of PCB and adhere into place on railing.
- 4) Place Lens over PCB to mark screw hole
- 5) Drill and tap screw holes.
- 6) Apply a small amount of adhesive/sealant to both sides of lens flanges.
NOTE – be careful to keep adhesive off viewing area of lens.
- 7) Place lens in housing and install over PCB
- 8) Install mounting screws.



All sales are subject to DRSA's Terms and Conditions of Sale
FOB Riviera Beach FL
Prices subject to change without notice