

MAC
INTERNATIONAL

THE MAC AVANT

2015 EDITION




www.macinternational.co.uk

MAC AVANT RANGE 2015

HOT MOBILE PRESSURE WASHERS

MAC AVANT WITH
STAINLESS STEEL
WATER TANK UPGRADE



The number one industrial pressure washer

- Winner of the MoD contract 2009
- Highly professional hot pressure washer
- Perfect for all heavy-duty use
- High flow rate and pressure
- Proven reliability

The Classic Avant

STANDARD FEATURES

- Heavy-duty steel chassis
- Stainless steel cover
- High Efficiency (HE) boiler system
- Water break tank with type AB airgap
- Plastic lance holder
- 4 large robust wheels for tough terrain
- Large 31ltr easy fill fuel tank with low level sensor
- High pressure chemical system
- Steam stage with low pressure steam valve
- Professional Interpump with ceramic pistons
- Industrial 1450rpm 4 pole electric Nicolini motor
- Automatic stop/start system
- Bypass valve and safety valve
- Pressure gauge
- Chemical valve for improved calibration
- Burner control with flow switch and thermostat
- 24v low tension safety controls
- Low level fuel warning lamp with burner shut down
- Mains power on lamp
- Including 10mt high pressure hose, single lance and RL37 washgun with swivel



30 SECOND
AUTO STOP/START



EASY TO USE CONTROLS



20m STAINLESS STEEL HOSE REEL
AVANT/ACC001



STAINLESS STEEL LANCE HOLDER
AVANT/ACC002

ENHANCEMENTS FOR 2015

SUPER HIGH EFFICIENCY BOILER



The new super hot high efficiency boiler from MAC. Designed to produce hot temperatures more efficiently - amazing performance.

WATER TANK WITH TYPE AB AIRGAP



All of our MAC Avants now come with a plastic break water tank with a Type AB Airgap as standard and improved brass float valve. Stainless steel water tank also available.

PLASTIC LANCE HOLDER



The Avant now comes as standard with a high quality lance holder. A stainless steel version is also available as an option.

MAC AVANT SE

The Special Edition MAC Avant complete with 20 metre stainless steel hose reel, stainless steel lance holder and special edition decals.

- 12ltr, 100bar
- 15ltr, 200bar
- 21ltr, 200bar



TECHNICAL INFORMATION

	MAC1 / MAC1SE*	MAC5 / MAC5SE*	MAC49 / MAC49SE*	MAC7
Water Flow	12lt per minute	15lt per minute	21lt per minute	9lt per minute
Pressure	100bar, 1500psi	200bar, 3000psi	200bar, 3000psi	100bar, 1500psi
Motor Specification	3hp, 1450rpm	7.5hp, 1450rpm	10hp, 1450rpm	3hp, 1450rpm
Chemical	High Pressure	High Pressure	High Pressure	High Pressure
Shutdown System	Auto Stop/Start	Auto Stop/Start	Auto Stop/Start	Auto Stop/Start
Temperature	0-150°C	0-150°C	0-150°C	0-150°C
Power	240v	415v	415v	110v
Weight	120kg	130kg	140kg	120kg
Dimensions (h x w x d)	85 x 63 x 100cm	85 x 63 x 100cm	85 x 63 x 100cm	85 x 63 x 100cm

*The SE model comes with the stainless steel hose reel, stainless steel lance holder and special edition decal

MAC AVANT GRP

The Avant with GRP plastic cover

- Highly professional hot pressure washer
- Avant specification
- 240v & 415v options
- Strong GRP plastic cover
- Proven Avant reliability



TECHNICAL INFORMATION

	MAC3	MAC4
Water Flow	12lt per minute	15lt per minute
Pressure	100bar, 1500psi	200bar, 3000psi
Motor Specification	3hp, 1450rpm	7.5hp, 1450rpm
Chemical	High Pressure	High Pressure
Shutdown System	Auto Stop/Start	Auto Stop/Start
Temperature	0-150°C	0-150°C
Power	240v	415v
Weight	110kg	120kg
Dimensions (h x w x d)	85 x 63 x 100cm	85 x 63 x 100cm

MAC AVANT ZERO PRESSURE

The Avant Zero Pressure range

- Highly professional hot pressure washer
- Timed delay shutdown creating zero pressure
- K3 & K5 options available
- Double bearing motor options for heavy usage



TECHNICAL INFORMATION

	MAC8	MAC10
Water Flow	12lt per minute	15lt per minute
Pressure	100bar, 1500psi	200bar, 3000psi
Motor Specification	3hp, 1450rpm	7.5hp, 1450rpm
Chemical	High Pressure	High Pressure
Shutdown System	Zero Pressure, Time Delay	Zero Pressure, Time Delay
Temperature	0-150°C	0-150°C
Power	240v	415v
Weight	120kg	130kg
Dimensions (h x w x d)	85 x 63 x 100cm	85 x 63 x 100cm

MAC AVANT XL

The Avant XL heavy-duty

- Heavy-duty machine construction
- Highly professional hot pressure washer
- Flame failure & leak detection
- HE boiler system
- High flow rate and pressure
- Double bearing 10hp motor for high usage



TECHNICAL INFORMATION

	MAC49XL
Water Flow	21 lt per minute
Pressure	200bar, 3000psi
Motor Specification	10hp, 1450rpm Double Bearing
Chemical	High Pressure
Shutdown System	Auto Stop/Start
Safety System	Flame Failure & Leak Detection
Temperature	0-150°C
Power	415v
Weight	200kg
Dimensions (h x w x d)	98 x 66 x 113cm

MAC AVANT ADDITIONAL ACCESSORIES



AVANT/ACC004 FROST PROTECTION

Including 60 watt heater tube & thermostat



AVANT/ACC006 HOUR COUNTER

7 digit, 240v including fitting



AVANT/ACC003 FLAME FAILURE & LEAK DETECTION

With photo cell and PCB upgrade and fitting