



The Complete Collection

Quality reigns supreme

One of Britain's much-loved brands... From humble beginnings in 1890, Valor has grown to become one of Britain's much-loved brands and today, we are one of the most recognised names in home heating. A reputation built on reliability, trust and safety stems from our unwavering commitment to create energy efficient heating solutions that surpass the needs of today's modern lifestyles.

Our advances in gas fire technology are legendary... Dedication and commitment, combined with pioneering technology, is the reason we've always been steps ahead of the competition. Not only did we revolutionise the market with the first ever living flame gas fire and the first ever balanced flue fire, the Valor Dream still ranks as the best-selling inset gas fire EVER!

One of the largest portfolios of fires and stoves... In recognition of our endeavours to reduce carbon emissions and running costs through ground-breaking gas fire technology, we received the prestigious Queen's Award for Enterprise: Innovation in 2009 for our best-selling Homeflame gas fire range. With this heritage it's no wonder we have one of the largest portfolios of fires and stoves available in the UK today.

Fires and fires galore... Meticulously designed to suit the many different requirements of UK homes and chimney configurations, our latest collection of fires boasts a range of installation options and designs styles to suit every need, pocket and lifestyle. Take our gas collection. Featuring a wide variety of living flame effect fires in a range of different styles, colours and options - including fuel beds, control types and installations - these models are available in high efficiency, decorative, inset, balanced flue, outset and radiant options - to name but a few.

Meanwhile, when it comes to electric, it's easy to see why Valor is a number one choice. 100% efficient at the point of use, which means no heat is wasted, these high efficiency LED electric fires benefit both the environment and help reduce energy bills. Our premier range of Dimension fires also provide an unrivalled degree of realism.

Trust us, we have it covered... As one would expect from a leading manufacturer, all Valor gas and electric fires are quality tested to rigorous standards and in the case of gas fires, this even includes a gas soundness test. All our gas fires come complete with a flame safety device that cuts off the gas in the unlikely event that the pilot light becomes extinguished and an equivalent is also featured across all our electric models.

When you purchase a Valor or Robinson Willey fire, you do so with the utmost confidence that it will serve you for many years to come. With our products there can be no mistaking - quality reigns supreme.



A simple guide

for choosing the correct fire for your home

With the many advancements in fire technology it is easy to get confused. We have laid out the Valor range options in an easy to view matrix, so you can compare the product offers and pick the one perfect for you and your home.


Generally fires are powered by mains gas, LPG, electricity or solid fuel, the options for selecting a fire may start here. If like many homes in the UK you have access to gas, electricity and solid fuel, your next consideration is likely to be the availability of a chimney or flue.

Full Depth Homeflame

Efficiency: 84 - 89%
Mains Gas

BC PF PCF NC
● ● ● ●

- Living flame effect
- High output
- Wide range of fascia




Slimline Homeflame

Efficiency: 89%
Mains Gas

BC PF PCF NC
● ● ● ●

- Living flame effect
- High output
- Wide range of fascia




Balanced Flue

Efficiency: 84 - 88%
Mains Gas

BC PF PCF NC
● ● ● ●

- No chimney needed
- Living flame effect
- High output




Full Depth Convector

Efficiency: 61 - 64%
LPG/Mains Gas

BC PF PCF NC
● ● ● ●

- Living flame effect
- High output
- Wide range of fascia




Slimline Convector

Efficiency: 57 - 61%
LPG/Mains Gas

BC PF PCF NC
● ● ● ●

- Living flame effect
- High output
- Wide range of fascia




Full Depth Inset

Efficiency: 57 - 61%
LPG/Mains Gas

BC PF PCF NC
● ● ● ●

- Living flame effect
- Value product
- No hood



Slimline Inset

Efficiency: 57 - 61%
LPG/Mains Gas

BC PF PCF NC
● ● ● ●

- Living flame effect
- Value product
- No hood




Outlet

Efficiency: 78 - 88%
Mains Gas

BC PF PCF NC
● ● ● ●


- Living flame effect
- High output



Pick the perfect fire for your home

What type of chimney does your home have?

Look at the pictures and decide which one best matches the chimney at your home then, when you're reading through our brochure and find a fire you like, simply check in the features section of the page under 'Chimney Required', to see if it's suitable for the chimney at your property.




No Chimney (NC)

Even if you have no chimney or flue we have a selection of fires for you. Our balanced flue and electric fires are the solution here.




Brick Chimney (BC)

Suitable for all fires. The classic brick built chimney can handle fires with a deep fuel bed right through to shallower slimline styles.



Pre-fabricated Flue (PF)

Suitable for most fires, dependent on the full depth and diameter



Pre-cast Flue (PCF)


Suitable for a wide range of slimline fires

Decorative Gas Fire

LPG/Mains Gas

BC PF PCF NC
● ● ● ●

- Living flame effect
- 'Real fire' look




Radiant

Efficiency: 80 - 89%
Mains Gas

BC PF PCF NC
● ● ● ●

- Traditional look
- Value product
- High output




Dimension Electric

Efficiency: 100%
No Gas Needed

BC PF PCF NC
● ● ● ●

- Holographic technology
- Best electric flame effect
- Wide range of fascia




Solid Fuel Stoves

Efficiency: 79 - 80%
Carbon neutral

BC PF PCF NC
● ● ● ●

- Real fire experience
- High output



High Efficiency

Valor have a range of products that lead the way in the effective use of energy - good news for the environment and great news for you as this means they are cheaper to run.

Gas Collection

Our Homeflame range is 38% cheaper to run and up to 89% efficient. With the shallowest slimline on the market they are universally* applicable.

Electric Collection

- 100% at point of use
- LEDs - less energy consumed
- Reduced running costs

Stoves Collection

- Up to 80% efficient
- Wood burning is carbon neutral
- Technology that helps secondary combustion and burns less fuel

* Flue boxes can vary. Always check with a qualified installer prior to purchase.



Technology

that provides better economy, quality and function

Controls



Manual Control

Can be found discreetly behind the fender of Inset gas fires. Located on top or side of outset fires



Touch Control

The side positioned touch control enables easy operation



Fireslide **FireSlide®**

Turn on/off or up/down from easy to use sliding control



Remote

Control from the comfort of your armchair. Available on some gas and Dimension models.

Activeheat™

Fires with Activeheat™ give out radiant heat but also draw in cold air from the room, pass it through a heat exchanger to warm it up and then circulate it back around the room. The result is that the room is heated much faster than by radiant heat alone.



HeatXchanger

When you are buying a fire for performance you will not be able to beat our range of gas fires that include a heat exchanger. All these fires come with a dedicated heat exchanger which means that the amount of convected heat is unsurpassed by any other fire of its kind. The flue gases are directed from the firebox into the heat exchanger and after scrubbing as much useful heat as it can the products of combustion are safely released into the flue.



Valor Centre 3 Year Guarantee

When you purchase a Valor or Robinson Willey fire, you do so with the utmost confidence that it will serve you for many years to come. Such is the confidence in our products and in our exclusive stockists, that we are able to offer an exclusive THREE-YEAR guarantee when your fire is purchased from one of our network of Valor Centres - providing the fire is serviced annually in accordance with Valor/Robinson Willey guidelines. This gives you an additional two-year's peace of mind over and above our standard guarantee, and you can relax in the knowledge that your fire has been recommended, supplied and installed by professionals and to the highest standards.

To find your nearest Valor Centre, please visit www.valor.co.uk



Contents

	Introduction - Quality Reigns Supreme	1			
	A Simple Guide & Chimney Guide	3			
	Technology	5			
Gas	Homeflame	7	Gas	Radiant	34
	Blenheim Slimline Homeflame	8		Brava Radiant	35
	Dream Full Depth Homeflame	9		Black Beauty Radiant	37
	Dream Slimline Homeflame	11		Firelite Radiant	38
	Petrus Slimline Homeflame	12		Firegem Visa Highline	39
	Petrus Full Depth Homeflame	13		Firegem Visa	41
	Eminence Homeflame	15		Firegem Visa Deluxe & Highline Deluxe	42
	Harmony Full Depth Homeflame	16		Sahara Radiant	43
Gas	Inset	17	Electric	Dimension	45
	Blenheim Full Depth	18		Innova Dimension	46
	Dream Full Depth Convector	19		Dream Slimline Dimension	47
	Dream Slimline Convector	21	Solid Fuel	Solid Fuel Stoves	49
	Seattle Slimline	22		Brunswick	50
	Blenheim Slimline	23		Riddlington	51
	Dream Balanced Flue	24		Baltimore	53
	Majestic Decorative	25		Willow	54
Gas	Outset	26	Gas	Wall Heaters	55
	Valentia Balanced Flue	27		Brazilia F5S	56
	Heartbeat	29		Brazilia F5	57
	Black Beauty Slimline	30		Brazilia F8S	59
	Firecharm LFE Electronic	31		Brazilia F8ST	60
	Sahara LFE Electronic	32		Technical Table & Key	61
	Firecharm RS Electronic	33			

Homeflame Gas Fires



Blenheim Slimline Homeflame

The Blenheim slimline Homeflame gas fire is the perfect choice for those rooms that require more heat without sacrificing realism. This fire delivers a super high efficiency of 89% together with a heat output of 3.1kW and due to its slimline design it is suitable for all chimney installations. This model is available with manual control and comes in a brass/black finish to create the perfect centrepiece.

Features:

Max Heat Output: 3.1kW

Min Heat Output: 1.5kW

Nett Efficiency Rating: 89%

Gas Type: NG

Control Type: Manual

Dimensions: (HxWxD) 612 x 505 x 79mm

Chimney Required: BC, PF, PCF

Product Code	Model	Colour Option
0596411	Blenheim Slimline Homeflame	Brass



Brass



Blenheim Slimline Homeflame Gas Fire



Pale Gold

Dream Full Depth Homeflame

The Dream full depth Homeflame is a traditionally styled gas fire available in black, brass or chrome to suit any room setting. With an impressive heat output of 4.0kW and a super high efficiency of 89%, this fire really does offer all the heat you need. The Dream offers a realistic coal effect fuel bed which creates the look and feel of a real fire. This model is easy to operate with its Fireslide control positioned at the top of the fire which requires little effort to ignite or adjust the fire setting.

Features:

Max Heat Output: 4.0kW

Min Heat Output: 2.0kW

Nett Efficiency Rating: 89%

Gas Type: NG

Control Type: Fireslide

Dimensions: (HxWxD) 636 x 518 x 186mm

Chimney Required: BC, PF

Product Code	Model	Colour Option
0576121	Dream Full Depth Homeflame	Black
0576111	Dream Full Depth Homeflame	Chrome
0576101	Dream Full Depth Homeflame	Pale Gold



Black



Chrome

FireSlide®





FireSlide®

Chrome

Dream Slimline Homeflame

New technology combines the benefits of efficient heating with the traditional Dream look to create a stunning glass fronted fire suitable for all chimneys and flues. With an inset depth of just 79mm it is the slimmest HE inset living flame fire available. Impressive heat output, Fireslide control, reflective sides, choice of colours and coal effect fuel bed make this the obvious choice in terms of style and usability.

Features:

Max Heat Output: 3.1kW

Min Heat Output: 1.8kW

Nett Efficiency Rating: 89%

Gas Type: NG

Control Type: Fireslide

Dimensions: (HxWxD) 636 x 518 x 79mm

Chimney Required: BC, PF, PCF

Product Code	Model	Colour Option
0596331	Dream Slimline Homeflame	Black
0596321	Dream Slimline Homeflame	Chrome
0596311	Dream Slimline Homeflame	Pale Gold



Black



Pale Gold

Dream Slimline Homeflame Gas Fire

Petrus Slimline Homeflame

The contemporary choice in the Homeflame slimline range, Petrus has a polished cast fascia and is available in black chrome or silver chrome finishes. Using reflective sides gives the illusion of a bigger fuel bed, to give you full depth looks in even the narrowest of flues. With the same impressive slim profile, heat output, Fireslide control and crafted coal bed, Petrus never fails to delight.

Features:

Max Heat Output: 3.1kW

Min Heat Output: 1.8kW

Nett Efficiency Rating: 89%

Gas Type: NG

Control Type: Fireslide

Dimensions: (HxWxD) 636 x 518 x 79mm

Chimney Required: BC, PF, PCF

Product Code	Model	Colour Option
0596351	Petrus Slimline Homeflame	Black Chrome
0596341	Petrus Slimline Homeflame	Silver Chrome



Black Chrome



Silver Chrome

FireSlide®



Petrus Slimline Homeflame Gas Fire



Petrus Full Depth Homeflame

The Petrus full depth Homeflame gas fire offers a contemporary hand polished cast fascia available in a stunning black chrome or silver chrome finish with matt black louvres. Boasting an impressive 4.0kW heat output and an exceptional efficiency of 89%, this model comes complete with Fireslide control for easy operation. The Petrus is a glass fronted model which offers a deep coal effect fuel bed that provides a realistic flame effect and warm glow and is the perfect centrepiece for any room.

Features:

Max Heat Output: 4.0kW

Min Heat Output: 2.0kW

Nett Efficiency Rating: 89%

Gas Type: NG

Control Type: Fireslide

Dimensions: (HxWxD) 636 x 518 x 186mm

Chimney Required: BC, PF

Product Code	Model	Colour Option
05961E1	Petrus Full Depth Homeflame	Black Chrome
0596191	Petrus Full Depth Homeflame	Silver Chrome



Silver Chrome

FireSlide®



Petrus Full Depth Homeflame Gas Fire



Eminence Homeflame

The Eminence contemporary hole in the wall gas fire is available in a champagne finish to suit most interiors. Boasting a 4.3kW heat output with a high efficiency of 84%, this model provides all the warmth you need. Eminence features a realistic log fuel bed and brick back panel to create the ambience of a real fire. Complete with remote control for easy operation, the Eminence creates a stunning centrepiece in any room setting.

Features:

Max Heat Output: 4.3kW

Min Heat Output: 1.3kW

Nett Efficiency Rating: 84%

Gas Type: NG

Control Type: Remote Control

Dimensions: (HxWxD) 643 x 819 x 321mm

Chimney Required: BC

Product Code	Model	Colour Option
05762A1	Eminence Homeflame	Champagne
0595271	LPG Kit	



Champagne



Eminence Homeflame Gas Fire

Harmony Full Depth Homeflame

The Harmony full depth Homeflame gas fire offers both modern design and high efficiency. It is available in a choice of finishes - black, champagne or silver with the option of wall mounting or fitting within a surround. The coal effect fuel bed complements the bar detailing and provides a realistic flame picture even on low setting.

Features:

Max Heat Output: 4.0kW

Min Heat Output: 2.0kW

Nett Efficiency Rating: 89%

Gas Type: NG

Control Type: Fireslide

Dimensions: (HxWxD) 631 x 546 x 186mm

Chimney Required: BC, PF

Product Code	Model	Colour Option
0576141	Harmony Full Depth Homeflame	Black
0576161	Harmony Full Depth Homeflame	Champagne
0576131	Harmony Full Depth Homeflame	Silver



Champagne



Silver



Black



Harmony Full Depth Homeflame Gas Fire

Inset Gas Fires



Blenheim Full Depth

Traditional design of the Blenheim emulates a real fire in every way, featuring a classic fascia and a coal effect fuel bed. Available in both full or slimline fuel beds suitable for all depths of chimney.

Features:

Max Heat Output: 3.8kW

Min Heat Output: 1.2kW

Nett Efficiency Rating: 61%

Gas Type: NG

Control Type: Manual

Dimensions: (HxWxD) 599 x 492 x 186mm

Chimney Required: BC, PF

Product Code	Model	Colour Option
0594151	Blenheim Full Depth	Brass
0595211	LPG Kit	



Brass



Blenheim Full Depth Inset Gas Fire



Dream Full Depth Convector

For those homes that require more heat, the Dream Convector gas fire is the perfect choice. This model offers radiant convected heat through means of convection and delivers an impressive 4.0kW heat output with a 64% efficiency. Available in black, chrome or a pale gold finish this model enables you to create your own centerpiece. Fireslide control guarantees ease of operation every time and a realistic deep coal bed with glowing flames further increases the appeal of this fire.

Features:

Max Heat Output: 4.0kW

Min Heat Output: 1.3kW

Nett Efficiency Rating: 64%

Gas Type: NG

Control Type: Fireslide

Dimensions: (HxWxD) 636 x 518 x 235mm

Chimney Required: BC, PF

Product Code	Model	Colour Option
05740N1	Dream Full Depth Convector	Black
05740M1	Dream Full Depth Convector	Chrome
05740L1	Dream Full Depth Convector	Pale Gold
0595211	LPG Kit	



Black



Chrome

FireSlide®



Dream Full Depth Convector Gas Fire



FireSlide®

Chrome

Dream Slimline Convector

The Dream slimline Convector gas fire allows modern homes with shallow flues to enjoy the classic looks of the Dream. This model offers both radiant and Activeheat™ through the means of convection by drawing cold air in from the room, passing it through a heat exchanger to warm it up and back out into the room providing exceptional heat output.

Features:

Max Heat Output: 3.4kW

Min Heat Output: 1.4kW

Nett Efficiency Rating: 61%

Gas Type: NG

Control Type: Fireslide

Dimensions: (HxWxD) 636 x 518 x 135mm

Chimney Required: BC, PF, PCF

Product Code	Model	Colour Option
05750U1	Dream Slimline Convector	Black
05750T1	Dream Slimline Convector	Chrome
05750S1	Dream Slimline Convector	Pale Gold
0595221	LPG Kit	



Pale Gold



Black

Dream Slimline Convector Inset Gas Fire

Seattle Slimline

The Seattle has a brushed steel curved front and comes with a beautiful pebble bed, making it the ideal choice for any contemporary interior.

Features:

Max Heat Output: 3.1kW

Min Heat Output: 1.3kW

Nett Efficiency Rating: 57%

Gas Type: NG

Control Type: Manual

Dimensions: (HxWxD) 588 x 450 x 115mm

Chimney Required: BC, PF, PCF

Product Code	Model	Colour Option
0595603	Seattle Slimline	Brushed Steel
0595221	LPG Kit	



Brushed Steel



Seattle Slimline Inset Gas Fire



Chrome

Blenheim Slimline

The Blenheim slimline gas fire offers a traditional classic design available in brass, chrome or black to compliment any interior style. This model offers a 3.1kW heat output with 57% efficiency and provides a stunning and realistic flame picture. The Blenheim is available in natural gas and can also be used on LPG and is suitable for all chimney installations.

Features:

Max Heat Output: 3.1kW

Min Heat Output: 1.3kW

Nett Efficiency Rating: 57%

Gas Type: NG

Control Type: Manual

Dimensions: (HxWxD) 585 x 450 x 115mm

Chimney Required: BC, PF, PCF

Product Code	Model	Colour Option
05956D7	Blenheim Slimline	Black
0595661	Blenheim Slimline	Brass
05956D6	Blenheim Slimline	Chrome
0595221	LPG Kit	



Black



Brass

Blenheim Slimline Inset Gas Fire

Dream Balanced Flue

Now you can have the classic Dream looks and the delightful dancing flames in homes without a chimney. The Dream balanced flue also offers an impressive 84% efficiency and 2.8kW heat output.

Features:

Max Heat Output: 2.8kW

Min Heat Output: 1.1kW

Nett Efficiency Rating: 84%

Gas Type: NG

Control Type: Top Control

Dimensions: (HxWxD) 635 x 518 x 110mm

Chimney Required: No chimney required

Product Code	Model	Colour Option
05541G1	Dream Balanced Flue	Black
05541F1	Dream Balanced Flue	Chrome
05541E1	Dream Balanced Flue	Pale Gold
0595131	3" Spacer Kit	Black
0595121	5" Spacer Kit	Black



Black



Chrome



Pale Gold



Dream Balanced Flue Inset Gas Fire



Black

Majestic Decorative

The Majestic is a stylish Decorative gas fire (DGF) that provides almost endless interior design options - a coal fuel bed with black fire front. DGFs can be used in large chimney openings to create a realistic open fire look as unlike inset fires, they consist of just the fire basket, without the "box" unit surrounding it, giving all the charm and appeal of a real fire without the hassle.

Features:

Max Heat Input: 6.85kW

Min Heat Input: 2.3kW

Gas Type: NG

Control Type: Manual Control

Dimensions: (HxWxD) n/a x 380 x 193mm

Chimney Required: BC, PF

Product Code	Model	Colour Option
0593901	Coal Engine	Black
5135862	Majestic Firefront	Black Front
0595211	LPG Kit	



Black Coal Engine

Majestic Decorative Inset Gas Fire



Outset Gas Fires

Outset



Valentia Balanced Flue

The Valentia, balanced flue gas fire combines impressive efficiency with a powerful heat output to provide affordable warmth for those homes that do not have a chimney. Available in a classic black design with chrome finish, it boasts 88% efficiency with a 3.57kW heat output and has a top positioned control which offers a choice of four heat settings. This glass fronted living flame effect model is fitted with heat exchanger technology and can be either floor or wall mounted for added flexibility. It also has electronic ignition for ease of use and a disability-friendly control handle comes as standard.

Features:

Max Heat Output: 3.57kW

Min Heat Output: 1.5kW

Nett Efficiency Rating: 88%

Gas Type: NG

Control Type: Electronic Top Control

Dimensions: (HxWxD) 633 x 646 x 273mm

Chimney Required: No chimney or flue required

Product Code	Model	Colour Option
0547401	Valentia Balanced Flue	Black/Chrome
SP993241	Short Flue 75mm/203mm	
SP993240	Medium Flue 200mm/356mm	
SP993239	Long Flue 356mm/510mm	

Note: Medium flue is supplied with the Valentia



Black/Chrome



Control



Disability control handle





Heartbeat

At home in any room, Heartbeat boasts excellent heat output, exceptional reliability and easy operation. The stylish glass front shows off its real flame effect fuel bed beautifully.

Features:

Max Heat Output: 3.6kW

Min Heat Output: 0.8kW

Nett Efficiency Rating: 78%

Gas Type: NG

Control Type: Side Control

Dimensions: (HxWxD) 643 x 632 x 212mm

Chimney Required: BC, PF, PCF

Product Code	Model	Colour Option
0533901	Heartbeat	Black & Brass



Black & Brass

Heartbeat Outset Gas Fire

Black Beauty Slimline

The Black Beauty Slimline offers exceptional performance, coupled with superb economy. It has a beautiful flame picture to add ambience and character to any room and comes with a distinctive pagoda shaped canopy highlighted with brass detailing.

Features:

Max Heat Output: 4.0kW

Min Heat Output: 1.0kW

Nett Efficiency Rating: 88%

Gas Type: NG

Control Type: Side Control

Dimensions: (HxWxD) 655 x 657 x 247mm

Chimney Required: BC, PF, PCF

Product Code	Model	Colour Option
0534101	Black Beauty Slimline	Black & Brass



Black & Brass



activeheat™



Black Beauty Slimline Outset Gas Fire





Black

Firecharm LFE Electronic

Good looks and living flame technology make the glass fronted Firecharm LFE a popular choice. Combining an impressive heat efficiency of 88% with a powerful 4.4kW heat output, this model also boasts electronic ignition for ease of operation. Determining flame effect and heat output, the top positioned heat control features four heat positions and a special disabled control handle comes as standard.

Features:

Max Heat Output: 4.4kW

Min Heat Output: 0.83kW

Nett Efficiency Rating: 88%

Gas Type: NG

Control Type: Top Electronic Control

Dimensions: (HxWxD) 635 x 650 x 241mm

Chimney Required: BC, PF, PCF

Product Code	Model	Colour Option
A98003	Firecharm LFE Electronic	Black
A98004	Firecharm LFE Electronic	Bronze



Bronze



Disability control handle

Firecharm LFE Electronic Outset Gas Fire

Sahara LFE Electronic

The Sahara LFE features a distinctive canopy in a pewter or bronze finish and this glass-fronted model combines good looks with living flame technology. With an impressive heat efficiency of 88% and a powerful 4.4kW heat output, it is ideal for those rooms that require maximum heat.

Boasting electronic ignition for ease of operation, the top positioned control features four heat positions. A special disabled control handle comes as standard.

Features:

Max Heat Output: 4.4kW

Min Heat Output: 0.83kW

Nett Efficiency Rating: 88%

Gas Type: NG

Control Type: Top Electronic Control

Dimensions: (HxWxD) 643 x 727 x 250mm

Chimney Required: BC, PF, PCF

Product Code	Model	Colour Option
A97029	Sahara LFE Electronic	Pewter
A97030	Sahara LFE Electronic	Bronze



Pewter



Disability control handle



Bronze



Sahara LFE Electronic Outset Gas Fire



Bronze

Firecharm RS Electronic

For homes without a chimney, the Firecharm RS is ideal. Combining an impressive heat efficiency of 88% with a powerful 3.57kW heat output, this glass fronted living flame effect model also boasts electronic ignition for ease of operation. The top positioned heat control determines flame effect and heat output with a choice of four heat positions.

Features:

Max Heat Output: 3.57kW

Min Heat Output: 1.5kW

Nett Efficiency Rating: 88%

Gas Type: NG

Control Type: Top Electronic Control

Dimensions: (HxWxD) 633 x 646 x 273mm


Chimney Required: No chimney required

Product Code	Model	Colour Option
A99027	Firecharm RS Electronic	Black
A99028	Firecharm RS Electronic	Bronze
SP993241	Short Flue 75mm/203mm	
SP993240	Medium Flue 200mm/356mm	
SP993239	Long Flue 356mm/510mm	

Note: Medium flue is supplied with the Firecharm RS



Black



Disability control handle

Firecharm RS Electronic Outset Gas Fire

Radiant Gas Fires





Brava Radiant

The Brava radiant gas fire is a favourite when it comes to offering superb levels of performance at very low running costs. Boasting an 80% efficiency with a 4.0kW heat output, the Brava forms part of our high efficiency range of gas fires and offers all the warmth you will need. It is available with a choice of manual top control or electronic ignition to enable easy operation. Featuring classic teak side and top wood panels, this model compliments a wide variety of room settings and can be hearth or wall mounted. The Brava is suitable for brick chimneys, pre-fabricated and precast flues.

Features:

Max Heat Output: 4.0kW

Min Heat Output: 1.0kW

Nett Efficiency Rating: 80%

Gas Type: NG

Control Type: Top Manual or Electronic Control

Dimensions: (HxWxD) 610 x 713 x 193mm

Chimney Required: BC, PF, PCF

Product Code	Model	Colour Option
0534701	Brava Radiant	Teak
05347E1	Brava Radiant Electronic	Teak



Teak



Control



Brava Radiant Gas Fire



Black Beauty Radiant

Traditional style and detailing the Black Beauty Radiant is exceptionally efficient and economical. The Black Beauty controls have been developed with ease in mind - there is a choice of the standard manual top control (with disability adaptor to assist the operation) or the Fireside option.

Features:

Max Heat Output: 4.0kW

Min Heat Output: 1.0kW

Nett Efficiency Rating: 80%

Gas Type: NG

Control Type: Top Control

Dimensions: (HxWxD) 625 x 657 x 204mm,

Fireslide - 630 x 659 x 238mm

Chimney Required: BC, PF, PCF

Product Code	Model	Colour Option
05347A1	Black Beauty Radiant	Black
0534811	Black Beauty Radiant Fireslide	Black
5138166	Disability Control (Fireslide Model only)	



Black

Black Beauty Radiant Gas Fire

Firelite Radiant

The Firelite radiant gas fire ensures a truly impressive performance offering a 4.0kW heat output with an efficiency of 80%. The Firelite offers a cost effective heating solution that does not compromise on style or reliability, making it an ideal choice. It is available with a choice of manual top control or electronic ignition which enables simple operation. The Firelite can be hearth or wall mounted and is suitable for brick chimneys, precast and pre-fabricated flues.

Features:

Max Heat Output: 4.0kW

Min Heat Output: 1.0kW

Nett Efficiency: 80%

Gas Type: NG

Control Type: Top Manual or Electronic Control

Dimensions: (HxWxD) 633 x 620 x 205mm

Chimney Required: BC, PF, PCF

Product Code	Model	Colour Option
0534761	Firelite Radiant	Black
0534771	Firelite Radiant Electronic	Black



Black



Control handle





KEEP
CALM
AND
CARRY
ON

Black/Chrome

Firegem Visa Highline

The Firegem Visa range offers the ultimate in safety, reliability and performance. Featuring heat exchanger technology and boasting 89% efficiency with a powerful 4.87kW heat output, this model features a top positioned heat control for ease of use. A special disabled control handle also comes as standard. Suitable for chimneys, pre-fabricated and precast flues, it is available in a range of colours and comes fitted with the RW Safeguard safety system for peace of mind.

Features:

Max Heat Output: 4.87kW

Min Heat Output: 1.1kW

Nett Efficiency Rating: 89%

Gas Type: NG

Control Type: Top Control (Electronic on A85044)

Dimensions: (HxWxD) 622 x 660 x 196mm

Chimney Required: BC, PF, PCF

Product Code	Model	Colour Option
A85034	Firegem Visa Highline	Olive
A85035	Firegem Visa Highline	Black/Brass
A85056	Firegem Visa Highline	Black/Chrome
A85044	Firegem Visa Highline Electronic	Black/Brass



Olive



Black/Brass



Disability control handle



Firegem Visa Highline Radiant Gas Fire



Olive

Firegem Visa

The Firegem Visa range offers the ultimate in safety, reliability and performance. Featuring heat exchanger technology and boasting 89% efficiency with a powerful 4.87kW heat output, this model features a top positioned heat control for ease of use. A special disabled control handle also comes as standard. Suitable for chimneys, pre-fabricated and precast flues, it is available in a range of colours and comes fitted with the RW Safeguard safety system for peace of mind.

Features:

Max Heat Output: 4.87kW

Min Heat Output: 1.1kW

Nett Efficiency Rating: 89%

Gas Type: NG

Control Type: Top Control

Dimensions: (HxWxD) 540 x 660 x 196mm

Chimney Required: BC, PF, PCF

Product Code	Model	Colour Option
A85014	Firegem Visa	Olive
A85015	Firegem Visa	Black/Brass
A85048	Firegem Visa	Black/Chrome



Black/Brass



Black/Chrome

Firegem Visa Radiant Gas Fire

Firegem Visa Deluxe & Highline Deluxe

Complete with teak casing the Firegem Visa Deluxe bears all the hallmarks of the popular Firegem Visa radiant/convector fire – safety, reliability and performance. Featuring heat exchanger technology and boasting 89% efficiency with a powerful 4.87kW heat output, this model features a top-positioned heat control for ease of use and features four heat positions.

Features:

Max Heat Output: 4.87kW

Min Heat Output: 1.1kW

Nett Efficiency Rating: 89%

Gas Type: NG

Control Type: Top Control

Dimensions: (HxWxD) Visa Deluxe 556 x 695 x 198mm

Visa Deluxe Highline 638 x 695 x 198mm

Chimney Required: BC, PF, PCF

Product Code	Model	Colour Option
A86005	Firegem Visa Deluxe	Teak
A86013	Firegem Visa Deluxe Highline	Teak



Firegem Visa Deluxe Highline



Disability control handle



Firegem Visa Deluxe



Firegem Visa Deluxe & Highline Deluxe Radiant Gas Fire



Pewter/Chrome

Sahara Radiant

With a striking canopy available in pewter, bronze or pewter/chrome, the Sahara combines high radiant/convector heat efficiency with low running costs. Boasting 88% efficiency with a powerful 4.78kW heat output, this model features a top positioned heat control for ease of use and features four heat positions. The pewter/chrome model comes with electronic ignition as standard. Complete with the RW Safeguard safety system for peace of mind, this model is suitable for brick chimneys, pre-fabricated and precast flues

Features:

Max Heat Output: 4.78kW

Min Heat Output: 1.1kW

Nett Efficiency Rating: 88%

Gas Type: NG

Control Type: Top Control (Electronic on A97039)

Dimensions: (HxWxD) 643 x 727 x 232mm

Chimney Required: BC, PF, PCF

Product Code	Model	Colour Option
A97007	Sahara Radiant	Bronze
A97006	Sahara Radiant	Pewter/Brass
A97039	Sahara Radiant Electronic	Pewter/Chrome



Bronze



Pewter/Brass



Sahara Radiant Gas Fire

DIMENSION



DIMENSION

Innova Full Depth Electric Fire

The Innova fire is based on purity of form and quality of materials. The elegant glass and silver fascia aptly suggests that it conceals new technology. By capturing the realistic coal effect behind the black glass it offers a style statement switched on or off. Whether you mount it off the floor or in the hearth, the effect is the same: a focal point for your room that is extraordinary.

Features:

Max Heat Output: 2.0kW

Min Heat Output: 1.0kW

Nett Efficiency Rating: 100%

LED Lights: Yes

Control Type: Remote control (with manual override)

Dimensions: (HxWxD) 632 x 542 x 144mm

Chimney Required: No chimney or flue required

Product Code	Model	Colour Option
0584411	Innova Full Depth Dimension	Glass Black
0584081	Spacer Kit	Black



Glass Black



Innova Full Depth DIMENSION Electric Fire



DIMENSION

Dream Slimline Electric Fire

The Dream slimline Dimension combines elegance and grandeur to create a truly stylish design. Providing up to 1.35kW heat output with a choice of two heat settings, the Dream Dimension comes complete with remote control. It incorporates LED lights to ensure running costs are kept low and with a choice of colours to choose from, it is the perfect centrepiece for any room-setting. This model offers the ultimate in electric heating with a unique flame effect created by patented holographic technology.

Features:

Max Heat Output: 1.35kW

Min Heat Output: 0.68kW

Nett Efficiency Rating: 100%

LED Lights: Yes

Control Type: Remote control

Dimensions: (HxWxD) 636 x 518 x 70mm

Chimney Required: No chimney or flue required

Product Code	Model	Colour Option
0585031	Dream Slimline Dimension	Black
0585021	Dream Slimline Dimension	Chrome
0585011	Dream Slimline Dimension	Pale Gold
0582631	Curved Spacer Kit	Black



Black



Pale Gold



Dream Slimline DIMENSION Electric Fire

Solid Fuel Stoves



Brunswick

The comfort of a real fire housed in a traditional style stove. Best quality cast iron multi-fuel stove, suitable for burning wood or solid fuel. The Brunswick stove comes with a choice of brushed brass or brushed steel door furniture. Controlled airwash for cleaner glass and aids combustion. Controlled airwash for cleaner glass and aids combustion.

Features:

Max Heat Output: 5.0kW

Min Heat Output: 1.0kW

Nett Efficiency Rating: 79%

Dimensions: (HxWxD) 560 x 412 x 350mm

Chimney Required: BC - Top or rear flue
(5" / 125mm diameter)

Product Code	Model	Colour Option
0591031	Brunswick	Black



Black



79%
EFFICIENCY



Brunswick Solid Fuel Stove



Ridlington

The intricate detailing on the Ridlington stove, perfectly houses the real fire within. The stove comes with a choice of brushed brass or brushed steel door furniture, and has a heat output of 8.0kW. Controlled airwash system aids combustion and helps keep the glass clean.

Features:

Max Heat Output: 8.0kW

Min Heat Output: 1.0kW

Nett Efficiency Rating: 79%

Dimensions: (HxWxD) 607 x 566 x 340mm

Chimney Required: BC - Top or rear flue (6" / 150mm diameter)

Product Code	Model	Colour Option
0594431	Ridlington	Black



Ridlington Solid Fuel Stove





Baltimore

To make a real statement, the Baltimore offers genuine grandeur in the most generous of spaces, gives a maximum heat output of up to 12kW and comes with the choice of brushed brass or brushed steel door furniture. Controlled airwash system aids combustion and helps keep the glass clean.

Features:

Max Heat Output: 12.0kW

Min Heat Output: 1.0kW

Nett Efficiency Rating: 76%

Dimensions: (HxWxD) 680 x 655 x 411mm

Chimney Required: BC - Top or rear flue
(6" / 150mm diameter)

Product Code	Model	Colour Option
0591331	Baltimore	Black



Black

Baltimore Solid Fuel Stove

Willow

The Willow may be the smallest of the Valor stoves collection, but with a 4kW heat output, it still radiates heat to every corner of the room. Delicately designed, Willow can equally stand alone or sit comfortably within a cosy inglenook. Controlled airwash system aids combustion and helps keep the glass clean.

Features:

Max Heat Output: 4.0kW

Min Heat Output: 1.0kW

Nett Efficiency Rating: 80%

Dimensions: (HxWxD) 458 x 355 x 350mm

Chimney Required: BC - Top or rear flue
(4" / 102mm diameter)

Product Code	Model	Colour Option
0570011	Willow	Black



Black



Willow Solid Fuel Stove



Wall Heaters

Brazilia

Brazilia F5S

Brazilia F5S has all the benefits of the F5, but with a choice of mahogany or oak effect side panels. Available for Natural Gas (optional LPG conversion kit is available).

Features:

Max Heat Output: 1.5kW

Min Heat Output: 0.6kW

Nett Efficiency Rating: 86%

Gas Type: NG

Control Type: Manual

Dimensions: (HxWxD) 391 x 450 x 128mm

Chimney Required: No chimney required

Product Code	Model	Colour Option
243160	Brazilia F5S	Beige & Oak
5110284	LPG Conversion Kit	



Beige & Oak





Note: Pipework will be visible when installed

Brazilia F5

The Brazilia F5's slim, unobtrusive design makes it the ideal heater for smaller rooms. Its country beige colour blends with any décor. The easy access, manual control on the front of the heater allows a choice of 3 heat settings – low, medium & high. Available for Natural Gas (optional LPG conversion kit is available).

Features:

Max Heat Output: 1.5kW

Min Heat Output: 0.6kW

Nett Efficiency Rating: 86%

Gas Type: NG

Control Type: Manual

Dimensions: (HxWxD) 391 x 426 x 126mm

Chimney Required: No chimney required

Product Code	Model	Colour Option
0504521	Brazilia F5	Beige
5110284	LPG Conversion Kit	



Beige





Brazilia F8S

For larger rooms the 2.3kW heat output of the Brazilia F8S is up to the task and like the smaller Brazilia F5S, this heater comes with a choice of mahogany or oak effect side panels and 3 heat settings. Available for Natural Gas (optional LPG conversion kit is available).

Features:

Max Heat Output: 2.3kW

Min Heat Output: 0.6kW

Nett Efficiency Rating: 86%

Gas Type: NG

Control Type: Manual

Dimensions: (HxWxD) 430 x 516 x 152mm

Chimney Required: No chimney required

Product Code	Model	Colour Option
243164	Brazilia F8S	Beige & Oak
5110285	LPG Conversion Kit	
243857	Flue 381 – 483mm (15-19")	
243848	Flue 520 – 610mm (20½-24")	



Beige & Oak

Brazilia F8S Wall Heater

Brazilia F8ST

If you want greater control over the temperature of your room, then the Brazilia F8ST is the model for you. Its thermostatic 'comfort control' system allows you to adjust the warmth between 0.8kW and 2.3kW. The ignition and settings are on the front of the heater to enable easy operation. This model is available in country beige finish with oak effect side panels.

Features:

Max Heat Output: 2.3kW

Min Heat Output: 0.6kW

Nett Efficiency Rating: 86%

Gas Type: NG

Control Type: Manual

Dimensions: (HxWxD) 430 x 516 x 152mm

Chimney Required: No chimney required

Product Code	Model	Colour Option
0504811	Brazillia F8ST	Beige & Oak
243857	Flue 381 – 483mm (15-19")	
243848	Flue 520 – 610mm (20.5"-24")	



Beige & Oak



Brazilia F8ST Wall Heater

Product Name	Type	Heat Output (kWh)		Heat Input (kWh)		Nett Efficiency	Control Type & Position	Chimney / Flue Type				Mounting	Dimensions (HxWxD*)
		Min	Max	Min	Max			Brick	Pre-Fab	Pre-Cast	None		
Blenheim Slimline Homeflame	Gas	1.5	3.1	2.0	3.9	89%	Manual Control	✓	✓	✓	✗	Hearth	612 x 505 x 79mm
Dream Full Depth Homeflame	Gas	2.0	4.0	2.5	5.0	89%	Fireslide	✓	✓	✗	✗	Hearth	636 x 518 x 186mm
Dream Slimline Homeflame	Gas	1.8	3.1	2.3	3.9	89%	Fireslide	✓	✓	✓	✗	Hearth	636 x 518 x 79mm
Petrus Slimline Homeflame	Gas	1.8	3.1	2.3	3.9	89%	Fireslide	✓	✓	✓	✗	Hearth	636 x 518 x 79mm
Petrus Full Depth Homeflame	Gas	2.0	4.0	2.5	5.0	89%	Fireslide	✓	✓	✗	✗	Hearth	636 x 518 x 186mm
Eminence Homeflame	Gas	1.3	4.3	2.0	5.7	84%	Remote Control	✓	✗	✗	✗	Hearth & WM	643 x 819 x 321mm
Harmony Full Depth Homeflame	Gas	2.0	4.0	2.5	5.0	89%	Fireslide	✓	✓	✗	✗	Hearth & WM	631 x 546 x 186mm
Blenheim Full Depth	Gas	1.2	3.8	2.3	6.9	61%	Manual Control	✓	† ✓	† ✓	✗	Hearth	599 x 492 x 186mm
Dream Full Depth Convector	Gas	1.3	4.0	2.7	6.9	64%	Fireslide	✓	✓	✓	✗	Hearth	635 x 518 x 110mm
Dream Slimline Convector	Gas	1.4	3.4	2.7	6.0	61%	Fireslide	✓	† ✓	† ✓	✗	Hearth	636 x 518 x 135mm
Seattle Slimline	Gas	1.3	3.1	2.3	6.0	57%	Manual Control	✓	✓	✓	✗	Hearth	585 x 450 x 115mm
Blenheim Slimline	Gas	1.3	3.1	2.3	6.0	57%	Manual Control	✓	✓	✓	✗	Hearth	588 x 450 x 115mm
Dream Balanced Flue >	Gas	1.1	2.8	1.5	3.7	84%	Top Control	✗	✗	✗	✓	Hearth	635 x 518 x 110mm
Majestic Decorative	Gas	n/a	n/a	2.3	6.85	n/a	Manual Control	✓	✓	✗	✗	Hearth	n/a x 380 x 193mm
Valentia Balanced Flue >	Gas	1.5	3.57	1.0	4.5	88%	Top Electronic Control	✗	✗	✗	✓	Hearth & WM	633 x 646 x 273mm
Heartbeat	Gas	0.8	3.6	1.6	5.0	78%	Side Control	✓	✓	✓	✗	Hearth & WM	643 x 632 x 212mm
Black Beauty Slimline	Gas	1.0	4.0	1.6	5.0	88%	Side Control	✓	✓	✓	✗	Hearth & WM	655 x 657 x 247mm
Firecharm LFE Electronic	Gas	0.83	4.4	1.55	5.57	88%	Top Electronic Control	✓	✓	✓	✗	Hearth & WM	635 x 650 x 241mm
Sahara LFE Electronic	Gas	0.83	4.4	1.55	5.57	88%	Top Electronic Control	✓	✓	✓	✗	Hearth & WM	643 x 727 x 250mm
Firecharm RS Electronic >	Gas	1.5	3.57	1.0	4.5	88%	Top Electronic Control	✗	✗	✗	✓	Hearth & WM	633 x 646 x 273mm
Brava Radiant	Gas	1.0	4.0	1.6	5.0	80%	Top Manual Control	✓	✓	✓	✗	Hearth & WM	610 x 713 x 193mm
Brava Radiant Electronic	Gas	1.0	4.0	1.6	5.0	80%	Top Electronic Control	✓	✓	✓	✗	Hearth & WM	610 x 713 x 193mm
Black Beauty Radiant	Gas	1.0	4.0	1.6	5.0	80%	Top Manual Control	✓	✓	✓	✗	Hearth & WM	625 x 657 x 204mm
Black Beauty Radiant Fireslide	Gas	1.0	4.0	1.6	5.0	80%	Fireslide	✓	✓	✓	✗	Hearth & WM	625 x 657 x 204mm
Firelite Radiant	Gas	1.0	4.0	1.6	5.0	80%	Top Manual Control	✓	✓	✓	✗	Hearth & WM	633 x 620 x 205mm
Firelite Radiant Electronic	Gas	1.0	4.0	1.6	5.0	80%	Top Electronic Control	✓	✓	✓	✗	Hearth & WM	633 x 620 x 205mm
Firegem Visa Highline	Gas	1.1	4.87	1.55	6.04	89%	Top Manual & Electronic Control	✓	✓	✓	✗	Hearth & WM	622 x 660 x 196mm
Firegem Visa	Gas	1.1	4.87	1.55	6.04	89%	Top Manual Control	✓	✓	✓	✗	Hearth & WM	540 x 660 x 196mm
Firegem Visa Deluxe	Gas	1.1	4.87	1.55	6.04	89%	Top Manual Control	✓	✓	✓	✗	Hearth & WM	556 x 695 x 198mm
Firegem Visa Highline Deluxe	Gas	1.1	4.87	1.55	6.04	89%	Top Manual Control	✓	✓	✓	✗	Hearth & WM	638 x 695 x 198mm
Sahara Radiant	Gas	1.1	4.87	1.55	6.04	88%	Top Manual & Electronic Control	✓	✓	✓	✗	Hearth & WM	643 x 727 x 232mm
Innova Full Depth Dimension	Electric	1.0	2.0	N/A	N/A	100%	Remote Control	N/A	N/A	N/A	✓	Hearth	632 x 542 x 144mm
Dream Slimline Dimension	Electric	0.68	1.35	N/A	N/A	100%	Remote Control	N/A	N/A	N/A	✓	Hearth	636 x 518 x 70mm
Brunswick	Solid Fuel	1.0	5.0	N/A	N/A	79%	N/A	✓	✗	✗	✗	Hearth	560 x 412 x 350mm
Riddlington	Solid Fuel	1.0	8.0	N/A	N/A	79%	N/A	✓	✗	✗	✗	Hearth	607 x 566 x 340mm
Baltimore	Solid Fuel	1.0	12.0	N/A	N/A	76%	N/A	✓	✗	✗	✗	Hearth	680 x 655 x 411mm
Willow	Solid Fuel	1.0	4.0	N/A	N/A	80%	N/A	✓	✗	✗	✗	Hearth	458 x 355 x 350mm
Brazilia F5S	Gas	0.6	1.5	0.9	2.1	86%	Manual Control	N/A	N/A	N/A	✓	Wall mounted	391 x 450 x 128mm
Brazilia F5	Gas	0.6	1.5	0.9	2.1	86%	Manual Control	N/A	N/A	N/A	✓	Wall mounted	391 x 426 x 126mm
Brazilia F8S	Gas	0.6	2.3	1.5	3.1	86%	Manual Control	N/A	N/A	N/A	✓	Wall mounted	430 x 516 x 152mm
Brazilia F8ST	Gas	0.6	2.3	1.5	3.1	86%	Manual Control	N/A	N/A	N/A	✓	Wall mounted	430 x 516 x 152mm

Important notice: All dimensions stated within the specification table are intended as guidance only. Please consult installation instructions before commencing any building work. The right to change specification without prior notice is reserved. No liability is accepted for problems caused by poor installation or misuse of product.

* Engine Depth

Key to technical table

Hearth & WM Can be hearth or wall mounted - ashpan is not separate

Hearth Can be hearth or wall mounted. If wall mounted the fire would require a small plinth to support the fret/ashpan which is not attached to the main fire.


NB: Please note that the fires which are highlighted as 'Hearth' are intended for floor level installation with a back panel and hearth. If raised some of the inner workings of the fire may become more visible than intended.

† These fires are suitable for most pre-fabricated flues dependent on the flue depth and diameter. Please refer to the installation instructions to ensure that this fire is compatible.

> Balanced flue fires can be installed inset/semi-inset into the wall cavity with the 3" spacer, or flat against the wall with the 5" spacer.

Note: Due to the sheer number of varying flue boxes and pre-cast flues it is not possible to advise on which fires are suitable until the existing fire has been removed. If the width at the rear of the pre-cast flue starter blocks is less than 300mm wide the minimum depth of the opening will be not less than 154mm.

Key to dimensions



CE All our products carry the CE Mark complying with European Safety Standards



Our products are made in accordance with Quality Management System Standard ISO 9001.



WEEE Producer Registration Number WEE/GE0057TS
WEEE Distributor Take Back Scheme - Registration ID: 6131

Terms & Conditions

Valor's policy is one of continual improvement and development. The right to change specification without prior notice is reserved, therefore the actual product may change and so the image shown may not be an exact representation. All images within the brochure were correct at time of print. Reproduction of colours is as accurate as photographic processes will allow.

Though accurate at the time of printing, this brochure is not intended to replace the installation manual which provides more detailed information. The statutory rights of the consumer are not affected.

*No liability is accepted for problems caused by poor installation or misuse of the product.



A Division of GDC Group Ltd

Millbrook House, Grange Drive, Hedge End, Southampton SO30 2DF

tel: 0844 879 35 88 email: customer.services@valor.co.uk website: www.valor.co.uk

For Northern Ireland, contact Glen Dimplex N.I. Ltd, 5 Charlestown Avenue, Charlestown Ind Est, Craigavon, Co. Armagh BT63 5ZF tel: 02838 337317

For Republic of Ireland, contact Dimpco on + 353 (0)1 8424 277 email: sales@dimpco.ie or visit www.dimpco.ie