


blyweert® Range

Notus

High Performance 3 Chamber Aluminium Sliding Door System

www.blyweertbeaufort.com






Notus

High Performance 3 Chamber Aluminium Sliding Door System

Notus Inline Sliding Door system allows you to create various door combinations of both fixed lights and sliding doors. Notus is available in single, double and triple track options allowing you to create the exact style to compliment any application. Unique design and high performance hardware offers effortless and consistent operation.

Design Features

- 3 Chamber Inline sliding Door
- Available in Single, double and triple track options
- Thermally enhanced extrusions incorporating glass fibre reinforced polyamide strips
- Robust and durable design allowing 200kg panel weight with smooth and consistent operation



Single Track


Double Track

Triple Track



Options

- Accepts 20 - 30mm Double Glazed Units
- Single, Double or Triple Track options
- Available in any single or dual colour option
- Available in specialist metallic finishes




Interlock Detail

Sizing

Installation depth of profiles	Mono-rail frame 106 mm Duo-rail 94 mm Tri-rail 155 mm Panel 46 mm
Min. profile width of sliding element	Frame 40 mm Panel 76 mm Joint profile 85 mm
Rebate height	20 mm

Performance

Thermal Insulation Uf	Uf value 1.7 W/m ² K (double sliding frame 2400 x 2180 with double glazing 0.8)
-----------------------	--



Blyweert Beaufort Aluminium Limited
Imperial Park | Celtic Way | Newport | NP10 8BE

Tel: 01633 29 40 40
Fax: 01633 29 40 41
Email: info@blyweertbeaufort.com

www.blyweertbeaufort.com



BS 7950



BS 4873



Official Police Security Initiative



EMS 533907



FM 37878



CENTRE FOR WINDOW AND CLADDING TECHNOLOGY



Council for Aluminium in Building



British Board of Aggregates Manufacturers



Certified to LPCB 1175: Issue 1 Security Rating 2