

# Hamilton® Giara MARTELLATO CFX®

Luxury Italian Design Door Furniture with matching Concealed Fixing Electrical Wiring Accessories on exclusive Britannium Finish Plates.

The ultimate for today's modern domestic interior.

Stunning Martellato design in the stunning hammered finish.


Handmade to order.



**Hamilton®**  
*fashion, finish, function and flexibility*


# Hamilton® Giara MARTELLATO CFX™

Luxury Italian Design Door Furniture  
in exclusive Britannium finish



## Martellato Handle

Handle Finish	Product Code
Britannium	GM12-R12 BM



## Martellato Key Plate

Key Plate Finish	Product Code
Britannium	GB12-BM

# Giara MARTELLATO CFX™

Luxury Italian Design Electrical Wiring  
Accessories on exclusive Britannium finish



7MC R21 BL-B



7MC R22 BL-B



7MC SS2 BL-B

## Concealed Fixing Rocker Switches

Plate Finish	Insert Finish	Insert Surround Colour	Image	Description	Technical Insert Reference	Product Code
Britannium	Black Plastic	Black		<b>1 gang 10AX 2 way Rocker</b> Nominal Plate Size: 86 x 86 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: <b>R21</b>	<b>R21</b>	7MC R21 BL-B
Britannium	Black Plastic	Black		<b>2 gang 10AX 2 way Rocker</b> Nominal Plate Size: 86 x 86 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: <b>R22</b>	<b>R22</b>	7MC R22 BL-B
Britannium	Black Plastic	Black		<b>3 gang 10AX 2 way Rocker</b> Nominal Plate Size: 86 x 86 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: <b>R23</b>	<b>R23</b>	7MC R23 BL-B
Britannium	Black Plastic	Black		<b>4 gang 10AX 2 way Rocker</b> Nominal Plate Size: 145 x 86 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: <b>R24</b>	<b>R24</b>	7MC R24 BL-B
Britannium	Black Plastic	Black		<b>6 gang 10AX 2 way Rocker</b> Nominal Plate Size: 145 x 86 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: <b>R26</b>	<b>R26</b>	7MC R26 BL-B

## Concealed Fixing Rocker Switches

Plate Finish	Insert Finish	Insert Surround Colour	Image	Description	Technical Insert Reference	Product Code
Britannium	Black Plastic	Black		<b>1 gang 10AX Intermediate Rocker</b> Nominal Plate Size: 86 x 86 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: <b>R31</b>	<b>R31</b>	7MC R31 BL-B
Britannium	Black Plastic	Black		<b>2 gang 10AX Intermediate Rocker</b> Nominal Plate Size: 86 x 86 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: <b>R32</b>	<b>R32</b>	7MC R32 BL-B
Britannium	Black Plastic	Black		<b>1 gang 10AX Push To Make/Break Retractive Rocker</b> Nominal Plate Size: 86 x 86 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: <b>CFXRRT</b>	<b>CFXRRT</b>	7MC RRT BL-B
Britannium	Black Plastic	Black		<b>1 gang 10AX Triple Pole Rocker</b> Nominal Plate Size: 86 x 86 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: <b>TP</b>	<b>TP</b>	7MC TP BL-B

## Concealed Fixing Rocker Switches

Plate Finish	Insert Finish	Insert Surround Colour	Image	Description	Technical Insert Reference	Product Code
Britannium	Black Plastic	Black		<b>1 gang 20AX 2 way Rocker</b> Nominal Plate Size: 86 x 86 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: <b>R212</b>	<b>R212</b>	7MC R212 BL-B
Britannium	Black Plastic	Black		<b>2 gang 20AX 2 way Rocker</b> Nominal Plate Size: 86 x 86 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: <b>R222</b>	<b>R222</b>	7MC R222 BL-B
Britannium	Black Plastic	Black		<b>3 gang 20AX 2 way Rocker</b> Nominal Plate Size: 145 x 86 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: <b>R232</b>	<b>R232</b>	7MC R232 BL-B
Britannium	Black Plastic	Black		<b>4 gang 20AX 2 way Rocker</b> Nominal Plate Size: 145 x 86 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: <b>R242</b>	<b>R242</b>	7MC R242 BL-B
Britannium	Black Plastic	Black		<b>1 gang 20AX Intermediate Rocker</b> Nominal Plate Size: 86 x 86 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: <b>R312</b>	<b>R312</b>	7MC R312 BL-B

## Concealed Fixing Toggle Switches

					
	<b>1 gang 20AX 2 way Toggle</b> Nominal Plate Size: 86 x 86 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: <b>T21</b> Product Code	<b>2 gang 20AX 2 way Toggle</b> Nominal Plate Size: 86 x 86 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: <b>T22</b> Product Code	<b>3 gang 20AX 2 way Toggle</b> Nominal Plate Size: 145 x 86 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: <b>T23</b> Product Code	<b>4 gang 20AX 2 way Toggle</b> Nominal Plate Size: 145 x 86 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: <b>T24</b> Product Code	<b>1 gang 20AX Intermediate Toggle</b> Nominal Plate Size: 86 x 86 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: <b>T31</b> Product Code
<b>Plate Finish</b>	<b>Insert Finish</b>				
Britannium	Black Nickel				
	7MC T21 BK	7MC T22 BK	7MC T23 BK	7MC T24 BK	7MC T31 BK

## Concealed Fixing Key Switches

	
	<b>1 gang 20AX 2 way Key Switch</b> Nominal Plate Size: 86 x 86 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: <b>K21</b> Product Code
<b>Plate Finish</b>	<b>Insert Finish</b>
Britannium	Black Plastic
	7MC K21 B

## Concealed Fixing Hotel Card Switch with LED

Adjustable Time Delay 10 seconds - 5 minutes.  
Suitable for 44 mm and 54 mm width Hotel Key Cards.

		
	<b>1 gang 10A (6AX) On/Off with Blue LED Locator</b> Nominal Plate Size: 86 x 86 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: <b>C11</b> Product Code	<b>1 gang 12-24V AC/DC +/-10% On/Off with Blue LED Locator (Suitable for KNX BUS System)</b> Nominal Plate Size: 86 x 86 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: <b>CKNX</b> Product Code
<b>Plate Finish</b>	<b>Insert Finish</b>	<b>Insert Surround Colour</b>
Britannium	Black Plastic	Black
	7MC C11 BL-B	7MC CKNX BL-B







## Concealed Fixing Power Sockets

			
	<b>1 gang 13A Double Pole Switched Socket</b> Nominal Plate Size: 86 x 86 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: <b>SS1</b> Product Code	<b>2 gang 13A Double Pole Switched Socket</b> Nominal Plate Size: 145 x 86 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: <b>SS2</b> Product Code	<b>Shaver Dual Voltage Unswitched Socket</b> Nominal Plate Size: 86 x 145 mm Min. Wall Box Depth: 47 mm Technical Insert Reference: <b>SHS</b> Product Code
<b>Plate Finish</b>	<b>Insert Finish</b>	<b>Insert Surround Colour</b>	
Britannium	Black Plastic	Black	
	7MC SS1 BL-B	7MC SS2 BL-B	7MC SHS B

## Concealed Fixing USB Power Sockets

	
	<b>2 gang Unswitched Socket + 2 x USB Charging Points</b> Nominal Plate Size: 86 x 86 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: <b>USB99</b> Product Code
<b>Plate Finish</b>	<b>Insert Finish</b>
Britannium	Black Plastic
	7MC USB99 B

## Concealed Fixing Power Sockets

						
	<b>1 gang 5A Unswitched Socket</b> Nominal Plate Size: 86 x 86 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: <b>US5</b> Product Code	<b>1 gang 13A Unswitched Socket</b> Nominal Plate Size: 86 x 86 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: <b>US13</b> Product Code	<b>2 gang 13A Unswitched Socket</b> Nominal Plate Size: 145 x 86 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: <b>US99</b> Product Code	<b>1 gang 16A German Unswitched Socket</b> Nominal Plate Size: 86 x 86 mm Min. Wall Box Depth: 47 mm Technical Insert Reference: <b>6126</b> Product Code	<b>1 gang 15A American Unswitched Socket</b> Nominal Plate Size: 86 x 86 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: <b>5258</b> Product Code	<b>2 gang 15A American Unswitched Socket</b> Nominal Plate Size: 145 x 86 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: <b>5320</b> Product Code
<b>Plate Finish</b>	<b>Insert Finish</b>					
Britannium	Black Plastic					
	7MC US5 B	7MC US13 B	7MC US99 B	7MC 6126 B	7MC 5258 B	7MC 5320 B




## Concealed Fixing Television Coaxial Sockets

Plate Finish	Insert Finish						
Britannium	Black Plastic	<b>1 gang Non Isolated TV 1 In/1 Out</b> Nominal Plate Size: 86 x 86 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: TV Product Code	<b>Isolated TV/FM Diplexer 1 In/2 Out</b> Nominal Plate Size: 86 x 86 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: TVFM Product Code	<b>1 gang Isolated TV 1 In/1 Out</b> Nominal Plate Size: 86 x 86 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: TVI Product Code	<b>2 gang Non Isolated TV + Satellite 2 In/2 Out</b> Nominal Plate Size: 86 x 86 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: TVSAT Product Code	<b>1 gang Non Isolated Satellite</b> Nominal Plate Size: 86 x 86 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: SATN Product Code	<b>1 gang Isolated Satellite</b> Nominal Plate Size: 86 x 86 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: SATI Product Code
		7MC TV B	7MC TVFM B	7MC TVI B	7MC TVSAT B	7MC SATN B	7MC SATI B

## Concealed Fixing Digital Television Sockets - Screened Non Isolated - DAB Compatible

Plate Finish	Insert Finish			
Britannium	Black Plastic	<b>Non Isolated TV/FM/Satellite Triplexer 1 In/3 Out</b> Nominal Plate Size: 86 x 86 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: DTRID Product Code	<b>1 gang Non Isolated TV (Female)</b> Nominal Plate Size: 86 x 86 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: DTVF Product Code	<b>1 gang Non Isolated TV (Male)</b> Nominal Plate Size: 86 x 86 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: DTVM Product Code
		7MC DTRID B	7MC DTVF B	7MC DTVM B

## Concealed Fixing Digital Television Sockets - Screened Non Isolated - DAB Compatible

Plate Finish	Insert Finish			
Britannium	Black Plastic	<b>1 gang Non Isolated Satellite</b> Nominal Plate Size: 86 x 86 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: DSAT Product Code	<b>Non Isolated TV/FM/Satellite 1/Satellite 2 Quadplexer 2 In/4 Out</b> Nominal Plate Size: 86 x 86 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: DENT Product Code	<b>Non Isolated TV/FM/Satellite 1/Satellite 2 Quadplexer 2 In/4 Out + TVF + TCS</b> Nominal Plate Size: 145 x 86 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: DSAT+ Product Code
		7MC DSAT B	7MC DENT B	7MC DSAT+ B

## Concealed Fixing Telephone and Data Outlets

Plate Finish	Insert Finish						
Britannium	Black Plastic	<b>1 gang Telephone Master</b> Nominal Plate Size: 86 x 86 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: TCM Product Code	<b>1 gang Telephone Slave</b> Nominal Plate Size: 86 x 86 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: TCS Product Code	<b>1 gang RJ12 Outlet Unshielded</b> Nominal Plate Size: 86 x 86 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: J12 Product Code	<b>2 gang RJ12 Outlet Unshielded</b> Nominal Plate Size: 86 x 86 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: 2J12 Product Code	<b>1 gang RJ45 CAT 5E Outlet Unshielded</b> Nominal Plate Size: 86 x 86 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: J45 Product Code	<b>2 gang RJ45 CAT 5E Outlet Unshielded</b> Nominal Plate Size: 86 x 86 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: 2J45 Product Code
		7MC TCM B	7MC TCS B	7MC J12 B	7MC 2J12 B	7MC J45 B	7MC 2J45 B

## Concealed Fixing Double Pole Switches

Plate Finish	Insert Finish	Insert Surround Colour			Plate Finish	Insert Surround Colour	
Britannium	Black Plastic	Black	<b>1 gang 20AX Double Pole Rocker + Neon</b> Nominal Plate Size: 86 x 86 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: DPN Product Code	<b>45A Double Pole Red Rocker + Neon + 13A Switched Socket</b> Nominal Plate Size: 145 x 86 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: 45SS1 Product Code	Britannium	Black	<b>1 gang 45A Double Pole Red Rocker + Neon</b> Nominal Plate Size: 86 x 86 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: 45N Product Code
			7MC DPN BL-B	7MC 45SS1 BL-B			7MC 45N B

## Concealed Fixing Connection Units



### 1 gang 13A Double Pole Fused Spur + Neon

Nominal Plate Size:  
86 x 86 mm  
Min. Wall Box  
Depth: 35 mm  
Technical Insert  
Reference: **SPN**  
Product Code

Plate Finish	Insert Finish	Insert Surround Colour
Britannium	Black Plastic	Black

7MC SPN BL-B



### 1 gang 13A Fuse with Red Neon Halo

Nominal Plate Size:  
86 x 86 mm  
Min. Wall Box  
Depth: 35 mm  
Technical Insert  
Reference: **FN**  
Product Code

Plate Finish	Insert Finish	Insert Surround Colour
Britannium	Black Plastic	Red Halo

7MC FN BL- R

## Concealed Fixing Leading Edge Push On/Off Resistive Dimmers

Note: When using mains voltage halogen lamps - Dimmers should be de-rated by 25%.

Tungsten Filament GU10 Lamps must be Branded and with a Fused Base.

Note: When dimming LED lamps de-rate by 75% - please contact our Technical Department for compatibility.



### 1 gang 400W 2 way Dimmer

Nominal Plate Size:  
86 x 86 mm  
Minimum Wall Box  
Depth: 35 mm  
Technical Insert  
Reference: **1X40**  
Product Code

Plate Finish	Insert Finish
Britannium	Black

7MC 1X40 BL



### 2 gang 400W 2 way (Max. 300 watts per gang) Dimmer

Nominal Plate Size:  
86 x 86 mm  
Minimum Wall Box  
Depth: 35 mm  
Technical Insert  
Reference: **2X40**  
Product Code

7MC 2X40 BL



### 3 gang 400W 2 way Dimmer

Nominal Plate Size:  
145 x 86 mm  
Minimum Wall Box  
Depth: 35 mm  
Technical Insert  
Reference: **3X40**  
Product Code

7MC 3X40 BL



### 4 gang 400W 2 way (Max. 300 watts per gang) Dimmer

Nominal Plate Size:  
145 x 86 mm  
Minimum Wall Box  
Depth: 35 mm  
Technical Insert  
Reference: **4X40**  
Product Code

7MC 4X40 BL



### 1 gang 600W 2 way Dimmer

Nominal Plate Size:  
86 x 86 mm  
Minimum Wall Box  
Depth: 35 mm  
Technical Insert  
Reference: **1X60**  
Product Code

7MC 1X60 BL



### 1 gang 1000W 2 way Dimmer

Nominal Plate Size:  
145 x 86 mm  
Minimum Wall Box  
Depth: 35 mm  
Technical Insert  
Reference: **1X1K**  
Product Code

7MC 1X1K BL

## Concealed Fixing Leading Edge Push On/Off Inductive Dimmers

Note: When dimming LED lamps de-rate by 75% - please contact our Technical Department for compatibility.



### 1 gang 200VA 2 way Dimmer

Nominal Plate Size:  
86 x 86 mm  
Minimum Wall Box  
Depth: 35 mm  
Technical Insert  
Reference: **1X2V**  
Product Code

Plate Finish	Insert Finish
Britannium	Black

7MC 1X2V BL



### 1 gang 300VA 2 way Dimmer

Nominal Plate Size:  
86 x 86 mm  
Minimum Wall Box  
Depth: 35 mm  
Technical Insert  
Reference: **1X3V**  
Product Code

7MC 1X3V BL

## Concealed Fixing Trailing Edge Push On/Off Dimmers

Note: Tungsten filament GU10 lamps must be branded and with a fused base.

Note: When using mains voltage halogen lamps - dimmers should be de-rated by 25%.

Note: When using mains voltage halogen load transformers - maximum rating is 210VA.

Note: When dimming LED lamps de-rate by 75% - please contact our Technical Department for compatibility.



### 1 gang 250W/210VA Trailing Edge Multi-Way Dimmer

Nominal Plate Size:  
86 x 86 mm  
Minimum Wall Box  
Size: 35 mm  
Technical Insert  
Reference: **1XTE**  
Product Code

Plate Finish	Insert Finish
Britannium	Black

7MC 1XTE BL



### 2 gang 250W/210VA Trailing Edge Multi-Way Dimmer

Nominal Plate Size:  
86 x 86 mm  
Minimum Wall Box  
Size: 35 mm  
Technical Insert  
Reference: **2XTE**  
Product Code

7MC 2XTE BL



### 3 gang 250W/210VA Trailing Edge Multi-Way Dimmer

Nominal Plate Size:  
145 x 86 mm  
Minimum Wall Box  
Size: 35 mm  
Technical Insert  
Reference: **3XTE**  
Product Code

7MC 3XTE BL



### 4 gang 250W/210VA Trailing Edge Multi-Way Dimmer

Nominal Plate Size:  
145 x 86 mm  
Minimum Wall Box  
Size: 35 mm  
Technical Insert  
Reference: **4XTE**  
Product Code

7MC 4XTE BL

### Concealed Fixing Trailing Edge Touch Master Multi-Way Dimmers

Note: Tungsten filament GU10 lamps must be branded and with a fused base.

Note: When using mains voltage halogen lamps - dimmers should be de-rated by 25%.

Note: When using mains voltage halogen load transformers - maximum rating is 210VA.

Note: When dimming LED lamps de-rate by 75% - please contact our Technical Department for compatibility.

Plate Finish	Insert Finish	Insert Surround Colour				
Britannium	Black Nickel	Black	<b>1 gang 250W/210VA Trailing Edge Multi-Way Touch Master Dimmer</b> Nominal Plate Size: 86 x 86 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: <b>1XTM</b> Product Code 7MC 1XTM BK-B	<b>2 gang 250W/210VA Trailing Edge Multi-Way Touch Master Dimmer</b> Nominal Plate Size: 86 x 86 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: <b>2XTM</b> Product Code 7MC 2XTM BK-B	<b>3 gang 250W/210VA Trailing Edge Multi-Way Touch Master Dimmer</b> Nominal Plate Size: 145 x 86 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: <b>3XTM</b> Product Code 7MC 3XTM BK-B	<b>4 gang 250W/210VA Trailing Edge Multi-Way Touch Master Dimmer</b> Nominal Plate Size: 145 x 86 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: <b>4XTM</b> Product Code 7MC 4XTM BK-B

### Concealed Fixing Touch Slave Controllers

Note: To only be used with Touch Master Dimmers.

Note: Tungsten filament GU10 lamps must be branded and with a fused base.

Note: When using mains voltage halogen lamps - dimmers should be de-rated by 25%.

Note: When using mains voltage halogen load transformers - maximum rating is 210VA.

Plate Finish	Insert Finish	Insert Surround Colour				
Britannium	Black Nickel	Black	<b>1 gang Multi-Way Touch Slave Controller</b> Nominal Plate Size: 86 x 86 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: <b>1XTS</b> Product Code 7MC 1XTS BK-B	<b>2 gang Multi-Way Touch Slave Controller</b> Nominal Plate Size: 86 x 86 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: <b>2XTS</b> Product Code 7MC 2XTS BK-B	<b>3 gang Multi-Way Touch Slave Controller</b> Nominal Plate Size: 145 x 86 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: <b>3XTS</b> Product Code 7MC 3XTS BK-B	<b>4 gang Multi-Way Touch Slave Controller</b> Nominal Plate Size: 145 x 86 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: <b>4XTS</b> Product Code 7MC 4XTS BK-B

### Concealed Fixing EuroFix Plates complete with Fixing Grid

Minimum Wall Box Depth is dependent on the EuroFix insert fitted - please see the EuroFix section for our complete range of inserts.

Plate Finish				
Britannium	<b>1 Module EuroFix Plate</b> Nominal Plate Size: 86 x 86 mm Aperture: 25 x 50 mm Technical Insert Reference: <b>EURO1</b> Product Code 7MC EURO1	<b>2 Module EuroFix Plate</b> Nominal Plate Size: 86 x 86 mm Aperture: 50 x 50 mm Technical Insert Reference: <b>EURO2</b> Product Code 7MC EURO2	<b>3 Module EuroFix Plate</b> Nominal Plate Size: 145 x 86 mm Aperture: 75 x 50 mm Technical Insert Reference: <b>EURO3</b> Product Code 7MC EURO3	<b>4 Module EuroFix Plate</b> Nominal Plate Size: 145 x 86 mm Aperture: 100 x 50 mm Technical Insert Reference: <b>EURO4</b> Product Code 7MC EURO4

### Concealed Fixing Blank Plates

Plate Finish		
Britannium	<b>Single Blank Plate</b> Nominal Plate Size: 86 x 86 mm Technical Insert Reference: <b>BPS</b> Product Code 7MC BPS	<b>Double Blank Plate</b> Nominal Plate Size: 145 x 86 mm Technical Insert Reference: <b>BPD</b> Product Code 7MC BPD

### Concealed Fixing GRID-IT Grid Fix Plates complete with Fixing Grid

Minimum Wall Box Depth is dependent on the GRID-IT insert fitted - please see the GRID-IT section for our complete range of inserts.

Plate Finish				
Britannium	<b>1 gang Aperture Grid Fix Plate</b> Nominal Plate Size: 86 x 86 mm Technical Insert Reference: <b>1GP</b> Product Code 7MC 1GP	<b>2 gang Aperture Grid Fix Plate</b> Nominal Plate Size: 86 x 86 mm Technical Insert Reference: <b>2GP</b> Product Code 7MC 2GP	<b>3 gang Aperture Grid Fix Plate</b> Nominal Plate Size: 145 x 86 mm Technical Insert Reference: <b>3GP</b> Product Code 7MC 3GP	<b>4 gang Aperture Grid Fix Plate</b> Nominal Plate Size: 145 x 86 mm Technical Insert Reference: <b>4GP</b> Product Code 7MC 4GP