

STOP!
THESE PRODUCTS HAVE LEGAL RESTRICTIONS. READ THIS BEFORE
INSTALLING/USING!

THESE PRODUCTS MAY BE USED SOLELY ON VEHICLES USED IN SANCTIONED COMPETITION WHICH MAY NEVER BE USED UPON A PUBLIC ROAD OR HIGHWAY, UNLESS PERMITTED BY SPECIFIC REGULATORY EXEMPTION (VISIT THE "EMISSIONS" PAGE AT [HTTP://WWW.SEMASON.COM/EMISSIONS](http://www.semason.com/emissions) FOR STATE BY STATE DETAILS. IT IS THE RESPONSIBILITY OF THE INSTALLER AND/OR USER OF THIS PRODUCT TO ENSURE THAT IT IS USED IN COMPLIANCE WITH ALL APPLICABLE LAWS AND REGULATIONS. IF THIS PRODUCT WAS PURCHASED IN ERROR, DO NOT INSTALL AND/OR USE IT. THE PURCHASER MUST ARRANGE TO RETURN THE PRODUCT FOR A FULL REFUND.

THIS POLICY ONLY APPLIES TO INSTALLERS AND/OR USERS WHO ARE LOCATED IN THE UNITED STATES; HOWEVER CUSTOMERS WHO RESIDE IN OTHER COUNTRIES SHOULD ACT IN ACCORDANCE WITH THEIR LOCAL LAWS AND REGULATIONS.

Part Number	Description
30-7100	Infinity 710 Stand-Alone Programmable Engine Management System
30-7101	Infinity 708 Stand-Alone Programmable Engine Management System
30-7105	Infinity 710 Stand-Alone Programmable Engine Management System for BMW E46 M3, Porsche 996 Turbo & Porsche 997.1
30-7107	Infinity 710 Stand-Alone Programmable Engine Management System for Nissan 350Z/G35
30-7109	Infinity 708 Stand-Alone Programmable Engine Management System for BMW E46 M3, Porsche 996 Turbo & Porsche 997.1
30-7110	Infinity 708 Stand-Alone Programmable Engine Management System for Nissan 350Z/G35
30-7111	Infinity 712 Stand-Alone Programmable Engine Management System
30-7106	Infinity 506 Stand-Alone Programmable Engine Management System
30-7108	Infinity 508 Stand-Alone Programmable Engine Management System
30-7112	Infinity 508 Stand-Alone Programmable Engine Management System for Polaris 2011-2014 RZR 900 & 2014-2015 RZR 1000
30-7113	Infinity 308 Stand-Alone Programmable Engine Management System
30-7114	Infinity 358 Stand-Alone Programmable Engine Management System
30-3701	Infinity Series 7(PN: 30-7101, 30-7100, 30-7111) Plug & Pin Kit. Includes 73 pin connector with cover, 56 pin connector with cover, 130 small pins, 1 large pin with weather seal, 1 micro relay with pins and 30 sealing plugs
30-3702	Infinity Series 7(PN: 30-7101, 30-7100, 30-7111) Harness. Pre-wired power, grounds, power relay, fuse box, dual widebands & AEMnet. 100 x 96" terminated wires for population. 12 small Pins.
30-3703	Infinity Series 7(PN: 30-7101, 30-7100, 30-7111) Mini-Harness. Pre-wired power, grounds, power relay, fuse box, dual widebands & AEMnet. 100 small pins and 30 sealing plugs
30-3704	Infinity Series 5(PN: 30-7106 & 30-7108) Plug & Pin Kit. Includes 80 pin connector with cover, 80 small pins, 1 micro relay with pins and 30 sealing plugs
30-3705	Infinity Series 5(PN: 30-7106 & 30-7108) Mini-Harness. Pre-wired power, grounds, power relay, fuse box, single wideband & AEMnet. 80 small pins and 30 sealing plugs
30-3706	Infinity Series 5(PN: 30-7106 & 30-7108) Mini Flying Lead Harness. Pre-wired power, grounds, power relay, single wideband, coils & injectors. I/O wiring includes TPS, MAP, CLT, AIT, +5V, Sensor Ground, Fan, Tach & 2 Step. 10 x 96" 22ga Terminated wire and 2 x 96" Terminated 2-Pair Twisted/Shielded Wire.

STOP!
THESE PRODUCTS HAVE LEGAL RESTRICTIONS. READ THIS BEFORE
INSTALLING/USING!

THESE PRODUCTS MAY BE USED SOLELY ON VEHICLES USED IN SANCTIONED COMPETITION WHICH MAY NEVER BE USED UPON A PUBLIC ROAD OR HIGHWAY, UNLESS PERMITTED BY SPECIFIC REGULATORY EXEMPTION (VISIT THE "EMISSIONS" PAGE AT [HTTP://WWW.SEMASON.COM/EMISSIONS](http://www.semason.com/emissions) FOR STATE BY STATE DETAILS. IT IS THE RESPONSIBILITY OF THE INSTALLER AND/OR USER OF THIS PRODUCT TO ENSURE THAT IT IS USED IN COMPLIANCE WITH ALL APPLICABLE LAWS AND REGULATIONS. IF THIS PRODUCT WAS PURCHASED IN ERROR, DO NOT INSTALL AND/OR USE IT. THE PURCHASER MUST ARRANGE TO RETURN THE PRODUCT FOR A FULL REFUND.

THIS POLICY ONLY APPLIES TO INSTALLERS AND/OR USERS WHO ARE LOCATED IN THE UNITED STATES; HOWEVER CUSTOMERS WHO RESIDE IN OTHER COUNTRIES SHOULD ACT IN ACCORDANCE WITH THEIR LOCAL LAWS AND REGULATIONS.

Part Number	Description
30-3707	Infinity Series 3(PN: 30-7113 & 30-7114) Mini-Harness. Pre-wired power, grounds, power relay, AEMnet. 40 small pins and 40 sealing plugs
30-3708	Infinity Series 3(PN: 30-7113 & 30-7114) Plug & Pin Kit. Includes 73 pin connector with cover, 80 small pins, 80 sealing plugs and 1 micro relay with pins
30-3805	Infinity Series 7(PN: 30-7101, 30-7100, 30-7111) Universal Core Wiring Harness - Core
30-3805-00	Infinity Core Accessory Wiring Harness - GM Injector Adapter EV1
30-3805-02	Infinity Core Accessory Wiring Harness - Single Channel Ignition
30-3805-03	Infinity Core Accessory Wiring Harness - MAG Cam / MAG Crank
30-3805-04	Infinity Core Accessory Wiring Harness - HALL Cam / MAG Crank
30-3805-05	Infinity Core Accessory Wiring Harness - MAG Cam / HALL Crank
30-3805-06	Infinity Core Accessory Wiring Harness - HALL Cam / HALL Crank
30-3805-10	Infinity Core Accessory Wiring Harness - GM Injector Adapter EV6
30-3805-11	Infinity Core Accessory Wiring Harness - Ford Injector Adapter EV6
30-3805-14	Infinity Core Accessory Wiring Harness - AEM EPM 15" Leads for Rear Mounted Distributor
30-3805-15	Infinity Core Accessory Wiring Harness - FAST Dual Sync 15" Leads for Rear Mounted Distributor
30-3805-16	Infinity Core Accessory Wiring Harness - MSD Dual Sync 15" Leads for Rear Mounted Distributor
30-3805-19	Infinity Core Accessory Wiring Harness - AEM EPM 35" Leads for Front Mounted Distributor
30-3805-20	Infinity Core Accessory Wiring Harness - FAST Dual Sync 35" Leads for Front Mounted Distributor
30-3809	Infinity Series 5(PN: 30-7106 & 30-7108) Universal Core Wiring Harness - Core

STOP!
THESE PRODUCTS HAVE LEGAL RESTRICTIONS. READ THIS BEFORE
INSTALLING/USING!

THESE PRODUCTS MAY BE USED SOLELY ON VEHICLES USED IN SANCTIONED COMPETITION WHICH MAY NEVER BE USED UPON A PUBLIC ROAD OR HIGHWAY, UNLESS PERMITTED BY SPECIFIC REGULATORY EXEMPTION (VISIT THE "EMISSIONS" PAGE AT [HTTP://WWW.SEMASON.COM/EMISSIONS](http://www.semason.com/emissions) FOR STATE BY STATE DETAILS. IT IS THE RESPONSIBILITY OF THE INSTALLER AND/OR USER OF THIS PRODUCT TO ENSURE THAT IT IS USED IN COMPLIANCE WITH ALL APPLICABLE LAWS AND REGULATIONS. IF THIS PRODUCT WAS PURCHASED IN ERROR, DO NOT INSTALL AND/OR USE IT. THE PURCHASER MUST ARRANGE TO RETURN THE PRODUCT FOR A FULL REFUND.

THIS POLICY ONLY APPLIES TO INSTALLERS AND/OR USERS WHO ARE LOCATED IN THE UNITED STATES; HOWEVER CUSTOMERS WHO RESIDE IN OTHER COUNTRIES SHOULD ACT IN ACCORDANCE WITH THEIR LOCAL LAWS AND REGULATIONS.

Part Number	Description
30-3809-00	Infinity Core Accessory Wiring Harness - GM DBW Pedal Adapter(GM PN: 10379038)
30-3809-01	Infinity Core Accessory Wiring Harness - GM DBW Throttle Body Adapter(GM PN: 12570790 & 12580760)
30-3501	Infinity 506/508(PN: 30-7106 & 30-7108) Plug & Play Jumper Harness: Honda/Acura 1992-1995 OBD1. Engines utilizing the distributor for spark must use AEM Coil Adpater part #30-3501-00
30-3501-00	Infinity Coil Adapter for use with Distributed Honda/Acura
30-3502	Infinity 506/508(PN: 30-7106 & 30-7108) Plug & Play Jumper Harness: Honda 2001-2005 & Acura 2002-2004 K-Series Engines
30-3508	Infinity 506/508(PN: 30-7106 & 30-7108) Plug & Play Jumper Harness: Honda 2000-2005 S2000
30-3511	Infinity 506/508(PN: 30-7106 & 30-7108) Plug & Play Jumper Harness: Mitsubishi 2003-2005 Lancer Evolution VIII MR/RS
30-3512	Infinity 506/508(PN: 30-7106 & 30-7108) Plug & Play Jumper Harness: Mitsubishi 2006 Lancer Evolution IX MR/RS/SE
30-3515	Infinity 506/508(PN: 30-7106 & 30-7108) Plug & Play Jumper Harness: Nissan 1989-1998 Skyline GT-R RB26DETT
30-3517	Infinity 506/508(PN: 30-7106 & 30-7108) Plug & Play Jumper Harness: Nissan 1994-1996 Silvia SR20DET
30-3519	Infinity Series 5 Plug & Play Adapter Harness for 1993-'98 MKIV Toyota Supra 2JZGTE M/T
30-3520	Infinity 708/710(PN: 30-7110 & 30-7107) Plug & Play Jumper Harness: Nissan 2003-2006 350Z
30-3530	Infinity 708/710/712(PN: 30-7101, 30-7100, 30-7111) Plug & Play Engine Harness: GM LS Engines 58x
30-3532	Infinity 708/710/712(PN: 30-7101, 30-7100, 30-7111) Plug & Play Engine Harness: GM LS Engines 24x
30-3550	Infinity 506/508(PN: 30-7106 & 30-7108) Plug & Play Jumper Harness: Suzuki 2002-2007 GSX1300R Hayabusa
30-3801	Infinity 508(PN: 30-7108) Plug & Play Engine Harness: GM LS Engines 58x
30-3811	Infinity 508(PN: 30-7112) Plug & Play Jumper Harness: Polaris 2014-2015 RZR 1000
30-3811-01	Brake light adapter harness for 2015RZR 1000 brake light.
30-3822	Infinity 508(PN: 30-7112) Plug & Play Jumper Harness: Polaris RZR XP Turbo
30-3829-00	Signal Condition for Small CAP HEI Dist for Cam/Crank Signal to AEM Infintiy ECU
30-3901	Superceeded to Part Number 30-3905

STOP!
THESE PRODUCTS HAVE LEGAL RESTRICTIONS. READ THIS BEFORE
INSTALLING/USING!

THESE PRODUCTS MAY BE USED SOLELY ON VEHICLES USED IN SANCTIONED COMPETITION WHICH MAY NEVER BE USED UPON A PUBLIC ROAD OR HIGHWAY, UNLESS PERMITTED BY SPECIFIC REGULATORY EXEMPTION (VISIT THE "EMISSIONS" PAGE AT [HTTP://WWW.SEMASON.COM/EMISSIONS](http://www.semason.com/emissions) FOR STATE BY STATE DETAILS. IT IS THE RESPONSIBILITY OF THE INSTALLER AND/OR USER OF THIS PRODUCT TO ENSURE THAT IT IS USED IN COMPLIANCE WITH ALL APPLICABLE LAWS AND REGULATIONS. IF THIS PRODUCT WAS PURCHASED IN ERROR, DO NOT INSTALL AND/OR USE IT. THE PURCHASER MUST ARRANGE TO RETURN THE PRODUCT FOR A FULL REFUND.

THIS POLICY ONLY APPLIES TO INSTALLERS AND/OR USERS WHO ARE LOCATED IN THE UNITED STATES; HOWEVER CUSTOMERS WHO RESIDE IN OTHER COUNTRIES SHOULD ACT IN ACCORDANCE WITH THEIR LOCAL LAWS AND REGULATIONS.

Part Number	Description
30-3902	Infinity 708/710(Part #30-7109 & 30-7105) Plug & Play Jumper Harness: Porsche 2001-2005 996 Turbo
30-3903-00	Infinity Volkswagen 1.8T Map Sensor Harness
30-3812	Infinity 708/710/712(PN: 30-7101, 30-7100, 30-7111) Plug & Play Jumper Harness: Ford Coyote Engine with Ford Racing Controls Pack
30-3813	Infinity 708/710/712(PN: 30-7101, 30-7100, 30-7111) Plug & Play Coyote Engine Harness Adapter: Mates to Ford Coyote OEM Engine Harnesses
30-3829	MEFI PNP Jumper kit for Infinity series 3 to MEFI 4
30-3501-00	Infinity Coil Adapter for use with Distributed Honda/Acura
30-3510-00	Infinity Aux Harness for AEM IAT and MAP Sensor (72" Length)
30-3600	Infinity O2 Sensor Extension Harness (72" Length)
30-3601	Infinity IP67 spec comms cable (39" Length)
30-3602	Infinity IP67 spec logging cable (39" Length)
30-3604	Infinity IP67 spec comms cable (118" Length)
30-3903-00	Infinity Volkswagen 1.8T Map Sensor Harness
30-6030	Series 2 Plug & Play EMS. Manual Trans. Acura & Honda K-Series Swap. Excluding TSX & Accord. ACURA: 02-06 RSX, 02-04 RSX Type-S. HONDA: 01-05 Civic DX/LX, 01-05 Civic EX & 02-05 Civic Si
30-6040	Series 2 Plug & Play EMS. Manual Trans. ACURA: 92-95 Integra RS/LS/GS/GS-R. HONDA: 90-95 Accord DX/LX/EX, 93-95 Del Sol S/Si, 94-95 Del Sol VTEC, 92-95 Civic DX/LX/EX/Si, 90-91 Prelude Si & 92-95 Prelude S/SE/Si/VTEC
30-6050	Series 2 Plug & Play EMS. Manual Trans. ACURA: 98-99 CL & 00-01 Integra LS/GS/GS-R/Type-R. HONDA: 98-02 Accord DX/LX/EX & 99-00 Civic DX/LX/EX/Si
30-6051	Series 2 Plug & Play EMS. Manual Trans. Acura & Honda J-Series Swap. J30A, J30A1, J32A, J32A1, J32A2 & J35A4
30-6052	Series 2 Plug & Play EMS. Manual Trans. HONDA: 00-05 S2000
30-6053	N/A
30-6060	Series 2 Plug & Play EMS. Manual Trans. ACURA: 1997 CL & 96-99 Integra RS/LS/GS/GS-R/Type-R. HONDA: 96-97 Accord DX/LX/EX, 96-97 Del Sol S/Si/VTEC, 96-98 Civic HX/DX/LX/EX & 96-00 Prelude S/Si/VTEC/Type SH
30-6100	Series 2 Plug & Play EMS. TOYOTA: 93-97 Supra Twin Turbo
30-6101	Series 2 Plug & Play EMS. TOYOTA: 93-97 Supra Non-Turbo

STOP!
THESE PRODUCTS HAVE LEGAL RESTRICTIONS. READ THIS BEFORE
INSTALLING/USING!

THESE PRODUCTS MAY BE USED SOLELY ON VEHICLES USED IN SANCTIONED COMPETITION WHICH MAY NEVER BE USED UPON A PUBLIC ROAD OR HIGHWAY, UNLESS PERMITTED BY SPECIFIC REGULATORY EXEMPTION (VISIT THE "EMISSIONS" PAGE AT [HTTP://WWW.SEMASON.COM/EMISSIONS](http://www.semason.com/emissions) FOR STATE BY STATE DETAILS. IT IS THE RESPONSIBILITY OF THE INSTALLER AND/OR USER OF THIS PRODUCT TO ENSURE THAT IT IS USED IN COMPLIANCE WITH ALL APPLICABLE LAWS AND REGULATIONS. IF THIS PRODUCT WAS PURCHASED IN ERROR, DO NOT INSTALL AND/OR USE IT. THE PURCHASER MUST ARRANGE TO RETURN THE PRODUCT FOR A FULL REFUND.

THIS POLICY ONLY APPLIES TO INSTALLERS AND/OR USERS WHO ARE LOCATED IN THE UNITED STATES; HOWEVER CUSTOMERS WHO RESIDE IN OTHER COUNTRIES SHOULD ACT IN ACCORDANCE WITH THEIR LOCAL LAWS AND REGULATIONS.

Part Number	Description
30-6310	Series 2 Plug & Play EMS. Manual Trans. EAGLE: 95-98 Talon TSi. MITSUBISHI: 95-99 Eclipse GST/GSX, 00-02 Eclipse RS/GS & 03-05 Lancer Evolution VIII MR/RS
30-6311	Series 2 Plug & play EMS. Manual Trans. DODGE: 92-96 Stealth R/T Turbo. MITSUBISHI: 91-97 3000GT VR-4
30-6320	Series 2 Plug & Play EMS. Manual Trans. MITSUBISHI: 2006 Lancer Evolution IX MR/RS/SE
30-6600	Series 2 Plug & Play EMS. Manual Trans. 64 Pins. INFINITI: 91-93 G20. NISSAN: 89-92 240SX LS/SE/XE, 89-95 Bluebird SR20DET, 91-93 NX SE/XE, 90-94 Pulsar GTi-R SR20DET & 91-94 Sentra SE/SE-R/XE. 50mm AEM Trigger Disc included. Some applications require the 54mm part#30-8762
30-6601	Series 2 Plug & Play EMS. Manual Trans. 64 Pins. NISSAN: 91-93 180SX S13 SR20DET Japan, 94-95 180SX S14 SR20DET Japan & 91-93 Silvia S13 SR20DET Japan
30-6620	Series 2 P&P EMS. M/T. 76 Pins. NISSAN: 88-90 180SX/200SX S13 CA18DET JPN, 90-95 300ZX, 92-94 Maxima, 88-90 Silvia S13 CA18DET JPN, 94-96 Silvia S14 SR20DET JPN, 89-92 Skyline R32/GTR RB-20DET/26DETT JPN & 93-98 Skyline R33/GTR RB-20DET/25DET/26DETT JPN
30-6821	Series 2 Plug & Play EMS. Manual Trans. SUBARU: 05-06 Impreza WRX STi
30-2905-0	EMS 4 - Mini Harness. Pre-wired for Power, Ground, CAN & USB Coms
30-2905-96	EMS 4 - 96" Flying Lead Harness with Fuse and Relay Panel
30-6905	Universal Programmable Engine Manement System. EMS 4
30-2905-0	EMS 4 - Mini Harness. Pre-wired for Power, Ground, CAN & USB Coms
3-1002-16	16 Pin Connector for EMS 30-1010's/ 1020/ 1050's/ 1060/ 6050's/ 6060
3-1002-25	25 Pin Connector for EMS 30-1010's/ 1020/ 1050's/ 1060/ 6050's/ 6060
3-1002-31	31 Pin Connector for EMS 30-1010's/ 1020/ 1050's/ 1060/ 6050's/ 6060
3-1002-32	32 Pin Connector for EMS 30-1010's/ 1020/ 1050's/ 1060/ 6050's/ 6060
3-1002-L	Large Contact for EMS 30-1010's/ 1020/ 1050's/ 1060/ 6050's/ 6060
3-1002-S	Small Contact for EMS 30-1010's/ 1020/ 1050's/ 1060/ 6050's/ 6060
35-2610	Plug & Pin Kit for EMS 30-1010's/ 1020/ 1050's/ 1060/ 6050's/ 6060. Includes: A, B, C & D Connectors, 15 X Large Contacts & 100 X Small Contacts
35-2611	Plug & Pin Kit 30-1002/ 1040's/ 1310's/ 1710/ 1720/ 6040's/ 6310's/ 6710/ 6720. Includes: A, B, C & D Connectors, 16 X Large Contacts & 60 X Small Contacts
35-2612	Plug & Pin Kit for 30-1500U. Includes: A, B & C Connectors & 105 X Small Contacts

STOP!
THESE PRODUCTS HAVE LEGAL RESTRICTIONS. READ THIS BEFORE
INSTALLING/USING!

THESE PRODUCTS MAY BE USED SOLELY ON VEHICLES USED IN SANCTIONED COMPETITION WHICH MAY NEVER BE USED UPON A PUBLIC ROAD OR HIGHWAY, UNLESS PERMITTED BY SPECIFIC REGULATORY EXEMPTION (VISIT THE "EMISSIONS" PAGE AT [HTTP://WWW.SEMASON.COM/EMISSIONS](http://www.semason.com/EMISSIONS) FOR STATE BY STATE DETAILS. IT IS THE RESPONSIBILITY OF THE INSTALLER AND/OR USER OF THIS PRODUCT TO ENSURE THAT IT IS USED IN COMPLIANCE WITH ALL APPLICABLE LAWS AND REGULATIONS. IF THIS PRODUCT WAS PURCHASED IN ERROR, DO NOT INSTALL AND/OR USE IT. THE PURCHASER MUST ARRANGE TO RETURN THE PRODUCT FOR A FULL REFUND.

THIS POLICY ONLY APPLIES TO INSTALLERS AND/OR USERS WHO ARE LOCATED IN THE UNITED STATES; HOWEVER CUSTOMERS WHO RESIDE IN OTHER COUNTRIES SHOULD ACT IN ACCORDANCE WITH THEIR LOCAL LAWS AND REGULATIONS.

Part Number	Description
30-2400	Boost Control Solenoid Kit. Includes: Boost Control Solenoid, 2 X 1/8" NPT to 3/16" Barb Adapter & Muffler
30-8760	CAS Trigger Disk 50mm OD. NISSAN: SR20DET RWD / KA24DE
30-8761	CAS Trigger Disk 50mm OD. NISSAN: RB25DET and some RB26
30-8762	CAS Trigger Disk 54mm OD. NISSAN: Pulsar GTiR
30-3430	AEMnet Adapter for 30-6030
30-3431	AEMnet Adapter for 30-6040, 30-6310 & 30-6311
30-3432	AEMnet Adapter for 30-6050, 30-6051, 30-6052, 30-6053 & 30-6060
30-3433	AEMnet Adapter for 30-6100 & 30-6101
30-3434	AEMnet Adapter for 30-6300
30-3435	AEMnet Adapter for 30-6320
30-3436	AEMnet Adapter for 30-6600 & 30-6601
30-3437	AEMnet Adapter for 30-6610, 30-6611 & 30-6620
30-3438	AEMnet Adapter for 30-6820 & 30-6821
35-3440-F	AEMnet Female Termination Plug
35-3440-M	AEMnet Male Termination Plug
30-4300	Serial Data Stream Gauge
3-1002-16	16 Pin Connector for EMS 30-1010's/ 1020/ 1050's/ 1060/ 6050's/ 6060
3-1002-25	25 Pin Connector for EMS 30-1010's/ 1020/ 1050's/ 1060/ 6050's/ 6060
3-1002-31	31 Pin Connector for EMS 30-1010's/ 1020/ 1050's/ 1060/ 6050's/ 6060
3-1002-32	32 Pin Connector for EMS 30-1010's/ 1020/ 1050's/ 1060/ 6050's/ 6060
3-1002-L	Large Contact for EMS 30-1010's/ 1020/ 1050's/ 1060/ 6050's/ 6060
3-1002-S	Small Contact for EMS 30-1010's/ 1020/ 1050's/ 1060/ 6050's/ 6060
30-3250	Engine Position Module Puck. Universal
30-3251	Engine Position Module. Chevy All Small & Big Blocks with Distributors
30-3255	Engine Position Module. Acura B & D Series. Honda B, D, H & F Series
30-2871	Ford 1998-2014 4.6/5.4/6.8 2V SOHC, Direct fit performance ignition coil (single)
30-2871-8	Ford 1998-2014 4.6/5.4/6.8 2V SOHC, Direct fit performance ignition coil (8 pack)
30-2872	Ford 2004-2008 4.6/5.4 3V SOHC, Direct fit performance ignition coil (single)
30-2872-8	Ford 2004-2008 4.6/5.4 3V SOHC, Direct fit performance ignition coil (8 pack)
30-2874	Ford 1999-2014 4.6/5.4 4V DOHC, Direct fit performance ignition coil (single)
30-2874-8	Ford 1999-2014 4.6/5.4 4V DOHC, Direct fit performance ignition coil (8 pack)
30-2876	MOPAR 2003-2005 5.7 Hemi, Single Boot, Direct fit performance ignition coil (single)
30-2876-8	MOPAR 2003-2005 5.7 Hemi, Single Boot, Direct fit performance ignition coil (8 pack)

STOP!
THESE PRODUCTS HAVE LEGAL RESTRICTIONS. READ THIS BEFORE
INSTALLING/USING!

THESE PRODUCTS MAY BE USED SOLELY ON VEHICLES USED IN SANCTIONED COMPETITION WHICH MAY NEVER BE USED UPON A PUBLIC ROAD OR HIGHWAY, UNLESS PERMITTED BY SPECIFIC REGULATORY EXEMPTION (VISIT THE "EMISSIONS" PAGE AT [HTTP://WWW.SEMASEAN.COM/EMISSIONS](http://www.semasean.com/EMISSIONS) FOR STATE BY STATE DETAILS. IT IS THE RESPONSIBILITY OF THE INSTALLER AND/OR USER OF THIS PRODUCT TO ENSURE THAT IT IS USED IN COMPLIANCE WITH ALL APPLICABLE LAWS AND REGULATIONS. IF THIS PRODUCT WAS PURCHASED IN ERROR, DO NOT INSTALL AND/OR USE IT. THE PURCHASER MUST ARRANGE TO RETURN THE PRODUCT FOR A FULL REFUND.

THIS POLICY ONLY APPLIES TO INSTALLERS AND/OR USERS WHO ARE LOCATED IN THE UNITED STATES; HOWEVER CUSTOMERS WHO RESIDE IN OTHER COUNTRIES SHOULD ACT IN ACCORDANCE WITH THEIR LOCAL LAWS AND REGULATIONS.

Part Number	Description
30-2877	MOPAR 2005-2014 5.7/6.1 Hemi, Dual Boot, Direct fit performance ignition coil (single)
30-2877-8	MOPAR 2005-2014 5.7/6.1 Hemi, Dual Boot, Direct fit performance ignition coil (8 pack)
30-2878	GM 1998-2006 All engines LS1/LS6, Direct fit performance ignition coil (single)
30-2878-8	GM 1998-2006 All engines LS1/LS6, Direct fit performance ignition coil (8 pack)
30-2879	GM 1999-2009 All Engines L-Series Truck, Direct fit performance ignition coil (single)
30-2879-8	GM 1999-2009 All Engines L-Series Truck, Direct fit performance ignition coil (8 pack)
30-2880	GM 2005-2015 All Engines LS2/3/4/7/9, Direct fit performance ignition coil (single)
30-2880-8	GM 2005-2015 All Engines LS2/3/4/7/9, Direct fit performance ignition coil (8 pack)
30-1960	Plug & Play Fuel/Ignition Controller 6 Channel. 05-06 Scion tC
35-2910-24	24" Fuel/Ignition Controller Flying Lead Harness
35-2911	Fuel/Ignition Controller Bypass Harness
30-4910	Digital Flex Fuel Wideband Failsafe Gauge NO FF SENSOR. Incl. Bosch 4.2LSU sensor, Black/Silver Bezels, Black/White AFR Faceplates, Black/White Boost Faceplates, Black Vacuum Faceplate & Black Lambda Faceplate
30-4911	Digital Flex Fuel Wideband Failsafe Gauge W/ FF SENSOR. Incl. Bosch 4.2LSU sensor, AEM Flex Fuel Sensor, Black/Silver Bezels, Black/White AFR Faceplates, Black/White Boost Faceplates, Black Vacuum Faceplate & Black Lambda Faceplate
30-3439	AEMnet Adapter for Wideband Failsafe 30-4900
30-3300	V2 Water/Methanol Injection Kit, Standard Controller - Internal MAP with 35psi max, 200psi WM Pump, 1 Gallon Reservoir, Conductive Fluid Level Sensor

STOP!
THESE PRODUCTS HAVE LEGAL RESTRICTIONS. READ THIS BEFORE
INSTALLING/USING!

THESE PRODUCTS MAY BE USED SOLELY ON VEHICLES USED IN SANCTIONED COMPETITION WHICH MAY NEVER BE USED UPON A PUBLIC ROAD OR HIGHWAY, UNLESS PERMITTED BY SPECIFIC REGULATORY EXEMPTION (VISIT THE "EMISSIONS" PAGE AT [HTTP://WWW.SEMASEAN.COM/EMISSIONS](http://www.semasean.com/EMISSIONS) FOR STATE BY STATE DETAILS. IT IS THE RESPONSIBILITY OF THE INSTALLER AND/OR USER OF THIS PRODUCT TO ENSURE THAT IT IS USED IN COMPLIANCE WITH ALL APPLICABLE LAWS AND REGULATIONS. IF THIS PRODUCT WAS PURCHASED IN ERROR, DO NOT INSTALL AND/OR USE IT. THE PURCHASER MUST ARRANGE TO RETURN THE PRODUCT FOR A FULL REFUND.

THIS POLICY ONLY APPLIES TO INSTALLERS AND/OR USERS WHO ARE LOCATED IN THE UNITED STATES; HOWEVER CUSTOMERS WHO RESIDE IN OTHER COUNTRIES SHOULD ACT IN ACCORDANCE WITH THEIR LOCAL LAWS AND REGULATIONS.

Part Number	Description
30-3301	V2 Water/Methanol Injection Kit, HD Controller - Internal MAP with 40psi max,
30-3302	V2 Water/Methanol Nozzle and Controller Kit, Standard Controller - Internal MAP with 35psi max, 200psi WM Pump, Jets, NO TANK INC.
30-3303	V2 Water/Methanol Nozzle and Controller Kit, HD Controller - Internal MAP with 40psi max, 200psi WM Pump, Jets, NO TANK INC.
30-3350	V2 Water/Methanol Injection Kit, Multi Input Controller - 0-5v/MAF Frequency or Voltage/Duty Cycle/Ext MAP, 200psi WM Pump, 1 Gallon Reservoir, Conductive Fluid Level Sensor
30-3351	V2 Water/Methanol Injection Kit, Multi Input Controller - 0-5v/MAF Frequency or Voltage/Duty Cycle/Ext MAP, 200psi WM Pump, 5 Gallon Reservoir, Conductive Fluid Level Sensor
30-3352	V2 Water/Methanol Nozzle and Controller Kit, Multi Input Controller - 0-5v/MAF Frequency or Voltage/Duty Cycle/Ext MAP, 200psi WM Pump, Conductive Fluid Level Sensor, NO TANK INC.
30-3020	Water/Methanol Failsafe Device - SAE 1/4"
30-3020M	Water/Methanol Failsafe Device - Metric 4mm
30-3003	Water/Methanol Injection Inline Filter
30-3015	Water/Methanol Injection 200psi Recirculation Pump
30-3304	V2 Water/Methanol Standard Controller Kit - Internal MAP with 35psi max
30-3305	V2 Water/Methanol Multi Input Controller Kit- 0-5v/MAF Frequency or Voltage/Duty Cycle/Ext MAP
30-3306	V2 Water/Methanol HD Controller Kit - Internal MAP with 40psi max
30-3312	V2 Water/Methanol Injection Nozzle & Jet Kit, Includes T Fitting, Hose, 250cc, 500cc, & 1000cc jets
30-3320	V2 Water/Methanol Injection 5 Gallon Tank Kit with Conductive Fluid Level Sensor
30-3321	Superseded to PN 30-3325
30-3325	V2 Water/Methanol Injection 1.15 Gallon Tank Kit with Conductive Fluid Level Sensor
30-3015	Water/Methanol Injection 200psi Recirculation Pump
30-3018	Water/Methanol Injection 200psi Recirculation Pump w/ 3/8 " NPT Fittings
30-3304	V2 Water/Methanol Standard Controller Kit - Internal MAP with 35psi max
30-3305	V2 Water/Methanol Multi Input Controller Kit- 0-5v/MAF Frequency or Voltage/Duty Cycle/Ext MAP
30-3306	V2 Water/Methanol HD Controller Kit - Internal MAP with 40psi max
30-3312	V2 Water/Methanol Injection Nozzle & Jet Kit, Includes T Fitting, Hose, 250cc, 500cc, & 1000cc jets
30-3326	The AEM Water/Methanol Solenoid is a 2-way, normally closed 12V valve with stainless steel body for use with AEM Water/Methanol Injection Systems. The shut-off valve provides an accurate and consistent shut off and prevents siphoning under vacuum.

STOP!
THESE PRODUCTS HAVE LEGAL RESTRICTIONS. READ THIS BEFORE
INSTALLING/USING!

THESE PRODUCTS MAY BE USED SOLELY ON VEHICLES USED IN SANCTIONED COMPETITION WHICH MAY NEVER BE USED UPON A PUBLIC ROAD OR HIGHWAY, UNLESS PERMITTED BY SPECIFIC REGULATORY EXEMPTION (VISIT THE "EMISSIONS" PAGE AT [HTTP://WWW.SEMASON.COM/EMISSIONS](http://www.semason.com/EMISSIONS) FOR STATE BY STATE DETAILS. IT IS THE RESPONSIBILITY OF THE INSTALLER AND/OR USER OF THIS PRODUCT TO ENSURE THAT IT IS USED IN COMPLIANCE WITH ALL APPLICABLE LAWS AND REGULATIONS. IF THIS PRODUCT WAS PURCHASED IN ERROR, DO NOT INSTALL AND/OR USE IT. THE PURCHASER MUST ARRANGE TO RETURN THE PRODUCT FOR A FULL REFUND.

THIS POLICY ONLY APPLIES TO INSTALLERS AND/OR USERS WHO ARE LOCATED IN THE UNITED STATES; HOWEVER CUSTOMERS WHO RESIDE IN OTHER COUNTRIES SHOULD ACT IN ACCORDANCE WITH THEIR LOCAL LAWS AND REGULATIONS.

Part Number	Description
30-3320	V2 Water/Methanol Injection 5 Gallon Tank Kit with Conductive Fluid Level Sensor
30-3321	Superseded to PN 30-3325
30-3322	V2 Water/Methanol Conductive Fluid Level Sensor and Flying Lead Connector. To be used on AEM V2 Water/Methanol Injection Kits Only due to proprietary thread pitch.
30-3323	Wiring Harness for V2 Controller with Internal MAP Sensor - Standard or HD
30-3324	Wiring Harness for V2 Controller with Multi Input
30-3325	V2 Water/Methanol Injection 1.15 Gallon Tank Kit with Conductive Fluid Level Sensor
30-4900	Wideband Failsafe Gauge
30-4350	Tru-Boost Controller Gauge
30-4351	Tru-Boost Gauge. 75 PSIA or 5 Bar Map Sensor Upgrade
30-2905-0	EMS 4 - Mini Harness. Pre-wired for Power, Ground, CAN & USB Coms
3-1002-16	16 Pin Connector for EMS 30-1010's/ 1020/ 1050's/ 1060/ 6050's/ 6060
3-1002-25	25 Pin Connector for EMS 30-1010's/ 1020/ 1050's/ 1060/ 6050's/ 6060
3-1002-31	31 Pin Connector for EMS 30-1010's/ 1020/ 1050's/ 1060/ 6050's/ 6060
3-1002-32	32 Pin Connector for EMS 30-1010's/ 1020/ 1050's/ 1060/ 6050's/ 6060
3-1002-L	Large Contact for EMS 30-1010's/ 1020/ 1050's/ 1060/ 6050's/ 6060
3-1002-S	Small Contact for EMS 30-1010's/ 1020/ 1050's/ 1060/ 6050's/ 6060
35-2610	Plug & Pin Kit for EMS 30-1010's/ 1020/ 1050's/ 1060/ 6050's/ 6060. Includes: A, B, C & D Connectors, 15 X Large Contacts & 100 X Small Contacts
35-2611	Plug & Pin Kit 30-1002/ 1040's/ 1310's/ 1710/ 1720/ 6040's/ 6310's/ 6710/ 6720. Includes: A, B, C & D Connectors, 16 X Large Contacts & 60 X Small Contacts
35-2612	Plug & Pin Kit for 30-1500U. Includes: A, B & C Connectors & 105 X Small Contacts
35-2613	Bosch LSU 4.2 Wideband Connector Kit. Includes: Bosch LSU 4.2 Connector, 7 X Wire Seals & 7 X Contacts
30-2982B	ECU Extension/Patch Harness. Acura & Honda
30-2983	ECU Extension/Patch Harness. Acura, Dodge, Eagle, Lexus, Mazda, Mitsubishi, Subaru & Toyota. 97-98 Subaru Forester EJ20G, 92-96 Subaru Impreza EJ20G, 90-94 Subaru Legacy EJ20G, 93-96 Subaru Legacy EJ20H & 90-93 Supra 1JZGTE Japanese
30-2985	ECU Extension/Patch Harness. Acura & Honda
30-2993	ECU Extension/Patch Harness. Ford & Lincoln
30-2996	ECU Extension/Patch Harness. Infiniti & Nissan

STOP!
THESE PRODUCTS HAVE LEGAL RESTRICTIONS. READ THIS BEFORE
INSTALLING/USING!

THESE PRODUCTS MAY BE USED SOLELY ON VEHICLES USED IN SANCTIONED COMPETITION WHICH MAY NEVER BE USED UPON A PUBLIC ROAD OR HIGHWAY, UNLESS PERMITTED BY SPECIFIC REGULATORY EXEMPTION (VISIT THE "EMISSIONS" PAGE AT [HTTP://WWW.SEMASEAN.COM/EMISSIONS](http://www.semasean.com/EMISSIONS) FOR STATE BY STATE DETAILS. IT IS THE RESPONSIBILITY OF THE INSTALLER AND/OR USER OF THIS PRODUCT TO ENSURE THAT IT IS USED IN COMPLIANCE WITH ALL APPLICABLE LAWS AND REGULATIONS. IF THIS PRODUCT WAS PURCHASED IN ERROR, DO NOT INSTALL AND/OR USE IT. THE PURCHASER MUST ARRANGE TO RETURN THE PRODUCT FOR A FULL REFUND.

THIS POLICY ONLY APPLIES TO INSTALLERS AND/OR USERS WHO ARE LOCATED IN THE UNITED STATES; HOWEVER CUSTOMERS WHO RESIDE IN OTHER COUNTRIES SHOULD ACT IN ACCORDANCE WITH THEIR LOCAL LAWS AND REGULATIONS.

Part Number	Description
30-2997	ECU Extension/Patch Harness. Mazda
50-1005	400lph Inline High Flow Fuel Pump. 400lph@43psi, 270LPH@120psi. -10AN Inlet & -6AN Outlet. Includes Fuel Pump, installation instructions, -6AN to -8AN check valve fitting, wiring terminal ends/covers/nuts. Included hardware is not application specific.
50-1009	400lph Inline High Flow Fuel Pump. 400lph@40psi, 300LPH@120psi. M18x1.5 Inlet & M12x1.5 Outlet. Includes Fuel Pump, installation instructions, check valve fitting, wiring terminal ends/covers/nuts. Included hardware is not application specific
25-100BK	High Volume Fuel Rail. Black. Acura B18B1, B18C1 & B18C5
25-103BK	High Volume Fuel Rail. Black. Honda B16A2 & B16A3
25-104BK	High Volume Fuel Rail. Black. Honda F22A1, F22A4, F22A6, H22A1, H22A4 & H23A1
25-108BK	High Volume Fuel Rail. Black. Honda D15B7, D15B8, D16A6 & D16Z6
25-109BK	High Volume Fuel Rail. Black. Honda D16Y7 & D16Y8
25-111BK	High Volume Fuel Rail. Black. Acura K20A2, K20A3 & K20Z1. Honda K20A3
25-112BK	High Volume Fuel Rail. Black. Honda F20C1 & F22C1
25-131BK	High Volume Fuel Rail. Black. Mitsubishi 4G63
2-602	High Volume Fuel Rail Banjo Fitting Without Hole. Honda
2-603	High Volume Fuel Rail Banjo Fitting With Hole. Honda
2-604	High Volume Fuel Rail Port Plug -6 (9/16"-18)
25-300BK	Adjustable Fuel Pressure Regulator. Black. Acura & Honda Inline Flange with Straight Return Line Fitting
25-301BK	Adjustable Fuel Pressure Regulator. Black. Acura & Honda Offset Flange with Straight Return Line Fitting
25-302BK	Universal Adjustable Fuel Pressure Regulator. Black. Inlet: 2 X -6 (9/16-18) Outlet: -6 (9/16"-18) Gauge Port: 1/8"NPT
25-303BK	Adjustable Fuel Pressure Regulator. Black. Acura & Honda Inline Flange with 90 Degree Return Line Fitting
25-304BK	Adjustable Fuel Pressure Regulator. Black. Acura & Honda Offset Flange with 90 Degree Return Line Fitting
25-305BK	High Capacity Universal Adjustable Fuel Pressure Regulator. Black Anodized. Inlet: 2 X -6 (9/16-18) Outlet: -6 (9/16"-18), Gauge Port: 1/8"NPT, Vacuum Hose: 5mm (3/16"), and Universal Mounting Bracket with Four (4) 10-32x1/2" Screws. Barb fitting for Outlet port sold separately PN 25-390.

STOP!
THESE PRODUCTS HAVE LEGAL RESTRICTIONS. READ THIS BEFORE
INSTALLING/USING!

THESE PRODUCTS MAY BE USED SOLELY ON VEHICLES USED IN SANCTIONED COMPETITION WHICH MAY NEVER BE USED UPON A PUBLIC ROAD OR HIGHWAY, UNLESS PERMITTED BY SPECIFIC REGULATORY EXEMPTION (VISIT THE "EMISSIONS" PAGE AT [HTTP://WWW.SEMASEAN.COM/EMISSIONS](http://www.semasean.com/EMISSIONS) FOR STATE BY STATE DETAILS. IT IS THE RESPONSIBILITY OF THE INSTALLER AND/OR USER OF THIS PRODUCT TO ENSURE THAT IT IS USED IN COMPLIANCE WITH ALL APPLICABLE LAWS AND REGULATIONS. IF THIS PRODUCT WAS PURCHASED IN ERROR, DO NOT INSTALL AND/OR USE IT. THE PURCHASER MUST ARRANGE TO RETURN THE PRODUCT FOR A FULL REFUND.

THIS POLICY ONLY APPLIES TO INSTALLERS AND/OR USERS WHO ARE LOCATED IN THE UNITED STATES; HOWEVER CUSTOMERS WHO RESIDE IN OTHER COUNTRIES SHOULD ACT IN ACCORDANCE WITH THEIR LOCAL LAWS AND REGULATIONS.

Part Number	Description
25-390	Adjustable Fuel Pressure Regulator 90 degree Fitting Kit
25-392	Adjustable Fuel Pressure Regulator Rebuild Kit. Includes: Diaphragm, 3 Interchangeable Orifices & O-Ring
25-392	Adjustable Fuel Pressure Regulator Rebuild Kit. Includes: Diaphragm, 3 Interchangeable Orifices & O-Ring
2-609	Adjustable Fuel Pressure Regulator Barb Fitting. -6 (9/16"-18) to 7mm
2-610	Adjustable Fuel Pressure Regulator Barb Fitting. Banjo to 7mm
2-611	Adjustable Fuel Pressure Regulator Barb Fitting. Vacuum Fitting
2-635	Adjustable Fuel Pressure Regulator Barb Fitting. Banjo Bolt
23-800BK	Tru-Time Adjustable Cam Gear. Black. 5-Bolt. Honda D15B7, D16A6 & D16Z6
23-801BK	Tru-Time Adjustable Cam Gear. Black. 5-Bolt. Honda H22A1 & H22A4
23-802BK	Tru-Time Adjustable Cam Gear. Black. 5-Bolt. Acura B17A1, B18A1, B18B1, B18C1 & B18C5. Honda B16A2, B16A3, B20A5, B20B4, B20Z2, B21A1 & H23A1
23-804BK	Tru-Time Adjustable Cam Gear. Black. 5-Bolt. Honda D16Y7 & D16Y8
23-830BK	Tru-Time Adjustable Cam Gear. Black. 5-Bolt. Eagle VIN:E, VIN:F & VIN:U. Mitsubishi VIN:E, VIN:F, VIN:R, VIN:U & 4G63T. Plymouth VIN:E, VIN:F, VIN:R & VIN:U
23-831BK	Tru-Time Adjustable Cam Gear. Black. 5-Bolt. Mitsubishi 4G63
23-850BK	Tru-Time Adjustable Cam Gear. Black. 5-Bolt. Chrysler VIN:Y DOHC. Dodge VIN:Y DOHC. Eagle VIN:Y DOHC. Mitsubishi VIN:Y DOHC. Plymouth VIN:Y DOHC

STOP!
THESE PRODUCTS HAVE LEGAL RESTRICTIONS. READ THIS BEFORE
INSTALLING/USING!

THESE PRODUCTS MAY BE USED SOLELY ON VEHICLES USED IN SANCTIONED COMPETITION WHICH MAY NEVER BE USED UPON A PUBLIC ROAD OR HIGHWAY, UNLESS PERMITTED BY SPECIFIC REGULATORY EXEMPTION (VISIT THE "EMISSIONS" PAGE AT [HTTP://WWW.SEMASON.COM/EMISSIONS](http://www.semason.com/emissions) FOR STATE BY STATE DETAILS. IT IS THE RESPONSIBILITY OF THE INSTALLER AND/OR USER OF THIS PRODUCT TO ENSURE THAT IT IS USED IN COMPLIANCE WITH ALL APPLICABLE LAWS AND REGULATIONS. IF THIS PRODUCT WAS PURCHASED IN ERROR, DO NOT INSTALL AND/OR USE IT. THE PURCHASER MUST ARRANGE TO RETURN THE PRODUCT FOR A FULL REFUND.

THIS POLICY ONLY APPLIES TO INSTALLERS AND/OR USERS WHO ARE LOCATED IN THE UNITED STATES; HOWEVER CUSTOMERS WHO RESIDE IN OTHER COUNTRIES SHOULD ACT IN ACCORDANCE WITH THEIR LOCAL LAWS AND REGULATIONS.

The following Race Only Products Have Been Recently Discontinued.

Part Number	Description
30-3805-17	Infinity Core Accessory Wiring Harness - AEM 30-2853 IGBT Smart Coils (Ford Cyl Numbering)
30-2860	Coil-On-Plug (COP) Conversion Kit - B-Series Honda Engines
30-3805-18	Infinity Core Accessory Wiring Harness - GM LS Coils (Ford Cyl Numbering)
30-3509	Infinity 506/508(PN: 30-7106 & 30-7108) Plug & Play Jumper Harness: Honda/Acura 1999-2001 OBD2B. Engines utilizing the distributor for spark must use AEM Coil Adapter part #30-3501-00
30-1911	Fuel/Ignition Controller 6 Channel. Mag Pickup Sensor. 80's-90's Distributed Honda
30-1913	Fuel/Ignition Controller 6 Channel. Mag or Hall with Circuit Driver for Injector Load on Chrysler Vehicles
30-3520	Infinity 708/710(PN: 30-7110 & 30-7107) Plug & Play Jumper Harness: Nissan 2003-2006 350Z
30-3905	Infinity 708/710(Part #30-7109 & 30-7105) Plug & Play Jumper Harness: Porsche 2005-2008 997.1 Naturally Aspirated & 2007-2009 Turbo
25-130BK	High Volume Fuel Rail. Black. Eagle VIN:F & VIN:U. Mitsubishi VIN:F & VIN:U. Plymouth VIN:F & VIN:U
30-3808	Infinity 508(PN: 30-7112) Plug & Play Jumper Harness: Polaris 2011-2014 RZR 900
30-3903	Infinity 506/508(PN: 30-7106 & 30-7108) Plug & Play Jumper Harness: Volkswagen 2002-2005 1.8T
30-1910	Universal Fuel/Ignition Controller 6 Channel. Mag or Hall Sensor.
30-3805-07	Infinity Core Accessory Wiring Harness - GM Idle Stepper Motor
30-3805-08	Infinity Core Accessory Wiring Harness - PWM Idle
30-3805-09	Infinity Core Accessory Wiring Harness - AEM 30-2853 IGBT Smart Coils (GM Cyl Numbering)
30-3805-21	Infinity Core Accessory Wiring Harness - MSD Dual Sync 35" Leads for Front Mounted Distributor
30-3809-01	Infinity Core Accessory Wiring Harness - GM DBW Throttle Body Adapter(GM PN: 12570790 & 12580760)
30-3811-01	Discontinued
30-3805-12	Infinity Core Accessory Wiring Harness - GM LS Coils (GM Cyl Numbering)
30-3510	Infinity 708/710(Part #30-7109 & 30-7105) Plug & Play Jumper Harness: BMW 2001-2006 E46 M3