

Labelling
CRACK-IT
Shock - Freeze Release Spray

Identifiers

Product name CRACK-IT Shock - Freeze Release Spray
Product number A1265/02

Supplier

Supplier Arctic Hayes Ltd.
 No. 11 Glover Way
 Leeds, England
 LS11 5JP

Tel: (0)113 271 5245
 Fax: (0)113 271 5779
 Sales @ arctic-hayes.com

Emergency telephone +44 (0)113 271 5245

GHS/CLP Hazard Information

Pictogram

Hazard statements

H222 Extremely flammable aerosol.
 H229 Pressurised container: may burst if heated

Signal word

Danger

Precautionary statements

P102 Keep out of reach of children.
 P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
 P211 Do not spray on an open flame or other ignition source.
 P251 Do not pierce or burn, even after use.
 P261 Avoid breathing spray.
 P271 Use only outdoors or in a well-ventilated area.
 P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.
 P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.
 P501 Dispose of contents/container in accordance with national regulations.

Contains

ISOPARAFFINIC HYDROCARBON, HIGHLY REFINED MINERAL OIL

Transport Information

Transport labels

CRACK IT



Flammable gas
(class 2) (red
diamond with
flame symbol).

**Proper shipping name
(ADR/RID)** AEROSOLS

**Environmentally hazardous
substance/marine pollutant** No.

Road

UN No. (ADR/RID) 1950

Air

UN No. (ICAO) 1950

ICAO class/division 2

Sea

UN No. (IMDG) 1950

IMDG class 2

EU Hazard Information

Symbols



Extremely
flammable

Risk phrases

R12 Extremely flammable.

Safety phrases

A2 Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use.

A1 Do not spray on a naked flame or any incandescent material.

S2 Keep out of the reach of children.

S9 Keep container in a well-ventilated place.

S16 Keep away from sources of ignition - No smoking.

S23 Do not breathe vapour/spray.

S35 This material and its container must be disposed of in a safe way.

S51 Use only in well-ventilated areas.

Child-Resistant Fastening No

Tactile Warning of Danger Yes

Miscellaneous

Protective equipment



CRACK IT

Revision date 17/01/2012
Revision 2