ProductMarble and Granite BusterRevision date30 August 2018Revision1

Safety Data Sheet (SDS)

Section 1: Identification of the substance/preparation and of the company/undertaking

<u>1.1 Product identifier</u>

Product name	Marble and Granite Buster
Synonyms, Trade names	No information available.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Cleaning agent.			
Uses advised against	Any other purpose.			

<u>1.3 Details of the supplier of the safety data sheet</u>

Supplier	Wes-Chem Products International Ltd. Drumduffy Drumkeeran Co. Leitrim
Contact person	N41 T998 Ireland Tel: 071 96 22555 info@weschem.ie
1.4 Emergency telephone number	
Emergency telephone	Emergency medical information: 8am-10pm (seven days) contact National Poisons Information Centre, Beaumont Hospital, Dublin 9. Tel 01 8092566

Section 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (EC 1272/2008) Physical and chemical hazards Human health Environment	Not classified Eye Irrit.2A - H319 Not classified
2.2 Label elements	
Contains	Not applicable
Label in accordance with (EC) no. 1272/2008	
Signal word	Warning
Hazard statements	H319 Causes serious eye irritation.
Precautionary statements	 Prevention P264 Wash hands thoroughly after handling. P280 Wear protective gloves/ protective clothing/eye protection/face protection. Response P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 If eye irritation persists: Get medical advice/attention.

2.3 Other hazards

None known.

Section 3: Composition/identification of ingredients

3.1 Substance

Not applicable.

3.2 Mixtures

Name	Product identifier	Reg. EU 1272/2008	%		
2-Propanol	CAS-No.: 67-63-0 EC No.: 200-661-7	Flam. Liq 2- H225, Eye Irrit.2A - H319, STOT SE 3 - H336			
2-butoxyethanol	CAS-No.: 111-76-2 EC No.: 203-905-0	Acute Tox 4 - H302, Acute Tox 4 - H312, Skin Irrit.2 - H315, Eye Irrit.2. - H319, Acute Tox 4 - H332			
The full text for all hazard sta	tements are displayed in	section 16.			
Composition comments	The data sho	wn are in accordance with the latest EC Directives.			
Section 4: First aid measures					
4.1 Description of first aid mea	<u>isures</u>				
General information	0	rule, in case of doubt or if symptoms persist, always call a doctor. Seek n all burns and eye injuries, regardless how minor they may seem.	nedical		
Inhalation	If this produc	If this product is inhaled, move the exposed person to fresh air promptly. Seek medical attention if symptoms persist.			
Ingestion		Immediately rinse mouth and drink plenty of water. Consult a physician for specific advice			
Skin contact		Remove contaminated clothing immediately and wash skin with soap and water. Get medical attention if irritation develops.			
Eye contact	Avoid contaminating unaffected eye. Remove contact lenses if worn. Immediately flush eyes with plenty of water for at least 15 minutes, lifting lower and upper eyelids occasionally. Seek medical attention.				
4.2 Most important symptoms a	and effects, both acut	e and delayed			
General information	The severity length of exp	of the symptoms described will vary dependent on the concentration and osure.	the		
Inhalation	No specific s	ymptoms noted.			
Ingestion		ymptoms noted.			
Skin contact		There may be mild irritation at the site of contact.			
Eye contact	Causes serio	Causes serious eye irritation.			

$\underline{\textbf{4.3 Indication of any immediate medical attention and special treatment needed}$

Notes to the physician	Treat symptomatically.

Section 5: Fire-fighting measures

5.1 Extinguishing media

Extinguishing media	Use fire-extinguishing media appropriate for surrounding materials. Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Unsuitable extinguishing media	High volume water jet.

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products	During fire, toxic gases (CO, CO2) are formed.	
Unusual fire & explosion hazards	No unusual fire or explosion hazards noted.	
Specific hazards	Fire creates: Carbon monoxide (CO). Carbon dioxide (CO2). In the event of damage to	
	packaging, floors may become slippery, avoid falls.	

5.3 Advice for firefighters	
	If possible, fight fire from protected position. Avoid breathing fire vapours. Ventilate closed spaces before entering them. Containers close to fire should be removed immediately or cooled with water if safe to do so.
	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

Section 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Personal precautions Wear protective clothing as described in Section 8 of this safety data sheet. Provide adequate ventilation. Eliminate all sources of ignition. Avoid inhalation of vapours and

adequate ventilation. Eliminate all sources of ignition. Avoid inhalation of vapours and
contact with skin and eyes. In case of inadequate ventilation, use respiratory protection. Do
not touch or walk through spilled material. If necessary evacuate surrounding areas.
Follow safe handling advice and personal protective equipment recommendations for normal
use of product.6.2 Environmental precautionsDo not discharge onto the ground or into water courses.

6.3 Methods and material for containment and cleaning up

Spill clean up methods	Stop leak if possible without risk. DO NOT touch spilled material! When dealing with a spillage, wear necessary protective equipment. Absorb spillage with non-combustible, inert absorbent material. Ensure that waste and contaminated materials are collected and removed from the work area as soon as possible in a suitably labelled container. Wash thoroughly after dealing with a spillage. Floors may become slippery, avoid falls.
6.4 Reference to other sections	
Reference to other sections	See section 1 for emergency contact. For personal protection, see section 8. For waste disposal, see section 13.

Section 7: Handling and storage

7.1 Precautions for safe handling

<u>, 11 1100uutions for Sure hundning</u>	
Handling	Read and follow manufacturer's recommendations. Use proper personal protection when handling (refer to Section 8). Do not handle broken packages without protective equipment. Do not use contact lenses. Keep away from heat, sparks and open flame. Avoid spilling, skin and eye contact. Do not eat, drink or smoke when using the product. Wash thoroughly after handling.
7.2 Conditions for safe storage, including	g any incompatibilities
Storage precautions	Keep upright, locked up and out of reach of children. Store in tightly closed original container in a dry, cool and well-ventilated place.
Storage class	Unspecified storage.
7.3 Specific end use(s)	
Specific end use(s)	The identified uses for this product are detailed in Section 1.2. Use only according to directions. Replace and tighten cap after use.

Section 8: Exposure controls/Personal protection

8.1 Control parameters

Component	STD	TWA (8 Hrs)		STEL (15mins)		Notes
2-Propanol	OEL	200 ppm		400 ppm		

2-Propanol	WEL	400 ppm	999 mg/m ³	500 ppm	1250 mg/m ³	
2-butoxyethanol	OEL	20 ppm	98 mg/m ³	50 ppm	246 mg/m ³	
2-butoxyethanol	WEL	25 ppm	123 mg/m ³	50 ppm	246 mg/m ³	

Ingredient comments

OEL - Occulational Exposure Limit - Ireland, Occupational Exposure Limits 2016. WEL - Workplace Exposure Limits - EH40/2005 Workplace exposure limits.

8.2 Exposure Controls

Protective equipment	
Engineering measures	Provide adequate ventilation, including appropriate local extraction, to ensure that the defined occupational exposure limit is not exceeded.
Respiratory equipment	Respiratory protection not required in normal conditions. Where risk assessment shows air- purifying respirators are appropriate a full face respirator conforming to EN143 should be used, and suitable respirator cartridges as a backup to engineering controls. Use respiratory equipment with gas filter, type A: organic vapours (EN141). Consult manufacturer for specific advice.
Hand protection	Where hand contact with the product may occur the use of gloves approved to relevant standards (e.g. Europe: EN374) is recommended. (EU Directive 89/686/EEC). Gloves must be inspected prior to use. Suggested material: Rubber (natural, latex) Consult manufacturer for advice. Selection of the glove material depends on consideration of the penetration times, rates of diffusion and degradation, and concentration specific to the workplace. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product.
Eye protection	Wear safety goggles or face shield to prevent any possibility of eye contact. Use equipment for eye protection tested and approved under appropriate government standards such as EN 166(EU).
Other protection	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handing this product.
Hygiene measures	Observe normal hygiene standards. Wash promptly if skin becomes contaminated. When using do not eat, drink or smoke. Wash hands after use.
Process conditions	Provide eyewash station.

Section 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance Colour Odour	Liquid. Pink. No information available.
Odour threshold - lower	No information available.
Odour threshold - upper	No information available.
pH-Value, Conc. Solution	No information available.
pH-Value, Diluted solution	No information available.
Melting point	No information available.
Initial boiling point and boiling range	No information available.
Flash point	No information available.
Evaporation rate	No information available.
Flammability state	No information available.

	Flammability limit - lower(%)	No information available.
	Flammability limit - upper(%)	No information available.
	Vapour pressure	No information available.
	Vapour density (air=1)	No information available.
	Relative density	No information available.
	Bulk density	No information available.
	Solubility	Soluble in water.
	Decomposition temperature	No information available.
	Partition coefficient; n- Octanol/Water	No information available.
	Auto ignition temperature (°C)	No information available.
	Viscosity	No information available.
	Explosive properties	Not classified as explosive.
	Oxidising properties	No information available.
<u>9.2</u>	Other information	
	Molecular weight	No information available.
	Volatile organic compound	No information available.
	Other information	None noted.

Section 10: Stability and reactivity		
10.1 Reactivity		
Reactivity	Stable under normal conditions.	
10.2 Chemical stability		
Stability	Stable under normal temperature conditions and recommended use.	
10.3 Possibility of hazardous reactions		
Hazardous reactions	None under normal processing.	
Hazardous polymerisation Polymerisation description	No information available. No information available.	
10.4 Conditions to Avoid		
Conditions to avoid	Heat, sparks, open flames, temperature extremes and direct sunlight.	
10.5 Incompatible materials		
Materials to avoid	Keep away from acids and oxidants. Do not mix with other chemicals unless listed on directions.	
10.6 Hazardous decomposition products		

Hazardous decomposition products Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.

Section 11: Toxicological information

<u>11.1 Information on toxicological effects</u>

<u>1 intormation on toxicological circo</u>		
Toxicological information	No toxicological information for the overall finished product.	
Acute toxicity (Oral LD50)	PROPAN-2-OL: 3600 mg/kg, mouse; 5045 mg/kg, rat. 2-BUTOXYETHANOL: 1230 mg/kg, mouse; 470 mg/kg, rat.	
Acute toxicity (Dermal LD50)	No information available.	
Acute toxicity (Inhalation LD50)	No information available.	
Acute toxicity (initialation LD30)		
Serious eye damage/irritation	Causes serious eye irritation.	
Skin corrosion/irritation	No information available.	
Respiratory sensitisation	No information available.	
Skin sensitisation	No information available.	
Germ cell mutagenicity	No information available.	
Carcinogenicity	No information available.	
Specific target organ toxicity - Sing	le exposure:	
STOT - Single exposure	No information available.	
Specific target organ toxicity - Repe	eated exposure:	
STOT - Repeated exposure	No information available.	
Inhalation	No specific symptoms noted.	
Ingestion	No specific symptoms noted.	
Skin contact	There may be mild irritation at the site of contact.	
Eye contact	Causes serious eye irritation.	
Waste management	When handling waste, consideration should be made to the safety precautions applying to	
	handling of the product.	
Routes of entry	No information available.	
Target organs	Eves.	
	_,	
Aspiration hazards:	No information available.	
Reproductive toxicity:	No information available.	
-		

Name	LD50 oral	LD50 dermal	LD50 inhalation
2-Propanol	5045.00mg/kg Rat		
2-butoxyethanol	470.00mg/kg Rat		

Section 12: Ecological information

12.1 Toxicity

Acute toxicity - Fish Acute toxicity - Aquatic invertebrate Acute toxicity - Aquatic plants Acute toxicity - Microorganisms Chronic toxicity - Fish Chronic toxicity - Aquatic	No information available. s No information available. No information available. No information available. No information available. No information available.
invertebrates Chronic toxicity - Aquatic plants Chronic toxicity - Microorganisms Ecotoxicity Eco toxilogical information	No information available. No information available. The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment. No ecological toxicity available on the overall finished product.
<u>12.2 Persistence and degradability</u> Degradability Biological oxygen demand Chemical oxygen demand	The product is biodegradable. No information available. No information available.

12.3 Bioaccumulative potential	
Bioaccumulative potential Bioaccumulation factor Partition coefficient; n- Octanol/Water	No bioaccumulation potential. No information available. No information available.
<u>12.4 Mobility in soil</u>	
Mobility	Soluble in water.
12.5 Results of PBT and vPvB assessme	ent
Results of PBT and vPvB assessmer	t The product does not contain any PBT or vPvB Substances.
<u>12.6 Other adverse effects</u>	
Other adverse effects	None known.
Section 13: Disposal considerations	
Waste management	When handling waste, consideration should be made to the safety precautions applying to handling of the product.
<u>13.1 Waste treatment methods</u>	
Disposal methods	Dispose of waste and residues in accordance with local authority requirements.
Section 14: Transport information	
14.1 UN number	
UN no. (ADR)	Not applicable.
UN no. (IMDG) UN no. (IATA)	Not applicable. Not applicable.
14.2 UN proper shipping name	
ADR proper shipping name	Not applicable.
IMDG proper shipping name IATA proper shipping name	Not applicable. Not applicable.
14.3 Transport hazard class(es)	
ADR class	Not applicable.
IMDG class IATA class	Not applicable. Not applicable.
Transport labels	
14.4 Packing group	
ADR/RID/ADN packing group	Not applicable.
IMDG packing group IATA packing group	Not applicable. Not applicable.
14.5 Environmental hazards	
ADR IMDG	No
IATA	No No
14.6 Special precautions for user	
EMS	Not applicable.
Emergency action code Hazard no. (ADR)	Not applicable. Not applicable.
Tunnel restriction code	Not applicable.

14.7 Transport in bulk according to annex II of MARPOL73/78 and the IBC code

Not applicable.

Section 15: Regulatory information

15.1 Safety, health and environmental regulations/Legislation specific for the substance or mixtureEU legislationRegulation (EC) No 1272/2008 of the European Parliament and of the Council of 16
December 2008 on classification, labelling and packaging of substances and mixtures,
amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation
(EC) No 1907/2006 with amendments. The UN Globally Harmonized System (GHS) Safety
Data Sheet format (Annex IV) is implemented as Annex II of REACH EU No 453/2010 of 20th
May 2010 amending regulation (EC) No 1907/2006.Approved code of practiceWorkplace Exposure Limits Guidance Note EH40/2005.
2016 Code of Practice for the Chemical Agents Regulations in accordance with section 60 of
the Safety, Health and Welfare at Work Act 2005 (No. 10 of 2005).Chemical safety assessmentNo chemical safety assessment has been carried out.

Section 16: Other information

General information	This Safety Data Sheet is in accordance with Reach Regulation (EC) No 453/2010.
Revision comments	This is a first issue.
Revision date	30 August 2018
Revision	1
Safety data sheet status	Approved.

Hazard statements in full

H225	Highly flammable liquid and vapour.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H332	Harmful if inhaled.

Disclaimer

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.