


# TUBING

## John Guest



	OD	L	Color
04-32025BL	1/4"	25ft	Blue
04-32025N	1/4"	25ft	Natural
04-32500BLK	1/4"	500ft	Black
04-32500BL	1/4"	500ft	Blue
04-32500G	1/4"	500ft	Green
04-32500N	1/4"	500ft	Natural
04-32500OR	1/4"	500ft	Orange
04-32500R	1/4"	500ft	Red
04-32500W	1/4"	500ft	White
04-32500Y	1/4"	500ft	Yellow
04-33025BL	3/8"	25ft	Blue
04-33025N	3/8"	25ft	Natural
04-33500BLK	3/8"	500ft	Black
04-33500BL	3/8"	500ft	Blue
04-33500G	3/8"	500ft	Green
04-33500N	3/8"	500ft	Natural
04-33500OR	3/8"	500ft	Orange
04-33500R	3/8"	500ft	Red
04-33500W	3/8"	500ft	White
04-33500Y	3/8"	500ft	Yellow
04-30250BLK	1/2"	250ft	Black
04-30250BL	1/2"	250ft	Blue
04-30250W	1/2"	250ft	White

## Polyvinyl



Clear FDA Approved  
(For low pressure applications)

	ID	OD	L	Wall
04-204	1/4" x 3/8"	100'	1/16"	
04-206	3/8" x 1/2"	100'	1/16"	
04-206-HD	3/8" x 5/8"	100'	1/8"	
04-208	1/2" x 5/8"	100'	1/16"	
04-208-HD	1/2" x 3/4"	100'	1/8"	
04-210	5/8" x 3/4"	100'	1/16"	
04-210-HD	5/8" x 7/8"	100'	1/8"	

## Arrow



	OD	L	Color
04-A32500BK	1/4"	500ft	Black
04-A32500BL	1/4"	500ft	Blue
04-A32500G	1/4"	500ft	Green
04-A32500OR	1/4"	500ft	Orange
04-A32500R	1/4"	500ft	Red
04-A32500W	1/4"	500ft	White
04-A32500Y	1/4"	500ft	Yellow
04-A33500BK	3/8"	500ft	Black
04-A33500BL	3/8"	500ft	Blue
04-A33500N	3/8"	500ft	Natural
04-A33500OR	3/8"	500ft	Orange
04-A33500R	3/8"	500ft	Red
04-A33500W	3/8"	500ft	White
04-A33500Y	3/8"	500ft	Yellow
04-A34500W	1/2"	500ft	White

## Copper

### Refrigeration

#### 50 foot rolls



04-102	1/8"
04-103	3/16"
04-104	1/4"
04-105	5/16"
04-106	3/8"
04-108	1/2"
04-110	5/8"
04-112	3/4"

## Aluminum

#### 50 foot rolls



04-402	1/8"
04-403	3/16"
04-404	1/4"
04-406	3/8"
04-407	7/16"
04-408	1/2"

## Tubing Cutter



15-PTC-001 for Plastic Tubing

## Parker



	OD	L	Color
04-44-0100B	1/4"	100ft	Black
04-44-0100L	1/4"	100ft	Blue
04-44-100GR	1/4"	100ft	Gray
04-44-0100N	1/4"	100ft	Natural
04-44-0100R	1/4"	100ft	Red
04-44-0500B	1/4"	500ft	Black
04-44-0500L	1/4"	500ft	Blue
04-44-500GR	1/4"	500ft	Gray
04-44-0500N	1/4"	500ft	Natural
04-44-500WT	1/4"	500ft	White
04-45-0500B	5/16"	500ft	Black
04-45-0500N	5/16"	500ft	Natural
04-46-0100B	3/8"	100ft	Black
04-46-0100L	3/8"	100ft	Blue
04-46-0100N	3/8"	100ft	Natural
04-46-0100R	3/8"	100ft	Red
04-46-0500B	3/8"	500ft	Black
04-46-0500L	3/8"	500ft	Blue
04-46-500GR	3/8"	500ft	Gray
04-46-0500G	3/8"	500ft	Green
04-46-0500N	3/8"	500ft	Natural
04-46-500WT	3/8"	500ft	White
04-48-0100B	1/2"	100ft	Black
04-48-0100N	1/2"	100ft	Natural
04-48-0500N	1/2"	500ft	Natural
04-49-0100B	5/8"	100ft	Black
04-49-0100N	5/8"	100ft	Natural

## Black Water Softener Drain



	ID	OD	L
04-8D250BK	1/2"	5/8"	250'




Division of **elbi** of America Tel: 800-242-7769 ▪ Fax: 800-662-7769 ▪ [www.arrowindustries.com](http://www.arrowindustries.com)

4-2019


G-1

# JACO COMPRESSION FITTINGS


WITH INTEGRAL SLEEVE  
LOW PRESSURE APPLICATIONS  
SOFT PLASTIC TUBING  
\*50 P.S.I.



WITH PLASTIC GRIPPER  
FOR USE WITH PLASTIC TUBING  
FOR SURE GRIP  
\*220 P.S.I.



WITH STAINLESS STEEL GRIPPER  
FOR USE WITH HARD AND SMOOTH  
SURFACED TUBING  
\*220 P.S.I.



**To select your material and nut type,**

Substitute the 'x' prefix with one of the following prefixes:

- 1 = Polypropylene w/ One-Piece Nut (50psi)
- 2 = Polypropylene w/ Plastic Gripper Nut (220psi)
- 3 = Polypropylene w/ Stainless Gripper Nut (220psi)
- 4 = Nylon w/ One-Piece Nut (50psi)

Example: 15-215-6-4 is a Polypropylene Reducing Union, 3/8" x 1/4" w/ Plastic Gripper Nut

## Nut



15-x0-4	1/4"
15-x0-5	5/16"
15-x0-6	3/8"
15-x0-8	1/2"

## Gripper



15-2PG-4	1/4"
15-2PG-6	3/8"
15-2PG-8	1/2"

## MIP Elbow



	C	MIP
15-x40-4-2	1/4"	1/8"
15-x40-4-4	1/4"	1/4"
15-x40-4-6	1/4"	3/8"
15-x40-6-4	3/8"	1/4"
15-x40-6-6	3/8"	3/8"
15-x40-8-6	1/2"	3/8"
15-x40-8-8	1/2"	1/2"

## Cap



15-xP0-4BLD	1/4"
15-xP0-6BLD	3/8"
15-xP0-8BLD	1/2"

## MIP Adapter



	C	MIP
15-x10-4-2	1/4"	1/8"
15-x10-4-4	1/4"	1/4"
15-x10-4-6	1/4"	3/8"
15-x10-5-4	5/16"	1/4"
15-x10-6-2	3/8"	1/8"
15-x10-6-4	3/8"	1/4"
15-x10-6-6	3/8"	3/8"
15-x10-6-8	3/8"	1/2"
15-x10-8-6	1/2"	3/8"
15-x10-8-8	1/2"	1/2"

## FIP Elbow



	C	FIP
15-x45-4-4	1/4"	1/4"
15-x45-6-4	3/8"	1/4"
15-x45-6-6	3/8"	3/8"
15-x45-8-8	1/2"	1/2"

## Union



15-x15-4	1/4"
15-x15-5	5/16"
15-x15-6	3/8"
15-x15-8	1/2"

## FIP Adapter



	C	FIP
15-x25-4-2	1/4"	1/8"
15-x25-4-4	1/4"	1/4"
15-x25-6-4	3/8"	1/4"
15-x25-6-6	3/8"	3/8"
15-x25-8-6	1/2"	3/8"
15-x25-8-8	1/2"	1/2"

## Tee



15-x70-4	1/4"
15-x70-6	3/8"
15-x70-8	1/2"

## Reducing Union



15-x15-5-4	5/16"	1/4"
15-x15-6-4	3/8"	1/4"
15-x15-8-6	1/2"	3/8"

## Branch Tee




	C	MIP
15-x60-4-2	1/4"	1/8"
15-x60-4-4	1/4"	1/4"
15-x60-6-4	3/8"	1/4"
15-x60-6-6	3/8"	3/8"

## Bulkhead Union



15-x20-4	1/4"
15-x20-6	3/8"

## Elbow



15-x50-4	1/4"
15-x50-6	3/8"
15-x50-8	1/2"

## Run Tee



	C	MIP
15-x75-4-2	1/4"	1/8"
15-x75-4-4	1/4"	1/4"
15-x75-6-4	3/8"	1/4"

# Quik-Lok PUSH IN FITTINGS

## MIP Adapter



	QL	x	MIP
16-A01-4-2	1/4"		1/8"
16-A01-4-4	1/4"		1/4"
16-A01-4-6	1/4"		3/8"
16-A01-6-4	3/8"		1/4"
16-A01-6-6	3/8"		3/8"
16-A01-6-8	3/8"		1/2"

## Tee



16-A02-4	1/4"
16-A02-6	3/8"
16-A02-6BK	3/8" Black

## Elbow



16-A03-4	1/4"
16-A03-6	3/8"

## Union



16-A04-4	1/4"
16-A04-6	3/8"

## Stem Adapter



	Stem	x	QL
16-A06-6-4	3/8"		1/4"



	Stem	x	MIP
16-A05-4-4	1/4"		1/4"
16-A05-6-4	3/8"		1/4"
16-A05-6-6	3/8"		3/8"

## Locking Clip



16-A1808	1/4"
16-A1812	3/8"

## Bulkhead Union



16-A19-4-6	1/4" x 3/8"
16-A19-6	3/8"

## Reducing Union



16-A20-6-4	3/8" x 1/4"
------------	-------------

## Reducing Elbow



16-A21-6-4	3/8" x 1/4"
------------	-------------

## Stem Elbow



	QL	x	Stem
16-A22-4-4	1/4"		1/4"
16-A22-4-6	1/4"		3/8"
16-A22-6-6	3/8"		3/8"

## 2-Way Divider



16-A23-4	1/4"
16-A23-6	3/8"

## MIP Run Tee



	QL	x	MIP
16-A26-4-4	1/4"		1/4"
16-A26-6-4	3/8"		1/4"

## Stem Run Tee



	Stem	x	QL
16-A27-4-4	1/4"		1/4"
16-A27-6-6	3/8"		3/8"

## MIP Branch Tee



	Thru	x	MIP
16-A28-4-4	1/4"		1/4"
16-A28-6-6	3/8"		3/8"

## Poly Hex Nipple



	QL
16-AHN4	1/4"
16-AHN6	3/8"

## Release Tool

16-A-TOOL



## Stem Branch Tee



	Thru	x	Stem
16-A29-4-4	1/4"		1/4"

## Reducing Branch Tee



	Thru	x	Branch
16-A30-4-6	1/4"		3/8"
16-A30-6-4	3/8"		1/4"

## Faucet Adapter



	QL	x	FIP
16-A32-4	1/4"		7/16"
16-A32-6	3/8"		7/16"

## FIP Adapter



	QL	x	FIP
16-A45-4-4	1/4"		1/4"

## MIP Elbow



	QL	x	MIP
16-A48-4-2	1/4"		1/8"
16-A48-4-4	1/4"		1/4"
16-A48-4-6	1/4"		3/8"
16-A48-6-4	3/8"		1/4"
16-A48-6-6	3/8"		3/8"
16-A48-6-8	3/8"		1/2"

## Collet



16-AC-4	1/4"
16-AC-6	3/8"

## Plug



16-AP-4	1/4"
---------	------

## O-Ring (Nitrile)



16-AOR-4	1/4"
16-AOR-6	3/8"

# JG John Guest **PUSH IN FITTINGS**

## MIP Adapter



	JG x	MIP
16-G01-4-2	1/4"	1/8"
16-G01-4-4	1/4"	1/4"
16-G01-4-6	1/4"	3/8"
16-G01-5-4	5/16"	1/4"
16-G01-5-6	5/16"	3/8"
16-G01-6-2	3/8"	1/8"
16-G01-6-4	3/8"	1/4"
16-G01-6-6	3/8"	3/8"
16-G01-6-8	3/8"	1/2"
16-G01-8-6	1/2"	3/8"
16-G01-8-8	1/2"	1/2"

## Stem to MIP Adapter



	Stem x	MIP
16-G05-3-2	3/16"	1/8"
16-G05-4-2	1/4"	1/8"
16-G05-4-4	1/4"	1/4"
16-G05-5-4	5/16"	1/4"
16-G05-6-4	3/8"	1/4"
16-G05-6-6	3/8"	3/8"
16-G05-8-6	1/2"	3/8"
16-G05-8-8	1/2"	1/2"

## Bulkhead Union



	JG x	MIP
16-G12-4-4	1/4"	1/4"
16-G12-6-4	3/8"	1/4"
16-G12-6-6	3/8"	3/8"
16-G12-8-8	1/2"	1/2"

## End Stop



16-G46-4	1/4"
16-G46-6	3/8"

## Stem Adapter



	Stem x	JG
16-G06-5-4	5/16"	1/4"
16-G06-6-4	3/8"	1/4"
16-G06-6-5	3/8"	5/16"
16-G06-8-6	1/2"	3/8"

## Tee



16-G02-4	1/4"
16-G02-5	5/16"
16-G02-6	3/8"
16-G02-8	1/2"

## Plug



16-G08-4	1/4"
16-G08-5	5/16"
16-G08-6	3/8"
16-G08-8	1/2"

## Reducing Union



	JG x	JG
16-G20-4-3	1/4"	3/16"
16-G20-5-4	5/16"	1/4"
16-G20-6-4	3/8"	1/4"
16-G20-6-5	3/8"	5/16"
16-G20-8-6	1/2"	3/8"

## Elbow



16-G03-4	1/4"
16-G03-5	5/16"
16-G03-6	3/8"
16-G03-8	1/2"

## MIP Swivel Elbow



	JG x	MIP
16-G09-4-2	1/4"	1/8"
16-G09-4-4	1/4"	1/4"
16-G09-6-6	3/8"	3/8"
16-G09-8-8	1/2"	1/2"

## Reducing Elbow



	JG x	JG
16-G21-5-4	5/16"	1/4"
16-G21-6-4	3/8"	1/4"
16-G21-6-5	3/8"	5/16"
16-G21-8-6	1/2"	3/8"

## Union



16-G04-4	1/4"
16-G04-5	5/16"
16-G04-6	3/8"
16-G04-8	1/2"

## Swivel Branch Tee



	JG x	MIP
16-G10-4-2	1/4"	1/8"
16-G10-4-4	1/4"	1/4"
16-G10-6-4	3/8"	1/4"

## Stem Elbow



	Stem x	JG
16-G22-3-3	3/16"	3/16"
16-G22-4-4	1/4"	1/4"
16-G22-6-4	3/8"	1/4"
16-G22-6-5	3/8"	5/16"
16-G22-6-6	3/8"	3/8"
16-G22-8-8	1/2"	1/2"

# John Guest **PUSH IN FITTINGS**

## 2-Way Divider



16-G23-4 1/4"  
16-G23-6 3/8"

## Stem to Barb Adapter



Stem x Barb

16-G25-4-4 1/4" 1/4"  
16-G25-6-4 3/8" 1/4"  
16-G25-6-6 3/8" 3/8"  
16-G25-8-6 1/2" 3/8"  
16-G25-8-8 1/2" 1/2"

## Reducing Branch Tee



Thru x Branch

16-G30-6-4 3/8" 1/4"  
16-G30-8-6 1/2" 3/8"

## Faucet Adapter 7/16"-24 UNS Thread



16-G32-4 1/4"  
16-G32-5 5/16"  
16-G32-6 3/8"

## FIP Adapter



JG x FIP

16-G45-4-4 1/4" 1/4"  
16-G45-6-4 3/8" 1/4"

## Flare Adapter



Male  
JG x Flare

16-G01-6-4F 3/8" 1/4"



Fem.  
JG x Flare

16-G45-6-4F 3/8" 1/4"  
16-G45-6-6F 3/8" 3/8"



Fem.  
JG x Flare

16-G45-44BF 1/4" 1/4"  
16-G45-64BF 3/8" 1/4"  
16-G45-66BF 3/8" 3/8"

## Collet Cover



16-G1904 1/4"  
16-G1906 3/8"  
16-G1908 1/2"

## Equal Cross



16-G47-6 3/8"

## Flow Bend Clip



TUBE OD

16-G26-6 3/8" OR 10MM  
16-G26-8 1/2" OR 12MM

## MIP Elbow



JG x MIP

16-G48-4-2 1/4" 1/8"  
16-G48-4-4 1/4" 1/4"  
16-G48-4-6 1/4" 3/8"  
16-G48-6-4 3/8" 1/4"  
16-G48-6-6 3/8" 3/8"  
16-G48-8-6 1/2" 3/8"

## O-Ring



16-GOR-4 1/4"  
16-GOR-5 5/16"  
16-GOR-6 3/8"  
16-GOR-8 1/2"

## Locking Clip



16-G1808 1/4"  
16-G1812 3/8"  
16-G1816 1/2"

## Release Tool



16-GTOOL 1/4" & 3/8"

# LEAD FREE BALL VALVES

## Straight Metal

C x C Brass



17-BBS4C4C      C x C  
1/4" x 1/4"

## Straight Metal

MIP x FIP - Brass



17-BBS2M4FL      MIP x FIP  
17-BBS4MFIL      1/8" x 1/4"  
17-BBS6MFI      1/4" x 1/4"  
17-BBS6MFI      3/8" x 3/8"

## Angle Metal

C x MIP - Chrome



17-BBA4C2MT      C x MIP  
1/4" x 1/8"

C x MIP - Brass



17-BBS4C2M      C x MIP  
1/4" x 1/8"

## Straight Plastic

FIP x FIP



17-BPS4F4F      FIP x FIP  
1/4" x 1/4"

## Angle Plastic

Jaco x FIP



17-BPA4J4F      Jaco FIP  
17-BPA6J4F      1/4" x 1/4"  
3/8" x 1/4"

MIP x MIP - Brass



17-BBS4M4M      MIP x MIP  
1/4" x 1/4"

QC x FIP



17-BPS4G4F      QC x FIP  
17-BPS6G4F      1/4" x 1/4"  
17-BPS6G6F      3/8" x 1/4"  
17-BPS6G6F      3/8" x 3/8"

QC x FIP



17-BPA4G4F      QC x FIP  
17-BPA6G4F      1/4" x 1/4"  
17-BPA6G4F      3/8" x 1/4"

FIP x FIP - Brass



17-BBS2F2F      FIP x FIP  
17-BBS44FI      1/8" x 1/8"  
17-BBS44FI      1/4" x 1/4"  
17-BBS66FI      3/8" x 3/8"

QC x QC - Straight



17-BPS4G4G      QC x QC  
17-BPS6G4G      1/4" x 1/4"  
17-BPS6G6G      3/8" x 1/4"  
17-BPS6G6G      3/8" x 3/8"

# BALL VALVES

## Quik-Lok Push In Valves

QC x FIP Angle (Tank Valves)



QC x FIP

17-ABJA4G4F	1/4"	1/4"
17-ABJA6G4F	3/8"	1/4"

QC x MIP Straight



QC x MIP

17-ABJS4G4M	1/4"	1/4"
17-ABJS6G6M	3/8"	3/8"

QC x QC Straight



QC x QC

17-ABJS4G4G	1/4"	1/4"
17-ABJS6G4G	3/8"	1/4"
17-ABJS6G6G	3/8"	3/8"

## John Guest 3/8" MxF Compression Thread Valves



17-BJ4G6M6F	1/4" JG out
17-BJ6G6M6F	3/8" JG out

## John Guest Push In Valves

QC x FIP Angle (Tank Valves)



JG x FIP

17-BJA4G4F	1/4"	1/4"
17-BJA6G4F	3/8"	1/4"

QC x MIP Straight



QC x MIP

17-BJS4G4M	1/4"	1/4"
17-BJS6G6M	3/8"	3/8"

QC x QC Straight



JG x JG

17-BJS4G4G	1/4"	1/4"
17-BJS6G6G	3/8"	3/8"
17-BJS8G8G	1/2"	1/2"

## Kits - 3/8" C

"Twist to Connect"



17-AVA6753	1/4" QC out
17-AVA6713	3/8" QC out
	Plastic - Unibody

## John Guest Adapter Valves



MC x FC x OD

17-PASVPP1	3/8"	3/8"	1/4"
17-PASVPP2	3/8"	3/8"	3/8"

## Quik Adapter "The Convertible"



Conversion Adapter can be threaded to either side of the valve to make configurations of 1/2" x 1/2" NPT or 3/8" x 3/8" Compression.

17-EZ14	1/4" Outlet
17-EZ38	3/8" Outlet

## Kits - 1/2" SJ

"Twist to Connect"



17-AVA6714	1/4" QC out
17-AVA6754	3/8" QC out
17-AVA6714	Plastic - Unibody

# LEAD FREE WATER ADAPTERS

## Supply Adapter

05-91-4



05-91-4F



### 3/8" Male C x 3/8" Female C

05-91-4 1/4" C  
05-91-4F 1/4" Female Pipe  
05-91-6 3/8" C

### 1/2" Male C x 1/2" Female C



05-91-8-4 1/4" C  
05-91-8-6 3/8" C

## Pipe Thread

### Brass



05-93C8



05-92-8-6

	Thru	Out
05-92-8-4	1/2"	1/4" C
05-92-8-6	1/2"	3/8" C
05-93C8	3/4"	1/8" FIP Tap

### Plastic



16-A92S4QL



05-PL92S

	Thru	Out
16-A92S4QL	1/2"	1/4" QC
05-PL92S4	1/2"	1/4" QC
05-PL92S6	1/2"	3/8" QC

## Easy Adapters Slip Joint

### 1/2" SJ x 1/2" SJ With Washers



### Brass

05-92S8BR 1/8" FIP  
05-92S4 1/4" FIP

### Chrome

05-92S8CH 1/8" FIP

### 1/2" SJ x 1/2" SJ no Washers



### Brass

05-92S1/8 1/8" FIP  
05-92S1/4 1/4" FIP  
05-5967 Cone Washers  
05-9W Flat Washers

## Easy Adapters Hose Thread

### EZ Adapter



	Thru	Out
05-94C8	3/4" Hose	1/8" FIP Tap

## Hose Caps



50-4001	Hose Cap w/1/8" FIP Tap
50-4002	Hose Cap w/1/4" FIP Tap
50-4000	Hose Cap w/ Washer

## Needle Valves

### Straight

	C x	C
05-N62-4	1/4"	1/4"
05-N62-6	3/8"	3/8"



### Angle

	C x	MIP
05-N69-4-2	1/4"	1/8"
05-N69-4-4	1/4"	1/4"
05-N69-6-4	3/8"	1/4"



## Saddle Valves

### Self Tapping



Part Number	Description
05-800	1/4" C Needle Valve
05-809	1/4" C Needle Valve
05-809G	1/4" C John Guest

### Non Self Tapping



05-808-BVZ 1/4" C Ball Valve



05-810 1/4" C Needle Valve

### Saddle Only



05-808 1/4" FIP out



# LEAD FREE WATER ADAPTERS

## Kits - 1/2" SJ



05-92S8CHKZ  
1/4" C out,  
Chrome Angle Valve  
Chrome SJ Adapter



05-92S8KZ  
1/4" C out,  
Brass Needle Valve  
Brass SJ Adapter



05-92S8BKZ  
1/4" C out,  
Chrome Angle Valve  
Brass SJ Adapter



05-92S4KZ  
3/8" C out,  
Brass Needle Valve  
Brass SJ Adapter



05-92S4BKZ  
1/4" FIP out,  
Brass Straight Valve  
Brass SJ Adapter

## Kits - 3/8" C



05-91-4FBKZ  
1/4" FIP out  
Brass Ball Valve  
Brass Adapter



05-91-4FGZ  
1/4" John Guest out  
John Guest Adapter  
Brass Adapter

## Kits - 3/8" C & 1/2" SJ



17-PASVPP5  
Plastic Adapter  
1/4" John Guest Valve

17-PASVPP6  
Plastic Adapter  
3/8" John Guest Valve

Conversion Adapter can be threaded to either side of the valve to make configurations of 1/2" x 1/2" NPT or 3/8" x 3/8" Compression.

# LEAD FREE BRASS COMPRESSION FITTINGS

## Compression Female to Male

### Straight



	FC	x	MC
05-57-4-6	1/4"		3/8"
05-57-6-4	3/8"		1/4"
05-57-6-8	3/8"		1/2"
05-57-86CP (Chrome)	1/2"		3/8"



05-57-4W	1/4" Washer
05-57-6W	3/8" Washer
05-57-8W	1/2" Washer

### Angle



	FC	x	MC
05-57L-4-4	1/4"		1/4"

## Compression Caps



05-59-4	1/4" comp.
05-59-6	3/8" comp.
05-59-8	1/2" comp.
05-59-4W	1/4" w/washer
05-59-6W	3/8" w/washer
05-59-8W	1/2" w/washer

## Sleeves



Brass			
05-60-3	3/16"		100 lot
05-60-4	1/4"		100 lot
05-60-5	5/16"		Each
05-60-6	3/8"		100 lot
05-60-7	7/16"		Each
05-60-8	1/2"		Each
05-60-10	5/8"		Each
05-60-12	3/4"		Each



Delrin			
05-P60-4	1/4"		100 lot
05-P60-5	5/16"		Each
05-P60-6	3/8"		100 lot
05-P60-8	1/2"		100 lot
05-P60-10	5/8"		Each

## Nylon Balls



05-60B-4	1/4"
05-60B-6	3/8"

## Nuts



05-61-4	1/4"
05-61-5	5/16"
05-61-6	3/8"
05-61-8	1/2"
05-61-10	5/8"

## Unions



05-62-3	3/16"
05-62-4	1/4"
05-62-5	5/16"
05-62-6	3/8"
05-62-7	7/16"
05-62-8	1/2"
05-62-10	5/8"
05-62-12	3/4"
05-62-14	7/8"

### No Nut or Sleeve

05-B62-4	1/4"
05-B62-6	3/8"

## Reducing Unions



05-62R-5-4	5/16"	1/4"
05-62R-6-4	3/8"	1/4"
05-62R-6-5	3/8"	5/16"
05-62R-8-6	1/2"	3/8"
05-62R-10-6	5/8"	3/8"
05-62R-10-8	5/8"	1/2"

## to John Guest



	John C x Guest
05-G62-4-4	1/4" 1/4"

## Brass Inserts



05-63-4	1/4"	100 lot
05-63-4L	1/4" Long	100 lot
05-63-5	5/16"	Each
05-63-6	3/8"	100 lot
05-63-8	1/2"	Each
05-63-10	5/8"	Each

## Polypropylene Inserts



15-1P-4L	1/4" Long	Each
15-1P-5	5/16"	Each
15-1P-6	3/8"	Each
15-1P-6L	3/8" Long	Each
15-1P-8	1/2"	Each

## Tees



05-64-4	1/4"
05-64-6	3/8"
05-64-8	1/2"
05-64-10	5/8"

## Reducing Tees



	C Thru	C Branch
05-64R-446	1/4"	3/8"
05-64R-664	3/8"	1/4"
05-64R-884	1/2"	1/4"
05-64R-886	1/2"	3/8"

# LEAD FREE BRASS COMPRESSION FITTINGS

## Elbows



05-65-4	1/4"
05-65-6	3/8"
05-65-8	1/2"
05-65-10	5/8"

## to FIP



	C	x	FIP
05-66-4-2	1/4"		1/8"
05-66-4-4	1/4"		1/4"
05-66-4-6	1/4"		3/8"
05-66-4-8	1/4"		1/2"
05-66-5-4	5/16"		1/4"
05-66-6-4	3/8"		1/4"
05-66-6-6	3/8"		3/8"
05-66-6-8	3/8"		1/2"
05-66-8-4	1/2"		1/4"
05-66-8-6	1/2"		3/8"
05-66-8-8	1/2"		1/2"
05-66-10-8	5/8"		1/2"

## to FIP Adapter



05-66SP-8-6	3/8"C x 1/2"FIP (7/16" SJ)
-------------	-------------------------------

## to Flare



	C	x	MF
05-67-4-4	1/4"		1/4"



	C	x	FF
05-58-4CPR	1/4"		1/4"
05-58-6CPR	3/8"		3/8"

## Conversion Kit



03-LIEBHERZ	Metric to Standard Ice- Maker Inlet Valve Conversion Kit
-------------	--

## to MIP



		C	x	MIP
05-68-4-2		1/4"		1/8"
05-68-4-4		1/4"		1/4"
05-68-4-6		1/4"		3/8"
05-68-4-8		1/4"		1/2"
05-68-5-6		5/16"		3/8"
05-68-5-8		5/16"		1/2"
05-68-6-2		3/8"		1/8"
05-68-6-4		3/8"		1/4"
05-68-6-6		3/8"		3/8"
05-68-6-8		3/8"		1/2"
05-68-6-12		3/8"		3/4"
05-68-8-4		1/2"		1/4"
05-68-8-6		1/2"		3/8"
05-68-8-8		1/2"		1/2"
05-68-8-12		1/2"		3/4"
05-68-10-8		5/8"		1/2"
05-68-14-12		7/8"		3/4"

## to MIP Elbow



		C	x	MIP
05-69-4-2		1/4"		1/8"
05-69-4-4		1/4"		1/4"
05-69-4-6		1/4"		3/8"
05-69-4-8		1/4"		1/2"
05-69-6-4		3/8"		1/4"
05-69-6-6		3/8"		3/8"
05-69-6-8		3/8"		1/2"
05-69-6-12		3/8"		3/4"
05-69-7-4		7/16"		1/4"
05-69-8-4		1/2"		1/4"
05-69-8-6		1/2"		3/8"
05-69-8-8		1/2"		1/2"
05-69-8-12		1/2"		3/4"
05-69-10-8		5/8"		1/2"
05-69-14-12		7/8"		3/4"

## No Nut or Sleeve

05-B69-6-6	3/8"	3/8"
05-B69-8-6	1/2"	3/8"

## to FHT Elbow



		C	x	FHT
05-69H12-6		3/8"		3/4"

## to FIP Elbow



		C	x	FIP
05-70-4-4		1/4"		1/4"
05-70-6-8		3/8"		1/2"

## Hose Thread by Compression



05-95-4



05-95-4L



50-NC2098

05-95-4	FHT x 1/4" C
05-95-4L	FHT x 1/4" C Elbow
50-NC2098	FHT x 1/4" John Guest

## MIP Branch Tees



		C	Thru	MIP	Branch
05-72-4-4		1/4"		1/4"	
05-72-6-4		3/8"		1/4"	

## FIP Branch Tees



		C	Thru	FIP	Branch
05-77-4-2		1/4"		1/8"	
05-77-6-2		3/8"		1/8"	
05-77-6-4		3/8"		1/4"	

## Texas Fine Thread




		C	x	TFT
05-80-4-6		1/4"		3/8"
05-80-6-6		3/8"		3/8"
05-80-8-6		1/2"		3/8"
05-80-6-6W		3/8"		Washer


# PARKER HANNIFIN INSERT FITTINGS

## Tubing Inserts

### NYLON

	15-N4TS3	1/4"
	15-N6TS4	3/8"
	15-N8TS6	1/2"

### POLYPROPYLENE

	15-1P-4L	1/4" Long (ea)
	15-1P-5	5/16"(ea)
	15-1P-6	3/8"(ea)
	15-1P-6L	3/8" Long (ea)
	15-1P-8	1/2" (ea)
	15-P4TS3	1/4" Black
	15-P5TS3	5/16" Black
	15-P6TS4	3/8" Black
	15-P8TS6	1/2" Black


## Tubing Cutter




15-PTC-001 for Plastic Tubing

## MIP Adapter

### WHITE NYLON


		<b>BARB x MIP</b>
	15-N4MCB8	1/4" 1/2"
	15-N6MCB6	3/8" 3/8"
	15-N6MCB8	3/8" 1/2"
	15-N8MCB8	1/2" 1/2"
	15-N10MCB12	5/8" 3/4"

### BLACK POLYETHYLENE


		
	15-P4MCB4	1/4" 1/4"
	15-P4MCB6	1/4" 3/8"
	15-P6MCB4	3/8" 1/4"
	15-P6MCB6	3/8" 3/8"
	15-P6MCB8	3/8" 1/2"
	15-P6MCB12	3/8" 3/4"
	15-P8MCB4	1/2" 1/4"
	15-P8MCB6	1/2" 3/8"
	15-P8MCB8	1/2" 1/2"
	15-P8MCB12	1/2" 3/4"
	15-P10MCB8	5/8" 1/2"
	15-P12MCB8	3/4" 1/2"
	15-P12MCB12	3/4" 3/4"

## MIP Elbow

### WHITE NYLON

		<b>BARB x MIP</b>
	15-N8MEB4	1/2" 1/4"
	15-N8MEB8	1/2" 1/2"

### BLACK POLYETHYLENE


		
	15-P4MEB4	1/4" 1/4"
	15-P6MEB4	3/8" 1/4"
	15-P6MEB8	3/8" 1/2"
	15-P8MEB4	1/2" 1/4"
	15-P8MEB12	1/2" 3/4"
	15-P10MEB8	5/8" 1/2"
	15-P10MEB12	5/8" 3/4"

## BARB Elbow

### WHITE NYLON

		<b>BARB x BARB</b>
	15-N8EUB8	1/2" 1/2"

### BLACK POLYETHYLENE


		
	15-P6EUB6	3/8" 3/8"
	15-P8EUB6	1/2" 3/8"
	15-P8EUB8	1/2" 1/2"

## BARB Coupling

### WHITE NYLON

		<b>BARB x BARB</b>
	15-N8UCB8	1/2" 1/2"

### BLACK POLYETHYLENE

		
	15-P3UCB3	3/16" 3/16"
	15-P4UCB4	1/4" 1/4"
	15-P5UCB5	5/16" 5/16"
	15-P6UCB4	3/8" 1/4"
	15-P6UCB6	3/8" 3/8"
	15-P8UCB6	1/2" 3/8"
	15-P8UCB8	1/2" 1/2"
	15-P10UCB6	5/8" 3/8"
	15-P10UCB8	5/8" 1/2"
	15-P10UCB10	5/8" 5/8"

## Hex Nipple

### WHITE NYLON


		<b>MIP x MIP</b>
	15-N4HPN4	1/4" 1/4"
	15-N6HPN6	3/8" 3/8"
	15-N8HPN8	1/2" 1/2"
	15-N12HPN8	3/4" 1/2"
	15-N12HPN12	3/4" 3/4"

### BLACK POLYETHYLENE


		<b>MIP x MIP</b>
	15-P4HPN4	1/4" 1/4"
	15-P8HPN6	1/2" 3/8"
	15-P8HPN8	1/2" 1/2"
	15-P12HPN8	3/4" 1/2"
	15-P12HPN12	3/4" 3/4"

## Hex Plug


### WHITE NYLON

		<b>MIP</b>
	15-N4HPL	1/4"
	15-N6HPL	3/8"
	15-N8HPL	1/2"
	15-N12HPL	3/4"

### BLACK POLYETHYLENE


		<b>MIP</b>
	15-P4HPL	1/4"
	15-P6HPL	3/8"
	15-P8HPL	1/2"
	15-P12HPL	3/4"

## O-Ring


		
	15-P4OR	1/4"
	15-P6OR	3/8"
	15-P8OR	1/2"
	15-P10OR	5/8"

# BRASS FLARE FITTINGS


## Plug

	05-39-4	1/4"
	05-39-6	3/8"
	05-39-8	1/2"


## Caps

	05-40-4	1/4"
	05-40-6	3/8"
	05-40-8	1/2"
	05-40-10	5/8"
	05-40-12	3/4"


## Nuts

	05-41S-4	1/4"
	05-41S-6	3/8"
	05-41S-8	1/2"
	05-41S-10	5/8"


## Nuts - Forged Heavy Duty

	05-413-4	1/4"
	05-413-6	3/8"
	05-413-8	1/2"
	05-413-10	5/8"


## Unions

	05-42-4	1/4"
	05-42-6	3/8"
	05-42-8	1/2"
	05-42-10	5/8"


## Needle Valve

	05-N42-4	1/4" x 1/4"
---	----------	-------------


## Reducing Unions

	05-42R-6-4	3/8"	1/4"
	05-42R-8-6	1/2"	3/8"


## Tees

	05-44-4	1/4"
	05-44-6	3/8"
	05-44-8	1/2"
	05-44-10	5/8"
	05-44-12	3/4"


## Reducing Branch Tees

		Thru x Branch
	05-44R-446	1/4" 3/8"
	05-44R-668	3/8" 1/2"
	05-44R-886	1/2" 3/8"


## MIP Branch Tees

		Thru x Branch
	05-45-4-6	1/4" 3/8"
	05-45-6-8	3/8" 1/2"


## to MIP

		F x MIP
	05-48-4-2	1/4" 1/8"
	05-48-4-4	1/4" 1/4"
	05-48-4-6	1/4" 3/8"
	05-48-4-8	1/4" 1/2"
	05-48-6-2	3/8" 1/8"
	05-48-6-4	3/8" 1/4"
	05-48-6-6	3/8" 3/8"
	05-48-6-8	3/8" 1/2"
	05-48-6-12	3/8" 3/4"
	05-48-8-4	1/2" 1/4"
	05-48-8-6	1/2" 3/8"
	05-48-8-8	1/2" 1/2"
	05-48-8-12	1/2" 3/4"
	05-48-10-8	5/8" 1/2"
	05-48-10-12	5/8" 3/4"


## to FIP

		F x FIP
	05-46-4-2	1/4" 1/8"
	05-46-4-4	1/4" 1/4"
	05-46-6-2	3/8" 1/8"
	05-46-6-4	3/8" 1/4"
	05-46-6-6	3/8" 3/8"
	05-46-6-8	3/8" 1/2"
	05-46-6-12	3/8" 3/4"
	05-46-8-8	1/2" 3/8"
	05-46-8-8	1/2" 1/2"
	05-46-10-12	5/8" 3/4"


## to MIP Elbow

		F x MIP
	05-49-4-2	1/4" 1/8"
	05-49-4-4	1/4" 1/4"
	05-49-4-6	1/4" 3/8"
	05-49-4-8	1/4" 1/2"
	05-49-6-4	3/8" 1/4"
	05-49-6-6	3/8" 3/8"
	05-49-6-8	3/8" 1/2"
	05-49-8-6	1/2" 3/8"
	05-49-8-8	1/2" 1/2"


## to FIP Elbow

		F x FIP
	05-50-6-6	3/8" 3/8"
	05-50-6-8	3/8" 1/2"
	05-50-8-6	1/2" 3/8"
	05-50-8-8	1/2" 1/2"

## Swivel Unions

	05-52-4	1/4"
	05-52-6	3/8"
	05-52-8	1/2"
	05-52-10	5/8"
	05-52-12	3/4"

## Female to Male

		FF x MF
	05-54-6-4	3/8" 1/4"
	05-54-6-8	3/8" 1/2"
	05-54-8-6	1/2" 3/8"
	05-54-8-10	1/2" 5/8"
	05-54-10-8	5/8" 1/2"
	05-54-10-12	5/8" 3/4"

# DRAIN SADDLES

## Female Pipe



PART NO.	DESCRIPTION
05-834	1/4" FIP
05-836	3/8" FIP

## Compression



PART NO.	DESCRIPTION
05-850	1/4"
05-850-6	3/8"

## Jaco



PART NO.	DESCRIPTION
05-834J	1/4"
05-836J	3/8"

## John Guest



PART NO.	DESCRIPTION
05-834JG	1/4"
05-836JG	3/8"