





DEPENDABLEPORTABLES

Never before has portable power seemed so perfect, our 2.5hp and 3.5hp FourStrokes may be small, but they're filled with big ideas. Both engines feature neutral and forward shift and a tiller steering that rotates 360 degrees and a twist grip throttle for maximum manoeuvrability and one hand control. Plus a very clearly visible sight gauge makes it easy to monitor and maintain a proper oil level.

Features

PERFORMANCE

- Large displacement engine provides excellent low to mid-range power.
- Quiet, smooth-running and smoke free operation.

OPTIONAL 5-YEAR WARRANTY

- Five-year limited non-declining, factory-backed. Conditions and exclusions apply.*
 Not applicable for commercial and racing applications.
- Two-year limited commercial warranty.†

RUNNING QUALITY

- Through prop exhaust buries the engine noise underwater.
- 4 trim positions plus shallow water drive allow easy access to remote areas.
- Vibration isolated twist grip throttle provides a smooth interaction with the engine.

RELIABILITY

- CDI ignition offers maintenance-free dependability and easy starting.
- Superior corrosion protection provides longer life.

TECHNOLOGY

- Visual low pressure warning system.
- Decompression system for quick, effortless one handed starting.



^{*}Terms & Conditions apply.

LARGE DISPLACEMENT

- Overhead design for optimum power.
- Largest displacement in 2.5hp class.
- 18% more displacement than competitor.
- More torque at same weight.

LONG TILLER HANDLE WITH TWIST THROTTLE

- Steering friction easily adjusted.
- Durable design providing easy access for operator.
- 32% less vibration than Honda 2.3hp.
- 10% less vibration than Yamaha 2.5hp.
- Customer comfort and less vibration.

1 LITRE INTEGRAL FUEL TANK

- External fuel shutoff valve. Can be laid on three sides.
- Safe portability and storage.

COMPACT AND LIGHTWEIGHT

- 3.5hp offers more horsepower with the same weight of competitive 2.5hp.
- Easy to carry and transport.

OUIET RUNNING

■ One piece block design & underwater exhaust.

FOUR STROKE	MARINER 2.5/3.5 hp	YAMAHA 2.5 hp	SUZUKI 2.5 hp	TOHATSU 2.5/3.5 hp	HONDA 2.3 hp
Engine Type	1 cylinder	1 cylinder	1 cylinder	1 cylinder	1 cylinder
Displacement	85 cc	72 cc	68 cc	85 cc	57 cc
Dry Weight*	17 kg	17 kg	13.5 kg	18.4 kg**	14 kg

 $^{{}^{*}}$ Website specification comparison. Correct as of 01/09/2014



ADDITION	AL FEATURES & BENEFITS	
CD ignition	Maintenance free and ensures easy starting	
Freshwater flushing port	User friendly - Flushes salt water and debris out of the engine extending the life of the outboard	
Easy rope starting	Convenient for all family members to be able to start with an easy pull	
Oil site gauge	Customer convenience	
Over-rev protection	Can't over-rev the engine. Consumer confidence	
Thermostatically controlled water cooling	Consistent operating temperature. Less chance of overheating.	
Fuel shut off valve	Portability and safe transport with no danger of fuel spill	
Manual choke with automatic fast idle	Easy starting in all conditions	
Automatic decompression	Easy pull starts	
Easy drain oil system	Quick and easy. Reduced maintenance time	
4 manual trim positions	Maximizes hull performance	
Throttle friction adjustment	Set and the maintain speed so you don't have to constantly hold the throttle	
Auto reverse lock	Automatically locks engine in position so the engine doesn't kick up	
Ability to store on either side	Worry free, convenient storage	
Tilt lock system	Convenience when removing boat from water or portaging	
Ergonomic carrying handle	Convenient for transporting and easy to carry	
Composite 3 blade propeller	Lightweight performance and increased thrust over 2 blades	
Stainless steel shear pin	User friendly maintenance - won't rust	

^{**}Commissioned weight





THE COMPLETE PORTABLE PACKAGE

Taking the fun with you is one of the great advantages of owning an inflatable boat or small fishing boat. Mariner offers a complete line of extremely light portable FourStroke outboards, with the widest range of models to choose from. So wherever you and your boat go, so can your Mariner portable FourStroke. The entire range makes operation and portability easy with smart, simple features. Plus, clean, quiet, fuel-efficient FourStroke performance makes them the obvious power of choice.

Features

PERFORMANCE

- Large displacement engine provides excellent low to mid-range power.
- Quiet, smooth-running and smoke free operation.

5-YEAR WARRANTY

- Five-year limited non-declining, factory-backed. Conditions and exclusions apply.*
 Not applicable for commercial and racing applications.
- Two-year limited commercial warranty.†

RUNNING QUALITY

- Through prop exhaust buries the engine noise underwater.
- 6 trim positions plus shallow water drive allow easy access to remote areas.
- Vibration isolated twist grip throttle provides a smooth interaction with the engine.

RELIABILITY

- CDI ignition offers maintenance-free dependability and easy starting.
- Superior corrosion protection provides longer life.

TECHNOLOGY

- Visual low pressure warning system.
- Decompression system for quick, effortless one handed starting.



^{*}Terms & Conditions apply.

LIGHTWEIGHT DESIGN

- At 26kg, one of the lightest in the market.
- Easy to transport with ergonomic handle.
- Convenience and ease of use.

INTEGRAL FUEL TANK

- External fuel shutoff valve and remote tank connection.
- Can be laid on three sides.
- Safe portability and storage.

FORWARD MOUNTED F-N-R SHIFT LEVER

- Allows for easy to reach shift operation, along with the longer tiller handle, for precise throttle control.
- Better manoeuvrability and control.

6 POSITION SHALLOW WATER DRIVE

- Allows user to get maximum versatility in a variety of boating situations.
- Allows extended tilt angles in shallow water at low speed operation.
- Maximum performance and convenience.

EXCLUSIVE THROUGH PROP EXHAUST

- No other 4hp offers this feature so no other is as quiet or efficient.
- Yamaha and Suzuki use "over the prop" exhaust which increases slippage.
- Customer comfort and less vibration.
- Performance, noise reduction and durability.

FOUR STROKE	MARINER 4/5/6 hp	YAMAHA 4/6 hp	SUZUKI 4/5/6 hp	TOHATSU 4/5/6 hp	HONDA 5 hp
Engine Type	1 cylinder	1 cylinder	1 cylinder	1 cylinder	1 cylinder
Displacement	123 сс	139 сс	138 сс	123 сс	127 сс
Dry Weight*	26 kg	27 kg	26 kg	26 kg	28 kg
Integral Tank	1.0L	1.1L	1.5L	1.1L	N/A

^{*}Website specification comparison. Correct as of 01/09/2014



ADDITION	AL FEATURES & BENEFITS
CD ignition	Maintenance free and ensures easy starting
Automatic decompression release	Convenient for all family members to be able to start with an easy
Automatic reverse lock	Automatically locks engine in position so the engine doesn't kick up
Low oil pressure warning system	Alerts operator for piece of mind
Over-rev protection	Can't over-rev the engine. Consumer confidence
Thermostatically controlled water cooling	Consistent operating temperature. Less chance of overheating.
Fuel shut off valve	Portability and safe transport with no danger of fuel spill
Manual choke with automatic fast idle	Easy starting in all conditions
Optional 4 amp alternator*	Provides battery charging on demand and allows use of electronics and lights
Integral fuel tank	Portability
Twist grip throttle	Comfortable and easy to use
Throttle friction adjustment	Set and the maintain speed so you don't have to constantly hold the throttle
Steering friction adjustment	For easy adjustment of steering operation
Robust tiller handle	Durable convenient operation
Through prop exhaust	Quiet, smoke free operation
Ergonomic carrying handle	Convenient for transporting and easy to carry
Aluminium propeller	Standard - Added value
Freshwater flush	User friendly - easy maintenance
*C+	









Even with all the user-friendly features included, our 8 and 9.9hp FourStrokes are one of the lightest in their class. A convenient multifunction tiller handle provides easy one-hand shifting operation while the manual choke and primer features makes it easy to get things started. Plus these outboards come equipped with our exclusive automatic reverse hooks that don't require you to manually change the clumsy lever to hold the engine in place while running in reverse.

Features

PERFORMANCE

- Clean and efficient, with plenty of torque to keep the fun.
- Multi-function tiller handle controls shift, stop, throttle, throttle friction and steering for one hand operation.
- Inherent FourStroke characteristics include quiet, smooth operation and exceptional idling.

5-YEAR WARRANTY

- Five-year limited non-declining, factory-backed. Conditions and exclusions apply.*
 Not applicable for commercial and racing applications.
- Two-year limited commercial warranty.†

RUNNING OUALITY

- Overhead can design for quiet and efficient operation.
- 5 trim positions plus shallow water drive allow easy access to remote areas and better control in shallow waters.
- Manual recoil starter, even on electric start models.

RELIABILITY

- Enhanced fuel primer and manual choke deliver instant starts every time.
- Visual low pressure warning system.

TECHNOLOGY

Manual start models feature a 6 amp / 76 watt alternator to keep batteries properly charged.

*Terms & Conditions apply.





LIGHTWEIGHT & COMPACT DESIGN

- At only 37.6kg, this engine is perfect for a wide range of small boats.
- Versatility in applications.
- Ergonomic handle keeps the weight balanced for easier carrying.
- Portability for convenient transporting.

MULTI-FUNCTION TILLER HANDLE

- Offers one hand operation and total control over shifting, throttle, steering, engine stop, throttle friction and tilting.
- Better manoeuvrability and ease of use.

EXCLUSIVE RATCHETING TRIM

 Push down on the tiller handle to manually reset the 3-position memory tilt pin.

EXCLUSIVE FUEL PRIMER & FAST IDLE SYSTEM

- Better than competitive auto-choke systems that prove to lean for todays changing fuels.
- Provides fast, easy starting and simple fast idle control.
- Reliability.

FOUR STROKE	MARINER 8/9.9 hp	YAMAHA 8/9.9 hp	SUZUKI 8/9.9 hp	TOHATSU 8/9.9 hp	HONDA 8/10 hp
Engine Type	2 cylinder	2 cylinder	2 cylinder	2 cylinder	2 cylinder
Displacement	208 cc	197/212 cc	208 сс	208 cc	222 cc
Dry Weight*	37 kg	38/40 kg	43 kg	37.2 kg	52.5 kg

^{*}Weight based on owner's manual



ADDITION	AL FEATURES & BENEFITS
Tilt lock	Handy when removing boat from water
Water cooled fuel cooler	Thermostatically controlled - Minimises vapour lock and hot fuel issues for long term reliability
Manual recoil starter	Standard on all electric start models ensuring engine can be started if battery loses its charge
CD ignition	No maintenance - quick reliable starts
Over-rev protection	Can't over-rev the engine. Consumer confidence
Low oil pressure warning system	Alerts operator to prevent engine damage
Manual or electric start	Always be able to start the engine if the battery is flat
6 amp alternator (electric models)	Provides battery charging on demand and allows use of electronics and lights
Twist grip throttle	Comfortable and easy to use
Throttle friction adjustment	Set and the maintain speed so you don't have to constantly hold the throttle
Robust tiller handle	Durable convenient operation
Ergonomic carrying handle	Convenient balanced transporting
Aluminium propeller	Standard - added value
Freshwater flush system	User friendly - easy maintenance
Automatic reverse lock	Automatically locks engine in position so the engine doesn't kick up
F-N-R shift	Easy manoeuvrability
5 tilt positions and shallow water drive	Maximises hull performance
Easy Access Oil Drain Plug	Easy maintenance
Throttle only button	Tiller models only - easy starting in rare case of a flooded engine





DEPENDABILITYCOMES AS STANDARD

Bigger isn't always better as inflatables, tenders and small boats prov with their easy mobility. So, wherever the mood tales you, there's a Mariner FourStroke to suit. The 15 and 20 hp models are loaded with typical Mariner features, which translate into smooth, problem-free and economical operation, all with low emissions and terrific fuel-efficiency. Safety, dependability and ease of use as demonstrated by the multi-function tiller handle, are Mariner hallmarks.

Features

PERFORMANCE

- Clean and efficient, with plenty of torque to keep the fun.
- Multi-function tiller handle controls shift, stop, throttle, throttle friction and steering for one hand operation.
- Inherent FourStroke characteristics include quiet, smooth operation and exceptional idling.

5-YEAR WARRANTY

- Five-year limited non-declining, factory-backed. Conditions and exclusions apply.*
 Not applicable for commercial and racing applications.
- Two-year limited commercial warranty.†

RUNNING QUALITY

- Overhead can design for quiet and efficient operation.
- 5 trim positions plus shallow water drive allow easy access to remote areas and better control in shallow waters.

RELIABILITY

- Enhanced fuel primer and manual choke deliver instant starts every time.
- Visual low pressure warning system.

TECHNOLOGY

- Manual start models feature a 6 amp / 76 watt alternator to keep batteries properly charged.
- Manual recoil starter, even on electric start models.

*Terms & Conditions apply.



LIGHTWEIGHT & COMPACT DESIGN

- At 351cc, this engine delivers strong low end torque needed to get the hull up on the plane.
- Quicker throttle response and acceleration.
- Maximum overall performance and efficiency.
- Portability for convenient transporting.

MULTI-FUNCTION TILLER HANDLE

 Offers one hand operation and total control over shifting, throttle, steering, engine stop, throttle friction and tilting.

Better manoeuvrability and ease of use.

EXCLUSIVE ENGINE MOUNT

Mariner's "wishbone" style motor mount system cradles the powerhead, absorbing the torsional rotation of the crankshaft and isolating any vibration transmission to the hull.

Provides smooth overall operation.

EXCLUSIVE FUEL PRIMER & FAST IDLE SYSTEM

- Better than competitive auto-choke systems that prove to lean for todays changing fuels.
- Provides fast, easy starting and simple fast idle control.
- Reliability.

AUTOMATIC REVERSE LOCK

- Hooks automatically engage when shifting to reverse to prevent engine from popping out of the water.
- No need to remember to operate a separate lock down lever.

FOUR STROKE	MARINER 15/20 hp	YAMAHA 15/20 hp	SUZUKI 15/20 hp	TOHATSU 15/20 hp	HONDA 15/20 hp
Engine Type	2 cylinder	2 cylinder	2 cylinder	2 cylinder	2 cylinder
Displacement	351 cc	362 cc	327 cc	351 cc	350 сс
Dry Weight*	52 kg	52.6 kg	54.4 kg	52.6 kg	46.7 kg

^{*}Website specification comparison. Correct as of 01/09/2014



ADDITION	AL FEATURES & BENEFITS
Twin cylinder	Lightweight compact design
CD ignition	No maintenance - quick reliable starts
Over-rev protection	Can't over-rev the engine. Consumer confidence
Low oil pressure warning system	Alerts operator to prevent engine damage
Manual or electric start	Consumer confidence in low battery cases
12 amp alternator	Provides battery charging on demand and allows use of electronics and lights
Ergonomic carrying handle	Convenient, balanced transporting, easy to carry
Thermostatically controlled water cooling	Provides battery charging on demand and allows use of electronics and lights
Through prop exhaust	Quiet smoke free operation
Automatic reverse lock	Automatically locks engine in position so the engine doesn't kick up
F-N-R Shift	Easy manoeuvrability
Dual water pickups	Supply of cooling water at all times
Tiller or remote models	Either tiller arm or steering wheel option
6 trim positions and shallow water drive	Maximises hull performance
Multi function tiller handle	Throttle and gear operation through twist grip
Backup rope on electric models	Always start the engine even if the battery is flat





No longer will boaters feel let down by the lack of features on smaller engines because these recently introduced Mariner FourStrokes set new standards for the class. Thanks to the application of new technology, the 25 and 30 EFI are considerably lighter than their predecessors, thereby providing better boat balance and improving handling. With electronic fuel injection providing smoother, cleaner running, these pioneering new small engines also offer improved torque and outstanding fuel economy. As you would expect of Mariner, the pioneering application of EFI in this class brings with it further improved reliability and reduced maintenance, both founded on testing of bigger models.

Features

PERFORMANCE

- Water cooled fuel cooler minimizes vapor lock and hot fuel issues.
- Multi-function tiller handle controls shift, stop, throttle, throttle friction and steering for one hand operation.
- Inherent FourStroke characteristics include quiet, smooth operation and exceptional idling.

5-YEAR WARRANTY

- Five-year limited non-declining, factory-backed. Conditions and exclusions apply.*
 Not applicable for commercial and racing applications.
- Two-year limited commercial warranty.†

RUNNING OUALITY

- Sequential EFI independently calibrates the exact amount of fuel needed by each cylinder, for unmatched smoothness, turn-key starting and instantaneous throttle response.
- All models come as standard with a 15 amp/186 watt alternator.

RELIABILITY

- A warning lamp with audio warns the operator of over-rev, low oil pressure or over heat.
- All electric start models feature a manual recoil starter for peace of mind and safety in case of a drained battery.

TECHNOLOGY

- Manual start models feature a 6 amp / 76 watt alternator to keep batteries properly charged.
- Manual recoil starter, even on electric start models.







POWERFUL 3 CYLINDER DESIGN

 Provides better inherent balance for smoother overall operation than a twin cylinder requiring a counter balance.

LIGHTWEIGHT DESIGN

- At 71kg the 25hp EFI is the lightest in its class.
- At 78kg the 30hp EFI is the lightest in its class.

MULTI-FUNCTION TILLER HANDLE

- Offers one-hand operation and total control over shifting, throttle, steering, engine stop, throttle friction and tilting.
- Better manoeuvrability and ease of use.

INDUSTRY-LEADING BATTERY FREE EFI

- Turn-key starting and a quicker throttle response with no carburettors to gum up. Also available on rope start models.
- Dependability and efficiency.

HIGH OUTPUT ALTERNATOR

- 15 Amps provides superior battery charging capabilities.
- 33% more charging power than Honda (10 amps).
- 13% more charging power than Yamaha (13 amps).

FOUR STROKE	MARINER 25 hp	YAMAHA 25 hp	SUZUKI 25 hp	TOHATSU 25 hp	HONDA 30 hp	EVINRUDE 30 hp
Engine Type	3 cylinder	2 cylinder	3 cylinder	3 cylinder	3 cylinder	2 Cyl. 2-stroke
Displacement	526 cc	498 cc	490 cc	526 cc	552 cc	575
Dry Weight*	71 kg	76 kg	72 kg	81 kg	77.5 kg	70 kg

^{*}Weight based on owner's manual

FOUR STROKE	MARINER 30 hp EFI	HONDA 30 hp	TOHATSU 30 hp EFI	EVINRUDE E-TEC 30 hp 2S
Engine Type	3 cylinder	3 cylinder	3 cylinder	2 cylinder
Displacement	526 cc	552 cc	526 cc	578 cc
Dry Weight*	78 kg	80 kg	82 kg	82 kg

^{*}Website specification comparison. Correct as of 01/09/2014



ADDITION	AL FEATURES & BENEFITS			
Lightweight	From 71 kg it's one of the lightest in its class			
Dual water inlets	Insures proper cooling for all key powerhead and gearcase components			
Water cooled fuel cooler	Minimises vapour lock and hot fuel issues. Offers long term reliability			
CD ignition	No maintenance - quick reliable starts			
Over-rev protection	Can't over-rev the engine. Consumer confidence			
Low oil pressure warning system	Alerts operator to prevent engine damage			
Manual or electric start	Consumer confidence in low battery cases			
15 amp alternator	Provides battery charging on demand and allows use of electronics and lights			
Ergonomic carrying handle	Convenient, balanced transporting, easy to carry			
Thermostatically controlled water cooling	Provides battery charging on demand and allows use of electronics and lights			
Through prop exhaust	Quiet smoke free operation			
Automatic reverse lock	Automatically locks engine in position so the engine doesn't kick up			
F-N-R Shift	Easy manoeuvrability			
Multi function tiller handle	On hand - full range of operations			
Tiller or remote models	Fits many applications			
6 trim positions and shallow water drive	Maximises hull performance			
Tuned cowl induction	Best in class quiet operations, reduced noise			





SMOOTH, POWERFUL AND FUEL EFFICIENT

Buying a mid-range Mariner FourStroke means you're buying more because our 40hp motors also feature proven electronic fuel injection which offers renowned fuel efficiency and smooth, quiet operation. This outboard is SmartCraft-ready and are equipped with turn-key starting for fast and reliable ignition.

Never has Mariner dependability looked or sounded so good.

Features

PERFORMANCE

- Inherent FourStroke characteristics include quiet, smooth operation and exceptional idling.
- 40% better fuel economy than comparable 2-stroke models.
- Integral power trim adjusts boat's attitude for improved boat handling under a variety of speeds and water conditions.

5-YEAR WARRANTY

- Five-year limited non-declining, factory-backed. Conditions and exclusions apply.*
 Not applicable for commercial and racing applications.
- Two-year limited commercial warranty.†

RUNNING QUALITY

- EFI models offer turn-key starting and instantaneous throttle response in all types of atmospheric conditions.
- Low-noise combustion process and sound-dampening cowls for extremely smooth and quiet operation.

RELIABILITY

- Designed for strength and durability.
- Corrosion resistant.
- Stainless steel driveshaft, shift shaft, prop shaft, water pump housings and power head fasteners.

TECHNOLOGY

 SmartCraft technology with Engine Guardian System; monitors engine functions and alerts you to possible engine problems.

*Terms & Conditions apply.



POWERFUL 3 CYLINDER DESIGN

- A SOHC and long intake stroke design increases torque output for better acceleration.
- Performance with smooth quiet overall operation.

COMPACT DESIGN

- Compact lightweight design available with manual or electric start and Gas Assist or Power Trim.
- Versatile and efficient.

ELECTRONIC FUEL INJECTION EFI

- Provides turn-key reliable starting, instant throttle response, spectacular fuel economy and lower fuel system maintenance.
- More dependable, more efficient with more power and lower cost of operation.

EASY SHIFT OPERATION

- New precision engineered shift system delivers smooth shifting for an improved driving experience.
- Comfort and reliability.

TAKE IT SLOW

 SmartCraft TROLL CONTROL feature allows you to set your rpm as low as 700 for trolling. (optional extra)

FOUR STROKE	MARINER 40 hp	YAMAHA 40 hp	SUZUKI 40 hp	HONDA 40 hp
Engine Type	3 cylinder	3 cylinder	3 cylinder	3 cylinder
Displacement	747 cc	747 cc	941 cc	808 cc
Dry Weight*	97 kg	101 kg	104 kg	98 kg

^{*}Website specification comparison. Correct as of 01/09/2014



ADDITIONAL FEATURES & BENEFITS								
Lightweight	At 97 kg it's one of the lightest in its class							
Gas assist trim	Ease in tilting engine							
CD ignition	Maintenance free and ensures easy starting							
SmartCraft	Delivers information regarding 23 key engine functions from fuel usage, rpm & engine guardian to slow trolling rpm control and even hull information							
Power trim / tilt	Allows users to trim the unit for maximum performance / handling & shallow water operation							
Freshwater flushing port	Rear mounted - flushes salt water and debris out of the engine extending the life of the outboard							
Easy maintenance	Convenient oil drain and fill location, along with an automotive style spin-on filter							

ADVANTAGE OVER SUZUKI

- Long stroke design vs. short stroke more torque and power
- 7kg lighter improves hull manoeuvrability
- Compact SOHC vs. complex DOHC reduced maintenance costs
- SmartCraft (Troll Control) vs. none enhanced precise trolling

ADVANTAGE OVER SUZUKI

- 18 amp vs. 15 amp alternator 20% more charging
- Troll Control (10 rpm steps) vs. Variable Trolling (50 rpm steps)*
- SmartCraft vs. Command Link®

^{*}Optional extra





Buying a mid-range Mariner FourStroke means you're buying more because our 50 and 60hp motors also feature proven electronic fuel injection which offers renowned fuel efficiency and smooth, quiet operation. For added durability and push, Command Thrust models feature taller gearcases and 33% larger components. Just the job for bigger boats. These outboards are SmartCraft-ready and are equipped with turn-key starting for fast and reliable ignition. Never has Mariner dependability looked or sounded so good.

Features

PERFORMANCE

- Inherent FourStroke characteristics include quiet, smooth operation and exceptional idling.
- 40% better fuel economy than comparable 2-stroke models.
- Integral power trim adjusts boat's attitude for improved boat handling under a variety of speeds and water conditions.

5-YEAR WARRANTY

- Five-year limited non-declining, factory-backed. Conditions and exclusions apply.*
 Not applicable for commercial and racing applications.
- Two-year limited commercial warranty.†

RUNNING OUALITY

- EFI models offer turn-key starting and instantaneous throttle response in all types of atmospheric conditions.
- Low-noise combustion process ans sound-dampening cowls for extremely smooth and quiet operation.

RELIABILITY

- Designed for strength and durability.
- Corrosion resistant.
- Stainless steel driveshaft, shift shaft, prop shaft, water pump housings and power head fasteners.

TECHNOLOGY

 SmartCraft technology with Engine Guardian System; monitors engine functions and alerts you to possible engine problems. (optional extra)



^{†2} Year Government/Commercial Warranty. Terms & Conditions apply. May require extra components. i.e. under cowl hour meter.





LARGE DISPLACEMENT 4-CYLINDER ENGINE

- A SOHC and long intake stroke design increases torque output for better acceleration.
- Performance with smooth quiet overall operation.

ELECTRONIC FUEL INJECTION EFI

- Provides turn-key reliable starting, instant throttle response, spectacular fuel economy and lower fuel system maintenance.
- More dependable, more efficient with more power and lower cost of operation.

HIGH OUTPUT ALTERNATOR

■ 18 Amps provides superior battery charging capability.

EASY SHIFT OPERATION

- New precision engineered shift system delivers smooth shifting for an improved driving experience.
- Comfort and reliability.

TAKE IT SLOW

 SmartCraft TROLL CONTROL feature allows you to set your rpm as low as 700 for trolling. (optional extra)

FOUR STROKE	MARINER 50 hp	YAMAHA 50 hp	SUZUKI 50 hp	HONDA 50 hp
Engine Type	4 cylinder	4 cylinder	3 cylinder	3 cylinder
Displacement	996 cc	996 cc	941 cc	808 cc
Dry Weight*	112 kg	113 kg	104 kg	98 kg

^{*}Website specification comparison. Correct as of 01/09/2014



COMMAND THRUST'S GEARCASE

Locates propeller deeper in the water. The lower position keeps the prop below turbulent water, allowing it to operate in cleaner, less aerated water.

COMMAND THRUST'S PROPELLER

 Designed with 20% more surface area than competitive props for greater performance.

COMMAND THRUST'S LOW GEAR RATIO

■ The 2.33:1 ratio improves overall thrust and overall efficiency.

ADDITIONAL FEATURES & BENEFITS							
SmartCraft	Delivers information regarding 23 key engine functions from fuel usage, rpm & engine guardian to slow trolling rpm control and even hull information						
Power trim / tilt	Allows users to trim the unit for maximum performance / handling & shallow water operation						
Freshwater flushing port	Rear mounted - flushes salt water and debris out of the engine extending the life of the outboard						
Easy maintenance	Convenient oil drain and fill location, along with an automotive style spin-on filter						
Tiller or remote steering	Standard models along with Big Tiller kit option allows rigging for all types of boating applications						
18 Amp alternator	Maintains battery charge to run electronics, lights and other accessories						
Precision shift system	Delivers smooth, quiet effortless shifting						

FOUR STROKE	MARINER 60 hp Command Thrust	YAMAHA 60 hp High Thrust	HONDA 60 hp Power Thrust
Engine Type	4 cylinder	4 cylinder	3 cylinder
Displacement	996 cc	996 cc	998 cc
Dry Weight*	118 kg	119 kg	119 kg

^{*}Website specification comparison. Correct as of 01/09/2014







DURABILITYAND PERFORMANCE

What if you could hang a lighter, lower-horsepower FourStroke outboard on your transom with out sacrificing speed, hole shot, driving experience or sheer pulling power? What if that outboard also delivered increased fuel savings, hassle-free maintenance and rugged reliability? Less weight and high displacement mean Mariner's new 75 - 115hp FourStrokes generate abundant torque and immediate power. Because they don't have to work as hard as heavier engines or those with lower displacement, these engines make boats plane faster, accelerate better and provide optimal fuel efficiency at cruising speed.

Features

PERFORMANCE

- Lightest in class providing better acceleration, fuel economy, all-out performance and precise manoeuvrability.
- High displacement leads to improved durability and longer life.

5-YEAR WARRANTY

- Five-year limited non-declining, factory-backed. Conditions and exclusions apply.*
 Not applicable for commercial and racing applications.
- Two-year limited commercial warranty.†

RUNNING OUALITY

- Specialised crankshaft oil dams and bearings minimise the amount of oil left suspended in the crankcase, reducing friction and vibration.
- Hydrodynamic gearcase produces 15% less drag.

RELIABILITY

- Lightweight and large displacement designed for strength and durability.
- Corrosion resistant.
- Stainless steel driveshaft, shift shaft, prop shaft, water pump housings and power head fasteners.

TECHNOLOGY

 SmartCraft technology with Engine Guardian System; monitors engine functions and alerts you to possible engine problems.





LIGHTWEIGHT DESIGN & EFFICIENT PERFORMANCE

- Best in class 2.1 litre displacement. Lightest 115hp in class at 163kg.
- Maintenance free, low friction SOHC valve train.

EASIEST TO RIG WITH IMPROVED DESIGN

 EZ fuel line connection, convenient battery cable access, quick connect throttle & shift cable, steering link rod attachment grouped wiring hook ups.

WORLD-CLASS HYDRODYNAMIC GEARCASE

- Delivers the best performance on lighter, performance orientated hulls.
- Less hydrodynamic drag means the engine works less hard.

SMOOTHEST OPERATION

- New trim system pump design manages trim movement in virtual silence.
- Exclusive focused mount system has higher durability & reduced vibration.

BEST SOUND OUALITY

- Tightly sealed cowl and lightweight thermal bond keeps noise in.
- Closed cell acoustic foam lining in driveshaft housing chaps.
- Top mounted throttle body allows for fine tuning intake noise to a much more pleasing lower tone.

35 AMP HEAVY DUTY ALTERNATOR

- A three-phase system with flywheel, dedicated stator and water-cooled voltage rectifier/regulator.
- Compact and lightweight it maintains the battery charge especially at lower rpm speeds.

FOUR	MARINER	YAMAHA	SUZUKI
STROKE	115 hp	115 hp	115 hp
Dry Weight*	163 kg	171 kg	187 kg
FOUR	EVINRUDE	NEW YAMAHA	HONDA
STROKE	115 hp	115 hp	115 hp
Dry Weight*	177 kg	172 kg	217 kg

^{*}Website specification comparison. Correct as of 01/09/2014



PERFORMANCE-TUNED SCROLL INTAKE


- Compact and simple design, uses a single throttle body and long intake runners to pack in more air to build torque. Top mounted for a more pleasing.
- Performance & sound quality

MULTI-PORT ELECTRONIC FUEL INJECTION

- Computer controlled. Easy, reliable starting (hot or cold).
 Precise metering for economy. Pressurized fuel system.
- Reliable starts & dependable, efficient performance.

COMMAND THRUST

An industry first, takes the concept of using a larger gearcase on a smaller base powerhead..



FOUR	MARINER	SUZUKI	EVINRUDE	HONDA	YAMAHA
STROKE	75/90hp	75/80/90 hp	75/90 hp	100hp	90hp
Dry Weight*	ry Weight* 163 kg		145 kg	166 kg	166 kg
FOUR	MARINER	SUZUKI	EVINRUDE	HONDA	YAMAHA
STROKE	75/90hp	75/80/90 hp	75/90 hp	100hp	90hp
Displacement	2.1 litre	1.5 litre	1.3 litre	1.5 litre	1.6 litre

^{*}Website specification comparison. Correct as of 01/09/2014





HIGHEST DISPLACEMENT

Big displacement, combined with the lightest weight and smaller package size means strong, long-lasting performance on light and heavy hulls alike. The 150 maximises your time on the water by making basic maintenance easy to do and quick to perform by you. The compact and lightweight design means the engine can be mounted on a tight boar transom. It is also flexible enough to accommodate mechanical or hydraulic steering. With 3.0 litre displacement this 4 cylinder SOHC design works less to produce more torque and horsepower, which means exceptional durability and long-term peace of mind.

Features

HIGHEST DURABILITY

- Largest displacement, lower stress.
- Massive torque for powerful acceleration.
- Large gearcase for low stress and improved lift.

5-YEAR WARRANTY

- Five-year limited non-declining, factory-backed. Conditions and exclusions apply.*
 Not applicable for commercial and racing applications.
- Two-year limited commercial warranty.†

LIGHTEST WEIGHT & SMALLEST PACKAGE SIZE

- Almost 10kg lighter than nearest FourStroke competitor.
- The most compact and lowest profile 150 FourStroke.

EASY TO MAINTAIN

- Easy-change fuel filter and easy-drain oil system.
- Exclusive maintenance-free for life valve train and timing chain.

TECHNOLOGY

 SmartCraft technology with Engine Guardian System; monitors engine functions and alerts you to possible engine problems.



^{*}Terms & Conditions apply.

LIGHTEST & SMALLEST 150HP AVAILABLE

- Mariner's cutting-edge engineering has packed incredible power into
- a small, light package. It has 18% fewer parts than competitive engines.
- Durable, compact power.

HIGHEST DISPLACEMENT IN 150HP CLASS

- At 3.0 litres this 4-cylinder SOHC design works less to produce more torque and horsepower.
- Smooth, quiet power.

CLASS LEADING CORROSION RESISTANCE

 XK 360 low copper alloy and MercFusion paint combine with extensive use of stainless steel for maximum protection.

LOW FRICTION VALVE TRAIN SOHC

- Race proven "Roller Finger Followers" and oversized valves offer a less complex design.
- Maintenance-free valve train.

PERFORMANCE-TUNED SCROLL INTAKE MANIFOLD

- Long intake runner ensures maximum efficiency, resulting in top performance.
- Responsive power.

BEST IN CLASS BATTERY CHARGING SYSTEM


- Mercury's belt driven, "on-demand" alternator produces less heat over competitive magneto systems and only provides power when needed.
- 60 amp alternator produces a net charge of 30 amps at low speeds and 46 amps above 3000 rpm.

FOUR STROKE	MARINER 150 hp	YAMAHA 150 hp	SUZUKI 150 hp	HONDA 150 hp
Engine Type	In-line 4	In-line 4	In-line 4	In-line 4
Displacement	3000 cc	2670 cc	2867 сс	2354 сс
Dry Weight*	206 kg	218 kg	223 kg	217 kg

^{*}Website specification comparison. Correct as of 01/09/2014



ADDITION	AL FEATURES & BENEFITS
Multi-port EFI	Reliable starts and dependable performance
Vibration management system	Balancer shafts ensure low transmitted vibration and the focused mounts mean smooth overall operation
11° rotated powerhead	Advanced engineering provides a narrow profile design, delivering smooth performance
Power flow exhaust	Efficient engine performance
Idle exhaust relief (sound)	Quiet operation makes it easy to converse
World-Class hydrodynamic gearcase	A durable 4.9 inch torpedo and low 1.92:1 gear ration means less drag for improved performance
Top cowl "Water- separating baffle" system	Inner liners redirect any water entering through the rear air intakes down to exit through a pair of drain holes in the rear side area. Powerhead stays dry
Fresh water flush	Flush with engine running at idle speed or turned off
SmartCraft digital or analog compatible instrumentation	Operator kept conveniently updated on critical engine functions with this engine management system
Optional Mariner Power Steering (for dual engines)	Automotive-like ease of steering, precise, responsive boat control & handling with no undesirable steering torque
Optional big tiller	Power steering, convenient up-front shift & power trim switch -



all for precise comfortable control

handle kit







PROVIDING POWER WITH ABSOLUTE CONTROL

Ever-recognised that power without purpose is an exercise in futility, Mariner endowed the high-tech Verado range with unheard of levels of durability combined with silent and clean running, and a level of sophistication which appeals to serious powerboat users, worldwide. Ultimately, Verado is all about integrated propulsion, which blends power and responsiveness through SmartCraft Digital Throttle and Shift.

Features

TECHNOLOGY

- The Verado uses a 4 point progressive rate perimeter mount system that decreases vibration by 50%, improves stability and makes steering easier.
- SmartCraft technology with the Engine Guardian System, monitors engine functions and alerts you to possible engine problems.

PERFORMANCE

- Verado is the first ever supercharged inter-cooled FourStroke and delivers best-in-class torque and acceleration.
- SmartCraft Digital Throttle and Shift provide smooth, quiet shift engagement and instantaneous throttle response.

RELIABILITY

- Verado is the most proven marine power ever produced with more than 25,000 hours of testing.
- All major structural components were specifically designed and built for the supercharged Verado for maximum durability and reliability

5-YEAR WARRANTY

- Five-year limited non-declining, factory-backed. Conditions and exclusions apply.*
 Not applicable for commercial and racing applications.
- Two-year limited commercial warranty.†

RUNNING OUALITY

 Dramatically better torque than any FourStroke and most TwoStrokes. From hole-shot to wide open throttle, mid-range acceleration exceeds that of any other outboard.



^{*}Terms & Conditions apply.

VERADO'S SUPERCHARGED SYSTEM

- Delivers the torque big boats need for immediate planing superior mid-range acceleration and strong speed.
- Performance with smooth quiet overall operation.

CHARGE AIR COOLER

- Works with supercharger by cooling air before it enters the combustion chamber.
- Delivers optimal engine performance.

SMARTCRAFT DTS

- Digital Throttle and Shift delivers ultra smooth, quiet and responsive shifting/throttle operation requiring virtually no maintenance.
- Comfort with durability.

SMARTCRAFT MANAGEMENT SYSTEM

- Provides up to the minute information on everything from fuel management and boat speed to engine temperature and diagnostics.
- Improved efficiency based on more accurate information.

MAINTENANCE FREE VALVE TRAIN

- Maintenance free and maximum durability by optimised valve design and maximum combustion stability.
- Worry free durability.

FOUR STROKE	MARINER 200 hp	NEW YAMAHA 200 hp	SUZUKI 200 hp	HONDA 200 hp
Engine Type	In-line 4	In-line 4	55° V6	60° V6
Displacement	1733 сс	2785 сс	3614 cc	3471 cc
Dry Weight*	238 kg	221 kg	263 kg	265 kg
Alternator	70 amp	50 amp	54 amp	60 amp
Gear Ratio	2.08:1	1.86:1	2.50:1	1.86:1

^{*}Website specification comparison. Correct as of 01/09/2014



ADDITIONAL FEATURES & BENEFITS Exclusive to Verado. Provides consistent oil temperatures Water-to-oil heat and prevents condensation and oil dilution for exchanger reliability and endurance Ultimate level of durability and performance with a maintenance Optimal valve design free valve train for the life of the engine Electronic boost Controls the boost pressure from the supercharger to ensure bypass valve consistent performance regardless of temperature or pressure Long bolt Eliminates the effects of expansion and contraction to provide long term powerhead structure and durability powerhead design Provides battery charging on demand and allows use of 70 amp alternator electronics and lights Idle exhaust Virtually no sound when engine runs at idle relief system Fresh water flush Protects engine and allows fro easy maintenance Ensures the perfect ratio of fuel and air to achieve optimal Sequential multiport combustion efficiency providing consistent running quality fuel injection and engine performance Delivering class leading torque and horsepower throughout the 4 valve / cylinder power band to provide boat planing and acceleration double overhead cam Prevents engine from impacting with the short transom wells SmartCraft found on some boats. Feature lets you adjust the tilt limit to a programmable tilt point prior to maximum tilt **External mounted** Customer convenience when trailering trim switch Front low water Consistent water pressure and engine cooling

pickups







PROVIDING POWER WITH ABSOLUTE CONTROL

Ever-recognised that power without purpose is an exercise in futility, Mariner endowed the high-tech Verado range with unheard of levels of durability combined with silent and clean running, and a level of sophistication which appeals to serious powerboat users, worldwide. Ultimately, Verado is all about integrated propulsion, which blends power and responsiveness through SmartCraft Digital Throttle and Shift.

Features

TECHNOLOGY

- The Verado uses a 4 point progressive rate perimeter mount system that decreases vibration by 50%, improves stability and makes steering easier.
- SmartCraft technology with the Engine Guardian System, monitors engine functions and alerts you to possible engine problems.

PERFORMANCE

- Verado is the first ever supercharged inter-cooled FourStroke and delivers best-in-class torque and acceleration.
- SmartCraft Digital Throttle and Shift provide smooth, quiet shift engagement and instantaneous throttle response.

RELIABILITY

- Verado is the most proven marine power ever produced with more than 25,000 hours of testing.
- All major structural components were specifically designed and built for the supercharged Verado for maximum durability and reliability

5-YEAR WARRANTY

- Five-year limited non-declining, factory-backed. Conditions and exclusions apply.*
 Not applicable for commercial and racing applications.
- Two-year limited commercial warranty.†

RUNNING QUALITY

 Dramatically better torque than any FourStroke and most TwoStrokes. From hole-shot to wide open throttle, mid-range acceleration exceeds that of any other outboard.



^{*}Terms & Conditions apply.

VERADO'S SUPERCHARGED SYSTEM

- Delivers the torque big boats need for immediate planing superior mid-range acceleration and strong speed.
- Performance with smooth quiet overall operation.

CHARGE AIR COOLER

- Works with supercharger by cooling air before it enters the combustion chamber.
- Delivers optimal engine performance.

SMARTCRAFT DTS & MANAGEMENT SYSTEM

- Digital Throttle and Shift delivers ultra smooth, quiet and responsive shifting/throttle operation requiring virtually no maintenance.
- Provides up to the minute information on everything from fuel management and boat speed to engine temperature and diagnostics.
- Improved efficiency based on more accurate information.
- Comfort with durability.

MERCURY POWER STEERING

- This exclusive system eliminates steering torque while delivering a precise steering feel.
- Comfort with tight control.

MAINTENANCE FREE VALVE TRAIN

- Maintenance free and maximum durability by optimised valve design and maximum combustion stability.
- Worry free durability.

FOUR STROKE	MARINER 300 hp	YAMAHA 300 hp	SUZUKI 300 hp
Engine Type	In-line 6	60° V6	55 V6
Displacement	2598 cc	4162 cc	4028 cc
Dry Weight*	299 kg	255 kg	279 kg
Alternator	70 amp	70 amp	54 amp
Gear Ratio	5.44" 1.85:1	1.75:1	2.08:1

^{*}Website specification comparison. Correct as of 01/09/2014



ADDITION	AL FEATURES & BENEFITS					
Advanced mid- section AMS	Innovative position around the powerhead virtually eliminates engine related boat vibration					
Long bolt powerhead design	Eliminates the effects of expansion and contraction to provide long term powerhead structure and durability					
Digital throttle & shift system	SmartCraft DTS delivers automotive-like control, instant throttle response and smooth shifting					
In-line 6-cylinder	Smoothest running quality, maximising torque and less noise					
Electronic boost bypass valve	Controls the boost pressure from the supercharger to ensure consistent performance regardless of temperature or pressure					
Water-to-oil heat exchanger	Consistent oil temperature prevents condensation and oil dilution					
70 amp alternator	Provides battery charging on demand and allows use of electronics and lights					
Idle exhaust relief system	Virtually no sound when engine runs at idle					
Fresh water flush	Protects engine and allows for easy maintenance					
Sequential multiport fuel injection	Ensures the perfect ratio of fuel and air to achieve optimal combustion efficiency providing consistent running quality and engine performance					
4 valve / cylinder double overhead cam	Delivering class leading torque and horsepower throughout the power band to provide boat planing and acceleration					
SmartCraft programmable tilt	Prevents engine from impacting with the short transom wells found on some boats. Feature lets you adjust the tilt limit to a point prior to maximum tilt					
External mounted trim switch	Customer convenience when trailering					
Front low water pickups	Consistent water pressure and engine cooling					

SPECIFICATIONS



	Models ⁽¹⁾	Kilowatts (HP) ⁽²⁾	Max. RPM at full throttle	Cylinders	Displacement	Starting	Gear ratio	Steering	Alternator system	Trim positions	Weight ⁽⁴⁾	Recommended boat transom height	Induction system
M	ARINER FOURSTROKES	5											
150	150EFI	110.3 (150)	5000 - 5800	4 (in-line)	3000 cc	Electric (turn-key)	1.92:1	Remote	60 amp (756 watt)	Power trim standard	206 kg	508 mm (L) - 635 mm (XL)	4-valve dual overhead cam design
75 - 115		84.6 (115) - 66.2 (90) - 55.2 (75)	115: 5000 - 6000 90-75: 4500 - 5500	4 (in-line)	2100 cc	SmartStart electric	2.07:1	Remote	35 amp (441 watt)	Power trim standard	115: 165 kg 90: 163 kg 75: 163 kg	115: 508 mm (L) - 635 mm (XL) 90 - 75: 508 mm (L)	4-valve single overhead cam design
09 - 0		44.1 (60) - 36.8 (50)	5500 - 6000	4 (in-line)	995 cc	Electric (turn-key)	1.83:1 BIGFOOT: 2.33:1	Remote	18 amp (226 watt)	Power trim standard	112 kg Command Thrust: 118 kg	508 mm (L)	2-valve single overhead cam design
40	40 EFI	29.4 (40)	5500 - 6000	3 (in-line)	747 cc	Electric (turn-key)	2.00:1	Remote	18 amp (226 watt)	Power trim standard	98 kg	508 mm (L)	2-valve single overhead cam design
25 - 30	30 ⁽³⁾ - 25 EFI ⁽³⁾	22.1 (30) - 18.4 (25)	30: 5250 - 6250 25: 5000 - 6000	3 (in-line)	526 cc	Manual or electric (turn-key)	1.92:1	Tiller or remote	15 amp (186 watt)	30: Gas assist or power trim 25: Power trim	30: 78 kg 25: 71 kg	381 mm (S) 508 mm (L)	2-valve single overhead cam design
20 - 15	20 ⁽³⁾ - 15 ⁽³⁾	14.7 (20) - 11 (15)	20: 5400 - 6100 15: 5400 - 5600	2 (in-line)	351 cc	Manual or electric	2.51:1	Tiller or remote	12 amp (138 watt)	6 & shallow water drive	52 kg	381 mm (S) 508 mm (L)	2-valve single overhead cam design
8 - 9.9	9.9(3) - 8(3)	7.28 (9.9) - 5.88 (8)	5000 - 6000	2 (in-line)	208 cc	Manual or electric	2.08:1	Tiller	6 amp (76 watt) on electric start models	6 & shallow water drive	38 kg	381 mm (S) 508 mm (L)	2-valve single overhead cam design
2.5 - 6		4.41 (6) - 3.68 (5) - 2.94 (4)	6: 5000 - 6000 5 - 4: 4500 - 5500	1	123 cc	Manual	2.15:1	Tiller	Optional 4 amp (50 watt) lighting, 2 amp (25 watt) charging 5 SAILMATE: Standard with rectifier	6 & shallow water drive	25 kg	381 mm (S) 508 mm (L) 5 SAILMATE: 508 mm (L)	2-valve pushrod
	3.5 ⁽⁶⁾ - 2.5 ⁽⁶⁾	2.57 (3.5) - 1.84 (2.5)	3.5: 5000 - 6000 2.5: 4500 - 55	1	85 cc	Manual	2.15:1	Tiller	n/a	4	17 kg	3.5: 381 mm (S) - 508 mm (L) 2.5: 381 mm (S)	2-valve
M	ARINER VERADO												
300	Verado 300	221 (300)	5800 - 6400	6 (in-line)	2598 cc	Electric (turn-key)	1.85:1	Electro-hydraulic power steering with integral hydraulic cylinder	Fully regulated belt-driven 70 amp (882 watt)	SmartCraft - programmable power trim and tilt	288 kg	635 mm (XL) ⁽⁷⁾	SmartCraft DTS (Digital Throttle & Shift), supercharged with charge air cooling and electronic boost pressure control
150 - 200	200 Verado	147 (200)	5800 - 6400	4 (in-line)	1732 cc	Electric (turn-key)	2.08:1	Remote	Fully regulated belt-driven 70 amp (882 watt)	Power trim and tilt with SmartCraft - programmable tilt	231 kg	508 mm (L) - 635 mm (XL)	SmartCraft DTS (Digital Throttle & Shift), supercharged with charge air cooling and electronic boost pressure control

For more information on the propeller that is right for you, please see your dealer.
Fuel requirements: FonUstroke and Verado: Unleaded 90 RON mis. 300 Verado: Unleaded 98 RON recommended for maximum performance.
Gear shift: Forward (F), Neutral (N), Reverse (R), except F2-5.5:F-N.

(1) Model offering may vary from one of country to another. Please see your local dealer for specific information. (2) Measured at propshaft in accordance with ICOMIA 28.

3) Requires rectifier to complete installation manual versions. Standard on 5 Salimate model. (4) Dry weight specification is for lightest model and excludes engine oil, rigging hardware and propeller. (5) Integrated fuel tank 1.1 litre. (6) Integrated fuel tank 0.95 litre. (7) Counter rotation available on XL models.







