

GROUP 1

STATIC & MOBILE DRAWER CABINETS PRODUCT RANGE



ORGANISATION IS POWER



Cabinet housings: Quality in detail!

Cabinet housings:

Housing sides and bases are welded and painted with high resistance products, which are inert and environmentally friendly. Available in different widths and heights with their internal sides slotted in increments of 25 mm to allow drawers and shelves to be adjusted accordingly.

Further accessories include safety upstands raised on 3 sides with rubber mat creating a work-surface, base plinths and fork-lift pallet bases for easy transportation and fixed/swivel braked wheel castors converting a static cabinet to mobile.

Drawers:

The drawers fitted into cabinet housings are available in 2 versions (simple 85-90% extension or total 100% extension) with an excellent flow and slide system utilising sealed steel roller bearings and drawer carriages painted using the cathoporesis system.

The drawers are manufactured ensuring geometric custom sub-division using partitioning materials: slotted dividers, dividers, plastic boxes, troughs, foam liners etc.




Centralised lock:

Centralised lock included, cylinder lock and 2 keys included.
Master keys are available.



Simple extension drawers - S

The drawers flow on quiet and low friction steel guide runners 3mm thick, with sealed steel roller bearings producing 85-90% drawer extension.
Maximum load: 70 kg.



Total extension drawers - T

An additional sliding carriage ensures the drawers flow smoothly on the low friction steel guide runners 3mm thick, with sealed steel roller bearings producing 100% drawer extension.
Maximum load: 200 kg.



Single drawer opening system

All the drawer cabinet housings have a safety single drawer opening system. This mechanism allows the opening of only one drawer at any one time, thus avoiding the weight of the material in opened drawers tipping the cabinet housing over onto the user. Even with this system we recommend that all cabinet housings must be fixed to the ground or to the wall using suitable anchoring materials.



Drawer front aluminium profiles

The anodised aluminium profile allows the insertion of a paper label and clear cellophane covers increasing one's organisation and ensuring quick identification of drawer contents. The profile can be easily removed in case of damage, therefore negating the need for full drawer replacement.



Individual drawer locking system

This device is made of a durable plastic catch that allows to lock/unlock an individual drawer within a complete drawer unit. Primarily used with drawers on mobile and roller cabinet housings.



Partitioning materials

Components for optimising the sub-division of the internal drawer layout: slotted dividers, dividers, plastic boxes, troughs, foam bases etc. Easy to fit and assemble, as the drawers have internal side slots and perforated drawer bases. Ensuring high-density organisation, faster retrieval and care for stored items.



Series 10

27x36 Eh

Drawer cabinets

Width: 564 mm - Depth: 725 mm




Drawer cabinets
see page 17



Mobile drawer cabinets
see page 26



Partitioning material
see page 30






Standard colours:
RAL 5012 RAL 6011 RAL 7035

5-year Guarantee

For your safety all cabinets must be anchored using floor bolts

Fixing material for cabinets
Part. No. **06-00030**






Cabinets housings

Made of high-quality sheet steel. Housing sides and bases are welded and painted with high resistance products, environmentally friendly.

Available in different heights with uprights slotted in increments of 25 mm to allow drawers to be adjusted accordingly. Equipped with central locking system, safety cylinder lock with 2 keys and single drawer opening system.

Width mm	Depth mm	Height mm	Usable height mm	Part. No.
564	725	283	200	10-20280
564	725	383	300	10-20380
564	725	533	450	10-20530
564	725	650	550	10-20650
564	725	700	600	10-20700
564	725	800	700	10-20800
564	725	825	725	10-20820
564	725	850	750	10-20850
564	725	1000	900	10-21000

Colours: see colour chart at the bottom of the page



Drawers

Made of high-quality sheet steel.

Available in two versions (simple or total extension) with steel roller bearings. All 4 drawer walls are slotted, for custom sub-division using partitioning material. All drawer handles are equipped with aluminium profiles, end caps and labelling strips.

Front height mm	Usable height mm	Lateral height mm	Load capacity kg *	Part. No.
50 S	36	33	60	10-23050
75 S	61	52	80	10-23075
75 T	54	52	100	10-23076
100 S	86	77	100	10-23100
100 T	79	77	100	10-23101
125 S	111	77	100	10-23125
125 T	104	77	100	10-23126
150 S	136	127	100	10-23150
150 T	129	127	100	10-23151
200 S	186	177	100	10-23200
200 T	179	177	100	10-23201
250 S	236	177	100	10-23250
250 T	229	177	100	10-23251
300 S	286	277	100	10-23300
300 T	279	277	100	10-23301


S = normal extension: 85 - 90% extension

T = full extension: 100% extension

* with load evenly distributed and at least one slotted divider in the middle

Colour: Light grey RAL 7035 internal,

for drawer front see colour chart at the bottom of the page



Upstand raised edges on 3 sides

Made of high-quality steel

Width mm	Depth mm	Height mm	Upstand with mat Part. No.	Smooth rubber mat Part. No.
564	725	20	10-20025	-
559	720	2	-	10-20022

Colour: Black



Cabinet bases

Made of high-quality steel

	Width mm	Depth mm	Height mm	Part. No.
1 Base plinth	564	693	50	05-42705
1 Base plinth	564	693	100	05-42710
1 Base plinth	564	693	130	05-42713

Colour: Black



Card insert and cellophane (spare part)

For drawers: 27 Eh

Part. No. **06-00275**

Kit: 30 pieces



Partitioning material see page 30



Load capacity is intended for evenly distributed loads

Standard colours:





Series 10

27x36 Eh




Cabinet housings

Made of high-quality sheet steel. Housing sides and bases are welded with high resistance products, environmentally friendly. Available in 2 different heights with uprights slotted in increments of 25 mm to allow shelves to be adjusted accordingly. Equipped with central locking system, safety cylinder lock with 2 keys and single drawer opening system.

Width mm	Depth mm	Height mm	Usable height mm	Part. No.
564	725	850	750	10-20860
564	725	1000	900	10-21010

Colours: see colour chart at the bottom of the page



Perforated back panel


Made of high-quality steel

Width mm	Height mm	Usable height mm	Part. No.
564	1104	608	10-20100

Colour: Light grey RAL 7035




Hooks see page 249



Work surfaces for cabinets

Width mm	Depth mm	Thickness mm	Plastic laminated Part. No.	Linoplex Part. No.
564	750	30	10-20014	10-20016

Colour: Plastic laminated/linoplex light grey RAL 7035




Adjustable shelf

Made of high-quality steel. supports included

Usable width mm	Usable depth mm	Height mm	Load capacity kg	Part. No.
505	620	35	70	10-20028

Colour: Light grey RAL 7035




Retractable shelf

Made of high-quality steel

Usable width mm	Usable depth mm	Height mm	Extension %	Load capacity kg	Part. No.
434	612	100	85	70	10-23980

Colour: Light grey RAL 7035



Lower shelf

Made of high-quality steel

Usable width mm	Usable depth mm	Height mm	Load capacity kg	Part. No.
546	615	55	50	10-20034

Colour: Light grey RAL 7035



Doors for cabinets

Made of high-quality steel

To be fitted to the cabinet, with safety cylinder lock and 2 keys (same number as in the cabinet).

Front height mm	Width mm	Right hand opening Part. No.	Left hand opening Part. No.
450	508	10-22451	10-22455
600	508	10-22601	10-22605

Colours: see colour chart at the bottom of the page

Standard colours:

RAL 5012 RAL 6011 RAL 7035



Load capacity is intended for evenly distributed loads

Standard examples:

Height: 283 mm



01 11
50 S 50 S
150 S 150 T

Height:	Part. No.
283 mm	10-20280-01
	10-20280-11

2 Drawers



02 12
100 S 100 T
100 S 100 T

Height:	Part. No.
283 mm	10-20280-02
	10-20280-12

2 Drawers



03 13
50 S 50 S
50 S 50 S
100 S 100 T

Height:	Part. No.
283 mm	10-20280-03
	10-20280-13

3 Drawers

Height: 383 mm



01 11
100 S 100 T
200 S 200 T

Height:	Part. No.
383 mm	10-20380-01
	10-20380-11

2 Drawers



02 12
150 S 150 T
150 S 150 T

Height:	Part. No.
383 mm	10-20380-02
	10-20380-12

2 Drawers



03 13
50 S 50 S
100 S 100 T
150 S 150 T

Height:	Part. No.
383 mm	10-20380-03
	10-20380-13

3 Drawers



04 14
75 S 75 T
75 S 75 T
150 S 150 T

Height:	Part. No.
383 mm	10-20380-04
	10-20380-14

3 Drawers



08 18
100 S 100 T
100 S 100 T
100 S 100 T

Height:	Part. No.
383 mm	10-20380-08
	10-20380-18

3 Drawers



05 15
50 S 50 S
50 S 50 S
50 S 50 S
150 S 150 T

Height:	Part. No.
383 mm	10-20380-05
	10-20380-15

4 Drawers



06 16
50 S 50 S
75 S 75 T
75 S 75 T
100 S 100 T

Height:	Part. No.
383 mm	10-20380-06
	10-20380-16

4 Drawers



Drawers:

S = load capacity:60/100 kg -extension 85-90%
T = load capacity:100 kg - extension 100%



Partitioning material
see page 30

Standard colours:





Series 10

27x36 Eh

Height: 533 mm



01 11
 50 S 50 S
 75 S 75 T
 125 S 125 T
 200 S 200 T

Height:	Part. No.
533 mm	10-20530-01
	10-20530-11

4 Drawers



02 12
 50 S 50 S
 75 S 75 T
 75 S 75 T
 100 S 100 T
 150 S 150 T

Height:	Part. No.
533 mm	10-20530-02
	10-20530-12

5 Drawers



03 13
 50 S 50 S
 50 S 50 S
 75 S 75 T
 75 S 75 T
 100 S 100 T
 100 S 100 T

Height:	Part. No.
533 mm	10-20530-03
	10-20530-13

6 Drawers

Height: 650 mm



01 11
 100 S 100 T
 150 S 150 T
 300 S 300 T

Height:	Part. No.
650 mm	10-20650-01
	10-20650-11

3 Drawers



07 17
 100 S 100 T

RS S RS S

Height:	Part. No.
650 mm	10-20650-07
	10-20650-17

1 Drawer
 1 Retractable shelf
 1 Door 450mmh right hand opening

Standard colours:

RAL 5012 RAL 6011 RAL 7035



Drawers:

S = load capacity:60/100 kg -extension 85-90%
T = load capacity:100 kg - extension 100%

Standard examples:

Height: 700 mm



01 11
75 S 75 T
100 S 100 T
125 S 125 T
300 S 300 T

Height:	Part. No.
700 mm	10-20700-01
	10-20700-11
4 Drawers	



08 18
100 S 100 T
150 S 150 T
150 S 150 T
200 S 200 T

Height:	Part. No.
700 mm	10-20700-08
	10-20700-18
4 Drawers	



02 12
75 S 75 T
75 S 75 T
100 S 100 T
150 S 150 T
200 S 200 T

Height:	Part. No.
700 mm	10-20700-02
	10-20700-12
5 Drawers	



03 13
50 S 50 S
75 S 75 T
75 S 75 T
100 S 100 T
100 S 100 T
200 S 200 T

Height:	Part. No.
700 mm	10-20700-03
	10-20700-13
6 Drawers	



04 14
50 S 50 S
50 S 50 S
75 S 75 T
75 S 75 T
75 S 75 T
75 S 75 T
75 S 75 T
200 S 200 T

Height:	Part. No.
700 mm	10-20700-04
	10-20700-14
7 Drawers	



05 15
75 S 75 T
75 S 75 T

RS S RS S

Height:	Part. No.
700 mm	10-20700-05
	10-20700-15
2 Drawers	
1 Retractable shelf	
1 Door 450mmh right hand opening	



06

AS


RS S

Height:	Part. No.
700 mm	10-20700-06
1 Adjustable shelf	
1 Retractable shelf	
1 Door 600mmh right hand opening	



Partitioning material
see page 30

Standard colours:





Series 10

27x36 Eh

1
Height: 800 mm



10 21
100 S 100 T
100 S 100 T
200 S 200 T
300 S 300 T

Height:	Part. No.
800 mm	10-20800-10
	10-20800-21

4 Drawers



01 11
50 S 50 S
100 S 100 T
100 S 100 T
150 S 150 T
300 S 300 T

Height:	Part. No.
800 mm	10-20800-01
	10-20800-11

5 Drawers



02 12
75 S 75 T
75 S 75 T
100 S 100 T
100 S 100 T
150 S 150 T
200 S 200 T

Height:	Part. No.
800 mm	10-20800-02
	10-20800-12

6 Drawers



03 13
50 S 50 S
100 S 100 T
100 S 100 T
100 S 100 T
150 S 150 T
200 S 200 T

Height:	Part. No.
800 mm	10-20800-03
	10-20800-13

6 Drawers



04 14
50 S 50 S
75 S 75 T
75 S 75 T
100 S 100 T
100 S 100 T
150 S 150 T
150 S 150 T

Height:	Part. No.
800 mm	10-20800-04
	10-20800-14

7 Drawers



07 17
100 S 100 T

AS AS

RS S RS S

Height:	Part. No.
800 mm	10-20800-07
	10-20800-17

1 Drawer
1 Adjustable shelf
1 Retractable shelf
1 Door 600mmh right hand opening



06 16
100 S 100 T
150 S 150 T

RS S RS S

Height:	Part. No.
800 mm	10-20800-06
	10-20800-16

2 Drawers
1 Retractable shelf
1 Door 450mmh right hand opening

Standard colours:

RAL 5012 RAL 6011 RAL 7035



Drawers:

S = load capacity:60/100 kg -extension 85-90%
T = load capacity:100 kg - extension 100%

Standard examples:

Height: 825 mm



08 18
 100 S 100 T
 125 S 125 T
 200 S 200 T
 300 S 300 T

Height:	Part. No.
825 mm	10-20820-08
	10-20820-18
4 Drawers	



01 11
 50 S 50 S
 100 S 100 T
 125 S 125 T
 150 S 150 T
 300 S 300 T

Height:	Part. No.
825 mm	10-20820-01
	10-20820-11
5 Drawers	



02 12
 75 S 75 T
 75 S 75 T
 100 S 100 T
 125 S 125 T
 150 S 150 T
 200 S 200 T

Height:	Part. No.
825 mm	10-20820-02
	10-20820-12
6 Drawers	



03 13
 50 S 50 S
 75 S 75 T
 75 S 75 T
 100 S 100 T
 125 S 125 T
 150 S 150 T
 150 S 150 T

Height:	Part. No.
825 mm	10-20820-03
	10-20820-13
7 Drawers	



04 14
 50 S 50 S
 75 S 75 T
 75 S 75 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 125 S 125 T

Height:	Part. No.
825 mm	10-20820-04
	10-20820-14
8 Drawers	



06 16
 125 S 125 T

 AS AS

 RS S RS S

Height:	Part. No.
825 mm	10-20820-06
	10-20820-16
1 Drawer 1 Adjustable shelf 1 Retractable shelf 1 Door 600mmh right hand opening	



05 15
 125 S 125 T
 150 S 150 T

 RS S RS S

Height:	Part. No.
825 mm	10-20820-05
	10-20820-15
2 Drawers 1 Retractable shelf 1 Door 450mmh right hand opening	



07 17
 75 S 75 T
 100 S 100 T
 100 S 100 T


 RS S RS S

Height:	Part. No.
825 mm	10-20820-07
	10-20820-17
3 Drawers 1 Retractable shelf 1 Door 450mmh right hand opening	



Partitioning material
 see page 30

Standard colours:





Series 10

27x36 Eh

Height: 850 mm



08 18
 100 S 100 T
 150 S 150 T
 200 S 200 T
 300 S 300 T

Height:	Part. No.
850 mm	10-20850-08
	10-20850-18
4 Drawers	



01 11
 50 S 50 S
 100 S 100 T
 100 S 100 T
 200 S 200 T
 300 S 300 T

Height:	Part. No.
850 mm	10-20850-01
	10-20850-11
5 Drawers	



02 12
 75 S 75 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 125 S 125 T
 250 S 250 T

Height:	Part. No.
850 mm	10-20850-02
	10-20850-12
6 Drawers	



03 13
 75 S 75 T
 75 S 75 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 150 S 150 T
 150 S 150 T

Height:	Part. No.
850 mm	10-20850-03
	10-20850-13
7 Drawers	



04 14
 50 S 50 S
 75 S 75 T
 75 S 75 T
 75 S 75 T
 75 S 75 T
 100 S 100 T
 100 S 100 T
 200 S 200 T

Height:	Part. No.
850 mm	10-20850-04
	10-20850-14
8 Drawers	



06 16
 150 S 150 T

 AS AS

 RS S RS S

Height:	Part. No.
850 mm	10-20850-06
	10-20850-16
1 Drawer 1 Adjustable shelf 1 Retractable shelf 1 Door 600mmh right hand opening	



07 17
 100 S 100 T
 200 S 200 T

RS S RS S

Height:	Part. No.
850 mm	10-20850-07
	10-20850-17
2 Drawers 1 Retractable shelf 1 Door 450mmh right hand opening	



05 15
 50 S 50 S
 100 S 100 T
 150 S 150 T

RS S RS S

Height:	Part. No.
850 mm	10-20850-05
	10-20850-15
3 Drawers 1 Retractable shelf 1 Door 450mmh right hand opening	

Standard colours:

RAL 5012 RAL 6011 RAL 7035




Drawers:

S = load capacity:60/100 kg -extension 85-90%
 T = load capacity:100 kg - extension 100%


Standard examples:

Height: 1000 mm




01	11
75 S	75 T
75 S	75 T
100 S	100 T
150 S	150 T
200 S	200 T
300 S	300 T

Height:	Part. No.
1000 mm	10-21000-01
	10-21000-11
6 Drawers	




02	12
100 S	100 T
100 S	100 T
100 S	100 T
100 S	100 T
150 S	150 T
150 S	150 T
200 S	200 T

Height:	Part. No.
1000 mm	10-21000-02
	10-21000-12
7 Drawers	



03	13
50 S	50 S
75 S	75 T
75 S	75 T
75 S	75 T
75 S	75 T
125 S	125 T
150 S	150 T
150 S	150 T
200 S	200 T

Height:	Part. No.
1000 mm	10-21000-03
	10-21000-13
8 Drawers	




04	14
50 S	50 S
75 S	75 T
50 S	50 S
75 S	75 T
75 S	75 T
125 S	125 T
150 S	150 T
300 S	300 T

Height:	Part. No.
1000 mm	10-21000-04
	10-21000-14
8 Drawers	



05	15
50 S	50 S
100 S	100 T
150 S	150 T
	AS AS
	RS S RS S

Height:	Part. No.
1000 mm	10-21000-05
	10-21000-15
3 Drawers	
1 Adjustable shelf	
1 Retractable shelf	
1 Door 600mmh right hand opening	






06	16
50 S	50 S
75 S	75 T
75 S	75 T
100 S	100 T
150 S	150 T
	RS S RS S

Height:	Part. No.
1000 mm	10-21000-06
	10-21000-16
5 Drawers	
1 Retractable shelf	
1 Door 450mmh right hand opening	



Partitioning material
see page 30

Standard colours:
RAL 5012  RAL 6011  RAL 7035 



Series 10

27x36 Eh



Mobile cabinets

Made of high-quality sheet steel. Housing sides and bases are welded and painted with high resistance products, environmentally friendly. Available in one height only with uprights slotted in increments of 25 mm to allow drawers to be adjusted accordingly. Complete with safety upstand raised

edges on 4 sides, rubber mat, handle and pair of castors (2 swivel braked and 2 fixed) in nylon or rubber.

Equipped with central locking system, safety cylinder lock with 2 keys and single drawer opening system.

Width 580 mm, Depth 820 mm.

with nylon castors Ø 100 mm Part. No.	with rubber castors Ø 100 mm Part. No.	Total height mm	Usable height for drawers mm
10-27280	10-27285	760	200
10-27380	10-27385	760	300

Max load capacity: 400 kg with load evenly distributed

Colours: see colour chart at the bottom of the page



Mobile cabinets

Made of high-quality sheet steel. Housing sides and bases are welded and painted with high resistance products, environmentally friendly. Available in different heights with uprights slotted in increments of 25 mm to allow drawers to be adjusted accordingly. Complete with safety upstand raised edges on 4 sides, rubber mat, handle and pair of castors (2 swivel braked and 2 fixed) in nylon or rubber. Equipped with central locking system, safety cylinder lock with 2 keys and single drawer opening system.

Equipped with central locking system, safety cylinder lock with 2 keys and single drawer opening system.

Width 572 mm, Depth 780 mm.

with nylon castors Ø 100 mm Part. No.	with rubber castors Ø 100 mm Part. No.	Total height mm	with rubber castors Ø 150 mm Part. No.	Total height mm	Usable height for drawers mm
10-29530	10-29540	705	10-29550	762	450
10-29650	10-29660	822	10-29670	879	550
10-29700	10-29710	872	10-29720	929	600
10-29800	10-29810	972	10-29820	1029	700
10-29850	10-29860	1022	10-29870	1079	750
10-29900	10-29910	1172	10-29920	1229	900

Max load capacity: 400 kg with load evenly distributed


Colours: see colour chart at the bottom of the page



2 fixed and
2 swivel braked
nylon castors



2 fixed and
2 swivel braked
rubber castors



Drawers

Made of high-quality sheet steel.

Available in two versions (simple or total extension) with steel roller bearings. All 4 drawer walls are slotted, for custom sub-division using partitioning material. All drawer handles are equipped with aluminium profiles, end caps and labelling strips.

Front height mm	Usable height mm	Lateral height mm	Load capacity kg *	Single locking system on right Part. No.
50 S	36	33	60	10-23052
75 S	61	52	70	10-23077
75 T	54	52	70	10-23078
100 S	86	77	70	10-23102
100 T	79	77	70	10-23103
125 S	111	77	70	10-23127
125 T	104	77	70	10-23128
150 S	136	127	70	10-23152
150 T	129	127	70	10-23153
200 S	186	177	70	10-23202
200 T	179	177	70	10-23203
250 S	236	177	70	10-23252
250 T	229	177	70	10-23253
300 S	286	277	70	10-23302
300 T	279	277	70	10-23303

S = simple extension: 85 - 90% extension

T = total extension: 100% extension

* with load evenly distributed and at least one slotted divider in the middle

Colour: Light grey RAL 7035 internal,

for drawer front see colour chart at the bottom of the page



Card insert and cellophane (spare part)

For drawers: 27 Eh

Part. No. **06-00275**

Kit: 30 pieces

Standard colours:

RAL 5012 RAL 6011 RAL 7035



All drawers with single locking system on right



Load capacity is intended for evenly distributed loads

Standard examples:

Height: 760 mm



01 11
50 S 50 S
150 S 150 T

Height:	Part. No.
760 mm	10-27280-01
	10-27280-11

2 Drawers with single locking system on right
4-sided safety upstand with rubber mat



02 12
100 S 100 T
100 S 100 T

Height:	Part. No.
760 mm	10-27280-02
	10-27280-12

2 Drawers with single locking system on right
4-sided safety upstand with rubber mat



03 13
50 S 50 S
50 S 50 S
100 S 100 T

Height:	Part. No.
760 mm	10-27280-03
	10-27280-13

3 Drawers with single locking system on right
4-sided safety upstand with rubber mat



03 13
50 S 50 S
100 S 100 T
150 S 150 T

Height:	Part. No.
760 mm	10-27380-03
	10-27380-13

3 Drawers with single locking system on right
4-sided safety upstand with rubber mat



08 18
100 S 100 T
100 S 100 T
100 S 100 T

Height:	Part. No.
760 mm	10-27380-08
	10-27380-18

3 Drawers with single locking system on right
4-sided safety upstand with rubber mat



06 16
50 S 50 S
75 S 75 T
75 S 75 T
100 S 100 T

Height:	Part. No.
760 mm	10-27380-06
	10-27380-16

4 Drawers with single locking system on right
4-sided safety upstand with rubber mat



03 13
50 S 50 S
100 S 100 T
150 S 150 T

Height:	Part. No.
760 mm	10-28380-03
	10-28380-13

3 Drawers with single locking system on right
4-sided safety upstand with rubber mat



Height:	Part. No.
760 mm	10-27903

4-sided safety upstand with rubber mat
1 Adjustable shelf



Partitioning material
see page 30



Drawers:
S = load capacity:70 kg -extension 85-90%
T = load capacity:70 kg - extension 100%



Standard examples are equipped
with 2 fixed and 2 swivel braked
nylon castors, Ø 100 mm



Series 10

27x36 Eh

Height: 705 mm



01 11
 50 S 50 S
 75 S 75 T
 125 S 125 T
 200 S 200 T

Height:	Part. No.
705 mm	10-29530-01
	10-29530-11

4 Drawers with single locking system on right
 4-sided safety upstand with rubber mat



02 12
 50 S 50 S
 75 S 75 T
 75 S 75 T
 100 S 100 T
 150 S 150 T

Height:	Part. No.
700 mm	10-29530-02
	10-29530-12

5 Drawers with single locking system on right
 4-sided safety upstand with rubber mat



03 13
 50 S 50 S
 50 S 50 S
 75 S 75 T
 75 S 75 T
 100 S 100 T
 100 S 100 T

Height:	Part. No.
700 mm	10-29530-03
	10-29530-13

6 Drawers with single locking system on right
 4-sided safety upstand with rubber mat

Height: 822 mm



01 11
 100 S 100 T
 150 S 150 T
 300 S 300 T

Height:	Part. No.
822 mm	10-29650-01
	10-29650-11

3 Drawers with single locking system on right
 4-sided safety upstand with rubber mat



02 12
 50 S 50 S
 50 S 50 S
 75 S 75 T
 75 S 75 T
 150 S 150 T
 150 S 150 T

Height:	Part. No.
822 mm	10-29650-02
	10-29650-12

6 Drawers with single locking system on right
 4-sided safety upstand with rubber mat

Height: 872 mm



01 11
 75 S 75 T
 100 S 100 T
 125 S 125 T
 300 S 300 T

Height:	Part. No.
872 mm	10-29700-01
	10-29700-11

4 Drawers with single locking system on right
 4-sided safety upstand with rubber mat



02 12
 75 S 75 T
 75 S 75 T
 100 S 100 T
 150 S 150 T
 200 S 200 T

Height:	Part. No.
872 mm	10-29700-02
	10-29700-12

5 Drawers with single locking system on right
 4-sided safety upstand with rubber mat



03 13
 50 S 50 S
 75 S 75 T
 75 S 75 T
 100 S 100 T
 100 S 100 T
 200 S 200 T

Height:	Part. No.
872 mm	10-29700-03
	10-29700-13

6 Drawers with single locking system on right
 4-sided safety upstand with rubber mat

Standard colours:

RAL 5012 RAL 6011 RAL 7035



All drawers with single locking system on right



Drawers:

S = load capacity:70 kg -extension 85-90%
 T = load capacity:70 kg - extension 100%

Standard examples:

Height: 972 mm



01 11
50 S 50 S
100 S 100 T
100 S 100 T
150 S 150 T
300 S 300 T

Height:	Part. No.
972 mm	10-29800-01
	10-29800-11

5 Drawers with single locking system on right
4-sided safety upstand with rubber mat



02 12
75 S 75 T
75 S 75 T
100 S 100 T
100 S 100 T
150 S 150 T
200 S 200 T

Height:	Part. No.
972 mm	10-29800-02
	10-29800-12

6 Drawers with single locking system on right
4-sided safety upstand with rubber mat



03 13
50 S 50 S
100 S 100 T
100 S 100 T
100 S 100 T
150 S 150 T
200 S 200 T

Height:	Part. No.
972 mm	10-29800-03
	10-29800-13

6 Drawers with single locking system on right
4-sided safety upstand with rubber mat

Height: 1022 mm



01 11
50 S 50 S
100 S 100 T
100 S 100 T
200 S 200 T
300 S 300 T

Height:	Part. No.
1022 mm	10-29850-01
	10-29850-11

5 Drawers with single locking system on right
4-sided safety upstand with rubber mat



02 12
75 S 75 T
100 S 100 T
100 S 100 T
100 S 100 T
125 S 125 T
250 S 250 T

Height:	Part. No.
1022 mm	10-29850-02
	10-29850-12

6 Drawers with single locking system on right
4-sided safety upstand with rubber mat



03 13
75 S 75 T
75 S 75 T
100 S 100 T
100 S 100 T
100 S 100 T
150 S 150 T
150 S 150 T

Height:	Part. No.
1022 mm	10-29850-03
	10-29850-13

7 Drawers with single locking system on right
4-sided safety upstand with rubber mat

Height: 1172 mm



01 11
75 S 75 T
75 S 75 T
100 S 100 T
150 S 150 T
200 S 200 T
300 S 300 T

Height:	Part. No.
1172 mm	10-29900-01
	10-29900-11

6 Drawers with single locking system on right
4-sided safety upstand with rubber mat



02 12
100 S 100 T
100 S 100 T
100 S 100 T
100 S 100 T
150 S 150 T
150 S 150 T
200 S 200 T

Height:	Part. No.
1172 mm	10-29900-02
	10-29900-12

7 Drawers with single locking system on right
4-sided safety upstand with rubber mat



03 13
50 S 50 S
75 S 75 T
75 S 75 T
75 S 75 T
75 S 75 T
125 S 125 T
150 S 150 T
150 S 150 T
200 S 200 T

Height:	Part. No.
1172 mm	10-29900-03
	10-29900-13

8 Drawers with single locking system on right
4-sided safety upstand with rubber mat




Partitioning material
see page 30



Standard examples are equipped
with 2 fixed and 2 swivel braked
nylon castors, Ø 100 mm

Standard colours:







Series 10

27x36 Eh


Partitioning material




For front height:	Part. No.
50 mm and higher	07-20004
12 Troughs	4-Trough
50 Trough dividers	




For front height:	Part. No.
50 mm and higher	07-20023
8 Troughs	2-Trough
10 Trough dividers	
4 Troughs	3-Trough
20 Trough dividers	




For front height:	Part. No.
50 mm and higher	07-20034
8 Troughs	3-Trough
10 Trough dividers	
4 Troughs	4-Trough
20 Trough dividers	



For front height:	Part. No.
50 mm	07-21405
75 mm	07-21407
100-125 mm	07-21410
12 Plastic boxes	150x75 mm
6 Plastic boxes	150x150 mm




For front height:	Part. No.
50 mm	07-21505
75 mm	07-21507
16 Plastic boxes	75x75 mm
8 Plastic boxes	150x75 mm
4 Plastic boxes	150x150 mm




For front height:	Part. No.
50 mm	07-21605
16 Plastic boxes with dividers	75x75 mm
16 Plastic boxes	75x75 mm
4 Plastic boxes	150x75 mm
2 Plastic boxes	150x150 mm



Standard examples:




For front height:	Part. No.
75 mm	07-23007
100-125 mm	07-23010
150 mm	07-23015
200-250 mm	07-23020
1 Slotted partition	36 Eh
1 Aluminium divider	12 Eh
1 Aluminium divider	15 Eh



For front height:	Part. No.
75 mm	07-23107
100-125 mm	07-23110
150 mm	07-23115
200-250 mm	07-23120
2 Slotted partitions	36 Eh
3 Aluminium dividers	9 Eh




For front height:	Part. No.
50 mm	07-23205
75 mm	07-23207
100-125 mm	07-23210
150 mm	07-23215
2 Slotted partitions	36 Eh
10 Aluminium dividers	9 Eh



For front height:	Part. No.
50 mm	07-23305
75 mm	07-23307
100-125 mm	07-23310
150 mm	07-23315
3 Slotted partitions	36 Eh
6 Aluminium dividers	6 Eh
2 Aluminium dividers	9 Eh



For front height:	Part. No.
50 mm	07-23405
75 mm	07-23407
100-125 mm	07-23410
4 Slotted partitions	36 Eh
5 Aluminium dividers	4 Eh
5 Aluminium dividers	5 Eh
10 Aluminium dividers	6 Eh



For front height:	Part. No.
75 mm	07-28207
100-125 mm	07-28210
150 mm	07-28215
200-250 mm	07-28220
2 Plain partitions	36 Eh



Standard examples with slotted partitions are supplied with fixings




Series 10

36x36 Eh

Drawer cabinets

Width: 717 mm - Depth: 725 mm




Drawer cabinets
see page 33



Mobile drawer cabinets
see page 40



Partitioning material
see page 43



Standard colours:
RAL 5012 RAL 6011 RAL 7035



5-year Guarantee



For your safety all cabinets must be anchored using floor bolts



Fixing material for cabinets
Part. No. 06-00030






Cabinets housings

Made of high-quality sheet steel. Housing sides and bases are welded and painted with high resistance products, environmentally friendly. Available in different heights with uprights slotted in increments of 25 mm to allow drawers to be adjusted accordingly.

Equipped with central locking system, safety cylinder lock with 2 keys and single drawer opening system.

Width mm	Depth mm	Height mm	Usable height mm	Part. No.
717	725	700	600	10-30700
717	725	800	700	10-30800
717	725	850	750	10-30850
717	725	1000	900	10-31000
717	725	1150	1050	10-31150
717	725	1325	1225	10-31320
717	725	1450	1350	10-31450
717	725	1625	1525	10-31620

Colours: see colour chart at the bottom of the page



Drawers

Made of high-quality sheet steel.

Available in two versions (simple or total extension) with steel roller bearings. All 4 drawer walls are slotted, for custom sub-division using partitioning material. All drawer handles are equipped with aluminium profiles, end caps and labelling strips.

Front height mm	Usable height mm	Lateral height mm	Load capacity kg *	Part. No.
50 S	36	33	60	10-33050
75 S	61	52	80	10-33075
75 T	54	52	200	10-33076
100 S	86	77	100	10-33100
100 T	79	77	200	10-33101
125 S	111	77	100	10-33125
125 T	104	77	200	10-33126
150 S	136	127	100	10-33150
150 T	129	127	200	10-33151
175 T	154	127	200	10-33176
200 S	186	177	100	10-33200
200 T	179	177	200	10-33201
250 T	229	177	200	10-33251
300 S	286	277	100	10-33300
300 T	279	277	200	10-33301
400 T	379	277	200	10-33401


S = simple extension: 85 - 90% extension

T = total extension: 100% extension

* with load evenly distributed and at least one slotted divider in the middle

Colour: Light grey RAL 7035 internal,

for drawer front see colour chart at the bottom of the page



Upstand raised edges on 3 sides

Made of high-quality steel

Width mm	Depth mm	Height mm	Upstand with mat Part. No.	Smooth rubber mat Part. No.
717	725	20	10-30025	-
712	720	2	-	10-30022




Card insert and cellophane (spare part)

For drawers: 36 Eh

Part. No. **06-00365**

Kit: 30 pieces



Cabinet bases

Made of high-quality steel

	Width mm	Depth mm	Height mm	Part. No.
1 Base plinth	717	693	50	05-43605
1 Base plinth	717	693	130	05-43613
2 Pallet base	717	659	100	05-13610
3 Cover plate	717	-	100	05-33610

Colour: Black




Partitioning material see page 43



Load capacity is intended for evenly distributed loads

Standard colours:





Series 10

36x36 Eh




Cabinet housings

Made of high-quality sheet steel. Housing sides and bases are welded with high resistance products, environmentally friendly. Available in 2 different heights with uprights slotted in increments of 25 mm to allow shelves to be adjusted accordingly. Equipped with central locking system, safety cylinder lock with 2 keys and single drawer opening system.

Width mm	Depth mm	Height mm	Usable height mm	Part. No.
717	725	850	750	10-30860
717	725	1000	900	10-31010

Colours: see colour chart at the bottom of the page



Perforated back panel


Made of high-quality steel

Width mm	Height mm	Usable height mm	Part. No.
717	1104	608	10-30100

Colour: Light grey RAL 7035



Hooks
see page 249



Work surfaces for cabinets

Width mm	Depth mm	Thickness mm	Plastic laminated Part. No.	Linoplex Part. No.
717	750	30	10-30014	10-30016

Colour: Plastic laminated/linoplex light grey RAL 7035




Adjustable shelf

Made of steel. Lateral supports included

Usable width mm	Usable depth mm	Height mm	Load capacity kg	Part. No.
658	620	35	70	33-72038

Colour: Light grey RAL 7035



Retractable shelves

Made of high-quality sheet steel. Available in two versions (simple or total extension) with steel roller bearings. Fitted with galvanised steel inserts ensuring a level surface. All retractable shelf handles are equipped with aluminium profiles, end caps and labelling strips.

Usable width mm	Usable depth mm	Height mm	Extension %	Load capacity kg *	Part. No.
612	612	75	85	100	10-33984
612	612	75	100	200	10-33985


* with load evenly distributed

Colours: see colour chart at the bottom of the page



Card insert and cellophane (spare part)

For drawers: 36 Eh Part. No. 06-00365
Kit: 30 pieces



Lower shelf

Made of high-quality steel

Usable width mm	Usable depth mm	Height mm	Load capacity kg	Part. No.
651	618	55	50	10-30034

Colour: Light grey RAL 7035

Standard colours:

RAL 5012 RAL 6011 RAL 7035



Load capacity is intended for evenly distributed loads

Standard examples:

Height: 700 mm



01 02
50 S 50 S
100 S 100 T
100 S 100 T
150 S 150 T
200 S 200 T

Height:	Part. No.
700 mm	10-30700-01
	10-30700-02
5 Drawers	



03 04
75 S 75 T
75 S 75 T
100 S 100 T
100 S 100 T
250 T 250 T

Height:	Part. No.
700 mm	10-30700-03
	10-30700-04
5 Drawers	



05 06
75 S 75 T
75 S 75 T
100 S 100 T
100 S 100 T
100 S 100 T
150 S 150 T

Height:	Part. No.
700 mm	10-30700-05
	10-30700-06
6 Drawers	

Height: 800 mm



07 02
100 S 100 T
150 S 150 T
150 S 150 T
300 S 300 T

Height:	Part. No.
800 mm	10-30800-07
	10-30800-02
4 Drawers	



03 04
75 S 75 T
75 S 75 T
100 S 100 T
100 S 100 T
150 S 150 T
200 S 200 T

Height:	Part. No.
800 mm	10-30800-03
	10-30800-04
6 Drawers	



05 06
75 S 75 T
75 S 75 T
100 S 100 T
100 S 100 T
100 S 100 T
100 S 100 T
150 S 150 T

Height:	Part. No.
800 mm	10-30800-05
	10-30800-06
7 Drawers	

Height: 850 mm



01 02
50 S 50 S
75 S 75 T
75 S 75 T
100 S 100 T
100 S 100 T
150 S 150 T
200 S 200 T

Height:	Part. No.
850 mm	10-30850-01
	10-30850-02
7 Drawers	



03 04
75 S 75 T
75 S 75 T
100 S 100 T
100 S 100 T
125 S 125 T
125 S 125 T
150 S 150 T

Height:	Part. No.
850 mm	10-30850-03
	10-30850-04
7 Drawers	



05 06
75 S 75 T
75 S 75 T
75 S 75 T
75 S 75 T
100 S 100 T
100 S 100 T
100 S 100 T
150 S 150 T

Height:	Part. No.
850 mm	10-30850-05
	10-30850-06
8 Drawers	




Partitioning material
see page 43



Drawers:
S = load capacity:100 kg - extension 85-90%
T = load capacity:200 kg - extension 100%

Standard colours:





Series 10

36x36 Eh

Height: 1000 mm



35 02
 100 S 100 T
 100 S 100 T
 100 S 100 T
 150 S 150 T
 150 S 150 T
 300 S 300 T

Height:	Part. No.
1000 mm	10-31000-35
	10-31000-02
6 Drawers	



03 04
 75 S 75 T
 75 S 75 T
 100 S 100 T
 150 S 150 T
 150 S 150 T
 150 S 150 T
 200 S 200 T

Height:	Part. No.
1000 mm	10-31000-03
	10-31000-04
7 Drawers	



37 06
 50 S 50 S
 75 S 75 T
 75 S 75 T
 100 S 100 T
 100 S 100 T
 200 S 200 T
 300 S 300 T

Height:	Part. No.
1000 mm	10-31000-37
	10-31000-06
7 Drawers	



07 08
 50 S 50 S
 75 S 75 T
 75 S 75 T
 100 S 100 T
 100 S 100 T
 150 S 150 T
 150 S 150 T
 200 S 200 T

Height:	Part. No.
1000 mm	10-31000-07
	10-31000-08
8 Drawers	



11 12
 75 S 75 T
 75 S 75 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 150 S 150 T
 200 S 200 T

Height:	Part. No.
1000 mm	10-31000-11
	10-31000-12
8 Drawers	



13 14
 75 S 75 T
 75 S 75 T
 75 S 75 T
 100 S 100 T
 125 S 125 T
 125 S 125 T
 125 S 125 T
 200 S 200 T

Height:	Part. No.
1000 mm	10-31000-13
	10-31000-14
8 Drawers	



17 18
 75 S 75 T
 75 S 75 T
 75 S 75 T
 75 S 75 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 150 S 150 T
 150 S 150 T

Height:	Part. No.
1000 mm	10-31000-17
	10-31000-18
9 Drawers	



19 20
 50 S 50 S
 50 S 50 S
 75 S 75 T
 75 S 75 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 150 S 150 T
 200 S 200 T

Height:	Part. No.
1000 mm	10-31000-19
	10-31000-20
9 Drawers	



27 28
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T

Height:	Part. No.
1000 mm	10-31000-27
	10-31000-28
9 Drawers	

Standard colours:

RAL 5012 RAL 6011 RAL 7035



Drawers:

S = load capacity:100 kg - extension 85-90%
T = load capacity:200 kg - extension 100%

Standard examples:

Height: 1000 mm



21 22
 50 S 50 S
 50 S 50 S
 75 S 75 T
 75 S 75 T
 50 S 50 S
 75 S 75 T
 125 S 125 T
 100 S 100 T
 150 S 150 T
 150 S 150 T



23 24
 50 S 50 S
 50 S 50 S
 50 S 50 S
 75 S 75 T
 75 S 75 T
 75 S 75 T
 75 S 75 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 150 S 150 T

Height:	Part. No.
1000 mm	10-31000-21
	10-31000-22
10 Drawers	

Height:	Part. No.
1000 mm	10-31000-23
	10-31000-24
11 Drawers	

Height: 1325 mm



13 02
 50 S 50 S
 75 S 75 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 150 S 150 T
 150 S 150 T
 200 S 200 T
 300 S 300 T



15 04
 75 S 75 T
 75 S 75 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 125 S 125 T
 150 S 150 T
 200 S 200 T
 300 S 300 T

Height:	Part. No.
1325 mm	10-31320-13
	10-31320-02
9 Drawers	

Height:	Part. No.
1325 mm	10-31320-15
	10-31320-04
9 Drawers	



05 06
 75 S 75 T
 75 S 75 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 125 S 125 T
 150 S 150 T
 150 S 150 T
 150 S 150 T
 200 S 200 T

Height:	Part. No.
1325 mm	10-31320-05
	10-31320-06
10 Drawers	



07 08
 75 S 75 T
 75 S 75 T
 75 S 75 T
 75 S 75 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 125 S 125 T
 200 S 200 T
 200 S 200 T



09 10
 75 S 75 T
 75 S 75 T
 75 S 75 T
 75 S 75 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 125 S 125 T
 150 S 150 T
 150 S 150 T
 200 S 200 T

Height:	Part. No.
1325 mm	10-31320-07
	10-31320-08
11 Drawers	

Height:	Part. No.
1325 mm	10-31320-09
	10-31320-10
11 Drawers	




11 12
 50 S 50 S
 50 S 50 S
 75 S 75 T
 75 S 75 T
 75 S 75 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 150 S 150 T
 150 S 150 T
 200 S 200 T

Height:	Part. No.
1325 mm	10-31320-11
	10-31320-12
12 Drawers	



Partitioning material
 see page 43

Standard colours:





Series 10

36x36 Eh

Height: 1450 mm



03 02
 100 S 100 T
 100 S 100 T
 100 S 100 T
 150 S 150 T
 150 S 150 T
 150 S 150 T
 150 S 150 T
 150 S 150 T
 150 S 150 T
 300 S 300 T

Height:	Part. No.
1450 mm	10-31450-13
	10-31450-02

9 Drawers



05 04
 150 S 150 T
 150 S 150 T
 150 S 150 T
 150 S 150 T
 150 S 150 T
 150 S 150 T
 150 S 150 T
 150 S 150 T
 150 S 150 T
 150 S 150 T

Height:	Part. No.
1450 mm	10-31450-03
	10-31450-04

9 Drawers



07 06
 75 S 75 T
 75 S 75 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 150 S 150 T
 150 S 150 T
 200 S 200 T
 200 S 200 T
 200 S 200 T

Height:	Part. No.
1450 mm	10-31450-05
	10-31450-06

10 Drawers



11 08
 75 S 75 T
 75 S 75 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 150 S 150 T
 150 S 150 T
 200 S 200 T
 200 S 200 T

Height:	Part. No.
1450 mm	10-31450-07
	10-31450-08

11 Drawers



13 12
 75 S 75 T
 75 S 75 T
 75 S 75 T
 75 S 75 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 150 S 150 T
 150 S 150 T
 150 S 150 T

Height:	Part. No.
1450 mm	10-31450-11
	10-31450-12

13 Drawers

Standard colours:

RAL 5012 RAL 6011 RAL 7035



Drawers:

S = load capacity:100 kg - extension 85-90%
T = load capacity:200 kg - extension 100%

Standard examples:

Height: 1625 mm



- 01 02**
- 125 S 125 T
- 75 S 75 T
- 75 S 75 T
- 100 S 100 T
- 100 S 100 T
- 100 S 100 T
- 100 S 100 T
- 100 S 100 T
- 100 S 100 T
- 100 S 100 T
- 150 S 150 T
- 150 S 150 T
- 150 S 150 T
- 200 S 200 T

Height: 1625 mm	Part. No. 10-31620-01
	10-31620-02
13 Drawers	



- 05 06**
- 75 S 75 T
- 75 S 75 T
- 75 S 75 T
- 100 S 100 T
- 100 S 100 T
- 100 S 100 T
- 100 S 100 T
- 100 S 100 T
- 100 S 100 T
- 150 S 150 T
- 150 S 150 T
- 150 S 150 T
- 150 S 150 T
- 200 S 200 T

Height: 1625 mm	Part. No. 10-31620-05
	10-31620-06
13 Drawers	






- 09 10**
- 100 S 100 T
- 100 S 100 T
- 100 S 100 T
- 50 S 50 S
- 75 S 75 T
- 75 S 75 T
- 75 S 75 T
- 75 S 75 T
- 75 S 75 T
- 100 S 100 T
- 100 S 100 T
- 150 S 150 T
- 200 S 200 T
- 250 T 250 T

Height: 1625 mm	Part. No. 10-31620-09
	10-31620-10
14 Drawers	



Partitioning material
see page 43

Standard colours:
RAL 5012  RAL 6011  RAL 7035 



Series 10

36x36 Eh



Mobile cabinets

Made of high-quality sheet steel. Housing sides and bases are welded and painted with high resistance products, environmentally friendly. Available in different heights with uprights slotted in increments of 25 mm to allow drawers to be adjusted accordingly. Complete with safety upstand raised edges on 4 sides, rubber mat, handle and pair of castors (2 swivel braked and 2 fixed) in nylon or rubber. Equipped with central locking system, safety cylinder lock with 2 keys and single drawer opening system.

Width 802 mm, Depth 733 mm.

Width 802 mm, Depth 733 mm.

with nylon castors Ø 100 mm Part. No.	with rubber castors Ø 100 mm Part. No.	Total height mm	with rubber castors Ø 150 mm Part. No.	Total height mm	Usable height for drawers mm
10-39700	10-39710	857	10-39720	914	600
10-39800	10-39810	957	10-39820	1014	700
10-39850	10-39860	1007	10-39870	1064	750
10-39900	10-39910	1157	10-39920	1214	900

Max load capacity: 400 kg with load evenly distributed

Colours: see colour chart at the bottom of the page



2 fixed and
2 swivel braked
nylon castors



2 fixed and
2 swivel braked
rubber castors



Drawers

Made of high-quality sheet steel.

Available in two versions (simple or total extension) with steel roller bearings. All 4 drawer walls are slotted, for custom sub-division using partitioning material. All drawer handles are equipped with aluminium profiles, end caps and labelling strips.

Front height mm	Usable height mm	Lateral height mm	Load capacity kg *	Single locking system on right Part. No.
50 S	36	33	60	10-33052
75 S	61	52	70	10-33077
75 T	54	52	70	10-33078
100 S	86	77	70	10-33102
100 T	79	77	70	10-33103
125 S	111	77	70	10-33127
125 T	104	77	70	10-33128
150 S	136	127	70	10-33152
150 T	129	127	70	10-33153
175 T	154	127	70	10-33178
200 S	186	177	70	10-33202
200 T	179	177	70	10-33203
250 T	229	177	70	10-33253
300 S	286	277	70	10-33302
300 T	279	277	70	10-33303
400 T	379	277	70	10-33403

S = simple extension: 85 - 90% extension

T = total extension: 100% extension

* with load evenly distributed and at least one slotted divider in the middle

Colour: Light grey RAL 7035 internal,

for drawer front see colour chart at the bottom of the page



Card insert and cellophane (spare part)

For drawers: 36 Eh

Part. No. 06-00365

Kit: 30 pieces

Standard colours:

RAL 5012 RAL 6011 RAL 7035



All drawers with single locking system on right



Load capacity is intended for evenly distributed loads

Standard examples:

Height: 914 mm



01	02
50 S	50 T
100 S	100 T
100 S	100 T
150 S	150 T
200 S	200 T



03	04
75 S	75 T
75 S	75 T
100 S	100 T
100 S	100 T
250 T	250 T



05	06
75 S	75 T
75 S	75 T
100 S	100 T
100 S	100 T
100 S	100 T
150 S	150 T

Height:	Part. No.
914 mm	10-39720-01
	10-39720-02

5 Drawers with single locking system on right
4-sided safety upstand with rubber mat

Height:	Part. No.
914 mm	10-39720-03
	10-39720-04

5 Drawers with single locking system on right
4-sided safety upstand with rubber mat

Height:	Part. No.
914 mm	10-39720-05
	10-39720-06

6 Drawers with single locking system on right
4-sided safety upstand with rubber mat

Height: 1014 mm



01	02
100 S	100 T
150 S	150 T
150 S	150 T
300 S	300 T



03	04
75 S	75 T
75 S	75 T
100 S	100 T
100 S	100 T
150 S	150 T
200 S	200 T



05	06
75 S	75 T
75 S	75 T
100 S	100 T
100 S	100 T
100 S	100 T
100 S	100 T
150 S	150 T

Height:	Part. No.
1014 mm	10-39820-01
	10-39820-02

4 Drawers with single locking system on right
4-sided safety upstand with rubber mat

Height:	Part. No.
1014 mm	10-39820-03
	10-39820-04

6 Drawers with single locking system on right
4-sided safety upstand with rubber mat

Height:	Part. No.
1014 mm	10-39820-05
	10-39820-06

7 Drawers with single locking system on right
4-sided safety upstand with rubber mat



Partitioning material
see page 43



Drawers:
S = load capacity:70 kg - extension 85-90%
T = load capacity:70 kg - extension 100%



Standard examples are equipped
with 2 fixed and 2 swivel braked
rubber castors, Ø 150 mm



Series 10

36x36 Eh

Standard examples:

Height: 1064 mm



01	02
50 S	50 S
75 S	75 T
75 S	75 T
100 S	100 T
100 S	100 T
150 S	150 T
200 S	200 T



03	04
75 S	75 T
75 S	75 T
100 S	100 T
100 S	100 T
125 S	125 T
125 S	125 T
150 S	150 T



05	06
75 S	75 T
75 S	75 T
75 S	75 T
75 S	75 T
100 S	100 T
100 S	100 T
100 S	100 T
150 S	150 T

Height:	Part. No.
1064 mm	10-39870-01
	10-39870-02

7 Drawers with single locking system on right
4-sided safety upstand with rubber mat

Height:	Part. No.
1064 mm	10-39870-03
	10-39870-04

7 Drawers with single locking system on right
4-sided safety upstand with rubber mat

Height:	Part. No.
1064 mm	10-39870-05
	10-39870-06

8 Drawers with single locking system on right
4-sided safety upstand with rubber mat

Height: 1214 mm



09	02
100 S	100 T
100 S	100 T
100 S	100 T
150 S	150 T
150 S	150 T
300 S	300 T



03	04
75 S	75 T
75 S	75 T
100 S	100 T
150 S	150 T
150 S	150 T
150 S	150 T
200 S	200 T



07	08
50 S	50 S
75 S	75 T
75 S	75 T
100 S	100 T
100 S	100 T
150 S	150 T
150 S	150 T
200 S	200 T

Height:	Part. No.
1214 mm	10-39920-09
	10-39920-02

6 Drawers with single locking system on right
4-sided safety upstand with rubber mat


Height:	Part. No.
1214 mm	10-39920-03
	10-39920-04

7 Drawers with single locking system on right
4-sided safety upstand with rubber mat

Height:	Part. No.
1214 mm	10-39920-07
	10-39920-08

8 Drawers with single locking system on right
4-sided safety upstand with rubber mat

Standard colours:



Drawers:

S = load capacity:70 kg - extension 85-90%
T = load capacity:70 kg - extension 100%




Standard examples are equipped with 2 fixed and 2 swivel braked rubber castors, Ø 150 mm




Standard examples:


Partitioning material




For front height:	Part. No.
50 mm and higher	07-30002
16 Troughs	2-Trough
38 Trough dividers	




For front height:	Part. No.
50 mm and higher	07-30003
16 Troughs	3-Trough
51 Trough dividers	




For front height:	Part. No.
50 mm and higher	07-30004
16 Troughs	4-Trough
64 Trough dividers	



For front height:	Part. No.
50 mm and higher	07-30034
8 Troughs	3-Trough
16 Trough dividers	
8 Troughs	4-Trough
24 Trough dividers	



For front height:	Part. No.
50 mm and higher	07-30234
4 Troughs	2-Trough
10 Trough dividers	
8 Troughs	3-Trough
20 Trough dividers	
4 Troughs	4-Trough
30 Trough dividers	



For front height:	Part. No.
50 mm	07-31105
75 mm	07-31107
100-125 mm	07-31110
32 Plastic boxes	150x75 mm



Details of partitioning material on page 112



Label holders not included




Standard examples with slotted partitions are supplied with fixings




Series 10

36x36 Eh


Partitioning material




For front height:	Part. No.
50 mm	07-31205
75 mm	07-31207
100-125 mm	07-31210
16 Plastic boxes	150x150 mm




For front height:	Part. No.
50 mm	07-31405
75 mm	07-31407
100-125 mm	07-31410
16 Plastic boxes	150x75 mm
8 Plastic boxes	150x150 mm




For front height:	Part. No.
50 mm	07-31505
75 mm	07-31507
16 Plastic boxes	75x75 mm
16 Plastic boxes	150x75 mm
4 Plastic boxes	150x150 mm




For front height:	Part. No.
50 mm	07-32005
3 Slotted partitions	36 Eh
4 Grooved inserts	11-grooves
3 Grooved inserts	8-grooves
4 Grooved inserts	6-grooves
15 Aluminium dividers	9 Eh




For front height:	Part. No.
50 mm	07-32106
1 Plain partition	36 Eh
20 Cutter holders	Ø 15,5 mm
10 Cutter holders	Ø 21,5 mm
5 Cutter holders	Ø 26,5 mm
5 Cutter holders	Ø 31,2 mm




For front height:	Part. No.
100-125 mm	07-33010
150-175 mm	07-33015
200-250 mm	07-33020
300-400 mm	07-33030
1 Slotted partition	36 Eh
2 Aluminium dividers	18 Eh




Standard examples:




For front height:	Part. No.
75 mm	07-33107
100-125 mm	07-33110
150-175 mm	07-33115
200-250 mm	07-33120
300-400 mm	07-33130
2 Slotted partitions	36 Eh
3 Aluminium dividers	12 Eh




For front height:	Part. No.
75 mm	07-33207
100-125 mm	07-33210
150-175 mm	07-33215
200-250 mm	07-33220
2 Slotted partitions	36 Eh
8 Aluminium dividers	12 Eh




For front height:	Part. No.
75 mm	07-33307
100-125 mm	07-33310
150-175 mm	07-33315
200-250 mm	07-33320
3 Slotted partitions	36 Eh
15 Aluminium dividers	9 Eh



For front height:	Part. No.
50 mm	07-33405
75 mm	07-33407
100-125 mm	07-33410
4 Slotted partitions	36 Eh
12 Aluminium dividers	6 Eh
9 Aluminium dividers	9 Eh



For front height:	Part. No.
50 mm	07-33505
75 mm	07-33507
100-125 mm	07-33510
5 Slotted partitions	36 Eh
20 Aluminium dividers	6 Eh



For front height:	Part. No.
75 mm	07-38407
100-125 mm	07-38410
150-175 mm	07-38415
200-250 mm	07-38420
4 Plain partitions	36 Eh



Standard examples with slotted partitions are supplied with fixings




Series 10

45x36 Eh

Drawer cabinets

Width: 870 mm - Depth: 725 mm




Drawer cabinets
see page 47



Mobile drawer cabinets
see page 52



Partitioning material
see page 55




Standard colours:
RAL 5012 RAL 6011 RAL 7035

5-year Guarantee

For your safety all cabinets must be anchored using floor bolts

Fixing material for cabinets
Part. No. **06-00030**






Cabinets housings

Made of high-quality sheet steel. Housing sides and bases are welded and painted with high resistance products, environmentally friendly. Available in different heights with uprights slotted in increments of 25 mm to allow drawers to be adjusted accordingly.

Equipped with central locking system, safety cylinder lock with 2 keys and single drawer opening system.

Width mm	Depth mm	Height mm	Usable height mm	Part. No.
870	725	700	600	10-40700
870	725	850	750	10-40850
870	725	1000	900	10-41000
870	725	1450	1350	10-41450

Colours: see colour chart at the bottom of the page



Drawers

Made of high-quality sheet steel.

Available in two versions (simple or total extension) with steel roller bearings. All 4 drawer walls are slotted, for custom sub-division using partitioning material. All drawer handles are equipped with aluminium profiles, end caps and labelling strips.

Front height mm	Usable height mm	Lateral height mm	Load capacity kg *	Part. No.
50 S	36	33	60	10-43050
75 S	61	52	80	10-43075
75 T	54	52	200	10-43076
100 S	86	77	100	10-43100
100 T	79	77	200	10-43101
125 S	111	77	100	10-43125
125 T	104	77	200	10-43126
150 S	136	127	100	10-43150
150 T	129	127	200	10-43151
200 S	186	177	100	10-43200
200 T	179	177	200	10-43201
250 T	229	177	200	10-43251
300 S	286	277	100	10-43300
300 T	279	277	200	10-43301


S = simple extension: 85 - 90% extension

T = total extension: 100% extension

* with load evenly distributed and at least one slotted divider in the middle

Colour: Light grey RAL 7035 internal,

for drawer front see colour chart at the bottom of the page



Upstand raised edges on 3 sides

Made of high-quality steel

Width mm	Depth mm	Height mm	Upstand with mat Part. No.	Smooth rubber mat Part. No.
870	725	20	10-40025	-
865	720	2	-	10-40022

Colour: Black




Card insert and cellophane (spare part)

For drawers: 45 Eh

Part. No. **06-00455**

Kit: 30 pieces



Cabinet bases

Made of high-quality steel

	Width mm	Depth mm	Height mm	Part. No.
1 Base plinth	717	693	50	05-44505
2 Pallet base	717	659	100	05-14510
3 Cover plate	717	-	100	05-34510

Colour: Black




Partitioning material see page 55



Load capacity is intended for evenly distributed loads

Standard colours:





Series 10

45x36 Eh



Cabinet housings

Made of high-quality sheet steel. Housing sides and bases are welded with high resistance products, environmentally friendly. Available in 2 different heights with uprights slotted in increments of 25 mm to allow shelves to be adjusted accordingly. Equipped with central locking system, safety cylinder lock with 2 keys and single drawer opening system.

Width mm	Depth mm	Height mm	Usable height mm	Part. No.
870	725	850	750	10-40860
870	725	1000	900	10-41010

Colours: see colour chart at the bottom of the page



Perforated back panel


Made of high-quality steel

Width mm	Height mm	Usable height mm	Part. No.
870	1104	608	10-40100

Colour: Light grey RAL 7035



Hooks see page 249



Work surfaces for cabinets

Width mm	Depth mm	Thickness mm	Plastic laminated Part. No.	Linoplex Part. No.
870	750	30	10-40014	10-40016

Colour: Plastic laminated/Linoplex light grey RAL 7035




Adjustable shelf

Made of steel. Lateral supports included

Usable width mm	Usable depth mm	Height mm	Load capacity kg	Part. No.
814	620	35	70	33-72048

Colour: Light grey RAL 7035



Retractable shelves

Made of high-quality sheet steel. Available in two versions (simple or total extension) with steel roller bearings. Fitted with galvanised steel inserts ensuring a level surface. All retractable shelf handles are equipped with aluminium profiles, end caps and labelling strips.

Usable width mm	Usable depth mm	Height mm	Extension %	Load capacity kg *	Part. No.
765	612	75	85	100	10-43984
765	612	75	100	200	10-43985


* with load evenly distributed

Colours: see colour chart at the bottom of the page



Card insert and cellophane (spare part)

For drawers: 45 Eh Part. No. 06-00455
Kit: 30 pieces



Lower shelf

Made of high-quality steel

Usable width mm	Usable depth mm	Height mm	Load capacity kg	Part. No.
804	618	55	50	10-40034

Colour: Light grey RAL 7035

Standard colours:

RAL 5012 RAL 6011 RAL 7035



Standard examples:

Height: 700 mm



03 02
50 S 50 S
100 S 100 T
100 S 100 T
150 S 150 T
200 S 200 T



05 06
75 S 75 T
75 S 75 T
100 S 100 T
100 S 100 T
250 T 250 T



09 08
75 S 75 T
75 S 75 T
100 S 100 T
100 S 100 T
100 S 100 T
150 S 150 T

Height:	Part. No.
700 mm	10-40700-03
	10-40700-02
5 Drawers	

Height:	Part. No.
700 mm	10-40700-05
	10-40700-06
5 Drawers	

Height:	Part. No.
700 mm	10-40700-09
	10-40700-08
6 Drawers	

Height: 850 mm



03 02
50 S 50 S
75 S 75 T
75 S 75 T
100 S 100 T
100 S 100 T
150 S 150 T
200 S 200 T



07 06
75 S 75 T
75 S 75 T
100 S 100 T
100 S 100 T
125 S 125 T
125 S 125 T
150 S 150 T



11 10
75 S 75 T
75 S 75 T
75 S 75 T
75 S 75 T
100 S 100 T
100 S 100 T
100 S 100 T
150 S 150 T

Height:	Part. No.
850 mm	10-40850-03
	10-40850-02
7 Drawers	

Height:	Part. No.
850 mm	10-40850-07
	10-40850-06
7 Drawers	

Height:	Part. No.
850 mm	10-40850-11
	10-40850-10
8 Drawers	




Partitioning material
see page 55



Drawers:
S = load capacity:100 kg - extension 85-90%
T = load capacity:200 kg - extension 100%

Standard colours:





Series 10

45x36 Eh

Height: 1000 mm



03 02
 100 S 100 T
 100 S 100 T
 100 S 100 T
 150 S 150 T
 150 S 150 T
 300 S 300 T

Height:	Part. No.
1000 mm	10-41000-03
	10-41000-02
6 Drawers	



07 06
 50 S 50 S
 75 S 75 T
 75 S 75 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 200 S 200 T
 300 S 300 T

Height:	Part. No.
1000 mm	10-41000-07
	10-41000-06
7 Drawers	



19 10
 75 S 75 T
 75 S 75 T
 100 S 100 T
 150 S 150 T
 150 S 150 T
 150 S 150 T
 200 S 200 T

Height:	Part. No.
1000 mm	10-41000-19
	10-41000-10
7 Drawers	



13 14
 50 S 50 S
 75 S 75 T
 75 S 75 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 150 S 150 T
 250 T 250 T

Height:	Part. No.
1000 mm	10-41000-13
	10-41000-14
8 Drawers	



47 22
 50 S 50 S
 75 S 75 T
 75 S 75 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 150 S 150 T
 150 S 150 T
 200 S 200 T

Height:	Part. No.
1000 mm	10-41000-47
	10-41000-22
8 Drawers	



45 46
 75 S 75 T
 75 S 75 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 150 S 150 T
 200 S 200 T

Height:	Part. No.
1000 mm	10-41000-45
	10-41000-46
8 Drawers	



49 30
 50 S 50 S
 50 S 50 S
 75 S 75 T
 75 S 75 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 150 S 150 T
 200 S 200 T

Height:	Part. No.
1000 mm	10-41000-49
	10-41000-30
9 Drawers	



33 34
 75 S 75 T
 75 S 75 T
 75 S 75 T
 75 S 75 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 150 S 150 T
 150 S 150 T

Height:	Part. No.
1000 mm	10-41000-33
	10-41000-34
9 Drawers	



53 54
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T

Height:	Part. No.
1000 mm	10-41000-53
	10-41000-54
9 Drawers	

Standard colours:

RAL 5012 RAL 6011 RAL 7035




Drawers:

S = load capacity:100 kg - extension 85-90%
T = load capacity:200 kg - extension 100%

Standard examples:


Height: 1000 mm



43	42
50 S	50 S
50 S	50 S
50 S	50 S
75 S	75 T
75 S	75 T
75 S	75 T
75 S	75 T
75 S	75 T
75 S	75 T
100 S	100 T
100 S	100 T
100 S	100 T
150 S	150 T

Height:	Part. No.
1000 mm	10-41000-43
	10-41000-42

11 Drawers



27	28
75 S	75 T
75 S	75 T
75 S	75 T
75 S	75 T
75 S	75 T
75 S	75 T
75 S	75 T
75 S	75 T
75 S	75 T
75 S	75 T
75 S	75 T
75 S	75 T
75 S	75 T
75 S	75 T
75 S	75 T
75 S	75 T

Height:	Part. No.
1000 mm	10-41000-27
	10-41000-28

12 Drawers

Height: 1450 mm



11	02
100 S	100 T
100 S	100 T
100 S	100 T
150 S	150 T
150 S	150 T
150 S	150 T
150 S	150 T
150 S	150 T
150 S	150 T
150 S	150 T
150 S	150 T
300 S	300 T

Height:	Part. No.
1450 mm	10-41450-11
	10-41450-02


9 Drawers



05	06
150 S	150 T
150 S	150 T
150 S	150 T
150 S	150 T
150 S	150 T
150 S	150 T
150 S	150 T
150 S	150 T
150 S	150 T
150 S	150 T
150 S	150 T

Height:	Part. No.
1450 mm	10-41450-05
	10-41450-06


9 Drawers



15	16
75 S	75 T
75 S	75 T
100 S	100 T
100 S	100 T
100 S	100 T
150 S	150 T
150 S	150 T
200 S	200 T
200 S	200 T
200 S	200 T

Height:	Part. No.
1450 mm	10-41450-15
	10-41450-16

10 Drawers



13	08
75 S	75 T
75 S	75 T
75 S	75 T
75 S	75 T
100 S	100 T
100 S	100 T
100 S	100 T
100 S	100 T
100 S	100 T
100 S	100 T
100 S	100 T
100 S	100 T
100 S	100 T
150 S	150 T
150 S	150 T
150 S	150 T

Height:	Part. No.
1450 mm	10-41450-13
	10-41450-08

13 Drawers



Series 10

45x36 Eh



Mobile cabinets

Made of high-quality sheet steel. Housing sides and bases are welded and painted with high resistance products, environmentally friendly. Available in different heights with uprights slotted in

increments of 25 mm to allow drawers to be adjusted accordingly. Complete with safety upstand raised edges on 4 sides, rubber mat, handle and pair of castors (2 swivel braked and 2 fixed) in nylon or rubber. Equipped with central locking system, safety cylinder lock with 2 keys and single drawer opening system.

Width 955 mm, Depth 733 mm.

with nylon castors Ø 100 mm Part. No.	with rubber castors Ø 100 mm Part. No.	Total height mm	with rubber castors Ø 150 mm Part. No.	Total height mm	Usable height for drawers mm
10-49700	10-49710	857	10-49720	914	600
10-49850	10-49860	1007	10-49870	1064	750
10-49900	10-49910	1157	10-49920	1214	900

Max load capacity: 400 kg with load evenly distributed


Colours: see colour chart at the bottom of the page



2 fixed and 2 swivel braked nylon castors



2 fixed and 2 swivel braked rubber castors



Drawers

Made of high-quality sheet steel.

Available in two versions (simple or total extension) with steel roller bearings. All 4 drawer walls are slotted, for custom sub-division using partitioning material. All drawer handles are equipped with aluminium profiles, end caps and labelling strips.

Front height mm	Usable height mm	Lateral height mm	Load capacity kg *	Single locking system on right Part. No.
50 S	36	33	60	10-43052
75 S	61	52	70	10-43077
75 T	54	52	70	10-43078
100 S	86	77	70	10-43102
100 T	79	77	70	10-43103
125 S	111	77	70	10-43127
125 T	104	77	70	10-43128
150 S	136	127	70	10-43152
150 T	129	127	70	10-43153
200 S	186	177	70	10-43202
200 T	179	177	70	10-43203
250 T	229	177	70	10-43253
300 S	286	277	70	10-43302
300 T	279	277	70	10-43303

S = simple extension: 85 - 90% extension

T = total extension: 100% extension

* with load evenly distributed and at least one slotted divider in the middle

Colour: Light grey RAL 7035 internal,

for drawer front see colour chart at the bottom of the page



Card insert and cellophane (spare part)

For drawers: 45 Eh

Part. No. 06-00455

Kit: 30 pieces

Standard colours:

RAL 5012 RAL 6011 RAL 7035



All drawers with single locking system on right



Load capacity is intended for evenly distributed loads

Standard examples:

Height: 914 mm



09	02
50 S	50 S
100 S	100 T
100 S	100 T
150 S	150 T
200 S	200 T

Height:	Part. No.
914 mm	10-49720-09
	10-49720-02

5 Drawers with single locking system on right
4-sided safety upstand with rubber mat



05	06
75 S	75 T
75 S	75 T
100 S	100 T
100 S	100 T
250 T	250 T

Height:	Part. No.
914 mm	10-49720-05
	10-49720-06

5 Drawers with single locking system on right
4-sided safety upstand with rubber mat



11	08
75 S	75 T
75 S	75 T
100 S	100 T
100 S	100 T
100 S	100 T
150 S	150 T

Height:	Part. No.
914 mm	10-49720-11
	10-49720-08

6 Drawers with single locking system on right
4-sided safety upstand with rubber mat

Height: 1064 mm



11	02
50 S	50 S
75 S	75 T
75 S	75 T
100 S	100 T
100 S	100 T
150 S	150 T
200 S	200 T

Height:	Part. No.
1064 mm	10-49870-11
	10-49870-02

7 Drawers with single locking system on right
4-sided safety upstand with rubber mat



08	06
75 S	75 T
75 S	75 T
100 S	100 T
100 S	100 T
125 S	125 T
125 S	125 T
150 S	150 T

Height:	Part. No.
1064 mm	10-49870-08
	10-49870-06

7 Drawers with single locking system on right
4-sided safety upstand with rubber mat



13	10
75 S	75 T
75 S	75 T
75 S	75 T
75 S	75 T
100 S	100 T
100 S	100 T
100 S	100 T
150 S	150 T

Height:	Part. No.
1064 mm	10-49870-13
	10-49870-10

8 Drawers with single locking system on right
4-sided safety upstand with rubber mat



Partitioning material
see page 55



Drawers:
S = load capacity:70 kg - extension 85-90%
T = load capacity:70 kg - extension 100%



Standard examples are equipped
with 2 fixed and 2 swivel braked
rubber castors, Ø 150 mm



Series 10

45x36 Eh

Standard examples:

1 Height: 1214 mm



03	02
100 S	100 T
100 S	100 T
100 S	100 T
150 S	150 T
150 S	150 T
300 S	300 T



19	10
75 S	75 T
75 S	75 T
100 S	100 T
150 S	150 T
150 S	150 T
150 S	150 T
200 S	200 T



23	18
75 S	75 T
75 S	75 T
100 S	100 T
100 S	100 T
100 S	100 T
100 S	100 T
150 S	150 T
200 S	200 T

Height:	Part. No.
1214 mm	10-49920-03
	10-49920-02

6 Drawers with single locking system on right
4-sided safety upstand with rubber mat

Height:	Part. No.
1214 mm	10-49920-19
	10-49920-10

7 Drawers with single locking system on right
4-sided safety upstand with rubber mat


Height:	Part. No.
1214 mm	10-49920-23
	10-49920-18

8 Drawers with single locking system on right
4-sided safety upstand with rubber mat




Standard examples:


Partitioning material




For front height: 50 mm and higher	Part. No. 07-40002
20 Troughs	2-Trough
40 Trough dividers	




For front height: 50 mm and higher	Part. No. 07-40003
20 Troughs	3-Trough
60 Trough dividers	




For front height: 50 mm and higher	Part. No. 07-40004
20 Troughs	4-Trough
80 Trough dividers	




For front height: 50 mm	Part. No. 07-41205
75 mm	07-41207
100-125 mm	07-41210
20 Plastic boxes	150x150 mm




For front height: 50 mm	Part. No. 07-41405
75 mm	07-41407
100-125 mm	07-41410
20 Plastic boxes	150x75 mm
10 Plastic boxes	150x150 mm




For front height: 75 mm	Part. No. 07-43307
100-125 mm	07-43310
150 mm	07-43315
200-250 mm	07-43320
3 Slotted partitions	36 Eh
5 Aluminium dividers	9 Eh
10 Aluminium dividers	12 Eh



For front height: 75 mm	Part. No. 07-43407
100-125 mm	07-43410
150 mm	07-43415
200-250 mm	07-43420
4 Slotted partitions	36 Eh
21 Aluminium dividers	9 Eh



For front height: 50 mm	Part. No. 07-43605
75 mm	07-43607
100-125 mm	07-43610
6 Slotted partitions	36 Eh
24 Aluminium dividers	6 Eh
1 Aluminium divider	9 Eh



For front height: 75 mm	Part. No. 07-38407
100-125 mm	07-38410
150 mm	07-38415
200-250 mm	07-38420
4 Plain partitions	36 Eh



Details of partitioning material on page 112



Label holders not included



Standard examples with slotted partitions are supplied with fixings



Series 10

54x36 Eh

Drawer cabinets

Width: 1023 mm - Depth: 725 mm


Drawer cabinets
see page 57



Mobile drawer cabinets
see page 62



Partitioning material
see page 65



Standard colours:

RAL 5012 RAL 6011 RAL 7035




For your safety all cabinets
must be anchored using
floor bolts



Fixing material
for cabinets
Part. No.
06-00030

918 mm = 54 Eh

612 mm = 36 Eh



153 mm
9 Eh

153 mm
9 Eh






Cabinets housings

Made of high-quality sheet steel. Housing sides and bases are welded and painted with high resistance products, environmentally friendly. Available in different heights with uprights slotted in increments of 25 mm to allow drawers to be adjusted

accordingly. Equipped with central locking system, safety cylinder lock with 2 keys and single drawer opening system.

Width mm	Depth mm	Height mm	Usable height mm	Part. No.
1023	725	700	600	10-50700
1023	725	850	750	10-50850
1023	725	1000	900	10-51000
1023	725	1450	1350	10-51450

Colours: see colour chart at the bottom of the page



Drawers

Made of high-quality sheet steel.

Available in two versions (simple or total extension) with steel roller bearings. All 4 drawer walls are slotted, for custom sub-division using partitioning material. All drawer handles are equipped with aluminium profiles, end caps and labelling strips.

Front height mm	Usable height mm	Lateral height mm	Load capacity kg *	Part. No.
50 S	36	33	60	10-53050
75 S	61	52	80	10-53075
75 T	54	52	200	10-53076
100 S	86	77	100	10-53100
100 T	79	77	200	10-53101
125 S	111	77	100	10-53125
125 T	104	77	200	10-53126
150 S	136	127	100	10-53150
150 T	129	127	200	10-53151
200 S	186	177	100	10-53200
200 T	179	177	200	10-53201
250 T	229	177	200	10-53251
300 S	286	277	100	10-53300
300 T	279	277	200	10-53301

S = simple extension: 85 - 90% extension

T = total extension: 100% extension

* with load evenly distributed and at least one slotted divider in the middle

Colour: Light grey RAL 7035 internal,

for drawer front see colour chart at the bottom of the page



Upstand raised edges on 3 sides

Made of high-quality steel

Width mm	Depth mm	Height mm	Upstand with mat Part. No.	Smooth rubber mat Part. No.
1023	725	20	10-50025	-
1018	720	2	-	10-50022

Colour: Black



Cabinet bases

Made of high-quality steel

	Width mm	Depth mm	Height mm	Part. No.
1 Base plinth	1023	693	50	05-45405
2 Pallet base	1023	659	100	05-23610
3 Cover plate	1023	-	100	05-35410

Colour: Black



Card insert and cellophane (spare part)

For drawers: 54 Eh

Part. No. **06-00545**

Kit: 30 pieces




Partitioning material see page 65



Load capacity is intended for evenly distributed loads

Standard colours:





Series 10

54x36 Eh




Cabinet housings

Made of high-quality sheet steel. Housing sides and bases are welded with high resistance products, environmentally friendly. Available in 2 different heights with uprights slotted in increments of 25 mm to allow shelves to be adjusted accordingly. Equipped with central locking system, safety cylinder lock with 2 keys and single drawer opening system.

Width mm	Depth mm	Height mm	Usable height mm	Part. No.
1023	725	850	750	10-50860
1023	725	1000	900	10-51010

Colours: see colour chart at the bottom of the page



Perforated back panel


Made of high-quality steel

Width mm	Height mm	Usable height mm	Part. No.
1023	1104	608	10-50100

Colour: Light grey RAL 7035



Hooks see page 249



Work surfaces for cabinets

Width mm	Depth mm	Thickness mm	Plastic laminated Part. No.	Linoplex Part. No.
1023	750	30	10-50014	10-50016

Colour: Plastic laminated/linoplex light grey RAL 7035




Adjustable shelf

Made of steel. Lateral supports included

Usable width mm	Usable depth mm	Height mm	Load capacity kg	Part. No.
964	620	35	70	33-72058

Colour: Light grey RAL 7035



Retractable shelves

Made of high-quality sheet steel. Available in two versions (simple or total extension) with steel roller bearings. Fitted with galvanised steel inserts ensuring a level surface. All retractable shelf handles are equipped with aluminium profiles, end caps and labelling strips.

Usable width mm	Usable depth mm	Height mm	Extension %	Load capacity kg *	Part. No.
918	612	75	85	100	10-53984
918	612	75	100	200	10-53985

* with load evenly distributed

Colours: see colour chart at the bottom of the page



Card insert and cellophane (spare part)

For drawers: 54 Eh Part. No. 06-00545
Kit: 30 pieces



Lower shelf

Made of high-quality steel

Usable width mm	Usable depth mm	Height mm	Load capacity kg	Part. No.
957	618	55	50	10-50034

Colour: Light grey RAL 7035

Standard colours:

RAL 5012 RAL 6011 RAL 7035



Load capacity is intended for evenly distributed loads

Standard examples:

Height: 700 mm



04 02
 100 S 100 T
 150 S 150 T
 150 S 150 T
 200 S 200 T

Height:	Part. No.
700 mm	10-50700-04
	10-50700-02
4 Drawers	



08 06
 75 S 75 T
 75 S 75 T
 100 S 100 T
 150 S 150 T
 200 S 200 T

Height:	Part. No.
700 mm	10-50700-08
	10-50700-06
5 Drawers	



11 10
 75 S 75 T
 75 S 75 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 150 S 150 T

Height:	Part. No.
700 mm	10-50700-11
	10-50700-10
6 Drawers	

Height: 850 mm



04 02
 100 S 100 T
 100 S 100 T
 100 S 100 T
 150 S 150 T
 300 S 300 T

Height:	Part. No.
850 mm	10-50850-04
	10-50850-02
5 Drawers	



05 06
 75 S 75 T
 75 S 75 T
 100 S 100 T
 100 S 100 T
 150 S 150 T
 250 T 250 T

Height:	Part. No.
850 mm	10-50850-05
	10-50850-06
6 Drawers	



12 10
 50 S 50 S
 75 S 75 T
 75 S 75 T
 100 S 100 T
 100 S 100 T
 150 S 150 T
 200 S 200 T

Height:	Part. No.
850 mm	10-50850-12
	10-50850-10
7 Drawers	




Partitioning material
 see page 65



Drawers:
 S = load capacity:100 kg - extension 85-90%
 T = load capacity:200 kg - extension 100%

Standard colours:





Series 10

54x36 Eh

Height: 1000 mm



04	02
100 S	100 T
100 S	100 T
100 S	100 T
150 S	150 T
150 S	150 T
300 S	300 T

Height:	Part. No.
1000 mm	10-51000-04
	10-51000-02
6 Drawers	



08	06
75 S	75 T
75 S	75 T
100 S	100 T
150 S	150 T
150 S	150 T
150 S	150 T
200 S	200 T

Height:	Part. No.
1000 mm	10-51000-08
	10-51000-06
7 Drawers	



12	10
50 S	50 S
75 S	75 T
75 S	75 T
100 S	100 T
100 S	100 T
150 S	150 T
150 S	150 T
200 S	200 T

Height:	Part. No.
1000 mm	10-51000-12
	10-51000-10
8 Drawers	



16	14
75 S	75 T
75 S	75 T
100 S	100 T
100 S	100 T
100 S	100 T
100 S	100 T
150 S	150 T
200 S	200 T

Height:	Part. No.
1000 mm	10-51000-16
	10-51000-14
8 Drawers	



17	18
50 S	50 S
50 S	50 S
50 S	50 S
75 S	75 T
75 S	75 T
100 S	100 T
100 S	100 T
150 S	150 T
250 T	250 T

Height:	Part. No.
1000 mm	10-51000-17
	10-51000-18
9 Drawers	



27	22
50 S	50 S
50 S	50 S
75 S	75 T
75 S	75 T
75 S	75 T
75 S	75 T
150 S	150 T
150 S	150 T
200 S	200 T

Height:	Part. No.
1000 mm	10-51000-27
	10-51000-22
9 Drawers	



29	30
50 S	50 S
50 S	50 S
75 S	75 T
75 S	75 T
100 S	100 T
100 S	100 T
100 S	100 T
150 S	150 T
200 S	200 T

Height:	Part. No.
1000 mm	10-51000-29
	10-51000-30
9 Drawers	



33	34
100 S	100 T
100 S	100 T
100 S	100 T
100 S	100 T
100 S	100 T
100 S	100 T
100 S	100 T
100 S	100 T
100 S	100 T

Height:	Part. No.
1000 mm	10-51000-33
	10-51000-34
9 Drawers	



35	36
75 S	75 T
75 S	75 T
75 S	75 T
75 S	75 T
100 S	100 T
100 S	100 T
100 S	100 T
150 S	150 T
150 S	150 T

Height:	Part. No.
1000 mm	10-51000-35
	10-51000-36
9 Drawers	

Standard colours:

RAL 5012 RAL 6011 RAL 7035



Drawers:

S = load capacity:100 kg - extension 85-90%
T = load capacity:200 kg - extension 100%

Standard examples:

Height: 1450 mm



04 02
 75 S 75 T
 75 S 75 T
 100 S 100 T
 100 S 100 T
 150 S 150 T
 150 S 150 T
 200 S 200 T
 200 S 200 T
 300 S 300 T

Height: 1450 mm	Part. No. 10-51450-04 10-51450-02
9 Drawers	



13 14
 100 S 100 T
 100 S 100 T
 100 S 100 T
 150 S 150 T
 150 S 150 T
 150 S 150 T
 150 S 150 T
 150 S 150 T
 150 S 150 T
 300 S 300 T

Height: 1450 mm	Part. No. 10-51450-13 10-51450-14
9 Drawers	



33 34
 150 S 150 T
 150 S 150 T
 150 S 150 T
 150 S 150 T
 150 S 150 T
 150 S 150 T
 150 S 150 T
 150 S 150 T
 150 S 150 T

Height: 1450 mm	Part. No. 10-51450-33 10-51450-34
9 Drawers	



08 06
 75 S 75 T
 75 S 75 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 150 S 150 T
 150 S 150 T
 200 S 200 T
 200 S 200 T
 200 S 200 T

Height: 1450 mm	Part. No. 10-51450-08 10-51450-06
10 Drawers	



12 10
 75 S 75 T
 75 S 75 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 150 S 150 T
 150 S 150 T
 200 S 200 T
 200 S 200 T

Height: 1450 mm	Part. No. 10-51450-12 10-51450-10
11 Drawers	






17 18
 75 S 75 T
 75 S 75 T
 75 S 75 T
 75 S 75 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 150 S 150 T
 150 S 150 T
 150 S 150 T

Height: 1450 mm	Part. No. 10-51450-17 10-51450-18
13 Drawers	



Partitioning material
see page 65

Standard colours:
 RAL 5012  RAL 6011  RAL 7035 



Series 10

54x36 Eh



Mobile cabinets

Made of high-quality sheet steel. Housing sides and bases are welded and painted with high resistance products, environmentally friendly. Available in different heights with uprights slotted in increments of 25 mm to allow drawers to be adjusted accordingly.

Complete with safety upstand raised edges on 4 sides, rubber mat, handle and pair of castors (2 swivel braked and 2 fixed) in nylon or rubber. Equipped with central locking system, safety cylinder lock with 2 keys and single drawer opening system.

Width 1108 mm, Depth 733 mm.

with nylon castors Ø 100 mm Part. No.	with rubber castors Ø 100 mm Part. No.	Total height mm	with rubber castors Ø 150 mm Part. No.	Total height mm	Usable height for drawers mm
10-59700	10-59710	857	10-59720	914	600
10-59850	10-59860	1007	10-59870	1064	750
10-59900	10-59910	1157	10-59920	1214	900

Max load capacity: 400 kg with load evenly distributed


Colours: see colour chart at the bottom of the page



2 fixed and
2 swivel braked
nylon castors



2 fixed and
2 swivel braked
rubber castors



Drawers

Made of high-quality sheet steel.

Available in two versions (simple or total extension) with steel roller bearings. All 4 drawer walls are slotted, for custom sub-division using partitioning material. All drawer handles are equipped with aluminium profiles, end caps and labelling strips.

Front height mm	Usable height mm	Lateral height mm	Load capacity kg *	Single locking system on right Part. No.
50 S	36	33	60	10-53052
75 S	61	52	70	10-53077
75 T	54	52	70	10-53078
100 S	86	77	70	10-53102
100 T	79	77	70	10-53103
125 S	111	77	70	10-53127
125 T	104	77	70	10-53128
150 S	136	127	70	10-53152
150 T	129	127	70	10-53153
200 S	186	177	70	10-53202
200 T	179	177	70	10-53203
250 T	229	177	70	10-53253
300 S	286	277	70	10-53302
300 T	279	277	70	10-53303

S = simple extension: 85 - 90% extension

T = total extension: 100% extension

* with load evenly distributed and at least one slotted divider in the middle

Colour: Light grey RAL 7035 internal,

for drawer front see colour chart at the bottom of the page



Card insert and cellophane (spare part)

For drawers: 54 Eh

Part. No. **06-00545**

Kit: 30 pieces

Standard colours:

RAL 5012 RAL 6011 RAL 7035



All drawers with single locking system on right



Load capacity is intended for evenly distributed loads

Standard examples:

Height: 914 mm



04 02
100 S 100 T
150 S 150 T
150 S 150 T
200 S 200 T

Height:	Part. No.
914 mm	10-59720-04
	10-59720-02

4 Drawers with single locking system on right
4-sided safety upstand with rubber mat



08 06
75 S 75 T
75 S 75 T
100 S 100 T
150 S 150 T
200 S 200 T

Height:	Part. No.
914 mm	10-59720-08
	10-59720-06

5 Drawers with single locking system on right
4-sided safety upstand with rubber mat



13 10
75 S 75 T
75 S 75 T
100 S 100 T
100 S 100 T
100 S 100 T
150 S 150 T

Height:	Part. No.
914 mm	10-59720-13
	10-59720-10

6 Drawers with single locking system on right
4-sided safety upstand with rubber mat

Height: 1064 mm



03 02
100 S 100 T
100 S 100 T
100 S 100 T
150 S 150 T
300 S 300 T

Height:	Part. No.
1064 mm	10-59870-03
	10-59870-02

5 Drawers with single locking system on right
4-sided safety upstand with rubber mat



05 06
75 S 75 T
75 S 75 T
100 S 100 T
100 S 100 T
150 S 150 T
250 T 250 T

Height:	Part. No.
1064 mm	10-59870-05
	10-59870-06

6 Drawers with single locking system on right
4-sided safety upstand with rubber mat



13 10
50 S 50 S
75 S 75 T
75 S 75 T
100 S 100 T
100 S 100 T
150 S 150 T
200 S 200 T

Height:	Part. No.
1064 mm	10-59870-13
	10-59870-10

7 Drawers with single locking system on right
4-sided safety upstand with rubber mat



Partitioning material
see page 65



Drawers:
S = load capacity:70 kg - extension 85-90%
T = load capacity:70 kg - extension 100%



Standard examples are equipped
with 2 fixed and 2 swivel braked
rubber castors, Ø 150 mm



Series 10

54x36 Eh

Standard examples:

Height: 1214 mm



04 02
 100 S 100 T
 100 S 100 T
 100 S 100 T
 150 S 150 T
 150 S 150 T
 300 S 300 T



31 06
 75 S 75 T
 75 S 75 T
 100 S 100 T
 150 S 150 T
 150 S 150 T
 150 S 150 T
 200 S 200 T



12 10
 50 S 50 S
 75 S 75 T
 75 S 75 T
 100 S 100 T
 100 S 100 T
 150 S 150 T
 150 S 150 T
 200 S 200 T

Height:	Part. No.
1214 mm	10-59920-04
	10-59920-02


6 Drawers with single locking system on right
 4-sided safety upstand with rubber mat




Height:	Part. No.
1214 mm	10-59920-31
	10-59920-06

7 Drawers with single locking system on right
 4-sided safety upstand with rubber mat

Height:	Part. No.
1214 mm	10-59920-12
	10-59920-10

8 Drawers with single locking system on right
 4-sided safety upstand with rubber mat



Standard colours:
 RAL 5012 RAL 6011 RAL 7035





i Drawers:
 S = load capacity:70 kg - extension 85-90%
 T = load capacity:70 kg - extension 100%

i Standard examples are equipped with 2 fixed and 2 swivel braked rubber castors, Ø 150 mm




Standard examples:


Partitioning material




For front height:	Part. No.
50 mm and higher	07-50034
8 Troughs	3-Trough
10 Trough dividers	
16 Troughs	4-Trough
30 Trough dividers	




For front height:	Part. No.
50 mm and higher	07-50234
8 Troughs	2-Trough
6 Trough dividers	
8 Troughs	3-Trough
10 Trough dividers	
8 Troughs	4-Trough
15 Trough dividers	




For front height:	Part. No.
50 mm	07-51205
75 mm	07-51207
100-125 mm	07-51210
24 Plastic boxes	150x150 mm




For front height:	Part. No.
50 mm	07-51605
75 mm	07-51607
100-125 mm	07-51610
24 Plastic boxes	150x75 mm
12 Plastic boxes	150x150 mm




For front height:	Part. No.
50 mm	07-51505
75 mm	07-51507
20 Plastic boxes	75x75 mm
14 Plastic boxes	150x75 mm
12 Plastic boxes	150x150 mm



For front height:	Part. No.
50 mm	07-53405
75 mm	07-53407
100-125 mm	07-53410
150 mm	07-53415
200-250 mm	07-53420
300 mm	07-53430
4 Slotted partitions	36 Eh
2 Aluminium dividers	9 Eh
3 Aluminium dividers	12 Eh



For front height:	Part. No.
50 mm	07-53505
75 mm	07-53507
100-125 mm	07-53510
150 mm	07-53515
200-250 mm	07-53520
300 mm	07-53530
5 Slotted partitions	36 Eh
12 Aluminium dividers	9 Eh



For front height:	Part. No.
50 mm	07-53605
75 mm	07-53607
100-125 mm	07-53610
6 Slotted partitions	36 Eh
6 Aluminium dividers	6 Eh
3 Aluminium dividers	9 Eh
1 Aluminium divider	12 Eh



For front height:	Part. No.
50 mm	07-53705
75 mm	07-53707
100-125 mm	07-53710
7 Slotted partitions	36 Eh
12 Aluminium dividers	6 Eh
2 Aluminium dividers	9 Eh



Details of partitioning material on page 112



Label holders not included



Standard examples with slotted partitions are supplied with fixing




Series 10

64x36 Eh

Drawer cabinets

Width: 1193 mm - Depth: 725 mm




Drawer cabinets
see page 67



Mobile drawer cabinets
see page 71



Partitioning material
see page 70



Standard colours:
RAL 5012 RAL 6011 RAL 7035



5-year Guarantee



For your safety all cabinets must be anchored using floor bolts



Fixing material for cabinets
Part. No. 06-00030






Cabinets housings

Made of high-quality sheet steel. Housing sides and bases are welded and painted with high resistance products, environmentally friendly. Available in different heights with uprights slotted in increments of 25 mm to allow drawers to be adjusted

accordingly. Equipped with central locking system, safety cylinder lock with 2 keys and single drawer opening system.

Width mm	Depth mm	Height mm	Usable height mm	Part. No.
1193	725	700	600	10-60700
1193	725	1000	900	10-61000
1193	725	1325	1225	10-61320
1193	725	1450	1350	10-61450

Colours: see colour chart at the bottom of the page



Drawers

Made of high-quality sheet steel.

Available in total extension only with steel roller bearings. All 4 drawer walls are slotted, for custom sub-division using partitioning material. All drawer handles are equipped with aluminium profiles, end caps and labelling strips.

Front height mm	Usable height mm	Lateral height mm	Load capacity kg *	Part. No.
75 T	54	52	200	10-63076
100 T	79	77	200	10-63101
125 T	104	77	200	10-63126
150 T	129	127	200	10-63151
200 T	179	177	200	10-63201
250 T	229	177	200	10-63251
300 T	279	277	200	10-63301

T = total extension: 100% extension

* with load evenly distributed and at least one slotted divider in the middle

Colour: Light grey RAL 7035 internal,

for drawer front see colour chart at the bottom of the page



Upstand raised edges on 3 sides

Made of high-quality steel

Width mm	Depth mm	Height mm	Upstand with mat Part. No.	Smooth rubber mat Part. No.
1193	725	20	10-60025	-
1188	720	2	-	10-60022

Colour: Black



Card insert and cellophane (spare part)

For drawers: 64 Eh

Part. No. **06-00645**

Kit: 30 pieces



Cabinet bases

Made of high-quality steel

	Width mm	Depth mm	Height mm	Part. No.
1 Base plinth	1193	693	50	05-46405
2 Pallet base	1193	659	100	05-23610
3 Cover plate	1193	-	100	05-36410

Colour: Black




Partitioning material see page 70



Load capacity is intended for evenly distributed loads

Standard colours:





Series 10

64x36 Eh

1



Cabinet housings


Made of high-quality sheet steel. Housing sides and bases are welded with high resistance products, environmentally friendly.

Available in one height only with uprights slotted in increments of 25 mm to allow shelves to be adjusted accordingly.

Equipped with central locking system, safety cylinder lock with 2 keys and single drawer opening system.

Width mm	Depth mm	Height mm	Usable height mm	Part. No.
1193	725	1000	900	10-61010

Colours: see colour chart at the bottom of the page



Perforated back panel


Made of high-quality steel

Width mm	Height mm	Usable height mm	Part. No.
1193	1104	608	10-60100

Colour: Light grey RAL 7035



Hooks see page 249



Work surfaces for cabinets

Width mm	Depth mm	Thickness mm	Plastic laminated Part. No.	Linoplex Part. No.
1193	750	30	10-60014	10-60016

Colour: Plastic laminated/linoplex light grey RAL 7035




Adjustable shelf

Made of steel. Lateral supports included

Usable width mm	Usable depth mm	Height mm	Load capacity kg	Part. No.
1137	620	35	70	33-72068

Colour: Light grey RAL 7035



Retractable shelf

Made of high-quality sheet steel.

Available in total extension only with steel roller bearings.

Fitted with galvanised steel inserts ensuring a level surface.

All retractable shelf handles are equipped with aluminium profiles, end caps and labelling strips.

Usable width mm	Usable depth mm	Height mm	Extension %	Load capacity kg	Part. No.
1088	612	75	100	200	10-63985

* with load evenly distributed

Colours: see colour chart at the bottom of the page



Card insert and cellophane (spare part)

For drawers: 64 Eh

Part. No. **06-00645**

Kit: 30 pieces



Lower shelf

Made of high-quality steel

Usable width mm	Usable depth mm	Height mm	Load capacity kg	Part. No.
1130	618	55	50	10-60034

Colour: Light grey RAL 7035

Standard colours:

RAL 5012 RAL 6011 RAL 7035



Standard examples:

Height: 700 mm



01
100 T
150 T
150 T
200 T

Height:	Part. No.
700 mm	10-60700-01
4 Drawers	



03
75 T
75 T
100 T
150 T
200 T

Height:	Part. No.
700 mm	10-60700-03
5 Drawers	



05
75 T
75 T
100 T
100 T
100 T
150 T

Height:	Part. No.
700 mm	10-60700-05
6 Drawers	

Height: 1000 mm



01
75 T
75 T
100 T
100 T
150 T
200 T
200 T

Height:	Part. No.
1000 mm	10-61000-01
7 Drawers	



03
75 T
75 T
100 T
100 T
100 T
100 T
150 T
200 T

Height:	Part. No.
1000 mm	10-61000-03
8 Drawers	



05
75 T
75 T
100 T
100 T
100 T
150 T
150 T
150 T

Height:	Part. No.
1000 mm	10-61000-05
8 Drawers	

Height: 1325 mm



01
100 T
100 T
100 T
100 T
125 T
150 T
150 T
200 T
200 T

Height:	Part. No.
1325 mm	10-61320-01
9 Drawers	



03
75 T
75 T
75 T
100 T
100 T
150 T
150 T
150 T
200 T

Height:	Part. No.
1325 mm	10-61320-03
10 Drawers	



05
75 T
75 T
75 T
75 T
75 T
100 T
100 T
150 T
150 T
150 T
200 T

Height:	Part. No.
1325 mm	10-61320-05
11 Drawers	




Partitioning material
see page 70



Drawers:
T = load capacity:200 kg - extension 100%

Standard colours:





Series 10

64x36 Eh

Standard examples:

Height: 1450 mm



01
150 T
150 T
125 T
75 T
100 T
100 T
100 T
100 T
150 T
200 T
200 T

Height: 1450 mm	Part. No. 10-61450-01
10 Drawers	



03
150 T
125 T
75 T
100 T
100 T
100 T
100 T
100 T
100 T
150 T
150 T
200 T


Height: 1450 mm	Part. No. 10-61450-03
11 Drawers	




05
150 T
125 T
75 T
75 T
75 T
100 T
100 T
100 T
100 T
100 T
100 T
150 T
150 T
200 T

Height: 1450 mm	Part. No. 10-61450-05
12 Drawers	


Partitioning material




For front height:	Part. No.
75 mm	07-63407
100-125 mm	07-63410
150 mm	07-63415
4 Slotted partitions	36 Eh
3 Aluminium dividers	9 Eh
3 Aluminium dividers	10 Eh
9 Aluminium dividers	15 Eh



For front height:	Part. No.
75 mm	07-63507
100-125 mm	07-63510
150 mm	07-63515
5 Slotted partitions	36 Eh
2 Aluminium dividers	9 Eh
1 Aluminium divider	10 Eh
3 Aluminium dividers	12 Eh



For front height:	Part. No.
75 mm	07-68607
100-125 mm	07-68610
150 mm	07-68615
200-250 mm	07-68620
300 mm	07-68630
6 Plain partitions	36 Eh



For front height:	Part. No.
75 mm	07-69207
100-125 mm	07-69210
150 mm	07-69215
200-250 mm	07-69220
300 mm	07-69230
2 Plain partitions	64 Eh

Standard colours:

RAL 5012 RAL 6011 RAL 7035



Details of partitioning material on page 112



Drawers:

T = load capacity:200 kg - extension 100%



Mobile cabinets

Made of high-quality sheet steel. Housing sides and bases are welded and painted with high resistance products, environmentally friendly. Available in different heights with uprights slotted in increments of 25 mm to allow drawers to be adjusted accordingly. Complete with safety upstand raised edges on 4 sides, rubber mat, handle and pair of castors (2 swivel braked and 2 fixed) in nylon or rubber. Equipped with central locking system, safety cylinder lock with 2 keys and single drawer opening system.

Width 1278 mm, Depth 733 mm.

Width 1278 mm, Depth 733 mm.

with nylon castors Ø 100 mm Part. No.	with rubber castors Ø 100 mm Part. No.	Total height mm	with rubber castors Ø 150 mm Part. No.	Total height mm	Usable height for drawers mm
10-69700	10-69710	857	10-69720	914	600
10-69900	10-69910	1157	10-69920	1214	900

Max load capacity: 400 kg with load evenly distributed


Colours: see colour chart at the bottom of the page



2 fixed and 2 swivel braked nylon castors



2 fixed and 2 swivel braked rubber castors



Drawers

Made of high-quality sheet steel.

Available in total extension only with steel roller bearings. All 4 drawer walls are slotted, for custom sub-division using partitioning material. All drawer handles are equipped with aluminium profiles, end caps and labelling strips.

Front height mm	Usable height mm	Lateral height mm	Load capacity kg *	Single locking system on right Part. No.
75 T	54	52	70	10-63078
100 T	79	77	70	10-63103
125 T	104	77	70	10-63128
150 T	129	127	70	10-63153
200 T	179	177	70	10-63203
250 T	229	177	70	10-63253
300 T	279	277	70	10-63303

T = total extension: 100% extension

* with load evenly distributed and at least one slotted divider in the middle

Colour: Light grey RAL 7035 internal,

for drawer front see colour chart at the bottom of the page



Card insert and cellophane (spare part)

For drawers: 64 Eh

Part. No. **06-00645**

Kit: 30 pieces




All drawers with single locking system on right



Load capacity is intended for evenly distributed loads

Standard colours:






Series 10

78x36 Eh

Drawer cabinets

Width: 1431 mm - Depth: 725 mm




Drawer cabinets
see page 73



Mobile drawer cabinets
see page 77



Partitioning material
see page 76




Standard colours:
RAL 5012 RAL 6011 RAL 7035

5-year Guarantee

For your safety all cabinets must be anchored using floor bolts

Fixing material for cabinets
Part. No. 06-00030





Cabinets housings

Made of high-quality sheet steel. Housing sides and bases are welded and painted with high resistance products, environmentally friendly. Available in different heights with uprights slotted in increments of 25 mm to allow drawers to be adjusted accordingly. Equipped with central locking system, safety cylinder lock with 2 keys and single drawer opening system.

Equipped with central locking system, safety cylinder lock with 2 keys and single drawer opening system.

Width mm	Depth mm	Height mm	Usable height mm	Part. No.
1431	725	700	600	10-70700
1431	725	1000	900	10-71000
1431	725	1325	1225	10-71320
1431	725	1450	1350	10-71450

Colours: see colour chart at the bottom of the page



Drawers

T

Made of high-quality sheet steel.

Available in total extension only with steel roller bearings. All 4 drawer walls are slotted, for custom sub-division using partitioning material. All drawer handles are equipped with aluminium profiles, end caps and labelling strips.

Front height mm	Usable height mm	Lateral height mm	Load capacity kg *	Part. No.
75 T	54	52	200	10-73076
100 T	79	77	200	10-73101
125 T	104	77	200	10-73126
150 T	129	127	200	10-73151
175 T	154	127	200	10-73176
200 T	179	177	200	10-73201
250 T	229	177	200	10-73251
300 T	279	277	200	10-73301

T = total extension: 100% extension

* with load evenly distributed and at least one slotted divider in the middle

Colour: Light grey RAL 7035 internal,

for drawer front see colour chart at the bottom of the page



Upstand raised edges on 3 sides

Made of high-quality steel

Width mm	Depth mm	Height mm	Upstand with mat Part. No.	Smooth rubber mat Part. No.
1431	725	20	10-70025	-
1426	720	2	-	10-70022

Colour: Black



Card insert and cellophane (spare part)

For drawers: 78 Eh

Part. No. **06-00785**

Kit: 30 pieces



Cabinet bases

Made of high-quality steel

	Width mm	Depth mm	Height mm	Part. No.
1 Base plinth	1431	693	50	05-47805
2 Pallet base	1431	659	100	05-23610
3 Cover plate	1431	-	100	05-37810

Colour: Black




Partitioning material see page 76



Load capacity is intended for evenly distributed loads

Standard colours:





Series 10

78x36 Eh




Cabinet housings

Made of high-quality sheet steel. Housing sides and bases are welded with high resistance products, environmentally friendly. Available in one height only with uprights slotted in increments of 25 mm to allow shelves to be adjusted accordingly. Equipped with central locking system, safety cylinder lock with 2 keys and single drawer opening system.

Width mm	Depth mm	Height mm	Usable height mm	Part. No.
1431	725	1000	900	10-71010

Colours: see colour chart at the bottom of the page



Perforated back panel


Made of high-quality steel

Width mm	Height mm	Usable height mm	Part. No.
1431	1104	608	10-70100

Colour: Light grey RAL 7035



Hooks see page 249



Work surfaces for cabinets

Width mm	Depth mm	Thickness mm	Plastic laminated Part. No.	Linoplex Part. No.
1431	750	30	10-70014	10-70016

Colour: Plastic laminated/linoplex light grey RAL 7035




Adjustable shelf

Made of steel. Lateral supports included

Usable width mm	Usable depth mm	Height mm	Load capacity kg	Part. No.
1372	620	35	70	33-72078

Colour: Light grey RAL 7035



Retractable shelf

Made of high-quality sheet steel. Available in total extension only with steel roller bearings. Fitted with galvanised steel inserts ensuring a level surface. All retractable shelf handles are equipped with aluminium profiles, end caps and labelling strips.

Usable width mm	Usable depth mm	Height mm	Extension %	Load capacity kg *	Part. No.
1326	612	75	100	200	10-73985

* with load evenly distributed

Colours: see colour chart at the bottom of the page



Card insert and cellophane (spare part)

For drawers: 78 Eh

Part. No. 06-00785

Kit: 30 pieces



Lower shelf

Made of high-quality steel

Usable width mm	Usable depth mm	Height mm	Load capacity kg	Part. No.
1368	618	55	50	10-70034

Colour: Light grey RAL 7035

Standard colours:

RAL 5012 RAL 6011 RAL 7035



Load capacity is intended for evenly distributed loads

Standard examples:

Height: 700 mm



01
100 T
150 T
150 T
200 T

Height: 700 mm
Part. No. 10-70700-01
4 Drawers



03
75 T
75 T
100 T
150 T
200 T

Height: 700 mm
Part. No. 10-70700-03
5 Drawers



05
75 T
75 T
100 T
100 T
100 T
150 T

Height: 700 mm
Part. No. 10-70700-05
6 Drawers

Height: 1000 mm



01
75 T
75 T
100 T
100 T
150 T
200 T
200 T

Height: 1000 mm
Part. No. 10-71000-01
7 Drawers



03
75 T
75 T
100 T
100 T
100 T
100 T
150 T
200 T

Height: 1000 mm
Part. No. 10-71000-03
8 Drawers



05
75 T
75 T
100 T
100 T
100 T
150 T
150 T
150 T

Height: 1000 mm
Part. No. 10-71000-05
8 Drawers

Height: 1325 mm



01
100 T
100 T
100 T
100 T
125 T
150 T
150 T
200 T
200 T

Height: 1325 mm
Part. No. 10-71320-01
9 Drawers



03
75 T
75 T
75 T
100 T
100 T
150 T
150 T
150 T
150 T
200 T

Height: 1325 mm
Part. No. 10-71320-03
10 Drawers



05
75 T
75 T
75 T
75 T
75 T
100 T
100 T
150 T
150 T
150 T
200 T

Height: 1325 mm
Part. No. 10-71320-05
11 Drawers




Partitioning material
see page 76



Drawers:
T = load capacity:200 kg - extension 100%

Standard colours:





Series 10

78x36 Eh

Standard examples:

Height: 1450 mm



01
150 T
150 T
125 T
75 T
100 T
100 T
100 T
100 T
150 T
200 T
200 T

Height: 1450 mm	Part. No. 10-71450-01
10 Drawers	



03
150 T
125 T
75 T
100 T
100 T
100 T
100 T
100 T
100 T
150 T
150 T
200 T


Height: 1450 mm	Part. No. 10-71450-03
11 Drawers	




05
150 T
125 T
75 T
75 T
75 T
100 T
100 T
100 T
100 T
100 T
100 T
100 T
150 T
150 T
200 T

Height: 1450 mm	Part. No. 10-71450-05
12 Drawers	


Partitioning material




For front height:	Part. No.
75 mm	07-73507
100-125 mm	07-73510
150-175 mm	07-73515
5 Slotted partitions	36 Eh
2 Aluminium dividers	9 Eh
2 Aluminium dividers	12 Eh
2 Aluminium dividers	18 Eh



For front height:	Part. No.
75 mm	07-73607
100-125 mm	07-73610
150-175 mm	07-73615
6 Slotted partitions	36 Eh
4 Aluminium dividers	9 Eh
2 Aluminium dividers	12 Eh
1 Aluminium divider	18 Eh



For front height:	Part. No.
75 mm	07-68607
100-125 mm	07-68610
150-175 mm	07-68615
200-250 mm	07-68620
300 mm	07-68630
6 Plain partitions	36 Eh



For front height:	Part. No.
75 mm	07-79207
100-125 mm	07-79210
150-175 mm	07-79215
200-250 mm	07-79220
300 mm	07-79230
2 Plain partitions	78 Eh

Standard colours:

RAL 5012 RAL 6011 RAL 7035



Details of partitioning material on page 112



Drawers:

T = load capacity:200 kg - extension 100%



Mobile cabinets

Made of high-quality sheet steel. Housing sides and bases are welded and painted with high resistance products, environmentally friendly. Available in different heights with uprights slotted in increments of 25 mm to allow drawers to be adjusted accordingly. Complete with safety upstand raised edges on 4 sides, rubber mat, handle and pair of castors (2 swivel braked and 2 fixed) in nylon or rubber. Equipped with central locking system, safety cylinder lock with 2 keys and single drawer opening system.

Width 1516 mm, Depth 733 mm.

Width 1516 mm, Depth 733 mm.

with nylon castors Ø 100 mm Part. No.	with rubber castors Ø 100 mm Part. No.	Total height mm	with rubber castors Ø 150 mm Part. No.	Total height mm	Usable height for drawers mm
10-79700	10-79710	857	10-79720	914	600
10-79900	10-79910	1157	10-79920	1214	900

Max load capacity: 400 kg with load evenly distributed


Colours: see colour chart at the bottom of the page



2 fixed and 2 swivel braked nylon castors



2 fixed and 2 swivel braked rubber castors



Drawers

Made of high-quality sheet steel.

Available in total extension only with steel roller bearings. All 4 drawer walls are slotted, for custom sub-division using partitioning material. All drawer handles are equipped with aluminium profiles, end caps and labelling strips.

Front height mm	Usable height mm	Lateral height mm	Load capacity kg *	Single locking system on right Part. No.
75 T	54	52	70	10-73078
100 T	79	77	70	10-73103
125 T	104	77	70	10-73128
150 T	129	127	70	10-73153
175 T	154	127	70	10-73178
200 T	179	177	70	10-73203
250 T	229	177	70	10-73253
300 T	279	277	70	10-73303

T = total extension: 100% extension

* with load evenly distributed and at least one slotted divider in the middle

Colour: Light grey RAL 7035 internal,

for drawer front see colour chart at the bottom of the page



Card insert and cellophane (spare part)

For drawers: 78 Eh

Part. No. **06-00785**

Kit: 30 pieces




All drawers with single locking system on right



Load capacity is intended for evenly distributed loads

Standard colours:






Series 11

27x27 Eh

Drawer cabinets

Width: 564 mm - Depth: 572 mm




Drawer cabinets
see page 79



Mobile drawer cabinets
see page 87



Partitioning material
see page 90





Standard colours:
RAL 5012 RAL 6011 RAL 7035

5-year Guarantee

For your safety all cabinets must be anchored using floor bolts

Fixing material for cabinets
Part. No. 06-00030






Cabinets housings

Made of high-quality sheet steel. Housing sides and bases are welded and painted with high resistance products, environmentally friendly.

Available in different heights with uprights slotted in increments of 25 mm to allow drawers to be adjusted accordingly. Equipped with central locking system, safety cylinder lock with 2 keys and single drawer opening system.

Width mm	Depth mm	Height mm	Usable height mm	Part. No.
564	572	283	200	11-20280
564	572	383	300	11-20380
564	572	533	450	11-20530
564	572	650	550	11-20650
564	572	700	600	11-20700
564	572	800	700	11-20800
564	572	850	750	11-20850
564	572	1000	900	11-21000

Colours: see colour chart at the bottom of the page



Drawers

Made of high-quality sheet steel.

Available in two versions (simple or total extension) with steel roller bearings. All 4 drawer walls are slotted, for custom sub-division using partitioning material. All drawer handles are equipped with aluminium profiles, end caps and labelling strips.

Front height mm	Usable height mm	Lateral height mm	Load capacity kg *	Part. No.
50 S	36	33	50	11-23050
75 S	61	52	50	11-23075
75 T	54	52	70	11-23076
100 S	86	77	50	11-23100
100 T	79	77	70	11-23101
125 S	111	77	50	11-23125
125 T	104	77	70	11-23126
150 S	136	127	70	11-23150
150 T	129	127	70	11-23151
200 S	186	177	70	11-23200
200 T	179	177	70	11-23201
250 S	236	177	70	11-23250
250 T	229	177	70	11-23251
300 S	286	277	70	11-23300
300 T	279	277	70	11-23301


S = simple extension: 85 - 90% extension

T = total extension: 100% extension

* with load evenly distributed and at least one slotted divider in the middle

Colour: Light grey RAL 7035 internal,

for drawer front see colour chart at the bottom of the page



Upstand raised edges on 3 sides

Made of high-quality steel

Width mm	Depth mm	Height mm	Upstand with mat Part. No.	Smooth rubber mat Part. No.
564	572	20	11-20025	-
559	567	2	-	11-20022

Colour: Black



Card insert and cellophane (spare part)

For drawers: 27 Eh

Part. No. **06-00275**

Kit: 30 pieces



Cabinet bases

Made of high-quality steel

	Width mm	Depth mm	Height mm	Part. No.
1 Base plinth	564	540	50	05-42605
1 Base plinth	564	540	100	05-42610
1 Base plinth	564	540	130	05-42613

Colour: Black




Partitioning material see page 90



Load capacity is intended for evenly distributed loads

Standard colours:





Series 11

27x27 Eh

1




Cabinet housings

Made of high-quality sheet steel. Housing sides and bases are welded with high resistance products, environmentally friendly. Available in 2 different heights with uprights slotted in increments of 25 mm to allow shelves to be adjusted accordingly. Equipped with central locking system, safety cylinder lock with 2 keys and single drawer opening system.

Width mm	Depth mm	Height mm	Usable height mm	Part. No.
564	572	850	750	11-20860
564	572	1000	900	11-21010

Colours: see colour chart at the bottom of the page



Perforated back panel


Made of high-quality steel

Width mm	Height mm	Usable height mm	Part. No.
564	1104	608	10-20100

Colour: Light grey RAL 7035




Hooks see page 249



Work surfaces for cabinets

Width mm	Depth mm	Thickness mm	Plastic laminated Part. No.	Linoplex Part. No.
564	600	30	11-20014	11-20016

Colour: Plastic laminated/linoplex light grey RAL 7035




Adjustable shelf

Made of high-quality steel. Lateral supports included

Usable width mm	Usable depth mm	Height mm	Load capacity kg	Part. No.
505	467	35	70	11-20028

Colour: Light grey RAL 7035




Retractable shelf

Made of high-quality steel

Usable width mm	Usable depth mm	Height mm	Extension %	Load capacity kg	Part. No.
434	459	100	85	70	11-23980

Colour: Light grey RAL 7035



Lower shelf

Made of high-quality steel

Usable width mm	Usable depth mm	Height mm	Load capacity kg	Part. No.
546	462	55	50	11-20034

Colour: Light grey RAL 7035



Doors for cabinets

Made of high-quality steel

To be fitted to the cabinet, with safety cylinder lock and 2 keys (same number as in the cabinet).

Front height mm	Width mm	Right hand opening Part. No.	Left hand opening Part. No.
450	508	10-22451	10-22455
600	508	10-22601	10-22605

Colours: see colour chart at the bottom of the page

Standard colours:

RAL 5012 RAL 6011 RAL 7035



Load capacity is intended for evenly distributed loads

Standard examples:

Height: 283 mm



01 11
50 S 50 S
150 S 150 T

Height:	Part. No.
283 mm	11-20280-01
	11-20280-11
2 Drawers	



02 12
100 S 100 T
100 S 100 T

Height:	Part. No.
283 mm	11-20280-02
	11-20280-12
2 Drawers	



03 13
50 S 50 S
50 S 50 S
100 S 100 T

Height:	Part. No.
283 mm	11-20280-03
	11-20280-13
3 Drawers	

Height: 383 mm



01 11
100 S 100 T
200 S 200 T

Height:	Part. No.
383 mm	11-20380-01
	11-20380-11
2 Drawers	



02 12
150 S 150 T
150 S 150 T

Height:	Part. No.
383 mm	11-20380-02
	11-20380-12
2 Drawers	



03 13
50 S 50 S
100 S 100 T
150 S 150 T

Height:	Part. No.
383 mm	11-20380-03
	11-20380-13
3 Drawers	



04 14
75 S 75 T
75 S 75 T
150 S 150 T

Height:	Part. No.
383 mm	11-20380-04
	11-20380-14
3 Drawers	



08 18
100 S 100 T
100 S 100 T
100 S 100 T

Height:	Part. No.
383 mm	11-20380-08
	11-20380-18
3 Drawers	



05 15
50 S 50 S
50 S 50 S
50 S 50 S
150 S 150 T

Height:	Part. No.
383 mm	11-20380-05
	11-20380-15
4 Drawers	



06 16
50 S 50 S
75 S 75 T
75 S 75 T
100 S 100 T

Height:	Part. No.
383 mm	11-20380-06
	11-20380-16
4 Drawers	




Drawers:

S = load capacity:50/70 kg -extension 85-90%
T = load capacity:70 kg - extension 100%



Partitioning material
see page 90

Standard colours:





Series 11

27x27 Eh

Height: 533 mm



01 11
 50 S 50 S
 75 S 75 T
 125 S 125 T
 200 S 200 T

Height:	Part. No.
533 mm	11-20530-01
	11-20530-11
4 Drawers	



02 12
 50 S 50 S
 75 S 75 T
 75 S 75 T
 100 S 100 T
 150 S 150 T

Height:	Part. No.
533 mm	11-20530-02
	11-20530-12
5 Drawers	



03 13
 50 S 50 S
 50 S 50 S
 75 S 75 T
 75 S 75 T
 100 S 100 T
 100 S 100 T

Height:	Part. No.
533 mm	11-20530-03
	11-20530-13
6 Drawers	

Height: 650 mm



01 11
 100 S 100 T
 150 S 150 T
 300 S 300 T

Height:	Part. No.
650 mm	11-20650-01
	11-20650-11
3 Drawers	



07 17
 100 S 100 T

RS S RS S

Height:	Part. No.
650 mm	11-20650-07
	11-20650-17
1 Drawer	
1 Retractable shelf	
1 Door 450mmh right hand opening	

Standard colours:

RAL 5012 RAL 6011 RAL 7035




Drawers:

S = load capacity:50/70 kg -extension 85-90%
T = load capacity:70 kg - extension 100%


Standard examples:

Height: 700 mm




01	11
75 S	75 T
100 S	100 T
125 S	125 T
300 S	300 T

Height:	Part. No.
700 mm	11-20700-01
	11-20700-11
4 Drawers	




08	18
100 S	100 T
150 S	150 T
150 S	150 T
200 S	200 T

Height:	Part. No.
700 mm	11-20700-08
	11-20700-18
4 Drawers	




02	12
75 S	75 T
75 S	75 T
100 S	100 T
150 S	150 T
200 S	200 T

Height:	Part. No.
700 mm	11-20700-02
	11-20700-12
5 Drawers	



03	13
50 S	50 S
75 S	75 T
75 S	75 T
100 S	100 T
100 S	100 T
200 S	200 T

Height:	Part. No.
700 mm	11-20700-03
	11-20700-13
6 Drawers	



04	14
50 S	50 S
50 S	50 S
75 S	75 T
75 S	75 T
75 S	75 T
75 S	75 T
200 S	200 T

Height:	Part. No.
700 mm	11-20700-04
	11-20700-14
7 Drawers	



05	15
75 S	75 T
75 S	75 T
	RS S
	RS S

Height:	Part. No.
700 mm	11-20700-05
	11-20700-15
2 Drawers	
1 Retractable shelf	
1 Door 450mmh right hand opening	




06
AS
RS S

Height:	Part. No.
700 mm	11-20700-06
1 Adjustable shelf	
1 Retractable shelf	
1 Door 600mmh right hand opening	



Partitioning material
see page 90

Standard colours:





Series 11

27x27 Eh

Height: 800 mm



10 21
100 S 100 T
100 S 100 T
200 S 200 T
300 S 300 T

Height:	Part. No.
800 mm	11-20800-10
	11-20800-21
4 Drawers	



01 11
50 S 50 S
100 S 100 T
100 S 100 T
150 S 150 T
300 S 300 T

Height:	Part. No.
800 mm	11-20800-01
	11-20800-11
5 Drawers	



02 12
75 S 75 T
75 S 75 T
100 S 100 T
100 S 100 T
150 S 150 T
200 S 200 T

Height:	Part. No.
800 mm	11-20800-02
	11-20800-12
6 Drawers	



03 13
50 S 50 S
100 S 100 T
100 S 100 T
100 S 100 T
150 S 150 T
200 S 200 T

Height:	Part. No.
800 mm	11-20800-03
	11-20800-13
6 Drawers	



04 14
50 S 50 S
75 S 75 T
75 S 75 T
100 S 100 T
100 S 100 T
150 S 150 T
150 S 150 T

Height:	Part. No.
800 mm	11-20800-04
	11-20800-14
7 Drawers	



07 17
100 S 100 T

AS AS

RS S RS S

Height:	Part. No.
800 mm	11-20800-07
	11-20800-17
1 Drawer 1 Adjustable shelf 1 Retractable shelf 1 Door 600mmh right hand opening	



06 16
100 S 100 T
150 S 150 T

RS RS

Height:	Part. No.
800 mm	11-20800-06
	11-20800-16
2 Drawers 1 Retractable shelf 1 Door 450mmh right hand opening	

Standard colours:

RAL 5012 RAL 6011 RAL 7035



Drawers:

S = load capacity:50/70 kg -extension 85-90%
T = load capacity:70 kg - extension 100%

Standard examples:

Height: 850 mm



08 18
100 S 100 T
150 S 150 T
200 S 200 T
300 S 300 T

Height:	Part. No.
850 mm	11-20850-08
	11-20850-18
4 Drawers	



01 11
50 S 50 S
100 S 100 T
100 S 100 T
200 S 200 T
300 S 300 T

Height:	Part. No.
850 mm	11-20850-01
	11-20850-11
5 Drawers	



02 12
75 S 75 T
100 S 100 T
100 S 100 T
100 S 100 T
125 S 125 T
250 S 250 T

Height:	Part. No.
850 mm	11-20850-02
	11-20850-12
6 Drawers	



03 13
75 S 75 T
75 S 75 T
100 S 100 T
100 S 100 T
100 S 100 T
150 S 150 T
150 S 150 T

Height:	Part. No.
850 mm	11-20850-03
	11-20850-13
7 Drawers	



04 14
50 S 50 S
75 S 75 T
75 S 75 T
75 S 75 T
75 S 75 T
100 S 100 T
100 S 100 T
200 S 200 T

Height:	Part. No.
850 mm	11-20850-04
	11-20850-14
8 Drawers	



06 16
150 S 150 T

AS AS

RS S RS S

Height:	Part. No.
850 mm	11-20850-06
	11-20850-16
1 Drawer 1 Adjustable shelf 1 Retractable shelf 1 Door 600mmh right hand opening	



07 17
100 S 100 T
200 S 200 T

RS S RS S

Height:	Part. No.
850 mm	11-20850-07
	11-20850-17
2 Drawers 1 Retractable shelf 1 Door 450mmh right hand opening	



05 15
50 S 50 S
100 S 100 T
150 S 150 T


RS S RS S

Height:	Part. No.
850 mm	11-20850-05
	11-20850-15
3 Drawers 1 Retractable shelf 1 Door 450mmh right hand opening	



Partitioning material
see page 90

Standard colours::





Series 11

27x27 Eh

Standard examples:

Height: 1000 mm



01 11
 75 S 75 T
 75 S 75 T
 100 S 100 T
 150 S 150 T
 200 S 200 T
 300 S 300 T

Height:	Part. No.
1000 mm	11-21000-01
	11-21000-11

6 Drawers



02 12
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 150 S 150 T
 150 S 150 T
 200 S 200 T

Height:	Part. No.
1000 mm	11-21000-02
	11-21000-12

7 Drawers



03 13
 50 S 50 S
 75 S 75 T
 75 S 75 T
 75 S 75 T
 125 S 125 T
 150 S 150 T
 150 S 150 T
 200 S 200 T

Height:	Part. No.
1000 mm	11-21000-03
	11-21000-13

8 Drawers



04 14
 50 S 50 S
 75 S 75 T
 50 S 50 S
 75 S 75 T
 75 S 75 T
 75 S 75 T
 125 S 125 T
 150 S 150 T
 300 S 300 T

Height:	Part. No.
1000 mm	11-21000-04
	11-21000-14

8 Drawers



05 15
 50 S 50 S
 100 S 100 T
 150 S 150 T

 AS AS

 RS S RS S

Height:	Part. No.
1000 mm	11-21000-05
	11-21000-15

3 Drawers
 1 Adjustable shelf
 1 Retractable shelf
 1 Door 600mmh right hand opening




06 16
 50 S 50 S
 75 S 75 T
 75 S 75 T
 100 S 100 T
 150 S 150 T

 RS S RS S

Height:	Part. No.
1000 mm	11-21000-06
	11-21000-16

5 Drawers
 1 Retractable shelf
 1 Door 450mmh right hand opening

Standard colours:



Partitioning material
 see page 90



Drawers:

S = load capacity:50/70 kg -extension 85-90%
 T = load capacity:70 kg - extension 100%



Mobile cabinets

Made of high-quality sheet steel.
Housing sides and bases are welded and painted with high resistance products, environmentally friendly.
Available in different heights with uprights slotted in increments of 25 mm to allow

drawers to be adjusted accordingly. Complete with safety upstand raised edges on 4 sides, rubber mat, handle and pair of castors (2 swivel braked and 2 fixed) in nylon or rubber.
Equipped with central locking system, safety cylinder lock with 2 keys and single drawer opening system.

Width 557 mm, Depth 627 mm.

with nylon castors Ø 100 mm Part. No.	with rubber castors Ø 100 mm Part. No.	Total height mm	with rubber castors Ø 150 mm Part. No.	Total height mm	Usable height for drawers mm
11-29530	11-29540	705	11-29550	762	450
11-29650	11-29660	822	11-29670	879	550
11-29700	11-29710	872	11-29720	929	600
11-29800	11-29810	972	11-29820	1029	700
11-29850	11-29860	1022	11-29870	1079	750
11-29900	11-29910	1172	11-29920	1229	900

Max load capacity: 400 kg with load evenly distributed


Colours: see colour chart at the bottom of the page



2 fixed and
2 swivel braked
nylon castors



2 fixed and
2 swivel braked
rubber castors



Drawers

Made of high-quality sheet steel.
Available in two versions (simple or total extension) with steel roller bearings. All 4 drawer walls are slotted, for custom sub-division using partitioning material. All drawer handles are equipped with aluminium profiles, end caps and labelling strips.

Front height mm	Usable height mm	Lateral height mm	Load capacity kg *	Single locking system on right Part. No.
50 S	36	33	50	11-23052
75 S	61	52	50	11-23077
75 T	54	52	50	11-23078
100 S	86	77	50	11-23102
100 T	79	77	50	11-23103
125 S	111	77	50	11-23127
125 T	104	77	50	11-23128
150 S	136	127	50	11-23152
150 T	129	127	50	11-23153
200 S	186	177	50	11-23202
200 T	179	177	50	11-23203
250 S	236	177	50	11-23252
250 T	229	177	50	11-23253
300 S	286	277	50	11-23302
300 T	279	277	50	11-23303

S = simple extension: 85 - 90% extension

T = total extension: 100% extension

* with load evenly distributed and at least one slotted divider in the middle

Colour: Light grey RAL 7035 internal,

for drawer front see colour chart at the bottom of the page



Card insert and cellophane (spare part)

For drawers: 27 Eh

Part. No. 06-00275

Kit: 30 pieces




All drawers with single locking system on right



Load capacity is intended for evenly distributed loads

Standard colours:





Series 11

27x27 Eh

Height: 705 mm



01 11
 50 S 50 S
 75 S 75 T
 125 S 125 T
 200 S 200 T

Height:	Part. No.
705 mm	11-29530-01
	11-29530-11

4 Drawers with single locking system on right
 4-sided safety upstand with rubber mat



02 12
 50 S 50 S
 75 S 75 T
 75 S 75 T
 100 S 100 T
 150 S 150 T

Height:	Part. No.
705 mm	11-29530-02
	11-29530-12

5 Drawers with single locking system on right
 4-sided safety upstand with rubber mat



03 13
 50 S 50 S
 50 S 50 S
 75 S 75 T
 75 S 75 T
 100 S 100 T
 100 S 100 T

Height:	Part. No.
705 mm	11-29530-03
	11-29530-13

6 Drawers with single locking system on right
 4-sided safety upstand with rubber mat

Height: 822 mm



01 11
 100 S 100 T
 150 S 150 T
 300 S 300 T

Height:	Part. No.
822 mm	10-29650-01
	10-29650-11

3 Drawers with single locking system on right
 4-sided safety upstand with rubber mat



02 12
 50 S 50 S
 50 S 50 S
 75 S 75 T
 75 S 75 T
 150 S 150 T
 150 S 150 T

Height:	Part. No.
822 mm	10-29650-02
	10-29650-12

6 Drawers with single locking system on right
 4-sided safety upstand with rubber mat

Height: 872 mm



01 11
 75 S 75 T
 100 S 100 T
 125 S 125 T
 300 S 300 T

Height:	Part. No.
872 mm	11-29700-01
	11-29700-11

4 Drawers with single locking system on right
 4-sided safety upstand with rubber mat



02 12
 75 S 75 T
 75 S 75 T
 100 S 100 T
 150 S 150 T
 200 S 200 T

Height:	Part. No.
872 mm	11-29700-02
	11-29700-12

5 Drawers with single locking system on right
 4-sided safety upstand with rubber mat



03 13
 50 S 50 S
 75 S 75 T
 75 S 75 T
 100 S 100 T
 100 S 100 T
 200 S 200 T

Height:	Part. No.
872 mm	11-29700-03
	11-29700-13

6 Drawers with single locking system on right
 4-sided safety upstand with rubber mat

Standard colours:

RAL 5012 RAL 6011 RAL 7035



Partitioning material
 see page 90



Drawers:

S = load capacity:50 kg -extension 85-90%
 T = load capacity:50 kg - extension 100%

Standard examples:

Height: 972 mm



01 11
50 S 50 S
100 S 100 T
100 S 100 T
150 S 150 T
300 S 300 T

Height:	Part. No.
972 mm	11-29800-01
	11-29800-11

5 Drawers with single locking system on right
4-sided safety upstand with rubber mat



02 12
75 S 75 T
75 S 75 T
100 S 100 T
100 S 100 T
150 S 150 T
200 S 200 T

Height:	Part. No.
972 mm	11-29800-02
	11-29800-12

6 Drawers with single locking system on right
4-sided safety upstand with rubber mat



03 13
50 S 50 S
100 S 100 T
100 S 100 T
100 S 100 T
150 S 150 T
200 S 200 T

Height:	Part. No.
972 mm	11-29800-03
	11-29800-13

6 Drawers with single locking system on right
4-sided safety upstand with rubber mat

Height: 1022 mm



01 11
50 S 50 S
100 S 100 T
100 S 100 T
200 S 200 T
300 S 300 T

Height:	Part. No.
1022 mm	11-29850-01
	11-29850-11

5 Drawers with single locking system on right
4-sided safety upstand with rubber mat



02 12
75 S 75 T
100 S 100 T
100 S 100 T
100 S 100 T
125 S 125 T
250 S 250 T

Height:	Part. No.
1022 mm	11-29850-02
	11-29850-12

6 Drawers with single locking system on right
4-sided safety upstand with rubber mat



03 13
75 S 75 T
75 S 75 T
100 S 100 T
100 S 100 T
100 S 100 T
150 S 150 T
150 S 150 T

Height:	Part. No.
1022 mm	11-29850-03
	11-29850-13

7 Drawers with single locking system on right
4-sided safety upstand with rubber mat

Height: 1172 mm



01 11
75 S 75 T
75 S 75 T
100 S 100 T
150 S 150 T
200 S 200 T
300 S 300 T

Height:	Part. No.
1172 mm	11-29900-01
	11-29900-11

6 Drawers with single locking system on right
4-sided safety upstand with rubber mat



02 12
100 S 100 T
100 S 100 T
100 S 100 T
100 S 100 T
150 S 150 T
150 S 150 T
200 S 200 T

Height:	Part. No.
1172 mm	11-29900-02
	11-29900-12

7 Drawers with single locking system on right
4-sided safety upstand with rubber mat



03 13
50 S 50 S
75 S 75 T
75 S 75 T
75 S 75 T
125 S 125 T
150 S 150 T
150 S 150 T
200 S 200 T

Height:	Part. No.
1172 mm	11-29900-03
	11-29900-13

8 Drawers with single locking system on right
4-sided safety upstand with rubber mat




All drawers with single locking system on right



Standard examples are equipped with 2 fixed and 2 swivel braked nylon castors, Ø 100 mm

Standard colours:







Series 11

27x27 Eh


Partitioning material




For front height:	Part. No.
50 mm and higher	08-20002
9 Troughs	2-Trough
20 Trough dividers	




For front height:	Part. No.
50 mm and higher	08-20003
9 Troughs	3-Trough
30 Trough dividers	




For front height:	Part. No.
50 mm and higher	08-20004
9 Troughs	4-Trough
40 Trough dividers	



For front height:	Part. No.
50 mm	08-21105
75 mm	08-21107
100 mm	08-21110
18 Plastic boxes	150x75 mm




For front height:	Part. No.
50 mm	08-21205
75 mm	08-21207
100 mm	08-21210
9 Plastic boxes	150x150 mm




For front height:	Part. No.
50 mm	08-21305
75 mm	08-21307
24 Plastic boxes	75x75 mm
6 Plastic boxes	150x75 mm




Standard examples:



For front height:	Part. No.
50 mm	08-23205
75 mm	08-23207
100-125 mm	08-23210
150 mm	08-23215
200-250 mm	08-23220
300 mm	08-23230
2 Slotted partitions	27 Eh
6 Aluminium dividers	9 Eh



For front height:	Part. No.
50 mm	08-23305
75 mm	08-23307
100-125 mm	08-23310
150 mm	08-23315
3 Slotted partitions	27 Eh
9 Aluminium dividers	6 Eh
2 Aluminium dividers	9 Eh



For front height:	Part. No.
50 mm	08-38205
75 mm	08-38207
100-125 mm	08-38210
150 mm	08-38215
200-250 mm	08-38220
2 Plain partitions	27 Eh



Standard examples with slotted partitions are supplied with fixings



Series 11

36x27 Eh

Drawer cabinets

Width: 717 mm - Depth: 572 mm


Drawer cabinets
see page 93



Mobile drawer cabinets
see page 98



Partitioning material
see page 101



Standard colours:



RAL 5012 RAL 6011 RAL 7035



For your safety all cabinets
must be anchored using
floor bolts



Fixing material
for cabinets
Part. No.
06-00030






Cabinets housings

Made of high-quality sheet steel. Housing sides and bases are welded and painted with high resistance products, environmentally friendly. Available in different heights with uprights slotted in increments of 25 mm to allow drawers to be adjusted accordingly.

Equipped with central locking system, safety cylinder lock with 2 keys and single drawer opening system.

Width mm	Depth mm	Height mm	Usable height mm	Part. No.
717	572	550	450	11-30550
717	572	700	600	11-30700
717	572	850	750	11-30850
717	572	1000	900	11-31000
717	572	1450	1350	11-31450

Colours: see colour chart at the bottom of the page



Drawers

Made of high-quality sheet steel.

Available in two versions (simple or total extension) with steel roller bearings. All 4 drawer walls are slotted, for custom sub-division using partitioning material. All drawer handles are equipped with aluminium profiles, end caps and labelling strips.

Front height mm	Usable height mm	Lateral height mm	Load capacity kg *	Part. No.
50 S	36	33	60	11-33050
75 S	61	52	80	11-33075
75 T	54	52	200	11-33076
100 S	86	77	100	11-33100
100 T	79	77	200	11-33101
125 S	111	77	100	11-33125
125 T	104	77	200	11-33126
150 S	136	127	100	11-33150
150 T	129	127	200	11-33151
200 S	186	177	100	11-33200
200 T	179	177	200	11-33201
250 T	229	177	200	11-33251
300 S	286	277	100	11-33300
300 T	279	277	200	11-33301


S = simple extension: 85 - 90% extension

T = total extension: 100% extension

* with load evenly distributed and at least one slotted divider in the middle

Colour: Light grey RAL 7035 internal,

for drawer front see colour chart at the bottom of the page



Upstand raised edges on 3 sides

Made of high-quality steel

Width mm	Depth mm	Height mm	Upstand with mat Part. No.	Smooth rubber mat Part. No.
717	572	20	11-30025	-
712	567	2	-	11-30022

Colour: Black



Card insert and cellophane (spare part)

For drawers: 36 Eh

Part. No. **06-00365**

Kit: 30 pieces



Cabinet bases

Made of high-quality steel

	Width mm	Depth mm	Height mm	Part. No.
1 Base plinth	717	540	50	05-43505
1 Base plinth	717	540	130	05-43513
2 Pallet base	717	506	100	05-13510
3 Cover plate	717	-	100	05-33610

Colour: Black




Partitioning material see page 101



Load capacity is intended for evenly distributed loads

Standard colours:





Series 11

36x27 Eh




Cabinet housings

Made of high-quality sheet steel. Housing sides and bases are welded with high resistance products, environmentally friendly. Available in 2 different heights with uprights slotted in increments of 25 mm to allow shelves to be adjusted accordingly. Equipped with central locking system, safety cylinder lock with 2 keys and single drawer opening system.

Width mm	Depth mm	Height mm	Usable height mm	Part. No.
717	572	850	750	11-30860
717	572	1000	900	11-31010

Colours: see colour chart at the bottom of the page



Perforated back panel


Made of high-quality steel

Width mm	Height mm	Usable height mm	Part. No.
717	1104	608	10-30100

Colour: Light grey RAL 7035



Hooks see page 249



Work surfaces for cabinets

Width mm	Depth mm	Thickness mm	Plastic laminated Part. No.	Linoplex Part. No.
717	600	30	11-30014	11-30016

Colour: Plastic laminated/linoplex light grey RAL 7035




Adjustable shelf

Made of steel. Lateral supports included

Usable height mm	Usable depth mm	Height mm	Load capacity kg	Part. No.
658	467	35	70	33-52038

Colour: Light grey RAL 7035



Retractable shelves

Made of high-quality sheet steel. Available in two versions (simple or total extension) with steel roller bearings. Fitted with galvanised steel inserts ensuring a level surface. All retractable shelf handles are equipped with aluminium profiles, end caps and labelling strips.

Usable width mm	Usable depth mm	Height mm	Extension %	Load capacity kg*	Part. No.
612	459	75	85	100	11-33984
612	459	75	100	200	11-33985


* with load evenly distributed

Colours: see colour chart at the bottom of the page



Card insert and cellophane (spare part)

For drawers: 36 Eh Part. No. 06-00365
Kit: 30 pieces



Lower shelf

Made of high-quality steel

Usable width mm	Usable depth mm	Height mm	Load capacity kg	Part. No.
651	465	55	50	11-30034

Colour: Light grey RAL 7035

Standard colours:

RAL 5012 RAL 6011 RAL 7035



Load capacity is intended for evenly distributed loads

Standard examples:

Height: 550 mm



09 02
50 S 50 S
75 S 75 T
125 S 125 T
200 S 200 T

Height:	Part. No.
550 mm	11-30550-09
	11-30550-02

4 Drawers



07 04
50 S 50 S
75 S 75 T
75 S 75 T
100 S 100 T
150 S 150 T

Height:	Part. No.
550 mm	11-30550-07
	11-30550-04

5 Drawers



05 06
50 S 50 S
50 S 50 S
75 S 75 T
75 S 75 T
100 S 100 T
100 S 100 T

Height:	Part. No.
550 mm	11-30550-05
	11-30550-06

6 Drawers

Height: 700 mm



07 02
50 S 50 S
100 S 100 T
100 S 100 T
150 S 150 T
200 S 200 T

Height:	Part. No.
700 mm	11-30700-07
	11-30700-02

5 Drawers



03 04
75 S 75 T
75 S 75 T
100 S 100 T
100 S 100 T
250 T 250 T

Height:	Part. No.
700 mm	11-30700-03
	11-30700-04

5 Drawers



08 06
75 S 75 T
75 S 75 T
100 S 100 T
100 S 100 T
100 S 100 T
150 S 150 T

Height:	Part. No.
700 mm	11-30700-08
	11-30700-06

6 Drawers

Height: 850 mm



07 02
50 S 50 S
75 S 75 T
75 S 75 T
100 S 100 T
100 S 100 T
150 S 150 T
200 S 200 T

Height:	Part. No.
850 mm	11-30850-07
	11-30850-02

7 Drawers



09 04
75 S 75 T
75 S 75 T
100 S 100 T
100 S 100 T
125 S 125 T
125 S 125 T
150 S 150 T

Height:	Part. No.
850 mm	11-30850-09
	11-30850-04

7 Drawers



11 06
75 S 75 T
75 S 75 T
75 S 75 T
75 S 75 T
100 S 100 T
100 S 100 T
100 S 100 T
150 S 150 T

Height:	Part. No.
850 mm	11-30850-11
	11-30850-06

8 Drawers




Partitioning material
see page 101



Drawers:

S = load capacity:100 kg - extension 85-90%
T = load capacity:200 kg - extension 100%

Standard colours:





Series 11

36x27 Eh

Height: 1000 mm



33 02
 100 S 100 T
 100 S 100 T
 100 S 100 T
 150 S 150 T
 150 S 150 T
 300 S 300 T

Height:	Part. No.
1000 mm	11-31000-33
	11-31000-02
6 Drawers	



35 04
 75 S 75 T
 75 S 75 T
 100 S 100 T
 150 S 150 T
 150 S 150 T
 150 S 150 T
 200 S 200 T

Height:	Part. No.
1000 mm	11-31000-35
	11-31000-04
7 Drawers	



39 06
 50 S 50 S
 75 S 75 T
 75 S 75 T
 100 S 100 T
 100 S 100 T
 200 S 200 T
 300 S 300 T

Height:	Part. No.
1000 mm	11-31000-39
	11-31000-06
7 Drawers	



37 08
 50 S 50 S
 75 S 75 T
 75 S 75 T
 100 S 100 T
 100 S 100 T
 150 S 150 T
 150 S 150 T
 200 S 200 T

Height:	Part. No.
1000 mm	11-31000-37
	11-31000-08
8 Drawers	



11 12
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T

Height:	Part. No.
1000 mm	11-31000-11
	11-31000-12
9 Drawers	



41 20
 50 S 50 S
 50 S 50 S
 75 S 75 T
 75 S 75 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 150 S 150 T
 200 S 200 T

Height:	Part. No.
1000 mm	11-31000-41
	11-31000-20
9 Drawers	



43 22
 50 S 50 S
 50 S 50 S
 50 S 50 S
 75 S 75 T
 75 S 75 T
 100 S 100 T
 100 S 100 T
 150 S 150 T
 250 T 250 T

Height:	Part. No.
1000 mm	11-31000-43
	11-31000-22
9 Drawers	



45 24
 75 S 75 T
 75 S 75 T
 75 S 75 T
 75 S 75 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 150 S 150 T
 150 S 150 T

Height:	Part. No.
1000 mm	11-31000-45
	11-31000-24
9 Drawers	



47 26
 50 S 50 S
 50 S 50 S
 75 S 75 T
 75 S 75 T
 75 S 75 T
 50 S 50 S
 75 S 75 T
 125 S 125 T
 100 S 100 T
 150 S 150 T
 150 S 150 T

Height:	Part. No.
1000 mm	11-31000-47
	11-31000-26
10 Drawers	

Standard colours:

RAL 5012 RAL 6011 RAL 7035



Drawers:

S = load capacity:100 kg - extension 85-90%
T = load capacity:200 kg - extension 100%

Standard examples:

Height: 1450 mm



15 02
 100 S 100 T
 100 S 100 T
 100 S 100 T
 150 S 150 T
 150 S 150 T
 150 S 150 T
 150 S 150 T
 150 S 150 T
 150 S 150 T
 300 S 300 T

Height:	Part. No.
1450 mm	11-31450-15
	11-31450-02
9 Drawers	




03 04
 150 S 150 T
 150 S 150 T
 150 S 150 T
 150 S 150 T
 150 S 150 T
 150 S 150 T
 150 S 150 T
 150 S 150 T
 150 S 150 T
 150 S 150 T

Height:	Part. No.
1450 mm	11-31450-03
	11-31450-04
9 Drawers	



17 06
 75 S 75 T
 75 S 75 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 150 S 150 T
 150 S 150 T
 200 S 200 T
 200 S 200 T
 200 S 200 T

Height:	Part. No.
1450 mm	11-31450-17
	11-31450-06
10 Drawers	






19 08
 75 S 75 T
 75 S 75 T
 75 S 75 T
 75 S 75 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 150 S 150 T
 150 S 150 T
 150 S 150 T

Height:	Part. No.
1450 mm	11-31450-19
	11-31450-08
13 Drawers	



Partitioning material
 see page 101

Standard colours:
 RAL 5012  RAL 6011  RAL 7035 



Series 11

36x27 Eh

1



Mobile cabinets

Made of high-quality sheet steel. Housing sides and bases are welded and painted with high resistance products, environmentally friendly. Available in different heights with uprights slotted in increments of 25 mm to allow drawers to be adjusted

accordingly. Complete with safety upstand raised edges on 4 sides, rubber mat, handle and pair of castors (2 swivel braked and 2 fixed) in nylon or rubber. Equipped with central locking system, safety cylinder lock with 2 keys and single drawer opening system.

Width 802 mm, Depth 580 mm.

with nylon castors Ø 100 mm Part. No.	with rubber castors Ø 100 mm Part. No.	Total height mm	with rubber castors Ø 150 mm Part. No.	Total height mm	Usable height for drawers mm
11-39700	11-39710	857	11-39720	914	600
11-39850	11-39860	1007	11-39870	1064	750
11-39900	11-39910	1157	11-39920	1214	900

Max load capacity: 400 kg with load evenly distributed

Colours: see colour chart at the bottom of the page



2 fixed and
2 swivel braked
nylon castors



2 fixed and
2 swivel braked
rubber castors



Drawers

Made of high-quality sheet steel.

Available in two versions (simple or total extension) with steel roller bearings. All 4 drawer walls are slotted, for custom sub-division using partitioning material. All drawer handles are equipped with aluminium profiles, end caps and labelling strips.

Front height mm	Usable height mm	Lateral height mm	Load capacity kg	Single locking system on right Part. No.
50 S	36	33	60	11-33052
75 S	61	52	70	11-33077
75 T	54	52	70	11-33078
100 S	86	77	70	11-33102
100 T	79	77	70	11-33103
125 S	111	77	70	11-33127
125 T	104	77	70	11-33128
150 S	136	127	70	11-33152
150 T	129	127	70	11-33153
200 S	186	177	70	11-33202
200 T	179	177	70	11-33203
250 T	229	177	70	11-33253
300 S	286	277	70	11-33302
300 T	279	277	70	11-33303

S = simple extension: 85 - 90% extension

T = total extension: 100% extension

* with load evenly distributed and at least one slotted divider in the middle

Colour: Light grey RAL 7035 internal,

for drawer front see colour chart at the bottom of the page



Card insert and cellophane (spare part)

For drawers: 36 Eh

Part. No. **06-00365**

Kit: 30 pieces

Standard colours:

RAL 5012 RAL 6011 RAL 7035



All drawers with single locking system on right



Load capacity is intended for evenly distributed loads

Standard examples:

Height: 914 mm



07 02
50 S 50 S
100 S 100 T
100 S 100 T
150 S 150 T
200 S 200 T



03 04
75 S 75 T
75 S 75 T
100 S 100 T
100 S 100 T
250 T 250 T



09 06
75 S 75 T
75 S 75 T
100 S 100 T
100 S 100 T
100 S 100 T
150 S 150 T

Height:	Part. No.
914 mm	11-39720-07
	11-39720-02

5 Drawers with single locking system on right
4-sided safety upstand with rubber mat

Height:	Part. No.
914 mm	11-39720-03
	11-39720-04

5 Drawers with single locking system on right
4-sided safety upstand with rubber mat

Height:	Part. No.
914 mm	11-39720-09
	11-39720-06

6 Drawers with single locking system on right
4-sided safety upstand with rubber mat

Height: 1064 mm



07 02
50 S 50 S
75 S 75 T
75 S 75 T
100 S 100 T
100 S 100 T
150 S 150 T
200 S 200 T



09 04
75 S 75 T
75 S 75 T
100 S 100 T
100 S 100 T
125 S 125 T
125 S 125 T
150 S 150 T



11 06
75 S 75 T
75 S 75 T
75 S 75 T
75 S 75 T
100 S 100 T
100 S 100 T
100 S 100 T
150 S 150 T

Height:	Part. No.
1064 mm	11-39870-07
	11-39870-02

7 Drawers with single locking system on right
4-sided safety upstand with rubber mat

Height:	Part. No.
1064 mm	11-39870-09
	11-39870-04

7 Drawers with single locking system on right
4-sided safety upstand with rubber mat

Height:	Part. No.
1064 mm	11-39870-11
	11-39870-06

8 Drawers with single locking system on right
4-sided safety upstand with rubber mat



Partitioning material
see page 101



Drawers:

S = load capacity:70 kg - extension 85-90%
T = load capacity:70 kg - extension 100%



Standard examples are equipped
with 2 fixed and 2 swivel braked
rubber castors, Ø 150 mm



Series 11

36x27 Eh

Standard examples:

Height: 1214 mm



09	02
100 S	100 T
100 S	100 T
100 S	100 T
150 S	150 T
150 S	150 T
300 S	300 T



11	04
75 S	75 T
75 S	75 T
100 S	100 T
150 S	150 T
150 S	150 T
150 S	150 T
200 S	200 T



13	08
50 S	50 S
75 S	75 T
75 S	75 T
100 S	100 T
100 S	100 T
150 S	150 T
150 S	150 T
200 S	200 T

Height:	Part. No.
1214 mm	11-39920-09
	11-39920-02

6 Drawers with single locking system on right
4-sided safety upstand with rubber mat


Height:	Part. No.
1214 mm	11-39920-11
	11-39920-04

7 Drawers with single locking system on right
4-sided safety upstand with rubber mat

Height:	Part. No.
1214 mm	11-39920-13
	11-39920-08

8 Drawers with single locking system on right
4-sided safety upstand with rubber mat

Standard colours:



100



Drawers:

S = load capacity:70 kg - extension 85-90%
T = load capacity:70 kg - extension 100%




Standard examples are equipped with 2 fixed and 2 swivel braked rubber castors, Ø 150 mm




Standard examples:


Partitioning material




For front height:	Part. No.
50 mm and higher	07-20004
12 Troughs	4-Trough
50 Trough dividers	




For front height:	Part. No.
50 mm and higher	08-30023
6 Troughs	2-Trough
10 Trough dividers	
6 Troughs	3-Trough
20 Trough dividers	




For front height:	Part. No.
50 mm and higher	08-30034
3 Troughs	3-Trough
12 Trough dividers	
9 Troughs	4-Trough
36 Trough dividers	




For front height:	Part. No.
50 mm	07-21405
75 mm	07-21407
100-125 mm	07-21410
12 Plastic boxes	150x75 mm
6 Plastic boxes	150x150 mm




For front height:	Part. No.
50 mm	07-21505
75 mm	07-21507
16 Plastic boxes	75x75 mm
8 Plastic boxes	150x75 mm
4 Plastic boxes	150x150 mm



For front height:	Part. No.
50 mm	08-33305
75 mm	08-33307
100-125 mm	08-33310
150 mm	08-33315
3 Slotted partitions	27 Eh
8 Aluminium dividers	9 Eh



For front height:	Part. No.
50 mm	08-33505
75 mm	08-33507
100-125 mm	08-33510
150 mm	08-33515
5 Slotted partitions	27 Eh
18 Aluminium dividers	6 Eh



For front height:	Part. No.
50 mm	08-38205
75 mm	08-38207
100-125 mm	08-38210
150 mm	08-38215
200-250 mm	08-38220
2 Plain partitions	27 Eh



Details of partitioning material on page 112



Label holders not included



Standard examples with slotted partitions are supplied with fixings



Series 11

54x27 Eh

Drawer cabinets

Width: 1023 mm - Depth: 572 mm




Drawer cabinets
see page 103



Mobile drawer cabinets
see page 108



Partitioning material
see page 111



Standard colours:
RAL 5012 RAL 6011 RAL 7035



5-year Guarantee




For your safety all cabinets must be anchored using floor bolts



Fixing material for cabinets
Part. No. 06-00030





Cabinets housings

Made of high-quality sheet steel.
Housing sides and bases are welded and painted with high resistance products, environmentally friendly.
Available in different heights with uprights slotted in increments of 25 mm to allow drawers to be adjusted accordingly.

Equipped with central locking system, safety cylinder lock with 2 keys and single drawer opening system.

Width mm	Depth mm	Height mm	Usable height mm	Part. No.
1023	572	550	450	11-50550
1023	572	700	600	11-50700
1023	572	850	750	11-50850
1023	572	1000	900	11-51000
1023	572	1450	1350	11-51450

Colours: see colour chart at the bottom of the page



Drawers

Made of high-quality sheet steel.
Available in two versions (simple or total extension) with steel roller bearings. All 4 drawer walls are slotted, for custom sub-division using partitioning material. All drawer handles are equipped with aluminium profiles, end caps and labelling strips.

Front height mm	Usable height mm	Lateral height mm	Load capacity kg *	Part. No.
50 S	36	33	60	11-53050
75 S	61	52	80	11-53075
75 T	54	52	200	11-53076
100 S	86	77	100	11-53100
100 T	79	77	200	11-53101
125 S	111	77	100	11-53125
125 T	104	77	200	11-53126
150 S	136	127	100	11-53150
150 T	129	127	200	11-53151
200 S	186	177	100	11-53200
200 T	179	177	200	11-53201
250 T	229	177	200	11-53251
300 S	286	277	100	11-53300
300 T	279	277	200	11-53301

S = simple extension: 85 - 90% extension

T = total extension: 100% extension

* with load evenly distributed and at least one slotted divider in the middle

Colour: Light grey RAL 7035 internal,
for drawer front see colour chart at the bottom of the page



Upstand raised edges on 3 sides

Made of high-quality steel

Width mm	Depth mm	Height mm	Upstand with mat Part. No.	Smooth rubber mat Part. No.
1023	572	20	11-50025	-
1018	567	2	-	11-50022

Colour: Black



Card insert and cellophane (spare part)

For drawers: 54 Eh

Part. No. **06-00545**

Kit: 30 pieces



Cabinet bases

Made of high-quality steel

	Width mm	Depth mm	Height mm	Part. No.
1 Base plinth	1023	540	50	05-45305
2 Pallet base	1023	506	100	05-23510
3 Cover plate	1023	-	100	05-35410

Colour: Black



Partitioning material
see page 111



Load capacity is intended
for evenly distributed loads

Standard colours:





Series 11

54x27 Eh



Cabinet housings

Made of high-quality sheet steel. Housing sides and bases are welded with high resistance products, environmentally friendly. Available in 2 different heights with uprights slotted in increments of 25 mm to allow shelves to be adjusted accordingly. Equipped with central locking system, safety cylinder lock with 2 keys and single drawer opening system.

Width mm	Depth mm	Height mm	Usable height mm	Part. No.
1023	572	850	750	11-50860
1023	572	1000	900	11-51010

Colours: see colour chart at the bottom of the page



Perforated back panel


Made of high-quality steel

Width mm	Height mm	Usable height mm	Part. No.
1023	1104	608	10-50100

Colour: Light grey RAL 7035



Hooks see page 249



Work surfaces for cabinets

Width mm	Depth mm	Thickness mm	Plastic laminated Part. No.	Linoplex Part. No.
1023	600	30	11-50014	11-50016

Colour: Plastic laminated/linoplex light grey RAL 7035




Adjustable shelf

Made of steel. Lateral supports included

Usable width mm	Usable depth mm	Height mm	Load capacity kg	Part. No.
964	467	35	70	33-52058

Colour: Light grey RAL 7035



Retractable shelves

Made of high-quality sheet steel. Available in two versions (simple or total extension) with steel roller bearings. Fitted with galvanised steel inserts ensuring a level surface. All retractable shelf handles are equipped with aluminium profiles, end caps and labelling strips.

Usable width mm	Usable depth mm	Height mm	Extension %	Load capacity kg *	Part. No.
918	459	75	85	100	11-53984
918	459	75	100	200	11-53985


* with load evenly distributed

Colours: see colour chart at the bottom of the page



Card insert and cellophane (spare part)

For drawers: 54 Eh Part. No. 06-00545
Kit: 30 pieces



Lower shelf

Made of high-quality steel

Usable width mm	Usable depth mm	Height mm	Load capacity kg *	Part. No.
957	465	55	50	11-50034

Colour: Light grey RAL 7035


Standard colours:

RAL 5012 RAL 6011 RAL 7035




Standard examples:

Height: 550 mm




01	02
100 S	100 T
100 S	100 T
250 S	250 T

Height:	Part. No.
550 mm	11-50550-01
	11-50550-02
3 Drawers	



07	04
75 S	75 T
75 S	75 T
100 S	100 T
200 S	200 T


Height:	Part. No.
550 mm	11-50550-07
	11-50550-04
4 Drawers	



09	06
50 S	50 S
75 S	75 T
75 S	75 T
100 S	100 T
150 S	150 T


Height:	Part. No.
550 mm	11-50550-09
	11-50550-06
5 Drawers	

Height: 700 mm




04	02
100 S	100 T
150 S	150 T
150 S	150 T
200 S	200 T

Height:	Part. No.
700 mm	11-50700-04
	11-50700-02
4 Drawers	



08	06
75 S	75 T
75 S	75 T
100 S	100 T
150 S	150 T
200 S	200 T

Height:	Part. No.
700 mm	11-50700-08
	11-50700-06
5 Drawers	



11	10
75 S	75 T
75 S	75 T
100 S	100 T
100 S	100 T
100 S	100 T
150 S	150 T

Height:	Part. No.
700 mm	11-50700-11
	11-50700-10
6 Drawers	

Height: 850 mm



04	02
100 S	100 T
100 S	100 T
100 S	100 T
150 S	150 T
300 S	300 T

Height:	Part. No.
850 mm	11-50850-04
	11-50850-02
5 Drawers	



05	06
75 S	75 T
75 S	75 T
100 S	100 T
100 S	100 T
150 S	150 T
250 T	250 T

Height:	Part. No.
850 mm	11-50850-05
	11-50850-06
6 Drawers	



12	10
50 S	50 S
75 S	75 T
75 S	75 T
100 S	100 T
100 S	100 T
150 S	150 T
200 S	200 T

Height:	Part. No.
850 mm	11-50850-12
	11-50850-10
7 Drawers	




Partitioning material
see page 111



Drawers:
S = load capacity:100 kg - extension 85-90%
T = load capacity:200 kg - extension 100%

Standard colours:





Series 11

54x27 Eh

Height: 1000 mm



08	02
100 S	100 T
100 S	100 T
100 S	100 T
150 S	150 T
150 S	150 T
300 S	300 T

Height:	Part. No.
1000 mm	11-51000-08
	11-51000-02

6 Drawers



04	06
75 S	75 T
75 S	75 T
100 S	100 T
150 S	150 T
150 S	150 T
150 S	150 T
200 S	200 T

Height:	Part. No.
1000 mm	11-51000-04
	11-51000-06

7 Drawers



12	10
50 S	50 S
75 S	75 T
75 S	75 T
100 S	100 T
100 S	100 T
150 S	150 T
150 S	150 T
200 S	200 T

Height:	Part. No.
1000 mm	11-51000-12
	11-51000-10

8 Drawers



16	14
75 S	75 T
75 S	75 T
100 S	100 T
100 S	100 T
100 S	100 T
100 S	100 T
100 S	100 T
150 S	150 T
200 S	200 T

Height:	Part. No.
1000 mm	11-51000-16
	11-51000-14

8 Drawers



17	18
50 S	50 S
50 S	50 S
50 S	50 S
75 S	75 T
75 S	75 T
100 S	100 T
100 S	100 T
150 S	150 T
250 T	250 T

Height:	Part. No.
1000 mm	11-51000-17
	11-51000-18

9 Drawers



29	22
50 S	50 S
50 S	50 S
75 S	75 T
75 S	75 T
100 S	100 T
100 S	100 T
100 S	100 T
150 S	150 T
200 S	200 T

Height:	Part. No.
1000 mm	11-51000-29
	11-51000-22

9 Drawers



27	28
50 S	50 S
50 S	50 S
75 S	75 T
75 S	75 T
75 S	75 T
75 S	75 T
75 S	75 T
150 S	150 T
150 S	150 T
200 S	200 T

Height:	Part. No.
1000 mm	11-51000-27
	11-51000-28

9 Drawers



31	32
75 S	75 T
75 S	75 T
75 S	75 T
75 S	75 T
100 S	100 T
100 S	100 T
100 S	100 T
150 S	150 T
150 S	150 T

Height:	Part. No.
1000 mm	11-51000-31
	11-51000-32

9 Drawers



33	34
100 S	100 T
100 S	100 T
100 S	100 T
100 S	100 T
100 S	100 T
100 S	100 T
100 S	100 T
100 S	100 T
100 S	100 T
100 S	100 T

Height:	Part. No.
1000 mm	11-51000-33
	11-51000-34

9 Drawers

Standard colours:

RAL 5012 RAL 6011 RAL 7035



Drawers:

S = load capacity:100 kg - extension 85-90%
T = load capacity:200 kg - extension 100%

Standard examples:

Height: 1450 mm



04 02	
75 S	75 T
75 S	75 T
100 S	100 T
100 S	100 T
150 S	150 T
150 S	150 T
200 S	200 T
200 S	200 T
300 S	300 T

Height:	Part. No.
1450 mm	11-51450-04
	11-51450-02
9 Drawers	



05 06	
100 S	100 T
100 S	100 T
100 S	100 T
150 S	150 T
150 S	150 T
150 S	150 T
150 S	150 T
200 S	200 T
200 S	200 T
250 T	250 T

Height:	Part. No.
1450 mm	11-51450-05
	11-51450-06
9 Drawers	




11 10	
100 S	100 T
100 S	100 T
100 S	100 T
150 S	150 T
150 S	150 T
150 S	150 T
150 S	150 T
150 S	150 T
150 S	150 T
300 S	300 T

Height:	Part. No.
1450 mm	11-51450-11
	11-51450-10
9 Drawers	



33 34	
150 S	150 T
150 S	150 T
150 S	150 T
150 S	150 T
150 S	150 T
150 S	150 T
150 S	150 T
150 S	150 T
150 S	150 T
150 S	150 T

Height:	Part. No.
1450 mm	11-51450-33
	11-51450-34
9 Drawers	






27 28	
75 S	75 T
75 S	75 T
100 S	100 T
100 S	100 T
100 S	100 T
150 S	150 T
150 S	150 T
150 S	150 T
200 S	200 T
200 S	200 T
200 S	200 T

Height:	Part. No.
1450 mm	11-51450-27
	11-51450-28
10 Drawers	



Partitioning material
see page 111

Standard colours:
RAL 5012  RAL 6011  RAL 7035 



Series 11

54x27 Eh



Mobile cabinets

Made of high-quality sheet steel. Housing sides and bases are welded and painted with high resistance products, environmentally friendly. Available in different heights with uprights slotted in increments of 25 mm to

allow drawers to be adjusted accordingly. Complete with safety upstand raised edges on 4 sides, rubber mat, handle and pair of castors (2 swivel braked and 2 fixed) in nylon or rubber. Equipped with central locking system, safety cylinder lock with 2 keys and single drawer opening system.

Width 1108 mm, Depth 580 mm.

with nylon castors Ø 100 mm Part. No.	with rubber castors Ø 100 mm Part. No.	Total height mm	with rubber castors Ø 150 mm Part. No.	Total height mm	Usable height for drawers mm
11-59700	11-59710	857	11-59720	914	600
11-59850	1159860	1007	11-59870	1064	750
11-59900	11-59910	1157	11-59920	1214	900

Max load capacity: 400 kg with load evenly distributed


Colours: see colour chart at the bottom of the page



2 fixed and
2 swivel braked
nylon castors



2 fixed and
2 swivel braked
rubber castors



Drawers

Made of high-quality sheet steel.

Available in two versions (simple or total extension) with steel roller bearings. All 4 drawer walls are slotted, for custom sub-division using partitioning material. All drawer handles are equipped with aluminium profiles, end caps and labelling strips.

Front height mm	Usable height mm	Lateral height mm	Load capacity kg *	Single locking system on right Part. No.
50 S	36	33	60	11-53052
75 S	61	52	70	11-53077
75 T	54	52	70	11-53078
100 S	86	77	70	11-53102
100 T	79	77	70	11-53103
125 S	111	77	70	11-53127
125 T	104	77	70	11-53128
150 S	136	127	70	11-53152
150 T	129	127	70	11-53153
200 S	186	177	70	11-53202
200 T	179	177	70	11-53203
250 T	229	177	70	11-53253
300 S	286	277	70	11-53302
300 T	279	277	70	11-53303

S = simple extension: 85 - 90% extension

T = total extension: 100% extension

* with load evenly distributed and at least one slotted divider in the middle

Colour: Light grey RAL 7035 internal,

for drawer front see colour chart at the bottom of the page



Card insert and cellophane (spare part)

For drawers: 54 Eh

Part. No. **06-00545**

Kit: 30 pieces

Standard colours:

RAL 5012 RAL 6011 RAL 7035



All drawers with single locking system on right



Load capacity is intended for evenly distributed loads

Standard examples:

Height: 914 mm



04 02
100 S 100 T
150 S 150 T
150 S 150 T
200 S 200 T

Height:	Part. No.
914 mm	11-59720-04
	11-59720-02

4 Drawers with single locking system on right
4-sided safety upstand with rubber mat



08 06
75 S 75 T
75 S 75 T
100 S 100 T
150 S 150 T
200 S 200 T

Height:	Part. No.
914 mm	11-59720-08
	11-59720-06

5 Drawers with single locking system on right
4-sided safety upstand with rubber mat



14 10
75 S 75 T
75 S 75 T
100 S 100 T
100 S 100 T
100 S 100 T
150 S 150 T

Height:	Part. No.
914 mm	11-59720-14
	11-59720-10

6 Drawers with single locking system on right
4-sided safety upstand with rubber mat

Height: 1064 mm



03 02
100 S 100 T
100 S 100 T
100 S 100 T
150 S 150 T
300 S 300 T

Height:	Part. No.
1064 mm	11-59870-03
	11-59870-02

5 Drawers with single locking system on right
4-sided safety upstand with rubber mat



05 06
75 S 75 T
75 S 75 T
100 S 100 T
100 S 100 T
150 S 150 T
250 T 250 T

Height:	Part. No.
1064 mm	11-59870-05
	11-59870-06

6 Drawers with single locking system on right
4-sided safety upstand with rubber mat



11 10
50 S 50 S
75 S 75 T
75 S 75 T
100 S 100 T
100 S 100 T
150 S 150 T
200 S 200 T

Height:	Part. No.
1064 mm	11-59870-11
	11-59870-10

7 Drawers with single locking system on right
4-sided safety upstand with rubber mat



Partitioning material
see page 111



Drawers:
S = load capacity:70 kg - extension 85-90%
T = load capacity:70 kg - extension 100%



Standard examples are equipped
with 2 fixed and 2 swivel braked
rubber castors, Ø 150 mm



Series 11

54x27 Eh

Standard examples:

Height: 1214 mm



04	02
100 S	100 T
100 S	100 T
100 S	100 T
150 S	150 T
150 S	150 T
300 S	300 T

Height:	Part. No.
1214 mm	11-59920-04
	11-59920-02

6 Drawers with single locking system on right
4-sided safety upstand with rubber mat



13	06
75 S	75 T
75 S	75 T
100 S	100 T
150 S	150 T
150 S	150 T
150 S	150 T
200 S	200 T

Height:	Part. No.
1214 mm	11-59920-13
	11-59920-06

7 Drawers with single locking system on right
4-sided safety upstand with rubber mat




12	10
50 S	50 S
75 S	75 T
75 S	75 T
100 S	100 T
100 S	100 T
150 S	150 T
150 S	150 T
200 S	200 T

Height:	Part. No.
1214 mm	11-59920-12
	11-59920-10

8 Drawers with single locking system on right
4-sided safety upstand with rubber mat

Standard colours:



Drawers:

S = load capacity:70 kg - extension 85-90%
T = load capacity:70 kg - extension 100%




Standard examples are equipped with 2 fixed and 2 swivel braked rubber castors, Ø 150 mm



Standard examples:


Partitioning material




For front height:	Part. No.
50 mm and higher	08-50034
6 Troughs	3-Trough
10 Trough dividers	
12 Troughs	4-Trough
30 Trough dividers	




For front height:	Part. No.
50 mm and higher	08-50234
6 Troughs	2-Trough
6 Trough dividers	
6 Troughs	3-Trough
10 Trough dividers	
6 Troughs	4-Trough
15 Trough dividers	




For front height:	Part. No.
50 mm	08-51205
75 mm	08-51207
100-125 mm	08-51210
18 Plastic boxes	150x150 mm



For front height:	Part. No.
50 mm	08-51405
75 mm	08-51407
100-125 mm	08-51410
12 Plastic boxes	150x75 mm
12 Plastic boxes	150x150 mm



For front height:	Part. No.
50 mm	08-53405
75 mm	08-53407
100-125 mm	08-53410
150 mm	08-53415
200-250 mm	08-53420
300 mm	08-53430
4 Slotted partitions	27 Eh
2 Aluminium dividers	9 Eh
3 Aluminium dividers	12 Eh




For front height:	Part. No.
50 mm	08-53505
75 mm	08-53507
100-125 mm	08-53510
150 mm	08-53515
200-250 mm	08-53520
300 mm	08-53530
5 Slotted partitions	27 Eh
12 Aluminium dividers	9 Eh



For front height:	Part. No.
50 mm	08-53705
75 mm	08-53707
100-125 mm	08-53710
7 Slotted partitions	27 Eh
12 Aluminium dividers	6 Eh
2 Aluminium dividers	9 Eh



For front height:	Part. No.
50 mm	08-53805
75 mm	08-53807
100-125 mm	08-53810
8 Slotted partitions	27 Eh
12 Aluminium dividers	6 Eh



For front height:	Part. No.
50 mm	08-58405
75 mm	08-58407
100-125 mm	08-58410
150 mm	08-58415
200-250 mm	08-58420
4 Plain partitions	27 Eh



Details of partitioning material on page 112



Label holders not included



Standard examples with slotted partitions are supplied with fixings