

Reference:	IPA wipes all types
Revision Date:	17 February 2016
Revision Number:	Rev01
Trade Name:	IPA Wipes

1. Identification of the substance and of the company undertaking

1.1	Product identifier	
	Product Name:	IPA Wipes
	Synonyms:	Surfex®
1.2	Relevant identified uses of	the substance or mixture and uses advised against
	Identified use(s):	None specific
	Uses advised against:	Follow supplier's recommendations on correct use of the product. Uses other than those covered by the exposure scenarios included in this safety data sheet are not supported.
1.3	Details of the supplier of the	e safety data sheet
	Manufacturer/Supplier:	Adamtech Ltd

	Manufacturer/Supplier:	Adamtech Ltd
		7B Whitebridge Estate
		Stone
		Staffordshire
		ST15 8LQ
	Telephone:	: 0044 (0) 1785 286660
	Fax:	: 0044 (0) 1785 286661
A	Emorgonov tolonhono nun	abor

1.4 Emergency telephone number In case of emergency call: 0044 1785 286660 (not 24 hr)

2. HAZARDS IDENFICATION:

2.1.1 Classification according to Regulation (EC) No 1272/2008 (CLP) Flam. Liq. 2; H225 Eye Irrit. 2; H319 STOT SE 3; H336

2.2 Label Elements

2.2.1Label according to Regulation (EC) No 1272/2008 (CLP)



Signal word: Hazard Statement(s):

Danger H225: Highly flammable liquid and vapour H319: Causes serious eye irritation H336: May cause drowsiness and dizziness

Precautionary Statement(s)	 P102: Keep out of the reach of children P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition Sources. No smoking P280: Wear protective gloves/protective clothing/eye protection/face protection P301+P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/ physician P405: Store locked up P501: Dispose of contents/container to approved disposal facility
Supplementary Hazard Information (EU):	P364a Wash skin thoroughly after handling P303/36/353 IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.

Other Hazards

No data available

Section 3 Composition/Information on Ingredients

3.1 Substances

No substances fulfil the criteria set forth in annexe II section A of the REACH regulation (EC) No 1907/2006

3.2 Mixtures

Identification	CAS No.	EC No.	(EC)1272/2008	%
Propan-2-ol	67-63-0	200-661-7	Flam Liq. 2,H225 Eye Irrit 2, H319	50<=x%<90
			STOT SE 3,H336	

4. FIRST AID MEASURES

4.1 Description of first aid measures

Description of mist alu m	Jeschption of mist all measures			
Inhalation:	Move exposed person to fresh air. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to- mouth resuscitation. Get medical attention. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway.			
Eyes:	: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Continue to rinse for at least 20 minutes. Get medical attention.			
Skin:	: Flush contaminated skin with plenty of water. Get medical attention if symptoms occur.			
Ingestion:	: Wash out mouth with water. Move exposed person to fresh air. Keep person warm and at rest. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway.			

4.2 Most important symptoms and effects, both acute and delayed:

Skin contact causes irritation, redness and pain. Repeated exposure may cause skin dryness or cracking. Eye contact may cause slight irritation, watering, redness and pain. Inhalation of vapours may cause drowsiness or dizziness. Ingestion may cause irritation of the mouth and digestive tract. If swallowed, aspiration into lungs may result in chemical pneumonia.

5. FIRE-FIGHTING MEASURES

5.1 Extinguishing Media

Suitable extinguishing media:Carbon dioxide, AFFF, dry chemicalUnsuitable extinguishingWater jet

media:

5.2 Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health. Do not breathe in smoke.

In a fire the following may be formed:

- Carbon monoxide (CO)
- Carbon dioxide (CO2)

5.3 Advice for firefighters

A self-contained breathing apparatus and suitable protective clothing should be worn in fire conditions. Move undamaged containers from fire area if this can be done safely. Keep fire containers cool by spraying with water.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

6.1.1 For non-emergency personnel

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Avoid inhaling dust

Consult the safety measures listed under headings 7 and 8

6.1.2 For emergency responders

Keep unnecessary personnel away. Wear suitable protective clothing (see section 8). Contaminated clothing should be thoroughly cleaned.

6.2 Environmental precautions

Clean and control the leaks or spills with non-combustible absorbent material such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering the drains or waterways

Use drums to dispose of waste recovered in accordance with applicable regulations (see heading 13) If the product contaminates waterways, rivers or drains, alert the relevant authorities in accordance with statutory procedures.

6.3 Methods and materials for cleaning up

Clean preferably with a detergent, do not use solvents

7. HANDLING AND STORAGE

The regulations relating to storage premises apply to workshops where the product is handled

7.1 Precautions for safe handling:

Handle in well ventilated areas

The vapours are denser than air. They can spread along the ground and form explosive mixtures with air. Prevent the formulation of flammable or explosive concentrations in air and vapour concentrations higher than the occupational exposure limits.

Fire prevention:

Prevent the accumulation of electrostatic charges with connections to earth.

The preparation may become electrostatically charged; always place on the ground during transfer. Wear antistatic shoes and clothes and make floors of conductive materials.

Use the product where there are no naked flames or other sources of ignition and have protected electrical equipment.

Keep packages tightly closed and away from sources of heat, sparks and naked flames.

Do not use tools which may produce sparks. Do not smoke.

Prevent access by unauthorised personnel.

Recommended equipment and procedures

For personal safety see section 8

Observe precautions stated on the label and also industrial safety regulations.

Packages which have been opened must be reclosed carefully and stored in an upright position. Avoid inhaling dust.

Prohibited equipment and procedures

Smoking, eating and drinking are prohibited in premises where the preparation is used.

Never open the packages under pressure.

7.2 Conditions for safe storage, including any incompatibilities

Keep the container tightly closed in a dry place.

Keep from all sources of ignition, heat and direct sunlight – do not smoke.

The floor must be impermeable and form a collecting basin so that in the event of an accidental spillage, the liquid cannot spread beyond this area.

7.3 Specific end use(s)

None specified

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control Parameters

Occupational exposure limit

- UK/WEL (Workplace exposure limits, EH40/2005, 2007):

CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:
67-63-0	200ppm	400ppm			

8.2 Exposure Controls

8.2.1 Appropriate engineering controls

Provide adequate ventilation to ensure that occupational exposure limits are not exceeded. Local extraction may be required. Eye wash facilities should be available in the work area. Contaminated clothing and shoes should be thoroughly washed before reuse.

8.2.2 Personal protection

Eye protection:	Goggles or safety glasses with side shields giving complete protection to eyes (EN166). Depending on conditions of use, close-fitting eye protection and a face shield may be necessary
Skin protection:	
Hand protection:	Chemical resistant gloves (EN374). Suitable glove material butyl rubber or nitrile (breakthrough time >120 minutes). Contact glove supplier to confirm suitable glove material, thickness and breakthrough times.
Respiratory protection:	Where airborne levels below the exposure limits cannot be maintained, wear an air-purifying respirator (EN140) with a type A/P2 filter or better suitable for organic gasses and vapours with a boiling point above 65°C (EN14387)
Thermal hazards:	Wear suitable temperature resistant gloves and protective clothing if the product is heated
2.3 Environmental exposi	ure controls

8.2.3 Environmental exposure controls

Inform environmental manager of all incidents involving this product.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance: Odour: Odour threshold: pH:	Solid Milt alcohol Not specified Neutral
Melting/freezing point:	Not specified
Initial boiling point and range:	Not specified
Flash point:	11°C
Evaporation rate:	Not specified
Flammability (solid, gas):	Flammable
Upper/lower flammability or	Not specified
explosive limits:	
Vapour pressure:	Not relevant
Vapour density:	2.1
Relative density:	0.89g/cm ³
Solubility(ies):	Miscible with water
Partition coefficient: n-	Not specified
octanol/water	
Auto ignition temperature:	399°C
Decomposition temperature:	Not specified
Viscosity:	Not specified
Explosive properties:	Not explosive but explosive air/vapour mixtures possible
Oxidising properties:	None

9.2 O VOC	ther Information (g/L)	Not specified			
10. 5	STABILITY AND REACTIVIT	Y			
10.1	Reactivity:	No data available			
10.2	Chemical stability:	The mixture is stable under the recommended handling and storage conditions in			
	••••••••••••••••••••••••••••••••••••••	section 7.			
10.3	Possibility of hazardous		high temperatures, the mixture can release hazardous		
	reactions:	•	oducts such as carbon monoxide and dioxide fumes.		
10.4	Conditions to avoid:		ely to produce a flame or to have a metallic surface at high		
		temperature (burr	ners, electric arcs, furnaces etc.) must not be allowed on the		
		premises.			
		Avoid:			
			tion of electrostatic charges		
		- heating			
		- heat			
40 E	lu e e un etible un eteriole :		nd hot surfaces		
10.5 10.6	Incompatible materials: Hazardous	None specified	scition may rologs ofform:		
10.0	decomposition products:		Thermal decomposition may release/form: - carbon monoxide (CO)		
	accomposition products.		oxide (CO2)		
11. T 11.1	OXICOLOGICAL INFORMAT Information on toxicologic 11.1.1 Substances				
	Acute toxicity:	Propan-2-ol (CAS	S:67-63-0)		
	•	Oral route:	LD 4700-5800mg/kg		
			Species: Rat		
			OECD guideline 401 (Acute Oral Toxicity)		
		Dermal route:	LD 13000mg/kg		
			Species: Rat		
			OECD guideline 402 (Acute Dermal Toxicity)		
		Inhalation route:			
			Species: Rat		
	Skin corrosion/irritation:	Causos ekin irrita	OECD guideline 403 (Acute Inhalation Toxicity)		
	Serious eye	Causes skin irritation. Repeated exposure may cause skin dryness or cracking. Vapours cause irritation. Splashes in the eyes may cause irritation and			
	damage/irritation:	irreversible damage.			
	Skin sensitisation:	May cause degreasing and slight irritations to sensitive skins with prolonged			
		contact			
Respiratory No data					
	sensitisation:				
	Germ cell mutagenicity:	: No data			
	Carcinogenicity:	No data			
	Reproductive toxicity:	No data			
	STOT – single exposure:		iness or dizziness.		
	STOT – repeated	No data			
	exposure:	No dete			
	Aspiration hazard: 11.1.2 Mixture	No data			

Irritation: Corrosivity:

No data No data

Sensitisation:	No data		
Repeated dose toxicity:	No data		
Carcinogenicity:	No data		
Mutagenicity:	No data		
Toxicity for	No data		
reproduction:			
Information on likely routes of ex	posure		
Inhalation:	Inhalation of vapours irritates the respiratory tract. Exposure to high		
	concentrations has a narcotic effect, producing symptoms of dizziness,		
	drowsiness, headache, staggering, unconsciousness and possibly death.		
Skin contact:	Causes skin irritation. Repeated exposure may cause skin dryness or cracking.		
Eye contact:	Splashes in the eyes may cause irritation and irreversible damage.		
Ingestion	Ingestion can cause drowsiness, unconsciousness, and death. Gastrointestinal		
-	pain, cramps, nausea, vomiting, and diarrhoea may also result.		
Symptoms related to the	Skin contact causes irritation. Repeated exposure may cause skin dryness or		
physical, chemical and	cracking. Eye contact may cause irritation and irreversible damage. Inhalation		
toxicological characteristics:	may result in adverse health effects such as mucus membrane and respiratory		
-	system irritation and adverse effects on kidney, liver and central nervous system.		
	If swallowed may result in adverse health effects such as mucus membrane and		
	respiratory system irritation and adverse effects on kidney, liver and central		
	nervous system.		
Mixture versus substance	No data		
information:			
Other information:	None		
12. ECOLOGICAL INFORMATION			
12.1 Toxicity			
12.1.1 Substances			
Substances classified as cate			
Propan-2-ol (CAS:67-63-0			
Fish toxicity:	Duration of exposure: 96h		
	LC 9640-10400 mg/l		
	Species:		
Algae toxicity:	Duration of exposure: 72h		
	LC >1000 mg/l		
	Species:		
12.1.2 Mixtures			
No aquatic toxicity data availa			
Persistence and degradability:			
Bioaccumulative potential:	Will not bio-accumulate		
Mobility in soil:	No data		
Results of PBT and vPvB:	No data		
Other adverse effects:	No data		
13. DISPOSAL CONSIDERATION			
	ivture and/or it's container must be determined in accordance with Directive		
	ixture and/or it's container must be determined in accordance with Directive		

2008/98/EC

13.1 Waste treatment methods

Do not pour into drains or waterways Waste:

Waste management is carried out without endangering human health, without harming the environment and in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company. Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

Soiled packaging:

Empty soiled container completely. Keep label(s) on the container.

Give to a certified contractor.

Codes of wastes (Decision 2001/573/EC, Directive 2006/12/EEC, Directive 94/31/EEC on hazardous waste): 10 06 03 * other solvents and solvent mixtures

14. TRANSPORT INFORMATION

IATA/ICAO

- **UN Number:** 14.1 3175 14.2 **UN Proper shipping** 3175 SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Isopropanol) name: 14.3 4.1 Flammable solid Class: 14.4 Packing Group: Ш
- 14.5 **Environmental hazards:** Yes
- 14.6 Read supplier SDS instructions on correct use of the product Special precautions for
 - user:



Red Striped-coloured Diamond

ADR

- 14.1 **UN Number:** 14.2
 - 3175 **UN Proper shipping** 3175 SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Isopropanol)
- name:
- 14.3 Class:
- 14.4 Packing Group:
- 14.5 **Environmental hazards:**
- 14.6 Special precautions for Read supplier SDS instructions on correct use of the product user:



Red Striped-coloured Diamond

4.1 Flammable solid

Ш

Yes

ADN

- 14.1 **UN Number:**
- 14.2 **UN Proper shipping**
- name:
- 14.3 Class:
- 14.4 Packing Group:
- 14.5 **Environmental hazards:**
- 14.6 Special precautions for Read supplier SDS instructions on correct use of the product user:

3175

Ш

Yes

Ш

Yes

4.1 Flammable solid

3175



Red Striped-coloured Diamond

RID

14.1 **UN Number:** 14.2 **UN Proper shipping**

- name: 14.3
- Class: 14.4
- Packing Group: 14.5
- **Environmental hazards:** 14.6 Special precautions for
- user:



Red Striped-coloured Diamond

UN Number: 3175 **UN Proper shipping** 3175 SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Isopropanol) name: Class: 4.1 Flammable solid

14.4 Packing Group:

14.5

- Ш **Environmental hazards:** Marine pollutant
- 14.6 Special precautions for user:



Red Striped-coloured Diamond

3175 SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Isopropanol)

Read supplier SDS instructions on correct use of the product

Read supplier SDS instructions on correct use of the product

3175 SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Isopropanol)

9

IMDG 14.1 14.2 14.3

4.1 Flammable solid

15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This Safety Data Sheet was prepared in accordance with EC Regulation (EC) No. 1907/2006 as amended. The product has been classified in accordance with Regulation (EC) No. 1272/2008 (CLP).

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out

16. Other Information

Supplemental Not applicable Hazard information (EU):

Disclaimer:

This safety data sheet contains important information to ensure the safe storage, handling and use of this product, it does not however constitute an assessment of workplace risks.

Users are advised to refer to relevant legislation, approved codes of practice and guidance available from the Health & Safety Executive (website: <u>http://www.hse.gov.uk</u>).

Further information:

The above information is based on our current knowledge of the product. The purpose of this data sheet is to describe the product in terms of its safety and environmental requirements. It is the user's responsibility to satisfy themselves as to the application of this information and/or recommendations for their own use.