



450 Dia PPIC

450 Dia - PPIC B125

FEATURES:

- Single seal frame
- BS EN124 Class B125
- Ductile Iron for strength and durability
- Black coated finish

B125	BS EN124: 1994	ISO 9001
-------------	-----------------------	-----------------

OPTIONS:

- Badged SW or FW
- Locking screws
- Neoprene seal
- Ventilated



Code	Product Name	Clear Opening (mm)	Over Base (mm)	Depth (mm)
3001DL	PPIC	450Dia	550Dia	30

EN124 Access Covers and Frames: B125

B125 access covers and frames are designed for use in pedestrian areas subject to occasional vehicular traffic or pavements where kerb mounting in common. All B125 manhole covers and frames are certified to the requirements of BS EN124.



R&B UK JT LIMITED
 COURT 2000, BRIDGNORTH ROAD,
 MADELEY, TELFORD
 SHROPSHIRE, TF7 4JB

SWITCHBOARD: +44 (0) 1952 580554
 FACSIMILE: +44 (0) 1952 580527
 WEBSITE: WWW.RANDB-UK.COM
 EMAIL: SALES@RANDB-UK.COM



Denbigh - 450 x 450 x 40 B125

B125

**BS
EN124:
1994**


**ISO
9001**

FEATURES:

- Single seal frame
- BS EN124 Class B125
- Ductile Iron for strength and durability
- Black coated finish

OPTIONS:

- Badged SW or FW
- Locking screws
- Neoprene seal
- Ventilated



DENBIGH - 450 X 450 X 40 B125

Code	Product Name	Clear Opening (mm)	Over Base (mm)	Depth (mm)
1014D	Denbigh	450 x 450	520 x 520	40

EN124 Access Covers and Frames: B125

B125 access covers and frames are designed for use in pedestrian areas subject to occasional vehicular traffic or pavements where kerb mounting in common. All B125 manhole covers and frames are certified to the requirements of BS EN124.



R&B UK JT LIMITED
COURT 2000, BRIDGNORTH ROAD,
MADELEY, TELFORD
SHROPSHIRE, TF7 4JB

SWITCHBOARD: +44 (0) 1952 580554
FACSIMILE: +44 (0) 1952 580527
WEBSITE: WWW.RANDB-UK.COM
EMAIL: SALES@RANDB-UK.COM



Chirk - 600 x 450 x 40 B125

CHIRK - 600 X 450 X 40 B125

FEATURES:

- Single seal frame
- BS EN124 Class B125
- Ductile Iron for strength and durability
- Black coated finish

B125	BS EN124: 1994	ISO 9001
-------------	-------------------------------	---------------------



OPTIONS:

- Badged SW or FW
- Locking screws
- Neoprene seal
- Ventilated

Code	Product Name	Clear Opening (mm)	Over Base (mm)	Depth (mm)
1006D	Chirk	600 x 450	675 x 520	40

EN124 Access Covers and Frames: B125

B125 access covers and frames are designed for use in pedestrian areas subject to occasional vehicular traffic or pavements where kerb mounting is common. All B125 manhole covers and frames are certified to the requirements of BS EN124.



R&B UK JT LIMITED
 COURT 2000, BRIDGNORTH ROAD,
 MADELEY, TELFORD
 SHROPSHIRE, TF7 4JB

SWITCHBOARD: +44 (0) 1952 580554
 FACSIMILE: +44 (0) 1952 580527
 WEBSITE: WWW.RANDB-UK.COM
 EMAIL: SALES@RANDB-UK.COM



Raglan - 600 x 600 x 40 B125

B125

**BS
EN124:
1994**

**ISO
9001**

FEATURES:

- Single seal frame
- BS EN124 Class B125
- Ductile Iron for strength and durability
- Black coated finish

OPTIONS:

- Badged SW or FW
- Locking screws
- Neoprene seal
- Ventilated



RAGLAN - 600 X 600 X 40 B125

Code	Product Name	Clear Opening (mm)	Over Base (mm)	Depth (mm)
1005D/40	Raglan	600 x 600	665 x 665	40
1005D/75	Raglan	600 x 600	665 x 665	75

EN124 Access Covers and Frames: B125

B125 access covers and frames are designed for use in pedestrian areas subject to occasional vehicular traffic or pavements where kerb mounting is common. All B125 manhole covers and frames are certified to the requirements of BS EN124



R&B UK JT LIMITED
COURT 2000, BRIDGNORTH ROAD,
MADELEY, TELFORD
SHROPSHIRE, TF7 4JB

SWITCHBOARD: +44 (0) 1952 580554
FACSIMILE: +44 (0) 1952 580527
WEBSITE: WWW.RANDB-UK.COM
EMAIL: SALES@RANDB-UK.COM



Stirling - 675 x 675 x 45 B125

B125

**BS
EN124:
1994**


**ISO
9001**

FEATURES:

- Single seal frame
- BS EN124 Class B125
- Ductile Iron for strength and durability
- Black coated finish

OPTIONS:

- Badged SW or FW
- Locking screws
- Neoprene seal
- Ventilated



STIRLING - 675 x 675 x 45 B125

Code	Product Name	Clear Opening (mm)	Over Base (mm)	Depth (mm)
1016D	Stirling	675 x 675	760 x 760	45

EN124 Access Covers and Frames: B125

B125 access covers and frames are designed for use in pedestrian areas subject to occasional vehicular traffic or pavements where kerb mounting in common. All B125 manhole covers and frames are certified to the requirements of BS EN124.



R&B UK JT LIMITED
COURT 2000, BRIDGNORTH ROAD,
MADELEY, TELFORD
SHROPSHIRE, TF7 4JB

SWITCHBOARD: +44 (0) 1952 580554
FACSIMILE: +44 (0) 1952 580527
WEBSITE: WWW.RANDB-UK.COM
EMAIL: SALES@RANDB-UK.COM



Rhuddlan - 750 x 600 x 45 B125

B125

**BS
EN124:
1994**

**ISO
9001**

FEATURES:

- Single seal frame
- BS EN124 Class B125
- Ductile Iron for strength and durability
- Black coated finish

OPTIONS:

- Badged SW or FW
- Locking screws
- Neoprene seal
- Ventilated



RHUDDLAN - 750 X 600 X 45 B125

Code	Product Name	Clear Opening (mm)	Over Base (mm)	Depth (mm)
1010D	Rhuddlan	750 x 600	840 x 695	45

EN124 Access Covers and Frames: B125

B125 access covers and frames are designed for use in pedestrian areas subject to occasional vehicular traffic or pavements where kerb mounting is common. All B125 manhole covers and frames are certified to the requirements of BS EN124.





Kenilworth - 750 x 750 x 45 B125

B125

**BS
EN124:
1994**


**ISO
9001**

FEATURES:

- Single seal frame
- BS EN124 Class B125
- Ductile Iron for strength and durability
- Black coated finish

OPTIONS:

- Badged SW or FW
- Locking screws
- Neoprene seal
- Ventilated



KENILWORTH - 750 x 750 x 75 B125

Code	Product Name	Clear Opening (mm)	Over Base (mm)	Depth (mm)
1080D	Kenilworth	750 x 750	850 x 850	75

EN124 Access Covers and Frames: B125

B125 access covers and frames are designed for use in pedestrian areas subject to occasional vehicular traffic or pavements where kerb mounting is common. All B125 manhole covers and frames are certified to the requirements of BS EN124.



R&B UK JT LIMITED
COURT 2000, BRIDGNORTH ROAD,
MADELEY, TELFORD
SHROPSHIRE, TF7 4JB

SWITCHBOARD: +44 (0) 1952 580554
FACSIMILE: +44 (0) 1952 580527
WEBSITE: WWW.RANDB-UK.COM
EMAIL: SALES@RANDB-UK.COM



Conway - 900 x 600 x 45 B125

B125

**BS
EN124:
1994**

**ISO
9001**

FEATURES:

Single seal frame

BS EN124 Class B

Ductile Iron for strength and dur

Black coated fini


OPTIONS:

Badged SW or FW

Locking screws

Neoprene seal

Ventilated



CONWAY - 900 X 600 X 45 B125

Code	Product Name	Clear Opening (mm)	Over Base (mm)	Depth (mm)
1008D	Conway	900 x 600	1024 x 724	45

EN124 Access Covers and Frames: B125

B125 access covers and frames are designed for use in pedestrian areas subject to occasional vehicular traffic or pavements where kerb mounting is common. All B125 manhole covers and frames are certified to the requirements of BS EN124.



R&B UK JT LIMITED
COURT 2000, BRIDGNORTH ROAD,
MADELEY, TELFORD
SHROPSHIRE, TF7 4JB

SWITCHBOARD: +44 (0) 1952 580554
FACSIMILE: +44 (0) 1952 580527
WEBSITE: WWW.RANDB-UK.COM
EMAIL: SALES@RANDB-UK.COM



Ludlow - 1220 x 675 x 50 B125

B125

**BS
EN124:
1994**

**ISO
9001**

FEATURES:

BS EN124 Class B125

Ductile Iron for strength and durability

Black coated finish

OPTIONS:

Badged SW or FW

Locking screws

Sealing Plate

Ventilated



Code	Product Name	Clear Opening (mm)	Over Base (mm)	Depth (mm)
1028D	Ludlow	1220 x 675	1320 x 770	50

EN124 Access Covers and Frames: B125

B125 access covers and frames are designed for use in pedestrian areas subject to occasional vehicular traffic or pavements where kerb mounting is common. All B125 manhole covers and frames are certified to the requirements of BS EN124.



R&B UK JT LIMITED
COURT 2000, BRIDGNORTH ROAD,
MADELEY, TELFORD
SHROPSHIRE, TF7 4JB

SWITCHBOARD: +44 (0) 1952 580554

FACSIMILE: +44 (0) 1952 580527

WEBSITE: WWW.RANDB-UK.COM

EMAIL: SALES@RANDB-UK.COM



Warwick - 900 x 900 x 50 B125

B125

**BS
EN124:
1994**

**ISO
9001**

FEATURES:

- Single seal frame
- BS EN124 Class B125
- Ductile Iron for strength and durability
- Black coated finish



OPTIONS:

- Badged SW or FW
- Locking screws
- Neoprene seal
- Ventilated

Code	Product Name	Clear Opening (mm)	Over Base (mm)	Depth (mm)
1015D	Warwick	900 x 900	1010 x 1010	50

EN124 Access Covers and Frames: B125

B125 access covers and frames are designed for use in pedestrian areas subject to occasional vehicular traffic or pavements where kerb mounting is common. All B125 manhole covers and frames are certified to the requirements of BS EN124.



WARWICK - 900 X 900 X 50 B125

R&B UK JT LIMITED
COURT 2000, BRIDGNORTH ROAD,
MADELEY, TELFORD
SHROPSHIRE, TF7 4JB

SWITCHBOARD: +44 (0) 1952 580554
FACSIMILE: +44 (0) 1952 580527
WEBSITE: WWW.RANDB-UK.COM
EMAIL: SALES@RANDB-UK.COM