

# Roman Blind Systems



[www.blindtrack.co.uk](http://www.blindtrack.co.uk)

Blindtrack  
Unit 23  
Orbital 25  
Dwight Road  
Watford  
WD18 9DA  
020 8421 6605  
[sales@blindtrack.co.uk](mailto:sales@blindtrack.co.uk)


# Application Chart

Specification	Dimensions				Operation	Profile	Features / Options	Fitting Options	Fitting Surfaces	System
	Weight Range	max.	max.	m <sup>2</sup> max.						
	3m	3m	9m <sup>2</sup>	2.5kg		2321		<input checked="" type="checkbox"/> Radio Control <input checked="" type="checkbox"/> Easy Cleaning <input checked="" type="checkbox"/> Ceiling Fix <input checked="" type="checkbox"/> Wall Fix <input checked="" type="checkbox"/> Wood <input checked="" type="checkbox"/> Concrete <input checked="" type="checkbox"/> Suspended ceiling	2320	
	2.5m	3m	7.5m <sup>2</sup>	3kg		2116		<input checked="" type="checkbox"/> Ceiling Fix <input checked="" type="checkbox"/> Wall Fix <input checked="" type="checkbox"/> Wood <input checked="" type="checkbox"/> Concrete <input checked="" type="checkbox"/> Suspended ceiling	2020	
	3m	3m	9m <sup>2</sup>	4.5kg		2321		<input checked="" type="checkbox"/> Radio Control <input checked="" type="checkbox"/> Easy Cleaning <input checked="" type="checkbox"/> Ceiling Fix <input checked="" type="checkbox"/> Wall Fix <input checked="" type="checkbox"/> Wood <input checked="" type="checkbox"/> Concrete <input checked="" type="checkbox"/> Suspended ceiling	2330	
	3.25m	2.5m	8m <sup>2</sup>	5kg		2116		<input checked="" type="checkbox"/> Ceiling Fix <input checked="" type="checkbox"/> Wall Fix <input checked="" type="checkbox"/> Wood <input checked="" type="checkbox"/> Concrete <input checked="" type="checkbox"/> Suspended ceiling	2100	
	4m	6m	24m <sup>2</sup>	8kg		2211		<input checked="" type="checkbox"/> Ceiling Fix <input checked="" type="checkbox"/> Wall Fix <input checked="" type="checkbox"/> Wood <input checked="" type="checkbox"/> Concrete <input checked="" type="checkbox"/> Suspended ceiling	2120	
	6m	6m	36m <sup>2</sup>	15kg		2351		<input checked="" type="checkbox"/> Radio Control <input checked="" type="checkbox"/> Easy Cleaning <input checked="" type="checkbox"/> Ceiling Fix <input checked="" type="checkbox"/> Wall Fix <input checked="" type="checkbox"/> Wood <input checked="" type="checkbox"/> Concrete <input checked="" type="checkbox"/> Suspended ceiling	2350	




## Headrail Options

Roman Soft Fold




Fabric requirements:  
Height + 20 cm  
Width + 15 cm  
Approx. stack when open:  
20 / 35 cm

Roman Hard Fold




Fabric requirements:  
Height + 20 cm  
Width + 15 cm  
Approx. stack when open:  
25 / 35 cm

Roman Semi-Hard Fold




Fabric requirements:  
Height + 20 cm  
Width + 15 cm  
Approx. stack when open:  
25 / 35 cm

Austrian



Fabric requirements:  
Height x 2  
Width + 10 / 15 cm per wave  
Approx. stack when open:  
40 / 50 cm

Festoon



Fabric requirements:  
Height + 200 / 300%  
Width x 2  
Approx. stack when open:  
40 / 50 cm

