

Quad-X

INVENTED, DESIGNED AND BUILT IN THE UK



THE PRODUCT GUIDE

2016

WWW.QUAD-X.COM



COPYRIGHT 2016 QUAD-X (A BLANEY GROUP)
ALL RIGHTS RESERVED / PRINTED IN THE UK
WWW.QUAD-X.COM

WEED CONTROL

Quad-X Superpump	6
Eco Spray	6
Pro Spray	7
Low-Pro Spray	7
Pro Spray Elite Plus	8
135L Pro Spray Elite Plus	8
230L Towed Sprayer	9
230L Towed Water Bowser	9

BOOMS

Domestic Broadcast Boom	10
Domestic Boom	10
Commercial Boom	11
Widespray Boom	11
Anti-drift	12
Precision Booms	12

WEED WIPERS

Xterminator	13
Weed Wipeout 2™	14
Weed Destroyer	16
Weed Comb	16

TRAILERS

5 x 3'3" Folding Sided Stock Trailer	18
5 x 3'3" Full Sided Stock Trailer	18
General Purpose 7' x 4" Trailer	19
Log Trailer	19
Basic Tipping Trailer	20
Plastic Tipping Trailers	20
Mechanical Tipping Trailer	21
Dump Trailer	21
Bale Transporter	22
Golf Buggy / ATV Trailer	22
Trailer Kits	23
Wheelbarrows	23

MOWERS

Wildcut Mower - Medium	26
Wildcut Mower - Heavy	27
Wildcut Mower - Extreme	27
Power Shredder	28
Flail Mower	30
Compact Rotary Mower	30

SOWERS & SPREADERS

Seeders & Electro broadcaster	32
300kg Fertiliser Sower	32
350kg-600kg Fertiliser Sower	33
True Grit Sreader	34
25kg/50kg Salt Spreader	34
300kg Salt Spreader	35
Muck Spreaders	35

STOCK FEEDERS

Drum Ground Driven Stock Feeder	38
Electric Drop Stock Feeder	39
Chick Feeder	39

GROUND CARE

Roller	42
Aerator	42
Menage Grader	43
Chain Harrows	43

FRONT MOUNT ATTACHMENTS

Mounts	46
Lift Systems	46
Front Bucket	47
Yard Scraper	47
Snow Plough	48
Silage Pusher/Blade	49
Power Sweepers	50

ACCESSORIES

High Grip Rack Cover	52
Dog Pad	52
Hand Muffs	53
Indicator Kits	53
Mirror Kits	53

UTV EQUIPMENT

UTV Supermount	56
Electric Lift	56
Snow Plough	57
Yard Scraper	57
230L Pro Elite Plus UTV Sprayer	58
UTV Cabs and Doors	59



WEED CONTROL

All Quad-X sprayers are WELL DESIGNED and made to a commercial standard using precision components for less harmful drift and lower chemical use and costs



SUPER PUMP



The Quad-X Superpump is fitted to the Eco, Pro, Pro Elite Plus and Low- Pro models. This pump creates more pressure for finer droplets and more accurate coverage, saving you valuable chemical and preventing drift.

- Auto Cut out switch
- 4 chamber pump creates a greater and more steady pressure, giving less wastage
- Fully submersible
- Produces greater jet spray distance with hand lance

**“Proven to REDUCE drift
& SAVE you chemical.”**

Options:



ECO SPRAY

60L Eco with
11ft domestic boom
shown



Options:



The Eco Spray is Quad-X's most cost effective solution model suitable for boom spraying.

- High capacity 'SUPERPUMP' for spot and boom spraying
- Easy to use plastic hand lance with high flow nozzle & 2m hose.

PRO SPRAY



Options:

60L
CAPACITY
TANK

100L
CAPACITY
TANK

The Pro Spray is our most popular model ideal for frequent users. Thanks to its accuracy and superior handance, the Pro Spray has less drift, making it more environmentally friendly.

- High capacity 'SUPERPUMP' for spot and boom spraying
- UV protected tank with heavier wall thickness
- Lockable aluminium handlance with high-flow nozzle (goes from single jet to 2m spread) & 5m hose.
- Internal baffle to reduce the danger effect of liquid surge on rough ground or while travelling

LOW-PRO SPRAY



Front or rear mounting

75L
CAPACITY
TANK

Specially designed with a low centre of gravity making it safer to use on slopes.

- High capacity 'SUPERPUMP' for spot and boom spraying
- UV protected tank with heavier wall thickness
- Lockable aluminium handlance with high-flow nozzle with 5m hose.
- 'Superpump' for spot and boom spraying; 8lpm, 11lpm or 18lpm capacities
- Pressure gauge.
- Optional 2 litre on board fresh water hand rinse tank

PRO SPRAY ELITE PLUS



Options:

60L
CAPACITY
TANK

100L
CAPACITY
TANK

Based on the Pro Spray model with all the features it offers & more!

- Pressure gauge and pressure control
- Quick release valve for easy boom connection and removal
- Return agitation system for power based chemicals
- Foot filter
- Quick release valve

135L PRO SPRAY ELITE PLUS



135L
CAPACITY
TANK

Ideal for those with larger ATVs and utility vehicles. Based on the Pro Spray Elite Plus model, thanks to its accuracy and its superior aluminium hand lance with high-flow nozzle the 135L Pro Spray Elite Plus has less drift and is therefore more environmentally friendly and ensures effective and accurate spot spraying.

- High capacity 'Superpump' located under the tank to increase efficiency
- Cone shaped tank at bottom so full contents of the tank are always used

230L TOWED SPRAYER

230L Towed Sprayer with
11ft Anti-drift boom shown



230L
CAPACITY
TANK

This 230L Towed Sprayer is suited to any vehicle with a 50mm tow ball and is equipped with a 12v Quad-X Superpump or larger engine driven pump. It has an aluminium handlance for spot spraying and any of the Quad-X ATV Booms are compatible with this sprayer, making it an ideal system for boom spraying. When fitted with the Quad-X Basic Booms it is ideal for disinfecting applications eg poultry units. The towed sprayer is strengthened for off road applications.

- UV protected tank with heavier wall thickness
- Lockable aluminium handlance
- 'Superpump' for spot and boom spraying; 8lpm, 11lpm or 18lpm capacities
- Pressure gauge and return agitation system
- Variable draw bar heights to suit any vehicle
- Optional self fill with suction filter
- Optional swan-neck control box to be reached from the ATV

Options:

18x8.5-8
WHEELS
STANDARD

20x8-10
WHEELS
OPTIONAL

22x11-8
WHEELS
OPTIONAL

UP TO
30m HOSE
OPTION

5.5 HP
ENGINE
OPTIONAL

12 V
PUMP
3/4" OUTLET

230L WATER BOWSER



Ideal for watering livestock, plants & trees.

Equipped with 6m of 50mm diameter gravity outlet hose. Manual fill as standard.

Options include: 5.5 hp engine with 27L/min pump, self fill kit & pumped 3/4" outlet @27l/min.

BOOMS



The Quad-X spray boom range allows you to choose the spray width that best suits your job to **MAXIMISE** the use of your sprayer. We offer booms to suit all budgets and requirements.

All commercial and anti drift models meet the sprayer regulations for Agricultural and amenity use.

DOMESTIC BROADCAST BOOM



Basic Boom for fast coverage, suited to no wind conditions

- Single nozzle 4m left or right sided spray or 8m twin nozzle spray width
- Easily attached to your quad

DOMESTIC BOOM

The domestic booms are ideal for work around the home or garden, equipped with precision nozzles for accurate spraying. If you are using a boom for agriculture or commercial use, we recommend the other booms in the Quad-X range.

- Precision nozzles for accurate spraying. Sprays larger droplets, which are less likely to be affected by the wind.
- Multiple cut off position model available in 11ft (3.35m) & 16ft (4.8m) models to shut off an entire wing.
- 5ft (1.5m), 11ft (3.35m) or 16ft (4.8m) spray width
- Optional hedgerow swing arm to set the 5ft (1.5m) boom out to the side of your ATV rather than directly behind



5ft (1.5m) Model



11ft (3.35m) Model

COMMERCIAL BOOM



2.9M
SPRAY
WIDTH

This impressive commercial boom is ideal for users with a versatile number of applications. They are strong and robust to provide many years of service with continuous use.

- Quick height adjustment
- Stainless steel wings can lift vertically to do ditches, embankments and higher hedges
- Unique breakback friction plates (folds back if hits object)
- Nozzles can be shut off in 2 sections
- Additional hedge nozzle for field margins.

WIDE SPRAY BOOM



ANTI DRIP
NOZZLES



Options:

6'8"
SPRAY
WIDTH

12'
SPRAY
WIDTH

The corrosion proof Widespray alloy boom is for the budget user.

- Lightweight for easy handling
- Optional hedgerow swing arm to set the 6'8" (2m) boom out to the side
- Equipped with turbo nozzles
- Easy fit mount system for quick release

ANTI DRIFT BOOM



x7
ANTI DRIP
NOZZLES

The Quad-X anti-drift boom is equipped with a unique break back outer section to avoid damage upon collision and for easy fold-up.

- 3.35m (11ft) spray width
- Galvanised anti-drift cover provides shelter from the wind
- Outer wings swing back to reduce damage caused by collisions
- Painted steel fabrication for strength
- Multiple cut off position model available to spray with an individual wing

PRECISION BOOM

Options:

5'
SPRAY
WIDTH

11'
SPRAY
WIDTH

16'
SPRAY
WIDTH



5' Model



11' Model



16' Model

These booms are equipped with Anti-Drip nozzles for more accurate spraying.

- Made from corrosion proof alloy
- Anti-Drip nozzles for accurate spraying
- Optional hedgerow swing arm to set the 6'8" (2m) boom out to the side
- Each spray nozzle has its own filter
- Multiple cut off position model available to spray with an individual wing
- Easy fit mount system for quick release

WEED WIPERS



Quad-X have revolutionised chemical application technology and are market leaders with their extensive range of innovative herbicide applicators designed for massive savings in time, money and chemical.

Unlike boom spraying, the Quad-X herbicide applicators treat only the weeds giving faster kill rates while saving chemical without stinting the grass and clover growth. Quad-X have developed a range of revolutionary weed wipers to deal with the toughest of weeds in an eco sensitive way reflecting concern for conservation and preservation of wildlife habitats.

FEATURES

- Total width of machines is 8ft (2.4m)
- Absorbent long fibre synthetic rollers - for less drips & optimum chemical retention & application
- Contra rotating rollers apply the chemical to the sensitive underside of the weed giving a more efficient and faster kill rate
- Knobby 22x11-8 flotation tyres for soft wet/ground
- A huge height range; they can be adjusted from 140mm – 380mm
- Unique drawbar design so the roller is first to come into contact with weeds after the towing vehicle (weeds aren't knocked down by drawbar)

OPTIONS

- Handlance kit
- 60L or 100L tank
- Wiring kit & pressure control
- Spring Assisted Lift & Jockey Wheel

“innovation at is very BEST”


XTERMINATOR 2™



Xterminator 2 complete with optional spring assisted lift

The Quad-X Xterminator 2™ has all the features of the Wipeout 2™ however, instead of the automatic chemical application system it has a manual application system, so the user controls the chemical application.

Options:



WEED WIPEOUT 2™

The Wipeout 2™ is 2nd generation patented wiping technology offering massive savings on chemical over any conventional system and is ideal for environmentally sensitive areas where boom spraying is not appropriate.

FEATURES

Automatic weed detection & chemical application system

The weed detection system automatically activates the system to apply the optimum amount of chemical to the rollers, only when weeds are present, leaving you free to concentrate on driving, while saving chemical

Unique chemical control system to regulate chemical application rates for different weed densities

Innovative dual, contra rotating long fibre rollers for maximum kill & minimum drips

Dual rollers (Xterminator 2™ & Wipeout 2™ Models) rotate in opposite directions for optimum chemical application - for quicker kill

- 1st roller lifts the weed leaf and applies chemical to the sensitive underside for faster kill rates
- 2nd roller acts to separate out clumps of weeds for better application

Unique Atomisation Technology for better chemical application

Quad-X has pioneered a process of unique atomisation technology where chemical is applied in the form of a micro-bubble which attach themselves to the open fibre roller without bursting

Upon contact with the weed the micro-bubbles burst and provide better stem coverage than the standard chemical film approach



Wipeout 2™ complete with optional spring assisted lift

WEED WIPEOUT 2™

“ REDUCE your chemical costs
by up to 97% compared
to boom spraying”



Wipeout 2™ complete with optional spring assisted lift

Wipeout 2™ is the worlds most intelligent weed wiping system

ENHANCED FEATURES

Wipeout 2™ technology reduces chemical usage by 85% to 97%

New tank retaining system and new remote radio frequency controller to avoid risk of accidental damage

Improved frame design for extra strength, yet more lightweight

Improved design for maintenance to reduce service time.

No need for tools for service checks

SAVE
CHEMICAL
& TIME

UPTO
100% KILL
RATE

OPTIONS

- Handlance kit
- Wiring kit + pressure control if using an existing sprayer tank
- spring assisted lift + jockey wheel for easy height adjustment

WEED DESTROYER



Weed Destroyer complete with optional tank mount

Options:



The most simple in the Quad-X range of weed wipers still has a lot of impressive features to offer.

- Single contra-rotating roller lifts the weed up and applies the chemical to the sensitive underside of the leaf.
- The Weed Destroyer uses a manual application process
- Optional 60L tank and tank mount
- Drawbar can be offset (3 positions)

WEED COMB



Bristle type roller system to comb through weeds such as brambles or thorns.

TRAILERS

All Quad-X trailers are ROBUST and built to last;
designed, built and tested by industry leading
engineers



5 x 3'3" FOLDING SIDED STOCK TRAILER



5x3'3 folding sided trailer with lamb partition and ramp door with integral swing model shown

FEATURES

- Galvanised for durability
- Choose from swing or ramp door option
- Pressed strengthened sides
- Treated wooden floor - high grip design
- Knobby off road 22x11-8 flotation tyres
- Sloped sides to prevent ewes escaping
- Feet on rear door for easy lifting of the ramp door after loading/ unloading

OPTIONS

3 position partition - can be stored at front of trailer (folding sided model only)

Aluminium floor for extra strength

Mud guards

Options:

FULLY
ADJUSTABLE
GATE INSIDIE
OPTIONAL

RAMP &
INTEGRATED
SWING DOOR
OPTIONAL

5 x 3'3" FULL SIDED STOCK TRAILER



The 5x3'3" solid sided stock trailer is ideal for off road use and boosts most of the features listed above.


7x4 trailer can be used as a stock trailer too!

GENERAL PURPOSE 7' X 4' TRAILER



7'x4' General Purpose trailer with removable mesh extension sides, optional flotation tyres and road lights shown

Options:



Fitted with mudguards, suspension and wide road type tyres, this trailer can be towed behind your car or 4x4. It is equipped with a drive on ramp for easy transportation of your quad / lawnmower.

- Corrosion proof galvanised finish
- Marine wooden floor for long life
- Removable mesh extension sides available
- Mudguards and suspension

LOG TRAILER




Pro model with crane and electric winch shown

This specially designed log trailer is the perfect solution for moving timber in sensitive or awkward sites, minimising damage to growing trees. For use with an ATV, UTV or compact tractor.

- Carries logs up to 4m long
- Bogie axle for use over rough terrain
- Adjustable wheelbase positioning - can be shortened for better manoeuvrability around trees and tight spaces
- Optional extension sides

Options:



BASIC TIPPING TRAILER



This tipping trailer is designed for lightweight use around the home or garden. More heavy duty than any garden style trailer.

Options:

15x6-6
WHEELS
STANDARD

18x9.5-8
WHEELS
OPTIONAL

PLASTIC TIPPING TRAILERS



240L trailer with big wheel option

Options:

KNOBBY
TYRES
OPTIONAL

PIN
FOR TOWING
WITH MOWER
OPTIONAL

Designed to be lightweight and versatile and make your jobs around the farm, stables and garden easier.

The body of the trailer has been manufactured from high density plastic making it strong and sturdy.

- 240L, 300L, 360L & 500L capacity versions available
- Easy tip design has reduced lifting effort to tip
- Greasable wheel bearings - made to last
- 18-9.5x8 tyres option on all models and optional 22-11x8 on the 500L
- Standard with 50mm hitch

MECHANICAL TIPPING TRAILER



Using high-tech computer FE analysis this tipping trailer has a lightweight chassis yet with maximum strength for hauling heavier loads and increased life. The lifting mechanism provides positive lifting and lowering and lifts to just before balancing point. You can use your weight to push-down on the lever to lift the body, making it easier to tip.

- Galvanised for long life corrosion & rot proof body
- Press strengthened sides
- Knobby flotation tyres
- Dimensions: 1450 x 1000 x 450mm
- Optional extension sides
- Removable rear door for easy removal of contents and for cleaning

EXTENSION
SIDES
OPTIONAL

DUMP TRAILER

Engineered for strength and durability, with farmers, groundcare contractors, landscapers, amenities and equestrian customers in mind.

- Developed for use with larger ATVs and utility vehicles (UTVs) or compact tractors
- A hand pump is available to assist with tipping. Optional electrical hydraulic tipping mechanism is available - tip at the push of a button
- Pivot bogie suspension allows for easier towing over uneven terrain
- Knobby flotation tyres making it suitable for wet conditions
- Swivel hitch for safety
- Body has been designed for maximum strength using alloy material to keep weight to a minimum
- Greasable bushes are used for long life
- Trailer design creates less drag when tipping a large load
- 1000 Litre capacity dump trailer



BALE TRANSPORTER

22x11-8
WHEELS
STANDARD

Bale Transporter with double bogie option shown

Developed to make the bale mass assist in loading, reducing forces required to load a 1/2 tonne bale.

Ideal for transporting silage, hay, haylage and straw bales. Fitted with 22x11-8 flotation tyres it is handy for bringing bales in from the field and moving them around even in wet conditions.

It has been well balance to reduce the weight on your drawbar. It can be easily positioned by hand when loaded with a hay bale.

The unique design helps prevent the quad rear wheels lifting during loading. The clamping arms are designed to minimise wrap damage during transportation.

- Manual or electric lift
- Single axle or double bogie

GOLF BUGGY / ATV TRAILER



This lightweight trailer is designed especially to make loading and off loading your vehicle simple, easy and fast. This Golf Buggy Trailer is galvanised with a unique pivot body, correctly balanced to allow for gentle loading and off loading your vehicle.

- Galvanised for durability
- Lightweight - trailer can be moved manually
- Balanced for gentle loading
- Optional Jockey wheel

TRAILER KITS



TOW
HITCH
OPTIONAL

Trailer kits include: Rims, Tyres, Stub Axles, Hubs

Wheel Sizes

- 22x11-8 wheels
- 20.5x8-10 wheels
- 15x6-6 wheels

Stub Axle

- High strength rugged stub axles with a PCD of 4"

Optional
Suspension Unit Sizes
500kg or 750kg

WHEELBARROWS



Options:

240
LITRE
CAPACITY

360
LITRE
CAPACITY

- Twin wheels for stability
- Galvanised frame for durability
- Tipping body
- Lightweight and easy to manoeuvre



MOWERS

All Quad-X mowers show the best of british
INNOVATION; proven to out perform
expectations



WILDCUT MOWERS

With a bulletproof reputation in the industry, these machines are designed to last for years. These mowers are very capable machines and depending on the engine size you choose they can tackle anything from topping light paddocks to working with extremely dense vegetation such as rushes.

FEATURES

- Cutting width 1200mm
- Hardened Swinging Blades
- Floating Deck
- Unique Inbuilt Blade Brake System
- Adjustable Offset Drawbar
- Cutting height 50-250mm
- Machine Mounted Controls
- Super Tough Clutch (not centrifugal)
- Briggs and Stratton Engines
- Optional Momentum Dynamo to Maintain RPM

“the Wildcut runs approx
2.5 x FASTER than
a tractor topper”

APPLICATIONS

- Controlling Reeds and Bracken
- Topping Grass
- Weed Control
- Mowing Dense Vegetation

WILDCUT MEDIUM



Briggs & Stratton engine options:

- 11.5 HP ENGINE RECOIL
- 12.5 HP ENGINE RECOIL
- 13.5 HP ENGINE ELECTRIC

The Medium Duty Wildcut is an ATV mower ideal for topping paddock areas.

An optional wheel extension kit allows for rear wheel positioning.

WILDCUT HEAVY



20-7x8
WHEELS
STANDARD

Briggs & Stratton engine options:

15.5 HP
ENGINE
ELECTRIC

17.5 HP
ENGINE
ELECTRIC

The heavy duty Wildcut mower is suitable for topping areas of overgrown vegetation including light rushes, saplings and bracken.

WILDCUT EXTREME



20-7x8
WHEELS
STANDARD

Briggs & Stratton engine options:

16v-Twin
ENGINE
ELECTRIC

18v-Twin
ENGINE
ELECTRIC

The Extreme Duty Wildcut mower is an extremely impressive ATV topper suitable for mowing in areas of dense overgrown vegetation including heavy rushes, heather and bracken.

3 YEAR
ENGINE
WARRANTY

POWER SHREDDER™

4ft Power Shredder™ with optional double bogie shown



The power shredder™ technology was invented by Quad-X and they have remained at the forefront of optimising low power power requirement, light weight machines that give the unrivalled power shredder™ fine chop.

Designed and developed to give outstanding performance in extremely dense vegetation and gives a more effective result than any flail. Reach the wet/soft and steep areas that your tractor can't.

With the Power Shredder™ running in excess of 1000rpm more than a tractor flail, this high speed combined with a specially developed 'High Flow' rotor can achieve remarkable results in vegetation up to 6ft (1.8m) in height.

Capable in tough areas in extremely dense 5/6ft bull rushes/reeds or dense heather, which has become commonplace in wetland areas.

The Quad-X Power Shredder™ equipped with special rush blades as standard allows you to cut in heavy dense material such as rushes, or in areas of bracken or heather.

Results achieved using the Quad-X Power Shredder™ in dense rushes



Briggs & Stratton engine options:

16HP
V-Twin
ENGINE
RECOIL

16HP
V-Twin
ENGINE
ELECTRIC

8HP V-Twin
ENGINE
RECOIL

18HP
V-Twin
ENGINE
ELECTRIC

21HP
V-Twin
ENGINE
ELECTRIC

23HP
V-Twin
ENGINE
ELECTRIC

FEATURES

- Specially designed rush blades to shred the vegetation
- Extra high cutting height from 30-250mm to allow you to work with the tallest of vegetation
- Adjustable offset drawbar
- Debris guards for maximum rider protection
- By using 3-D finite element analysis on the deck we have been able to design the mower for maximum strength and minimum weight, making it easier to tow and reducing tyre indentation on the ground surface

22x11-8
WHEELS
STANDARD

DOUBLE
BOGIE
OPTIONAL



OTHER OPTIONS:

- Double axle 4 wheeled pivot bogie system available for wet conditions making it ideal for rougher ground.
- Break bar for tall material
- Rear roller
- Cutting widths: 1.3m/4ft 3" & 1.5m/5ft



FLAIL MOWER



Options:

- 16v-Twin ENGINE RECOIL
- 18v-Twin ENGINE ELECTRIC

The Quad-X Flail mower is designed to be more robust than any other flail mower available and to pulverise vegetation cutting it into small pieces for faster decomposition. It is capable of dealing with overgrown areas of grass, and light weeds.

- Infinite cutting height from 20-200mm to suit various vegetation heights
- Side and rear wheel positioning as standard - NO EXTRAS REQUIRED
- Adjustable offset drawbar to position the machine to suit your particular job
- By using 3-D finite element analysis on the deck we have been able to design the mower for maximum strength and minimum weight, making it easier to tow and reducing tyre tracks on the ground surface
- Optional toothed rush blades for dense vegetation
- Debris guards for maximum rider protection
- High speed rotor for finer chop
- Auto drive engagement

3 YEAR ENGINE WARRANTY

22x11-8 WHEELS STANDARD

COMPACT ROTARY MOWER



15x6-6 WHEELS STANDARD

Briggs & Stratton engine options:

- 12.5 HP ENGINE RECOIL
- 13.5 HP ENGINE ELECTRIC

The most versatile ATV finishing mower for mulching lawns to light topping.

- Cutting width approx 1.2m
- Uniquely shaped for tighter turning circle and manoeuvrability
- Twin blades for lawn finish
- Optional mulching kit for an extra fine cut
- Industry leading lift, it can be quickly altered from 19-180mm
- Machine mounted control box for easy to reach throttle control

SOWERS & SPREADERS

Quad-X sowers and spreaders have UNIQUE properties with impressive durability and ease of use

MADE
IN THE UK
ALWAYS THE
BEST



SEEDERS & ELECTROBROADCASTERS



60L model



30L model

30
LITRE
MODEL

60
LITRE
MODEL

The Quad-X Seeders are capable of spreading a wide variety of seeds for those on a budget. The Electrobroadcasters are a high specification spreader designed for more accurate spreading of grass seed, clover and slug pellets and even suitable for granular fertiliser.

- Universal easy mount system with adjustable height
- Stainless steel & plastic components for durability
- Optional remote shut off control and wiring for tractor use

6 BAG FERTILISER SOWER



Quad-X offer the highest quality, most robust sower in its class. This ground driven sower has a 6 bag/300kg capacity. It is best suited for light duty applications for use on smallholdings, golf courses and ground maintenance.

- Suitable for fertiliser, powder, seed and magnesium spreading
- Optional salt spreading kit available
- 18x9.5-8 knobby tyres
- Large stainless steel dished spinner for corrosion resistance and excellent spread up to 14m

22x11-8
WHEELS
OPTIONAL

7 BAG FERTILISER SOWER

7 bag with 10 bag extension
sides shown



500KG
CAPACITY
OPTION

600KG
CAPACITY
OPTION

This ground driven quad spreader comes with a 350kg capacity 'low fill height' hopper, and is ideal for spreading a variety of fertiliser and grass seed.

It is designed with contractors in mind, for frequent use and is extremely durable. The plastic coated finish and the use of stainless steel components increase resistance to the corrosive nature of modern fertilisers. It has an extra wide axle for stability and varies track width from the quad for wet conditions.

- Spreading bias adjustment
- Plastic coated hopper and stainless steel components for durability
- Capacity 350kg (extension sides to hold up to 500kg or 600kg)
- Optional lever engagement to disengage the spinner while seated
- Optional extension sides to hold up to 500kg or 600kg

Extremely low fill height...
50kg bags - no problem!

22x11-8
WHEELS
STANDARD

TRUE GRIT SPREADER



This commercial spec salt spreader is ideal for spreading damp salt thanks to the feed mechanism continually pushing material forward, irrespective of moisture and consistency. This helps prevent clogging and facilitates an even spread of salt.

- Towed: 120L, 400L
- Mounted: 250L, 400L, 600L suitable for use on pick up trucks

25KG / 50 KG SALT SPREADER



These handy ATV mounted salt spreaders are ideal for use on roads, commercial premises or in car parks.

- Stainless steel agitator & spinner
- Also suits grass seed & fertiliser
- Fits easily to rear ATV rack
- Powered from 12v supply
- UV protected hopper

300KG SALT SPREADER



The 300kg salt spreader can be towed behind any vehicle with a 50mm tow ball due to the adjustable drawbar height and linkage to level the drawbar. Designed with a specific gearbox with a gearing ratio for better traction in icy conditions.

- Capacity 300kg
- 18x9.5-8 knobby tyres
- Large stainless steel dished spinner for corrosion resistance

22x11-8
WHEELS
OPTIONAL

MUCK SPREADER



Muck Junior model (5 barrows)



Muck Master model (8 barrows)

The daily task of mucking out outhouses and stables can quickly become an unwelcome chore. Quad-X has developed a range of Muck Spreaders to help you avoid huge muck piles. It is handy, cost effective and will allow you to spread your own manure, avoiding the need for a contractor.

- Capacity options of 0.63m³ (5 barrow-fulls) or larger 8 barrow-full
- Galvanised body for durability
- Muck can be shovelled directly into the muck spreader avoiding extra shovelling

10 HP
ENGINE
RECOIL



Quad-X

FEEDERS



MADE
IN THE UK
ALWAYS THE
BEST

STOCK FEEDERS

Quad-X offer Electric and Manual drop feeders, both designed to feed livestock quickly and easily, reducing stress on the animals, avoiding trampling of the ground and reducing wastage. Imagine... no more bags and no need for troughs.

- Galvanised hopper for long life
- 22x11-8 flotation tyres
- Adjustable feed piles
- Optional tarpaulin cover with support or hay rack to keep feed dry

“take the **HASSLE** out
of **FEEDING** your stock.”

DRUM GROUND DRIVEN STOCK FEEDER



Shown with optional wooden cover

The 350kg ground driven drum stock feeder distributes feed in piles 6ft apart and lets you adjust the feed rations from 1/2 kg to 2kg.

Equipped with mudguards as standard.

ELECTRIC DROP STOCK FEEDER



350kg model shown

Electric stock feeder controller

Market leading ground clearance and low fill height making it easier to fill and giving more stability on slopes with a nudge bar to protect stock. The Electric Drop Stock Feeder is equipped with a sophisticated controller and drop counter with variable distance control which mounts easily on the handlebars or front rack.

Simply set the number of drops needed and the controller counts down automatically to zero, letting you get on with driving safely without having to worry about when to stop it. 350kg or 500kg capacity options.

CHICK FEEDER 350KG



This machine makes feeding chicks an easy one man operation. Simply tow behind an ATV or other vehicle with a 50mm towball to unroll the paper and add the chick feed simultaneously.

- Adjustable feed rate
- Adjustable paper roll holder

350KG
CAPACITY
STANDARD



GROUND CARE



MADE
IN THE UK
ALWAYS THE
BEST

ROLLER



Designed for paddocks, playing fields, landscaping and other ground maintenance applications. Manufactured from heavy duty materials. Manufactured to a contractors' spec from heavy duty materials with adjustable weight to ensure precision compaction.

- Adjustable weight
- Width: 1.5m, Diameter 500mm

A Budget Roller is also available, it too has an adjustable weight and is 1.2m wide

AERATOR



Aerators are used extensively by organic farmers and greenkeepers as they allow surface water to drain, stimulating root growth and encouraging absorption of nutrients into the soil for better grass growth.

The blades are specially designed to allow oxygen to get to the roots which helps to improve growth rates for higher yields and enhance grazing quality.

- Improves drainage & nutrient uptake for healthier grass
- Aerator has addition weight carriers for heavier soils

MENAGE GRADER



This Menage Grader has been developed for a massive improvement in surface conditioning. Quad-X engineers have designed an advanced protruding conditioner that lifts compacted subsurface material and aerates this to the surface.

We offer a number of menage grader options to suit various surfaces, including sand, rubber chips and strips and textile mixes. Contact us to discuss your requirements, Standard spec includes:

- 2.4m wide
- Levelling height adjustment
- 14 Heavy duty, high tensile, steel, double sprung and dual prong tines
- Heavy duty castor to protect the blade from damage
- Unique fold up design for easy storage
- High capacity adjustable blade with unique profile for smoothing action
- Optional rear press with unique 2 section design to assist with drainage and hoof support. (This unique design uses the weight of machine to rest on the rear press for max impact)

CHAIN HARROWS



Quad-X harrows are 3 way harrows, manufactured from 11 mm high-tensile steel.

They are ideal for grass harrowing, levelling horse arenas, removing moss, seed or bed preparation and horse manure spreading.

Suitable for golf courses, beaches, equestrian centres and football pitches.

Widths: 4ft/1.2m or 6ft/1.8m (both sizes are 5ft/1.45m long)



Quad-X
Maximum Blade For 15.5"
30-48 05 000 071 001 Copyright © 2002
The Toro Company

FRONT MOUNT ATTACHMENTS

All Quad-X front mount attachments are designed
TO MAKE LIFE EASIER
for you

MADE
IN THE UK
ALWAYS THE
BEST



MOUNTS



Get the most out of your quad by adding Quad-X equipment to the front, to help with many tasks such as mucking out, sweeping or feeding housed livestock.

We offer 3 models of Front Mount systems:

BASIC MOUNT

Tube design compatible with the yard scraper only

BASIC ANGLED MOUNT

Compatible with the Yard Scraper, Dozer Blade, Silage Blade and Snow Plough only

SUPER MOUNT

Compatible with ALL attachments.

The strongest, most versatile front mount system you can buy. It fixes to the underside of almost all ATVs and maximises your ground clearance

LIFT SYSTEMS

All Quad-X front mount systems require a manual or electric lift. Electric lift is easier, quicker and smoother with controls located at the handlebars to lift/lower the attachments while moving. If you want to use the lift for pulling heavier loads or using the front bucket, the ATV winch is recommended.



Electric Lift

Winch 907kg pulling power

Complete with universal mount bracket

Manual Lift

Ideal for those on a budget

Compatible with all Quad-X front mount systems



FRONT BUCKET



Perfect for mucking out, moving top soil or sand and a great alternative to using a wheelbarrow

- Requires Quad-X Supermount system
- Requires Electric Lift

YARD SCRAPER



A Quad-X ATV scraper is the ideal solution to yard and outhouse upkeep, fitted with heavy duty rubber to prevent damage to surfaces. Optional rubber sides are available for extra protection. The high tensile steel frame is designed for long life. The yard scraper is 1.3m wide and is ideal for getting into narrow areas.

We also offer a wider 1.55m yard scraper, which is suitable for larger ATVs and UTVs.

SNOW PLOUGH

The Quad-X Snow Plough is easily angled left/right (5 positions) to push snow either side. Adjustable skids and a reversible/replaceable 2 sided blade protect the plough. It is also spring loaded to cushion collisions with obstacles.

1.2m and 1.5m widths available. Optional rubber strip for tarmac areas.

- 1.2m & 1.5m widths
- Requires Supermount or Basic Angled Front Mount system
- Requires manual or electric lift



SILAGE PUSHER



The rotating wheel design allows silage to be moved within reach of the livestock, clearing the passageway. The wheel runs along the ground, rotating as the quad moves forward to collect the loose silage.

- Requires Supermount system
- Requires manual or electric lift (Electric lift recommended)
- Angles left/right to clear both sides of the passage

SILAGE / DOZER BLADE



This versatile attachment is useful for feeding housed livestock which avoids the need for graping silage. It is spring loaded and easily angled, equipped with a 2-sided rubber blade to protect the floor from damage. This blade can also be used as a dozer blade to help level out soil or for other tasks around the yard or garden.

- Requires Basic Angled or Supermount system
- Requires manual or electric lift (Electric lift recommended)
- Angles left/right

SWEeper / ROTARY BRUSH



The Quad-X ATV Sweeper is innovatively designed to make yard upkeep easier. It is a very light yet strong machine, suitable for 2 wheel drive quads. It can clear large areas in no time, ideal for road cleaning after crop removal from field.

- Requires Supermount system
- Hard wearing bristles for long life
- Offsets left and right
- Width: 1.2m



CUSTOM SWEEPER



Quad-X have designed a range of Sweepers suitable for use with ATVs, UTVs and Compact Tractors. Quad-X can custom build these sweepers to suit your individual application and needs with hydraulic, engine or PTO drive options.

The powerful bristles are designed with elasomer to enhance brush life and permit slight bending at the tip to dig out the dirt and dust giving an outstanding cleaning performance.

Widths from 1.2m (4ft) to 3m (10ft).

ACCESSORIES



HIGH GRIP RACK COVER



This simple yet effective tool can be fitted to any ATV rack quickly and easily. This rack cover allows you to place tools, buckets, etc on it and travel at low speeds without them sliding off as they would with existing racks, or without the time consuming task of tying them down.

DOG PAD



This is a perfect platform for your dog to sit on. With its high grip surface it allows your companion to have a comfortable ride on rough terrain.

Its texture also helps drain water away that may come from their hair. The extension flaps cover the fenders of the quad to offer protection from scratches when the dog is jumping on and off the rack, which will help increase the resale value of your ATV.

HAND MUFFS



- Fleece lined mitts to protect the rider's hands from the elements and from debris
- Universal Fit

INDICATOR KIT



- Flexible arm to reduce impact damage
- Universal fit - bolt on to replace reflectors on most ATVs
- Ideal for road use
- Components only, wiring not supplied

BRAKE LIGHT



- Universal fit
- Ideal for road use
- Components only, wiring not supplied



UTV EQUIPMENT



UTV SUPERMOUNT



Quad-X offer a versatile UTV Supermount System to fit to the underside of your UTV. It is compatible with a range of front mount attachments, such as the Quad-X yard scraper, snow plough and sweeper.

- Gives great ground clearance in rough terrain
- No drilling required to fit the Supermount System
- Once the mount is fitted, accessories can be attached or removed in seconds

Please contact us or visit our website for details on availability of the Supermount System for UTV Models in the Kawasaki, Yamaha, Polaris, John Deere and Kubota ranges.

ELECTRIC LIFT



The Quad-X electric lift system gives easy, quick and smooth control of the height attachments. The Quad-X winch needs to be fitted to the UTV Supermount System. A rocker control switch is provided which can be mounted on the dash to give easy access.

SNOW PLOUGH



The Quad-X UTV Snow Plough can be angled left or right (5 positions) to push snow either side. It is spring loaded to cushion collisions with obstacles while adjustable skids give further protection to the UTV snow blade.

Options:

1.5M
WIDTH
OPTIONAL

1.8M
WIDTH
OPTIONAL

YARD SCRAPER



The Quad-X UTV Yard Scraper is the ideal solution to yard and outhouse upkeep saving elbow grease if you currently use a manual scraper, and saving time and hassle compared to a tractor scraper.

- Fitted with heavy duty rubber to prevent damage to surfaces
- Optional rubber sides are available for extra protection
- 1.55m wide, can be angled left/right in 5 positions

230L PRO ELITE PLUS UTV SPRAYER



PUMP
3 YEAR
PARTS
WARRANTY

The Quad-X ATV Sprayer & Boom range (page 6-12) are all suitable for use with your UTV. The sprayers can easily be set in the rear cargo bed for use.

To make the most of your UTV's loading capacity we offer a 230L mounted sprayer. This model is equipped with the Quad-X Superpump, with a 4 chamber pump for more pressure and finer droplets. This fully submersible pump carries an unrivalled 3 year parts warranty. Like the other Pro Spray Elite Plus models this sprayer also features a pressure gauge, return agitation and a quick release boom connection.

- High capacity 'Superpump' for spot and boom spraying
- Lockable aluminium hand lance with a nozzle & 5m hose
- UV protected, heavy wall tank for durability, with grooves to hold straps in place
- Pressure gauge and pressure controls
- Quick release valve for easy boom connection and removal

high-flow

5.5 HP
ENGINE
OPTIONAL

UTV CABS



Given our unpredictable climate and often harsh weather conditions the Quad-X UTV Cab Kits provide effective protection from the elements to both driver and passenger. Following consultation with many UTV dealers and users we have developed a high quality, affordable UTV cab that is easy to assemble and is robust, yet lightweight.

We offer a range of 13 accessories to make up the UTV cab allowing you to choose the items you want, at a price you can afford. You can select items individually or choose either a Basic Cab Kit (Roof & Windscreen) or a Super Cab Kit - see website for more details.

UTV CAB DOORS

The optional doors allow for the cab to further protect the driver from harsh weather.

- Diamond coated polymer doors for improved strength, 250x stronger than glass for reduced scratches and lighter for the vehicle's suspension
- Compatible with the Quad-X cab kits which fit to the existing ROPS frame
- Door can lock back to allow for driving with doors open
- Fully Lockable to protect anything stored in the Mule Cab

DEALER STAMP:

Visit our website for more information on our extensive range or to view video clips of our machinery in action. Register online to receive exclusive special offers and product updates.

UK: 028 2587 2800 ROI: 048 2587 2800 INTL: 0044 (0) 28 2587 2800

Fax: 0044 (0) 28 2587 8784 Email: info@quad-x.com

37 Carnearney Rd, Ahoghill, Ballymena. Co Antrim BT42 2PJ Northern Ireland

Follow us on Twitter!



QuadXmachinery

Find us on Facebook!



QuadXmachinery



When operating any Quad-X equipment and especially in conjunction with an ATV or Utility Vehicle, always ensure that you or your staff:

- Are properly trained in the safe operation of the equipment being used.
- Are wearing appropriate safety and protective clothing for the work being carried out – consult HSE guidelines if unsure.
- Consult vehicle owner manuals for loading weights and towing capabilities.
- Adhere to the Quad-X owner's manuals' instructions before use and adhere to the maintenance schedule.

In line with our policy of continuous product development, Quad-X reserve the right to alter the specifications of products at any time without prior notice.