

EXi Range Wok Cooker

Introduction



EXi Range provides a robust wok cooker built for extreme performance and durability.

The design also features an innovative ACK patent – a hydraulic spring mechanism to open and close the cooker top which enables easy access for various cleaning and maintenance tasks.

Available as either water or air cooled.


Overview

Includes a three month labour warranty
A one year replacement parts warranty
CE safety standards approved
Choice of burners – free of charge



Main Features

Removable double skin casted wok rings
Waste filter system to left or right
Hydraulic spring mechanism to open and close the cooker top
Purpose built for easy cleaning and maintenance
Pull-out grease trays
Removable spice shelf




* Labour costs excluded with 12 months replacement parts warranty.

EXi Range Wok Cooker

Wok Burners

A	V12 and V21 Vortex burners	Optional – free of charge
B	Twin and triple bar burners	Optional – free of charge



ACK stainless steel twin bar burners fitted to all back rings as standard.

ACK safety force air turbo burner	£845.00
-----------------------------------	---------








Optional Accessories

A	Clip-on spice box	£53.00
B	Clip-on towel hanger	£53.00
C	Clip-on side shelf	£147.00
D	Clip-on ladle holder	£104.00
E	Drop-in back pot stand	£47.00








Models & Specifications - Straight Rings

Description	Model	Typical Gas Heat Input	Dimensions (L x W x H)	List Price
 2 front rings 二前	EXIWCC20CE-L/R	35.6 kW/hr	1160 x 800 x 850 mm	£4,480.00
 3 front rings 三前	EXIWCC30CE-L/R	53.4 kW/hr	1550 x 800 x 850 mm	£5,730.00
 4 front rings 四前	EXIWCC40CE-L/R	71.2 kW/hr	2080 x 800 x 850 mm	£6,640.00
 5 front rings 五前	EXIWCC50CE-L/R	89.0 kW/hr	2540 x 800 x 850 mm	£7,980.00
 6 front rings 六前	EXIWCC60CE-L/R	106.8 kW/hr	3000 x 800 x 850 mm	£9,580.00

EXi Range Wok Cooker

Models & Specifications - Front & Back Rings

Description	Model	Typical Gas Heat Input	Dimensions (L x W x H)	List Price
 2 front rings & 1 back ring 二前、一後	EXIWCC21CE-L/R	53.4 kW/hr	1160 x 965 x 850 mm	£4,670.00
 3 front rings & 2 back rings 三前、二後	EXIWCC32CE-L/R	89.0 kW/hr	1550 x 965 x 850 mm	£5,990.00
 4 front rings & 3 back rings 四前、三後	EXIWCC43CE-L/R	124.6 kW/hr	2080 x 965 x 850 mm	£7,570.00
 5 front rings & 4 back rings 五前、四後	EXIWCC54CE-L/R	160.2 kW/hr	2540 x 965 x 850 mm	£9,220.00
 6 front rings & 5 back rings 六前、五後	EXIWCC65CE-L/R	195.8 kW/hr	3000 x 965 x 850 mm	£11,060.00

Water Connection	Waste Connection	Gas Inlet B.S.P
15 mm	1.5"	1"