



evonicfires

quality electric fires built in britain

suites | insets | wall mounted

2015

electric fires available exclusively through independent fireplace showrooms

Welcome to the latest **evonicfires** brochure.

evonicfires is a brand of CK Fires Ltd, situated just outside of Stratford-upon-Avon, the birthplace of William Shakespeare. Steeped in culture and history it is set in the beautiful rural Warwickshire countryside, on the banks of the river Avon.

Our fires come with a choice of flame picture, our standard ribbon effect, low energy LED or latest award winning LED super realistic **evoflame®**, now available on most of our appliances and is identified throughout the brochure by the **evoflame®** logo.

evoflame® is available with an optional multi-functional remote control system that allows you to fully operate the fire from the comfort of your armchair, You can even control the over bed illumination system and heat settings with the simple to use handset.

The three flame effects available are;



shown here with white pebbles



shown here with coals



shown here with logs and beach pebbles

refer to page 40-43 for the full list of options

At CK Fires our policy is one of constant development and improvement. All products are protected by patents, registered design or intellectual property rights, which will be protected by CK Fires. All specifications are correct at the time of publishing but are subject to change without notice.



suites

4 - 20

tribeca	4	tetris	13
qube	5	volante	14
patriot	6	panamera	15
newark	7	octane	16
newark 1000	8	veyron	17
compton 1000	9	westfield	18
compton	10	cordelia	19
empire	11	broadway	20
corsano	12		



wall mounted & built in 21 - 23

e1000	21
scala	22
tesla	23



insets

24 - 39

brooklyn	24	seraph	32
fusion	25	saphir	33
londa	26	amathus	34
harlem	27	tiago	35
maya	28	casal	36
ridgewood22	29	caleta	37
albany	30	costanza	38
phantom	31	casis	39



scan the qr code using an app on your mobile device or tablet to view a video of the **evoflame®** effect.

fire info & technical specifications

40 - 43

tribeca

- 1000 evoflame® effect
- 1 and 2kW heat outputs
- glass side panel
- ceramic log set as standard
- tri-colour finish
- remote control as standard
- ceramic log set as standard
- available right or left handed
- 1800mm in length

design registration numbers
4035511 - 4035514

refer to page 41 for the full list of options



shown in left handed option



for technical specifications please refer to page 42

qube

- **evoflame®** effect
- 1 and 2kW heat outputs
- bottom mounted heater
- glass side panel
- ceramic log set as standard
- tri-colour finish
- available right or left handed
- optional ceramic dish & log set

design registration numbers
4035512 - 4035514



standard log set

refer to page 41 for the full list of options



for technical specifications please refer to page 42



left handed with optional ceramic dish & log set



shown in black with optional dish & log set

patriot

- **evoflame®** effect
- 1 & 2kW heat outputs
- bottom mounted heater
- mirror side and top panels
- optional ceramic dish & log set
- colour options of white, black, whitestone, beige or beigestone

design registration numbers
4035513 - 4035514

refer to page 41 for the full list of options



shown in white finish



standard log set

evoflame®
technology



for technical specifications please refer to page 42

newark

- **evoflame®** effect
- 1 and 2kW heat outputs
- glass side panel
- ceramic feature panel
- independent downlighter
- available right or left handed
- colour options of white, whitestone, beige or beigestone

design registration numbers
4024832 - 4035514



beige tile option

grey tile option

refer to page 41 for the full list of options

evoflame®
technology



for technical specifications please refer to page 42



left handed with grey tile shown with optional log set



shown in white with **evoflame®** 1000mm effect and grey tile

newark 1000

- 1000 **evoflame®** effect
- 1 & 2 kW heat outputs
- glass side panel
- ceramic feature panel
- independent downlighters
- remote control as standard
- ceramic log set as standard
- colour options of white, whitestone, beige or beigestone

design registration numbers
4024832 - 4035514

refer to page 41 for the full list of options



beige tile option

grey tile option



for technical specifications please refer to page 42

compton 1000

- 1000 **evoflame®** effect
- 1 & 2 kW heat outputs
- glass side panel
- ceramic feature panel
- independent downlighters
- remote control as standard
- ceramic log set as standard
- colour options of white, whitestone, beige or beigestone

design registration number 4035514

refer to page 41 for the full list of options



beige tile option



grey tile option

evoflame®
technology



for technical specifications please refer to page 42



shown in white with **evoflame®** 1000mm effect and grey tile option



shown in white with **evoflame®** effect with grey tile and optional log set

compton

- **evoflame®** effect
- 1 & 2 kW heat outputs
- glass side panels
- ceramic feature panels
- independent downlighters
- colour options of white, whitestone, beige or beigestone

design registration number 4035514

refer to page 41 for the full list of options



beige tile option

grey tile option



for technical specifications please refer to page 42

empire

- **evoflame®** effect
- 1 and 2kW heat outputs
- glass side panels
- ceramic feature panels
- independent downlighters
- colour options of white, whitestone, beige or beigestone

design registration number 4035514

refer to page 41 for the full list of options



beige tile option

grey tile option

evoflame®
technology



for technical specifications please refer to page 42



shown in white with **evoflame®** effect
with grey tile and optional log set



shown in white with **evoflame®** effect

corsano

- **evoflame®** effect
- 1 & 2kW heat outputs
- glass side panels
- colour options of white, whitestone, beige or beigestone

refer to page 41 for the full list of options



evoflame®
technology



for technical specifications please refer to page 42

tetris

- available right or left handed
- 1 and 2kW heat outputs
- bottom mounted heater
- glass side and front panels
- colour options of white, whitestone, beige or beigestone

design registration number 4024832

refer to page 40 for the full list of options



left handed option shown in white with optional log fuel bed

for technical specifications please refer to page 42



shown in white with pebble fuel bed

volante

- 1 and 2kW heat outputs
- glass side panels
- colour options of white, whitestone, beige, beigestone or oak

design registration number 4024835

refer to page 40 for the full list of options



shown in oak with pebble fuel bed

for technical specifications please refer to page 42

panamera

- 1 and 2kW heat outputs
- glass side panels
- colour options of white, whitestone, beige or beigestone

design registration number 4024833

refer to page 40 for the full list of options



shown in white with
pebble fuel bed

for technical specifications please refer to page 42



shown in white with optional log fuel bed

octane

- 1 and 2kW heat outputs
- glass side panels
- colour options of white, whitestone, beige, beigestone or oak

design registration number 4024834

refer to page 40 for the full list of options

for technical specifications please refer to page 42

veyron

- 1 and 2kW heat outputs
 - polished chrome side panels
 - colour options of white, whitestone, beige or beigestone
- design registration number 4024836
- refer to page 40 for the full list of options



shown in white with
optional log fuel bed



shown in white with grey tile and optional log fuel bed

westfield

- **evoflame®** effect
- 1 and 2kW heat outputs
- bottom mounted heater
- ceramic feature panels
- glass side panels
- independent downlighters
- colour options of white, whitestone, beige or beigestone

design registration number 4035514

refer to page 41 for the full list of options



beige tile option

grey tile option



for technical specifications please refer to page 42

cordelia

- 1 and 2kW heat outputs
 - free standing
 - colour options of white, whitestone, beige or beigestone
- refer to page 40 for the full list of options



shown in white with optional log fuel bed



shown with optional modular TV unit and legs

broadway

- **evoflame®** effect
- 1 & 2kW heat outputs
- glass side panels
- optional TV unit & legs
- colour options of white, whitestone, beige or beigestone

design registration number 4035514

refer to page 41 for the full list of options



standard broadway



for technical specifications please refer to page 42

built in

e1000

- 1000mm evoflame® effect
- 1 & 2kW heat outputs
- remote control as standard
- ceramic log set as standard
- frameless inset design

design registration number 4035514

refer to page 41 for the full list of options



for technical specifications please refer to page 43



1000mm evoflame effect

wall mounted

scala

- **evoflame®**, LED or ribbon effect
- 1 and 2kW heat outputs
- choice of fuel effect
- overbed illumination system
- hot ash effect fuel bed

refer to pages 40 - 41 for the full list of options



shown with gloss black fascia



shown with stone effect fascia

for technical specifications please refer to page 43



shown with solid oak fascia

evoflame®
technology



tesla

- **evoflame®** effect
- 1 and 2kW heat outputs
- robust steel construction
- slim compact design
- glass side panels
- colour options of black or stone

design registration number 4035514

refer to page 41 for the full list of options



for technical specifications please refer to page 42



shown in black with optional log fuel bed



shown in polished chrome

insets

brooklyn

- **evoflame®** effect
- 1 and 2kW heat outputs
- optional stainless steel spacer
- choice of fuel effect
- overbed illumination system
- hot ash effect fuel bed
- optional remote control

refer to page 41 for the full list of options



shown in satin stainless

evoflame®
technology



for technical specifications please refer to page 43

fusion

- **evoflame®** effect
- 1 and 2kW heat outputs
- overbed illumination system
- hot ash effect fuel bed
- available in black, polished chrome satin stainless.

refer to page 41 for the full list of options



coal set



for technical specifications please refer to page 43



shown in satin chrome



shown with gloss black fascia and **evoflame®** effect

londa

- **evoflame®**, LED or ribbon effect
- 1 & 2kW heat output
- insets in to a standard 16" x 22" fireplace opening

refer to pages 40 - 41 for the full list of options



shown with white gloss fascia and ribbon effect



shown with stone effect fascia and ribbon effect



shown with mirror fascia and **evoflame®** effect

for technical specifications please refer to page 43

harlem

- **evoflame®** effect
- 1 and 2kW heat outputs
- optional stainless steel spacer
- choice of fuel effect
- over bed illumination system
- hot ash effect fuel bed
- optional remote control

refer to page 41 for the full list of options



shown in polished chrome



for technical specifications please refer to page 43



shown in satin stainless



shown in polished chrome

maya

- **evoflame®** effect
- 1 and 2kW heat outputs
- remote control as standard
- choice of fuel effect
- colour options of polished chrome or brass

refer to page 41 for the full list of options



maya brass with **evoflame®** effect

evoflame®
technology



for technical specifications please refer to page 43

ridgewood 22

- **evoflame®** effect
- 1 and 2kW heat outputs
- optional remote control
- choice of fuel effect
- over bed illumination system
- hot ash effect fuel bed

refer to page 41 for the full list of options



the fuel bed showing the **evoflame®** effect



for technical specifications please refer to page 43



shown in polished chrome



polished chrome finish

albany

- evoflame® effect
- 1 and 2kW heat outputs
- optional stainless steel spacer
- optional remote control
- choice of fuel effect
- over bed illumination system
- hot ash effect fuel bed

refer to page 41 for the full list of options



cestino

cestino model with evoflame® effect
also available



for technical specifications please refer to page 43

phantom

- **evoflame®**, LED or ribbon effect
- 1 & 2 kW heat output

refer to pages 40 - 41 for the full list of options



shown in satin brass with ribbon effect



shown in satin chrome with **evoflame®** effect



shown in brass

seraph

- **evoflame®**, LED or ribbon effect
- 1 & 2kW heat output

refer to pages 40 -41 for the full list of options



shown in satin stainless



shown in polished chrome

for technical specifications please refer to page 43

saphir

- evoflame®, LED or ribbon effect
- 1 & 2kW heat output

refer to pages 40 - 41 for the full list of options



shown in satin stainless



shown in brass



shown with polished chrome trim and fret with ribbon effect

amathus

- **evoflame®**, LED or ribbon effect
- 1 & 2kW heat output

refer to pages 40 - 41 for the full list of options



shown in brass
with ribbon effect



shown in black
with ribbon effect



shown in satin stainless
with ribbon effect

for technical specifications please refer to page 43

tiago

- **evoflame®**, LED or ribbon effect
- 1 & 2kW heat output

refer to pages 40 - 41 for the full list of options



shown in brass with **evoflame®** effect



shown in black with ribbon effect

for technical specifications please refer to page 43



shown in chrome with ribbon effect



shown with brass trim and fret and ribbon effect

casal

- **evoflame®**, LED or ribbon effect
- 1 & 2kW heat output

refer to pages 40 - 41 for the full list of options



shown in black
with ribbon effect



shown in polished chrome
with ribbon effect



shown in satin stainless
with ribbon effect

for technical specifications please refer to page 43

caleta

- evoflame®, LED or ribbon effect
- 1 & 2kW heat output

refer to pages 40 - 41 for the full list of options



shown in brass with ribbon effect



shown in black with ribbon effect

for technical specifications please refer to page 43



shown with polished chrome trim and fret with ribbon effect



shown with black trim and fret with ribbon effect

costanza

- evoflame®, LED or ribbon effect
- 1 & 2kW heat output

refer to pages 40 - 41 for the full list of options



shown in brass
with ribbon effect



shown in polished chrome
with ribbon effect



shown in satin stainless
with ribbon effect

for technical specifications please refer to page 43

casis

- evoflame®, LED or ribbon effect
- 1 & 2kW heat output

refer to pages 40 - 41 for the full list of options



shown in brass
with ribbon effect



shown in black
with ribbon effect



shown in polished chrome
with ribbon effect

for technical specifications please refer to page 43



shown with satin stainless trim and fret with ribbon effect

All **evonicfires** are manufactured here in the UK, mainly from UK sourced components. With the exception of the appliances with the LED and **evoflame®**, all our ribbon effect products are created using an industry standard 20W low energy bayonet fitting light bulb; which is commonly available from many retail outlets. They provide a 1 or 2kW heat setting as standard and the flame effect can even be used independently of the heater.

Ask your retailer for guidance should you require any further details.

ribbon effect

standard features



low energy 20W bulb



1kW or 2kW heater



kettle plug connector



coals



white pebbles


optional features



remote control



50 or 75mm spacer



ribbon effect with logs

LED effect

standard features



LED's



1kW or 2kW heater



kettle plug connector



coal set



white pebble set

optional features



remote control



50 or 75mm spacer



log set



The **evoflame®** effect gives the impression of a deep and rich flame picture with a hot ash effect fuel bed via its unique reflectivity .The flame picture which is produced using LED's that provide 50,000 hours of running time can be fully variable to a high and low setting when using the optional remote control.



standard high setting



variable low setting (with optional remote only)

standard features



LED's



1kW or 2kW heater



kettle plug connector



overbed illumination



beech pebble and hot ash fuel bed



coals and hot ash fuel bed

optional features



remote control



50 or 75mm spacer



60mm spacer in
satin stainless
(brooklyn and harlem)



pebbles and logs



logs




ceramic dish (suites only)

technical specification table

page no.	product	flame effect		heat output	controls	length	height	depth
		ribbon	evoflame®					
4	tribeca	X	✓	l and 2kW	switch or remote	1800mm	860mm	370mm
5	qube	X	✓	l and 2kW	switch or remote	1055mm	620mm	275mm
6	patriot	X	✓	l and 2kW	switch or remote	1140mm	390mm	295mm
7	newark	X	✓	l and 2kW	switch or remote	1120mm	480mm	365mm
8	newark 1000	X	✓	l and 2kW	remote	1500mm	520mm	365mm
9	compton 1000	X	✓	l and 2kW	remote	1500mm	520mm	355mm
10	compton	X	✓	l and 2kW	switch or remote	1120mm	460mm	305mm
11	empire	X	✓	l and 2kW	switch or remote	1120mm	460mm	280mm
12	corsano	X	✓	l and 2kW	switch or remote	1070mm	632mm	210mm
13	tetris	✓	X	l and 2kW	switch or remote	1120mm	490mm	380mm
14	volante	✓	X	l and 2kW	switch or remote	1120mm	445mm	305mm
15	panamera	✓	X	l and 2kW	switch or remote	1120mm	465mm	340mm
16	octane	✓	X	l and 2kW	switch or remote	800mm	700mm	310mm
17	veyron	✓	X	l and 2kW	switch or remote	805mm	690mm	300mm
18	westfield	X	✓	l and 2kW	switch or remote	860mm	625mm	280mm
19	cordelia	✓	X	l and 2kW	switch or remote	1120mm	860mm	310mm
20	broadway	X	✓	l and 2kW	switch or remote	1500mm	1800mm	350mm
21	e1000	X	✓	l and 2kW	switch or remote	1000mm	280mm	135mm

technical specification table

page no.	product	flame effect			heat output	controls	total height	total width	total depth	inset height	inset width	inset depth
		ribbon	LED	evoflame®								
22	scala	✓	✓	✓	l & 2kW	switch or remote	585mm	855mm	155mm	540mm	540mm	85mm
23	tesla	X	X	✓	l & 2kW	switch or remote	455mm	770mm	240mm	n/a	n/a	n/a
24	brooklyn	X	✓	✓	l & 2kW	switch or remote	605mm	490mm	130mm	550mm	382mm	60mm
25	fusion	X	X	✓	l & 2kW	switch or remote	605mm	490mm	155mm	550mm	382mm	60mm
26	londa	✓	✓	✓	l & 2kW	switch or remote	590mm	590mm	145mm	550mm	382mm	85mm
27	harlem	X	✓	✓	l & 2kW	switch or remote	605mm	490mm	130mm	550mm	382mm	60mm
28	maya	X	X	✓	l & 2kW	switch or remote	602mm	506mm	105mm	550mm	382mm	75mm
29	ridgewood 22	X	X	✓	l & 2kW	switch or remote	602mm	630mm	250mm	550mm	535mm	75mm
30	albany	X	X	✓	l & 2kW	switch or remote	602mm	506mm	210mm	550mm	382mm	75mm
31	phantom	✓	✓	✓	l & 2kW	switch or remote	602mm	506mm	105mm	550mm	382mm	75mm
32	seraph	✓	✓	✓	l & 2kW	switch or remote	602mm	506mm	105mm	550mm	382mm	75mm
33	saphir	✓	✓	✓	l & 2kW	switch or remote	602mm	506mm	105mm	550mm	382mm	75mm
34	amathus	✓	✓	✓	l & 2kW	switch or remote	602mm	506mm	105mm	550mm	382mm	75mm
35	tiago	✓	✓	✓	l & 2kW	switch or remote	602mm	506mm	105mm	550mm	382mm	75mm
36	casal	✓	✓	✓	l & 2kW	switch or remote	602mm	506mm	105mm	550mm	382mm	75mm
37	caleta	✓	✓	✓	l & 2kW	switch or remote	612mm	495mm	90mm	550mm	382mm	50mm
38	costanza	✓	✓	✓	l & 2kW	switch or remote	612mm	495mm	90mm	550mm	382mm	50mm
39	casis	✓	✓	✓	l & 2kW	switch or remote	612mm	495mm	90mm	550mm	382mm	50mm



evonicfires
quality electric fires built in britain

1 stour house, clifford park, clifford lane, stratford-upon-avon cv37 8hw

tel: +44 (0) 1789 263868 | fax: +44 (0) 1789 293080

email: sales@evonicfires.co.uk | website: www.evonicfires.co.uk |  twitter [@evonicfires](https://twitter.com/evonicfires)