RockWorks16®











RockWorks is a comprehensive program that offers visualization and modeling of spatial data and subsurface data. Whether you are a petroleum engineer, environmental scientist, hydrologist, geologist, or educator, RockWorks contains tools that will save time and money, increase profitability, and provide you with a competetive edge through high-quality graphics, models, and plots.

Download a trial version at www.rockware.com



Professional Applications for RockWorks include:



Petroleum

Well spotting, structural and isopach mapping, logs and cross sections, stratigraphic models and fences

р. 3



Environmental

Borehole database for lithologic, stratigraphic, analytical data; point and contour maps, logs, cross sections, plume models

p. 4



Mining

Drillhole database for lithologic, assay, geophysical data; 2D and 3D log diagrams, block modeling, detailed volume tools

р. 5



Geotechnical

Borehole database for lithologic, geophysical, geotechnical data; logs, sections, surface/solid models, structural tools

р. 6

RockWorks Feature Levels



RockWorks EarthApps-Level I-Free!

Reads spatial data from a row-and-column datasheet and generates output for display in Google Earth.

р. 7



RockWorks Utilities-Level 2-\$700

Reads a variety of data types from the datasheet and creates maps, models, charts, and diagrams in 2D and 3D. (Includes all Level 1 programs.)

р. 8



RockWorks Logs and Sections –

Level 3-\$1,500 Perpetual or \$650 AnnualReads sub-surface data from a borehole database and creates

2D and 3D log and log section diagrams. (Includes all Level I and 2 programs.)

p. 9



RockWorks Borehole Modeling – Level 4-\$3,000 Perpetual or \$1,300 Annual

Reads sub-surface data from a borehole database and creates 2D and 3D maps, models, and diagrams. (Includes all Level 1-3 programs.)

p. 10





RockWorks Professional-


Level 5-\$5,000 Perpetual or \$2,200 Annual


Powerful batch and scripting tools, supports MS SQLServer databases, and includes the RockWare GIS Link 16. (Includes all Level 1-4 programs.)

p. 11

















ROCKWORKS16® What's New











While the look and feel of **RockWorks I 6** is much like previous versions (no huge learning curve), it offers major new functionality. We've added enhanced coordinate support and Google Earth connectivity, as well as improvements to the database, modeling tools, plotting windows, and system options. Here are some of the highlights...

Coordinate Support



- Enter locations with State Plane, UTM, local, custom, longitude/latitude or PLSS (Range/Township) descriptions
- Map (XY) and depth (Z) units can be mixed (meters and ft)
- Define coordinate systems and units in Utilities datasheets
- Convert single coordinates and XY lists

Google Earth Connectivity



- Enter spatial data into the RockWorks datasheet and create output for display directly in Google Earth—maps, images, and flyovers (see page 7)
- Quick display of individual points in Google Earth
- Output all 2D and 3D graphics to Google Earth

Database and Datasheet Improvements



- Tablet friendly data entry
- Organize custom fields into user-defined tabs or groupings and display only the table and columns you use
- Store optional coordinate systems for your boreholes
- · Link tables to ground surface or top of casing
- Enter downhole surveys using any vertical format
- · Enter dip direction and dip angle with Stratigraphy contacts for use with the new Dip gridding method
- Search for boreholes, hide disabled holes, sort holes
- Import AGS data into the borehole database

Modeling Features



- Dip-based gridding method uses dip angle and direction to interpolate surfaces
- Stratigraphy rules for smarter sections and models with missing data
- Model only selected formations—great for big projects with many units

System Features



- Unicode support for non-Latin alphabets
- Define fonts for all Rockplot2D graphics
- More feature levels—purchase just the tools you need!
- · Display only the menus you use
- New network license manager monitor users, borrow seats for field use

Plot Improvements



- Include fills in vector patterns
- Snap to vertices, lines, or "smart" snap points in logs for easier hand-drawing of correlation lines/panels
- Apply transparency to color- or pattern-filled polygons
- Save viewpoints in 3D scenes
- Capture distance as well as XYZ coordinates in 3D scenes
- · Add labels and logos to your 3D scenes
- Save vertical exaggeration in 3D scenes
- Freeze layers in ReportWorks for easier editing


New /Improved Diagram Types





- Multi-panel projected cross sections with log-distance labels
- "EZ" correlations—quick vertical grid panels for I-Data and P-Data sections
- Striplog improvements—curve fills, curve symbols, many more
- Label profile diagrams with XY coordinates or distance
- Display faults in sections and profiles
- Compute optimal well paths between XYZ points or payzone surfaces
- Create lateral and 3D geosteering diagrams













Pumping Rate	Elevation	Northing	Easting
Gallons	Meters	UTM Meters	UTM Meters
	1704.1	4,399,815.4	481,966.1
	1711.2	4,399,918.1	462,063.9
. (1704.3	4,199,944.1	481,916.5
3 3	1708.3	4,399,815.4	482,083.9
1	1706.7	4,399,866.9	482,025-2
	17040	4,199,763.8	482,025.2
	17145	4,399,866.9	482,143.0
	1707.8	4,399,909.7	482,025-2
-10	17043	4,399,866.9	481,907.0
- 1	1703.3	4,399,763.8	481,907.0
2	1710.0	4.399.763.8	482 143.0

ROCKWORKS16® Professional Applications














Petroleum


Mapping Tools

- Structure and isopach maps: contour maps with lines and color fills, custom color tables
- 3D surface displays
- Bubble maps of any well data (production, etc.)
- Well and lease spotting from Range, Township, Section descriptions
- · Land grid and lease maps with section boundaries
- Coordinate systems: longitude/latitude, UTM, State Plane, local, custom
- Well location maps: customized symbols (e.g. well status), plan-view horizontal well traces
- Gridding algorithms: kriging, triangulation, inverse-distance, trend polynomial, more
- Grid model tools: filters, math operations, editor, imports and exports










Well Database Tools

- Cross sections: hole to hole and projected
- 3D fence diagrams
- Correlations: model-based and "EZ" panels
- Horizontal and vertical wells: 2D and 3D, flexible log layout
- Stratigraphic modeling of all/selected formations
- Solid modeling of lithologic, geophysical, geotechnical, geochemical data, with display as voxel or isosurface diagrams
- Geosteering: optimal well paths based on target formations, lateral and 3D displays
- Well database for well locations and miscellaneous well data, formation contacts, raster images, geophysical data, lithology, well construction, and more
- Data imports—Excel, LAS, LogPlot, IHS, KGS, Tobin, ADO (other databases)
- Stratigraphic contacts from digital elog data or raster logs

- Structural geology diagrams
- Graphic output: 2D and 3D output to RockWorks, Google Earth
- 2D editing tools: contour lines, text, shapes, legends, images
- Snapping tools for hand-drawn correlations
- · Composite scenes in 3D with maps, logs, surfaces, solids, panels, surface objects
- Page layout program for small to large format presentations and posters
- Exports to GIS Shapefiles, CAD DXF, raster formats, Google Earth
- Image import, rectification, depth-registration
- Program automation

















ROCKWORKS 16® Professional Applications














Environmental



Mapping Tools


- · Borehole location maps with detailed data labels
- · Contaminant concentration maps with lines and color fills, custom color tables, date filters
- Plan- and surface-based slices from 3D models
- Stiff diagram maps
- Time-graph maps for user-selected analytes
- Potentiometric surface maps
- Flow maps in 2D and 3D
- Coordinate systems: lon/lat, UTM, State Plane, local, custom







Borehole Database Tools

- · Cross sections: multi-panel projected and hole to hole, with borehole logs and/or interpolated panels
- · Correlations: model-based and "EZ" panels, snapping tools for hand-drawn correlations
- Borehole logs in 2D and 3D
- 3D fence diagrams
- Surface modeling of stratigraphic layers and water levels
- Plume modeling of analytical data, with display as voxel or isosurface diagrams, 2D plan and section slices
- Solid modeling of lithologic materials, geophysical and geotechnical measurements
- Volume reports of lithologic and stratigraphic models, contaminant extraction models
- Bulk data imports from Excel, text, LAS, ADO (other databases)







- Time-based animations
- Piper and Durov diagrams with TDS circles, Stiff diagrams for multiple samples
- · Water level drawdown diagrams and surfaces
- 2D editing tools: contour lines, text, shapes, legends, images
- Composite scenes in 3D with maps, logs, surfaces, solids, panels, surface objects
- Page layout program for small to large format presentations and posters
- Exports to GIS Shapefiles, CAD DXF, raster formats, Google Earth
- Image import and rectification
- Program automation
- Google Earth output directly from data: points, cones, lines, polygons, images, flyovers
















ROCKWORKS 16® Professional Applications













Mining






Mapping Tools


- Drillhole location maps with detailed data labels
- Assay, concentration maps with lines and color fills, custom color tables
- 3D surface displays: topographic surfaces, stratigraphic units
- 3D point maps
- Geology maps: plan or surface-based slices from block models
- Multivariate maps: pie chart, bar chart, starburst, spider maps
- Coordinate systems: longitude/latitude, UTM, State Plane, local, custom

w s


Borehole Database Tools


- Projected cross sections showing drillhole orientation
- Correlation panels: stratigraphy, lithology, grade/concentration, geophysics
- Drillhole logs in 2D and 3D with lithology, stratigraphy, bargraphs/disks, curves, color intervals, text
- Block model interpolation from XYZG point or drillhole data, display as voxels, isosurfaces, fence diagrams, 2D plan and section slices
- · Surface model interpolation of stratigraphic units
- Downhole fracture display and modeling closest fracture and closest fracture intersection
- Volume reports of lithologic, stratigraphic models
- Data imports: Excel, LAS, acQuire, Newmont, ADO (other databases)





- Block model editor: 3D voxel/polyhedron editor, or slice-based
- Volume calculations: grade statistics by level, extraction reports, GT calculators, floating cones model extraction tools
- Stereonet and rose diagrams, stereonet and rose maps
- Ternary diagrams, frequency histograms for source data and models
- Graphic output: 2D and 3D output to RockWorks, Google Earth
- 2D editing tools: contour lines, text, shapes, legends, images
- Composite scenes in 3D with maps, drillhole logs, surfaces, blocks, panels
- Page layout program for small to large format presentations and posters
- Exports to GIS Shapefiles, CAD DXF, raster formats, Google Earth
- Image import and rectification
- Program automation



















ROCKWORKS 16® Professional Applications












Geotechnical


Mapping Tools


- Multiple components in piechart, spider maps
- Point maps with detailed data labels
- Topographic contour maps with lines and color fills, custom color tables
- 3D surface displays
- Strike and dip maps in 2D and 3D
- Coordinate systems: longitude/latitude, UTM, State Plane, local, custom


Borehole Database Tools

- Cross sections: multi-panel projected and hole to hole, with borehole logs and/or interpolated panels
- Correlations: model-based and "EZ" panels, snapping tools for hand-drawn correlations
- Borehole logs in 2D and 3D
- 3D fence diagrams
- Surface modeling of stratigraphic layers and water levels
- Solid modeling of lithologic materials, fractures, and geophysical, geotechnical, geochemical data, with display as voxel or isosurface diagrams, 2D plan and section slices
- · Geology maps: plan slices from stratigraphy or lithology models
- Volume reports of lithologic, stratigraphic, excavation models
- Fracture display and modeling, stereonet maps, rose diagram maps
- Munsell colors for display in logs and interpolation into color models
- Data imports: Excel, AGS, Colog, Fugro CPT, gINT, LAS, Penetrometer, ADO (other databases)













- Sieve diagrams, ternary diagrams with classification overlays
- · Stereonet and rose diagrams
- · Slope/aspect analysis on grid models
- · Predictive tools: lithology materials from curves, interval data (porosities, strength, cohesion) from lithology
- 2D editing tools: contour lines, text, shapes, legends, images
- Composite scenes in 3D with maps, logs, surfaces, solids, panels, surface objects
- Page layout program for small to large format presentations and posters
- Exports to GIS Shapefiles, CAD DXF, raster formats, Google Earth
- · Image import and rectification
- Program automation
- · Google Earth output directly from data: points, cones, lines, polygons, images, flyovers

















RockWorks16® Feature Levels











RockWorks EarthApps – Level 1: FREE

Enter spatial data into a row-and-column datasheet and create maps and images for display in Google Earth. Install the RockWorks I 6 Trial version (with all feature levels). When the Trial period expires, the EarthApps remain functional.




Data Management Tools

- Built-in Project Manager for easy access to data files and Google Earth output files in your project directory
- Flat, spreadsheet-style datasheet for entering row and column spatial data
- Multiple column types-spatial data, graphical items, file links
- Numerous data import and export tools: Excel, text, shapefiles, GPS points and tracks, and more
- Coordinate conversion tools: longitude/latitude, UTM, US State Plane, local coordinates; 30+ datums; convert US Public Land Survey (range/township/section) locations using the free RockWorks "LandBase"

MeckWorks18									00100	-
* Project Folder: * C1(Dent/ROCKWARD/Do:	umentel Rock/Hurks26 Dat	Aleta	pps Samples				1	Preferences: ## Wins	low ? Help	453
KIT Project Manager	Welcome for	mAge:	Other Seehale Manag							
Project Tables A Detached Fires (337 Files) Grid Models ID Files) Solid Models ID Files)	betro Pros Databast		es Polygons Images	‡ Fyreer	Edi Map	A Q Sunsy Estect				
2-0 Diagrams & Files) A 3-0 Diagrams & Files)	* No. Sec. 3		Acres Bran Filter							
Google Earth Files (16 Files)	Rood	Use	Series/Shot	Vear	Catitude Cegrees	Longitude Type Degrees	Purpose	Weld (kt) Weld Color	Radius Meters	ó
A Eathless 200 ami	1	1	Trinity/Trinity	1945	33,6753	-306.4747Toxes		21	26.0	
Earth/ages (000 Arms)	2		Crossroads/Ealer	1946	11.5613	165.3 Lindernater	Contract of the last	21	273.0	
€ EathApps,(MLkm)	1	1	Sandctone/Kiray	2948	11.67	362.34 Tower		37	27.5	
SathApps_202.kmsi A EarthApps_202.kmsi	4	100	Greenhouse/Dog	.1951	11,3550	362.3544 Tever		81	119.0	
A fathless, 202 km/	5	4	Greenhouse/Easy	2951	11.0009	362.3403 Tower		47	127.5	
SathAppi, 203.kml		190	Greenhouse/George	1951	118209	362-3547 Tower		225	1735	
€ Earth/pps,001.kmg	7	100	Jangle/Sugar	2951	37,1317	- \$36 0006 Atmospheric	2	1.2	23.5	
EarthApps (04 Jane)		1	Jang'e/Cecle	1953	37,1697	136.0425 Shallow Sebsurface		12	29.5	
Q Esthiops (III) and		10	System	1957	31.2372	362:3964.Atmospheric		10400	951.0	
EnthApps,005.kms	10	V	Cartle/Stayo	1954		365.2736-Atmospheric		15000	993.0	
Gathleps, 205 km2	11.	(4)	Cardle/Koon	1954	11.4967	365.3675.Atmospheric		130	151.0	
EathApps, (Milams & EathApps, COT anni	12	1	Cardle/Union:	1954		365.3877 Barge	(1)	6900	457.5	
G Earth/ope 107 ami	13	4	Teapot/Ess	2955	37.1683			1	45.5	
E LAS Files Ø Files)	14	00	Redengtacrosse	1956	31.9570	362355 Atmospheric		-40	610	
+ Mg MCL Files (FE Files)	15	V	Redning/Zuni	1956	11/4967	365-3692 Abrospheric		3500	355.0	
i de System Tables	16	7	Redning/Seminale	3996	114764	362.2222 Abnospheric		11.7	100.2	
	17	1	Redning/Mohavil.	2956	11.03	162.31 Tover		360	204.0	
	18	100	Redning/Tena	1956	31,6739	365.3394 Barge		5000	610.0	
	14.00									
@ O Nafresh	@ Column 25 B	pinc \$2	Revo 656 C	User/ADC	XON/ME/DHOV	ments / Reck Works 26 Date / Earth Ago	s Sampler) Ci	rcles_Advanced_E2.rwCut		
						Nebenk Scene Sent 45- fee		Consists II 1985 1974 to	Standard Inc.	100
















- Point maps—icons, circles, cones, cylinders, strike and dip symbols/ disks with custom colors and sizing
- Line maps—lines, tubes, polylines, parabolas, and pipelines
- Polygon maps—polygons, claims, leases, PLSS land grids, countries and states
- · Images—draped over the ground, floating, as vertical panels
- Flyovers—simple and advanced flyovers from your data, and super easy flyovers from clipboard points
- Cell maps—min/max, frequencies, averages and cumulative values, distances
- Survey maps—points and polygons from survey descriptions


















ROCKWORKS16® Feature Levels











RockWorks Utilities – Level 2: \$700

Enter a variety of spatial or sample data into the datasheet and create maps, models, charts, and diagrams in 2D and 3D—an indispensable collection of mapping, modeling, and display tools. (Also includes all of the EarthApps tools, previous page.)




Data Management Tools


- Field Data interface for entry and processing of data from tablet devices
- Digitizer for capturing points from scanned maps
- Built-in Project Manager for easy access to data files, models, and graphic files in your project directory
- All of the data tools from Level 1 (previous page)
















Program Output


- Point Maps—unique symbols, colors, labels; 2D bubbles and 3D spheres; Stiff diagram maps; piechart, starburst, spider maps
- Land Grid Maps—Well and lease spotting using free RockWare LandBase, Range/ Township/Section boundary maps
- Grid Modeling—12 interpolation methods for XYZ data, grid math/resampling/ filtering/ editing tools; grid imports and exports
- Contour Maps and 3D Surfaces—line and color contour maps, 3D surfaces with color, shading options; image, DXF and Shapefile draping
- Solid (Block) Modeling—8 interpolation methods for XYZG data; model math/ resampling / filtering / editing tools; model imports and exports
- Volumetrics—easy reports for X,Y, thickness data; detailed grid-based reports; pit optimization with 3D block models; grade-thickness models and reports
- Survey Tools—lateral and 3D geosteering diagrams; optimal well bore surveys; bearing/inclination/distance surveys -> XYZ points
- Statistical Tools—statistics reports; frequency histogram plots; scatter plots with best fit lines; ternary diagrams; sieve diagrams
- Hydrology/Hydrochemisty Tools—Theis drawdown diagrams and models; Piper and Durov diagrams with TDS circles; Stiff diagrams and maps
- Structural/Directional Tools—fracture maps and densities; rose diagrams, stereonets; strike and dip maps; plane rotation and intersection
- Image Tools—raster image import, rotate/scale/clip options; digitizer; image display as planes, panels, draped; solid color models from vertical panels
- Coordinate Conversions—for single points or lists
- 3D tanks, buildings, arrows, tubes, discs, spheres



























ROCKWORKS16® Feature Levels











RockWorks Logs and Sections – Level 3: \$1,500 Perpetual or \$650 Annual





Enter borehole or well data into a database and create well location maps, 2D and 3D log and log section diagrams. Simple correlations are available for cross sections. (Also includes all Level 1-2 features, previous pages.)

Data Management Tools

- MSAccess compatible database for storing downhole lithology, stratigraphy, analytical, geophysical, geotechnical, structural, water level, color and well construction data
- Project Manager for easy access to data, models, and graphics in your project directory
- · Interactive depth-registration for raster logs
- · Stratigraphy and lithology contact pickers
- · Simple and complex data queries
- Excel, AGS, ADO, LAS, IHS, KGS, Tobin WCS, LogPlot, gINT, Fugro CPT, text imports
- Excel, LogPlot, Shape, Google Earth, text exports
- · Borehole location and measurement units in feet or meters
- · Local, UTM, U.S. State Plane, PLSS coordinates
- · Easy customization of the borehole location tables to include any kind of reference information









Program Output

- 2D logs, log profiles, projected sections, and hole-to-hole cross sections; 3D logs
- Simple stratigraphy, interval-data, and point-data correlation panels
- Click and drag log designer for 2D and 3D log layout
- Inclined and horizontal logs in both 2D and 3D
- Interactive map for selecting profile and cross section locations or for importing from saved lists in the database
- · Background images in section location maps
- · Hand-drawn correlations with new snapping tools
- Borehole location maps with detailed data labels, miniature logs, non-vertical well traces
- XYZ coordinates from borehole surveys
- Optimal well paths based on XYZ points



























RockWorks Borehole Modeling – Level 4: \$3,000 Perpetual or \$1,300 Annual


Enter borehole or well data into a database and create 2D and 3D maps and models, cross sections, fence diagrams, isosurface and voxel diagrams. (Also includes all Level 1-3 features, previous pages.)

Projected Lithology Section

Data Management Tools


- All of the borehole database tools, imports, exports from Level 3 (previous page)
- · Geotechnical values from lithology data
- · Lithology prediction from curve data
- · Uranium grade computations based on gamma counts
- · Curve data resampling







Program Output


- · Surface-based modeling of stratigraphy and aquifer data
- · 2D iso-concentration maps based on downhole water and soil chemistry information
- 3D solid modeling of lithology, analytical, assay, geophysical, geotechnical, fracture, vector, and color data
- 2D cross sections, profiles, projected cross sections, and contour/geology maps slicing through all model types
- 3D fence diagrams slicing through all model types
- Numerous gridding and solid modeling algorithms
- · Model filtering based on value range, spatial boundaries, other models
- On-the-fly volume calculations of surface-based and 3D solid models
- · Detailed volume reports from stratigraphic and solid models






















ROCKWORKS16® Feature Levels











RockWorks Professional – Level 5: \$5,000 Perpetual or \$2,200 Annual

Offers all of the features of Level 1-4, described on the previous pages. AND includes support of MS SQLServer databases, program automation tools, and the RockWare GIS Link



Data Management Tools

- All of the data tools from Levels 3 and 4 (previous pages)
- Support of MS SQLServer databases
- · Import commercial (PLSS) landgrids

Program Features


- Program Automation: The RockWare Command Language (RCL) is a simple tool for automating program operations. It's extremely useful for projects which require multiple models and diagrams, may receive new data, and/or need QA/QC tracking of settings. No programming required!
- · Includes the RockWare GIS Link

DEFINE:	GENERAL APPEND_3D	INPUT_FILE_2 3D_OUTPUT	_rc1_05_cage.rw3d _rc1_05_composite.rw3d
: DISC PL	or: utilities G	rafix 1-D utilities	Oiscs
DATASHEET DEFINE: DEFINE:	GENERAL DISC_PLOT DISC_PLOT	3D_OUTPUT FIXED_RADII RADIUS	Planes_01.rwdat _rtl_05_surface_fractures.rw3d 30.0 _rtl_05_composite.rw3d _rtl_05_surface_fractures.rw3d _rtl_05_composite.rw3d
DEFINE: DEFINE: DEFINE: EXECUTE:	APPEND_3D APPEND_3D GENERAL APPEND_3D	INPUT_FILE_1 INPUT_FILE_2 3D_OUTPUT	_rcl_05_composite.rw3d _rcl_05_surface_fractures.rw3d _rcl_05_composite.rw3d
DRAPET	utilities Grafi	x 3-D Utilities Ima	ges Orape
DEFINE: DEFINE: DEFINE: DEFINE:	GENERAL DRAPE DRAPE DRAPE DRAPE	3D_OUTPUT IMAGE_NAME GRID_NAME LAYER_NAME VERTICAL_OFFSET	_rcl_0s_airphoto.rw3d 3935_airphoto.pmg oraped Airphoto 1.0 _rcl_0s_composite.rw3d _rcl_0s_composite.rw3d _rcl_0s_composite.rw3d
DEFINE: DEFINE: DEFINE:	APPEND_3D APPEND_3D GENERAL	INPUT_FILE_1 INPUT_FILE_2 3D_OUTPUT	_rc1_05_composite.rw3d _rc1_05_airphoto.rw3d _rc1_05_composite.rw3d
Eurente.	71. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1		
FLOAT:	utilities Grafi	x 3D-utilities Imag	es Float
FLOAT:	utilities Grafi	x 3D-utilities Imag	es Float
DEFINE: DEFINE: DEFINE: DEFINE: DEFINE: DEFINE: DEFINE:	GENERAL FLOAT FLOAT FLOAT IMAGE LOCATION FLOAT CAGE FLOAT	X 3D-Utilities Imag 3D_OUTPUT FILE_NAME ELEVATION HAVER_NAME PLOT_CAGE	es Float
DEFINE: DEFINE: DEFINE: DEFINE: DEFINE: DEFINE: DEFINE: H_PANEL	GENERAL FLOAT FLOAT FLOAT FLOAT FLOAT FLOAT CAGE FLOAT S: Utilities Gr	X 3D-UTITITES Imag 3D.OUTPUT FILE.NAME ELEVATION METHOD LAYER_HAME PLOT_CAGE afix 3D-UTITITES I	es Float rcl_03_aeromag.rwld
DEFINE: DEFINE: DEFINE: DEFINE: DEFINE: DEFINE: DEFINE: H_PANEL	GENERAL FLOAT FLOAT FLOAT FLOAT FLOAT FLOAT CAGE FLOAT S: Utilities Gr	X 3D-UTITITES Imag 3D.OUTPUT FILE.NAME ELEVATION METHOD LAYER_HAME PLOT_CAGE afix 3D-UTITITES I	es Float rcl_05_aeromag.rwld
DEFINE: DEFINE: DEFINE: DEFINE: DEFINE: DEFINE: DEFINE: H_PANEL	GENERAL FLOAT FLOAT FLOAT FLOAT FLOAT FLOAT CAGE FLOAT S: Utilities Gr	X 3D-UTITITES Imag 3D.OUTPUT FILE.NAME ELEVATION METHOD LAYER_HAME PLOT_CAGE afix 3D-UTITITES I	es Float rcl_05_aeromag.rw3d
DEFINE: DEFINE: DEFINE: DEFINE: DEFINE: DEFINE: DEFINE: H_PANEL	GENERAL FLOAT FLOAT FLOAT FLOAT FLOAT FLOAT CAGE FLOAT S: Utilities Gr	X 3D-UTITITES Imag 3D.OUTPUT FILE.NAME ELEVATION METHOD LAYER_HAME PLOT_CAGE afix 3D-UTITITES I	es Float rcl_05_aeromag.rwld
FLOAT: DEFINE: DEFINE: DEFINE: DEFINE: DEFINE: DEFINE: DEFINE: H_PANEL DATASHEET DEFINE: DEFI	GENERAL FLOAT FLOAT FLOAT FLOAT FLOAT FLOAT FLOAT GENERAL H_PANELS	X 3D-Utilities Imag 30.0UTPUT 90.0UTPUT FILE_JAMPE ELEVATION AVER.NAME PLOT_CAGE AFIX 3D-Utilities I 3D_OUTPUT GROUP_MARE THANSPARENT THANSPARENT THANSPARENT THANSPARENT THANSPARENT THANSPARENT JO_OUTPUT JD_OUTPUT JD_OUTPUT JD_OUTPUT	rcl_05_aeromag.rwld Aeromagnertics_01.bmp 1850.0 Aeromag False Horizontal_images_to_30_neme_01.rwda Mine Level Engineering Maps White True White Level Engineering Maps True True White Level Engineering Maps True White Level Engineering Maps True True True True True True True True
FLOAT: DEFINE: DEFINE: DEFINE: DEFINE: DEFINE: DEFINE: H_PANEL DATASHEET DEFINE: DEF	GENERAL FLOAT GENERAL FLOAT INAGE LOCATION FLOAT GENERAL L-PANELS	SOLUTIFUTE IMAGE SOLUTIFUT FILE_IMAGE PETLE_IMAGE METHOD M	rcl_05_aeromag.rwld Aeromagnertics_01.bmp 1850.0 Aeromag False Horizontal_images_to_30_neme_01.rwda Mine Level Engineering Maps White True White Level Engineering Maps True True White Level Engineering Maps True White Level Engineering Maps True True True True True True True True

RockWare GIS Link

\$399

Generate RockWorks strip logs, cross-sections, profiles, fence diagrams, and contour maps using ArcMap and RockWorks. (Is included in RockWorks Level 5.)



Program Features

- Install the RockWare GIS link as a toolbar in ArcMap.
- Import your RockWorks borehole locations as a layer in an ArcMap geodatabase.
- Create a 2D striplog for any borehole location using the Rock-Works engine.
- Create 2D profiles, 2D cross-sections, and 3D fence diagrams for any of these data types: lithology, stratigraphy, water levels, interval-data, time-data, point-data, and fractures.
- Create either straight-line or interpolated diagrams for stratigraphic data.
- Create line- or color-contour maps of ground surface elevations, formation tops, or formation thickness, and display them as a DXF layer in ArcMap.

