



SureScore

Product Information



Standard Centre Crease



Product Code		Channel Width (mm)	Channel Height (mm)	Board Height (mm)
Mauve 20		0.5	0.38	0.05-0.15
Silver 32		0.8	0.38	0.1-0.25
Dusk 35		0.9	0.38	0.15-0.3
Buff 40		1.0	0.38	0.2-0.35
Navy 43		1.1	0.38	0.2-0.35
Violet 45		1.2	0.38	0.25-0.4
White 50		1.3	0.45	0.3-0.45
Sky 55		1.4	0.45	0.4-0.5
Lime 57		1.5	0.45	0.45-0.6
Yellow 60		1.6	0.50	0.5-0.65
Rose 65		1.7	0.50	0.6-0.75
Burgundy 70		1.8	0.55	0.65-0.8
Slate 73		1.9	0.55	0.7-0.9
Green 75		2.0	0.60	0.8-0.95 ¹
Brown 80		2.1	0.60	0.85-1.0
Peach 87		2.2	0.70	0.7-0.85
Red 90		2.3	0.70	0.75-0.9
Black 95		2.4	0.70	0.8-0.95
Aqua 98		2.5	0.75	0.9-1.0
Blue 105		2.6	0.80	0.95-1.1 ²
Bronze 110		2.8	0.90	1.1-1.3
Orange 120		3.0	0.90	1.2-1.4
Olive 126		3.2	0.95	3.0-3.3
Spearmint 134		3.4	1.00	3.3-3.5

¹ plus E-Flute ² plus B-Flute

Off-Centre Crease



Product Code	
Silver offset	
Buff offset	
Violet offset	
White offset	
Sky offset	
Lime offset	
Yellow offset	
Rose offset	
Burgundy offset	
Green offset	

Double Crease



Product Code	
Buff D3	
Buff D3.5	
Buff D4	
Buff D5	
White D3	
White D3.5	
White D4	
White D5	
Yellow D3	
Yellow D3.5	
Yellow D4	
Yellow D5	

Wide Centre Crease



Product Code		Channel Width (mm)	Channel Height (mm)	Board Height (mm)	Locator (pt)
Grey 150		3.8	1.3	1.5-1.7	3/4 & 4/6
Black 200		5.0	1.5	1.7-1.9	3/4 & 4/6
Cream 250		6.0	1.7	1.6-2.0	3/4 & 4/6

Locator (pt)

Channel Width (mm)	Channel Height (mm)	Board Height (mm)
0.8	0.38	0.1-0.25
1.0	0.38	0.2-0.35
1.2	0.38	0.25-0.4
1.3	0.45	0.3-0.45
1.4	0.45	0.4-0.5
1.5	0.45	0.45-0.6
1.6	0.50	0.5-0.65
1.7	0.50	0.6-0.75
1.8	0.55	0.65-0.8
2.0	0.60	0.8-0.95 ¹

Reverse Crease



Product Code	Equivalent Rule Size (pt)	Locator for rules spaced apart at x (mm)	Board Height (mm)
Green reverse 2pt/2mm	2	2.0	6.0-8.0
Blue reverse 3pt/2.6mm	3	2.6	8.0-10.0
Blue reverse 3pt/3.0mm	3	3.0	8.0-10.0
Brown reverse 4pt/5.0mm	4	5.0	10.0-15.0
Brown reverse 4pt/5.0mm	4	5.0	10.0-15.0
Black reverse 5pt/5.0mm	6	5.0	14.0-20.0
Black reverse 6pt/6.0mm	6	6.0	14.0-20.0

Channel Width (mm)	Channel Height (mm)	Board Height (mm)	Distance between channel centres (mm)
1.0	0.38	1.0-2.0	3.0
1.0	0.38	1.0-2.0	3.5
1.0	0.38	1.0-2.0	4.0
1.0	0.38	1.0-2.0	5.0
1.3	0.45	1.0-2.0	3.0
1.3	0.45	2.5-4.0	3.5
1.3	0.45	2.5-4.0	4.0
1.3	0.45	2.5-4.0	5.0
1.6	0.50	4.0-6.0	3.0
1.6	0.50	4.0-6.0	3.5
1.6	0.50	4.0-6.0	4.0
1.6	0.50	4.0-6.0	5.0

Distance between channel centres (mm)



Extra Deep Crease



Product Code	Channel Width (mm)	Channel Height (mm)	Board Height (mm)
White 50XD	1.3	0.55	0.3-0.45
Yellow 60XD	1.6	0.70	0.5-0.65
Green 75XD	2.0	0.80	0.8-0.95
Red 90XD	2.3	0.90	0.75-0.9

Channel Width (mm)
Channel Height (mm)
Board Height (mm)



SureScore
Size Chart



SureScore



The original metal-based creasing matrix



SureScore is the metal-based creasing matrix from Man Mat. The SureScore system is the result of more than 25 years of continual refinement and development. First introduced in 1988,

SureScore is our longest-established creasing matrix range.

All products in the SureScore range (where applicable) have bevelled edges as standard and feature an accurate channel section, manufactured to exacting tolerances from an advanced thermo-plastic polymer.

The specialist double-sided adhesive system –now featuring finger-lift tape liner, for the first time –offers exceptional initial tack and ultra-high shear

strength suitable for production runs of any length.

The range features many different products and sizes, all supplied with a universal locator, which fits easily and positively onto several different rule sizes, eliminating the need to carry excess inventory. And adhesive-free bonding between matrix and locator means no sticky residue on the matrix surface. For the first time, SureScore now features finger-lift tape liner on all standard centre crease matrix. This time-saving feature is being added

across our extensive range.



MAN MAT
C&K Extrusions Ltd.
12 Drayton Road
Tonbridge
TN9 2BE
United Kingdom

t: +44 1732 369698
f: +44 1732 771009
e: manmat@ckextrusions.co.uk

manmat.com