



O.D.M.E.

Oil Discharge Monitoring Equipment

THE UPGRADE TO O.D.M.E. S-3000 Ver. 2





CONTENTS


➤ Upgrade from

- ODME S-3000 Ver. 1
- ODME SS-2000
- ODME MK III

to ODME S-3000 Ver. 2

➤ Advantages

S-3000 Ver.1 SS-2000



S-3000 Ver.2




Upgrade from ODME

S-3000 Ver.1, SS-2000 to S-3000 Ver.2


Easy installation without hot work
One day service from installation
to calibration

- Change Controller Unit
- Change Oil Content Meter unit

ODME S-3000 Ver.1, to ODME S-3000 Ver.2




S-3000 Ver.1




S-3000 Ver. 2

ODME SS-2000 to ODME S-3000 Ver.2



SS-2000



S-3000 Ver.2

MK III



S-3000 Ver.2




Upgrade from ODME

**MKIII to
S-3000 Ver.2**

Easy installation without hot work
One day service from installation
to calibration

- Change Controller unit
- Change Oil Content Meter unit
- Change Measuring Vessel
- Change DP Transmitter

ODME MKIII to ODME S-3000 Ver.2



S-3000 Ver.2

ODME S-3000 Ver. 2 Advantages

- Bio fuel detecting function
- Faster & more stable performance
- mounted latest electronic device

Upgrade

S-3000 Ver. 2 Advantages

Simplicity

- Compact size Controller
- Full style touch screen
instead of key pad, printer and displayer
- Minimizing consumable parts.

Easy operation

- Touch screen interface
- 8GB data saving space
- Easy to trace log data
- USB port for log data transfer