

FIRE GUARDIAN S2 30P RANGE

Fire & Burglary. Protection. Certified.



Tested.
Certified.
Approved.

Safe.™



Ratings*
Cash £4k
Valuables £40k

30 Minute
Fire Protection
for Documents

ELECTRONIC OR KEYLOCK

3 YEAR WARRANTY

LIFETIME REPLACEMENT

5 SIZES



SAFES SINCE 1840

Everything. Safe.


Tested.
Certified.
Approved.

Safe.™



Ratings*
Cash £4k
Valuables £40k

30 Minute
Fire Protection
for Documents



Everything Safe from Fire - and burglary.

Featured safe is size 32 - the smallest in the FireGuardian Range with contents shown on this page and removed opposite.

The certification plates can be seen on the inside of the safes door. They are your permanent guarantee.

FireGuardian® S2 30P



Ratings* : Cash £4,000 • Valuables £40,000

- Tested & certified to EN LFS 15659-30P by ECB•S for 30 minutes fire protection for documents
- Independently tested & certified against attack by ECB•S to European Standard EN 14450
 - Approved by the Association of Insurance Surveyors (AiS)
- Available with either a high security key lock tested to European Standard EN1300 or a high security Class B electronic lock
- All safes supplied with removable / adjustable shelving • All safes supplied with base fixing kit • Sparkling deep grey paint finish

	Model	External Size HxWxD	Internal Size HxWxD	Volume	Weight
32	FGS-S2-32K/32E	375 x 525 x 470 mm	255 x 405 x 310 mm	32 Litres	65 Kg
50	FGS-S2-50K/50E	505 x 525 x 470 mm	385 x 405 x 310 mm	48 Litres	80 Kg
75	FGS-S2-75K/75E	695 x 525 x 470 mm	575 x 405 x 310 mm	72 Litres	102 Kg
100	FGS-S2-100K/100E	895 x 525 x 470 mm	775 x 405 x 310 mm	97 Litres	124 Kg
130	FGS-S2-130K/130E	1150 x 525 x 470 mm	1030 x 405 x 310 mm	129 Litres	152 Kg

Please add 20mm for the depth of the handle and keypad

AiS Approved.

The Insafe range of safes are approved by the Association of Insurance Surveyors (AiS). The AiS is a highly respected body of risk control experts working in the UK insurance market.



*Ratings: Cash and valuable ratings are for guidance only.

Cash and valuable ratings are for guidance only for the commercial sector in an unsupported environment. However, this is indicative overnight cash cover only and may vary across geographical locations, depending on statutory compliance requirements and local laws. Insurers may assign different cash cover values to the ones recommended in this document. In any case we recommend that you consult your insurer.

eurosafe



Assessed to ISO 9001 & ISO 14001
Cert/LPCB ref. 1106



INSAFE.COM



INSPIRED SECURITY

Insafe International Limited 2 Mount Ephraim Royal Tunbridge Wells Kent TN4 8AS UK
Telephone +44 (0)1892 533 000 • sales@insafe.com