



Environmentally friendly cleaners for the safe removal of algae, moss and lichens from external hard substrates



Before cleaning



During cleaning



After cleaning

### PRODUCT DESCRIPTION

- ⇒ Can be used on most stone, concrete, brick, tarmac and clay substrates.
- ⇒ Concentrated therefore the highest level of performance with less packaging and less space.
- ⇒ Once applied will typically keep working for up to 2–3 years.
- ⇒ Reduces on-going maintenance costs.
- ⇒ Scrubbing or power washing not required.
- ⇒ Professional strength.



PureKleen-Bio cleaners are available in specific grades:

- PureKleen-BR: Roofs
- PureKleen-BG: Ground hardscapes
- PureKleen-BF: Facades

### PACKAGING

5L, 25L, 200L and 1000L containers



# PureKleen-BR

## PRODUCT INTRODUCTION

A high performance renovating cleaner designed to remove organic and microbiological growth contaminants from porous hard ground surfaces such as natural stone, cement, tarmac, brick, terracotta etc

## DESCRIPTION

Available as a concentrate liquid, this cleaner is designed to clean and protect surfaces from moss, lichen and algae.

Does not contain solvents, acids or caustic soda.

## USES

- PureKleen-BR cleans and removes contaminants from building roof materials.

## APPLICATION

- 4 hours of dry weather are needed after application
- Supplied as a concentrate. Each 60ml dosage of product makes 1L of ready to use product by adding water.
- Apply to a surface with a sprayer and lance. Soak the complete area with a generous and even application.
- Results start to show within 24hrs. PureKleen-BR can continue to work for up to 2-5 years, however this is dependant upon environmental conditions.
- Ideally a protect the cleaned surface with PureScape to limit re-growth.

## COVERAGE

- Heavy soiling: 3m<sup>2</sup>/litre
- Light soiling: 5m<sup>2</sup>/litre
- The more porous the surface, the less the coverage rate will be.
- **Always** test a small area before use, preferably hidden.

## PHYSICAL PROPERTIES

- Odour: characteristic
- pH: <12
- Soluble in water
- Specific gravity: 1.09
- Colour: Pale straw
- VOC: 0g/L
- Always consult the msds before use.
- Never mix or add any other cleaners or acid product.

## EQUIPMENT CLEANING

Clean equipment with clean warm water

## STORAGE & SHELF LIFE

Store away from frost and heat in a dry place: temperature between 5 °C and 35 °C. Shelf life is 12 months from the production batch date when kept in the original unopened container.

## HEALTH & SAFETY

See Material Safety Data Sheet before use.

**Important:** The content of this documentation is based on our experience of the product. Rocan Products Ltd guarantees the quality of its products, but expressly declines any liability in the event of failure by the user to comply with the recommendations and conditions of use of said products, notably but not exclusively in the event of incorrect application, application by unqualified personnel, use of products not compatible with Rocan's products or bad weather conditions. For further information, refer to the safety data sheet.

ROCAN PRODUCT CODE: R-06

Date of last update: 10.04.18



www.rocan.co.uk — Tel: 0203 4329890—sales@rocan.co.uk

Rocan Products Ltd, Treetops, 1 Foscode Rise, Banbury, Oxon. OX16 9XS

Company No 8933542 Registered in England & Wales



# PureKleen-BG

## PRODUCT INTRODUCTION

A high performance renovating cleaner designed to remove organic and microbiological growth contaminants from porous hard ground surfaces such as natural stone, cement, tarmac, brick, terracotta etc

## DESCRIPTION

Available as a light gel, this cleaner is designed to clean and protect surfaces from moss, lichen and algae.

PureKleen-BG does not contain solvents, acids or caustic soda.

## USES

- PureKleen-BG cleans and removes from many ground surfaces.
- Patios
- Forecourts
- Driveways
- Platforms
- Decking
- Steps
- Tennis Courts
- Furniture
- Hardscape

## APPLICATION

- Supplied ready to use.
- Apply neat product to a dry or damp surface with a brush, roller or sprayer.
- Soak the complete area with a generous and even application.
- Leave for 20 to 90mins. Agitation with a scrubbing brush may enhance the cleaning action.
- Rinse with water then allow to dry.
- If soiling is still present a repeated application may be required.
- Ideally protect the cleaned surface with PureScope to limit re-growth.

## COVERAGE

- Heavy soiling: 3m<sup>2</sup>/litre
- Light soiling: 5m<sup>2</sup>/litre
- The more porous the surface, the lower the coverage rate will be.
- To brighten paths and patios leave longer before rinsing (up to 8 hours)
- **Always** test a small area before use, preferably hidden.

## PHYSICAL PROPERTIES

- Odour: characteristic
- pH: <12
- Soluble in water
- Specific gravity: 1.09
- Colour: Pale straw
- VOC: 0g/L
  
- Always consult the MSDS before use.
- Protect any surface not being treated that is in close proximity of the area.
- Never mix or add any other cleaners or acid product.

## EQUIPMENT CLEANING

Clean equipment with clean warm water

## STORAGE & SHELF LIFE

Store away from frost and heat in a dry place: temperature between 5 °C and 30 °C. Shelf life is 12 months from the production batch date when kept in the original unopened container.

## HEALTH & SAFETY

See Material Safety Data Sheet before use.

**Important:** The content of this documentation is based on our experience of the product. Rocan Products Ltd guarantees the quality of its products, but expressly declines any liability in the event of failure by the user to comply with the recommendations and conditions of use of said products, notably but not exclusively in the event of incorrect application, application by unqualified personnel, use of products not compatible with Rocan's products or bad weather conditions. For further information, refer to the safety data sheet.

ROCAN PRODUCT CODE: R-04

Date of last update: 10.04.18



www.rocan.co.uk — Tel: 0203 4329890—sales@rocan.co.uk

Rocan Products Ltd, Treetops, 1 Foscoate Rise, Banbury, Oxon. OX16 9XS

Company No 8933542 Registered in England & Wales



# PureKleen-BF

## PRODUCT INTRODUCTION

A high performance renovating cleaner designed to remove organic and microbiological growth contaminants from porous facade surfaces such as natural stone, cement, tarmac, brick, terracotta etc

## DESCRIPTION

Available as a light gel, this cleaner is designed to clean and protect surfaces from moss, lichen and algae.

PureKleen-BF does not contain solvents, acids or caustic soda.

## USES

- PureKleen-BF cleans and removes from many vertical surfaces.
- Building facades
- Domestic & commercial walls
- Retaining walls
- Bridges
- Car Parks
- Heritage buildings
- Suitable for both internal & external use

## APPLICATION

- Supplied ready to use.
- Apply neat product to a dry or damp surface with a brush, roller or sprayer.
- Soak the complete area with a generous and even application.
- Leave for 20 to 90mins.
- Rinse with water then allow to dry.
- Ideally protect the cleaned surface with PureScope to limit re-growth.

## COVERAGE

- Heavy soiling: 3m<sup>2</sup>/litre
- Light soiling: 5m<sup>2</sup>/litre
- The more porous the surface, the lower the coverage rate will be.
- **Always** test a small area before use, preferably hidden.

## PHYSICAL PROPERTIES

- Odour: characteristic
- pH: <12
- Soluble in water
- Specific gravity: 1.09
- Colour: Pale straw
- VOC: 0g/litre
- Always consult the msds before use.
- Protect any surface not being treated that is in close proximity of the area.
- Never mix or add any other cleaners or acid product.

## EQUIPMENT CLEANING

Clean equipment with clean warm water

## STORAGE & SHELF LIFE

Store away from frost and heat in a dry place: temperature between 5 °C and 35 °C. Shelf life is 12 months from the production batch date when kept in the original unopened container.

## HEALTH & SAFETY

See Material Safety Data Sheet before use.

**Important:** The content of this documentation is based on our experience of the product. Rocan Products Ltd guarantees the quality of its products, but expressly declines any liability in the event of failure by the user to comply with the recommendations and conditions of use of said products, notably but not exclusively in the event of incorrect application, application by unqualified personnel, use of products not compatible with Rocan's products or bad weather conditions. For further information, refer to the safety data sheet.

ROCAN PRODUCT CODE: R-05

Date of last update: 10.04.18

