




switch to smart



ORIENT ELECTRIC COOLER FOR EVERY HOUSE

Orient Electric presents its smart, energy efficient range of air coolers, carefully designed and engineered to fulfil all your cooling needs.

Orient Electric evaporative air coolers are the most cost-effective and natural method of indoor cooling. Electricity consumption of an evaporative cooler can be up to 80% less than that of an air conditioner.

Water Supply

Orient Electric is committed towards constant product innovation and constantly strives to make the best quality products for its consumers. All our air coolers are developed with a focus towards changing consumer needs and cooling requirements.

The range has been customised to suit all modern home interiors. All our air coolers run through a battery of tests internally and through external agencies, making sure that you receive a cooler that is fault-free and gives uninterrupted cooling for years together.

Our wide range of coolers offer many advantages

- Honey comb pads with dense nest feature for enhanced cooling
- Motorised louvres for four way air circulation
- Specially designed fan blades and blowers for a class-leading air throw
- Compact and sleek design to suit room interiors
- · Easy grip handles and strong castors for easy maneuvering
- Fully-functional remote control for ease of use
- Touch pad with timer function

ADVANCED FEATURES FOR CLASS LEADING COOLING EXPERIENCE



HONEYCOMB PADS with DENSENEST feature

45% higher water retention with 25% more cooling.



ANTI-MOSQUITO, ANTI-BACTERIA

Prevents mosquito breeding & bacteria.



DUST PROTECTION

Provides clean air, prevents dust and pollen.



POWERFUL AIR DELIVERY

Specially designed fans & blowers for best in class, air delivery.



& MANY MORE

Motorised louvre for 4 way deflection, Rust proof body, Ice & fragrance chambers, Auto fill.







Honeycomb pads with 'Dense Nest' feature for enhanced cooling



Ice chamber for effective cooling



Inverter-compatible for extended usage even in power cuts



Motorised louvre movement for 4 way air circulation



Prevents mosquitoes and dust















#Features/specifications/colours are subject to change.

Orient Electric introduces state-of-the-art compact tower coolers specially designed to fit within small spaces and are a perfect fit for modern room interiors. These tower coolers come with advanced features like touch pad function, motorised louvres for 4 way air-deflection, honey comb pads with 'Dense Nest' feature, large ice chamber to amplify the cooling effect and hands-free remote controlled operation.

Cools Upto (Room Area): 14sqmts (150 sqft)*

IDEAL FOR

Living room	Bedroom	Kids/Study room
Dining area	Small shops	Offices



Rust Proof Lona life durable body



4-way cooling Motorised louvre evenly circulates air in all 4 directions



Auto-fill Hassle free uninterrupted cooling



Mosquito & Dust Protection Prevents mosquitoes and dust



Inverter Compatible Uninterrupted cooling during power cuts

Powerful Cooling

Specially designed blowers with a unique angle that enables maximum air throw. This coupled with Dense Nest featured honeycomb pads ensure powerful and quick cooling.



Energy Efficient

Low power consuming, invertor-compatible fan and pump motors ensure uninterrupted cooling without incurring high electricity bills.



Advanced Features

Touch sensors, timer function, remote control operation give easy, hassle-free experience.



Easy Service and Installation

Less number of moving parts enable easy installation, smooth maintenance and service.



^{*}Estimated area based on 3mts (10ft) ceiling height and all side covered room.

SUPERCOOL - CP3001H

with blower 30 Lts.



30 Lts. Tank Capacity



Dense Nest Honeycomb cooling media



Strong Air Delivery 1300m³/hr with 3-speed motor





Rust Proof Long life durable body



Auto-fillHassle free uninterrupted cooling



4-way cooling
Motorised louvre
evenly circulates air
in all 4 directions



Inverter Compatible
Uninterrupted cooling
during power cuts



Dust ProtectionPrevents dust and pollen



Rust Proof Long life durable body



Auto-fillHassle free uninterrupted cooling



4-way coolingEvenly circulates air in all 4 directions



Inverter Compatible
Uninterrupted cooling
during power cuts



Ice ChamberFor quick cooling

ARISTA - CT1201H, CT2602H, CT5402H

12, 26 & 54 Lts.















#Features/specifications/colours are subject to change.

This powerful high capacity cooler is uniquely designed with advanced manufacturing techniques using superior materials, enabling it to perform efficiently within a wide range of indoor and outdoor conditions. This rugged, durable and high performance cooler enables quick room cooling and ensure constant supply and circulation of fresh air. Its 85 Lts. tank capacity enables uninterrupted cooling for hours together without having to refill the tank at regular intervals. It comes with the benefits of Orient's ubiquitous Dense Nest feature for honey comb pads and a specially designed powerful fan providing quick respite from sweltering summer heat.

Cools Upto (Area Area): 37sqmts (400 sqft)*

IDEAL FOR

Living room	Party hall	Shops			
Gyms	Restaurants	Closed outdoor			



Rust Proof Long life durable body



4-way coolingEvenly circulates
air in all 4 directions



Auto-fill
Hassle free
uninterrupted cooling



Mosquito & Dust Protection Prevents mosquitoes and dust



Inverter Compatible
Uninterrupted cooling
during power cuts

Powerful Cooling

Specially designed fans with a unique angle that enables maximum air throw. This coupled with Dense Nest featured honeucomb pads ensure powerful and quick cooling.



Energy Efficient

Low power consuming, invertor-compatible fan and pump motors ensure uninterrupted cooling without incurring high electricity bills.



Advanced Features

Touch sensors, timer function, remote control operation give easy, hassle-free experience.



Easy Service and Installation

Less number of moving parts enable easy installation, smooth maintenance and service.



^{*}Estimated area based on 3mts (10ft) ceiling height and all side covered room.

SNOWBREEZE MAGNUS - CD8501H

with fan 85 Lts.



85 Lts. Tank Capacity



Honeycomb cooling media



Strong Air Delivery 3500m³/hr with 3-speed motor





Rust Proof Long life durable body



Auto-fillHassle free uninterrupted cooling



4-way coolingEvenly circulates air
in all 4 directions



Inverter Compatible
Uninterrupted cooling
during power cuts



Ice ChamberFor quick cooling



Rust Proof Long life durable body





Ice Chamber For quick cooling



Auto-fill Hassle free uninterrupted cooling



Inverter Compatible
Uninterrupted cooling
during power cuts

TORNADO GRAND - CH6003H

60 Lts.

with blower







60 Lts. Tank Capacity



Honeycomb cooling media



Strong Air Delivery 5100m³/hr with 3-speed motor

SNOWBREEZE SUPER - CD5002B

with fan 50 Lts.



50 Lts. Tank Capacity



Woodwool cooling media



Strong Air Delivery 3500m³/hr with 3-speed motor





Rust Proof Long life durable body



Auto-fillHassle free uninterrupted cooling



Ice ChamberFor quick cooling



Inverter Compatible
Uninterrupted cooling
during power cuts



Mosquito & Dust
Protection
Prevents mosquitoes
and dust



Rust Proof Long life durable body



Auto-fillHassle free uninterrupted cooling



4-way coolingEvenly circulates air in all 4 directions



Inverter Compatible
Uninterrupted cooling
during power cuts

Cools Upto (Room Area): 27sqmts (300 sqft)*

IDEAL FOR

Living room	Bedroom
Shops	Gyms
Restaurants	Closed outdoors

SLIM DESERT COOLER

OCEAN AIR - CD7001H

70 Lts.

with fan





70 Lts. Tank Capacity



Honeycomb cooling media



Strong Air Delivery 3600m³/hr with 3-speed motor

OCEAN AIR TRENDY - CD7002H

with fan 70 Lts.



70 Lts. Tank Capacity



Honeycomb cooling media



Strong Air Delivery 3600m³/hr with 3-speed motor





Rust Proof Long life durable body



Auto-fillHassle free uninterrupted cooling



4-way coolingEvenly circulates air
in all 4 directions



Inverter Compatible
Uninterrupted cooling
during power cuts



Rust Proof Long life durable body



Auto-fillHassle free uninterrupted cooling



Ice ChamberFor quick cooling



Inverter Compatible
Uninterrupted cooling
during power cuts



4-way coolingEvenly circulates air in all 4 directions

SNOWBREEZE SLIM - CD5501H

55 Lts. with fan





55 Lts. Tank Capacity



Honeycomb cooling media



Strong Air Delivery 3000m³/hr with 3-speed motor



#Features/specifications/colours are subject to change.

Ideally suited for small space cooling requirements these coolers are small but pack a powerful cooling performance. These are easy to use portable coolers that can be easily moved around the house thanks to its castor wheels and in-built easy-lift handle.

Trendy, stylish with powerful performance, this trendy smartcool is the most easy to use and portable air cooler. It comes with a fully-functional touch pad and a remote control for hands-free operation. Its rust proof ABS body makes it durable and enhances the life of the cooler. It also comes with a built-in ice chamber for enhanced cooling effect and 3-speed motor for customised air throw.

Cools Upto (Room Area): 14sqmts (150 sqft)*

IDEAL FOR

Bedroom	Study room	Kid's room
Dining area	Small offices	Small shops



Rust Proof Long life durable body



4-way coolingEvenly circulates
air in all 4 directions



Inverter Compatible
Uninterrupted cooling
during power cuts



Mosquito & Dust Protection Prevents mosquitoes and dust



Ice ChamberFor quick cooling

Powerful Cooling

Specially designed blowers with a unique angle that enables maximum air throw.



Energy Efficient

Low power consuming, invertor-compatible fan and pump motors ensure uninterrupted cooling without incurring high electricity bills.



Advanced Features

Touch sensors, timer function, remote control operation give easy, hassle-free experience.



Easy Service and Installation

Less number of moving parts enable easy installation, smooth maintenance and service.



^{*}Estimated area based on 3mts (10ft) ceiling height and all side covered room.

SMARTCOOL DX - CP3501H | CP2002H

with blower

35 Lts. & 20 Lts.



35 & 20 Lts. Tank Capacity



Dense Nest Honeycomb cooling media



Strong Air Delivery 1300m³/hr with 3-speed motor





Rust Proof
Long life
durable body



Inverter Compatible
Uninterrupted cooling
during power cuts



4-way coolingEvenly circulates air in all 4 directions



Ice ChamberFor quick cooling

WINDOW COOLER



Rust Proof Long life durable body



Auto-fillHassle free uninterrupted cooling



4-way coolingEvenly circulates air in all 4 directions



Inverter Compatible
Uninterrupted cooling
during power cuts



Mosquito & Dust Protection Prevents mosquitoes and dust



Fragrance Chamber

MAGICOOL DX - CW5002B

50 Lts.



with blower























Model	CT1201H	CT2602H	CT5402H	CP3001H	CP3002H	CP5202H	CD5002B	CD6201B
MODEL NAME	ARISTA	ARISTA	ARISTA	SUPER COOL	SUPER COOL TRENDY	SUPER COOL TRENDY	SNOWBREEZE SUPER	SNOWBREEZE NEO
Operation	Remote / Touch sensor	Remote / Touch sensor	Remote / Touch sensor	Manual	Remote / Touch sensor	Remote / Touch sensor	Manual	Manual
Cooling Medium	Honeycomb	Honeycomb	Honeycomb	Honey comb with dense nest feature	Honey comb with dense nest feature	Honey comb with dense nest feature	wood wool	wood wool
Water Tank Capacity (Liters upto brim)	12	26	55	30	30	52	50	62
L	286.0	286.0	286.0	34.5	34.5	34.5	60.5	63.0
Dimensions Without Packing W	286.0	286.0	286.0	41.8	41.8	41.8	48.0	45.0
H	826.0	990.0	1348.0	93.0	93.0	108.5	98.5	110.0
Castor/Trolley	wheels	wheels with cover	wheels with cover	2 nos trolley wheel & 2 nos Castor wheels	2 nos trolley wheel & 2 nos Castor wheels	2 nos trolley wheel & 2 nos Castor wheels	4 nos Castor wheels	4 nos Castor wheels
Wattage	180W	180W	185W	140 W	140 W	140 W	200 W	200 W
Air Defelction	4шау	4шау	4шау	4 way	4 way	4 way	4 way	4 way
Air Throw Distance (Feet / Meters)	25 feet	25 feet	25 feet	25 ft. / 7.6 m.	25 ft. / 7.6 m.	25 ft. / 7.6 m.	35 ft. / 10.7 m.	45 ft. / 13.7 m.
Blower/ Fan size	dia 180	dia 180	dia 180	Ø 17.2 X 15.2 cm Single Blower	Ø 17.2 X 15.2 cm Single Blower	Ø 17.2 X 15.2 cm Single Blower	Ø 40.6 cm Fan	Ø 40.6 cm Fan
Speed Control	3speed (switch)	3speed (micom)	3speed (micom)	3	3	3	3	3
Water Level Indicator	yes	yes	yes	Yes	Yes	Yes	Yes	Yes
No Mosquito breeding feature	yes	yes	yes			Yes	По	По
Anti bacterial filter	yes	yes	yes			Yes	По	По
Auto Fill	no	no	float valve	Yes	Yes	Yes	Yes	Yes
Over Flow Hole	yes	yes	yes	По	По	Yes	По	Πο
Ice Chamber	yes	yes	yes	NA	NA	ΠA	Yes	Yes
Fragrance Chamber	no	no	no	По	По	По	По	По
Earthing Safety	yes	yes	yes	Yes	Yes	Yes	Yes	Yes
Vertical Louver Movement	yes	yes	yes	Motorised	Motorised	Motorised	Motorised	Motorised
Horzontal Louver Movement	Manual	Manual	Manual	Motorised	Motorised	Motorised	Manual	Manual
Rotational Grill	no	no	no	NA	NA	ΠA	ΠA	ΠA
Inverter Compatibility	yes	yes	yes	compatible	compatible	compatible	compatible	compatible
NET WEIGHT (KG)	not available	not available	not available	12.5	12.5		15.47	15.03
GROSS WEIGHT (KG)	not available	not available	not available	13.5	13.5		19.20	19.62
Warranty	12 months	12 months	12 months	12 Months	12 Months	12 Months	12 Months	12 Months



















CH6003H	CD8501H	CD5501H	CD7001H	CD7002H	CP2002H	CP2003H	CP3501H	CW5002B
TORNADO GRAND	SNOWBREEZE MAGNUS	SNOWBREEZE SLIM	OCEAN AIR	OCEAN AIR TRENDY	SMARTCOOL DX	SMARTCOOL TRENDY	SMARTCOOL DX	MAGICOOL DX
Manual	Manual	Manual	Manual	Remote	Manual	Remote / Touch sensor	Manual	Manual
Honey comb	По	Honey comb	Honeycomb	Honeycomb	Honey comb	Honey comb with dense nest feature	Honey comb with dense nest feature	wood wool
60	3	55	70	70	20	20	35	50
76.5	48.5	59.0	65.0	65.0	46.0	46.0	46.0	65.0
40.0	110	34.0	38.0	38.0	34.0	34.0	34.0	53.0
98.0	68	117.0	124.5	124.5	69.0	69.0	82.5	55.8
5 nos Castor wheels	По	4 nos Castor wheels	4 nos Castor wheels	4 nos Castor wheels	NA			
240 W	85	220 W	190 W	190 W	140 W	140 W	140 W	220 W
4 way	45 ft/ 13.1m	4 way	4 way	4 way	4 way	4 way	4 way	4 way
55 ft. / 16.7 m.	200	35 ft. / 10.7 m.	60 ft. / 18.3 m.	60 ft. / 18.3 m.	25 ft. / 7.6 m.	25 ft. / 7.6 m.	25 ft. / 7.6 m.	35 ft. / 10.7 m.
Ø 15.2 X 15.3 cm Double Blower	Yes	Ø 40.6 cm Fan	Ø 39.4 cm Fan	Ø 39.4 cm Fan	Ø 17.2 X 15.2 cm Single Blower	Ø 17.2 X 15.2 cm Single Blower	Ø 17.2 X 15.2 cm Single Blower	Ø 20.3 X 9.5 cm Single Blower
3	Ø 40.6 cm Fan	3	3	3	3	3	3	3
Yes	5 nos castor wheel	Yes	Yes	Yes	Yes	Yes	Yes	Yes
По	По	NA NA	NA	NA		Yes	Yes	Yes
По	По					Yes	Yes	
Yes	Yes	Yes	Yes	Yes	По	По	По	Yes
По	Yes	По	Yes	Yes	По	По	По	По
Yes	Yes	Yes	По	По	Yes	Yes	Yes	NA
Πο	По	По	По	По	По	По	По	Yes
Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Motorised	Motorised	Motorised	Motorised	Motorised	Motorised	Motorised	Motorised	Motorised
Manual	Manual	Manual	Manual	Manual	Manual	Manual	Manual	Manual
NA	NA	NA	NA	NA	NA	NA	NA	NA
compatible	compatible	compatible	compatible	compatible	compatible	compatible	compatible	compatible
19.5	16.08	13.36	15.25	15.25	12.0	12.0		15.5
23.0	20.34	16.90	18.30	18.30	13.5	13.5		18.0
12 Months	12 Months	12 Months	12 Months	12 Months	12 Months	12 Months	12 Months	12 Months





Toll Free Number

North Region

JAIPUR: Kamal Brundavan D-2 (B), Mira Marg, Bani Park, Jaipur - 302016, LUCKNOW: 703, 7th Floor, Rattan Square, 20A, Vidhan Sabha Marg, Lucknow - 226001, Ph. 0522-4072925, RISHIKESH: 19, Chandeshwar Marg, Old Terhi Bus Stand, Rishikesh -249201, Ph. 0135-2430524, CHANDIGARH: SCO-845, 1st Floor, Nac Manimajra, Kalka Road, Chandigarh -160101, Ph. 0172-4675487 DELHI: 225, Okhla Industrial Estate, Phase III, New Delhi-110020, Ph. 011-45779000

East Region

RANCHI: Unit No 103, Paras Apartment Kutchery Road, Ranchi - 834001, Ph. 0651-2214201, **BHUBANESWAR:** Plot - No 263, Annapurna Complex 1st Floor, Bapuji Nagar, Bhubaneswar-751009, Ph. 0674-6544460, **PATNA:** 24, Ankit Co-operative Society I.A.S Colony, Kidwaipuri, Patna-800001, Ph. 0612-2520747, **KOLKATA** 6, Ghore Bibi Lane, Phool Bagan, Kadapara, Phool Bagan, Kankurgachi, Kolkata, West Bengal 700054

West Region

INDORE: No.419, 4th floor Shagun Sterling, Plot No. 7 P.U - 4, Sch.- 54, Vijay Nagar Square, Indore - 452010, Ph. 0731-4290706, MUMBAI 203, 2nd floor, Vineeta Apartment, Near Malhar Talkies, Gokhale Road, Thane (w) 400602, **AHEMDABAD:** 201, Arth Complex, B/h.L.G Show Room, Nr. Mithakhali, Six Road Navrangpura, AHEMDABAD -380009, **RAIPUR:** 2nd Floor, D.M. Plaza, Chotapara, Near Kotwali Chawak, Raipur - 492001, **PUNE:** SR No- -20//2, Shivsagar Building, 2nd Floor. Hadapsar Nagar Road, Mundhawa River BridgeKharadi, Pune-411014, Ph. 020-26059097, **NAGPUR:** Kate Galaxy, 2nd Floor, Plot No- 68, Ram Nagar, Road Ravi Nagar Squre, Nagpur - 440010, Ph. 0712-6604437

South Region

SECUNDERRBAD: Unit No. 5 & 6, Gate No -2-3-42/52, 2nd Floor, Maitri Arcade, Rani Gunj X Road, Secunderabad - 5000003, Ph. 040-66148955, **ERNAKULAM:** VI/610-K, Soloman Tower, 2nd Floor, Muthedam, N H -49, Maradu, Ernakulam - 682304, Ph. 0484-2707010, **CHENNAI:** 12, Second Floor, Wellingdon Estate 53, Ethiraj Salai, Egmore Chennai - 600008, Ph. 044-42696276, **BANGALORE:** 108 First Floor, Commerce House, Cunningham Road, Bangalore -560052, Ph. 080-41506913







switch to smart

Fans • Home Appliances • Lighting • Switchgear

Orient Electric

a division of orient paper & industries(Ltd) 82, 1st Floor, Okhla Industrial Estate, Phase III, New Delhi-110020.

Email: customercare.connect@orientelectric.com
Website: www.orientelectric.com
Shop Online: www.orientelectriceshop.com



Toll free no.: 1800 103 7574









switch to smart

Fans

Home Appliances

Lighting

Switchgear

JMES50G3

500 w





Harmonic Syncro Blend Technology High performance, maximum juicing



Copper Motor Enhances life of the machine



Warranty: 5 Years on motor & 2 Years on product

- Minus shaped sieve holes : For maximum juicing
- Specially designed motor : To emit less sound
- Long length feeder tube : For accomodating more fruits
- Advanced Bean shaped designed pusher : For maximum juice extraction
- Click fit juicer body: For ease of use Spiral pulp guidance: Keeps the body clean

JMAS50G2

500 ω

Astra





Warranty: 5 Years on motor & 2 Years on product



Juice+ Maximum juicing





Warranty: 5 Years on motor & 2 Years on product



Juice+ Maximum juicing



750 ω



Accord

 $\pmb{\text{Warranty}}: \pmb{\text{5 Years}} \text{ on motor } \pmb{\text{6}}$ 2 Years on product

- Unbreakable polycarbonate blender jar
- Fruit filter



Harmonic Grinding Technology

High performance, effective grinding, multi-utility, super-fine grinding



Copper Motor

Enhances life of the machine





storage jars Warranty : 5 Years on motor & 2 Years on product



MGAD75G3 750 ω





Warranty: 5 Years on motor & 2 Years on product



Amaze MGAM60G3

600 w



Warranty: 5 Years on motor & 2 Years on product



MGAQ50G3

500 w





Warranty: 5 Years on motor & 2 Years on product



MGEL50G3 Elite





Warranty: 5 Years on motor & 2 Years on product



Copper Motor Enhances life of the machine Bolt MGBT50G3

500 ω

MGBT50C3

 $500 \, \omega$



Warranty 2 Years on motor

Also available in White & Grey color combination





Lighting



Convenio HBCV30SC



300W Silent DC Motor High power, Low vibrations



Wall Mounting Bracket Ease of handling and storage



600 ml Beaker Large capacity



Whisking & Chopping Attachment Easy fit multipurpose attachments



Unique LED Indicator



2 Speed Operation
Customised speed selection



Convenio HBCV30SB





orient electric



orient electric

300W Silent DC Motor High power, Low vibrations



Wall Mounting Bracket Ease of handling and storage



2 Speed Operation
Customised speed selection



Unique LED Indicator







600 ml Beaker Large capacity





switch to smart

Fans • Home Appliances • Lighting • Switchgear

Orient Electric

(A division of Orient Paper & Industries Ltd.)

82, Okhla Industrial Estate, Phase III, New Delhi-110020.

Email: customer.connect@orientelectric.com **Website**: www.orientelectric.com

f www.facebook.com/orientelectric

Customer Care No.: 1800 103 7574





switch to smart

Old water heaters don't go vintage. They just go.

When everything around you is becoming smarter, why are you still stuck with your old, inefficient water heater? It's time to switch to smart with the new range of feature loaded water heaters from Orient that are efficient, intelligent and durable. Thoughtfully designed for today's urban living, our water heaters make every shower an experience.



switch to smart

Fans • Home Appliances • Lighting • Switchgear

Orient Electric

a division of orient paper & industries(Ltd)

82, 1st Floor, Okhla Industrial Estate, Phase III, New Delhi-110020.

Email: customercare.connect@orientelectric.com

Website: www.orientelectric.com

Shop Online: www.orientelectriceshop.com

www.facebook.com/orientelectric

Toll free no.: 1800 103 7574



Fans · Home Appliances · Lighting · Switchgear

OUTSTANDING FFATURES FOR AN UNFORGETTABLE BATHING **EXPERIENCE**

Orient provides class leading quality products to its consumers. All over products are thoroughly tested on varying parameters not only by internal labs but also by top quality testing agencies.

Orient products come with 7 year tank warranty and is supported by excellent after sales service through its toll free number 1800 103 7574 and dedicated service personnel.

FEATURES



WHIRLFLOW TECHNOLOGY

Now get 20% more hot water at less power consumption with Orient's Whirlflow technology. With this amazing feature, cold water can be marshaled effectively without affecting hot water layers within the tank.







M TITANIUM ENAMEL TANK

- a Titanium offers excellent corrosion resistance of the inner tank. thus increasing the life of the tank and the water heater as well.
- Super thick Magnesium Anode keeps the tank rust proof for longer period of time.



7-4-2 WARRANTY

Orient water heaters come with a 7-year warranty on the tank, 4-year warranty on the heating element and 2-year warranty on the whole unit.





Safetu



Smart Features :

- a Digital Temperature Display
- a Auto timer
- a Winter-Summer mode
- a Flame failure devices
- a Overheat protection



- Faster heating
- a Soves time
- Longer element life





SAFETY FEATURES (MULTI FUNCTION VALVE)

- a PRV (Pressure release valve): Releases extra pressure from inlet
- a VRV (Vacuum release valve): Guards against dry running of water heater
- Non Return Valve: Water exits only from the outlet that prevents water return
- ^a High Pressure Bearing Tank: Withstands upto 8 Bars of pressure
- a Double Thermal Protection Devices: Thermostat & thermal cutout two temperature sensing devices
- a Fusible Valve: Acts when thermostat and thermal cutout fails
- a Anti Siphon hole: Prevents back flow of water



VARIABLE PRESSURE COMPATIBILITY:

Orient water heaters are designed to handle varying water pressure conditions. They can handle water pressure from 0.1 Bar to 8 Bars which makes them suitable and very compatible for single and multi storied apartments.







ENAMOUR

SWE15WGM | SWE25WGM



Digital Temperature Display



Enamel Coated Heating Element



Warranty

Durability Features

- a Glassline coated tank
- ^a Patented whirlflow technology Gives 20% more heating
- ^a With optional ELCB
- a 27% thicker Magnesium anode
- ^a Incoloy Glass line coated heating element
- a Temperature display
- a Japanese Anti bacteria technology with a life of 2 years

Safety Features (Multi function valve)

- PRV (Pressure release valve)
- a VRV (Vacuum release valve)
- a Drain valve
- a Non Return Valve



20% More Heating

Patented Whirlflow Technology

Most efficient, more hot water | Energy efficient, saves electricity, Saves times, faster heating | Longer product life



Titanium Enamel Tank

Withstands high pressure (8 Bars), protects tank from scaling



Anti bacterial tank

Japanese Anti- Bacterial technology



Super thick Magnesium Anode

27% thicker for long life and enhanced protection against scaling









SWES25GGM2 | SWES15GGM2

15 & 25 Lts.

Durability Features

- ^a Ultra Diamond Glassline coated Tank
- ^a High Pressure 8 bar
- ^a Magnesium Anode Rod
- Customized temperature setting
- a Heavy Copper Element
- ^a With Temperature display dial
- ^a Heavy Copper Element

Safety Features (Unique Safety features)

- a PRV (Pressure release valve)
- VRV (Vacuum release valve)
- a Drain valve
- ^a Non Return Valve









Ultra Diamond Glassline Tank Withstands high pressure, suitable for pressure pumps



Unique Safety FeaturesTo prevent accidental hazords



Magnesium Anode rod Long life, better heating

WH1503P | WH2503P

15 & 25 Lts.

Durability Features

- ^a Ultra Diamond Glassline coated Tank
- ^a High pressure 8 Bars
- a Incoloy Glassline coated heating element
- a Magnesium Anode Rod
- Customized temperature setting

Safety Features (Multi function valve)

- a PRV (Pressure release valve)
- a VRV (Vacuum release valve)
- a Drain valve
- ^a Non Return Valve









Ultra Diamond Glassline Tank Withstands high pressure, suitable for pressure pumps



Unique Safety FeaturesTo prevent accidental hazords



Magnesium Anode rod Long life, better heating



SWZE06GGM2 | SWZE10GGM2 | WH1501M | WH2501M

06, 10, 15 & 25 Lts.

Durability Features

- ^a Ultra Diamond Glassline coated Tank
- ^a High Pressure 8 bar
- ^a Magnesium Anode Rod
- Customized temperature setting
- a Heavy Copper Element

Safety Features (Multi function valve)

- a PRV (Pressure release valve)
- a VRV (Vacuum release valve)
- a Drain valve
- ^a Non Return Valve









Ultra Diamond Glassline Tank Withstands high pressure, suitable for pressure pumps



Unique Safety Features To prevent accidental hazords



Magnesium Anode rod Long life, better heating

WF6001M | WF 0602M | WF1001M WS1502M | WS2502M | WS5001M | WS3501M

06, 10, 15, 25, 35 & 50 Lts.

Durability Features

- ^a Class I Bears pressure up to 6.5 Bar (in 6&10L)
- ^a TIG welding technology used in tank
- a With molded plug

Safety Features

- a PRV (Pressure release valve)
- ^a Double thermal protection devices Thermostat & thermal cut-out
- ^a Fusible Valve
- a Anti Siphon hole 15 & 25Lts





06 & 10Lts










TIG Long Life of Tank



Durable 3 Pin Plug





SWAQ06WSM2 06L

06 Lts.

Durability Features

- ^a Highly durable SS tank
- a Class I Bears pressure up to 6.5 Bar
- ^a Magnesium Anode Rod

Safety Features (Unique Safety features)

- a PRV (Pressure release valve)
- ^a Double thermal protection devices Thermostat & thermal cut-out



Unique Safety Features PRV, Thermostat & Thermal Cutout



Magnesium Anode Rod Long life, better heating

FONTUS

WF1001P | WF 1501P | WF2501P

10, 15 & 25 Lts.

Durability Features

- ^a Class I Bears pressure up to 6.5 Bar
- ^a Magnesium Rod
- ^a 2 Way installation Vertical and horizontal

Safety Features (Multi Function Valve)

- a PRV (Pressure release valve)
- a VRV (Vacuum release valve)
- a Drain valve
- a Non Return Valve



Unique Safety Features To prevent accidental hazords



Magnesium Anode Rod Long life, better heating















AURA PLUS

WAU03WSM3 | WAU01WSM3 WAU03WSM4 | WAU01WSM4

1 & 3 Lts. 3 & 4.5 KW

Durability Features

- Unique High Pressure tank with 8 bar bearing capacity
- ^a With LED indicators
- a With molded plug

Safety Features (Multi function valve)

- a PRV (Pressure release valve)
- a Thermal cut-out
- ^a Thermostat

AURA

WT0101P | WT0102P | WT0301P WT0302P

1 & 3 Lts. 3 & 4.5 KW

Durability Features

- a Aesthetically appealing ABS Body
- a Class I Bears pressure up to 6.5Bar

Safety Features (Multi function valve)

- a PRV (Pressure release valve)
- a Thermal cut-out
- ^a Fusible Valve

Z_M



VENTO

GWVN06WLMD | GWVN06WLMW GWVN06WPMD | GWVN06WPMW

06 Lts.

- ^a Digital display Temperature and low battery indication
- a Tin plated copper heat exchanger
- a Summer Winter mode
- ^a Variable pressure compatibility (0.1 8 Bar)
- a Auto 20 minute OFF timer
- a Over heat protection
- ^a Protection against freezing
- a Flame failure device
- a LPG/PNG variants
- a 3 row burner with double ignition
- a More than 84% efficiency



Variable pressure compatibility 0.1 Bar (very low) - 8 Bar (for high rise buildings)



Unique Safety FeaturesTo prevent accidental hazords



Copper heat exchanger

For faster heating

Auto 20 Minute OFF timer



Digital Display
Temperature &
low battery indication









COMPARATIVE CHART

Model Name	Model No.	Horizontal Installation	Vertical Installation	Magnesium Rod	Class	Variable Temperature Controller	Compatible for High Pressure	Rating	Capacity	Element Rating in (KW)	Time required to roise the water temp. by 35 deg C (Reheating in Minutes)	Length	Width	Height
ENAMOUR	SWE25WGM	n	Υ	Υ	I	Υ	Y	5 star	25	2	25	486	486	355
ENAMOUR	SWE15WGM	п	Y	Y		Υ	Υ	5 star	15	2	20	420	420	316
AQUA SPRING	WF0601M	n	Υ	n	1	П	Y	3 star	6	2	25	445	250	250
AQUA SPRING	WF0602M	n	Υ	п		П	Υ	3 star	6	3	25	445	250	250
AQUA SPRING	WF1001M	n	Υ	n	1	П	Y	3 star	10	2	25	510	250	250
FONTUS	WF1001P	Υ	Υ	Υ		Υ	Y	5 star	10	2	20	485	305	300
FONTUS	WF1501P	Y	Υ	Y	1	Υ	Y	5 star	15	2	25	515	335	355
FONTUS	WF2501P	Υ	Υ	Y	1	Y	Y	5 star	25	2	30	605	345	370
AQUA SPRING	WS1502M	n	Y	n	1	n	n	5 star	15	2	25	470	315	340
AQUA SPRING	WS2502M	n	Y	n	1	n	n	5 star	25	2	30	580	355	390
AQUA SPRING	WS3502M	n	Y	n	2	n	n	2 star	35	2	50	728	440	480
AQUA SPRING	WS5001M	n	Υ	n	2	n	n	1 star	50	2	60	805	470	505
AURA	WT0101P	n	Y	n	1	n	Y	n	1	3	Instant	340	178	165
AURA	WT0102P	n	Y	n	1	n	Y	n	1	4.5	Instant	340	178	165
AURA	WT0301P	n	Y	n	1	n	Y	n	3	3	Instant	378	211	185
AURA	WT0302P	n	Y	n	1	n	Y	n	3	4.5	Instant	378	211	185
NEW GLAZIO	WH1503P	n	Y	Y	1	Y	Y	5 star	15	2	25	460	324	320
NEW GLAZIO	WH2503P	n	Y	Y	1	Y	Y	5 star	25	2	30	550	365	360
ESSENTIEL	SWES25GGM2	n	Y	Y	1	Y	Y	5 star	25	2	40	550	375	390
ESSENTIEL	SWES15GGM2	n	Y	Y	1	Y	Y	5 star	15	2	30	485	340	355
AQUA SPA	SWAQ06WSM2	n	Y	Υ	1	П	Υ	4 stor	6	2	15	360	245	270
ZEST0	SWZE06GGM2	n	Y	Y	1	Y	Y	5 star	6	2	15	435	325	340
ZEST0	SWZE10GGM2	n	Υ	Υ	1	Y	Υ	5 star	10	2	20	475	325	340
ZEST0	WH1501M	n	Y	Y	1	Y	Y	5 star	15	2	30	510	330	350
ZESTO	WH2501M	n	Υ	Υ	1	Y	Υ	5 star	25	2	40	600	370	390
VENTO	GWVN06WLMD	n	Y	n	1	n	Υ	n	6	No element	Instant	310	120	440
VENTO	GWVN06WLMW	n	Υ	n	1	П	Υ	n	6	No element	Instant	310	120	440
VENTO	GWVN06WPMD	n	Y	n		П	Y	n	6	No element	Instant	310	120	440
VENTO	GWVN06WPMW	n	Υ	n		П	Υ	n	6	No element	Instant	310	120	440
AURA PLUS	WAU03WSM3	n	Y	n		n	Υ	n	3	3	Instant	230	190	340





switch to smart

A Room Heater that leaves no Room for Winter.

This winter enjoy the warmth with Orient Electric range of room heaters









Triple Overheat Protection



Large Fin Size





Explore our range of room heaters:



Fans • Home Appliances • Lighting • Switchgear









Temp. Knob



Adjustable Triple Overheat PTC Heater Protection With Fan



Adjustable Triple Overheat PTC Heater Temp. Knob Protection With Fan







Temp. Knob

Adjustable Triple Overheat PTC Heater Protection

With Fan

'More number of fins translates to faster heating.

OF1103F



Humidifier

Built in



2900W | 11 Fin



Temp. Knob





Adjustable Triple Overheat PTC Heater Protection



OF0905F





Humidifier



Temp. Knob



Adjustable Triple Overheat PTC Heater Protection With Fan

COMFY - PTC020WP





88 Wall Mountable

Overheat Protection

HC2003D









For fast heatina

Adjustable Stand



switch to smart

Orient Electric

(A division of Orient Paper & Industries Ltd.) 82, 1st Floor, Okhla Industrial Estate Phase III, New Delhi-110020 **Email:** customer.connect@orientelectric.com

Website: www.orientelectric.com Shop Online @ www.orientelectriceshop.com

Customer Care No. (Toll Free): 1800 103 7574