What you will find in your Expandakabin pack:

Floor:


Parts:

1 x Chassis

4 x Corner Posts

- 11 x wall panels (3 half panels, 8 full size panels)
- 5 x roof panels
- 1 window panel
- 1 x door panel
- 8 x panel insertion pieces (wood and plastic)
- 1 x roof cap

Fixings:





Box of M8 Washers, nuts and bolts



The tools that you will need:

13mm Spanner 13mm Socket set 2 people

Notes for assembly:

1. For the best results, assemble the Expandakabin on level ground so as to avoid bending of the chassis and complications with the aligning of the panels.

2. On initial assembly, only hand-tighten all nuts and bolts, when assembly is complete tighten all nuts and bolts with your socket spanner.

4. Retain all parts if demounting.

Notes after assembly:

1. You can return the Expandakabin back to it's original flat pack form at any time.

2. Expandakabin is not designed to be stacked when it is assembled.

3. You can lift the Expandakabin by crane or forklift.

1. Unpacking:

a. Exandakabin arrives flat-packed.
Position the flat pack unit in the place that you wish to assemble it, or un pack the contents and then position the chasis in your preferred site.





b. Undo and remove the 4 lifting pointsusing your 13mm spanner (retain thesefor future use incase you want to returnthe Expandakabin to its original flat-packform).



c. Remove the top panel (roof).







d. Unpack all of the contents, retain packaging for future use (if you want to demount the Kabin).

e. Unpack and place aside all of the panels ready for use, remove all of the packaging materials.

f. Site the chassis where you want to assemble the kabin, check that the floor is level with a spirit-level, this is crucial for the smooth assembly of the unit.

2. Corner Post and Wall Assembly

a. Attach the corner post inners and tighten.

b. Align and fit the 4 corner outerposts, using the self tapping bolts, 4 for each corner.






c. Screw in, but don't tighten completely, yet.



c. You are now ready to insert the wall panels.







f. Then insert a plastic joining strip, insert at the top of 2 joining panels...



d. Line up the wall panels into the groove and slide into position, repeat this with the remaining wall panels





...and then pull all of the way down into position.

3. Walls, door and window panels

a. Continue this procedure for the remaining panels, including the door and window panels.















4. Roof fitting - retention bars


a. Now that all of the wall, door and window panels are in place, it is time to place the ceiling retention bars.

The ceiling retention bars fit on top of the wall panels, fixing into their fixing holes at each corner, check that the panels are firmly in position to make sure that the holes line up for easy fitting of the retention bars.



5. Roof fitting - ceiling panels







6. Roof capping and finishing

a. The roof is now ready to have the roof cap moved into position.

b. Lift the roof cap onto the kabin and manoevre until it clicks into position.

c. Fit the lifting eyes to each corner to hold the roof in situ.









d. Fit the door handle

7. The Expandashelta is now ready for use

Your Expandakabin is now ready for use. We trust it will give you many years of service.



Lifting

Your assembled Expandakabin can be lifted by crane using the lifting eyes or by forklift or by helicopter!









8. Accessories

The Expandakabin has various accessories, these include:



Linking kits. Units can be linked at any time, end to end or side by side to create large areas of accommodation.





Electric packs, including: heater, light, cabling, fusebox, switches, trunking and sockets



Note: Additional window, door and replacement panels can be ordered at any time.

Window security grille cover



Door with glazed window panel