

## GROUP 5

# MACHINE CABINETS PRODUCT RANGE



ORGANISATION IS POWER



# Series 15

# 36x36 Eh

## Machine cabinets

Width: 717 mm - Depth: 748 mm


Machine cabinets with leaf doors see page 141



Machine cabinets with sliding doors see page 148



Partitioning material see page 154



### Standard colours:



RAL 5012 RAL 6011 RAL 7035



For your safety all cabinets must be anchored using floor bolts



Fixing material for cabinets Part. No. 06-00030





**Cabinet housings**  
with leaf doors

Made of high-quality sheet steel. Housing sides and bases are welded and painted with high resistance products, environmentally friendly. Available in 2 different heights with sides slotted in increments of 25 mm to allow drawers

and shelves to be adjusted accordingly. Equipped with central locking system, safety cylinder lock with 2 keys and single drawer opening system.

Width mm	Depth mm	Height mm	Usable height mm	Part. No.
717	748	1000	900	<b>15-31000</b>
717	748	1450	1350	<b>15-31450</b>

Colours: see colour chart at the bottom of the page



**Cabinet housing**  
with leaf doors

Made of high-quality sheet steel. Housing sides and bases are welded and painted with high resistance products, environmentally friendly. Available in one height only with sides slotted in increments of 25 mm to allow drawers

and shelves to be adjusted accordingly. Equipped with central locking system, safety cylinder lock with 2 keys and single drawer opening system.

Width mm	Depth mm	Height mm	Usable height mm	Part. No.
717	725/748	1000	150/700	<b>15-41000</b>

Colours: see colour chart at the bottom of the page




**Upstand raised edges**  
on 3 sides

Made of high-quality steel

For cabinet type A

Width mm	Depth mm	Height mm	Upstand with mat Part. No.	Smooth rubber mat Part. No.
717	748	20	<b>15-30025</b>	-
712	743	2	-	<b>15-30022</b>

Colour: Black



**Upstand raised edges**  
on 3 sides

Made of high-quality steel

For cabinet type B

Width mm	Depth mm	Height mm	Upstand with mat Part. No.	Smooth rubber mat Part. No.
717	725	20	<b>10-30025</b>	-
712	720	2	-	<b>10-30022</b>

Colour: Black



**Cabinet bases**  
Made of high-quality steel

	Width mm	Depth mm	Height mm	Part. No.
<b>1</b> Base plinth	717	693	50	<b>05-43605</b>
<b>1</b> Base plinth	717	693	130	<b>05-43613</b>
<b>2</b> Pallet base	717	659	100	<b>05-13610</b>
<b>3</b>	717	-	100	<b>05-33610</b>

Colour: Black



**Perforated back panel**  
Made of high-quality steel

Width mm	Height mm	Usable height mm	Part. No.
717	1104	608	<b>10-30100</b>




Hooks  
see page 249



Partitioning material  
see page 154

Standard colours:





# Series 15

# 36x36 Eh



## Drawers

Made of high-quality sheet steel.  
Available in two versions (simple or total extension) with steel roller bearings. All 4 drawer walls are slotted, for custom sub-division using partitioning material. All drawer handles are equipped with aluminium profiles, end caps and labelling strips.

Front height mm	Usable height mm	Lateral height mm	Load capacity kg *	Part. No.
50 S	36	33	60	10-33050
75 S	61	52	80	10-33075
75 T	54	52	200	10-33076
100 S	86	77	100	10-33100
100 T	79	77	200	10-33101
125 S	111	77	100	10-33125
125 T	104	77	200	10-33126
150 S	136	127	100	10-33150
150 T	129	127	200	10-33151
175 T	154	127	200	10-33176
200 S	186	177	100	10-33200
200 T	179	177	200	10-33201
250 T	229	177	200	10-33251
300 S	286	277	100	10-33300
300 T	279	277	200	10-33301
400 T	379	277	200	10-33401


**S** = simple extension: 85 - 90% extension

**T** = total extension: 100% extension

\* with load evenly distributed and at least one slotted divider in the middle

External drawers colour: Light grey RAL 7035 internal, for drawer front see colour chart at the bottom of the page

Internal drawers colour: Light grey RAL 7035



### Card insert and cellophane (spare part)


For drawers: 36 Eh Part. No. 06-00365  
Kit: 30 pieces



## Work surfaces for cabinets

Width mm	Depth mm	Thickness mm	Plastic laminated Part. No.	Linoplex Part. No.
717	750	30	10-30014	10-30016

Colour: Plastic laminated/linoplex light grey RAL 7035



## Retractable shelves

Made of high-quality sheet steel.  
Available in two versions (simple or total extension) with steel roller bearings. Fitted with galvanised steel inserts ensuring a level surface. All retractable shelf handles are equipped with aluminium profiles, end caps and labelling strips.

Usable width mm	Usable depth mm	Height mm	Extension %	Load capacity kg *	Part. No.
612	612	75	85	100	10-33984
612	612	75	100	200	10-33985


\* with load evenly distributed

Colour: Light grey RAL 7035



### Card insert and cellophane (spare part)

For drawers: 36 Eh Part. No. 06-00365  
Kit: 30 pieces



## Adjustable shelf

Made of steel. Lateral supports included

Usable width mm	Usable depth mm	Height mm	Load capacity kg	Part. No.
658	620	35	70	33-72038

Colour: Light grey RAL 7035



## Lower shelf

Made of high-quality steel

Usable width mm	Usable depth mm	Height mm	Load capacity kg	Part. No.
651	618	55	50	10-30034

Colour: Light grey RAL 7035

### Standard colours:

RAL 5012 RAL 6011 RAL 7035



## Standard examples:



**01 02**  
75 S 75 T  
150 S 150 T  
150 S 150 T

Height:	Part. No.
1020 mm	15-31000-01
	15-31000-02

3 Drawers  
Upstand raised edges on 3 sides



**05 06**  
75 S 75 T  
75 S 75 T  
75 S 75 T  
RS S RS T

Height:	Part. No.
1020 mm	15-31000-05
	15-31000-06

3 Drawers  
1 Retractable shelf  
Upstand raised edges on 3 sides



**07 08**  
75 S 75 T  
100 S 100 T  
100 S 100 T  
100 S 100 T

Height:	Part. No.
1020 mm	15-31000-07
	15-31000-08

4 Drawers  
Upstand raised edges on 3 sides



**09 10**  
75 S 75 T  
75 S 75 T  
75 S 75 T  
75 S 75 T  
RS S PE T

Height:	Part. No.
1020 mm	15-31000-09
	15-31000-10

4 Drawers  
1 Retractable shelf  
Upstand raised edges on 3 sides



**11 12**  
75 S 75 T  
100 S 100 T  
100 S 100 T

Height:	Part. No.
1020 mm	15-31000-11
	15-31000-12

3 Drawers  
Upstand raised edges on 3 sides



**13 14**  
50 S 50 S  
75 S 75 T  
75 S 75 T  
150 S 150 T  
150 S 150 T

Height:	Part. No.
1020 mm	15-31000-13
	15-31000-14

5 Drawers  
Upstand raised edges on 3 sides




Partitioning material  
see page 154



**Drawers:**  
S = load capacity:100 kg - extension 85-90%  
T = load capacity:200 kg - extension 100%

Standard colours:





# Series 15

# 36x36 Eh

5



**25 26**  
75 S 75 T  
75 S 75 T  
RS S RS T  
RS S RS T

Height:	Part. No.
1020 mm	15-31000-25
	15-31000-26

2 Drawers  
2 Retractable shelves  
Upstand raised edges on 3 sides



**29 30**  
150 S 150 T  
150 S 150 T  
150 S 150 T

Height:	Part. No.
1020 mm	15-31000-29
	15-31000-30

3 Drawers  
Upstand raised edges on 3 sides



**33 34**  
75 S 75 T  
75 S 75 T  
75 S 75 T  
RS S RS T  
RS S RS T

Height:	Part. No.
1020 mm	15-31000-33
	15-31000-34

3 Drawers  
2 Retractable shelves  
Upstand raised edges on 3 sides



**39 40**  
100 S 100 T  
100 S 100 T  
100 S 100 T

Height:	Part. No.
1020 mm	15-31000-39
	15-31000-40

3 Drawers  
Upstand raised edges on 3 sides



**45 46**  
75 S 75 T  
75 S 75 T  
75 S 75 T  
100 S 100 T  
100 S 100 T

Height:	Part. No.
1020 mm	15-31000-45
	15-31000-46

5 Drawers  
Upstand raised edges on 3 sides

### Standard colours:

RAL 5012 RAL 6011 RAL 7035



### Drawers:

**S** = load capacity:100 kg - extension 85-90%  
**T** = load capacity:200 kg - extension 100%

Standard examples:



**01 02**  
150 S 150 T  
150 S 150 T  
150 S 150 T

Height:	Part. No.
1450 mm	15-31450-01
	15-31450-02
3 Drawers	



**05 06**  
75 S 75 T  
75 S 75 T  
150 S 150 T  
150 S 150 T  
150 S 150 T

Height:	Part. No.
1450 mm	15-31450-05
	15-31450-06
5 Drawers	



**07 08**  
75 S 75 T  
75 S 75 T  
100 S 100 T  
100 S 100 T  
100 S 100 T

Height:	Part. No.
1450 mm	15-31450-07
	15-31450-08
5 Drawers	



**13 14**  
75 S 75 T  
75 S 75 T  
75 S 75 T  
100 S 100 T  
RS S RS T

Height:	Part. No.
1450 mm	15-31450-13
	15-31450-14
4 Drawers 1 Retractable shelf	




**33 34**  
100 S 100 T  
100 S 100 T  
100 S 100 T

Height:	Part. No.
1450 mm	15-31450-33
	15-31450-34
3 Drawers	



Partitioning material  
see page 154

Standard colours:





# Series 15

# 36x36 Eh

5



**01 02**  
75 S 75 T  
75 S 75 T  
  
150 S 150 T  
  
150 S 150 T

Height:	Part. No.
1020 mm	15-41000-01
	15-41000-02

4 Drawers  
Upstand raised edges on 3 sides



**05 06**  
75 S 75 T  
75 S 75 T  
  
75 S 75 T  
  
150 S 150 T  
  
150 S 150 T

Height:	Part. No.
1020 mm	15-41000-05
	15-41000-06

5 Drawers  
Upstand raised edges on 3 sides



**09 10**  
75 S 75 T  
75 S 75 T  
  
75 S 75 T  
  
75 S 75 T  
  
75 S 75 T  
  
RS S RS T

Height:	Part. No.
1020 mm	15-41000-09
	15-41000-10

5 Drawers  
1 Retractable shelf  
Upstand raised edges on 3 sides



**11 12**  
75 S 75 T  
75 S 75 T  
  
100 S 100 T  
  
100 S 100 T

Height:	Part. No.
1020 mm	15-41000-11
	15-41000-12

4 Drawers  
Upstand raised edges on 3 sides



**37 38**  
75 S 75 T  
75 S 75 T  
  
100 S 100 T  
  
RS S RS T

Height:	Part. No.
1020 mm	15-41000-37
	15-41000-38

3 Drawers  
1 Retractable shelf  
Upstand raised edges on 3 sides




**39 40**  
75 S 75 T  
75 S 75 T  
  
100 S 100 T  
  
150 S 150 T

Height:	Part. No.
1020 mm	15-41000-39
	15-41000-40


4 Drawers  
Upstand raised edges on 3 sides

**Standard colours:**



**Drawers:**

S = load capacity:100 kg - extension 85-90%  
T = load capacity:200 kg - extension 100%



Partitioning material  
see page 154



Standard examples:



75 T  
75 T  
75 T  
100 T  
  
100 T  
  
RS T

Height:	Part. No.
<b>1020 mm</b>	
without Tool holders	<b>15-31000-71</b>
with 32 Tool holders ISO-SK30	<b>15-31000-73</b>
with 32 Tool holders ISO-SK40	<b>15-31000-74</b>
with 20 Tool holders ISO-SK50	<b>15-31000-75</b>
with 24 Tool holders VDI 40	<b>15-31000-76</b>
with 32 Tool holders HSK 50	<b>15-31000-77</b>
with 24 Tool holders HSK 63	<b>15-31000-78</b>

Fittings:  
5 Drawers  
1 Retractable shelf  
1 Tool holder frame and supports  
Upstand raised edges on 3 sides



75 T  
75 T  
  
100 T  
  
100 T

Height:	Part. No.
<b>1450 mm</b>	
without Tool holders	<b>15-31450-71</b>
with 32 Tool holders ISO-SK30	<b>15-31450-73</b>
with 32 Tool holders ISO-SK40	<b>15-31450-74</b>
with 20 Tool holders ISO-SK50	<b>15-31450-75</b>
with 24 Tool holders VDI 40	<b>15-31450-76</b>
with 32 Tool holders HSK 50	<b>15-31450-77</b>
with 24 Tool holders HSK 63	<b>15-31450-78</b>

Fittings:  
4 Drawers  
1 Tool holder frame and supports



75 T  
75 T  
75 T  
75 T  
  
100 T  
  
RS T

Height:	Part. No.
<b>1020 mm</b>	
without Tool holders	<b>15-41000-71</b>
with 32 Tool holders ISO-SK30	<b>15-41000-73</b>
with 32 Tool holders ISO-SK40	<b>15-41000-74</b>
with 20 Tool holders ISO-SK50	<b>15-41000-75</b>
with 24 Tool holders VDI 40	<b>15-41000-76</b>
with 32 Tool holders HSK 50	<b>15-41000-77</b>
with 24 Tool holders HSK 63	<b>15-41000-78</b>

Fittings:  
5 Drawers  
1 Retractable shelf  
1 Tool holder frame and supports  
Upstand raised edges on 3 sides



**Tool holder frame for drawers**

Made of steel

**C Tool holder frame**


Width mm	Depth mm	Drawer Eh	No. of rows	Part. No.
658	467	36x36	4	<b>30-43436</b>

Colour: Light grey RAL 7035

**D Frame support, pair**


For taper length mm	Height mm	Depth 36 Eh Part. No.
80-160	135-165	<b>30-43410</b>
185-220	195-225	<b>30-43417</b>

Colour: Light grey RAL 7035



Tool holders see page 153

Standard colours:





# Series 15

# 36x36 Eh



**Cabinet housing**  
with sliding doors

Made of high-quality sheet steel. Housing sides and bases are welded and painted with high resistance products, environmentally friendly. Available in one height only with sides slotted in increments of 25 mm to allow drawers and shelves to be adjusted accordingly. Equipped with central locking system, safety cylinder lock with 2 keys.

Width mm	Depth mm	Height mm	Usable height mm	Part. No.
1431	780	1000	875	<b>15-51000</b>

Colours: see colour chart at the bottom of the page



**Upstand raised edges**  
on 3 sides

Made of high-quality steel

Width mm	Depth mm	Height mm	Upstand with mat Part. No.	Smooth rubber mat Part. No.
1431	780	20	<b>15-50025</b>	-
1426	775	2	-	<b>15-50022</b>

Colour: Black




**Cabinet bases**

Made of high-quality steel

	Width mm	Depth mm	Height mm	Part. No.
<b>2</b> Pallet base	1431	713	100	<b>05-23710</b>
<b>3</b> Cover plate	1431	-	100	<b>05-37810</b>

Colour: Black



**Perforated back panel**

Made of high-quality steel

Width mm	Height mm	Usable height mm	Part. No.
1431	1104	608	<b>10-70100</b>

Colour: Light grey RAL 7035



**Hooks**  
see page 249



**Work surfaces for cabinets**


Width mm	Depth mm	Thickness mm	Plastic laminated Part. No.	Linoplex Part. No.
1431	800	30	<b>15-50014</b>	<b>15-50016</b>

Colour: Plastic laminated/linoplex light grey RAL 7035

**Standard colours:**

RAL 5012 RAL 6011 RAL 7035





**Drawers**

Made of high-quality sheet steel.  
Available in two versions (simple or total extension) with steel roller bearings. All 4 drawer walls are slotted, for custom sub-division using partitioning material. All drawer handles are equipped with aluminium profiles, end caps and labelling strips.


Front height mm	Usable height mm	Lateral height mm	Load capacity kg *	Part. No.
50 S	36	33	60	10-33050
75 S	61	52	80	10-33075
75 T	54	52	200	10-33076
100 S	86	77	100	10-33100
100 T	79	77	200	10-33101
125 S	111	77	100	10-33125
125 T	104	77	200	10-33126
150 S	136	127	100	10-33150
150 T	129	127	200	10-33151
175 T	154	127	200	10-33176
200 S	186	177	100	10-33200
200 T	179	177	200	10-33201
250 T	229	177	200	10-33251
300 S	286	277	100	10-33300
300 T	279	277	200	10-33301
400 T	379	277	200	10-33401

S = simple extension: 85 - 90% extension

T = total extension: 100% extension

\* with load evenly distributed and at least one slotted divider in the middle


Colour: Light grey RAL 7035



**Card insert and cellophane (spare part)**

For drawers: 36 Eh Part. No. 06-00365

Kit: 30 pieces



**Retractable shelves**

Made of high-quality sheet steel.  
Available in two versions (simple or total extension) with steel roller bearings. Fitted with galvanised steel inserts ensuring a level surface. All retractable shelf handles are equipped with aluminium profiles, end caps and labelling strips.

Usable width mm	Usable depth mm	Height mm	Extension %	Load capacity kg *	Part. No.
612	612	75	85	100	10-33984
612	612	75	100	200	10-33985

\* with load evenly distributed

Colour: Light grey RAL 7035



**Card insert and cellophane (spare part)**

For drawers: 36 Eh Part. No. 06-00365

Kit: 30 pieces




**Adjustable shelf**

Made of steel. Lateral supports included

Usable width mm	Usable depth mm	Height mm	Load capacity kg	Part. No.
658	620	35	70	33-72038

Colour: Light grey RAL 7035



**Lower shelf**

Made of high-quality steel

Usable width mm	Usable depth mm	Height mm	Load capacity kg	Part. No.
651	618	55	50	10-30034

Colour: Light grey RAL 7035




Partitioning material  
see page 154



Load capacity is intended  
for evenly distributed loads

Standard colours:





# Series 15

# 36x36 Eh



01 02

75 S 75 T

RS S RS T

RS S RS T

RS S RS T

<b>Height:</b>	<b>Part. No.</b>
1020 mm	15-51000-01
	15-51000-02

2 Drawers  
6 Retractable shelves  
Upstand raised edges on 3 sides



05 06

75 S 75 T

75 S 75 T

75 S 75 T

RS S RS T

<b>Height:</b>	<b>Part. No.</b>
1020 mm	15-51000-05
	15-51000-06

6 Drawers  
2 Retractable shelves  
Upstand raised edges on 3 sides



09 10

75 S 75 T

75 S 75 T

75 S 75 T

75 S 75 T

RS S RS T

<b>Height:</b>	<b>Part. No.</b>
1020 mm	15-51000-09
	15-51000-10

8 Drawers  
2 Retractable shelves  
Upstand raised edges on 3 sides



11 12

75 S 75 T

100 S 100 T

100 S 100 T

100 S 100 T

<b>Height:</b>	<b>Part. No.</b>
1020 mm	15-51000-11
	15-51000-12

8 Drawers  
Upstand raised edges on 3 sides



13 14

75 S 75 T

150 S 150 T

150 S 150 T

<b>Height:</b>	<b>Part. No.</b>
1020 mm	15-51000-13
	15-51000-14

6 Drawers  
Upstand raised edges on 3 sides



21 22

75 S 75 T

75 S 75 T

75 S 75 T

75 S 75 T

150 S 150 T

150 S 150 T

<b>Height:</b>	<b>Part. No.</b>
1020 mm	15-51000-21
	15-51000-22

12 Drawers  
Upstand raised edges on 3 sides


### Standard colours:

RAL 5012 RAL 6011 RAL 7035



### Drawers:

S = load capacity:100 kg - extension 85-90%  
T = load capacity:200 kg - extension 100%



Partitioning material  
see page 154

Standard examples:



**23 24**  
75 S 75 T  
100 S 100 T  
100 S 100 T

<b>Height:</b>	<b>Part. No.</b>
1020 mm	15-51000-23
	15-51000-24

6 Drawers  
Upstand raised edges on 3 sides



**29 30**  
75 S 75 T  
75 S 75 T  
RS S RS T  
RS S RS T

<b>Height:</b>	<b>Part. No.</b>
1020 mm	15-51000-29
	15-51000-30

4 Drawers  
4 Retractable shelves  
Upstand raised edges on 3 sides



**45 46**  
75 S 75 T  
75 S 75 T  
75 S 75 T  
75 S 75 T  
RS S RS T  
RS S RS T

<b>Height:</b>	<b>Part. No.</b>
1020 mm	15-51000-45
	15-51000-46

8 Drawers  
4 Retractable shelves  
Upstand raised edges on 3 sides



**33 34**  
75 S 75 T  
75 S 75 T  
75 S 75 T  
75 S 75 T  
75 S 75 T

<b>Height:</b>	<b>Part. No.</b>
1020 mm	15-51000-33
	15-51000-34

8 Drawers  
Upstand raised edges on 3 sides



**41 42**  
75 S 75 T  
100 S 100 T  
150 S 150 T

<b>Height:</b>	<b>Part. No.</b>
1020 mm	15-51000-41
	15-51000-42

6 Drawers  
Upstand raised edges on 3 sides



**43 44**  
75 S 75 T  
75 S 75 T  
75 S 75 T  
75 S 75 T  
100 S 100 T  
100 S 100 T



<b>Height:</b>	<b>Part. No.</b>
1020 mm	15-51000-43
	15-51000-44

12 Drawers  
Upstand raised edges on 3 sides



Tool holders see  
page 153

Standard colours:

RAL 5012  RAL 6011  RAL 7035 



# Serie 15

# 36x36 Eh

Standard examples:



75 T  
75 T  
75 T  
  
100 T  
  
RS T

Height:	Part. No.
1020 mm	

without Tool holders	15-51000-71
with 64 Tool holders ISO-SK30	15-51000-73
with 64 Tool holders ISO-SK40	15-51000-74
with 40 Tool holders ISO-SK50	15-51000-75
with 48 Tool holders VDI 40	15-51000-76
with 64 Tool holders HSK 50	15-51000-77
with 48 Tool holders HSK 63	15-51000-78

Fittings:  
8 Drawers  
2 Retractable shelves  
2 Tool holder frames and supports  
Upstand raised edges on 3 sides



**Tool holder frame  
for drawers**  
Made of steel

### C Tool holder frame


Width mm	Depth mm	Drawer Eh	No. of rows	Part. No.
584	596	36x36	4	30-43436

Colour: Light grey RAL 7035

### D Frame support, pair


For taper length mm	Height mm	Depth 36 Eh Part. No.
80-160	135-165	30-43410
185-220	195-225	30-43417

Colour: Light grey RAL 7035




Height

### Standard colours:



### Drawers:

S = load capacity:100 kg - extension 85-90%  
T = load capacity:200 kg - extension 100%



Partitioning material  
see page 154

## Tool holders




Tool type	RED Part. No.	No. of tools per tool holder	No. of tools per frame Part. No. 30-43436
ISO-SK 25	30-51025	4	20
ISO-SK 30	30-51030	1	32
ISO-SK 40	30-51040	1	32
ISO-SK 45	30-51045	1	24
ISO-SK 50	30-51050	1	20
HSK 32	30-51432	1	32
HSK 40	30-51440	1	32
HSK 50	30-51450	1	32
HSK 63	30-51463	1	32
HSK 80	30-51480	1	24
HSK 100	30-51499	1	20
CAPTO C3	30-51603	4	16
CAPTO C4	30-51604	1	32
CAPTO C5	30-51605	1	32
CAPTO C6	30-51606	1	28
CAPTO C8	30-51608	1	24
VDI 20	30-51120	1	32
VDI 30	30-51130	1	32
VDI 40	30-51140	1	32
VDI 50	30-51150	1	24
VDI 60	30-51160	1	20
58 mm	30-50058	-	32
65 mm	30-50065	-	32
75 mm	30-50075	-	28
87 mm	30-50087	-	24
105 mm	30-50105	-	20
120 mm	30-50120	-	16




# Series 15

# 36x36 Eh


## Partitioning material




For front height:	Part. No.
50 mm and higher	07-30002
16 Troughs	2-Trough
38 Trough dividers	




For front height:	Part. No.
50 mm and higher	07-30003
16 Troughs	3-Trough
51 Trough dividers	




For front height:	Part. No.
50 mm and higher	07-30004
16 Troughs	4-Trough
64 Trough dividers	




For front height:	Part. No.
50 mm and higher	07-30034
8 Troughs	3-Trough
16 Trough dividers	
8 Troughs	4-Trough
24 Trough dividers	



For front height:	Part. No.
50 mm and higher	07-30234
4 Troughs	2-Trough
10 Trough dividers	
8 Troughs	3-Trough
20 Trough dividers	
4 Troughs	4-Trough
30 Trough dividers	




For front height:	Part. No.
50 mm	07-31105
75 mm	07-31107
100-125 mm	07-31110
32 Plastic boxes	150x75 mm







Standard examples:




For front height:	Part. No.
50 mm	07-31205
75 mm	07-31207
100-125 mm	07-31210
16 Plastic boxes	150x150 mm




For front height:	Part. No.
50 mm	07-31405
75 mm	07-31407
100-125 mm	07-31410
16 Plastic boxes	150x75 mm
8 Plastic boxes	150x150 mm




For front height:	Part. No.
50 mm	07-31505
75 mm	07-31507
16 Plastic boxes	75x75 mm
16 Plastic boxes	150x75 mm
4 Plastic boxes	150x150 mm



For front height:	Part. No.
75 mm	07-33107
100-125 mm	07-33110
150-175 mm	07-33115
200-250 mm	07-33120
300-400 mm	07-33130
2 Slotted partitions	36 Eh
3 Aluminium dividers	12 Eh



For front height:	Part. No.
75 mm	07-33207
100-125 mm	07-33210
150-175 mm	07-33215
200-250 mm	07-33220
2 Slotted partitions	36 Eh
8 Aluminium dividers	12 Eh



For front height:	Part. No.
75 mm	07-33307
100-125 mm	07-33310
150-175 mm	07-33315
200-250 mm	07-33320
3 Slotted partitions	36 Eh
15 Aluminium dividers	9 Eh



Standard examples with slotted partitions are supplied with fixings



# Series 16

# 36x27 Eh

## Machine cabinets

Width: 717 mm - Depth: 595 mm


Machine cabinets with leaf doors  
see page 157



Machine cabinets with sliding doors  
see page 161



Partitioning material  
see page 167



### Standard colours:



RAL 5012 RAL 6011 RAL 7035



For your safety all cabinets  
must be anchored using  
floor bolts



Fixing material  
for cabinets  
Part. No.  
06-00030






**Cabinet housing**  
with leaf doors

Made of high-quality sheet steel. Housing sides and bases are welded and painted with high resistance products, environmentally friendly. Available in one height only with sides slotted in increments of 25 mm to allow drawers and shelves to be adjusted accordingly. Equipped with central locking system, safety cylinder lock with 2 keys and single drawer opening system.

shelves to be adjusted accordingly. Equipped with central locking system, safety cylinder lock with 2 keys and single drawer opening system.

Width mm	Depth mm	Height mm	Usable height mm	Part. No.
717	595	1000	900	<b>16-31000</b>

Colours: see colour chart at the bottom of the page



**Upstand raised edges on 3 sides**

Made of high-quality steel

Width mm	Depth mm	Height mm	Upstand with mat Part. No.	Smooth rubber mat Part. No.
717	595	20	<b>16-30025</b>	-
712	590	2	-	<b>16-30022</b>

Colour: Black



**Perforated back panel**

Made of high-quality steel

Width mm	Height mm	Usable height mm	Part. No.
717	1104	608	<b>10-30100</b>

Colour: Light grey RAL 7035



Hooks see page 249



**Cabinet bases**

Made of high-quality steel

	Width mm	Depth mm	Height mm	Part. No.
<b>1</b> Base plinth	717	540	50	<b>05-43505</b>
<b>1</b> Base plinth	717	540	130	<b>05-43513</b>
<b>2</b> Pallet base	717	506	100	<b>05-13510</b>
<b>3</b> Cover plate	717	-	100	<b>05-33610</b>

Colour: Black



**Work surfaces for cabinets**

Width mm	Depth mm	Thickness mm	Plastic laminated Part. No.	Linoplex Part. No.
717	600	30	<b>11-30014</b>	<b>11-30016</b>

Colour: Plastic laminated/linoplex light grey RAL 7035



**Lower shelf**

Made of high-quality steel

Usable width mm	Usable depth mm	Height mm	Load capacity kg	Part. No.
651	465	55	50	<b>11-30034</b>

Colour: Light grey RAL 7035




Partitioning material see page 167



Load capacity is intended for evenly distributed loads

Standard colours:





# Series 16

# 36x27 Eh



S

T

## Drawers

Made of high-quality sheet steel.

Available in two versions (simple or total extension) with steel roller bearings. All 4 drawer walls are slotted, for custom sub-division using partitioning material. All drawer handles are equipped with aluminium profiles, end caps and labelling strips.


Front height mm	Usable height mm	Lateral height mm	Load capacity kg *	Part. No.
50 S	36	33	60	11-33050
75 S	61	52	80	11-33075
75 T	54	52	200	11-33076
100 S	86	77	100	11-33100
100 T	79	77	200	11-33101
125 S	111	77	100	11-33125
125 T	104	77	200	11-33126
150 S	136	127	100	11-33150
150 T	129	127	200	11-33151
200 S	186	177	100	11-33200
200 T	179	177	200	11-33201
250 T	229	177	200	11-33251
300 S	286	277	100	11-33300
300 T	279	277	200	11-33301

S = simple extension: 85 - 90% extension

T = total extension: 100% extension

\* with load evenly distributed and at least one slotted divider in the middle

Colour: Light grey RAL 7035




### Card insert and cellophane (spare part)

For drawers: 36 Eh

Part. No. 06-00365

Kit: 30 pieces



s

T

## Retractable shelves

Made of high-quality sheet steel.

Available in two versions (simple or total extension) with steel roller bearings. Fitted with galvanised steel inserts ensuring a level surface. All retractable shelf handles are equipped with aluminium profiles, end caps and labelling strips.

Usable width mm	Usable depth mm	Height mm	Extension %	Load capacity kg*	Part. No.
612	459	75	85	100	11-33984
612	459	75	100	200	11-33985

\* with load evenly distributed

Colour: Light grey RAL 7035




### Card insert and cellophane (spare part)

For drawers: 36 Eh

Part. No. 06-00365

Kit: 30 pieces



## Adjustable shelf

Made of steel. Lateral supports included

Usable width mm	Usable depth mm	Height mm	Load capacity kg	Part. No.
658	467	35	70	33-52038

Colour: Light grey RAL 7035

### Standard colours:

RAL 5012 RAL 6011 RAL 7035



Standard examples:



**05 06**  
75 S 75 T  
75 S 75 T  
RS S RS T

Height:	Part. No.
1020 mm	16-31000-05
	16-31000-06

2 Drawers  
1 Retractable shelf  
Upstand raised edges on 3 sides



**07 08**  
75 S 75 T  
100 S 100 T  
100 S 100 T  
100 S 100 T

Height:	Part. No.
1020 mm	16-31000-07
	16-31000-08

4 Drawers  
Upstand raised edges on 3 sides



**09 10**  
75 S 75 T  
75 S 75 T  
RS S RS T  
RS S RS T

Height:	Part. No.
1020 mm	16-31000-09
	16-31000-10

2 Drawers  
2 Retractable shelves  
Upstand raised edges on 3 sides



**11 12**  
75 S 75 T  
100 S 100 T  
100 S 100 T

Height:	Part. No.
1020 mm	16-31000-11
	16-31000-12

3 Drawers  
Upstand raised edges on 3 sides



**13 14**  
75 S 75 T  
75 S 75 T  
75 S 75 T  
RS S RS T

Height:	Part. No.
1020 mm	16-31000-13
	16-31000-14

3 Drawers  
1 Retractable shelf  
Upstand raised edges on 3 sides



**17 18**  
75 S 75 T  
75 S 75 T  
75 S 75 T  
RS S RS T  
RS S RS T

Height:	Part. No.
1020 mm	16-31000-17
	16-31000-18

3 Drawers  
2 Retractable shelves  
Upstand raised edges on 3 sides




Partitioning material  
see page 167



**Drawers:**  
S = load capacity:100 kg - extension 85-90%  
T = load capacity:200 kg - extension 100%

Standard colours:





# Series 16

# 36x27 Eh

Standard examples:



21 22

75 S 75 T  
75 S 75 T  
75 S 75 T

75 S 75 T

Height:	Part. No.
1020 mm	16-31000-21
	16-31000-22

4 Drawers  
Upstand raised edges on 3 sides



25 26

75 S 75 T  
75 S 75 T  
75 S 75 T  
75 S 75 T

RS S RS T

Height:	Part. No.
1020 mm	16-31000-25
	16-31000-26

4 Drawers  
1 Retractable shelf  
Upstand raised edges on 3 sides



29 30

75 S 75 T  
75 S 75 T  
75 S 75 T  
75 S 75 T

75 S 75 T

Height:	Part. No.
1020 mm	16-31000-29
	16-31000-30

5 Drawers  
Upstand raised edges on 3 sides




33 34

75 S 75 T  
75 S 75 T  
75 S 75 T  
75 S 75 T  
75 S 75 T  
75 S 75 T

Height:	Part. No.
1020 mm	16-31000-33
	16-31000-34

6 Drawers  
Upstand raised edges on 3 sides



## Tool holder frame for drawers

Made of steel

### C Tool holder frame


Width mm	Depth mm	Drawer Eh	No. of rows	Part. No.
584	447	36x27	3	30-43336

Colour: Light grey RAL 7035

### D Frame support, pair

For taper length mm	Height mm	Depth 27 Eh Part. No.
80-160	135-165	30-43310
185-220	195-225	30-43317

Colour: Light grey RAL 7035



### Standard colours:

RAL 5012 RAL 6011 RAL 7035




160



### Drawers:

S = load capacity:100 kg - extension 85-90%  
T = load capacity:200 kg - extension 100%



Partitioning material see page 167



**Cabinet housing**  
with sliding doors

Made of high-quality sheet steel. Housing sides and bases are welded and painted with high resistance products, environmentally friendly. Available in one height only with sides slotted in increments of 25 mm to allow drawers and shelves to be adjusted accordingly. Equipped with central locking system, safety cylinder lock with 2 keys.

Width mm	Depth mm	Height mm	Usable height mm	Part. No.
1431	627	1000	875	<b>16-51000</b>

Colours: see colour chart at the bottom of the page



**Upstand raised edges on 3 sides**

Made of high-quality steel

Width mm	Depth mm	Height mm	Upstand with mat Part. No.	Smooth rubber mat Part. No.
1431	627	20	<b>16-50025</b>	-
1426	622	2	-	<b>16-50022</b>

Colour: Black




**Cabinet bases**

Made of high-quality steel

	Width mm	Depth mm	Height mm	Part. No.
<b>2</b> Pallet base	1431	560	100	<b>05-23410</b>
<b>3</b> Cover plate	1431	-	100	<b>05-37810</b>

Colour: Black



**Perforated back panel**

Made of high-quality steel

Width mm	Height mm	Usable height mm	Part. No.
1431	1104	608	<b>10-70100</b>

Colour: Light grey RAL 7035



Hooks  
see page 249



**Work surfaces for cabinets**


Width mm	Depth mm	Thickness mm	Plastic laminated Part. No.	Linoplex Part. No.
1431	650	30	<b>16-50014</b>	<b>16-50016</b>

Colour: Plastic laminated/linoplex light grey RAL 7035



Tool holders see  
page 166

Standard colours:





# Series 16

# 36x27 Eh



S

T

## Drawers

Made of high-quality sheet steel. Available in two versions (simple or total extension) with steel roller bearings. All 4 drawer walls are slotted, for custom sub-division using partitioning material. All drawer handles are equipped with aluminium profiles, end caps and labelling strips.


Front height mm	Usable height mm	Lateral height mm	Load capacity kg *	Part. No.
50 S	36	33	60	11-33050
75 S	61	52	80	11-33075
75 T	54	52	200	11-33076
100 S	86	77	100	11-33100
100 T	79	77	200	11-33101
125 S	111	77	100	11-33125
125 T	104	77	200	11-33126
150 S	136	127	100	11-33150
150 T	129	127	200	11-33151
200 S	186	177	100	11-33200
200 T	179	177	200	11-33201
250 T	229	177	200	11-33251
300 S	286	277	100	11-33300
300 T	279	277	200	11-33301

S = simple extension: 85 - 90% extension

T = total extension: 100% extension

\* with load evenly distributed and at least one slotted divider in the middle


Colour: Light grey RAL 7035



### Card insert and cellophane (spare part)

For drawers: 36 Eh Part. No. 06-00365

Kit: 30 pieces



s

T

## Retractable shelves

Made of high-quality sheet steel. Available in two versions (simple or total extension) with steel roller bearings. Fitted with galvanised steel inserts ensuring a level surface. All retractable shelf handles are equipped with aluminium profiles, end caps and labelling strips.

Usable width mm	Usable depth mm	Height mm	Extension %	Load capacity kg*	Part. No.
612	459	75	85	100	11-33984
612	459	75	100	200	11-33985

\* with load evenly distributed


Colour: Light grey RAL 7035



### Card insert and cellophane (spare part)

For drawers: 36 Eh Part. No. 06-00365

Kit: 30 pieces



## Adjustable shelf

Made of steel. Lateral supports included

Usable width mm	Usable depth mm	Height mm	Load capacity kg	Part. No.
658	467	35	70	33-52038

Colour: Light grey RAL 7035

### Standard colours:

RAL 5012 RAL 6011 RAL 7035





## Standard examples:



**01 02**  
75 S 75 T  
RS S RS T  
RS S RS T  
RS S RS T

**Height:** 1020 mm  
**Part. No.** 16-51000-01  
16-51000-02

2 Drawers  
6 Retractable shelves  
Upstand raised edges on 3 sides



**05 06**  
75 S 75 T  
75 S 75 T  
RS S RS T

**Height:** 1020 mm  
**Part. No.** 16-51000-05  
16-51000-06

4 Drawers  
2 Retractable shelves  
Upstand raised edges on 3 sides



**11 12**  
75 S 75 T  
100 S 100 T  
100 S 100 T  
100 S 100 T

**Height:** 1020 mm  
**Part. No.** 16-51000-11  
16-51000-12

8 Drawers  
Upstand raised edges on 3 sides



**13 14**  
75 S 75 T  
75 S 75 T  
75 S 75 T

**Height:** 1020 mm  
**Part. No.** 16-51000-13  
16-51000-14

6 Drawers  
Upstand raised edges on 3 sides



**17 18**  
75 S 75 T  
75 S 75 T  
75 S 75 T  
RS S RS T

**Height:** 1020 mm  
**Part. No.** 16-51000-17  
16-51000-18

6 Drawers  
2 Retractable shelves  
Upstand raised edges on 3 sides



**21 22**  
75 S 75 T  
75 S 75 T  
75 S 75 T  
RS S RS T  
RS S RS T

**Height:** 1020 mm  
**Part. No.** 16-51000-21  
16-51000-22

6 Drawers  
4 Retractable shelves  
Upstand raised edges on 3 sides




Partitioning material  
see page 167



**Drawers:**  
S = load capacity:100 kg - extension 85-90%  
T = load capacity:200 kg - extension 100%

Standard colours:





# Series 16

# 36x27 Eh

### Standard examples:



**23 24**  
 75 S 75 T  
 100 S 100 T  
 100 S 100 T

<b>Height:</b>	<b>Part. No.</b>
1020 mm	16-51000-23
	16-51000-24

6 Drawers  
 Upstand raised edges on 3 sides



**25 26**  
 75 S 75 T  
 75 S 75 T  
 75 S 75 T  
 75 S 75 T

<b>Height:</b>	<b>Part. No.</b>
1020 mm	16-51000-25
	16-51000-26

8 Drawers  
 Upstand raised edges on 3 sides



**29 30**  
 75 S 75 T  
 75 S 75 T  
 75 S 75 T  
 75 S 75 T  
 RS S RS T

<b>Height:</b>	<b>Part. No.</b>
1020 mm	16-51000-29
	16-51000-30

8 Drawers  
 2 Retractable shelves  
 Upstand raised edges on 3 sides



**33 34**  
 75 S 75 T  
 75 S 75 T  
 75 S 75 T  
 75 S 75 T  
 75 S 75 T  
 75 S 75 T

<b>Height:</b>	<b>Part. No.</b>
1020 mm	16-51000-33
	16-51000-34

10 Drawers  
 Upstand raised edges on 3 sides



**37 38**  
 75 S 75 T  
 150 S 150 T  
 150 S 150 T

<b>Height:</b>	<b>Part. No.</b>
1020 mm	16-51000-37
	16-51000-38

6 Drawers  
 Upstand raised edges on 3 sides




**40 41**  
 75 S 75 T  
 75 S 75 T  
 RS S RS T  
 RS S RS T

<b>Height:</b>	<b>Part. No.</b>
1020 mm	16-51000-40
	16-51000-41

4 Drawers  
 4 Retractable shelves  
 Upstand raised edges on 3 sides

### Standard colours:



### Drawers:

S = load capacity:100 kg - extension 85-90%  
 T = load capacity:200 kg - extension 100%




Partitioning material  
 see page 167



75 T  
75 T  
75 T  
100 T  
  
100 T  
  
RS T

Height:	Part. No.
<b>1020 mm</b>	
without Tool holders	<b>16-31000-71</b>
with 24 Tool holders ISO-SK30	<b>16-31000-73</b>
with 24 Tool holders ISO-SK40	<b>16-31000-74</b>
with 15 Tool holders ISO-SK50	<b>16-31000-75</b>
with 18 Tool holders VDI 40	<b>16-31000-76</b>
with 24 Tool holders HSK 50	<b>16-31000-77</b>
with 18 Tool holders HSK 63	<b>16-31000-78</b>
Fittings:	
5 Drawers	
1 Retractable shelf	
1 Tool holder frame and supports	
Upstand raised edges on 3 sides	



**Tool holder frame for drawers**  
Made of steel

**C Tool holder frame**

Width mm	Depth mm	Drawer Eh	No. of rows	Part. No.
584	447	36x27	3	<b>30-43336</b>
Colour: Light grey RAL 7035				

**D Frame support, pair**

For taper length mm	Height mm	Depth 27 Eh Part. No.
80-160	135-165	<b>30-43310</b>
185-220	195-225	<b>30-43317</b>
Colour: Light grey RAL 7035		







75 T  
75 T  
75 T  
  
100 T  
  
RS T

Height:	Part. No.
<b>1020 mm</b>	
without Tool holders	<b>16-51000-71</b>
with 48 Tool holders ISO-SK 30	<b>16-51000-73</b>
with 48 Tool holders ISO-SK 40	<b>16-51000-74</b>
with 30 Tool holders ISO-SK 50	<b>16-51000-75</b>
with 36 Tool holders VDI 40	<b>16-51000-76</b>
with 48 Tool holders HSK 50	<b>16-51000-77</b>
with 36 Tool holders HSK 63	<b>16-51000-78</b>
Fittings:	
8 Drawers	
2 Retractable shelves	
2 Tool holder frames and supports	
Upstand raised edges on 3 sides	



Tool holders see page 166

Standard colours:  
RAL 5012  RAL 6011  RAL 7035 



# Serie 16

# 36x27 Eh

## Tool holders




Tool type	RED Part. No.	No. of tools per tool holder	No. of tools per frame Part. No. 30-43336
ISO-SK 25	30-51025	4	15
ISO-SK 30	30-51030	1	24
ISO-SK 40	30-51040	1	24
ISO-SK 45	30-51045	1	18
ISO-SK 50	30-51050	1	15
HSK 32	30-51432	1	24
HSK 40	30-51440	1	24
HSK 50	30-51450	1	24
HSK 63	30-51463	1	24
HSK 80	30-51480	1	18
HSK 100	30-51499	1	15
CAPTO C3	30-51603	4	12
CAPTO C4	30-51604	1	24
CAPTO C5	30-51605	1	24
CAPTO C6	30-51606	1	21
CAPTO C8	30-51608	1	18
VDI 20	30-51120	1	24
VDI 30	30-51130	1	24
VDI 40	30-51140	1	24
VDI 50	30-51150	1	18
VDI 60	30-51160	1	15
58 mm	30-50058	-	24
65 mm	30-50065	-	24
75 mm	30-50075	-	21
87 mm	30-50087	-	18
105 mm	30-50105	-	15
120 mm	30-50120	-	12






Standard examples:


## Partitioning material




For front height:	Part. No.
50 mm and higher	07-20004
12 Troughs	4-Trough
50 Trough dividers	




For front height:	Part. No.
50 mm and higher	08-30023
6 Troughs	2-Trough
10 Trough dividers	
6 Troughs	3-Trough
20 Trough dividers	




For front height:	Part. No.
50 mm and higher	08-30034
3 Troughs	3-Trough
12 Trough dividers	
9 Troughs	4-Trough
36 Trough dividers	




For front height:	Part. No.
50 mm	07-21405
75 mm	07-21407
100-125 mm	07-21410
12 Plastic boxes	150x75 mm
6 Plastic boxes	150x150 mm




For front height:	Part. No.
50 mm	07-21505
75 mm	07-21507
16 Plastic boxes	75x75 mm
8 Plastic boxes	150x75 mm
4 Plastic boxes	150x150 mm



For front height:	Part. No.
50 mm	08-33305
75 mm	08-33307
100-125 mm	08-33310
150 mm	08-33315
3 Slotted partitions	27 Eh
8 Aluminium dividers	9 Eh



For front height:	Part. No.
50 mm	08-33505
75 mm	08-33507
100-125 mm	08-33510
150 mm	08-33515
5 Slotted partitions	27 Eh
18 Aluminium dividers	6 Eh



For front height:	Part. No.
50 mm	08-38205
75 mm	08-38207
100-125 mm	08-38210
150 mm	08-38215
200-250 mm	08-38220
2 Plain partitions	27 Eh



Details of partitioning material on page 112



Label holders not included



Standard examples with slotted partitions are supplied with fixings