

# **Machinery Directive Passenger Lift**



- Complies with Machinery Directive 2006/42/EC
- Up to 6 stops
- Side Opening or Swing hinge landing doors
- Minimal Pit & Headroom Required
- Wide Range of Car Sizes
- 250-400kg Capacity
- Wide Range of Finishes
- No separate machine room required


Niche...... Our passion and purpose is the supply of specialist lifts that enable wheelchair users and the less able gain access to upper floors and up stairways, plus service, trolley and goods lifts for transporting goods in the range 5kgs to 2000kgs

We supply, install and service Niche products that meet your specific needs.


NICHE LIFTS—Focus and expertise working uniquely for YOU on Niche Products.

# **Machinery Directive Passenger Lift**

Model Type	Machinery Directive Passenger Lift
Rated Load	250kg, 300kg, 350kg & 400kg
Rated Speed	0.15 m/s
Drive Type	Hydraulic 2:1 side acting
Number of Stops	6 stops maximum
Power Supply	230v, 1 phase, 50hz, RCD protected
Travel	9 metres maximum
Headroom	2600mm
Pit	175mm
Car & Shaft Sizes	See Tables enclosed
Car Finishes	Skin plate wall panels. Satin stainless steel car operating panel. Marmoleum floor covering. Painted ceiling.
Emergency Alarm	Hands free autodialer. Requires telephone line by others.
Controls & Signals	Tactile buttons to the car and landing. Door open and alarm buttons in the car. Position indicator display in the car and on the landings.
Configuration	Single entry, through car or adjacent.
Door Type	Two panel side opening doors on the car and landings. Bus stop type car doors with swing hinge landing doors available.
Door Protection	Full height light curtain with side opening car doors.
Control Cabinet	External to the lift within 5 metres of the lift shaft. 1800 high x 700 wide x 400 deep in steel with a powder coated finish.
Emergency Operation	Automatic return to the bottom floor in the event of power failure. Hand lowering valve.
Options	Plastic laminate or stainless steel wall panels. Stainless steel ceiling. Voice synthesiser. Lift shaft enclosure with powder coated steel panels or semi glazed.
Documentation	Owners guide issued on completion.
Training	Operation demonstrated on completion.
Compliance	Supply of machinery (safety) regulations 2008 EC Machinery Directive 2006/42/EC



Standard Layouts



Bespoke Layouts





Niche Lifts Ltd Office 15-16 12 Farwig Lane Bromley, Kent BR1 3RB

Tel 020 8295 2852 Fax 020 8466 1695


www.nichelifts.com







#### Visit us at www.nichelifts.com



	Automatic Car & Landing Doors Front Single Car Entrance, Ram to the rear										
Accessibility	Capacity	Persons	Car Depth	Car Width	Shaft Depth	Shaft Width	Door Opening				
			750		1250	1320	650				
	250kg	3	800	1000	1250	1370	700				
-			850		1330	1425	750				
	300kg			1000	1250		700				
		2001/7	2001/7	2001/7	4	800	1200	1400	1370		
		4	800	1250	1450	1570	700				
				1300	1500						
	2501.5	4	900	1200	1400	1470	800				
	350kg	4	900	1400	1600	1470	800				
			1000	1200	1400	1570					
	400kg	5	1100	1300	1550		900				
			1100	1400	1600						
		5	1000	1200	1400	1670	800				
	450kg		1100	1300	1550		900				
				1400	1600		900				

	Automatic Car & Landing Doors Through Car, Ram to the side																						
Accessibility	Capacity	Persons	Car Width	Car Depth	ar Depth Shaft Width Shaft Depth		Door Opening																
			750		1250	1320	650																
	250kg	3	800	1000	1250	1370	700																
-			850		1330	1420	750																
	2001.5			1000	1250	1370	700																
		4	800	1200	1400	1370	750 800																
	300kg	4		1250	1450	1370																	
				1300	1500	1370																	
	2501.4	g 4	900	1200	1400	1470																	
	350kg			1400	1600	1470																	
																			1000	1200	1400	1570	
	400kg	5	1100	1300	1550	1670	900																
			1100	1400	1600	1670																	
			1000	1200	1400	1570	800																
	450kg	5	1100	1300	1550	1670	000																
			1100	1400	1600	1670	900																



Niche Lifts Ltd Office 15-16 12 Farwig Lane Bromley, Kent BR1 3RB


Tel 020 8295 2852 Fax 020 8466 1695

www.nichelifts.com



# Form 082 2

#### Visit us at www.nichelifts.com



	Automatic Car & Landing Doors Through Car, Ram to the side										
Accessibil- ity	Capacity	Persons	Car Width	Car Depth	Shaft Width	Shaft Depth	Door Opening				
			750		1250	1320	650				
	250kg	3	800	1000	1250	1370	700				
-			850		1330	1420	750				
	- 300kg 4			1000	1250	1370	700				
		4	800	1200	1400	1370	750				
		Ŧ		1250	1450	1370					
				1300	1500	1370					
	350kg	g 4	900	1200	1400	1470	800				
	JUNE	4		1400	1600	1470					
			1000	1200	1400	1570					
	400kg	5	1100	1300	1550	1670	900				
			1100	1400	1600	1670	900				
		5	1000	1200	1400	1570	800				
	450kg		1100	1300	1550	1670	900				
			1100	1400	1600	1670	700				

	Automatic Car & Landing Doors, Adjacent Arrangement										
Accessibil- ity	Capacity	Persons	Car Width	Car Depth	Shaft Width	Shaft Depth	Door Opening				
			750		1400	1500	700				
	250kg	3	800	1000	1400	1500	700				
-			850		1500	1570	750				
	2001-5			1000	1400	1500	700				
		4	800	1200	1480	1550	750				
	300kg			1250		1600	750				
				1300		1650	750				
	350kg	4	900	1200	1560	1650	800				
	SOUKE	4	900	1400		1750					
			1000	1200	1650	1650	800				
	400kg	5	1100	1300	1700	1800					
			1100	1400	1700	1000					
		5	1000	1200	1650	1650	900				
	450kg		1100	1300	1700	1800					
			1100	1400	1700	1000					




Niche Lifts Ltd Office 15-16 12 Farwig Lane Bromley, Kent BR1 3RB

Tel 020 8295 2852 Fax 020 8466 1695

www.nichelifts.com



### Visit us at www.nichelifts.com



Cars with Bus Type Doors, Swing Hinge Landing Doors, Single Car Entrance, Ram to the side									
Accessibility	Capacity	Persons	Car Width	Car Depth	Shaft Width	Shaft Depth	Door Opening		
			750		1140		650		
	250kg	3	800	1000	1190	1210	700		
-			850		1240		750		
				1000		1210			
	2001	300kg	4	800	1200	1190	1410	700	
	JUUKg	4	800	1250	1170	1460	700		
				1300		1510			
	350kg	4	900	1200	1320	1410	800		
	JJUKg	4		1400	1320	1610	800		
			1000	1200	1420	1410			
	400kg	5	1100	1300	1520	1510			
			1100	1400	1520	1610	900		
			1000	1200	1420	1410	900		
	450kg	5	1100	1300	1520	1510			
			1100	1400	1320	1610			

Ca	Cars with Bus Type Doors, Swing Hinge Landing Doors, Single Car Entrance, Ram to the rear										
Accessibility	Capacity	Persons	Car Depth	Car Width	Shaft Depth	Shaft Width	Door Opening				
			750		930		650				
	250kg	3	800	1000	980	1420	700				
-			850		1030		750				
	2001-5			1000		1420	700				
		300kg	4	800	1200	980	1620				
	JUUKg	4	800	1250	900	1670	700				
				1300		1720					
	350kg	4	900	1200	1080	1650	800				
	JUNE			1400	1000	1850	000				
<u> </u>			1000	1200	1180	1650					
	400kg	5	1100	1300	1280	1750	900				
			1100	1400	1200	1850					
			1000	1200	1180	1650	200				
	450kg	5	1100	1300	1280	1750					
			1100	1400	1200	1850					

# Niche Lifts

Niche Lifts Ltd Office 15-16 12 Farwig Lane Bromley, Kent BR1 3RB


Tel 020 8295 2852 Fax 020 8466 1695


www.nichelifts.com





#### Visit us at www.nichelifts.com





Cars with Bus Type Doors, Swing Hinge Landing Doors, Through Car, Ram to the side										
Accessibility	Capacity	Persons	Car Width	Car Depth	Shaft Width	Shaft Depth	Door Opening			
			750		1140		650			
	250kg	3	800	1000	1190	1260	700			
-			850		1240		750			
				1000	1190	1260				
	300kg	4	800	1200		1460	700			
	JUUKg			1250		1510	700			
				1300		1560				
	2501.4	,	000	1200	4320	1460	800			
	350kg	4	900	1400	1320	1660	800			
			1000	1200	1420	1460				
	400kg	5	1100	1300	4520	1560				
			1100	1400	1520	1660	900			
			1000	1200	1420	1460	900			
	450kg	5	5 1100	1300	1520	1560				
				1400	1520	1660				

Cars with Bus Type Doors, Swing Hinge Landing Doors, Adjacent Arrangement											
Accessibil- ity	Capacity	Persons	Car Width	Car Depth	Shaft Width	Shaft Depth	Door Opening				
			750		1170	1230	650/800				
	250kg	3	800	1000	1220	1230	700/800				
-			850		1270	1230	750/800				
				1000		1230	700/800				
	300kg	4	800	1200	1220	1430	700/900				
		7		1250		1480	700/900				
				1300		1530	700/900				
	350kg	4	900	1200	1350	1430	800/900				
	SUUKg		900	1400	1300	1630					
			1000	1200	1450	1430					
	400kg	5	1100	1300	1550	1530	000				
			1100	1400	1550	1630					
		5	1000	1200	1450	1430	900				
	450kg		4400	1300	1550	1530					
			1100	1400	1550	1630					



Niche Lifts Ltd Office 15-16 12 Farwig Lane Bromley, Kent BR1 3RB

Tel 020 8295 2852 Fax 020 8466 1695

www.nichelifts.com





# Form 082 2

#### Visit us at www.nichelifts.com

# **Machinery Directive Passenger Lift Car Models**



### Interior Model Earth Walls Formica panels Satin stainless steel corners 1/2 Full height mirror to rear wall Satin stainless steel skirting Full height stainless steel car station Ceiling Fluorescent lighting Satin stainless steel perforated plate soffit Acrylic resin diffuser Flooring Granite effect flooring Entrance Satin stainless steel Formica Iris Cream Caramel Sun Wasabi Tropical Blue Tropical Blue



#### Interior Model Air

#### Walls

- Satin stainless steel
- 1/2 height rear mirror
- Satin stainless steel skirting
- Full height satin stainless steel car station

#### Ceiling

- Fluorescent lighting
- Satin stainless steel with Acrylic resin diffuser

#### Flooring

Rubber flooring

#### Entrance

Satin stainless steel



#### Niche Lifts Ltd Office 15-16 12 Farwig Lane Bromley, Kent BR1 3RB

Tel 020 8295 2852 Fax 020 8466 1695

www.nichelifts.com









The information contained in this brochure was correct at the time of printing, due to continued development of our products we

# **Machinery Directive Passenger Lift Car Models**




### Interior Model Spring Walls Melamine panels Satin stainless steel corners 1/2 height mirror to rear wall Satin stainless steel skirting Full height satin stainless steel car station Ceiling LED Downlighters Painted plate ceiling Flooring Rubber flooring Entrance Satin stainless steel Melamine Blue Maple Orange





#### Interior Model *Ocean* Walls

Weng







Niche Lifts Ltd Office 15-16 12 Farwig Lane Bromley, Kent BR1 3RB

Tel 020 8295 2852 Fax 020 8466 1695

www.nichelifts.com





Visit us at www.nichelifts.com

The information contained in this brochure was correct at the time of printing, due to continued development of our products we