


Quality Accessories on Stylish Slim Plates

A range of sleek and stylish accessories with slim front plates to complement today's interiors. This attractive range is available in nine elegant finishes with complementary switch insert finishes.

- Slim, sleek and stylish
- Nine elegant finishes with complementary switch insert finishes
- Standard box-fix electrical accessories
- Grid Fix and Euro Fix options are also available (see separate GRID-IT and EuroFix sections)



77 T21



76 DTRID W



71 2X40



78 SPN BK-B




74 R22 SS-W



7P R21 PO-W

Rocker Switches



77 R26 BC-W



**1 gang 10AX
2 way Rocker**

Nominal Plate Size:
88 x 88 mm
Minimum Wall Box
Depth: 25 mm
Technical Insert
Reference: **R21**
Product Code



**2 gang 10AX
2 way Rocker**

Nominal Plate Size:
88 x 88 mm
Minimum Wall Box
Depth: 25 mm
Technical Insert
Reference: **R22**
Product Code



**3 gang 10AX
2 way Rocker**

Nominal Plate Size:
88 x 88 mm
Minimum Wall Box
Depth: 25 mm
Technical Insert
Reference: **R23**
Product Code












**4 gang 10AX
2 way Rocker**

Nominal Plate Size:
144 x 85 mm
Minimum Wall Box
Depth: 25 mm
Technical Insert
Reference: **R24**
Product Code



**6 gang 10AX
2 way Rocker**

Nominal Plate Size:
144 x 85 mm
Minimum Wall Box
Depth: 25 mm
Technical Insert
Reference: **R26**
Product Code










Plate Finish	Insert Finish	Insert Surround Colour	1 gang 10AX 2 way Rocker	2 gang 10AX 2 way Rocker	3 gang 10AX 2 way Rocker	4 gang 10AX 2 way Rocker	6 gang 10AX 2 way Rocker
Bright Chrome 	Bright Chrome Bright Chrome White Plastic Black Plastic	White Black White Black	77 R21 BC-W 77 R21 BC-B 77 R21 WH-W 77 R21 BL-B	77 R22 BC-W 77 R22 BC-B 77 R22 WH-W 77 R22 BL-B	77 R23 BC-W 77 R23 BC-B 77 R23 WH-W 77 R23 BL-B	77 R24 BC-W 77 R24 BC-B 77 R24 WH-W 77 R24 BL-B	77 R26 BC-W 77 R26 BC-B 77 R26 WH-W 77 R26 BL-B
Satin Chrome 	Satin Chrome Satin Chrome White Plastic Black Plastic	White Black White Black	76 R21 SC-W 76 R21 SC-B 76 R21 WH-W 76 R21 BL-B	76 R22 SC-W 76 R22 SC-B 76 R22 WH-W 76 R22 BL-B	76 R23 SC-W 76 R23 SC-B 76 R23 WH-W 76 R23 BL-B	76 R24 SC-W 76 R24 SC-B 76 R24 WH-W 76 R24 BL-B	76 R26 SC-W 76 R26 SC-B 76 R26 WH-W 76 R26 BL-B
Polished Brass 	Polished Brass Polished Brass White Plastic Black Plastic	White Black White Black	71 R21 PB-W 71 R21 PB-B 71 R21 WH-W 71 R21 BL-B	71 R22 PB-W 71 R22 PB-B 71 R22 WH-W 71 R22 BL-B	71 R23 PB-W 71 R23 PB-B 71 R23 WH-W 71 R23 BL-B	71 R24 PB-W 71 R24 PB-B 71 R24 WH-W 71 R24 BL-B	71 R26 PB-W 71 R26 PB-B 71 R26 WH-W 71 R26 BL-B
Satin Brass 	Satin Brass Satin Brass White Plastic Black Plastic	White Black White Black	72 R21 SB-W 72 R21 SB-B 72 R21 WH-W 72 R21 BL-B	72 R22 SB-W 72 R22 SB-B 72 R22 WH-W 72 R22 BL-B	72 R23 SB-W 72 R23 SB-B 72 R23 WH-W 72 R23 BL-B	72 R24 SB-W 72 R24 SB-B 72 R24 WH-W 72 R24 BL-B	72 R26 SB-W 72 R26 SB-B 72 R26 WH-W 72 R26 BL-B
Antique Brass 	Antique Brass Antique Brass Black	Black	79 R21 AB-B	79 R22 AB-B	79 R23 AB-B	79 R24 AB-B	79 R26 AB-B
Bright Stainless 	Bright Chrome Bright Chrome White Plastic Black Plastic	White Black White Black	73 R21 BC-W 73 R21 BC-B 73 R21 WH-W 73 R21 BL-B	73 R22 BC-W 73 R22 BC-B 73 R22 WH-W 73 R22 BL-B	73 R23 BC-W 73 R23 BC-B 73 R23 WH-W 73 R23 BL-B	73 R24 BC-W 73 R24 BC-B 73 R24 WH-W 73 R24 BL-B	73 R26 BC-W 73 R26 BC-B 73 R26 WH-W 73 R26 BL-B
Satin Stainless 	Satin Stainless Satin Stainless White Plastic Black Plastic	White Black White Black	74 R21 SS-W 74 R21 SS-B 74 R21 WH-W 74 R21 BL-B	74 R22 SS-W 74 R22 SS-B 74 R22 WH-W 74 R22 BL-B	74 R23 SS-W 74 R23 SS-B 74 R23 WH-W 74 R23 BL-B	74 R24 SS-W 74 R24 SS-B 74 R24 WH-W 74 R24 BL-B	74 R26 SS-W 74 R26 SS-B 74 R26 WH-W 74 R26 BL-B
Black Nickel 	Black Nickel Black Nickel Black	Black	78 R21 BK-B	78 R22 BK-B	78 R23 BK-B	78 R24 BK-B	78 R26 BK-B
Pearl Oyster 	Pearl Oyster Pearl Oyster White	White	7P R21 PO-W	7P R22 PO-W	7P R23 PO-W	7P R24 PO-W	7P R26 PO-W

Rocker Switches



74 R32 BC-B



Plate Finish	Insert Finish	Insert Surround Colour	1 gang 10AX Intermediate Rocker Nominal Plate Size: 88 x 88 mm Minimum Wall Box Depth: 25 mm Technical Insert Reference: R31 Product Code	2 gang 10AX Intermediate Rocker Nominal Plate Size: 88 x 88 mm Minimum Wall Box Depth: 25 mm Technical Insert Reference: R32 Product Code	1 gang 10AX Push To Make Retractive Rocker Nominal Plate Size: 88 x 88 mm Minimum Wall Box Depth: 25 mm Technical Insert Reference: RRT Product Code	1 gang 10A Triple Pole Rocker Nominal Plate Size: 88 x 88 mm Minimum Wall Box Depth: 25 mm Technical Insert Reference: TP Product Code
Bright Chrome 	Bright Chrome Bright Chrome White Plastic Black Plastic	White Black White Black	77 R31 BC-W 77 R31 BC-B 77 R31 WH-W 77 R31 BL-B	77 R32 BC-W 77 R32 BC-B 77 R32 WH-W 77 R32 BL-B	77 RRT BC-W 77 RRT BC-B 77 RRT WH-W 77 RRT BL-B	– – 77 TP WH-W 77 TP BL-B
Satin Chrome 	Satin Chrome Satin Chrome White Plastic Black Plastic	White Black White Black	76 R31 SC-W 76 R31 SC-B 76 R31 WH-W 76 R31 BL-B	76 R32 SC-W 76 R32 SC-B 76 R32 WH-W 76 R32 BL-B	76 RRT SC-W 76 RRT SC-B 76 RRT WH-W 76 RRT BL-B	– – 76 TP WH-W 76 TP BL-B
Polished Brass 	Polished Brass Polished Brass White Plastic Black Plastic	White Black White Black	71 R31 PB-W 71 R31 PB-B 71 R31 WH-W 71 R31 BL-B	71 R32 PB-W 71 R32 PB-B 71 R32 WH-W 71 R32 BL-B	71 RRT PB-W 71 RRT PB-B 71 RRT WH-W 71 RRT BL-B	– – 71 TP WH-W 71 TP BL-B
Satin Brass 	Satin Brass Satin Brass White Plastic Black Plastic	White Black White Black	72 R31 SB-W 72 R31 SB-B 72 R31 WH-W 72 R31 BL-B	72 R32 SB-W 72 R32 SB-B 72 R32 WH-W 72 R32 BL-B	72 RRT SB-W 72 RRT SB-B 72 RRT WH-W 72 RRT BL-B	– – 72 TP WH-W 72 TP BL-B
Antique Brass 	Antique Brass	Black	79 R31 AB-B	–	–	79 TP BL-B
Bright Stainless 	Bright Chrome Bright Chrome White Plastic Black Plastic	White Black White Black	73 R31 BC-W 73 R31 BC-B 73 R31 WH-W 73 R31 BL-B	73 R32 BC-W 73 R32 BC-B 73 R32 WH-W 73 R32 BL-B	73 RRT BC-W 73 RRT BC-B 73 RRT WH-W 73 RRT BL-B	– – 73 TP WH-W 73 TP BL-B
Satin Stainless 	Satin Stainless Satin Stainless White Plastic Black Plastic	White Black White Black	74 R31 SS-W 74 R31 SS-B 74 R31 WH-W 74 R31 BL-B	74 R32 SS-W 74 R32 SS-B 74 R32 WH-W 74 R32 BL-B	74 RRT SS-W 74 RRT SS-B 74 RRT WH-W 74 RRT BL-B	– – 74 TP WH-W 74 TP BL-B
Black Nickel 	Black Nickel	Black	78 R31 BK-B	–	–	78 TP BL-B
Pearl Oyster 	Pearl Oyster	White	7P R31 PO-W	–	–	7P TP WH-W

Toggle Switches



72 T22



**1 gang
20AX 2 way
Toggle**

Nominal Plate
Size: 88 x 88 mm
Min. Wall Box
Depth: 35 mm
Technical Insert
Reference: **T21**
Product Code

**2 gang
20AX 2 way
Toggle**

Nominal Plate
Size: 88 x 88 mm
Min. Wall Box
Depth: 35 mm
Technical Insert
Reference: **T22**
Product Code

**3 gang
20AX 2 way
Toggle**

Nominal Plate
Size: 144 x 85 mm
Min. Wall Box
Depth: 35 mm
Technical Insert
Reference: **T23**
Product Code

**4 gang
20AX 2 way
Toggle**

Nominal Plate
Size: 144 x 85 mm
Min. Wall Box
Depth: 35 mm
Technical Insert
Reference: **T24**
Product Code

**1 gang 20AX
Intermediate
Toggle**










Nominal Plate
Size: 88 x 88 mm
Min. Wall Box
Depth: 35 mm
Technical Insert
Reference: **T31**
Product Code

**1 gang 20AX
Double Pole
Toggle**

Nominal Plate
Size: 88 x 88 mm
Min. Wall Box
Depth: 35 mm
Technical Insert
Reference: **TDP**
Product Code

**1 gang 10AX
Push To Make/
Break Retractive
Toggle**

Nominal Plate
Size: 88 x 88 mm
Min. Wall Box
Depth: 35 mm
Technical Insert
Reference: **TRT**
Product Code

Plate Finish	Insert Finish	Product Code	Product Code	Product Code	Product Code	Product Code	Product Code	Product Code
Bright Chrome	Bright Chrome	77 T21	77 T22	77 T23	77 T24	77 T31	77 TDP	77 TRT
								
Satin Chrome	Satin Chrome	76 T21	76 T22	76 T23	76 T24	76 T31	76 TDP	76 TRT
								
Polished Brass	Polished Brass	71 T21	71 T22	71 T23	71 T24	71 T31	71 TDP	71 TRT
								
Satin Brass	Satin Brass	72 T21	72 T22	72 T23	72 T24	72 T31	72 TDP	72 TRT
								
Antique Brass	Antique Brass	79 T21	79 T22	79 T23	79 T24	79 T31	79 TDP	79 TRT
								
Bright Stainless	Bright Chrome	73 T21	73 T22	73 T23	73 T24	73 T31	73 TDP	73 TRT
								
Satin Stainless	Satin Stainless	74 T21	74 T22	74 T23	74 T24	74 T31	74 TDP	74 TRT
								
Black Nickel	Black Nickel	78 T21	78 T22	78 T23	78 T24	78 T31	78 TDP	78 TRT
								
Pearl Oyster	Pearl Oyster	7P T21	7P T22	7P T23	7P T24	7P T31	7P TDP	7P TRT
								

Power Sockets



78 SS1 BK-B



1 gang 13A Double Pole Switched Socket

Nominal Plate Size: 88 x 88 mm
Min. Wall Box Depth: 35 mm
Technical Insert Reference: **SS1**
Product Code



2 gang 13A Double Pole Switched Socket

Nominal Plate Size: 144 x 85 mm
Min. Wall Box Depth: 35 mm
Technical Insert Reference: **SS2**
Product Code



1 gang 2A Unswitched Socket

Nominal Plate Size: 88 x 88 mm
Min. Wall Box Depth: 35 mm
Technical Insert Reference: **US2**
Product Code



1 gang 5A Unswitched Socket

Nominal Plate Size: 88 x 88 mm
Min. Wall Box Depth: 35 mm
Technical Insert Reference: **US5**
Product Code



1 gang 13A Unswitched Socket

Nominal Plate Size: 88 x 88 mm
Min. Wall Box Depth: 35 mm
Technical Insert Reference: **US13**
Product Code



2 gang 13A Unswitched Socket

Nominal Plate Size: 144 x 85 mm
Min. Wall Box Depth: 35 mm
Technical Insert Reference: **US99**
Product Code



Shaver Dual Voltage Unswitched Socket

Nominal Plate Size: 85 x 144 mm
Min. Wall Box Depth: 47 mm
Technical Insert Reference: **SHS**
Product Code

Plate Finish	Insert Finish	Insert Surround Colour	Product Code	Product Code	Product Code	Product Code	Product Code	Product Code	Product Code
	Bright Chrome	White	77 SS1 BC-W	77 SS2 BC-W	-	-	-	-	-
	Bright Chrome	Black	77 SS1 BC-B	77 SS2 BC-B	-	-	-	-	-
	White Plastic	White	77 SS1 WH-W	77 SS2 WH-W	77 US2 W	77 US5 W	77 US13 W	77 US99 W	77 SHS W
	Black Plastic	Black	77 SS1 BL-B	77 SS2 BL-B	77 US2 B	77 US5 B	77 US13 B	77 US99 B	77 SHS B
	Satin Chrome	White	76 SS1 SC-W	76 SS2 SC-W	-	-	-	-	-
	Satin Chrome	Black	76 SS1 SC-B	76 SS2 SC-B	-	-	-	-	-
	White Plastic	White	76 SS1 WH-W	76 SS2 WH-W	76 US2 W	76 US5 W	76 US13 W	76 US99 W	76 SHS W
	Black Plastic	Black	76 SS1 BL-B	76 SS2 BL-B	76 US2 B	76 US5 B	76 US13 B	76 US99 B	76 SHS B
	Polished Brass	White	71 SS1 PB-W	71 SS2 PB-W	-	-	-	-	-
	Polished Brass	Black	71 SS1 PB-B	71 SS2 PB-B	-	-	-	-	-
	White Plastic	White	71 SS1 WH-W	71 SS2 WH-W	71 US2 W	71 US5 W	71 US13 W	71 US99 W	71 SHS W
	Black Plastic	Black	71 SS1 BL-B	71 SS2 BL-B	71 US2 B	71 US5 B	71 US13 B	71 US99 B	71 SHS B
	Satin Brass	White	72 SS1 SB-W	72 SS2 SB-W	-	-	-	-	-
	Satin Brass	Black	72 SS1 SB-B	72 SS2 SB-B	-	-	-	-	-
	White Plastic	White	72 SS1 WH-W	72 SS2 WH-W	72 US2 W	72 US5 W	72 US13 W	72 US99 W	72 SHS W
	Black Plastic	Black	72 SS1 BL-B	72 SS2 BL-B	72 US2 B	72 US5 B	72 US13 B	72 US99 B	72 SHS B
	Antique Brass	Black	79 SS1 AB-B	79 SS2 AB-B	-	-	-	-	-
	Black Plastic	Black	-	-	79 US2 B	79 US5 B	79 US13 B	79 US99 B	79 SHS B
	Bright Chrome	White	73 SS1 BC-W	73 SS2 BC-W	-	-	-	-	-
	Bright Chrome	Black	73 SS1 BC-B	73 SS2 BC-B	-	-	-	-	-
	White Plastic	White	73 SS1 WH-W	73 SS2 WH-W	73 US2 W	73 US5 W	73 US13 W	73 US99 W	73 SHS W
	Black Plastic	Black	73 SS1 BL-B	73 SS2 BL-B	73 US2 B	73 US5 B	73 US13 B	73 US99 B	73 SHS B
	Satin Stainless	White	74 SS1 SS-W	74 SS2 SS-W	-	-	-	-	-
	Satin Stainless	Black	74 SS1 SS-B	74 SS2 SS-B	-	-	-	-	-
	White Plastic	White	74 SS1 WH-W	74 SS2 WH-W	74 US2 W	74 US5 W	74 US13 W	74 US99 W	74 SHS W
	Black Plastic	Black	74 SS1 BL-B	74 SS2 BL-B	74 US2 B	74 US5 B	74 US13 B	74 US99 B	74 SHS B
	Black Nickel	Black	78 SS1 BK-B	78 SS2 BK-B	-	-	-	-	-
	Black Plastic	Black	-	-	78 US2 B	78 US5 B	-	-	78 SHS B
	Pearl Oyster	White	7P SS1 PO-W	7P SS2 PO-W	-	-	-	-	-
	White Plastic	White	-	-	7P US2 W	7P US5 W	-	-	7P SHS W

USB Power Sockets



71 USB99 B



2 gang 13A Unswitched Socket + 2 x USB Charging Points








Nominal Plate Size:
144 x 85 mm
Min. Wall Box
Depth: 35 mm
Technical Insert
Reference: **USB99**
Product Code

Plate Finish	Insert Colour	
Bright Chrome 	White Plastic Black Plastic	77 USB99 W 77 USB99 B
Satin Chrome 	White Plastic Black Plastic	76 USB99 W 76 USB99 B
Polished Brass 	White Plastic Black Plastic	71 USB99 W 71 USB99 B
Satin Brass 	White Plastic Black Plastic	72 USB99 W 72 USB99 B
Antique Brass 	Black Plastic	79 USB99 B
Bright Stainless 	White Plastic Black Plastic	73 USB99 W 73 USB99 B
Satin Stainless 	White Plastic Black Plastic	74 USB99 W 74 USB99 B
Black Nickel 	Black Plastic	78 USB99 B
Pearl Oyster 	White Plastic	7P USB99 W

Television Coaxial Sockets



79 TVFM B










Plate Finish	Insert Finish	 1 gang Non Isolated TV 1 In/1 Out Nominal Plate Size: 88 x 88 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: TV Product Code	 2 gang Non Isolated TV 2 In/2 Out Nominal Plate Size: 88 x 88 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: TV2 Product Code	 Isolated TV/FM Diplexer 1 In/2 Out Nominal Plate Size: 88 x 88 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: TVFM Product Code	 1 gang Isolated TV 1 In/1 Out Nominal Plate Size: 88 x 88 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: TVI Product Code	 2 gang Non Isolated TV + Satellite 2 In/2 Out Nominal Plate Size: 88 x 88 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: TVSAT Product Code	 1 gang Non Isolated Satellite Nominal Plate Size: 88 x 88 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: SATN Product Code	 1 gang Isolated Satellite Nominal Plate Size: 88 x 88 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: SATI Product Code
Bright Chrome	White Black	77 TV W 77 TV B	77 TV2 W 77 TV2 B	77 TVFM W 77 TVFM B	77 TVI W 77 TVI B	77 TVSAT W 77 TVSAT B	77 SATN W 77 SATN B	77 SATI W 77 SATI B
Satin Chrome	White Black	76 TV W 76 TV B	76 TV2 W 76 TV2 B	76 TVFM W 76 TVFM B	76 TVI W 76 TVI B	76 TVSAT W 76 TVSAT B	76 SATN W 76 SATN B	76 SATI W 76 SATI B
Polished Brass	White Black	71 TV W 71 TV B	71 TV2 W 71 TV2 B	71 TVFM W 71 TVFM B	71 TVI W 71 TVI B	71 TVSAT W 71 TVSAT B	71 SATN W 71 SATN B	71 SATI W 71 SATI B
Satin Brass	White Black	72 TV W 72 TV B	72 TV2 W 72 TV2 B	72 TVFM W 72 TVFM B	72 TVI W 72 TVI B	72 TVSAT W 72 TVSAT B	72 SATN W 72 SATN B	72 SATI W 72 SATI B
Antique Brass	Black	79 TV B	79 TV2 B	79 TVFM B	79 TVI B	79 TVSAT B	79 SATN B	79 SATI B
Bright Stainless	White Black	73 TV W 73 TV B	73 TV2 W 73 TV2 B	73 TVFM W 73 TVFM B	73 TVI W 73 TVI B	73 TVSAT W 73 TVSAT B	73 SATN W 73 SATN B	73 SATI W 73 SATI B
Satin Stainless	White Black	74 TV W 74 TV B	74 TV2 W 74 TV2 B	74 TVFM W 74 TVFM B	74 TVI W 74 TVI B	74 TVSAT W 74 TVSAT B	74 SATN W 74 SATN B	74 SATI W 74 SATI B
Black Nickel	Black	78 TV B	78 TV2 B	78 TVFM B	78 TVI B	78 TVSAT B	78 SATN B	78 SATI B
Pearl Oyster	White	7P TV W	7P TV2 W	7P TVFM W	7P TVI W	7P TVSAT W	7P SATN W	7P SATI W

Digital Television Sockets - Screened Non Isolated - DAB Compatible



76 DTRID W


















Plate Finish	Insert Colour	Non Isolated TV/FM/Satellite Triplexer 1 In/3 Out Nominal Plate Size: 88 x 88 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: DTRID Product Code	1 gang Non Isolated TV (Female) Nominal Plate Size: 88 x 88 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: DTVF Product Code	1 gang Non Isolated TV (Male) Nominal Plate Size: 88 x 88 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: DTVM Product Code	1 gang Non Isolated Satellite Nominal Plate Size: 88 x 88 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: DSAT Product Code	Non Isolated TV/FM/Satellite 1/Satellite 2 Quadplexer 2 In/4 Out Nominal Plate Size: 88 x 88 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: DENT Product Code	Non Isolated TV/FM/Satellite 1/Satellite 2 Quadplexer 2 In /4 Out + TVF + TCS Nominal Plate Size: 144 x 85 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: DSAT+ Product Code
Bright Chrome 	White Plastic Black Plastic	77 DTRID W 77 DTRID B	77 DTVF W 77 DTVF B	77 DTVM W 77 DTVM B	77 DSAT W 77 DSAT B	77 DENT W 77 DENT B	77 DSAT+ W 77 DSAT+ B
Satin Chrome 	White Plastic Black Plastic	76 DTRID W 76 DTRID B	76 DTVF W 76 DTVF B	76 DTVM W 76 DTVM B	76 DSAT W 76 DSAT B	76 DENT W 76 DENT B	76 DSAT+ W 76 DSAT+ B
Polished Brass 	White Plastic Black Plastic	71 DTRID W 71 DTRID B	71 DTVF W 71 DTVF B	71 DTVM W 71 DTVM B	71 DSAT W 71 DSAT B	71 DENT W 71 DENT B	71 DSAT+ W 71 DSAT+ B
Satin Brass 	White Plastic Black Plastic	72 DTRID W 72 DTRID B	72 DTVF W 72 DTVF B	72 DTVM W 72 DTVM B	72 DSAT W 72 DSAT B	72 DENT W 72 DENT B	72 DSAT+ W 72 DSAT+ B
Antique Brass 	Black Plastic	79 DTRID B	79 DTVF B	79 DTVM B	79 DSAT B	79 DENT B	79 DSAT+ B
Bright Stainless 	White Plastic Black Plastic	73 DTRID W 73 DTRID B	73 DTVF W 73 DTVF B	73 DTVM W 73 DTVM B	73 DSAT W 73 DSAT B	73 DENT W 73 DENT B	73 DSAT+ W 73 DSAT+ B
Satin Stainless 	White Plastic Black Plastic	74 DTRID W 74 DTRID B	74 DTVF W 74 DTVF B	74 DTVM W 74 DTVM B	74 DSAT W 74 DSAT B	74 DENT W 74 DENT B	74 DSAT+ W 74 DSAT+ B
Black Nickel 	Black Plastic	78 DTRID B	78 DTVF B	78 DTVM B	78 DSAT B	78 DENT B	78 DSAT+ B
Pearl Oyster 	White Plastic	7P DTRID W	7P DTVF W	7P DTVM W	7P DSAT W	7P DENT W	7P DSAT+ W

Telephone and Data Outlets



72 TCM W

Plate Finish	Insert Colour	 1 gang Telephone Master Nominal Plate Size: 88 x 88 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: TCM Product Code	 1 gang Telephone Slave Nominal Plate Size: 88 x 88 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: TCS Product Code	 1 gang RJ12 Outlet Unshielded Nominal Plate Size: 88 x 88 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: J12 Product Code	 2 gang RJ12 Outlet Unshielded Nominal Plate Size: 88 x 88 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: 2J12 Product Code	 1 gang RJ45 CAT 5E Outlet Unshielded Nominal Plate Size: 88 x 88 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: J45 Product Code	 2 gang RJ45 CAT 5E Outlet Unshielded Nominal Plate Size: 88 x 88 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: 2J45 Product Code
Bright Chrome 	White Plastic Black Plastic	77 TCM W 77 TCM B	77 TCS W 77 TCS B	77 J12 W 77 J12 B	77 2J12 W 77 2J12 B	77 J45 W 77 J45 B	77 2J45 W 77 2J45 B
Satin Chrome 	White Plastic Black Plastic	76 TCM W 76 TCM B	76 TCS W 76 TCS B	76 J12 W 76 J12 B	76 2J12 W 76 2J12 B	76 J45 W 76 J45 B	76 2J45 W 76 2J45 B
Polished Brass 	White Plastic Black Plastic	71 TCM W 71 TCM B	71 TCS W 71 TCS B	71 J12 W 71 J12 B	71 2J12 W 71 2J12 B	71 J45 W 71 J45 B	71 2J45 W 71 2J45 B
Satin Brass 	White Plastic Black Plastic	72 TCM W 72 TCM B	72 TCS W 72 TCS B	72 J12 W 72 J12 B	72 2J12 W 72 2J12 B	72 J45 W 72 J45 B	72 2J45 W 72 2J45 B
Antique Brass 	Black Plastic	79 TCM B	79 TCS B	79 J12 B	79 2J12 B	79 J45 B	79 2J45 B
Bright Stainless 	White Plastic Black Plastic	73 TCM W 73 TCM B	73 TCS W 73 TCS B	73 J12 W 73 J12 B	73 2J12 W 73 2J12 B	73 J45 W 73 J45 B	73 2J45 W 73 2J45 B
Satin Stainless 	White Plastic Black Plastic	74 TCM W 74 TCM B	74 TCS W 74 TCS B	74 J12 W 74 J12 B	74 2J12 W 74 2J12 B	74 J45 W 74 J45 B	74 2J45 W 74 2J45 B
Black Nickel 	Black Plastic	78 TCM B	78 TCS B	78 J12 B	78 2J12 B	78 J45 B	78 2J45 B
Pearl Oyster 	White Plastic	7P TCM W	7P TCS W	7P J12 W	7P 2J12 W	7P J45 W	7P 2J45 W

Double Pole Switches



7P 45N W



Plate Finish	Insert Finish	Insert Surround Colour	1 gang 20AX Double Pole Rocker Nominal Plate Size: 88 x 88 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: DP Product Code	1 gang 20AX Double Pole Rocker + Neon Nominal Plate Size: 88 x 88 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: DPN Product Code	1 gang 20AX Double Pole Rocker + Neon + Cable Outlet Nominal Plate Size: 88 x 88 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: DPNC Product Code	1 gang 45A Double Pole Red Rocker Nominal Plate Size: 88 x 88 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: 45 Product Code	1 gang 45A Double Pole Red Rocker + Neon Nominal Plate Size: 88 x 88 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: 45N Product Code	45A Double Pole Red Rocker + Neon Vertical Mounted Nominal Plate Size: 85 x 144 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: 45V Product Code	45A Double Pole Red Rocker + Neon + 13A Switched Socket Nominal Plate Size: 144 x 85 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: 45SS1 Product Code
Bright Chrome	Bright Chrome	White	77 DP BC-W	77 DPN BC-W	77 DPNC BC-W	-	-	-	77 45SS1 BC-W
	Bright Chrome	Black	77 DP BC-B	77 DPN BC-B	77 DPNC BC-B	-	-	-	77 45SS1 BC-B
	White Plastic	White	77 DP WH-W	77 DPN WH-W	77 DPNC WH-W	-	-	-	77 45SS1 WH-W
	Black Plastic	Black	77 DP BL-B	77 DPN BL-B	77 DPNC BL-B	-	-	-	77 45SS1 BL-B
	Red Plastic	White	-	-	-	77 45 W	77 45N W	77 45V W	-
	Red Plastic	Black	-	-	-	77 45 B	77 45N B	77 45V B	-
Satin Chrome	Satin Chrome	White	76 DP SC-W	76 DPN SC-W	76 DPNC SC-W	-	-	-	76 45SS1 SC-W
	Satin Chrome	Black	76 DP SC-B	76 DPN SC-B	76 DPNC SC-B	-	-	-	76 45SS1 SC-B
	White Plastic	White	76 DP WH-W	76 DPN WH-W	76 DPNC WH-W	-	-	-	76 45SS1 WH-W
	Black Plastic	Black	76 DP BL-B	76 DPN BL-B	76 DPNC BL-B	-	-	-	76 45SS1 BL-B
	Red Plastic	White	-	-	-	76 45 W	76 45N W	76 45V W	-
	Red Plastic	Black	-	-	-	76 45 B	76 45N B	76 45V B	-
Polished Brass	Polished Brass	White	71 DP PB-W	71 DPN PB-W	71 DPNC PB-W	-	-	-	71 45SS1 PB-W
	Polished Brass	Black	71 DP PB-B	71 DPN PB-B	71 DPNC PB-B	-	-	-	71 45SS1 PB-B
	White Plastic	White	71 DP WH-W	71 DPN WH-W	71 DPNC WH-W	-	-	-	71 45SS1 WH-W
	Black Plastic	Black	71 DP BL-B	71 DPN BL-B	71 DPNC BL-B	-	-	-	71 45SS1 BL-B
	Red Plastic	White	-	-	-	71 45 W	71 45N W	71 45V W	-
	Red Plastic	Black	-	-	-	71 45 B	71 45N B	71 45V B	-
Satin Brass	Satin Brass	White	72 DP SB-W	72 DPN SB-W	72 DPNC SB-W	-	-	-	72 45SS1 SB-W
	Satin Brass	Black	72 DP SB-B	72 DPN SB-B	72 DPNC SB-B	-	-	-	72 45SS1 SB-B
	White Plastic	White	72 DP WH-W	72 DPN WH-W	72 DPNC WH-W	-	-	-	72 45SS1 WH-W
	Black Plastic	Black	72 DP BL-B	72 DPN BL-B	72 DPNC BL-B	-	-	-	72 45SS1 BL-B
	Red Plastic	White	-	-	-	72 45 W	72 45N W	72 45V W	-
	Red Plastic	Black	-	-	-	72 45 B	72 45N B	72 45V B	-
Antique Brass	Antique Brass	Black	-	79 DPN AB-B	-	-	-	-	79 45SS1 AB-B
	Red Plastic	Black	-	-	-	79 45 B	79 45N B	-	-
Bright Stainless	Bright Chrome	White	73 DP BC-W	73 DPN BC-W	73 DPNC BC-W	-	-	-	73 45SS1 BC-W
	Bright Chrome	Black	73 DP BC-B	73 DPN BC-B	73 DPNC BC-B	-	-	-	73 45SS1 BC-B
	White Plastic	White	73 DP WH-W	73 DPN WH-W	73 DPNC WH-W	-	-	-	73 45SS1 WH-W
	Black Plastic	Black	73 DP BL-B	73 DPN BL-B	73 DPNC BL-B	-	-	-	73 45SS1 BL-B
	Red Plastic	White	-	-	-	73 45 W	73 45N W	73 45V W	-
	Red Plastic	Black	-	-	-	73 45 B	73 45N B	73 45V B	-
Satin Stainless	Satin Stainless	White	74 DP SS-W	74 DPN SS-W	74 DPNC SS-W	-	-	-	74 45SS1 SS-W
	Satin Stainless	Black	74 DP SS-B	74 DPN SS-B	74 DPNC SS-B	-	-	-	74 45SS1 SS-B
	White Plastic	White	74 DP WH-W	74 DPN WH-W	74 DPNC WH-W	-	-	-	74 45SS1 WH-W
	Black Plastic	Black	74 DP BL-B	74 DPN BL-B	74 DPNC BL-B	-	-	-	74 45SS1 BL-B
	Red Plastic	White	-	-	-	74 45 W	74 45N W	74 45V W	-
	Red Plastic	Black	-	-	-	74 45 B	74 45N B	74 45V B	-
Black Nickel	Black Nickel	Black	-	78 DPN BK-B	-	-	-	-	78 45SS1 BK-B
	Red Plastic	Black	-	-	-	78 45 B	78 45N B	-	-
Pearl Oyster	Pearl Oyster	White	-	7P DPN PO-W	-	-	-	-	7P 45SS1 PO-W
	Red Plastic	White	-	-	-	7P 45 W	7P 45N W	-	-

Connection Units



74 SPNC SS-W



1 gang 13A Double Pole Fused Spur

Nominal Plate Size: 88 x 88 mm
Minimum Wall Box Depth: 35 mm

Technical Insert Reference: **SP**
Product Code



1 gang 13A Double Pole Fused Spur + Neon

Nominal Plate Size: 88 x 88 mm
Minimum Wall Box Depth: 35 mm

Technical Insert Reference: **SPN**
Product Code



1 gang 13A Double Pole Fused Spur + Neon + Cable Outlet

Nominal Plate Size: 88 x 88 mm
Minimum Wall Box Depth: 35 mm

Technical Insert Reference: **SPNC**
Product Code



1 gang 13A Fuse Only

Nominal Plate Size: 88 x 88 mm
Minimum Wall Box Depth: 35 mm

Technical Insert Reference: **FO**
Product Code



1 gang 13A Fuse Only + Cable Outlet

Nominal Plate Size: 88 x 88 mm
Minimum Wall Box Depth: 35 mm










Technical Insert Reference: **FOC**
Product Code



1 gang Cable Outlet

Nominal Plate Size: 88 x 88 mm
Minimum Wall Box Depth: 35 mm

Technical Insert Reference: **CO**
Product Code

Plate Finish	Insert Finish	Insert Surround Colour	Technical Insert Reference: SP Product Code	Technical Insert Reference: SPN Product Code	Technical Insert Reference: SPNC Product Code	Technical Insert Reference: FO Product Code	Technical Insert Reference: FOC Product Code	Technical Insert Reference: CO Product Code
	Bright Chrome	White	77 SP BC-W	77 SPN BC-W	77 SPNC BC-W	77 FO BC-W	77 FOC BC-W	-
	Bright Chrome	Black	77 SP BC-B	77 SPN BC-B	77 SPNC BC-B	77 FO BC-B	77 FOC BC-B	-
	White Plastic	White	77 SP WH-W	77 SPN WH-W	77 SPNC WH-W	77 FO WH-W	77 FOC WH-W	77 CO W
	Black Plastic	Black	77 SP BL-B	77 SPN BL-B	77 SPNC BL-B	77 FO BL-B	77 FOC BL-B	77 CO B
	Satin Chrome	White	76 SP SC-W	76 SPN SC-W	76 SPNC SC-W	76 FO SC-W	76 FOC SC-W	-
	Satin Chrome	Black	76 SP SC-B	76 SPN SC-B	76 SPNC SC-B	76 FO SC-B	76 FOC SC-B	-
	White Plastic	White	76 SP WH-W	76 SPN WH-W	76 SPNC WH-W	76 FO WH-W	76 FOC WH-W	76 CO W
	Black Plastic	Black	76 SP BL-B	76 SPN BL-B	76 SPNC BL-B	76 FO BL-B	76 FOC BL-B	76 CO B
	Polished Brass	White	71 SP PB-W	71 SPN PB-W	71 SPNC PB-W	71 FO PB-W	71 FOC PB-W	-
	Polished Brass	Black	71 SP PB-B	71 SPN PB-B	71 SPNC PB-B	71 FO PB-B	71 FOC PB-B	-
	White Plastic	White	71 SP WH-W	71 SPN WH-W	71 SPNC WH-W	71 FO WH-W	71 FOC WH-W	71 CO W
	Black Plastic	Black	71 SP BL-B	71 SPN BL-B	71 SPNC BL-B	71 FO BL-B	71 FOC BL-B	71 CO B
	Satin Brass	White	72 SP SB-W	72 SPN SB-W	72 SPNC SB-W	72 FO SB-W	72 FOC SB-W	-
	Satin Brass	Black	72 SP SB-B	72 SPN SB-B	72 SPNC SB-B	72 FO SB-B	72 FOC SB-B	-
	White Plastic	White	72 SP WH-W	72 SPN WH-W	72 SPNC WH-W	72 FO WH-W	72 FOC WH-W	72 CO W
	Black Plastic	Black	72 SP BL-B	72 SPN BL-B	72 SPNC BL-B	72 FO BL-B	72 FOC BL-B	72 CO B
	Antique Brass	Black	79 SP AB-B	79 SPN AB-B	-	79 FO AB-B	-	-
	Black Plastic	Black	-	-	-	-	-	79 CO B
	Bright Chrome	White	73 SP BC-W	73 SPN BC-W	73 SPNC BC-W	73 FO BC-W	73 FOC BC-W	-
	Bright Chrome	Black	73 SP BC-B	73 SPN BC-B	73 SPNC BC-B	73 FO BC-B	73 FOC BC-B	-
	White Plastic	White	73 SP WH-W	73 SPN WH-W	73 SPNC WH-W	73 FO WH-W	73 FOC WH-W	73 CO W
	Black Plastic	Black	73 SP BL-B	73 SPN BL-B	73 SPNC BL-B	73 FO BL-B	73 FOC BL-B	73 CO B
	Satin Stainless	White	74 SP SS-W	74 SPN SS-W	74 SPNC SS-W	74 FO SS-W	74 FOC SS-W	-
	Satin Stainless	Black	74 SP SS-B	74 SPN SS-B	74 SPNC SS-B	74 FO SS-B	74 FOC SS-B	-
	White Plastic	White	74 SP WH-W	74 SPN WH-W	74 SPNC WH-W	74 FO WH-W	74 FOC WH-W	74 CO W
	Black Plastic	Black	74 SP BL-B	74 SPN BL-B	74 SPNC BL-B	74 FO BL-B	74 FOC BL-B	74 CO B
	Black Nickel	Black	78 SP BK-B	78 SPN BK-B	-	78 FO BK-B	-	-
	Black Plastic	Black	-	-	-	-	-	78 CO B
	Pearl Oyster	White	7P SP PO-W	7P SPN PO-W	-	7P FO PO-W	-	-
	White Plastic	White	-	-	-	-	-	7P CO W

Leading Edge Push On/Off Resistive Dimmers

Note: Tungsten filament GU10 lamps must be branded and with a fused base.

Note: When using mains voltage halogen lamps - dimmers should be de-rated by 25%.

Note: When dimming LED lamps de-rate by 75% - please contact our Technical Department for compatibility.



77 2X40



**1 gang 400W
2 way Dimmer**

Nominal Plate Size: 88 x 88 mm
Min. Wall Box Depth: 35 mm
Technical Insert Reference: **1X40**
Product Code

**2 gang 400W
2 way (Max. 300
watts per gang)
Dimmer**

Nominal Plate Size: 88 x 88 mm
Min. Wall Box Depth: 35 mm
Technical Insert Reference: **2X40**
Product Code

**3 gang 400W
2 way Dimmer**

Nominal Plate Size: 144 x 85 mm
Min. Wall Box Depth: 35 mm
Technical Insert Reference: **3X40**
Product Code

**4 gang 400W
2 way (Max. 300
watts per gang)
Dimmer**

Nominal Plate Size: 144 x 85 mm
Min. Wall Box Depth: 35 mm
Technical Insert Reference: **4X40**
Product Code

**1 gang 600W
2 way Dimmer**

Nominal Plate Size: 88 x 88 mm
Min. Wall Box Depth: 35 mm
Technical Insert Reference: **1X60**
Product Code

**1 gang 1000W
2 way Dimmer**

Nominal Plate Size: 144 x 85 mm
Min. Wall Box Depth: 35 mm
Technical Insert Reference: **1X1K**
Product Code

Plate Finish	Insert Finish	1 gang 400W 2 way Dimmer	2 gang 400W 2 way (Max. 300 watts per gang) Dimmer	3 gang 400W 2 way Dimmer	4 gang 400W 2 way (Max. 300 watts per gang) Dimmer	1 gang 600W 2 way Dimmer	1 gang 1000W 2 way Dimmer
Bright Chrome	Bright Chrome	77 1X40	77 2X40	77 3X40	77 4X40	77 1X60	77 1X1K
Satin Chrome	Satin Chrome	76 1X40	76 2X40	76 3X40	76 4X40	76 1X60	76 1X1K
Polished Brass	Polished Brass	71 1X40	71 2X40	71 3X40	71 4X40	71 1X60	71 1X1K
Satin Brass	Satin Brass	72 1X40	72 2X40	72 3X40	72 4X40	72 1X60	72 1X1K
Antique Brass	Antique Brass	79 1X40	79 2X40	79 3X40	79 4X40	79 1X60	79 1X1K
Bright Stainless	Bright Chrome	73 1X40	73 2X40	73 3X40	73 4X40	73 1X60	73 1X1K
Satin Stainless	Satin Stainless	74 1X40	74 2X40	74 3X40	74 4X40	74 1X60	74 1X1K
Black Nickel	Black Nickel	78 1X40	78 2X40	78 3X40	78 4X40	78 1X60	78 1X1K
Pearl Oyster	Pearl Oyster	7P 1X40	7P 2X40	7P 3X40	7P 4X40	7P 1X60	7P 1X1K

Leading Edge Push On/Off Inductive Dimmers

Note: When dimming LED lamps de-rate by 75% - please contact our Technical Department for compatibility.



72 1X3V



1 gang 200VA 2 way Dimmer

Nominal Plate Size:
88 x 88 mm
Min. Wall Box
Depth: 35 mm
Technical Insert
Reference: **1X2V**
Product Code












2 gang 200VA 2 way Dimmer

Nominal Plate Size:
88 x 88 mm
Min. Wall Box
Depth: 35 mm
Technical Insert
Reference: **2X2V**
Product Code



1 gang 300VA 2 way Dimmer

Nominal Plate Size:
88 x 88 mm
Min. Wall Box
Depth: 35 mm
Technical Insert
Reference: **1X3V**
Product Code

Plate Finish	Insert Finish	1 gang 200VA 2 way Dimmer Product Code	2 gang 200VA 2 way Dimmer Product Code	1 gang 300VA 2 way Dimmer Product Code
Bright Chrome 	Bright Chrome	77 1X2V	77 2X2V	77 1X3V
Satin Chrome 	Satin Chrome	76 1X2V	76 2X2V	76 1X3V
Polished Brass 	Polished Brass	71 1X2V	71 2X2V	71 1X3V
Satin Brass 	Satin Brass	72 1X2V	72 2X2V	72 1X3V
Antique Brass 	Antique Brass	79 1X2V	79 2X2V	79 1X3V
Bright Stainless 	Bright Chrome	73 1X2V	73 2X2V	73 1X3V
Satin Stainless 	Satin Stainless	74 1X2V	74 2X2V	74 1X3V
Black Nickel 	Black Nickel	78 1X2V	78 2X2V	78 1X3V
Pearl Oyster 	Pearl Oyster	7P 1X2V	7P 2X2V	7P 1X3V



71 2XTE

Trailing Edge Push On/Off Dimmers

Note: Tungsten filament GU10 lamps must be branded and with a fused base.

Note: When using mains voltage halogen lamps - dimmers should be de-rated by 25%.

Note: When using mains voltage halogen load transformers - maximum rating is 210VA.

Note: When dimming LED lamps de-rate by 75% - please contact our Technical Department for compatibility.



1 gang 250W/210VA Trailing Edge Multi-Way Dimmer

Nominal Plate Size: 88 x 88 mm
Min. Wall Box Depth: 35 mm
Technical Insert Reference: **1XTE**
Product Code

2 gang 250W/210VA Trailing Edge Multi-Way Dimmer










Nominal Plate Size: 88 x 88 mm
Min. Wall Box Depth: 35 mm
Technical Insert Reference: **2XTE**
Product Code

3 gang 250W/210VA Trailing Edge Multi-Way Dimmer

Nominal Plate Size: 144 x 85 mm
Min. Wall Box Depth: 35 mm
Technical Insert Reference: **3XTE**
Product Code

4 gang 250W/210VA Trailing Edge Multi-Way Dimmer

Nominal Plate Size: 144 x 85 mm
Min. Wall Box Depth: 35 mm
Technical Insert Reference: **4XTE**
Product Code

Plate Finish	Insert Finish	1 gang 250W/210VA Trailing Edge Multi-Way Dimmer Product Code	2 gang 250W/210VA Trailing Edge Multi-Way Dimmer Product Code	3 gang 250W/210VA Trailing Edge Multi-Way Dimmer Product Code	4 gang 250W/210VA Trailing Edge Multi-Way Dimmer Product Code
Bright Chrome 	Bright Chrome	77 1XTE	77 2XTE	77 3XTE	77 4XTE
Satin Chrome 	Satin Chrome	76 1XTE	76 2XTE	76 3XTE	76 4XTE
Polished Brass 	Polished Brass	71 1XTE	71 2XTE	71 3XTE	71 4XTE
Satin Brass 	Satin Brass	72 1XTE	72 2XTE	72 3XTE	72 4XTE
Antique Brass 	Antique Brass	79 1XTE	79 2XTE	79 3XTE	79 4XTE
Bright Stainless 	Bright Chrome	73 1XTE	73 2XTE	73 3XTE	73 4XTE
Satin Stainless 	Satin Stainless	74 1XTE	74 2XTE	74 3XTE	74 4XTE
Black Nickel 	Black Nickel	78 1XTE	78 2XTE	78 3XTE	78 4XTE
Pearl Oyster 	Pearl Oyster	7P 1XTE	7P 2XTE	7P 3XTE	7P 4XTE



76 1XTM SC-W

Trailing Edge Touch Master Multi-Way Dimmers

Note: Tungsten filament GU10 lamps must be branded and with a fused base.

Note: When using mains voltage halogen lamps - dimmers should be de-rated by 25%.

Note: When using mains voltage halogen load transformers - maximum rating is 210VA.

Note: When dimming LED lamps de-rate by 75% - please contact our Technical Department for compatibility.



1 gang 250W/210VA Trailing Edge Multi-Way Touch Master Dimmer

Nominal Plate Size: 88 x 88 mm

Minimum Wall Box Depth: 35 mm

Technical Insert Reference: **1XTM Product Code**

2 gang 250W/210VA Trailing Edge Multi-Way Touch Master Dimmer

Nominal Plate Size: 88 x 88 mm

Minimum Wall Box Depth: 35 mm

Technical Insert Reference: **2XTM Product Code**

3 gang 250W/210VA Trailing Edge Multi-Way Touch Master Dimmer

Nominal Plate Size: 144 X 85 mm

Minimum Wall Box Depth: 35 mm










Technical Insert Reference: **3XTM Product Code**

4 gang 250W/210VA Trailing Edge Multi-Way Touch Master Dimmer

Nominal Plate Size: 144 X 85 mm

Minimum Wall Box Depth: 35 mm

Technical Insert Reference: **4XTM Product Code**

Plate Finish	Insert Finish	Insert Surround Colour	1 gang 250W/210VA Trailing Edge Multi-Way Touch Master Dimmer Nominal Plate Size: 88 x 88 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: 1XTM Product Code	2 gang 250W/210VA Trailing Edge Multi-Way Touch Master Dimmer Nominal Plate Size: 88 x 88 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: 2XTM Product Code	3 gang 250W/210VA Trailing Edge Multi-Way Touch Master Dimmer Nominal Plate Size: 144 X 85 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: 3XTM Product Code	4 gang 250W/210VA Trailing Edge Multi-Way Touch Master Dimmer Nominal Plate Size: 144 X 85 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: 4XTM Product Code
Bright Chrome 	Bright Chrome Bright Chrome	White Black	77 1XTM BC-W 77 1XTM BC-B	77 2XTM BC-W 77 2XTM BC-B	77 3XTM BC-W 77 3XTM BC-B	77 4XTM BC-W 77 4XTM BC-B
Satin Chrome 	Satin Chrome Satin Chrome	White Black	76 1XTM SC-W 76 1XTM SC-B	76 2XTM SC-W 76 2XTM SC-B	76 3XTM SC-W 76 3XTM SC-B	76 4XTM SC-W 76 4XTM SC-B
Polished Brass 	Polished Brass Polished Brass	White Black	71 1XTM PB-W 71 1XTM PB-B	71 2XTM PB-W 71 2XTM PB-B	71 3XTM PB-W 71 3XTM PB-B	71 4XTM PB-W 71 4XTM PB-B
Satin Brass 	Satin Brass Satin Brass	White Black	72 1XTM SB-W 72 1XTM SB-B	72 2XTM SB-W 72 2XTM SB-B	72 3XTM SB-W 72 3XTM SB-B	72 4XTM SB-W 72 4XTM SB-B
Antique Brass 	Antique Brass	Black	79 1XTM AB-B	79 2XTM AB-B	79 3XTM AB-B	79 4XTM AB-B
Bright Stainless 	Bright Chrome Bright Chrome	White Black	73 1XTM BC-W 73 1XTM BC-B	73 2XTM BC-W 73 2XTM BC-B	73 3XTM BC-W 73 3XTM BC-B	73 4XTM BC-W 73 4XTM BC-B
Satin Stainless 	Satin Stainless Satin Stainless	White Black	74 1XTM SS-W 74 1XTM SS-B	74 2XTM SS-W 74 2XTM SS-B	74 3XTM SS-W 74 3XTM SS-B	74 4XTM SS-W 74 4XTM SS-B
Black Nickel 	Black Nickel	Black	78 1XTM BK-B	78 2XTM BK-B	78 3XTM BK-B	78 4XTM BK-B
Pearl Oyster 	Pearl Oyster	White	-	-	-	-



Touch Slave Controllers










Note: To only be used with Touch Master Dimmers.

Note: Tungsten filament GU10 lamps must be branded and with a fused base.

Note: When using mains voltage halogen lamps - dimmers should be de-rated by 25%.

Note: When using mains voltage halogen load transformers - maximum rating is 210VA.



Plate Finish	Insert Finish	Insert Surround Colour	1 gang Multi-Way Touch Slave Controller Nominal Plate Size: 88 x 88 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: 1XTS Product Code	2 gang Multi-Way Touch Slave Controller Nominal Plate Size: 88 x 88 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: 2XTS Product Code	3 gang Multi-Way Touch Slave Controller Nominal Plate Size: 144 X 85 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: 3XTS Product Code	4 gang Multi-Way Touch Slave Controller Nominal Plate Size: 144 X 85 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: 4XTS Product Code
Bright Chrome 	Bright Chrome Bright Chrome	White Black	77 1XTS BC-W 77 1XTS BC-B	77 2XTS BC-W 77 2XTS BC-B	77 3XTS BC-W 77 3XTS BC-B	77 4XTS BC-W 77 4XTS BC-B
Satin Chrome 	Satin Chrome Satin Chrome	White Black	76 1XTS SS-W 76 1XTS SS-B	76 2XTS SS-W 76 2XTS SS-B	76 3XTS SS-W 76 3XTS SS-B	76 4XTS SS-W 76 4XTS SS-B
Polished Brass 	Polished Brass Polished Brass	White Black	71 1XTS PB-W 71 1XTS PB-B	71 2XTS PB-W 71 2XTS PB-B	71 3XTS PB-W 71 3XTS PB-B	71 4XTS PB-W 71 4XTS PB-B
Satin Brass 	Satin Brass Satin Brass	White Black	72 1XTS SB-W 72 1XTS SB-B	72 2XTS SB-W 72 2XTS SB-B	72 3XTS SB-W 72 3XTS SB-B	72 4XTS SB-W 72 4XTS SB-B
Antique Brass 	Antique Brass	Black	79 1XTS AB-B	79 2XTS AB-B	79 3XTS AB-B	79 4XTS AB-B
Bright Stainless 	Bright Chrome Bright Chrome	White Black	73 1XTS BC-W 73 1XTS BC-B	73 2XTS BC-W 73 2XTS BC-B	73 3XTS BC-W 73 3XTS BC-B	73 4XTS BC-W 73 4XTS BC-B
Satin Stainless 	Satin Stainless Satin Stainless	White Black	74 1XTS SS-W 74 1XTS SS-B	74 2XTS SS-W 74 2XTS SS-B	74 3XTS SS-W 74 3XTS SS-B	74 4XTS SS-W 74 4XTS SS-B
Black Nickel 	Black Nickel	Black	78 1XTS BK-B	78 2XTS BK-B	78 3XTS BK-B	78 4XTS BK-B
Pearl Oyster 	Pearl Oyster	White	-	-	-	-

EuroFix Plates complete with Fixing Grid

Minimum Wall Box Depth is dependent on the EuroFix insert fitted - please see the EuroFix section for our complete range of inserts.



79 EURO2



1 Module EuroFix Plate

Nominal Plate Size:
88 x 88 mm
Aperture: 25 x 50 mm
Technical Insert
Reference: **EURO1**
[Product Code](#)



2 Module EuroFix Plate

Nominal Plate Size:
88 x 88 mm
Aperture: 50 x 50 mm
Technical Insert
Reference: **EURO2**
[Product Code](#)



3 Module EuroFix Plate

Nominal Plate Size:
144 x 85 mm
Aperture: 75 x 50 mm
Technical Insert
Reference: **EURO3**
[Product Code](#)



4 Module EuroFix Plate

Nominal Plate Size:
144 x 85 mm
Aperture: 100 x 50 mm
Technical Insert
Reference: **EURO4**
[Product Code](#)

Plate Finish

Bright Chrome



77 EURO1

77 EURO2

77 EURO3

77 EURO4

Satin Chrome



76 EURO1

76 EURO2

76 EURO3

76 EURO4

Polished Brass



71 EURO1

71 EURO2

71 EURO3

71 EURO4

Satin Brass



72 EURO1

72 EURO2

72 EURO3

72 EURO4

Antique Brass



79 EURO1

79 EURO2

79 EURO3

79 EURO4

Bright Stainless



73 EURO1

73 EURO2

73 EURO3

73 EURO4

Satin Stainless



74 EURO1

74 EURO2

74 EURO3

74 EURO4

Black Nickel



78 EURO1

78 EURO2

78 EURO3

78 EURO4

Pearl Oyster



7P EURO1

7P EURO2

7P EURO3

7P EURO4



73 6GP

GRID-IT Grid Fix Plates complete with Fixing Grid

Minimum Wall Box Depth is dependent on the Grid Fix insert fitted - please see the GRID-IT section for our complete range of inserts.



1 gang Aperture Grid Fix Plate

Nominal Plate Size: 88 x 88 mm
 Technical Insert Reference: **1GP**
Product Code



2 gang Aperture Grid Fix Plate

Nominal Plate Size: 88 x 88 mm
 Technical Insert Reference: **2GP**
Product Code



3 gang Aperture Grid Fix Plate

Nominal Plate Size: 144 x 85 mm
 Technical Insert Reference: **3GP**
Product Code



4 gang Aperture Grid Fix Plate

Nominal Plate Size: 144 x 85 mm
 Technical Insert Reference: **4GP**
Product Code



6 gang Aperture Grid Fix Plate

Nominal Plate Size: 146 x 146 mm
 Technical Insert Reference: **6GP**
Product Code

Plate Finish

Gloss White



Bright Chrome



Satin Chrome



Polished Brass



Satin Brass



Antique Brass



Bright Stainless



Satin Stainless



Black Nickel



Pearl Oyster



70 1GP

70 2GP

70 3GP

70 4GP

70 6GP

77 1GP

77 2GP

77 3GP

77 4GP

77 6GP

76 1GP

76 2GP

76 3GP

76 4GP

76 6GP

71 1GP

71 2GP

71 3GP

71 4GP

71 6GP

72 1GP

72 2GP

72 3GP

72 4GP

72 6GP

79 1GP

79 2GP

79 3GP

79 4GP

79 6GP

73 1GP

73 2GP

73 3GP

73 4GP

73 6GP

74 1GP

74 2GP

74 3GP

74 4GP

74 6GP

78 1GP

78 2GP

78 3GP

78 4GP

78 6GP

7P 1GP

7P 2GP

7P 3GP

7P 4GP

7P 6GP

GRID-IT Grid Fix Plates complete with Fixing Grid

Minimum Wall Box Depth is dependent on the Grid Fix insert fitted - please see the GRID-IT section for our complete range of inserts.



72 9GP



8 gang Aperture Grid Fix Plate

Nominal Plate Size: 146 x 146 mm
Technical Insert Reference: **8GP**
Product Code



9 gang Aperture Grid Fix Plate

Nominal Plate Size: 146 x 210 mm
Technical Insert Reference: **9GP**
Product Code



12 gang Aperture Grid Fix Plate

Nominal Plate Size: 146 x 210 mm
Technical Insert Reference: **12GP**
Product Code



1 gang 13A Switched Socket Aperture Grid Fix Plate (Grid supplied with Insert)

Nominal Plate Size: 88 x 88 mm
Technical Insert Reference: **SS1GP**
Product Code



2 gang 13A Switched Socket Aperture Grid Fix Plate (Grid supplied with Insert)

Nominal Plate Size: 144 x 85 mm
Technical Insert Reference: **SS2GP**
Product Code

Plate Finish

Gloss White



70 8GP

70 9GP

70 12GP

70 SS1GP

70 SS2GP

Bright Chrome



77 8GP

77 9GP

77 12GP

77 SS1GP

77 SS2GP

Satin Chrome



76 8GP

76 9GP

76 12GP

76 SS1GP

76 SS2GP

Polished Brass



71 8GP

71 9GP

71 12GP

71 SS1GP

71 SS2GP

Satin Brass



72 8GP

72 9GP

72 12GP

72 SS1GP

72 SS2GP

Antique Brass



79 8GP

79 9GP

79 12GP

79 SS1GP

79 SS2GP

Bright Stainless



73 8GP

73 9GP

73 12GP

73 SS1GP

73 SS2GP

Satin Stainless



74 8GP

74 9GP

74 12GP

74 SS1GP

74 SS2GP

Black Nickel



78 8GP

78 9GP

78 12GP

78 SS1GP

78 SS2GP

Pearl Oyster



7P 8GP

7P 9GP

7P 12GP

7P SS1GP

7P SS2GP

EuroFix Media Plates complete with 13A Unswitched Power Sockets

Minimum Wall Box Depth is dependent on the EuroFix insert fitted - please see the EuroFix section for our complete range of inserts.



73 MED1 W









Media Plate EURO4 Aperture with 2 x 13A Unswitched Sockets

Nominal Plate Size: 146 x 146 mm
Aperture: 100 x 50 mm
Technical Insert Reference: **MED1**



Media Plate EURO4 Aperture with 4 x 13A Unswitched Sockets

Nominal Plate Size: 146 x 210 mm
Aperture: 100 x 50 mm
Technical Insert Reference: **MED2**

Plate Finish	Insert Colour	Product Code	Product Code
Bright Chrome 	White Plastic Black Plastic	77 MED1 W 77 MED1 B	77 MED2 W 77 MED2 B
Satin Chrome 	White Plastic Black Plastic	76 MED1 W 76 MED1 B	76 MED2 W 76 MED2 B
Polished Brass 	White Plastic Black Plastic	71 MED1 W 71 MED1 B	71 MED2 W 71 MED2 B
Satin Brass 	White Plastic Black Plastic	72 MED1 W 72 MED1 B	72 MED2 W 72 MED2 B
Bright Stainless 	White Plastic Black Plastic	73 MED1 W 73 MED1 B	73 MED2 W 73 MED2 B
Satin Stainless 	White Plastic Black Plastic	74 MED1 W 74 MED1 B	74 MED2 W 74 MED2 B

Blank Plates












71 BPS



Single Blank Plate
Nominal Plate Size: 88 x 88 mm
Technical Insert Reference: **BPS**
Product Code



Double Blank Plate
Nominal Plate Size: 144 x 85 mm
Technical Insert Reference: **BPD**
Product Code

Plate Finish	Product Code	Product Code
Bright Chrome 	77 BPS	77 BPD
Satin Chrome 	76 BPS	76 BPD
Polished Brass 	71 BPS	71 BPD
Satin Brass 	72 BPS	72 BPD
Antique Brass 	79 BPS	79 BPD
Bright Stainless 	73 BPS	73 BPD
Satin Stainless 	74 BPS	74 BPD
Black Nickel 	78 BPS	78 BPD
Pearl Oyster 	7P BPS	7P BPD