





PREMIUM ELECTRIC FIRES COLLECTION



WELCOME TO CELSI

At Celsi we know how important it is to create a stylish and relaxing living environment. That's why we've developed this collection of premium electric fires.

I believe our success stems from a combination of innovative design, investment in technology and

the highest quality manufacturing standards. As a result all Celsi heaters carry a 2 year guarantee to reflect my belief in their quality and durability.

This brochure has been designed to make the purchase of your new Celsi heater as simple as possible. I hope you find it both informative and inspiring.





PURAFLAME®



Puraflame Introduction	page 4
Puraflame Panoramic	page 5
Puraflame Curved	page 6
Puraflame Camber	page 7
Puraflame Functionality at Your Fingertips	page 8



We are confident you are getting a product that is built to last. That's why we offer a 2 Year Guarantee on all Celsi electric fires.

ELECTRIFLAME®XD



Electriflame XD Introduction	page 9
Electriflame XD Decadence	page 10
Electriflame XD Arcadia	page 11
Electriflame XD Camber	page 12
Electriflame XD Essence	page 13
Electriflame XD Oxford	page 14
Electriflame XD Portrait	page 15
Electriflame XD Landscape	page 16
Electriflame XD Lynx Suite	page 17
Electriflame XD Omega Suite	page 18

ELECTRIFLAME®



Electriflame Introduction	page 19
Electriflame Camber 22"	page 20
Electriflame Lamela	page 21
Electriflame Royale	page 22
Electriflame Modern	page 23
Electriflame Daisy	page 24
Electriflame Bauhaus	page 25
Electriflame Oxford 22" Hearth	page 26
Electriflame Caress	page 27
Electriflame Prestige Brown	page 28
Electriflame Oxford Wall Mounted	page 29
Electriflame Travertine	page 30
Electriflame Royal Botticino	page 31
Electriflame Piano Black	Page 32

Electriflame Basalt Granite	Page 33
Electriflame Black Glass	Page 34
Electriflame Curved Black Glass	Page 35
Electriflame Ivory	Page 36
Electriflame London Suite	Page 37
Electriflame Paris Suite	Page 38
Electriflame Oslo Suite	Page 39

ACCENT & FLAMONIK



Accent & Flamonik Introduction	page 40
Flamonik Enchant	page 41
Flamonik Rapture	page 42
Accent Infusion	page 43
Accent Traditional	page 44

ELECTRIC OUTSET RANGE



Electric Outset Range Introduction	page 45
Strata Electric	page 46
Misermatic Electric	page 47
Renaissance Electric	page 48

FIRE SURROUNDS

Fire Surround Introduction	page 49
Amor	Page 50
Arria	Page 50
Nova	Page 51
Rubi	Page 51







PURAFLAME® PANDRAMIC

- 3 Realistic Flame Movies
- 5 Flame Speed settings
- Real Fire Sounds with 5 volume levels
- Up to 2kW heat output
- Programmable Thermostatic Heat Control
- Mood Lighting with choice of 3 colours
- Sleep Timer with 9 settings
- Adjustable screen brightness
- Stylish black glass fascia
- One of the quietest fires available on flame only setting
- 2 Year Guarantee

Dimensions (H x W x D)	400mm x 1080mm x 105mm
Heat Output – High	2kW
Heat Output - Low	1kW
Safety	Thermal cut out
Remote Control	Yes
Electronic Digital Thermostat	Yes
Mood Lighting	Yes
Flame Options	Smouldering Log Blazing Log Flaming Coal











PURAFLAME® CURVED

- 3 Realistic Flame Movies
- 5 Flame Speed settings
- Real Fire Sounds with 5 volume levels
- Up to 2kW heat output
- Programmable Thermostatic Heat Control
- Mood Lighting with choice of 3 colours
- Sleep Timer with 9 settings
- Adjustable screen brightness
- Stylish black glass fascia
- One of the quietest fires available on flame only setting
- 2 Year Guarantee

Dimensions (H x W x D)	505mm x 980mm x 135mm
Heat Output – High	2kW
Heat Output - Low	1kW
Safety	Thermal cut out
Remote Control	Yes
Electronic Digital Thermostat	Yes
Mood Lighting	Yes
Flame Options	Smouldering Log Blazing Log Flaming Coal










PURAFLAME® CAMBER

- 3 Realistic Flame Movies
- 5 Flame Speed settings
- Real Fire Sounds with 5 volume levels
- Up to 1.8kW heat output
- Programmable Thermostatic Heat Control
- Mood Lighting with choice of 3 colours
- Sleep Timer with 9 settings
- Adjustable screen brightness
- Contemporary satin silver fascia
- One of the quietest fires available on flame only setting
- 2 Year Guarantee

Dimensions (H x W x D)	685mm x 615mm x 75mm inset + 120mm fascia
Heat Output – High	1.8kW
Heat Output – Low	0.9kW
Safety	Thermal cut out
Remote Control	Yes
Electronic Digital Thermostat	Yes
Flame Options	Smouldering Log Blazing Log Glowing Coal





CELSI PURAFLAME® THE MOST FUNCTIONAL ELECTRIC FIRE ON THE MARKET

FLAME PICTURES

Celsi has patented some of the most advanced technologies to create the most sophisticated and realistic fire effect in the world. Every Puraflame fire has been designed to give the appearance of outstanding depth along with an amazing 3D effect, and comes with a selection of real fire effects to choose from.



SMOULDERING LOG Available on all models



BLAZING LOG Available on all models



FLAMING COAL Available on Curved and Panoramic only



GLOWING COAL Available on Puraflame Camber & Puraflame Oxford

FLAME SPEED

You may prefer a slow and calming flame or a guick and spellbinding flicker. With a choice of 5 flame speeds you can speed up or slow down each of the real fire movies.

FIRE VOLUME

There's nothing more soothing than the authentic crackle of a real log fire. Lower the volume for a more subtle result or crank it up for full effect. There is also a mute button to silence the sound effect when you need to. When on 'flame only' setting, Puraflame is the quietest fire on the market.

MOOD LIGHTING

The mood lighting feature creates a calming ambience around the heater. A choice of 3 colours: white, amber and blue, lets you highlight the fire to suit your mood. This is only available on the Curved and Panoramic models and can be turned off if not required.



WHITE



AMBER



BLUE



OFF

PICTURE BRIGHTNESS

Natural daylight or artificial lamplight can have a big impact on how you see the flame picture. We have included this brightness function to allow you the option to increase or dim the screen brightness to suit vou and vour environment.

SLEEP TIMER

An extremely practical function. The sleep timer can be used to automatically turn the heater to standby mode after a predetermined amount of time. Great if you want to doze off and not worry about turning the fire off once you have fallen asleep. The timer can be set for up to a maximum of 4 hours in 30 minute intervals and once this time has elapsed the appliance will automatically go into standby.


TEMPERATURE

The fan heater can be operated in manual or automatic mode. When in manual mode you can use the heat button on the remote handset to select low heat, high heat or heat off.

To eliminate the hassle of constantly manually adjusting the heat output, every Puraflame fire features a stateof-the-art, digitally controlled thermostat. Use the temperature function to turn on automatic heat mode. You can pre-select your comfort level and the heater will automatically adjust between high heat and off, maintaining the room temperature you have selected.







ELECTRIFLAME®XD DECADENCE

- Solid Cast Iron Fascia
- Advanced 3D Technology to create an extra deep 3D effect
- Relaxing, smoky, full depth flame effect
- Low cost, high efficiency LED lighting
- Variable flame dimmer with four settings
- Two heat levels and a flame effect only option
- Operated via remote control handset or manual controls
- Supplied with a spacer and deep trim to allow the fire to fit easily into any 3" rebated surround
- Available in a choice of three colours; Silver, Gold and Black Nickel


Dimensions (H x W x D)	630mm x 529mm x 63mm inset + 110mm fascia and spacer
Heat Output – High	1.8kW
Heat Output - Low	0.9kW
Safety	Thermal cut out
Remote Control	Yes
Available finishes	Silver, Gold and Black Nickel



ELECTRIFLAME®XD
DECADENCE in Silver



ELECTRIFLAME®XD
DECADENCE in Black Nickel






ELECTRIFLAME®XD ARCADIA

- Solid Cast Iron Fascia
- Advanced 3D Technology to create an extra deep 3D effect
- Relaxing, smoky, full depth flame effect
- Low cost, high efficiency LED lighting
- Variable flame dimmer with four settings
- Two heat levels and a flame effect only option
- Operated via remote control handset or manual controls
- Supplied with a spacer and deep trim to allow the fire to fit easily into any 3" rebated surround
- Available in a choice of two colours; Silver and Gold

Dimensions (H x W x D)	612mm x 528mm x 63mm inset + 118mm fascia and spacer
Heat Output – High	1.8kW
Heat Output - Low	0.9kW
Safety	Thermal cut out
Remote Control	Yes

Gold and Silver





Available finishes



ELECTRIFLAME®XD ARCADIA in Gold





ELECTRIFLAME®XD CAMBER

- Advanced 3D Technology to create an extra deep 3D effect
- Relaxing, smoky, full depth flame effect
- Low cost, high efficiency LED lighting
- LED decorative lights embedded in the fascia
- Variable flame dimmer with four settings
- Two heat levels and a flame effect only option
- Operated via remote control handset or manual controls
- Supplied with a spacer and deep trim to allow the fire to fit easily into any 3" rebated surround
- Available in a choice of three colours; Silver, Champagne, or Black


Dimensions (H x W x D)	595mm x 490mm x 75mm inset + 35mm fascia
Heat Output – High	1.8kW
Heat Output - Low	0.9kW
Safety	Thermal cut out
Remote Control	Yes
Available finishes	Silver, Champagne and Black



ELECTRIFLAME®XD
CAMBER in Silver



ELECTRIFLAME®XD CAMBER in Black






ELECTRIFLAME®XD ESSENCE

- Advanced 3D Technology to create an extra deep 3D effect
- Relaxing, smoky, full depth flame effect
- Low cost, high efficiency LED lighting
- Variable flame dimmer with four settings
- Two heat levels and a flame effect only option
- Operated via remote control handset or manual controls
- Supplied with a spacer and deep trim to allow the fire to fit easily into any 3" rebated surround
- Available in a choice of four colours; brushed silver, antique brass, satin brass or black

Dimensions (H x W x D)	625mm x 535mm x 75mm inset + 80mm fascia
Heat Output – High	1.8kW
Heat Output - Low	0.9kW
Safety	Thermal cut out
Remote Control	Yes
Available finishes	Brushed Silver, Antique Brass, Satin Brass or Black







ELECTRIFLAME®XD ESSENCE in Brushed Silver



ELECTRIFLAME®XD ESSENGE in Satin Brass



ELECTRIFLAME®XD ESSENCE in Black





ELECTRIFLAME®XD OXFORD


- Solid Cast Iron Fascia
- Advanced 3D Technology to create an extra deep 3D effect
- Relaxing, smoky, full depth flame effect
- Low cost, high efficiency LED lighting
- Variable flame dimmer with four settings
- Two heat levels and a flame effect only option
- Operated via remote control handset or manual controls



ELECTRIFLAME®XD

OXFORD in Black

Dimensions (H x W x D)	595mm x 490mm x 75mm inset + 35mm fascia
Heat Output – High	1.8kW
Heat Output - Low	0.9kW
Safety	Thermal cut out
Remote Control	Yes
Available finishes	Black or Brown








ELECTRIFLAME®XD PORTRAIT


- Advanced 3D technology to create an extra deep flame effect
- Relaxing, smoky full depth flame effect
- Low cost, high efficiency LED lighting
- Variable flame dimmer with four settings
- Two heat levels and a flame effect only option
- Operated via remote control handset or manual controls
- Optional random glow fuel bed setting

Dimensions (H x W x D)	720mm x 575mm x 150mm
Heat Output – High	2kW
Heat Output - Low	1kW
Safety	Thermal cut out
Remote Control	Yes



EXTRA DEEP 3D EFFECT







Please note: When installed there must be a minimum distance of 400mm between the bottom of the fire and the floor.




ELECTRIFLAME®XD LANDSCAPE

- Advanced 3D technology to create an extra deep flame effect
- Relaxing, smoky full depth flame effect
- Low cost, high efficiency LED lighting
- Variable flame dimmer with four settings
- Two heat levels and a flame effect only option
- Operated via remote control handset or manual controls
- Optional random glow fuel bed setting

Dimensions (H x W x D)	650mm x 915mm x 133mm
Heat Output – High	1.8kW
Heat Output - Low	0.9kW
Safety	Thermal cut out
Remote Control	Yes



EXTRA DEEP 3D EFFECT





Please note: When installed there must be a minimum distance of 400mm between the bottom of the fire and the floor.




ELECTRIFLAME®XD LYNX SUITE

- Top quality Royal Botticino fireplace
- Advanced 3D technology to create an extra deep flame effect
- Relaxing, smoky full depth flame effect
- Low cost, high efficiency LED lighting
- Variable flame dimmer with four settings
- Two heat levels and a flame effect only option
- Two fiedt levels and a fiame effect only option
- Operated via remote control handset or manual controls
- Optional random glow fuel bed setting

Dimensions (H x W x D)	1100mm x 1000mm x 300mm
Heat Output – High	2kW
Heat Output - Low	1kW
Safety	Thermal cut out
Remote Control	Yes



EXTRA DEEP 3D EFFECT










ELECTRIFLAME®XD OMEGA SUITE

- Top quality Royal Botticino fireplace
- Advanced 3D technology to create an extra deep flame effect
- Relaxing, smoky full depth flame effect
- Low cost, high efficiency LED lighting
- Variable flame dimmer with four settings
- Two heat levels and a flame effect only option
- Operated via remote control handset
- Optional random glow fuel bed setting


Dimensions (H x W x D)	1050mm x 1260mm x 300mm
Heat Output – High	1.8kW
Heat Output - Low	0.9kW
Safety	Thermal cut out
Remote Control	Yes



EXTRA DEEP 3D EFFECT










ELECTRIFLAME® CAMBER 22"

- Advanced 3D technology
- Relaxing, smoky full depth flame effect
- Low cost, high efficiency LED lighting
- Variable flame dimmer with three settings
- Two heat levels and a flame effect only option
- Operated via remote control handset or manual controls
- Supplied with a spacer and deep trim to allow the fire to fit easily into any 3" rebated surround

Dimensions (H x W x D)	615mm x 685mm x 75mm inset + 90mm fascia
Heat Output – High	1.8kW
Heat Output - Low	0.9kW
Safety	Thermal cut out
Remote Control	Yes
Available finishes	Polished Silver






ELECTRIFLAME® LAMELA

- Advanced 3D technology
- Relaxing, smoky full depth flame effect
- Low cost, high efficiency LED lighting
- Variable flame dimmer with three settings
- Two heat levels and a flame effect only option
- Operated via remote control handset or manual controls
- Supplied with a spacer and deep trim to allow the fire to fit easily into any 3" rebated surround
- A Choice of two colours; Brass and Black or Silver and Black



ELECTRIFLAME LAMELA Silver and Black

Dimensions (H x W x D)	600mm x 500mm x 75mm inset + 80mmm fascia and spacer
Heat Output – High	1.8kW
Heat Output - Low	0.9kW
Safety	Thermal cut out
Remote Control	Yes
Available finishes	Brass and Black or Silver and Black









ELECTRIFLAME® ROYALE

- Advanced 3D technology
- Relaxing, smoky full depth flame effect
- Low cost, high efficiency LED lighting
- Variable flame dimmer with three settings
- Two heat levels and a flame effect only option
- Operated via remote control handset or manual controls
- Supplied with a spacer and deep trim to allow the fire to fit easily into any 3" rebated surround
- A choice of three colour options; silver, brass or black
- Available in 16" and 22" fire widths




ELECTRIFLAME ROYALE 16" in Black



ELECTRIFLAME
ROYALE 22" in Silver

	ROYALE 16"	ROYALE 22"
Dimensions (H x W x D)	595mm x 490mm x 75mm inset + 35mm fascia	595mm x 640mm x 75mm inset + 35mm fascia
Heat Output – High	1.8kW	1.5kW
Heat Output - Low	0.9kW	0.75kW
Safety	Thermal cut out	Thermal cut out
Remote Control	Yes	Yes
Available finishes	Brass, Silver or Black	Brass or Silver






ELECTRIFLAME® MODERN

- Advanced 3D technology
- Relaxing, smoky full depth flame effect
- Low cost, high efficiency LED lighting
- Variable flame dimmer with three settings
- Two heat levels and a flame effect only option
- Operated via remote control handset or manual controls
- Supplied with a spacer and deep trim to allow the fire to fit easily into any 3" rebated surround
- A choice of two colour options; brass or black



ELECTRIFLAME MODERN Brace

Dimensions (H x W x D)	595mm x 490mm x 75mm inset + 35mm fascia
Heat Output – High	1.8kW
Heat Output - Low	0.9kW
Safety	Thermal cut out
Remote Control	Yes
Available finishes	Brass or Black










ELECTRIFLAME® DAISY

- Advanced 3D technology
- Relaxing, smoky full depth flame effect
- Low cost, high efficiency LED lighting
- Variable flame dimmer with three settings
- Two heat levels and a flame effect only option
- Operated via remote control handset or manual controls
- Supplied with a spacer and deep trim to allow the fire to fit easily into any 3" rebated surround
- A choice of three colour options; silver, brass or black

Dimensions (H x W x D)	595mm x 490mm x 75mm inset + 35mm fascia
Heat Output – High	1.8kW
Heat Output - Low	0.9kW
Safety	Thermal cut out
Remote Control	Yes
Available finishes	Brass, Silver or Black







ELECTRIFLAME DAISY in Brass



ELECTRIFLAME DAISY in Black

ELECTRIFLAME® BAUHAUS

- Advanced 3D technology
- Relaxing, smoky full depth flame effect
- Low cost, high efficiency LED lighting
- Variable flame dimmer with three settings
- Two heat levels and a flame effect only option
- Operated via remote control handset or manual controls
- Supplied with a spacer and deep trim to allow the fire to fit easily into any 3" rebated surround
- A choice of three colour options; silver, brass or black




ELECTRIFLAME BAUHAUS in Brass

Dimensions (H x W x D)	595mm x 490mm x 75mm inset + 35mmm fascia
Heat Output – High	1.8kW
Heat Output - Low	0.9kW
Safety	Thermal cut out
Remote Control	Yes
Available finishes	Brass, Silver or Black



ELECTRIFLAME BAUHAUS in Black










ELECTRIFLAME® DXFORD 22" HEARTH MOUNTED

- Elegantly designed MDF fascia
- Advanced 3D technology
- Relaxing, smoky full depth flame effect
- Low cost, high efficiency LED lighting
- Variable flame dimmer with four settings
- Two heat levels and a flame effect only option
- Operated via remote control handset or manual controls
- Supplied with a spacer to allow the fire to fit easily into any 3" rebated surround
- Available in brown or black top quality painted finishes

Dimensions (H x W x D)	628mm x 710mm x 60mm inset + 70mm fascia
Heat Output – High	1.5kW
Heat Output - Low	0.75kW
Safety	Thermal cut out
Remote Control	Yes
Available finishes	Brown or Black






ELECTRIFLAME® CARESS

- Advanced 3D technology
- Relaxing, smoky full depth flame effect
- Low cost, high efficiency LED lighting
- Variable flame dimmer with three settings
- Two heat levels and a flame effect only option
- Operated via remote control handset or manual controls
- Supplied with a spacer and deep trim to allow the fire to fit easily into any 3" rebated surround
- A choice of brass or polished silver




ELECTRIFLAME CARESS BAUHAUS in Polished Silver

Dimensions (H x W x D)	651mm x 535mm x 75mm inset + 59mm fascia
Heat Output – High	1.8kW
Heat Output - Low	0.9kW
Safety	Thermal cut out
Remote Control	Yes










ELECTRIFLAME® PRESTIGE BROWN

- Advanced 3D technology
- Relaxing, smoky full depth flame effect
- Low cost, high efficiency LED lighting
- Variable flame dimmer with four settings

- Includes an easy fixing wall plate for trouble free installation
- Two heat levels and a flame effect only option • Operated via remote control handset or manual controls

Dimensions (H x W x D)	600mm x 1100mm x 150mm
Heat Output – High	1.5kW
Heat Output - Low	0.75kW
Safety	Thermal cut out
Remote Control	Yes





Please note: When installed there must be a minimum distance of 400mm between the bottom of the fire and the floor.




ELECTRIFLAME® OXFORD WALL MOUNTED

- Elegantly designed MDF fascia
- Advanced 3D technology
- Relaxing, smoky full depth flame effect
- Low cost, high efficiency LED lighting
- Variable flame dimmer with four settings
- Two heat levels and a flame effect only option
- Operated via remote control handset or manual controls
- Available in brown or black top quality painted finishes

Dimensions (H x W x D)	635mm x 710mm x 130mm outset
Heat Output – High	1.5kW
Heat Output - Low	0.75kW
Safety	Thermal cut out
Remote Control	Yes
Available Finishes	Brown or Black












ELECTRIFLAME® TRAVERTINE

- Advanced 3D technology
- Relaxing, smoky full depth flame effect
- Low cost, high efficiency LED lighting
- Variable flame dimmer with four settings
- Two heat levels and a flame effect only option
- Operated via remote control handset or manual controls
- Includes an easy fixing wall plate for trouble free installation
- Available in two sizes

	I	I
Dimensions	TRAVERTINE 1300	TRAVERTINE 1100
(H x W x D)	600mm x 1300mm x 150mm	600mm x 1100mm x 150mm
Heat Output – High	1.5kW	1.5kW
Heat Output - Low	0.75kW	0.75kW
Safety	Thermal cut out	Thermal cut out
Remote Control	Yes	Yes




Please note: When installed there must be a minimum distance of 400mm between the bottom of the fire and the floor.



ELECTRIFLAME® ROYAL BOTTICINO

- Advanced 3D technology
- Relaxing, smoky full depth flame effect
- Low cost, high efficiency LED lighting
- Variable flame dimmer with four settings
- Two heat levels and a flame effect only option
- Operated via remote control handset or manual controls
- Includes an easy fixing wall plate for trouble free installation

Dimensions (H x W x D)	600mm x 1100mm x 150mm
Heat Output – High	1.5kW
Heat Output - Low	0.75kW
Safety	Thermal cut out
Remote Control	Yes






Please note: When installed there must be a minimum distance of 400mm between the bottom of the fire and the floor.



ELECTRIFLAME® PIANO BLACK

- Advanced 3D technology
- Relaxing, smoky full depth flame effect
- Low cost, high efficiency LED lighting
- Variable flame dimmer with four settings
- Two heat levels and a flame effect only option
- Operated via remote control handset or manual controls
- Includes an easy fixing wall plate for trouble free installation
- Available in two sizes

Dimensions (H x W x D)	PIAND BLACK 1300 600mm x 1300mm x 150mm	PIANO BLACK 1100 600mm x 1100mm x 150mm
Heat Output – High	1.5kW	1.5kW
Heat Output - Low	0.75kW	0.75kW
Safety	Thermal cut out	Thermal cut out
Remote Control	Yes	Yes




Please note: When installed there must be a minimum distance of 400mm between the bottom of the fire and the floor.



ELECTRIFLAME® BASALT GRANITE

- Advanced 3D technology
- Relaxing, smoky full depth flame effect
- Low cost, high efficiency LED lighting
- Variable flame dimmer with four settings
- Two heat levels and a flame effect only option
- Operated via remote control handset or manual controls
- Includes an easy fixing wall plate for trouble free installation
- Available in two sizes

	ensions W x D)	600mm x 1300mm x 150mm	BASALT GRANITE 1 1 0 0 600mm x 1100mm x 150mm
Heat	Output – High	1.5kW	1.5kW
Heat	Output - Low	0.75kW	0.75kW
Safet	Ξy	Thermal cut out	Thermal cut out
Remo	ote Control	Yes	Yes




Please note: When installed there must be a minimum distance of 400mm between the bottom of the fire and the floor.



ELECTRIFLAME® BLACK GLASS

- Advanced 3D technology
- Relaxing, smoky full depth flame effect
- Low cost, high efficiency LED lighting
- Variable flame dimmer with four settings
- Two heat levels and a flame effect only option
- Operated via remote control handset or manual controls
- Includes an easy fixing wall plate for trouble free installation
- Available in two sizes

			I
	Dimensions (H x W x D)	BLACK GLASS 1300 600mm x 1300mm x 126mm	BLACK GLASS 1100 600mm x 1100mm x 126mm
	Heat Output - High	1.5kW	1.5kW
	Heat Output - Low	0.75kW	0.75kW
	Safety	Thermal cut out	Thermal cut out
	Remote Control	Yes	Yes




Please note: When installed there must be a minimum distance of 400mm between the bottom of the fire and the floor.



ELECTRIFLAME® CURVED BLACK GLASS

- Advanced 3D technology
- Relaxing, smoky full depth flame effect
- Low cost, high efficiency LED lighting
- Variable flame dimmer with four settings
- Two heat levels and a flame effect only option
- Operated via remote control handset or manual controls
- Includes an easy fixing wall plate for trouble free installation
- 2 Year Guarantee

Dimensions (H x W x D)	590mm x 930mm x 149mm
Heat Output – High	1.5kW
Heat Output - Low	0.75kW
Safety	Thermal cut out
Remote Control	Yes






Please note: When installed there must be a minimum distance of 400mm between the bottom of the fire and the floor.



ELECTRIFLAME® IVORY

- Advanced 3D technology
- Relaxing, smoky full depth flame effect
- Low cost, high efficiency LED lighting
- Variable flame dimmer with four settings
- Two heat levels and a flame effect only option
- Operated via remote control handset or manual controls
- Includes an easy fixing wall plate for trouble free installation
- Available in two sizes

		1
Dimensions	PIANO IVORY 1300	PIANO IVORY 1100
(H x W x D)	600mm x 1300mm x 150mm	600mm x 1100mm x 150mm
Heat Output - High	1.5kW	1.5kW
Heat Output - Low	0.75kW	0.75kW
Safety	Thermal cut out	Thermal cut out
Remote Control	Yes	Yes






Please note: When installed there must be a minimum distance of 400mm between the bottom of the fire and the floor.



ELECTRIFLAME® LONDON SUITE

- Modern landscape electric fireplace
- Oak wood effect and glass fascia
- Extremely easy to install
- Advanced 3D technology
- Relaxing, smoky full depth flame effect
- Low cost, high efficiency LED lighting
- Variable flame dimmer with four settings
- Two heat levels and a flame effect only option
- Operated via remote control handset or manual controls
- Available with optional black glass hearth

Dimensions (H x W x D)	784mm x 1209mm x 135mm (Optional Hearth – 12mm x 1275mm x 270mm)
Heat Output – High	1.5kW
Heat Output - Low	0.75kW
Safety	Thermal cut out
Remote Control	Yes








ELECTRIFLAME® PARIS SUITE

- Contemporary portrait electric fireplace
- Walnut wood effect and glass fascia
- Extremely easy to install
- Advanced 3D technology
- Relaxing, smoky full depth flame effect
- Low cost, high efficiency LED lighting
- Variable flame dimmer with three settings
- Two heat levels and a flame effect only option
- Operated via remote control handset or manual controls
- Available with optional black glass hearth

Dimensions (H x W x D)	1185mm x 892mm x 135mm (Optional Hearth – 12mm x 960mm x 270mm)
Heat Output – High	1.8kW
Heat Output - Low	0.9kW
Safety	Thermal cut out
Remote Control	Yes









ELECTRIFLAME® OSLO SUITE

- Contemporary electric fireplace
- Cherry wood effect and glass fascia
- Extremely easy to install
- Advanced 3D technology
- Relaxing, smoky full depth flame effect
- Low cost, high efficiency LED lighting
- Variable flame dimmer with four settings
- Two heat levels and a flame effect only option
- Operated via remote control handset or manual controls
- Available with optional black glass hearth

Dimensions (H x W x D)	1004mm x 1005mm x 135mm (Optional Hearth – 12mm x 1072mm x 270mm)
Heat Output – High	1.5kW
Heat Output - Low	0.75kW
Safety	Thermal cut out
Remote Control	Yes










FLAMONIK ENCHANT

- Black curved glass fascia
- Enchanting smoky flame effect
- Colour changing back light with 4 settings
- Colour changing fuel bed with 4 settings
- Two heat settings up to 2kW

Dimensions (H x W x D)	441mm x 912mm x 126mm
Heat Output – High	2.0kW
Heat Output - Low	1.0kW
Safety	Thermal cut out
Remote Control	Yes
Mood Lighting	Yes







FLAMONIK ENGHANT Magenta FLAMONIK ENGHANT Blue

Please note: When installed there must be a minimum distance of 400mm between the bottom of the fire and the floor.












FLAMONIK RAPTURE

- Black flat glass fascia
- Striking dancing flame effect
- Colour changing back light with 4 settings
- Colour changing fuel bed with 4 settings
- Two heat settings up to 2kW

Dimensions (H x W x D)	440mm x 686mm x 110mm
Heat Output – High	2.0kW
Heat Output - Low	1.0kW
Safety	Thermal cut out
Remote Control	Yes
Mood Lighting	Yes








FLAMONIK RAPTURE Magenta FLAMONIK RAPTURE Blue



FLAMONIK RAPTURE Amber





ACCENT INFUSION

- Lively Ribbon Flame Effect
- Coal effect fuel bed
- Variable flame dimmer with three settings
- Two heat levels and a flame effect only option
- Operated via remote control handset or manual controls
- Up to 2kW heat output
- Available in a choice of brass, silver or black & chrome contemporary fascia
- 2 Year Guarantee




ACCENT INFUSION in Brass

Dimensions (H x W x D)	595mm x 498mm x 75mm inset + 83mm fascia
Heat Output – High	2.0kW
Heat Output - Low	1.0kW
Safety	Thermal cut out
Remote Control	Yes
Available finishes	Brass, Silver or Black & Chrome



ACCENT INFUSION in Black & Chrome










ACCENT TRADITIONAL

- Beautiful Ribbon Flame Effect
- Variable Flame Speed
- White and frosted stone fuel bed accompanied by a comforting under bed glow
- Up to 2kW heat output
- Available in a choice of brass effect or chrome
- 2 Year Guarantee

Dimensions (H x W x D)	595mm x 490mm x 75mm inset + 35mm fascia
Heat Output – High	2.0kW
Heat Output - Low	1.0kW
Safety	Thermal cut out
Remote Control	Yes
Available Finishes	Brass or Chrome



ACCENT TRADITIONAL in Silver









STRATA ELECTRIC

- 2kW heat output
- User friendly Electronic Top manual Control
- Glowing radiant fuel effect
- Variable Flame dimmer with 3 settings
- Choice of four colours

Dimensions (H x W x D)	530mm x 715mm x 210mm
Heat Output – High	2.0kW
Heat Output - Low	1.0kW
Safety	Thermal cut out
Manual Control	Yes
Available finishes	Black, Brown, White or Cream



STRATA in White



H





MISERMATIC ELECTRIC

- 2kW heat output
- User friendly Electronic Top manual Control
- Glowing radiant fuel effect
- Variable Flame dimmer with 3 settings
- Choice of five colours

Dimensions (H x W x D)	530mm x 800mm x 200mm
Heat Output – High	2.0kW
Heat Output - Low	1.0kW
Safety	Thermal cut out
Manual Control	Yes
Available finishes	Teak, Mahogany, Black, Medium Oak or Light Oak



MISERMATIC in Teak




MISERMATIC in Mahogany



MISERMATIC in Medium Oak



MISERMATIC in Black








RENAISSANCE ELECTRIC

- 2kW heat output
- User friendly Electronic Top manual Control
- Glowing radiant fuel effect
- Variable Flame dimmer with 3 settings
- Choice of two colours


Dimensions (H x W x D)	652mm x 730mm x 200mm
Heat Output – High	2.0kW
Heat Output - Low	1.0kW
Safety	Thermal cut out
Manual Control	Yes
Available Finishes	Silver or Black



RENAISSANCE ELECTRIC in Black








AMOR SURROUND



The Amor surround features beautiful curves and is made from Royal Botticino marble. This surround is suitable for installation with any Puraflame, Electriflame or Accent hearth mounted electric fire.

Dimensions (H x W x D) 1060mm x 1370mm x 279-400mm




ARRIA SURROUND



The Arria surround is based on the popular Tudor design and is made from Royal Botticino marble. This surround is suitable for installation with any Puraflame, Electriflame or Accent hearth mounted electric fire.

Dimensions (H x W x D) 1040mm x 1280mm x 180-380mm




NOVA SURROUND



The Nova is a classically styled surround and is made from Royal Botticino marble. This surround is suitable for installation with any 16" Electriflame or Accent hearth mounted electric fire.

Dimensions (H x W x D) NOVA SURROUND 1053mm x 1210mm x 239-400mm



RUBI SURROUND



The Rubi is a petite surround which is ideal for small living areas and is made from Royal Botticino marble. This surround is suitable for installation with any 16" Electriflame or Accent hearth mounted electric fire.

Dimensions (H x W x D) 930mm x 1000mm x 160-300mm

