



The Entrance Matting System Specialists





Entrance matting systems are an essential for any commercial entranceway, removing dirt and moisture from incoming foot traffic, and helping to protect your expensive interior floor coverings.

Syncros specialises in the supply and installation of entrance barrier matting systems, providing a complete range of products from the leading manufacturers. With over 14 years experience in supplying clients from major food retailers to flooring contractor and construction trades, high street names to local schools and offices you can be sure that Syncros have the right product for your application.



Syncros provides products from the leading manufacturers

Milliken 3M ENCO

GRADUS Jaymart

CS Construction Specialties Forbo FLOORING SYSTEMS

HOWE GREEN nuway®

RAWSON CARPETS Heckmondwike

Syncros, adding value through

Expertise

With such a vast array of entrance matting products available, the choice can seem bewildering, so we've made sure our team have expert knowledge on all products. Our combination of product knowledge, attention to detail, availability of site surveys and determination to provide the best value for money ensures customers projects are delivered on time and to budget.


Syncros is the UK's principle distributor of Milliken Obex entrance matting and holds a huge range of this and many other products in stock, guaranteeing you prompt delivery.

Installation

With a team of highly experienced, manufacturer-approved installers, Syncros ensure products are fitted correctly and safely. The team are all Construction Skills Certification Scheme (CSCS) registered and installation can be arranged to suit a projects requirements, 24 hours a day, 7 days a week. The team can also offer comprehensive advice and guidance on preparation, installation (if not to be fitted by Syncros) and maintenance for all product ranges.

Matwell Excavation & Surface Mounting

Syncros can create surface mounted matwell installations overnight at exceptional cost effective prices or alternatively create new matwells by excavating a new matwell area, screeding and installing matwell frames.



Contents

Choosing your entrance matting system


With so many different products to choose from, you need to make sure you've thought about all the factors that can affect your choice. Syncros advisors will help you through the process, however you should consider:

- What is the expected level of traffic entering the building?
- What type of soiling will the system need to cope with, i.e. what type of surfaces are outside of the building that could affect this?
- What type of traffic will need to move across the matting-foot, wheeled or both?
- Will the system need to cope with heavy loads and how often?
- Will the traffic be entering onto the installation through one door or multiple entrance points?
- Are there any special requirements such as electronic security systems that need to be incorporated?
- How large and what shape is the area that the entrance matting needs to cover?
- What are the aesthetic requirements of the entrance matting system, colours, materials etc?
- Do you need to incorporate the organisations corporate logo into the system?
- How will the matting be maintained?

Milliken	3/4
Forbo nuway® FLOORING SYSTEMS	5
CS Construction Specialties	6
EMCO	7
3M	8
GRADUS	9
Joumant	10
RAWSON CARPETS	11
H Heckmondwike	12
HOWE GREEN	13
SmartForm by Syncros	14
Carpet Tiles	15
Bespoke Designer Mats	16
Logo Mats	17
Additional Products	18

Milliken™

OBEX Forma Installations





Milliken Obex Forma™



Milliken Obex Forma™



Milliken Obex Prior™



Milliken Obex Prior™



Milliken Obex Atrium™



Milliken Logo Mats

The Milliken Obex range is suitable for all installations, particularly high foot traffic areas, with the heel proof construction providing optimum flexibility and maximum efficiency.

Prior is a PVC primary barrier matting tile with an effective scraper design to remove heavy particulate dirt and can be used either outdoors or indoors.

Forma tiles combine the scraper action with inserts of patented Milliken Obex textile to produce a matting system unequalled in performance. The textile (available in a choice of 8 colours) consists of high quality polyamide 6.6 fibres - multi-filaments capture moisture whilst the mono-filaments work as tough scrapers against dirt particles.

Prior and Forma can be combined in a single well to provide the ultimate matting installation. Available in 11mm or 16mm depth with a closed or open construction, they can also be surface mounted if required using a simple and easy edging system.

As an exceptionally tough and durable, permanent entrance matting solution, **Tergo** can be fitted externally or internally to your building's entrance way. When combined with its sister matting products, Prior and Forma, the blend forms an unbeatable scraper action with exceptional moisture and dirt retention.

Atrium is designed for high traffic circulation areas and provides unsurpassed functionality in either a loose lay (mat or runner) or fitted format. The open tufting of the Milliken Obex textile ensures it is effective at collecting dirt and moisture whilst also allowing easy dirt release for maintenance.

Logo Mats provide a solution to help promote corporate identity and brand image whilst providing loose lay floor protection. Custom design logo mats can be manufactured to each company's individual design and specification.

**DESIGN
YOUR OWN**
Milliken entrance
matting installation at

www.syncros.co.uk

Milliken Obex Prior™

Milliken Obex Forma™

Milliken Obex Tergo™

Milliken Obex Atrium™

Milliken Logo Mats

For more Logo Mat
information see page 17



Milliken™

OBEX

Nuway Tuftiguard

Nuway Grid

Nuway Connect

Nuway Cable

Coral Classic

Coral Brush Activ

Coral Duo

Coral Welcome



Forbo
FLOORING SYSTEMS
nuway[®]



Nuway Tuftiguard



Forbo Coral Duo



Nuway Tuftiguard

Nuway's range of entrance matting systems offer both single and double sided systems, available in a huge range of colours, finishes and designs.

The **Tuftiguard** entrance systems are available in an almost infinite range of designs and sizes, most of which if installed in a true square or rectangle can be reversed and interchanged to optimise performance and wear.

Flameguard provides a rigorously tested low smoke, low halogen barrier matting system.

Nuway Grid is a single sided, rigid entrance system available with a choice of rubber strips and textile infills which complement the Coral range of floor coverings.

Coral Classic and **Coral Duo** are designed to provide great moisture absorption in high traffic circulation areas, and are available in complete rolls or cut sizes.



Nuway Tuftiguard



Forbo Coral Classic



C/S Pediluxe



C/S Pedisystems Tread Options



C/S Pedimat

Construction Specialties provides a range of entrance matting systems to suit all environments, with open or closed construction to cope with the deepest to the shallowest of matwells.

Pedigrid offers an aluminium grid system with textile insert but in a deep gauge allowing water, slush, dirt etc to drain into the well below.


The **Pediluxe** and **Pedimat** systems provide a range of roll-up matting systems that can be recessed or surface mounted and are available in open or closed construction with a range of colour and tread options.

Gridline provides an open stainless steel scraper grid system, **Gridline Plus** combines this with textile inserts available in a range of depths including deep gauge.

Zone 3 provides a nylon 6.6 clean off carpet for areas after the fitted barrier matting, which can be recess fitted or loose lay surface mounted using **Zone 4**.



C/S Pedimat



C/S Pedigrid & Gridline

C/S Pedigrid®

C/S Pediluxe®

C/S Pedimat®

C/S Gridline™

C/S Gridline Plus™

C/A Tetras



Emco Kadett

Emco Diplomat

Emco Radial

Emco Plaza

Emco Marschall

Emco Senator

Emco Aviator



EMCO



EMCO provides entrance matting systems in open or closed construction with a huge choice of depths, material, textile inlay and colours.

Kadett and **Diplomat** provide a range of hard wearing, roll-up entrance matting with a choice of textile, rubber or brush bristle insert.

Radial is a stunning range of curved barrier matting ideal for complementing revolving doors and curved entranceways.

Plaza offers a matting system with extreme load bearing qualities (2000kg/m²) for extra heavy-duty environments.

Marschall is a heavy duty roll-up aluminium matting available with a range of infills suitable for heavy traffic.

Senator provides an aluminium based system with extra wide profiles of carpet strip.



Emco Radial




Nomad Optima



Nomad Optima



Nomad 8800



Nomad Optima 8800

Nomad Optima 9920

Nomad Optima 9920

3M provides entrance matting ranges with options to suit all traffic volumes.

Nomad Aqua incorporates a patented combination of coarse and fine fibres to remove dirt and moisture more effectively than conventional entrance carpet, with the construction and style designed to disguise unsightly dirt and watermarks.

Nomad Terra is a structured vinyl matting available as complete rolls or cut lengths that traps and hides high amounts of soiling. Available backed or unbacked for use as loose lay or laid in wells.

Nomad Modular consists of interlocking vinyl tiles that allow rapid installation with no templating and complete design flexibility, with or without a textile insert.

Nomad Optima aluminium frame matting contains high performance textile infills of Nomad Aqua to offer an excellent combination of dirt and water removal, without compromising on the aesthetics.



Nomad Modular

3M Nomad Aqua

3M Nomad Terra

3M Nomad Modular

3M Nomad Optima

3M wet area matting products also available.



3M

Gradus Esplanade Plus

Gradus Topguard

Gradus Access

Gradus Boulevard



Gradus Esplanade Plus
& Boulevard 6000



Gradus Esplanade Plus

Gradus Access



Gradus Topguard

Gradus provides a range of entrance matting systems to suit all environments, available in open or closed construction with a choice of depths, material (aluminium, brass or rubber) and colours.

Esplanade Plus is ideal for heavy traffic areas, and is constructed of an aluminium base supported by rigid PVC bridging strips and nylon wiper strips.

Topguard is suited to the most demanding of environments and is strengthened with integral galvanised steel wires. When installed in a true square or rectangle, the installation can be reversed to extend the product life.

Access is suitable for medium traffic levels, and due to non-metal construction is ideal for use where electronic tagging systems are used.

Boulevard offers a range of high performance circulation zone carpeting, offering excellent scraping and moisture retention properties, in a range of colours, finishes and textures.



Gradus Esplanade Plus



Gradus Boulevard 6000



GRADUS



Jaymart Buffer-Zone



Jaymart Alligator

Jaymart offers a range of aluminium entrance matting systems and circulation zone flooring to suit all environments with a large choice of gauge and colours.

Alligator offers a range of rubber, ribbed cord or polypropylene brush dirt control matting inserts set with aluminium scraper sections in open or closed constructions.

Buffer-Zone offers a range of very heavy duty closed construction barrier matting systems to deal with areas of the heaviest traffic.

The **Grime** range offers a closed construction system and includes a fire resistant, low smoke emission matting system that is used in underground rail stations.

The **Street** range of matting systems has options that can be used in external or internal environments.



Jaymart Buffer-Zone



Jaymart Grime

Jaymart Alligator

Jaymart Buffer-Zone

Jaymart Grime

Jaymart Street



Jaymart

Rawson Fibre Bonded

Rawson Tufted

Rawson Barrier Matting



Rawson's range of barrier matting, fibre bonded carpets and tufted carpets are made from tough Polypropylene, making them ideal for heavy traffic areas.

The product range includes both carpet tiles and 2 metre wide lengths, and is available in a wide range of colours and finishes for an incredibly versatile matting option. The most popular products include 'Eurocord', 'Champion', 'Castle' and 'Felkirk' - ideal for heavy footfall areas. The complete range of Rawson carpets and mat products are available on request.




Castle



Champion



Denby



Dominator




Eurocord



Felkirk



Freeway



Fresca



Hercules



Trackmaster





Heckmondwike Fibre Bonded
Heckmondwike Entrance Area
Heckmondwike Care Range




Heckmondwike produce a comprehensive range of hard wearing commercial grade entrance carpet, fibre bonded carpet tiles and tufted carpet.

The carpet systems on offer come in a wide selection of colours and finishes, so you're sure to find a carpet solution for even the heaviest wear and tear areas.


Heckmondwike's popular Supacord, Hobnail, Broadrib and Dreadnought carpets are all available through Syncros and are found throughout the UK in retail outlets, office environments, public sector buildings, schools and universities. The complete range of Heckmondwike carpets and mat products are available on request.





Heckmondwike

Howe Green Metro 9

Howe Green Metro 17



Metro Works



Metro - Vinyl Abrasive



Syncros offers the full range of Howe Green entrance matting systems on a supply only or supply and fit basis.


The Howe Green range comprises of a variety of aluminium profile systems and a PVC grid system as well as secondary barrier carpeting solutions.

The range offers a colour matching primary and secondary concept offering a complete solution to entrance matting requirements.

Simply call the Syncros team for more information and advice on the Howe Green product range.



HOWE GREEN



Metro - Ext



Metro City



Smart Form Street



Syncros Smart Form is an aluminium grid matting system that offers a truly tailored entrance mat solution. Each of the 7 different infill options is available in a range of colours to provide an effective matting solution for any environment.

Syncros Smart Form feature wide textile areas for superior performance and an innovative debris channel to collect dirt and allow for easy cleaning. Infill options include natural coir, rubber, polyamide and polypropylene to provide a hard working and hard wearing matting system.

Syncros Smart Form is one of the only GreenSpec approved aluminium grid matting systems. Manufactured from up to 80% recycled aluminium, it is also fully recyclable at the end of its life-span making it the ideal product choice for the environmentally conscious project.



Smart Form Rib



Smart Form Street

[SmartForm Brush](#)

[SmartForm Kick Back](#)

[SmartForm Line](#)

[SmartForm Rib](#)

[SmartForm Tuft](#)

[SmartForm Street](#)

[SmartForm Track](#)



SmartForm
by Syncros

Carpet Tiles

Syncros Range

Milliken Range



Syncros Lagoon



Syncros Sahara



Syncros Range

Syncros' exclusive range of Milliken manufactured carpet tiles are designed to complement the Milliken Obex barrier matting range.

These carpet tiles are available for immediate delivery (on the basis of manufacturer colour tolerance standards) or if an exact dye lot match is required, on a 10 day lead time with no minimum order size.

Milliken Range

Milliken is one of the UK's leading manufacturers of high performance modular, cushion backed carpet tiles. All Milliken carpet tiles come with 15 year wear and availability guarantees. Syncros provides the complete range of Milliken carpet tiles on a 10-day delivery basis for the majority of available designs, dye lot matched.



Milliken Dash



Milliken OMNI Myriad



Milliken DNA


Bespoke Designer Mats



As with any interior design, it's the finishing touches that pull the look together, and a commercial entrance space is no exception. Syncros' bespoke designer mats help to provide those finishing touches for retail and commercial premises.

Syncros are able to manufacture bespoke designer mats in virtually any shape, size or design (including logos), making them ideal for receptions, showrooms, waiting areas, exhibitions and work zone definition. The nylon 6.6 fibres and anti-slip backing ensure the mats are lightweight yet hard-wearing, and ideally suited for a commercial environment.

Bespoke designer mats are available with a low profile rubber border for loose lay products or without borders for fitting into a matwell or flush with the surrounding floor covering.



Bespoke shapes

Bespoke sizes

Corporate identity

Huge range of colours

Custom logo mats

Photo-like images

Effective branding

Logo Mats

Logo Mats are an effective way to create real impact and a great first impression in your entranceway and throughout your site.

By trapping dirt and moisture, Logo Mats protect your flooring against soiling and permanent damage. A choice of designs are available 'off the shelf' or alternatively, the Syncros Design Team will work with you to create a unique mat according to your own design requirements, corporate logo or brand colours.

Modern print technology and a palette of over 700 colours mean that incredibly detailed and colourful logo mats are available to brighten up your entranceways. All Logo Mats are made using environmentally friendly, biodegradable dyes.



Milliken™

Additional Products

Whilst Syncros specialise in entrance barrier matting systems, our expertise also extends to providing a wide range of additional matting products for other areas of a building.

Temporary Floor Protection is ideal for protecting all types of floor coverings during renovation work.



Wet area matting includes swimming pool overflow gratings and anti-microbial matting ideal for shower and changing rooms.

Chair matting consists of individual mats to place under chairs with castors to protect both the carpet from wear, and provide additional grip on smooth flooring.

The **rubber matting** range includes drainage anti-slip mats for kitchen areas and anti-fatigue mats to protect employees from prolonged periods of standing.

Tak Matting has peel off disposable layers making them excellent for contamination control areas. Each layer has an adhesive coating that captures small particles from wheels and foot traffic.

Matwell Frame Kits are available ready for installation prior to the matting being installed. Matwell Frame Kits are usually available for delivery within 2 working days of the order date.



Temporary Floor
Protection

Wet Area Matting

Chair Matting

Rubber Matting

Tak Matting

Matwell Frame Kits

**DESIGN
 YOUR OWN**
 Milliken entrance
 matting installation at
www.syncros.co.uk



Syncros
 Entrance matting systems

For more information on the entire matting system range available through Syncros please contact us:

Tel: 01234 314314
 Fax: 01234 314306
 Email: sales@syncros.co.uk
 Web: www.syncros.co.uk

19 Triumph Way,
 Woburn Road Industrial Estate,
 Kempston, Bedford,
 MK42 7QB

