

SECO-LARM®Manufacturer of **ENFORCER®**

Magnetic Contact

CATALOG

For All Your Security Needs

**LIFETIME
LIMITED
WARRANTY**

See inside for details

Since
1971

Overhead Door Magnetic Contacts

SM-226LQ*
SM-226L-3Q

Closed loop
Open/Closed loop



- Gold and deactivated rhodium plated switch for longer life
- Switch contained in curved, low-profile, cast-aluminum housing, magnet in gray ABS case on L-bracket
- 24" (61cm) Wire leads enclosed in armored cable
- 2¾" (70mm) Gap



SM-226RQ*
SM-226R-3Q

Closed loop
Open/Closed loop



- Gold and deactivated rhodium plated switch for longer life
- Switch contained in curved, low-profile, cast-aluminum housing, magnet enclosed in aluminum case
- 24" (61cm) Wire leads enclosed in armored cable
- 2¾" (70mm) Gap



SM-4201-LQ

Closed loop

- Industrial, overhead door, track-mount
- Rugged aluminum housing
- Adjustable to fit most door-channel widths
- 36" (91cm) Wire leads enclosed in armored cable
- 3" (76mm) Gap



SM-4601-LQ*
SM-4601-L3Q

Closed loop
Open/Closed loop



- Industrial, wide gap, surface-mount
- Rugged aluminum housing
- Weatherproof and sealed for outdoor use
- 36" (91cm) Wire leads enclosed in armored cable
- 3" (76mm) Gap



* Indicates UL-Listed products

SECO-LARM® SLI



Surface-Mount Magnetic Contacts

SM-200Q/W
SM-200Q/BR

White, Closed loop
Brown, Closed loop



- Standard surface-mount
- Gold and deactivated rhodium plated switch for longer life
- Includes terminal cover
- ¾" (19mm) Gap



SM-300Q/W
SM-300Q/BR

White, Open loop
Brown, Open loop



- Standard surface-mount
- Gold and deactivated rhodium plated switch for longer life
- Includes terminal cover
- ½" (13mm) Gap



SM-431-TQ/W
SM-431-TQ/B

White, Closed loop
Brown, Closed loop



- Miniature surface-mount
- Gold-plated terminals for longer life
- Screw mount using side flanges, or adhesive mount (mounting screws and double-sided tape included)
- 1" (25mm) Gap



SM-4003-TQ/W

White, Closed loop

- Miniature surface-mount
- Gold-plated terminals for longer life
- Adhesive mount (double-sided tape included)
- 1" (25mm) Gap



SM-433-TQ/W
SM-433-TQ/B

White, Closed loop
Brown, Closed loop



- Surface-mount contact
- Gold-plated terminals for longer life
- Cover hides mounting screws, terminal block, and wires
- 1¼" (31mm) Gap



SM-4004-TQ/W
SM-4004-LQ/W

White, Closed loop, Terminals
White, Closed loop, Leads - 18" (46cm)

- Miniature "capsule-type" surface-mount
- Gold-plated terminals for longer life
- Adhesive mount (double-sided tape included)
- 1" (25mm) Gap - SM-4004-TQ/W
- ¾" (19mm) Gap - SM-4004-LQ/W



SM-204Q/W
SM-204Q/BR

White, Closed loop
Brown, Closed loop



- Miniature "flange-type" surface-mount
- Gold and deactivated rhodium plated switch for longer life
- Screw mount using flanges, or adhesive mount (double-sided tape included); flanges are removable
- 15" (38cm) Leads extend from center
- 1" (25mm) Gap



SM-205Q/W
SM-205Q/BR

White, Closed loop
Brown, Closed loop



- Miniature "flange-type" surface-mount
- Gold and deactivated rhodium plated switch for longer life
- Screw-mount using flanges, or adhesive mount (double-sided tape included); flanges are removable
- 15" (38cm) Leads extend from side
- ¾" (19mm) Gap



SM-216Q/GY
SM-216Q/BR

Gray, Closed loop
Brown, Closed loop



- Wide-gap surface-mount for loose-fitting doors and windows
- Gold and deactivated rhodium plated switch for longer life
- Includes spacers
- 2¾" (70mm) Gap



SM-217Q/W

White, Closed loop

- Miniature wide-gap surface-mount for loose-fitting doors and windows
- Gold and deactivated rhodium plated switch for longer life
- Wide gap, yet contact is no longer than conventional surface type
- 2" (51mm) Gap



Recessed-Mount Magnetic Contacts

SM-4102-TQ/W

White, Closed loop



- 3/8" Press-fit mount
- Gold-plated terminals for longer life
- Switch and magnet have ribs for securing in holes
- 1" (25mm) Gap



SM-407-5TQ/W

White, Closed loop



- 3/8" Press-fit mount with stubby magnet
- Gold-plated terminals for longer life
- Switch and magnet have ribs for securing in holes
- 3/4" (19mm) Gap



SM-207Q/W SM-207Q/BR

White, Closed loop

Brown, Closed loop



- 3/8" Press-fit mount
- Gold and deactivated rhodium plated switch for longer life
- Unique glue/epoxy compound protects reed switch
- Switch and magnet have ribs for securing in holes
- 15" (38cm) Wire leads
- 1" (25mm) Gap



SM-207-5Q/W SM-207-5Q/BR

White, Closed loop

Brown, Closed loop

- Similar to SM-207Q but with stubby 3/4" (19mm) magnet and switch
- 3/8" (10mm) Gap



SM-206Q/W SM-206Q/BR

White, Closed loop

Brown, Closed loop



- 1/4" Recessed Mount
- Gold and deactivated rhodium plated switch for longer life
- Unique glue/epoxy compound protects reed switch
- 15" (38cm) Wire leads
- 1" (25mm) Gap



SM-207-5LQ/W SM-207-5LQ/BR

White, Closed loop

Brown, Closed loop

- Similar to SM-207Q but with stubby 3/4" (19mm) switch
- 1" (25mm) Gap



SM-4103-TQ/W

White, Closed loop

- 3/8" Press-fit mount with stubby 15/16" (24mm) switch
- Gold-plated terminals for longer life
- Rare-earth magnet with nickel plating to protect against chipping and corrosion
- Switch has ribs for securing in hole
- 1/2" (13mm) Gap



SM-4103-LQ/W

White, Closed loop

- Similar to SM-4103-TQ/W but with 18" (46cm) wire leads and 3/4" (19mm) switch



SM-4104-TQ/W

White, Closed loop



- 3/4" Steel-door recessed-mount
- Gold-plated terminals for longer life
- Strong one-piece construction
- Switch and magnet have ribs for securing in holes
- 1" (25mm) Gap (on steel)



SM-4105-LQ/W SM-4105-LQ/B

White, Closed loop

Brown, Closed loop



- Similar to SM-4104-TQ/W but with 18" (46cm) wire leads



Plunger-Type Magnetic Switches

SM-4301-TQ/W

White, Closed loop

- Screw Terminals
- Pushbutton
- Magnet and reed switch contained in housing
- Spacer and screws included
- Plunger travel is 1/4" (6mm)



SM-4303-TQ/W

White, Closed loop

- Screw terminals
- 360° Rollerball
- Magnet and reed switch contained in housing
- Spacer and screws included
- Roller travel is 1/4" (6mm)



SM-4302-LQ/W

White, Closed loop

- 18" (46cm) Wire leads
- 360° Rollerball
- Magnet and reed switch contained in housing
- Spacer and screws included
- Roller travel is 1/4" (6mm)



Accessories

SM-831

Alnico 5 magnet,
1 1/4" (31mm) length
1/4" (6mm) diameter



SM-841

Alnico 5 magnet,
1 5/8" (41mm) length
3/8" (10mm) diameter



SM-851

Aluminum "Z" bracket
for SM-216Q/SM-226LQ



SM-852LQ

Aluminum "L" bracket
for SM-216Q/SM-226LQ



WARRANTY: This SECO-LARM product is warranted against defects in material and workmanship while used in normal service for the lifetime of the product. SECO-LARM's obligation is limited to the repair or replacement of any defective part if the unit is returned, transportation prepaid, to SECO-LARM. This Warranty is void if damage is caused by or attributed to acts of God, physical or electrical misuse or abuse, neglect, repair or alteration, improper or abnormal usage, or faulty installation, or if for any other reason SECO-LARM determines that such equipment is not operating properly as a result of causes other than defects in material and workmanship. The sole obligation of SECO-LARM and the purchaser's exclusive remedy, shall be limited to the replacement or repair only, at SECO-LARM's option. In no event shall SECO-LARM be liable for any special, collateral, incidental, or consequential personal or property damage of any kind to the purchaser or anyone else.

NOTICE: The SECO-LARM policy is one of continual development and improvement. For that reason, SECO-LARM reserves the right to change specifications without notice. SECO-LARM is also not responsible for misprints. All trademarks are the property of SECO-LARM U.S.A., Inc. or their respective owners. Copyright © 2019 SECO-LARM U.S.A., Inc. All rights reserved.

SECO-LARM® U.S.A., Inc.

16842 Millikan Avenue, Irvine, CA 92606

Phone: (949) 261-2999 | (800) 662-0800

Website: www.seco-larm.com

Email: sales@seco-larm.com



MagneticContactCatalog_190531.indd