


Hamilton® Linea-Scala CFX®

Concealed Fixing Accessories on Stepped Edge Plates

The Linea CFX® range comes in five different designs to suit either contemporary or classic interiors. Linea CFX® has a separate back frame and our patented four point face plate clipping system, allowing the option of matching or contrasting elements.


- Minimal depth and a modern look
- Seven stunning front plate finishes and six frame and insert finishes give a limitless choice of combinations
- Two-part frame and plate for 'mix and match'
- Concealed fixing
- Grid Fix and Eurofix options also available (see separate GRID-IT and EuroFix sections)



LSX R21 BK-BS B




LSX 2X40 PB-BS



LSX KEL PB-SB B



LSX T22 SB-SS




LSX C11 PB-SB B



LSX SS1 BK-BK B

Hamilton Linea-Scala CFX® Concealed Fixing



Hamilton® *fashion, finish, function and flexibility*

Hamilton® Linea-Scala CFX®

Select your choice of accessory finish from this Colourway Chart

Select the accessory required from the following pages overleaf

1. Select the required electrical accessory from the following pages. e.g. LSX R21 = Linea-Scala CFX 1 gang 10AX 2 way Rocker Switch.
2. Using the Colour Chart above;
 - a. Select the required Frame Finish e.g. Black Nickel = BK- -- --.
 - b. Select the required Front Plate Finish e.g. Bright Steel = -- --BS.
 - c. Select the required Insert Surround Colour e.g. Black = -- -- -- -- B.

Therefore a Linea-Scala CFX 1 gang 10AX 2 way Rocker Switch as illustrated below = LSX R21 BK-BS B.

































Frame and Insert Finish	Front Plate Finish						
	Polished Brass	Satin Brass	Antique Brass	Bright Steel	Satin Steel	Black Nickel	Piano Black
Bright Chrome Bright Chrome Frame, Matching Insert with White Surround	 BC-PB W			 BC-BS W	 BC-SS W		
Bright Chrome Frame, Matching Insert with Black Surround	 BC-PB B			 BC-BS B	 BC-SS B	 BC-BK B	 BC-N B
Polished Brass Polished Brass Frame, Matching Insert with White Surround	 PB-PB W	 PB-SB W	 PB-AB W	 PB-BS W	 PB-SS W		
Polished Brass Frame, Matching Insert with Black Surround	 PB-PB B	 PB-SB B	 PB-AB B	 PB-BS B	 PB-SS B		
Satin Brass Satin Brass Frame, Matching Insert with White Surround		 SB-SB W			 SB-SS W		
Satin Brass Frame, Matching Insert with Black Surround		 SB-SB B			 SB-SS B		
Antique Brass Antique Brass Frame, Matching Insert with Black Surround		 AB-SB B	 AB-AB B				
Satin Nickel Satin Nickel Frame, Matching Insert with White Surround				 SN-BS W	 SN-SS W		
Satin Nickel Frame, Matching Insert with Black Surround				 SN-BS B	 SN-SS B		
Black Nickel Black Nickel Frame, Matching Insert with Black Surround	 BK-PB B			 BK-BS B		 BK-BK B	

Illustration of Product Code configuration to order a Linea-Scala CFX LSX R21 BK-BS B



Linea-Scala CFX R21 is a UK Registered Design Certificate No. 2036047.
 Linea-Scala CFX SS2 is a UK Registered Design Certificate No. 2036048.
 Linea-Scala CFX R21 is a Singapore Registered Design Certificate No. DU2003/1807/B.
 Linea-Scala CFX SS2 is a Singapore Registered Design Certificate No. DU2003/1808/A.

Linea-Scala CFX R21 is an Indian Registered Design Certificate No. 1856.
 Linea-Scala CFX SS2 is an Indian Registered Design Certificate No. 1853.
 Linea-Scala CFX R21 is a Malaysia Registered Design Certificate No. 03/0657.
 Linea-Scala CFX SS2 is a Malaysia Registered Design Certificate No. 03/0658.

Hamilton® Linea-Scala cfx®

Concealed Fixing Rocker Switches



LSX R21 BK-BS B



1 gang 10AX 2 way Rocker

Nominal Plate Size:
91 x 91 mm

Min. Wall Box
Depth: 25 mm

Technical Insert

Reference: **R21**

Product Code



2 gang 10AX 2 way Rocker

Nominal Plate Size:
91 x 91 mm

Min. Wall Box
Depth: 25 mm

Technical Insert

Reference: **R22**

Product Code



3 gang 10AX 2 way Rocker

Nominal Plate Size:
91 x 91 mm

Min. Wall Box
Depth: 25 mm

Technical Insert

Reference: **R23**

Product Code



4 gang 10AX 2 way Rocker

Nominal Plate Size:
150 x 91 mm

Min. Wall Box
Depth: 25 mm

Technical Insert

Reference: **R24**

Product Code



6 gang 10AX 2 way Rocker

Nominal Plate Size:
150 x 91 mm

Min. Wall Box
Depth: 25 mm

Technical Insert

Reference: **R26**

Product Code

Frame and Insert Finish	Plate Finish	Insert Surround Colour	Product Code	Product Code	Product Code	Product Code	Product Code
	Bright Steel	White	LSX R21 BC-BS W	LSX R22 BC-BS W	LSX R23 BC-BS W	LSX R24 BC-BS W	LSX R26 BC-BS W
	Bright Steel	Black	LSX R21 BC-BS B	LSX R22 BC-BS B	LSX R23 BC-BS B	LSX R24 BC-BS B	LSX R26 BC-BS B
	Satin Steel	White	LSX R21 BC-SS W	LSX R22 BC-SS W	LSX R23 BC-SS W	LSX R24 BC-SS W	LSX R26 BC-SS W
	Satin Steel	Black	LSX R21 BC-SS B	LSX R22 BC-SS B	LSX R23 BC-SS B	LSX R24 BC-SS B	LSX R26 BC-SS B
	Polished Brass	White	LSX R21 BC-PB W	LSX R22 BC-PB W	LSX R23 BC-PB W	LSX R24 BC-PB W	LSX R26 BC-PB W
	Polished Brass	Black	LSX R21 BC-PB B	LSX R22 BC-PB B	LSX R23 BC-PB B	LSX R24 BC-PB B	LSX R26 BC-PB B
	Black Nickel	Black	LSX R21 BC-BK B	LSX R22 BC-BK B	LSX R23 BC-BK B	LSX R24 BC-BK B	LSX R26 BC-BK B
	Piano Black	Black	LSX R21 BC-N B	LSX R22 BC-N B	LSX R23 BC-N B	LSX R24 BC-N B	LSX R26 BC-N B
	Polished Brass	White	LSX R21 PB-PB W	LSX R22 PB-PB W	LSX R23 PB-PB W	LSX R24 PB-PB W	LSX R26 PB-PB W
	Polished Brass	Black	LSX R21 PB-PB B	LSX R22 PB-PB B	LSX R23 PB-PB B	LSX R24 PB-PB B	LSX R26 PB-PB B
	Satin Brass	White	LSX R21 PB-SB W	LSX R22 PB-SB W	LSX R23 PB-SB W	LSX R24 PB-SB W	LSX R26 PB-SB W
	Satin Brass	Black	LSX R21 PB-SB B	LSX R22 PB-SB B	LSX R23 PB-SB B	LSX R24 PB-SB B	LSX R26 PB-SB B
	Antique Brass	White	LSX R21 PB-AB W	LSX R22 PB-AB W	LSX R23 PB-AB W	LSX R24 PB-AB W	LSX R26 PB-AB W
	Antique Brass	Black	LSX R21 PB-AB B	LSX R22 PB-AB B	LSX R23 PB-AB B	LSX R24 PB-AB B	LSX R26 PB-AB B
	Bright Steel	White	LSX R21 PB-BS W	LSX R22 PB-BS W	LSX R23 PB-BS W	LSX R24 PB-BS W	LSX R26 PB-BS W
	Bright Steel	Black	LSX R21 PB-BS B	LSX R22 PB-BS B	LSX R23 PB-BS B	LSX R24 PB-BS B	LSX R26 PB-BS B
	Satin Steel	White	LSX R21 PB-SS W	LSX R22 PB-SS W	LSX R23 PB-SS W	LSX R24 PB-SS W	LSX R26 PB-SS W
	Satin Steel	Black	LSX R21 PB-SS B	LSX R22 PB-SS B	LSX R23 PB-SS B	LSX R24 PB-SS B	LSX R26 PB-SS B
	Satin Brass	White	LSX R21 SB-SB W	LSX R22 SB-SB W	LSX R23 SB-SB W	LSX R24 SB-SB W	LSX R26 SB-SB W
	Satin Brass	Black	LSX R21 SB-SB B	LSX R22 SB-SB B	LSX R23 SB-SB B	LSX R24 SB-SB B	LSX R26 SB-SB B
	Satin Steel	White	LSX R21 SB-SS W	LSX R22 SB-SS W	LSX R23 SB-SS W	LSX R24 SB-SS W	LSX R26 SB-SS W
	Satin Steel	Black	LSX R21 SB-SS B	LSX R22 SB-SS B	LSX R23 SB-SS B	LSX R24 SB-SS B	LSX R26 SB-SS B
	Antique Brass	Black	LSX R21 AB-AB B	LSX R22 AB-AB B	LSX R23 AB-AB B	LSX R24 AB-AB B	LSX R26 AB-AB B
	Satin Brass	Black	LSX R21 AB-SB B	LSX R22 AB-SB B	LSX R23 AB-SB B	LSX R24 AB-SB B	LSX R26 AB-SB B
	Bright Steel	White	LSX R21 SN-BS W	LSX R22 SN-BS W	LSX R23 SN-BS W	LSX R24 SN-BS W	LSX R26 SN-BS W
	Bright Steel	Black	LSX R21 SN-BS B	LSX R22 SN-BS B	LSX R23 SN-BS B	LSX R24 SN-BS B	LSX R26 SN-BS B
	Satin Steel	White	LSX R21 SN-SS W	LSX R22 SN-SS W	LSX R23 SN-SS W	LSX R24 SN-SS W	LSX R26 SN-SS W
	Satin Steel	Black	LSX R21 SN-SS B	LSX R22 SN-SS B	LSX R23 SN-SS B	LSX R24 SN-SS B	LSX R26 SN-SS B
	Black Nickel	Black	LSX R21 BK-BK B	LSX R22 BK-BK B	LSX R23 BK-BK B	LSX R24 BK-BK B	LSX R26 BK-BK B
	Bright Steel	Black	LSX R21 BK-BS B	LSX R22 BK-BS B	LSX R23 BK-BS B	LSX R24 BK-BS B	LSX R26 BK-BS B
	Polished Brass	Black	LSX R21 BK-PB B	LSX R22 BK-PB B	LSX R23 BK-PB B	LSX R24 BK-PB B	LSX R26 BK-PB B



LSX R32 SB-SB B



1 gang 10AX Intermediate Rocker

Nominal Plate Size:
91 x 91 mm
Min. Wall Box
Depth: 25 mm
Technical Insert
Reference: **R31**
Product Code



2 gang 10AX Intermediate Rocker

Nominal Plate Size:
91 x 91 mm
Min. Wall Box
Depth: 25 mm
Technical Insert
Reference: **R32**
Product Code




1 gang 10AX Push To Make/Break Retractive Rocker

Nominal Plate Size:
91 x 91 mm
Min. Wall Box
Depth: 25 mm
Technical Insert
Reference: **CFXRRT**
Product Code

Frame and Insert Finish	Plate Finish	Insert Surround Colour			
	Bright Steel	White	LSX R31 BC-BS W	LSX R32 BC-BS W	LSX RRT BC-BS W
	Bright Steel	Black	LSX R31 BC-BS B	LSX R32 BC-BS B	LSX RRT BC-BS B
	Satin Steel	White	LSX R31 BC-SS W	LSX R32 BC-SS W	LSX RRT BC-SS W
	Satin Steel	Black	LSX R31 BC-SS B	LSX R32 BC-SS B	LSX RRT BC-SS B
	Polished Brass	White	LSX R31 BC-PB W	LSX R32 BC-PB W	LSX RRT BC-PB W
	Polished Brass	Black	LSX R31 BC-PB B	LSX R32 BC-PB B	LSX RRT BC-PB B
	Black Nickel	Black	LSX R31 BC-BK B	LSX R32 BC-BK B	LSX RRT BC-BK B
	Piano Black	Black	LSX R31 BC-N B	LSX R32 BC-N B	LSX RRT BC-N B
	Polished Brass	White	LSX R31 PB-PB W	LSX R32 PB-PB W	LSX RRT PB-PB W
	Polished Brass	Black	LSX R31 PB-PB B	LSX R32 PB-PB B	LSX RRT PB-PB B
	Satin Brass	White	LSX R31 PB-SB W	LSX R32 PB-SB W	LSX RRT PB-SB W
	Satin Brass	Black	LSX R31 PB-SB B	LSX R32 PB-SB B	LSX RRT PB-SB B
	Antique Brass	White	LSX R31 PB-AB W	LSX R32 PB-AB W	LSX RRT PB-AB W
	Antique Brass	Black	LSX R31 PB-AB B	LSX R32 PB-AB B	LSX RRT PB-AB B
	Bright Steel	White	LSX R31 PB-BS W	LSX R32 PB-BS W	LSX RRT PB-BS W
	Bright Steel	Black	LSX R31 PB-BS B	LSX R32 PB-BS B	LSX RRT PB-BS B
	Satin Steel	White	LSX R31 PB-SS W	LSX R32 PB-SS W	LSX RRT PB-SS W
	Satin Steel	Black	LSX R31 PB-SS B	LSX R32 PB-SS B	LSX RRT PB-SS B
	Satin Brass	White	LSX R31 SB-SB W	LSX R32 SB-SB W	LSX RRT SB-SB W
	Satin Brass	Black	LSX R31 SB-SB B	LSX R32 SB-SB B	LSX RRT SB-SB B
	Satin Steel	White	LSX R31 SB-SS W	LSX R32 SB-SS W	LSX RRT SB-SS W
	Satin Steel	Black	LSX R31 SB-SS B	LSX R32 SB-SS B	LSX RRT SB-SS B
	Antique Brass	Black	LSX R31 AB-AB B	LSX R32 AB-AB B	LSX RRT AB-AB B
	Satin Brass	Black	LSX R31 AB-SB B	LSX R32 AB-SB B	LSX RRT AB-SB B
	Bright Steel	White	LSX R31 SN-BS W	LSX R32 SN-BS W	LSX RRT SN-BS W
	Bright Steel	Black	LSX R31 SN-BS B	LSX R32 SN-BS B	LSX RRT SN-BS B
	Satin Steel	White	LSX R31 SN-SS W	LSX R32 SN-SS W	LSX RRT SN-SS W
	Satin Steel	Black	LSX R31 SN-SS B	LSX R32 SN-SS B	LSX RRT SN-SS B
	Black Nickel	Black	LSX R31 BK-BK B	LSX R32 BK-BK B	LSX RRT BK-BK B
	Bright Steel	Black	LSX R31 BK-BS B	LSX R32 BK-BS B	LSX RRT BK-BS B
	Polished Brass	Black	LSX R31 BK-PB B	LSX R32 BK-PB B	LSX RRT BK-PB B

Hamilton® Linea-Scala CFX®

Concealed Fixing Rocker Switches



LSX TP PB-BS W



1 gang 10A Triple Pole Rocker

Nominal Plate Size:

91 x 91 mm

Min. Wall Box

Depth: 25 mm

Technical Insert

Reference: **TP**

Product Code

Frame Finish	Plate Finish	Insert Colour	
	Bright Steel	White	LSX TP BC-BS W
	Bright Steel	Black	LSX TP BC-BS B
	Satin Steel	White	LSX TP BC-SS W
	Satin Steel	Black	LSX TP BC-SS B
	Polished Brass	White	LSX TP BC-PB W
	Polished Brass	Black	LSX TP BC-PB B
	Black Nickel	Black	LSX TP BC-BK B
	Piano Black	Black	LSX TP BC-N B
	Polished Brass	White	LSX TP PB-PB W
	Polished Brass	Black	LSX TP PB-PB B
	Satin Brass	White	LSX TP PB-SB W
	Satin Brass	Black	LSX TP PB-SB B
	Antique Brass	White	LSX TP PB-AB W
	Antique Brass	Black	LSX TP PB-AB B
	Bright Steel	White	LSX TP PB-BS W
	Bright Steel	Black	LSX TP PB-BS B
	Satin Steel	White	LSX TP PB-SS W
	Satin Steel	Black	LSX TP PB-SS B
	Satin Brass	White	LSX TP SB-SB W
	Satin Brass	Black	LSX TP SB-SB B
	Satin Steel	White	LSX TP SB-SS W
	Satin Steel	Black	LSX TP SB-SS B
	Antique Brass	Black	LSX TP AB-AB B
	Satin Brass	Black	LSX TP AB-SB B
	Bright Steel	White	LSX TP SN-BS W
	Bright Steel	Black	LSX TP SN-BS B
	Satin Steel	White	LSX TP SN-SS W
	Satin Steel	Black	LSX TP SN-SS B
	Black Nickel	Black	LSX TP BK-BK B
	Bright Steel	Black	LSX TP BK-BS B
	Polished Brass	Black	LSX TP BK-PB B



LSX R222 PB-AB B



			1 gang 20AX 2 way Rocker	2 gang 20AX 2 way Rocker	3 gang 20AX 2 way Rocker	4 gang 20AX 2 way Rocker	1 gang 20AX Intermediate Rocker	2 gang 20AX Intermediate Rocker
			Nominal Plate Size: 91 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: R212	Nominal Plate Size: 91 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: R222	Nominal Plate Size: 150 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: R232	Nominal Plate Size: 150 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: R242	Nominal Plate Size: 91 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: R312	Nominal Plate Size: 91 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: R322
Frame and Insert Finish	Plate Finish	Insert Surround Colour	Product Code	Product Code	Product Code	Product Code	Product Code	Product Code
	Bright Steel	White	LSX R212 BC-BS W	LSX R222 BC-BS W	LSX R232 BC-BS W	LSX R242 BC-BS W	LSX R312 BC-BS W	LSX R322 BC-BS W
	Bright Steel	Black	LSX R212 BC-BS B	LSX R222 BC-BS B	LSX R232 BC-BS B	LSX R242 BC-BS B	LSX R312 BC-BS B	LSX R322 BC-BS B
	Satin Steel	White	LSX R212 BC-SS W	LSX R222 BC-SS W	LSX R232 BC-SS W	LSX R242 BC-SS W	LSX R312 BC-SS W	LSX R322 BC-SS W
	Satin Steel	Black	LSX R212 BC-SS B	LSX R222 BC-SS B	LSX R232 BC-SS B	LSX R242 BC-SS B	LSX R312 BC-SS B	LSX R322 BC-SS B
	Polished Brass	White	LSX R212 BC-PB W	LSX R222 BC-PB W	LSX R232 BC-PB W	LSX R242 BC-PB W	LSX R312 BC-PB W	LSX R322 BC-PB W
	Polished Brass	Black	LSX R212 BC-PB B	LSX R222 BC-PB B	LSX R232 BC-PB B	LSX R242 BC-PB B	LSX R312 BC-PB B	LSX R322 BC-PB B
	Black Nickel	Black	LSX R212 BC-BK B	LSX R222 BC-BK B	LSX R232 BC-BK B	LSX R242 BC-BK B	LSX R312 BC-BK B	LSX R322 BC-BK B
	Piano Black	Black	LSX R212 BC-N B	LSX R222 BC-N B	LSX R232 BC-N B	LSX R242 BC-N B	LSX R312 BC-N B	LSX R322 BC-N B
	Polished Brass	White	LSX R212 PB-PB W	LSX R222 PB-PB W	LSX R232 PB-PB W	LSX R242 PB-PB W	LSX R312 PB-PB W	LSX R322 PB-PB W
	Polished Brass	Black	LSX R212 PB-PB B	LSX R222 PB-PB B	LSX R232 PB-PB B	LSX R242 PB-PB B	LSX R312 PB-PB B	LSX R322 PB-PB B
	Satin Brass	White	LSX R212 PB-SB W	LSX R222 PB-SB W	LSX R232 PB-SB W	LSX R242 PB-SB W	LSX R312 PB-SB W	LSX R322 PB-SB W
	Satin Brass	Black	LSX R212 PB-SB B	LSX R222 PB-SB B	LSX R232 PB-SB B	LSX R242 PB-SB B	LSX R312 PB-SB B	LSX R322 PB-SB B
	Antique Brass	White	LSX R212 PB-AB W	LSX R222 PB-AB W	LSX R232 PB-AB W	LSX R242 PB-AB W	LSX R312 PB-AB W	LSX R322 PB-AB W
	Antique Brass	Black	LSX R212 PB-AB B	LSX R222 PB-AB B	LSX R232 PB-AB B	LSX R242 PB-AB B	LSX R312 PB-AB B	LSX R322 PB-AB B
	Bright Steel	White	LSX R212 PB-BS W	LSX R222 PB-BS W	LSX R232 PB-BS W	LSX R242 PB-BS W	LSX R312 PB-BS W	LSX R322 PB-BS W
	Bright Steel	Black	LSX R212 PB-BS B	LSX R222 PB-BS B	LSX R232 PB-BS B	LSX R242 PB-BS B	LSX R312 PB-BS B	LSX R322 PB-BS B
	Satin Steel	White	LSX R212 PB-SS W	LSX R222 PB-SS W	LSX R232 PB-SS W	LSX R242 PB-SS W	LSX R312 PB-SS W	LSX R322 PB-SS W
	Satin Steel	Black	LSX R212 PB-SS B	LSX R222 PB-SS B	LSX R232 PB-SS B	LSX R242 PB-SS B	LSX R312 PB-SS B	LSX R322 PB-SS B
	Satin Brass	White	LSX R212 SB-SB W	LSX R222 SB-SB W	LSX R232 SB-SB W	LSX R242 SB-SB W	LSX R312 SB-SB W	LSX R322 SB-SB W
	Satin Brass	Black	LSX R212 SB-SB B	LSX R222 SB-SB B	LSX R232 SB-SB B	LSX R242 SB-SB B	LSX R312 SB-SB B	LSX R322 SB-SB B
	Satin Steel	White	LSX R212 SB-SS W	LSX R222 SB-SS W	LSX R232 SB-SS W	LSX R242 SB-SS W	LSX R312 SB-SS W	LSX R322 SB-SS W
	Satin Steel	Black	LSX R212 SB-SS B	LSX R222 SB-SS B	LSX R232 SB-SS B	LSX R242 SB-SS B	LSX R312 SB-SS B	LSX R322 SB-SS B
	Antique Brass	Black	LSX R212 AB-AB B	LSX R222 AB-AB B	LSX R232 AB-AB B	LSX R242 AB-AB B	LSX R312 AB-AB B	LSX R322 AB-AB B
	Satin Brass	Black	LSX R212 AB-SB B	LSX R222 AB-SB B	LSX R232 AB-SB B	LSX R242 AB-SB B	LSX R312 AB-SB B	LSX R322 AB-SB B
	Bright Steel	White	LSX R212 SN-BS W	LSX R222 SN-BS W	LSX R232 SN-BS W	LSX R242 SN-BS W	LSX R312 SN-BS W	LSX R322 SN-BS W
	Bright Steel	Black	LSX R212 SN-BS B	LSX R222 SN-BS B	LSX R232 SN-BS B	LSX R242 SN-BS B	LSX R312 SN-BS B	LSX R322 SN-BS B
	Satin Steel	White	LSX R212 SN-SS W	LSX R222 SN-SS W	LSX R232 SN-SS W	LSX R242 SN-SS W	LSX R312 SN-SS W	LSX R322 SN-SS W
	Satin Steel	Black	LSX R212 SN-SS B	LSX R222 SN-SS B	LSX R232 SN-SS B	LSX R242 SN-SS B	LSX R312 SN-SS B	LSX R322 SN-SS B
	Black Nickel	Black	LSX R212 BK-BK B	LSX R222 BK-BK B	LSX R232 BK-BK B	LSX R242 BK-BK B	LSX R312 BK-BK B	LSX R322 BK-BK B
	Bright Steel	Black	LSX R212 BK-BS B	LSX R222 BK-BS B	LSX R232 BK-BS B	LSX R242 BK-BS B	LSX R312 BK-BS B	LSX R322 BK-BS B
	Polished Brass	Black	LSX R212 BK-PB B	LSX R222 BK-PB B	LSX R232 BK-PB B	LSX R242 BK-PB B	LSX R312 BK-PB B	LSX R322 BK-PB B

Hamilton® Linea-Scala CFX®

Concealed Fixing Toggle Switches



LSX T23 PB-SB



		1 gang 20AX 2 way Toggle	2 gang 20AX 2 way Toggle	3 gang 20AX 2 way Toggle	4 gang 20AX 2 way Toggle	1 gang 20AX Intermediate Toggle
		Nominal Plate Size: 91 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: T21 Product Code	Nominal Plate Size: 91 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: T22 Product Code	Nominal Plate Size: 150 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: T23 Product Code	Nominal Plate Size: 150 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: T24 Product Code	Nominal Plate Size: 91 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: T31 Product Code
Frame and Insert Finish	Plate Finish					
Bright Chrome 	Bright Steel Satin Steel Polished Brass Black Nickel Piano Black	LSX T21 BC-BS LSX T21 BC-SS LSX T21 BC-PB LSX T21 BC-BK LSX T21 BC-N	LSX T22 BC-BS LSX T22 BC-SS LSX T22 BC-PB LSX T22 BC-BK LSX T22 BC-N	LSX T23 BC-BS LSX T23 BC-SS LSX T23 BC-PB LSX T23 BC-BK LSX T23 BC-N	LSX T24 BC-BS LSX T24 BC-SS LSX T24 BC-PB LSX T24 BC-BK LSX T24 BC-N	LSX T31 BC-BS LSX T31 BC-SS LSX T31 BC-PB LSX T31 BC-BK LSX T31 BC-N
Polished Brass 	Polished Brass Satin Brass Antique Brass Bright Steel Satin Steel	LSX T21 PB-PB LSX T21 PB-SB LSX T21 PB-AB LSX T21 PB-BS LSX T21 PB-SS	LSX T22 PB-PB LSX T22 PB-SB LSX T22 PB-AB LSX T22 PB-BS LSX T22 PB-SS	LSX T23 PB-PB LSX T23 PB-SB LSX T23 PB-AB LSX T23 PB-BS LSX T23 PB-SS	LSX T24 PB-PB LSX T24 PB-SB LSX T24 PB-AB LSX T24 PB-BS LSX T24 PB-SS	LSX T31 PB-PB LSX T31 PB-SB LSX T31 PB-AB LSX T31 PB-BS LSX T31 PB-SS
Satin Brass 	Satin Brass Satin Steel	LSX T21 SB-SB LSX T21 SB-SS	LSX T22 SB-SB LSX T22 SB-SS	LSX T23 SB-SB LSX T23 SB-SS	LSX T24 SB-SB LSX T24 SB-SS	LSX T31 SB-SB LSX T31 SB-SS
Antique Brass 	Antique Brass Satin Brass	LSX T21 AB-AB LSX T21 AB-SB	LSX T22 AB-AB LSX T22 AB-SB	LSX T23 AB-AB LSX T23 AB-SB	LSX T24 AB-AB LSX T24 AB-SB	LSX T31 AB-AB LSX T31 AB-SB
Satin Nickel 	Bright Steel Satin Steel	LSX T21 SN-BS LSX T21 SN-SS	LSX T22 SN-BS LSX T22 SN-SS	LSX T23 SN-BS LSX T23 SN-SS	LSX T24 SN-BS LSX T24 SN-SS	LSX T31 SN-BS LSX T31 SN-SS
Black Nickel 	Black Nickel Bright Steel Polished Brass	LSX T21 BK-BK LSX T21 BK-BS LSX T21 BK-PB	LSX T22 BK-BK LSX T22 BK-BS LSX T22 BK-PB	LSX T23 BK-BK LSX T23 BK-BS LSX T23 BK-PB	LSX T24 BK-BK LSX T24 BK-BS LSX T24 BK-PB	LSX T31 BK-BK LSX T31 BK-BS LSX T31 BK-PB

Concealed Fixing Key Switches

Concealed Fixing Hotel Card Switch with LED

LSX
RANGE



LSX K21 BK-BS B



**1 gang
20AX 2 way
Key Switch**

Nominal Plate Size:
91 x 91 mm
Minimum Wall Box
Depth: 35 mm
Technical Insert
Reference: **K21**

Product Code



**1 gang
20AX 2 way
Key Switch
"EMG LTG TEST"**

Nominal Plate Size:
91 x 91 mm
Minimum Wall Box
Depth: 35 mm
Technical Insert
Reference: **KEL**

Product Code



LSX C11 BC-SS W

Adjustable Time Delay
10 seconds - 5 minutes.

Suitable for 44 mm and 54 mm
width Hotel Key Cards.



**1 gang
10A (6AX)
On/Off with
Blue LED
Locator**

Nominal Plate Size:
91 x 91 mm
Minimum Wall Box
Depth: 35 mm
Technical Insert
Reference: **C11**

Product Code



**1 gang
12-24V AC/DC
+/-10% On/Off
with Blue LED
Locator (Suitable
for KNX BUS
System)**

Nominal Plate Size:
91 x 91 mm
Minimum Wall Box
Depth: 35 mm
Technical Insert
Reference: **CKNX**

Product Code

Frame Finish	Plate Finish	Insert Colour	Product Code	Product Code
	Bright Steel	White	LSX K21 BC-BS W	LSX KEL BC-BS W
	Bright Steel	Black	LSX K21 BC-BS B	LSX KEL BC-BS B
	Satin Steel	White	LSX K21 BC-SS W	LSX KEL BC-SS W
	Satin Steel	Black	LSX K21 BC-SS B	LSX KEL BC-SS B
	Polished Brass	White	LSX K21 BC-PB W	LSX KEL BC-PB W
	Polished Brass	Black	LSX K21 BC-PB B	LSX KEL BC-PB B
	Black Nickel	Black	LSX K21 BC-BK B	LSX KEL BC-BK B
	Piano Black	Black	LSX K21 BC-N B	LSX KEL BC-N B
	Polished Brass	White	LSX K21 PB-PB W	LSX KEL PB-PB W
	Polished Brass	Black	LSX K21 PB-PB B	LSX KEL PB-PB B
	Satin Brass	White	LSX K21 PB-SB W	LSX KEL PB-SB W
	Satin Brass	Black	LSX K21 PB-SB B	LSX KEL PB-SB B
	Antique Brass	White	LSX K21 PB-AB W	LSX KEL PB-AB W
	Antique Brass	Black	LSX K21 PB-AB B	LSX KEL PB-AB B
	Bright Steel	White	LSX K21 PB-BS W	LSX KEL PB-BS W
	Bright Steel	Black	LSX K21 PB-BS B	LSX KEL PB-BS B
	Satin Steel	White	LSX K21 PB-SS W	LSX KEL PB-SS W
	Satin Steel	Black	LSX K21 PB-SS B	LSX KEL PB-SS B
	Satin Brass	White	LSX K21 SB-SB W	LSX KEL SB-SB W
	Satin Brass	Black	LSX K21 SB-SB B	LSX KEL SB-SB B
	Satin Steel	White	LSX K21 SB-SS W	LSX KEL SB-SS W
	Satin Steel	Black	LSX K21 SB-SS B	LSX KEL SB-SS B
	Antique Brass	Black	LSX K21 AB-AB B	LSX KEL AB-AB B
	Satin Brass	Black	LSX K21 AB-SB B	LSX KEL AB-SB B
	Bright Steel	White	LSX K21 SN-BS W	LSX KEL SN-BS W
	Bright Steel	Black	LSX K21 SN-BS B	LSX KEL SN-BS B
	Satin Steel	White	LSX K21 SN-SS W	LSX KEL SN-SS W
	Satin Steel	Black	LSX K21 SN-SS B	LSX KEL SN-SS B
	Black Nickel	Black	LSX K21 BK-BK B	LSX KEL BK-BK B
	Bright Steel	Black	LSX K21 BK-BS B	LSX KEL BK-BS B
	Polished Brass	Black	LSX K21 BK-PB B	LSX KEL BK-PB B

Frame and Insert Finish	Plate Finish	Insert Surround Colour	Product Code	Product Code
	Bright Steel	White	LSX C11 BC-BS W	LSX CKNX BC-BS W
	Bright Steel	Black	LSX C11 BC-BS B	LSX CKNX BC-BS B
	Satin Steel	White	LSX C11 BC-SS W	LSX CKNX BC-SS W
	Satin Steel	Black	LSX C11 BC-SS B	LSX CKNX BC-SS B
	Polished Brass	White	LSX C11 BC-PB W	LSX CKNX BC-PB W
	Polished Brass	Black	LSX C11 BC-PB B	LSX CKNX BC-PB B
	Black Nickel	Black	LSX C11 BC-BK B	LSX CKNX BC-BK B
	Piano Black	Black	LSX C11 BC-N B	LSX CKNX BC-N B
	Polished Brass	White	LSX C11 PB-PB W	LSX CKNX PB-PB W
	Polished Brass	Black	LSX C11 PB-PB B	LSX CKNX PB-PB B
	Satin Brass	White	LSX C11 PB-SB W	LSX CKNX PB-SB W
	Satin Brass	Black	LSX C11 PB-SB B	LSX CKNX PB-SB B
	Antique Brass	White	LSX C11 PB-AB W	LSX CKNX PB-AB W
	Antique Brass	Black	LSX C11 PB-AB B	LSX CKNX PB-AB B
	Bright Steel	White	LSX C11 PB-BS W	LSX CKNX PB-BS W
	Bright Steel	Black	LSX C11 PB-BS B	LSX CKNX PB-BS B
	Satin Steel	White	LSX C11 PB-SS W	LSX CKNX PB-SS W
	Satin Steel	Black	LSX C11 PB-SS B	LSX CKNX PB-SS B
	Satin Brass	White	LSX C11 SB-SB W	LSX CKNX SB-SB W
	Satin Brass	Black	LSX C11 SB-SB B	LSX CKNX SB-SB B
	Satin Steel	White	LSX C11 SB-SS W	LSX CKNX SB-SS W
	Satin Steel	Black	LSX C11 SB-SS B	LSX CKNX SB-SS B
	Antique Brass	Black	LSX C11 AB-AB B	LSX CKNX AB-AB B
	Satin Brass	Black	LSX C11 AB-SB B	LSX CKNX AB-SB B
	Bright Steel	White	LSX C11 SN-BS W	LSX CKNX SN-BS W
	Bright Steel	Black	LSX C11 SN-BS B	LSX CKNX SN-BS B
	Satin Steel	White	LSX C11 SN-SS W	LSX CKNX SN-SS W
	Satin Steel	Black	LSX C11 SN-SS B	LSX CKNX SN-SS B
	Black Nickel	Black	LSX C11 BK-BK B	LSX CKNX BK-BK B
	Bright Steel	Black	LSX C11 BK-BS B	LSX CKNX BK-BS B
	Polished Brass	Black	LSX C11 BK-PB B	LSX CKNX BK-PB B

Concealed Fixing Power Sockets



LSX SS2 SN-BS W



**1 gang 13A
Double Pole
Switched
Socket**

Nominal Plate Size:
91 x 91 mm
Min. Wall Box
Depth: 35 mm
Technical Insert
Reference: **SS1**

Product Code



**2 gang 13A
Double Pole
Switched
Socket**

Nominal Plate Size:
150 x 91 mm
Min. Wall Box
Depth: 35 mm
Technical Insert
Reference: **SS2**

Product Code

Frame and Insert Finish	Plate Finish	Insert Surround Colour		
	Bright Steel	White	LSX SS1 BC-BS W	LSX SS2 BC-BS W
	Bright Steel	Black	LSX SS1 BC-BS B	LSX SS2 BC-BS B
	Satin Steel	White	LSX SS1 BC-SS W	LSX SS2 BC-SS W
	Satin Steel	Black	LSX SS1 BC-SS B	LSX SS2 BC-SS B
	Polished Brass	White	LSX SS1 BC-PB W	LSX SS2 BC-PB W
	Polished Brass	Black	LSX SS1 BC-PB B	LSX SS2 BC-PB B
	Black Nickel	Black	LSX SS1 BC-BK B	LSX SS2 BC-BK B
	Piano Black	Black	LSX SS1 BC-N B	LSX SS2 BC-N B
	Polished Brass	White	LSX SS1 PB-PB W	LSX SS2 PB-PB W
	Polished Brass	Black	LSX SS1 PB-PB B	LSX SS2 PB-PB B
	Satin Brass	White	LSX SS1 PB-SB W	LSX SS2 PB-SB W
	Satin Brass	Black	LSX SS1 PB-SB B	LSX SS2 PB-SB B
	Antique Brass	White	LSX SS1 PB-AB W	LSX SS2 PB-AB W
	Antique Brass	Black	LSX SS1 PB-AB B	LSX SS2 PB-AB B
	Bright Steel	White	LSX SS1 PB-BS W	LSX SS2 PB-BS W
	Bright Steel	Black	LSX SS1 PB-BS B	LSX SS2 PB-BS B
	Satin Steel	White	LSX SS1 PB-SS W	LSX SS2 PB-SS W
	Satin Steel	Black	LSX SS1 PB-SS B	LSX SS2 PB-SS B
	Satin Brass	White	LSX SS1 SB-SB W	LSX SS2 SB-SB W
	Satin Brass	Black	LSX SS1 SB-SB B	LSX SS2 SB-SB B
	Satin Steel	White	LSX SS1 SB-SS W	LSX SS2 SB-SS W
	Satin Steel	Black	LSX SS1 SB-SS B	LSX SS2 SB-SS B
	Antique Brass	Black	LSX SS1 AB-AB B	LSX SS2 AB-AB B
	Satin Brass	Black	LSX SS1 AB-SB B	LSX SS2 AB-SB B
	Bright Steel	White	LSX SS1 SN-BS W	LSX SS2 SN-BS W
	Bright Steel	Black	LSX SS1 SN-BS B	LSX SS2 SN-BS B
	Satin Steel	White	LSX SS1 SN-SS W	LSX SS2 SN-SS W
	Satin Steel	Black	LSX SS1 SN-SS B	LSX SS2 SN-SS B
	Black Nickel	Black	LSX SS1 BK-BK B	LSX SS2 BK-BK B
	Bright Steel	Black	LSX SS1 BK-BS B	LSX SS2 BK-BS B
	Polished Brass	Black	LSX SS1 BK-PB B	LSX SS2 BK-PB B

Concealed Fixing USB Power Sockets



LSX USB99 PB-SB B



**2 gang 13A Unswitched
Socket + 2 x USB
Charging Points**


Nominal Plate Size:
150 x 91 mm
Min. Wall Box
Depth: 35 mm
Technical Insert
Reference: **USB99**

Product Code

Frame Finish	Plate Finish	Insert Colour	
	Bright Steel	White	LSX USB99 BC-BS W
	Bright Steel	Black	LSX USB99 BC-BS B
	Satin Steel	White	LSX USB99 BC-SS W
	Satin Steel	Black	LSX USB99 BC-SS B
	Polished Brass	White	LSX USB99 BC-PB W
	Polished Brass	Black	LSX USB99 BC-PB B
	Black Nickel	Black	LSX USB99 BC-BK B
	Piano Black	Black	LSX USB99 BC-N B
	Polished Brass	White	LSX USB99 PB-PB W
	Polished Brass	Black	LSX USB99 PB-PB B
	Satin Brass	White	LSX USB99 PB-SB W
	Satin Brass	Black	LSX USB99 PB-SB B
	Antique Brass	White	LSX USB99 PB-AB W
	Antique Brass	Black	LSX USB99 PB-AB B
	Bright Steel	White	LSX USB99 PB-BS W
	Bright Steel	Black	LSX USB99 PB-BS B
	Satin Steel	White	LSX USB99 PB-SS W
	Satin Steel	Black	LSX USB99 PB-SS B
	Satin Brass	White	LSX USB99 SB-SB W
	Satin Brass	Black	LSX USB99 SB-SB B
	Satin Steel	White	LSX USB99 SB-SS W
	Satin Steel	Black	LSX USB99 SB-SS B
	Antique Brass	Black	LSX USB99 AB-AB B
	Satin Brass	Black	LSX USB99 AB-SB B
	Bright Steel	White	LSX USB99 SN-BS W
	Bright Steel	Black	LSX USB99 SN-BS B
	Satin Steel	White	LSX USB99 SN-SS W
	Satin Steel	Black	LSX USB99 SN-SS B
	Black Nickel	Black	LSX USB99 BK-BK B
	Bright Steel	Black	LSX USB99 BK-BS B
	Polished Brass	Black	LSX USB99 BK-PB B



LSX 6126 BC-PB W



1 gang 2A Unswitched Socket

Nominal Plate Size:
91 x 91 mm
Min. Wall Box
Depth: 35 mm
Technical Insert
Reference: **US2**
Product Code

1 gang 5A Unswitched Socket

Nominal Plate Size:
91 x 91 mm
Min. Wall Box
Depth: 35 mm
Technical Insert
Reference: **US5**
Product Code

Shaver Dual Voltage Unswitched Socket

Nominal Plate Size:
91 x 150 mm
Min. Wall Box
Depth: 47 mm
Technical Insert
Reference: **SHS**
Product Code

1 gang 16A German Unswitched Socket

Nominal Plate Size:
91 x 91 mm
Min. Wall Box
Depth: 47 mm
Technical Insert
Reference: **6126**
Product Code

1 gang 15A American Unswitched Socket

Nominal Plate Size:
91 x 91 mm
Min. Wall Box
Depth: 35 mm
Technical Insert
Reference: **5258**
Product Code

2 gang 15A American Unswitched Socket

Nominal Plate Size:
150 x 91 mm
Min. Wall Box
Depth: 35 mm
Technical Insert
Reference: **5320**
Product Code

Frame Finish	Plate Finish	Insert Colour						
	Bright Steel	White	LSX US2 BC-BS W	LSX US5 BC-BS W	LSX SHS BC-BS W	LSX 6126 BC-BS W	LSX 5258 BC-BS W	LSX 5320 BC-BS W
	Bright Steel	Black	LSX US2 BC-BS B	LSX US5 BC-BS B	LSX SHS BC-BS B	LSX 6126 BC-BS B	LSX 5258 BC-BS B	LSX 5320 BC-BS B
	Satin Steel	White	LSX US2 BC-SS W	LSX US5 BC-SS W	LSX SHS BC-SS W	LSX 6126 BC-SS W	LSX 5258 BC-SS W	LSX 5320 BC-SS W
	Satin Steel	Black	LSX US2 BC-SS B	LSX US5 BC-SS B	LSX SHS BC-SS B	LSX 6126 BC-SS B	LSX 5258 BC-SS B	LSX 5320 BC-SS B
	Polished Brass	White	LSX US2 BC-PB W	LSX US5 BC-PB W	LSX SHS BC-PB W	LSX 6126 BC-PB W	LSX 5258 BC-PB W	LSX 5320 BC-PB W
	Polished Brass	Black	LSX US2 BC-PB B	LSX US5 BC-PB B	LSX SHS BC-PB B	LSX 6126 BC-PB B	LSX 5258 BC-PB B	LSX 5320 BC-PB B
	Black Nickel	Black	LSX US2 BC-BK B	LSX US5 BC-BK B	LSX SHS BC-BK B	LSX 6126 BC-BK B	LSX 5258 BC-BK B	LSX 5320 BC-BK B
	Piano Black	Black	LSX US2 BC-N B	LSX US5 BC-N B	LSX SHS BC-N B	LSX 6126 BC-N B	LSX 5258 BC-N B	LSX 5320 BC-N B
	Polished Brass	White	LSX US2 PB-PB W	LSX US5 PB-PB W	LSX SHS PB-PB W	LSX 6126 PB-PB W	LSX 5258 PB-PB W	LSX 5320 PB-PB W
	Polished Brass	Black	LSX US2 PB-PB B	LSX US5 PB-PB B	LSX SHS PB-PB B	LSX 6126 PB-PB B	LSX 5258 PB-PB B	LSX 5320 PB-PB B
	Satin Brass	White	LSX US2 PB-SB W	LSX US5 PB-SB W	LSX SHS PB-SB W	LSX 6126 PB-SB W	LSX 5258 PB-SB W	LSX 5320 PB-SB W
	Satin Brass	Black	LSX US2 PB-SB B	LSX US5 PB-SB B	LSX SHS PB-SB B	LSX 6126 PB-SB B	LSX 5258 PB-SB B	LSX 5320 PB-SB B
	Antique Brass	White	LSX US2 PB-AB W	LSX US5 PB-AB W	LSX SHS PB-AB W	LSX 6126 PB-AB W	LSX 5258 PB-AB W	LSX 5320 PB-AB W
	Antique Brass	Black	LSX US2 PB-AB B	LSX US5 PB-AB B	LSX SHS PB-AB B	LSX 6126 PB-AB B	LSX 5258 PB-AB B	LSX 5320 PB-AB B
	Bright Steel	White	LSX US2 PB-BS W	LSX US5 PB-BS W	LSX SHS PB-BS W	LSX 6126 PB-BS W	LSX 5258 PB-BS W	LSX 5320 PB-BS W
	Bright Steel	Black	LSX US2 PB-BS B	LSX US5 PB-BS B	LSX SHS PB-BS B	LSX 6126 PB-BS B	LSX 5258 PB-BS B	LSX 5320 PB-BS B
	Satin Steel	White	LSX US2 PB-SS W	LSX US5 PB-SS W	LSX SHS PB-SS W	LSX 6126 PB-SS W	LSX 5258 PB-SS W	LSX 5320 PB-SS W
	Satin Steel	Black	LSX US2 PB-SS B	LSX US5 PB-SS B	LSX SHS PB-SS B	LSX 6126 PB-SS B	LSX 5258 PB-SS B	LSX 5320 PB-SS B
	Satin Brass	White	LSX US2 SB-SB W	LSX US5 SB-SB W	LSX SHS SB-SB W	LSX 6126 SB-SB W	LSX 5258 SB-SB W	LSX 5320 SB-SB W
	Satin Brass	Black	LSX US2 SB-SB B	LSX US5 SB-SB B	LSX SHS SB-SB B	LSX 6126 SB-SB B	LSX 5258 SB-SB B	LSX 5320 SB-SB B
	Satin Steel	White	LSX US2 SB-SS W	LSX US5 SB-SS W	LSX SHS SB-SS W	LSX 6126 SB-SS W	LSX 5258 SB-SS W	LSX 5320 SB-SS W
	Satin Steel	Black	LSX US2 SB-SS B	LSX US5 SB-SS B	LSX SHS SB-SS B	LSX 6126 SB-SS B	LSX 5258 SB-SS B	LSX 5320 SB-SS B
	Antique Brass	Black	LSX US2 AB-AB B	LSX US5 AB-AB B	LSX SHS AB-AB B	LSX 6126 AB-AB B	LSX 5258 AB-AB B	LSX 5320 AB-AB B
	Satin Brass	Black	LSX US2 AB-SB B	LSX US5 AB-SB B	LSX SHS AB-SB B	LSX 6126 AB-SB B	LSX 5258 AB-SB B	LSX 5320 AB-SB B
	Bright Steel	White	LSX US2 SN-BS W	LSX US5 SN-BS W	LSX SHS SN-BS W	LSX 6126 SN-BS W	LSX 5258 SN-BS W	LSX 5320 SN-BS W
	Bright Steel	Black	LSX US2 SN-BS B	LSX US5 SN-BS B	LSX SHS SN-BS B	LSX 6126 SN-BS B	LSX 5258 SN-BS B	LSX 5320 SN-BS B
	Satin Steel	White	LSX US2 SN-SS W	LSX US5 SN-SS W	LSX SHS SN-SS W	LSX 6126 SN-SS W	LSX 5258 SN-SS W	LSX 5320 SN-SS W
	Satin Steel	Black	LSX US2 SN-SS B	LSX US5 SN-SS B	LSX SHS SN-SS B	LSX 6126 SN-SS B	LSX 5258 SN-SS B	LSX 5320 SN-SS B
	Black Nickel	Black	LSX US2 BK-BK B	LSX US5 BK-BK B	LSX SHS BK-BK B	LSX 6126 BK-BK B	LSX 5258 BK-BK B	LSX 5320 BK-BK B
	Bright Steel	Black	LSX US2 BK-BS B	LSX US5 BK-BS B	LSX SHS BK-BS B	LSX 6126 BK-BS B	LSX 5258 BK-BS B	LSX 5320 BK-BS B
	Polished Brass	Black	LSX US2 BK-PB B	LSX US5 BK-PB B	LSX SHS BK-PB B	LSX 6126 BK-PB B	LSX 5258 BK-PB B	LSX 5320 BK-PB B

Hamilton® Linea-Scala CFX®

Concealed Fixing Television Coaxial Sockets



LSX TV BC-SS W



**1 gang
Non Isolated
TV
1 In/1 Out**

Nominal Plate Size:
91 x 91 mm

Min. Wall Box
Depth: 25 mm

Technical Insert
Reference: **TV**
Product Code



**Isolated
TV/FM
Diplexer
1 In/2 Out**

Nominal Plate Size:
91 x 91 mm

Min. Wall Box
Depth: 25 mm

Technical Insert
Reference: **TVFM**
Product Code



**1 gang
Isolated
TV
1 In/1 Out**

Nominal Plate Size:
91 x 91 mm

Min. Wall Box
Depth: 25 mm

Technical Insert
Reference: **TVI**
Product Code



**2 gang
Non Isolated TV
+ Satellite
2 In/2 Out**

Nominal Plate Size:
91 x 91 mm

Min. Wall Box
Depth: 35 mm

Technical Insert
Reference: **TVSAT**
Product Code



**1 gang
Non Isolated
Satellite**

Nominal Plate Size:
91 x 91 mm

Min. Wall Box
Depth: 35 mm

Technical Insert
Reference: **SATN**
Product Code



**1 gang
Isolated
Satellite**

Nominal Plate Size:
91 x 91 mm

Min. Wall Box
Depth: 35 mm

Technical Insert
Reference: **SATI**
Product Code

Frame Finish	Plate Finish	Insert Colour	Product Code	Product Code	Product Code	Product Code	Product Code	Product Code
	Bright Steel	White	LSX TV BC-BS W	LSX TVFM BC-BS W	LSX TVI BC-BS W	LSX TVSAT BC-BS W	LSX SATN BC-BS W	LSX SATI BC-BS W
	Bright Steel	Black	LSX TV BC-BS B	LSX TVFM BC-BS B	LSX TVI BC-BS B	LSX TVSAT BC-BS B	LSX SATN BC-BS B	LSX SATI BC-BS B
	Satin Steel	White	LSX TV BC-SS W	LSX TVFM BC-SS W	LSX TVI BC-SS W	LSX TVSAT BC-SS W	LSX SATN BC-SS W	LSX SATI BC-SS W
	Satin Steel	Black	LSX TV BC-SS B	LSX TVFM BC-SS B	LSX TVI BC-SS B	LSX TVSAT BC-SS B	LSX SATN BC-SS B	LSX SATI BC-SS B
	Polished Brass	White	LSX TV BC-PB W	LSX TVFM BC-PB W	LSX TVI BC-PB W	LSX TVSAT BC-PB W	LSX SATN BC-PB W	LSX SATI BC-PB W
	Polished Brass	Black	LSX TV BC-PB B	LSX TVFM BC-PB B	LSX TVI BC-PB B	LSX TVSAT BC-PB B	LSX SATN BC-PB B	LSX SATI BC-PB B
	Black Nickel	Black	LSX TV BC-BK B	LSX TVFM BC-BK B	LSX TVI BC-BK B	LSX TVSAT BC-BK B	LSX SATN BC-BK B	LSX SATI BC-BK B
	Piano Black	Black	LSX TV BC-N B	LSX TVFM BC-N B	LSX TVI BC-N B	LSX TVSAT BC-N B	LSX SATN BC-N B	LSX SATI BC-N B
	Polished Brass	White	LSX TV PB-PB W	LSX TVFM PB-PB W	LSX TVI PB-PB W	LSX TVSAT PB-PB W	LSX SATN PB-PB W	LSX SATI PB-PB W
	Polished Brass	Black	LSX TV PB-PB B	LSX TVFM PB-PB B	LSX TVI PB-PB B	LSX TVSAT PB-PB B	LSX SATN PB-PB B	LSX SATI PB-PB B
	Satin Brass	White	LSX TV PB-SB W	LSX TVFM PB-SB W	LSX TVI PB-SB W	LSX TVSAT PB-SB W	LSX SATN PB-SB W	LSX SATI PB-SB W
	Satin Brass	Black	LSX TV PB-SB B	LSX TVFM PB-SB B	LSX TVI PB-SB B	LSX TVSAT PB-SB B	LSX SATN PB-SB B	LSX SATI PB-SB B
	Antique Brass	White	LSX TV PB-AB W	LSX TVFM PB-AB W	LSX TVI PB-AB W	LSX TVSAT PB-AB W	LSX SATN PB-AB W	LSX SATI PB-AB W
	Antique Brass	Black	LSX TV PB-AB B	LSX TVFM PB-AB B	LSX TVI PB-AB B	LSX TVSAT PB-AB B	LSX SATN PB-AB B	LSX SATI PB-AB B
	Bright Steel	White	LSX TV PB-BS W	LSX TVFM PB-BS W	LSX TVI PB-BS W	LSX TVSAT PB-BS W	LSX SATN PB-BS W	LSX SATI PB-BS W
	Bright Steel	Black	LSX TV PB-BS B	LSX TVFM PB-BS B	LSX TVI PB-BS B	LSX TVSAT PB-BS B	LSX SATN PB-BS B	LSX SATI PB-BS B
	Satin Steel	White	LSX TV PB-SS W	LSX TVFM PB-SS W	LSX TVI PB-SS W	LSX TVSAT PB-SS W	LSX SATN PB-SS W	LSX SATI PB-SS W
	Satin Steel	Black	LSX TV PB-SS B	LSX TVFM PB-SS B	LSX TVI PB-SS B	LSX TVSAT PB-SS B	LSX SATN PB-SS B	LSX SATI PB-SS B
	Satin Brass	White	LSX TV SB-SB W	LSX TVFM SB-SB W	LSX TVI SB-SB W	LSX TVSAT SB-SB W	LSX SATN SB-SB W	LSX SATI SB-SB W
	Satin Brass	Black	LSX TV SB-SB B	LSX TVFM SB-SB B	LSX TVI SB-SB B	LSX TVSAT SB-SB B	LSX SATN SB-SB B	LSX SATI SB-SB B
	Satin Steel	White	LSX TV SB-SS W	LSX TVFM SB-SS W	LSX TVI SB-SS W	LSX TVSAT SB-SS W	LSX SATN SB-SS W	LSX SATI SB-SS W
	Satin Steel	Black	LSX TV SB-SS B	LSX TVFM SB-SS B	LSX TVI SB-SS B	LSX TVSAT SB-SS B	LSX SATN SB-SS B	LSX SATI SB-SS B
	Antique Brass	Black	LSX TV AB-AB B	LSX TVFM AB-AB B	LSX TVI AB-AB B	LSX TVSAT AB-AB W	LSX SATN AB-AB B	LSX SATI AB-AB B
	Satin Brass	Black	LSX TV AB-SB B	LSX TVFM AB-SB B	LSX TVI AB-SB B	LSX TVSAT AB-SB B	LSX SATN AB-SB B	LSX SATI AB-SB B
	Bright Steel	White	LSX TV SN-BS W	LSX TVFM SN-BS W	LSX TVI SN-BS W	LSX TVSAT SN-BS W	LSX SATN SN-BS W	LSX SATI SN-BS W
	Bright Steel	Black	LSX TV SN-BS B	LSX TVFM SN-BS B	LSX TVI SN-BS B	LSX TVSAT SN-BS B	LSX SATN SN-BS B	LSX SATI SN-BS B
	Satin Steel	White	LSX TV SN-SS W	LSX TVFM SN-SS W	LSX TVI SN-SS W	LSX TVSAT SN-SS W	LSX SATN SN-SS W	LSX SATI SN-SS W
	Satin Steel	Black	LSX TV SN-SS B	LSX TVFM SN-SS B	LSX TVI SN-SS B	LSX TVSAT SN-SS B	LSX SATN SN-SS B	LSX SATI SN-SS B
	Black Nickel	Black	LSX TV BK-BK B	LSX TVFM BK-BK B	LSX TVI BK-BK B	LSX TVSAT BK-BK B	LSX SATN BK-BK B	LSX SATI BK-BK B
	Bright Steel	Black	LSX TV BK-BS B	LSX TVFM BK-BS B	LSX TVI BK-BS B	LSX TVSAT BK-BS B	LSX SATN BK-BS B	LSX SATI BK-BS B
	Polished Brass	Black	LSX TV BK-PB B	LSX TVFM BK-PB B	LSX TVI BK-PB B	LSX TVSAT BK-PB B	LSX SATN BK-PB B	LSX SATI BK-PB B



LSX DTRID PB-PB B



Non Isolated TV/FM/Satellite Triplexer 1 In/3 Out

Nominal Plate Size:
91 x 91 mm

Min. Wall Box
Depth: 35 mm

Technical Insert
Reference: **DTRID**

Product Code



1 gang Non Isolated TV (Female)

Nominal Plate Size:
91 x 91 mm

Min. Wall Box
Depth: 35 mm

Technical Insert
Reference: **DTVf**

Product Code



1 gang Non Isolated TV (Male)

Nominal Plate Size:
91 x 91 mm

Min. Wall Box
Depth: 35 mm

Technical Insert
Reference: **DTVM**

Product Code

Frame Finish	Plate Finish	Insert Colour			
	Bright Steel	White	LSX DTRID BC-BS W	LSX DTVF BC-BS W	LSX DTVM BC-BS W
	Bright Steel	Black	LSX DTRID BC-BS B	LSX DTVF BC-BS B	LSX DTVM BC-BS B
	Satin Steel	White	LSX DTRID BC-SS W	LSX DTVF BC-SS W	LSX DTVM BC-SS W
	Satin Steel	Black	LSX DTRID BC-SS B	LSX DTVF BC-SS B	LSX DTVM BC-SS B
	Polished Brass	White	LSX DTRID BC-PB W	LSX DTVF BC-PB W	LSX DTVM BC-PB W
	Polished Brass	Black	LSX DTRID BC-PB B	LSX DTVF BC-PB B	LSX DTVM BC-PB B
	Black Nickel	Black	LSX DTRID BC-BK B	LSX DTVF BC-BK B	LSX DTVM BC-BK B
	Piano Black	Black	LSX DTRID BC-N B	LSX DTVF BC-N B	LSX DTVM BC-N B
	Polished Brass	White	LSX DTRID PB-PB W	LSX DTVF PB-PB W	LSX DTVM PB-PB W
	Polished Brass	Black	LSX DTRID PB-PB B	LSX DTVF PB-PB B	LSX DTVM PB-PB B
	Satin Brass	White	LSX DTRID PB-SB W	LSX DTVF PB-SB W	LSX DTVM PB-SB W
	Satin Brass	Black	LSX DTRID PB-SB B	LSX DTVF PB-SB B	LSX DTVM PB-SB B
	Antique Brass	White	LSX DTRID PB-AB W	LSX DTVF PB-AB W	LSX DTVM PB-AB W
	Antique Brass	Black	LSX DTRID PB-AB B	LSX DTVF PB-AB B	LSX DTVM PB-AB B
	Bright Steel	White	LSX DTRID PB-BS W	LSX DTVF PB-BS W	LSX DTVM PB-BS W
	Bright Steel	Black	LSX DTRID PB-BS B	LSX DTVF PB-BS B	LSX DTVM PB-BS B
	Satin Steel	White	LSX DTRID PB-SS W	LSX DTVF PB-SS W	LSX DTVM PB-SS W
	Satin Steel	Black	LSX DTRID PB-SS B	LSX DTVF PB-SS B	LSX DTVM PB-SS B
	Satin Brass	White	LSX DTRID SB-SB W	LSX DTVF SB-SB W	LSX DTVM SB-SB W
	Satin Brass	Black	LSX DTRID SB-SB B	LSX DTVF SB-SB B	LSX DTVM SB-SB B
	Satin Steel	White	LSX DTRID SB-SS W	LSX DTVF SB-SS W	LSX DTVM SB-SS W
	Satin Steel	Black	LSX DTRID SB-SS B	LSX DTVF SB-SS B	LSX DTVM SB-SS B
	Antique Brass	Black	LSX DTRID AB-AB B	LSX DTVF AB-AB B	LSX DTVM AB-AB B
	Satin Brass	Black	LSX DTRID AB-SB B	LSX DTVF AB-SB B	LSX DTVM AB-SB B
	Bright Steel	White	LSX DTRID SN-BS W	LSX DTVF SN-BS W	LSX DTVM SN-BS W
	Bright Steel	Black	LSX DTRID SN-BS B	LSX DTVF SN-BS B	LSX DTVM SN-BS B
	Satin Steel	White	LSX DTRID SN-SS W	LSX DTVF SN-SS W	LSX DTVM SN-SS W
	Satin Steel	Black	LSX DTRID SN-SS B	LSX DTVF SN-SS B	LSX DTVM SN-SS B
	Black Nickel	Black	LSX DTRID BK-BK B	LSX DTVF BK-BK B	LSX DTVM BK-BK B
	Bright Steel	Black	LSX DTRID BK-BS B	LSX DTVF BK-BS B	LSX DTVM BK-BS B
	Polished Brass	Black	LSX DTRID BK-PB B	LSX DTVF BK-PB B	LSX DTVM BK-PB B



LSX DSAT BC-SS W



1 gang Non Isolated Satellite

Nominal Plate Size:
91 x 91 mm

Min. Wall Box
Depth: 35 mm

Technical Insert
Reference: **DSAT**

Product Code



Non Isolated TV/FM/Satellite 1/ Satellite 2 Quadplexer 2 In/4 Out

Nominal Plate Size:
91 x 91 mm

Min. Wall Box
Depth: 35 mm

Technical Insert
Reference: **DENT**

Product Code



Non Isolated TV/FM/Satellite 1/ Satellite 2 Quadplexer 2 In/4 Out + TVF + TCS


Nominal Plate Size:
150 x 91 mm

Min. Wall Box
Depth: 35 mm






Technical Insert
Reference: **DSAT+**

Product Code

Frame Finish	Plate Finish	Insert Colour			
	Bright Steel	White	LSX DSAT BC-BS W	LSX DENT BC-BS W	LSX DSAT+ BC-BS W
	Bright Steel	Black	LSX DSAT BC-BS B	LSX DENT BC-BS B	LSX DSAT+ BC-BS B
	Satin Steel	White	LSX DSAT BC-SS W	LSX DENT BC-SS W	LSX DSAT+ BC-SS W
	Satin Steel	Black	LSX DSAT BC-SS B	LSX DENT BC-SS B	LSX DSAT+ BC-SS B
	Polished Brass	White	LSX DSAT BC-PB W	LSX DENT BC-PB W	LSX DSAT+ BC-PB W
	Polished Brass	Black	LSX DSAT BC-PB B	LSX DENT BC-PB B	LSX DSAT+ BC-PB B
	Black Nickel	Black	LSX DSAT BC-BK B	LSX DENT BC-BK B	LSX DSAT+ BC-BK B
	Piano Black	Black	LSX DSAT BC-N B	LSX DENT BC-N B	LSX DSAT+ BC-N B
	Polished Brass	White	LSX DSAT PB-PB W	LSX DENT PB-PB W	LSX DSAT+ PB-PB W
	Polished Brass	Black	LSX DSAT PB-PB B	LSX DENT PB-PB B	LSX DSAT+ PB-PB B
	Satin Brass	White	LSX DSAT PB-SB W	LSX DENT PB-SB W	LSX DSAT+ PB-SB W
	Satin Brass	Black	LSX DSAT PB-SB B	LSX DENT PB-SB B	LSX DSAT+ PB-SB B
	Antique Brass	White	LSX DSAT PB-AB W	LSX DENT PB-AB W	LSX DSAT+ PB-AB W
	Antique Brass	Black	LSX DSAT PB-AB B	LSX DENT PB-AB B	LSX DSAT+ PB-AB B
	Bright Steel	White	LSX DSAT PB-BS W	LSX DENT PB-BS W	LSX DSAT+ PB-BS W
	Bright Steel	Black	LSX DSAT PB-BS B	LSX DENT PB-BS B	LSX DSAT+ PB-BS B
	Satin Steel	White	LSX DSAT PB-SS W	LSX DENT PB-SS W	LSX DSAT+ PB-SS W
	Satin Steel	Black	LSX DSAT PB-SS B	LSX DENT PB-SS B	LSX DSAT+ PB-SS B
	Satin Brass	White	LSX DSAT SB-SB W	LSX DENT SB-SB W	LSX DSAT+ SB-SB W
	Satin Brass	Black	LSX DSAT SB-SB B	LSX DENT SB-SB B	LSX DSAT+ SB-SB B
	Satin Steel	White	LSX DSAT SB-SS W	LSX DENT SB-SS W	LSX DSAT+ SB-SS W
	Satin Steel	Black	LSX DSAT SB-SS B	LSX DENT SB-SS B	LSX DSAT+ SB-SS B
	Antique Brass	Black	LSX DSAT AB-AB W	LSX DENT AB-AB B	LSX DSAT+ AB-AB B
	Satin Brass	Black	LSX DSAT AB-SB B	LSX DENT AB-SB B	LSX DSAT+ AB-SB B
	Antique Brass	Black			
	Bright Steel	White	LSX DSAT SN-BS W	LSX DENT SN-BS W	LSX DSAT+ SN-BS W
	Bright Steel	Black	LSX DSAT SN-BS B	LSX DENT SN-BS B	LSX DSAT+ SN-BS B
	Satin Steel	White	LSX DSAT SN-SS W	LSX DENT SN-SS W	LSX DSAT+ SN-SS W
	Satin Steel	Black	LSX DSAT SN-SS B	LSX DENT SN-SS B	LSX DSAT+ SN-SS B
	Black Nickel	Black	LSX DSAT BK-BK B	LSX DENT BK-BK B	LSX DSAT+ BK-BK B
	Bright Steel	Black	LSX DSAT BK-BS B	LSX DENT BK-BS B	LSX DSAT+ BK-BS B
	Polished Brass	Black	LSX DSAT BK-PB B	LSX DENT BK-PB B	LSX DSAT+ BK-PB B



LSX 2J12 PB-PB B

Frame Finish	Plate Finish	Insert Colour						
			1 gang Telephone Master Nominal Plate Size: 91 x 91 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: TCM Product Code	1 gang Telephone Slave Nominal Plate Size: 91 x 91 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: TCS Product Code	1 gang RJ12 Outlet Unshielded Nominal Plate Size: 91 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: J12 Product Code	2 gang RJ12 Outlet Unshielded Nominal Plate Size: 91 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: 2J12 Product Code	1 gang RJ45 CAT 5E Outlet Unshielded Nominal Plate Size: 91 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: J45 Product Code	2 gang RJ45 CAT 5E Outlet Unshielded Nominal Plate Size: 91 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: 2J45 Product Code
	Bright Steel	White	LSX TCM BC-BS W	LSX TCS BC-BS W	LSX J12 BC-BS W	LSX 2J12 BC-BS W	LSX J45 BC-BS W	LSX 2J45 BC-BS W
	Bright Steel	Black	LSX TCM BC-BS B	LSX TCS BC-BS B	LSX J12 BC-BS B	LSX 2J12 BC-BS B	LSX J45 BC-BS B	LSX 2J45 BC-BS B
	Satin Steel	White	LSX TCM BC-SS W	LSX TCS BC-SS W	LSX J12 BC-SS W	LSX 2J12 BC-SS W	LSX J45 BC-SS W	LSX 2J45 BC-SS W
	Satin Steel	Black	LSX TCM BC-SS B	LSX TCS BC-SS B	LSX J12 BC-SS B	LSX 2J12 BC-SS B	LSX J45 BC-SS B	LSX 2J45 BC-SS B
	Polished Brass	White	LSX TCM BC-PB W	LSX TCS BC-PB W	LSX J12 BC-PB W	LSX 2J12 BC-PB W	LSX J45 BC-PB W	LSX 2J45 BC-PB W
	Polished Brass	Black	LSX TCM BC-PB B	LSX TCS BC-PB B	LSX J12 BC-PB B	LSX 2J12 BC-PB B	LSX J45 BC-PB B	LSX 2J45 BC-PB B
	Black Nickel	Black	LSX TCM BC-BK B	LSX TCS BC-BK B	LSX J12 BC-BK B	LSX 2J12 BC-BK B	LSX J45 BC-BK B	LSX 2J45 BC-BK B
	Piano Black	Black	LSX TCM BC-N B	LSX TCS BC-N B	LSX J12 BC-N B	LSX 2J12 BC-N B	LSX J45 BC-N B	LSX 2J45 BC-N B
	Polished Brass	White	LSX TCM PB-PB W	LSX TCS PB-PB W	LSX J12 PB-PB W	LSX 2J12 PB-PB W	LSX J45 PB-PB W	LSX 2J45 PB-PB W
	Polished Brass	Black	LSX TCM PB-PB B	LSX TCS PB-PB B	LSX J12 PB-PB B	LSX 2J12 PB-PB B	LSX J45 PB-PB B	LSX 2J45 PB-PB B
	Satin Brass	White	LSX TCM PB-SB W	LSX TCS PB-SB W	LSX J12 PB-SB W	LSX 2J12 PB-SB W	LSX J45 PB-SB W	LSX 2J45 PB-SB W
	Satin Brass	Black	LSX TCM PB-SB B	LSX TCS PB-SB B	LSX J12 PB-SB B	LSX 2J12 PB-SB B	LSX J45 PB-SB B	LSX 2J45 PB-SB B
	Antique Brass	White	LSX TCM PB-AB W	LSX TCS PB-AB W	LSX J12 PB-AB W	LSX 2J12 PB-AB W	LSX J45 PB-AB W	LSX 2J45 PB-AB W
	Antique Brass	Black	LSX TCM PB-AB B	LSX TCS PB-AB B	LSX J12 PB-AB B	LSX 2J12 PB-AB B	LSX J45 PB-AB B	LSX 2J45 PB-AB B
	Bright Steel	White	LSX TCM PB-BS W	LSX TCS PB-BS W	LSX J12 PB-BS W	LSX 2J12 PB-BS W	LSX J45 PB-BS W	LSX 2J45 PB-BS W
	Bright Steel	Black	LSX TCM PB-BS B	LSX TCS PB-BS B	LSX J12 PB-BS B	LSX 2J12 PB-BS B	LSX J45 PB-BS B	LSX 2J45 PB-BS B
	Satin Steel	White	LSX TCM PB-SS W	LSX TCS PB-SS W	LSX J12 PB-SS W	LSX 2J12 PB-SS W	LSX J45 PB-SS W	LSX 2J45 PB-SS W
	Satin Steel	Black	LSX TCM PB-SS B	LSX TCS PB-SS B	LSX J12 PB-SS B	LSX 2J12 PB-SS B	LSX J45 PB-SS B	LSX 2J45 PB-SS B
	Satin Brass	White	LSX TCM SB-SB W	LSX TCS SB-SB W	LSX J12 SB-SB W	LSX 2J12 SB-SB W	LSX J45 SB-SB W	LSX 2J45 SB-SB W
	Satin Brass	Black	LSX TCM SB-SB B	LSX TCS SB-SB B	LSX J12 SB-SB B	LSX 2J12 SB-SB B	LSX J45 SB-SB B	LSX 2J45 SB-SB B
	Satin Steel	White	LSX TCM SB-SS W	LSX TCS SB-SS W	LSX J12 SB-SS W	LSX 2J12 SB-SS W	LSX J45 SB-SS W	LSX 2J45 SB-SS W
	Satin Steel	Black	LSX TCM SB-SS B	LSX TCS SB-SS B	LSX J12 SB-SS B	LSX 2J12 SB-SS B	LSX J45 SB-SS B	LSX 2J45 SB-SS B
	Antique Brass	Black	LSX TCM AB-AB B	LSX TCS AB-AB B	LSX J12 AB-AB B	LSX 2J12 AB-AB B	LSX J45 AB-AB B	LSX 2J45 AB-AB B
	Satin Brass	Black	LSX TCM AB-SB B	LSX TCS AB-SB B	LSX J12 AB-SB B	LSX 2J12 AB-SB B	LSX J45 AB-SB B	LSX 2J45 AB-SB B
	Bright Steel	White	LSX TCM SN-BS W	LSX TCS SN-BS W	LSX J12 SN-BS W	LSX 2J12 SN-BS W	LSX J45 SN-BS W	LSX 2J45 SN-BS W
	Bright Steel	Black	LSX TCM SN-BS B	LSX TCS SN-BS B	LSX J12 SN-BS B	LSX 2J12 SN-BS B	LSX J45 SN-BS B	LSX 2J45 SN-BS B
	Satin Steel	White	LSX TCM SN-SS W	LSX TCS SN-SS W	LSX J12 SN-SS W	LSX 2J12 SN-SS W	LSX J45 SN-SS W	LSX 2J45 SN-SS W
	Satin Steel	Black	LSX TCM SN-SS B	LSX TCS SN-SS B	LSX J12 SN-SS B	LSX 2J12 SN-SS B	LSX J45 SN-SS B	LSX 2J45 SN-SS B
	Black Nickel	Black	LSX TCM BK-BK B	LSX TCS BK-BK B	LSX J12 BK-BK B	LSX 2J12 BK-BK B	LSX J45 BK-BK B	LSX 2J45 BK-BK B
	Bright Steel	Black	LSX TCM BK-BS B	LSX TCS BK-BS B	LSX J12 BK-BS B	LSX 2J12 BK-BS B	LSX J45 BK-BS B	LSX 2J45 BK-BS B
	Polished Brass	Black	LSX TCM BK-PB B	LSX TCS BK-PB B	LSX J12 BK-PB B	LSX 2J12 BK-PB B	LSX J45 BK-PB B	LSX 2J45 BK-PB B

Hamilton® Linea-Scala cfx®

Concealed Fixing Double Pole Switches



LSX 45SS1 PB-SB B



**1 gang 20AX
Double Pole
Rocker + Neon**

Nominal Plate Size:
91 x 91 mm
Min. Wall Box
Depth: 35 mm

Technical Insert
Reference: **DPN**
Product Code



**45A Double Pole
Red Rocker + Neon +
13A Switched Socket**

Nominal Plate Size:
150 x 91 mm
Min. Wall Box
Depth: 35 mm

Technical Insert
Reference: **45SS1**
Product Code



LSX 45N BC-BS W



**1 gang 45A
Double Pole
Red Rocker + Neon**

Nominal Plate Size:
91 x 91 mm
Min. Wall Box
Depth: 35 mm

Technical Insert
Reference: **45N**
Product Code

Frame and insert Finish	Plate Finish	Insert Surround Colour	Technical Insert Reference: DPN Product Code	Technical Insert Reference: 45SS1 Product Code
	Bright Steel	White	LSX DPN BC-BS W	LSX 45SS1 BC-BS W
	Bright Steel	Black	LSX DPN BC-BS B	LSX 45SS1 BC-BS B
	Satin Steel	White	LSX DPN BC-SS W	LSX 45SS1 BC-SS W
	Satin Steel	Black	LSX DPN BC-SS B	LSX 45SS1 BC-SS B
	Polished Brass	White	LSX DPN BC-PB W	LSX 45SS1 BC-PB W
	Polished Brass	Black	LSX DPN BC-PB B	LSX 45SS1 BC-PB B
	Black Nickel	Black	LSX DPN BC-BK B	LSX 45SS1 BC-BK B
	Piano Black	Black	LSX DPN BC-N B	LSX 45SS1 BC-N B
	Polished Brass	White	LSX DPN PB-PB W	LSX 45SS1 PB-PB W
	Polished Brass	Black	LSX DPN PB-PB B	LSX 45SS1 PB-PB B
	Satin Brass	White	LSX DPN PB-SB W	LSX 45SS1 PB-SB W
	Satin Brass	Black	LSX DPN PB-SB B	LSX 45SS1 PB-SB B
	Antique Brass	White	LSX DPN PB-AB W	LSX 45SS1 PB-AB W
	Antique Brass	Black	LSX DPN PB-AB B	LSX 45SS1 PB-AB B
	Bright Steel	White	LSX DPN PB-BS W	LSX 45SS1 PB-BS W
	Bright Steel	Black	LSX DPN PB-BS B	LSX 45SS1 PB-BS B
	Satin Steel	White	LSX DPN PB-SS W	LSX 45SS1 PB-SS W
	Satin Steel	Black	LSX DPN PB-SS B	LSX 45SS1 PB-SS B
	Satin Steel	White	LSX DPN SB-SS W	LSX 45SS1 SB-SS W
	Satin Steel	Black	LSX DPN SB-SS B	LSX 45SS1 SB-SS B
	Satin Brass	White	LSX DPN SB-SB W	LSX 45SS1 SB-SB W
	Satin Brass	Black	LSX DPN SB-SB B	LSX 45SS1 SB-SB B
	Satin Steel	White	LSX DPN SB-SS W	LSX 45SS1 SB-SS W
	Satin Steel	Black	LSX DPN SB-SS B	LSX 45SS1 SB-SS B
	Antique Brass	Black	LSX DPN AB-AB B	LSX 45SS1 AB-AB B
	Satin Brass	Black	LSX DPN AB-SB B	LSX 45SS1 AB-SB B
	Bright Steel	White	LSX DPN SN-BS W	LSX 45SS1 SN-BS W
	Bright Steel	Black	LSX DPN SN-BS B	LSX 45SS1 SN-BS B
	Satin Steel	White	LSX DPN SN-SS W	LSX 45SS1 SN-SS W
	Satin Steel	Black	LSX DPN SN-SS B	LSX 45SS1 SN-SS B
	Black Nickel	Black	LSX DPN BK-BK B	LSX 45SS1 BK-BK B
	Bright Steel	Black	LSX DPN BK-BS B	LSX 45SS1 BK-BS B
	Polished Brass	Black	LSX DPN BK-PB B	LSX 45SS1 BK-PB B

Frame Finish	Plate Finish	Insert Surround Colour	Technical Insert Reference: 45N Product Code
	Bright Steel	White	LSX 45N BC-BS W
	Bright Steel	Black	LSX 45N BC-BS B
	Satin Steel	White	LSX 45N BC-SS W
	Satin Steel	Black	LSX 45N BC-SS B
	Polished Brass	White	LSX 45N BC-PB W
	Polished Brass	Black	LSX 45N BC-PB B
	Black Nickel	Black	LSX 45N BC-BK B
	Piano Black	Black	LSX 45N BC-N B
	Polished Brass	White	LSX 45N PB-PB W
	Polished Brass	Black	LSX 45N PB-PB B
	Satin Brass	White	LSX 45N PB-SB W
	Satin Brass	Black	LSX 45N PB-SB B
	Antique Brass	White	LSX 45N PB-AB W
	Antique Brass	Black	LSX 45N PB-AB B
	Bright Steel	White	LSX 45N PB-BS W
	Bright Steel	Black	LSX 45N PB-BS B
	Satin Steel	White	LSX 45N PB-SS W
	Satin Steel	Black	LSX 45N PB-SS B
	Satin Steel	White	LSX 45N SB-SS W
	Satin Steel	Black	LSX 45N SB-SS B
	Satin Brass	White	LSX 45N SB-SB W
	Satin Brass	Black	LSX 45N SB-SB B
	Satin Steel	White	LSX 45N SB-SS W
	Satin Steel	Black	LSX 45N SB-SS B
	Antique Brass	Black	LSX 45N AB-AB B
	Satin Brass	Black	LSX 45N AB-SB B
	Bright Steel	White	LSX 45N SN-BS W
	Bright Steel	Black	LSX 45N SN-BS B
	Satin Steel	White	LSX 45N SN-SS W
	Satin Steel	Black	LSX 45N SN-SS B
	Black Nickel	Black	LSX 45N BK-BK B
	Bright Steel	Black	LSX 45N BK-BS B
	Polished Brass	Black	LSX 45N BK-PB B



LSX SPN PB-SB W




**1 gang 13A
Double Pole
Fused Spur + Neon**

Nominal Plate Size:
91 x 91 mm

Min. Wall Box
Depth: 35 mm

Technical Insert
Reference: **SPN**

Frame and Insert Finish	Plate Finish	Insert Surround Colour	Product Code
	Bright Steel	White	LSX SPN BC-BS W
	Bright Steel	Black	LSX SPN BC-BS B
	Satin Steel	White	LSX SPN BC-SS W
	Satin Steel	Black	LSX SPN BC-SS B
	Polished Brass	White	LSX SPN BC-PB W
	Polished Brass	Black	LSX SPN BC-PB B
	Black Nickel	Black	LSX SPN BC-BK B
	Piano Black	Black	LSX SPN BC-N B
	Polished Brass	White	LSX SPN PB-PB W
	Polished Brass	Black	LSX SPN PB-PB B
	Satin Brass	White	LSX SPN PB-SB W
	Satin Brass	Black	LSX SPN PB-SB B
	Antique Brass	White	LSX SPN PB-AB W
	Antique Brass	Black	LSX SPN PB-AB B
	Bright Steel	White	LSX SPN PB-BS W
	Bright Steel	Black	LSX SPN PB-BS B
	Satin Steel	White	LSX SPN PB-SS W
	Satin Steel	Black	LSX SPN PB-SS B
	Satin Brass	White	LSX SPN SB-SB W
	Satin Brass	Black	LSX SPN SB-SB B
	Satin Steel	White	LSX SPN SB-SS W
	Satin Steel	Black	LSX SPN SB-SS B
	Antique Brass	Black	LSX SPN AB-AB B
	Satin Brass	Black	LSX SPN AB-SB B
	Bright Steel	White	LSX SPN SN-BS W
	Bright Steel	Black	LSX SPN SN-BS B
	Satin Steel	White	LSX SPN SN-SS W
	Satin Steel	Black	LSX SPN SN-SS B
	Black Nickel	Black	LSX SPN BK-BK B
	Bright Steel	Black	LSX SPN BK-BS B
	Polished Brass	Black	LSX SPN BK-PB B



LSX FN BC-BS R



**1 gang 13A
Fuse with
Red Neon Halo**

Nominal Plate Size:
91 x 91 mm

Min. Wall Box
Depth: 35 mm

Technical Insert
Reference: **FN**

Frame and Insert Finish	Plate Finish	Insert Surround Colour	Product Code
	Bright Steel	Red Halo	LSX FN BC-BS R
	Satin Steel	Red Halo	LSX FN BC-SS R
	Polished Brass	Red Halo	LSX FN BC-PB R
	Black Nickel	Red Halo	LSX FN BC-BK R
	Piano Black	Red Halo	LSX FN BC-N R
	Polished Brass	Red Halo	LSX FN PB-PB R
	Satin Brass	Red Halo	LSX FN PB-SB R
	Antique Brass	Red Halo	LSX FN PB-AB R
	Bright Steel	Red Halo	LSX FN PB-BS R
	Satin Steel	Red Halo	LSX FN PB-SS R
	Satin Brass	Red Halo	LSX FN SB-SB R
	Satin Steel	Red Halo	LSX FN SB-SS R
	Antique Brass	Red Halo	LSX FN AB-AB R
	Satin Brass	Red Halo	LSX FN AB-SB R
	Bright Steel	Red Halo	LSX FN SN-BS R
	Satin Steel	Red Halo	LSX FN SN-SS R
	Black Nickel	Red Halo	LSX FN BK-BK R
	Bright Steel	Red Halo	LSX FN BK-BS R
	Polished Brass	Red Halo	LSX FN BK-PB R

Hamilton® Linea-Scala CFX®













Concealed Fixing Leading Edge Push On/Off Resistive Dimmers

Note: Tungsten filament GU10 lamps must be branded and with a fused base. Note: When using mains voltage halogen lamps - dimmers should be de-rated by 25%.

Note: When dimming LED lamps de-rate by 75% - please contact our Technical Department for compatibility.



LSX 4X40 AB-SB

Frame and Insert Finish	Plate Finish	     					
		1 gang 400W 2 way Dimmer	2 gang 400W 2 way (Max. 300 watts per gang) Dimmer	3 gang 400W 2 way Dimmer	4 gang 400W 2 way (Max. 300 watts per gang) Dimmer	1 gang 600W 2 way Dimmer	1 gang 1000W 2 way Dimmer
		Nominal Plate Size: 91 x 91 mm	Nominal Plate Size: 91 x 91 mm	Nominal Plate Size: 150 x 91 mm	Nominal Plate Size: 150 x 91 mm	Nominal Plate Size: 91 x 91 mm	Nominal Plate Size: 150 x 91 mm
		Minimum Wall Box Depth: 35 mm	Minimum Wall Box Depth: 35 mm	Minimum Wall Box Depth: 35 mm	Minimum Wall Box Depth: 35 mm	Minimum Wall Box Depth: 35 mm	Minimum Wall Box Depth: 35 mm
		Technical Insert Reference: 1X40	Technical Insert Reference: 2X40	Technical Insert Reference: 3X40	Technical Insert Reference: 4X40	Technical Insert Reference: 1X60	Technical Insert Reference: 1X1K
		Product Code	Product Code	Product Code	Product Code	Product Code	Product Code
Bright Chrome 	Bright Steel	LSX 1X40 BC-BS	LSX 2X40 BC-BS	LSX 3X40 BC-BS	LSX 4X40 BC-BS	LSX 1X60 BC-BS	LSX 1X1K BC-BS
	Satin Steel	LSX 1X40 BC-SS	LSX 2X40 BC-SS	LSX 3X40 BC-SS	LSX 4X40 BC-SS	LSX 1X60 BC-SS	LSX 1X1K BC-SS
	Polished Brass	LSX 1X40 BC-PB	LSX 2X40 BC-PB	LSX 3X40 BC-PB	LSX 4X40 BC-PB	LSX 1X60 BC-PB	LSX 1X1K BC-PB
	Black Nickel	LSX 1X40 BC-BK	LSX 2X40 BC-BK	LSX 3X40 BC-BK	LSX 4X40 BC-BK	LSX 1X60 BC-BK	LSX 1X1K BC-BK
	Piano Black	LSX 1X40 BC-N	LSX 2X40 BC-N	LSX 3X40 BC-N	LSX 4X40 BC-N	LSX 1X60 BC-N	LSX 1X1K BC-N
Polished Brass 	Polished Brass	LSX 1X40 PB-PB	LSX 2X40 PB-PB	LSX 3X40 PB-PB	LSX 4X40 PB-PB	LSX 1X60 PB-PB	LSX 1X1K PB-PB
	Satin Brass	LSX 1X40 PB-SB	LSX 2X40 PB-SB	LSX 3X40 PB-SB	LSX 4X40 PB-SB	LSX 1X60 PB-SB	LSX 1X1K PB-SB
	Antique Brass	LSX 1X40 PB-AB	LSX 2X40 PB-AB	LSX 3X40 PB-AB	LSX 4X40 PB-AB	LSX 1X60 PB-AB	LSX 1X1K PB-AB
	Bright Steel	LSX 1X40 PB-BS	LSX 2X40 PB-BS	LSX 3X40 PB-BS	LSX 4X40 PB-BS	LSX 1X60 PB-BS	LSX 1X1K PB-BS
	Satin Steel	LSX 1X40 PB-SS	LSX 2X40 PB-SS	LSX 3X40 PB-SS	LSX 4X40 PB-SS	LSX 1X60 PB-SS	LSX 1X1K PB-SS
Satin Brass 	Satin Brass	LSX 1X40 SB-SB	LSX 2X40 SB-SB	LSX 3X40 SB-SB	LSX 4X40 SB-SB	LSX 1X60 SB-SB	LSX 1X1K SB-SB
	Satin Steel	LSX 1X40 SB-SS	LSX 2X40 SB-SS	LSX 3X40 SB-SS	LSX 4X40 SB-SS	LSX 1X60 SB-SS	LSX 1X1K SB-SS
Antique Brass 	Antique Brass	LSX 1X40 AB-AB	LSX 2X40 AB-AB	LSX 3X40 AB-AB	LSX 4X40 AB-AB	LSX 1X60 AB-AB	LSX 1X1K AB-AB
	Satin Brass	LSX 1X40 AB-SB	LSX 2X40 AB-SB	LSX 3X40 AB-SB	LSX 4X40 AB-SB	LSX 1X60 AB-SB	LSX 1X1K AB-SB
Satin Nickel 	Bright Steel	LSX 1X40 SN-BS	LSX 2X40 SN-BS	LSX 3X40 SN-BS	LSX 4X40 SN-BS	LSX 1X60 SN-BS	LSX 1X1K SN-BS
	Satin Steel	LSX 1X40 SN-SS	LSX 2X40 SN-SS	LSX 3X40 SN-SS	LSX 4X40 SN-SS	LSX 1X60 SN-SS	LSX 1X1K SN-SS
Black Nickel 	Black Nickel	LSX 1X40 BK-BK	LSX 2X40 BK-BK	LSX 3X40 BK-BK	LSX 4X40 BK-BK	LSX 1X60 BK-BK	LSX 1X1K BK-BK
	Bright Steel	LSX 1X40 BK-BS	LSX 2X40 BK-BS	LSX 3X40 BK-BS	LSX 4X40 BK-BS	LSX 1X60 BK-BS	LSX 1X1K BK-BS
	Polished Brass	LSX 1X40 BK-PB	LSX 2X40 BK-PB	LSX 3X40 BK-PB	LSX 4X40 BK-PB	LSX 1X60 BK-PB	LSX 1X1K BK-PB

Note: When dimming LED lamps de-rate by 75% -
please contact our Technical Department for compatibility.



LSX 1X3V BC-BS



		1 gang 200VA 2 way Dimmer	1 gang 300VA 2 way Dimmer
		Nominal Plate Size: 91 x 91 mm	Nominal Plate Size: 91 x 91 mm
		Minimum Wall Box Depth: 35 mm	Minimum Wall Box Depth: 35 mm
		Technical Insert Reference: 1X2V	Technical Insert Reference: 1X3V
Frame and Insert Finish	Plate Finish	Product Code	Product Code
Bright Chrome 	Bright Steel	LSX 1X2V BC-BS	LSX 1X3V BC-BS
	Satin Steel	LSX 1X2V BC-SS	LSX 1X3V BC-SS
	Polished Brass	LSX 1X2V BC-PB	LSX 1X3V BC-PB
	Black Nickel	LSX 1X2V BC-BK	LSX 1X3V BC-BK
	Piano Black	LSX 1X2V BC-N	LSX 1X3V BC-N
Polished Brass 	Polished Brass	LSX 1X2V PB-PB	LSX 1X3V PB-PB
	Satin Brass	LSX 1X2V PB-SB	LSX 1X3V PB-SB
	Antique Brass	LSX 1X2V PB-AB	LSX 1X3V PB-AB
	Bright Steel	LSX 1X2V PB-BS	LSX 1X3V PB-BS
	Satin Steel	LSX 1X2V PB-SS	LSX 1X3V PB-SS
Satin Brass 	Satin Brass	LSX 1X2V SB-SB	LSX 1X3V SB-SB
	Satin Steel	LSX 1X2V SB-SS	LSX 1X3V SB-SS
Antique Brass 	Antique Brass	LSX 1X2V AB-AB	LSX 1X3V AB-AB
	Satin Brass	LSX 1X2V AB-SB	LSX 1X3V AB-SB
Satin Nickel 	Bright Steel	LSX 1X2V SN-BS	LSX 1X3V SN-BS
	Satin Steel	LSX 1X2V SN-SS	LSX 1X3V SN-SS
Black Nickel 	Black Nickel	LSX 1X2V BK-BK	LSX 1X3V BK-BK
	Bright Steel	LSX 1X2V BK-BS	LSX 1X3V BK-BS
	Polished Brass	LSX 1X2V BK-PB	LSX 1X3V BK-PB

Concealed Fixing Trailing Edge Push On/Off Dimmers

Note: Tungsten filament GU10 lamps must be branded and with a fused base. Note: When using mains voltage halogen lamps - dimmers should be de-rated by 25%.

Note: When using mains voltage halogen load transformers - maximum rating is 210VA. Note: When dimming LED lamps de-rate by 75% - please contact our Technical Department for compatibility.



LSX 1XTE SB-SB



1 gang
250W/210VA
Trailing Edge
Multi-Way
Dimmer

Nominal Plate Size:
91 x 91 mm

Minimum Wall Box
Size: 35 mm

Technical Insert
Reference: **1XTE**

Product Code



2 gang
250W/210VA
Trailing Edge
Multi-Way
Dimmer

Nominal Plate Size:
91 x 91 mm

Minimum Wall Box
Size: 35 mm

Technical Insert
Reference: **2XTE**

Product Code



3 gang
250W/210VA
Trailing Edge
Multi-Way
Dimmer

Nominal Plate Size:
150 x 91 mm

Minimum Wall Box
Size: 35 mm

Technical Insert
Reference: **3XTE**

Product Code



4 gang
250W/210VA
Trailing Edge
Multi-Way
Dimmer

Nominal Plate Size:
150 x 91 mm

Minimum Wall Box
Size: 35 mm

Technical Insert
Reference: **4XTE**

Product Code

Frame and
Insert Finish

Plate Finish

Bright Chrome



Bright Steel
Satin Steel
Polished Brass
Black Nickel
Piano Black

LSX 1XTE BC-BS
LSX 1XTE BC-SS
LSX 1XTE BC-PB
LSX 1XTE BC-BK
LSX 1XTE BC-N

LSX 2XTE BC-BS
LSX 2XTE BC-SS
LSX 2XTE BC-PB
LSX 2XTE BC-BK
LSX 2XTE BC-N

LSX 3XTE BC-BS
LSX 3XTE BC-SS
LSX 3XTE BC-PB
LSX 3XTE BC-BK
LSX 3XTE BC-N

LSX 4XTE BC-BS
LSX 4XTE BC-SS
LSX 4XTE BC-PB
LSX 4XTE BC-BK
LSX 4XTE BC-N

Polished Brass



Polished Brass
Satin Brass
Antique Brass
Bright Steel
Satin Steel

LSX 1XTE PB-PB
LSX 1XTE PB-SB
LSX 1XTE PB-AB
LSX 1XTE PB-BS
LSX 1XTE PB-SS

LSX 2XTE PB-PB
LSX 2XTE PB-SB
LSX 2XTE PB-AB
LSX 2XTE PB-BS
LSX 2XTE PB-SS

LSX 3XTE PB-PB
LSX 3XTE PB-SB
LSX 3XTE PB-AB
LSX 3XTE PB-BS
LSX 3XTE PB-SS

LSX 4XTE PB-PB
LSX 4XTE PB-SB
LSX 4XTE PB-AB
LSX 4XTE PB-BS
LSX 4XTE PB-SS

Satin Brass



Satin Brass
Satin Steel

LSX 1XTE SB-SB
LSX 1XTE SB-SS

LSX 2XTE SB-SB
LSX 2XTE SB-SS

LSX 3XTE SB-SB
LSX 3XTE SB-SS

LSX 4XTE SB-SB
LSX 4XTE SB-SS

Antique Brass



Antique Brass
Satin Brass

LSX 1XTE AB-AB
LSX 1XTE AB-SB

LSX 2XTE AB-AB
LSX 2XTE AB-SB

LSX 3XTE AB-AB
LSX 3XTE AB-SB

LSX 4XTE AB-AB
LSX 4XTE AB-SB

Satin Nickel



Bright Steel
Satin Steel

LSX 1XTE SN-BS
LSX 1XTE SN-SS

LSX 2XTE SN-BS
LSX 2XTE SN-SS

LSX 3XTE SN-BS
LSX 3XTE SN-SS

LSX 4XTE SN-BS
LSX 4XTE SN-SS

Black Nickel



Black Nickel
Bright Steel
Polished Brass

LSX 1XTE BK-BK
LSX 1XTE BK-BS
LSX 1XTE BK-PB

LSX 2XTE BK-BK
LSX 2XTE BK-BS
LSX 2XTE BK-PB

LSX 3XTE BK-BK
LSX 3XTE BK-BS
LSX 3XTE BK-PB

LSX 4XTE BK-BK
LSX 4XTE BK-BS
LSX 4XTE BK-PB

Concealed Fixing Trailing Edge Touch Master Multi-Way Dimmers

Note: Tungsten filament GU10 lamps must be branded and with a fused base. Note: When using mains voltage halogen lamps - dimmers should be de-rated by 25%.

Note: When using mains voltage halogen load transformers - maximum rating is 210VA. Note: When dimming LED lamps de-rate by 75% - please contact our Technical Department for compatibility.



LSX 1XTM BC-BK B



**1 gang 250W/210VA
Trailing Edge
Multi-Way
Touch Master
Dimmer**

Nominal Plate Size:
91 x 91 mm

Minimum Wall Box
Depth: 35 mm

Technical Insert

Reference: **1XTM**
Product Code



**2 gang 250W/210VA
Trailing Edge
Multi-Way
Touch Master
Dimmer**

Nominal Plate Size:
91 x 91 mm

Minimum Wall Box
Depth: 35 mm

Technical Insert

Reference: **2XTM**
Product Code



**3 gang 250W/210VA
Trailing Edge
Multi-Way
Touch Master
Dimmer**

Nominal Plate Size:
150 x 91 mm

Minimum Wall Box
Depth: 35 mm

Technical Insert

Reference: **3XTM**
Product Code



**4 gang 250W/210VA
Trailing Edge
Multi-Way
Touch Master
Dimmer**

Nominal Plate Size:
150 x 91 mm

Minimum Wall Box
Depth: 35 mm

Technical Insert

Reference: **4XTM**
Product Code

Frame and
Insert Finish

Plate Finish

Insert
Surround
Colour

Bright Chrome



Bright Steel
Bright Steel
Satin Steel
Satin Steel
Polished Brass
Polished Brass
Black Nickel
Piano Black

White
Black
White
Black
White
Black
Black
Black

LSX 1XTM BC-BS W
LSX 1XTM BC-BS B
LSX 1XTM BC-SS W
LSX 1XTM BC-SS B
LSX 1XTM BC-PB W
LSX 1XTM BC-PB B
LSX 1XTM BC-BK B
LSX 1XTM BC-N B

LSX 2XTM BC-BS W
LSX 2XTM BC-BS B
LSX 2XTM BC-SS W
LSX 2XTM BC-SS B
LSX 2XTM BC-PB W
LSX 2XTM BC-PB B
LSX 2XTM BC-BK B
LSX 2XTM BC-N B

LSX 3XTM BC-BS W
LSX 3XTM BC-BS B
LSX 3XTM BC-SS W
LSX 3XTM BC-SS B
LSX 3XTM BC-PB W
LSX 3XTM BC-PB B
LSX 3XTM BC-BK B
LSX 3XTM BC-N B

LSX 4XTM BC-BS W
LSX 4XTM BC-BS B
LSX 4XTM BC-SS W
LSX 4XTM BC-SS B
LSX 4XTM BC-PB W
LSX 4XTM BC-PB B
LSX 4XTM BC-BK B
LSX 4XTM BC-N B

Polished Brass



Polished Brass
Polished Brass
Satin Brass
Satin Brass
Antique Brass
Antique Brass
Bright Steel
Bright Steel
Satin Steel
Satin Steel

White
Black
White
Black
White
Black
White
Black
White
Black

LSX 1XTM PB-PB W
LSX 1XTM PB-PB B
LSX 1XTM PB-SB W
LSX 1XTM PB-SB B
LSX 1XTM PB-AB W
LSX 1XTM PB-AB B
LSX 1XTM PB-BS W
LSX 1XTM PB-BS B
LSX 1XTM PB-SS W
LSX 1XTM PB-SS B

LSX 2XTM PB-PB W
LSX 2XTM PB-PB B
LSX 2XTM PB-SB W
LSX 2XTM PB-SB B
LSX 2XTM PB-AB W
LSX 2XTM PB-AB B
LSX 2XTM PB-BS W
LSX 2XTM PB-BS B
LSX 2XTM PB-SS W
LSX 2XTM PB-SS B

LSX 3XTM PB-PB W
LSX 3XTM PB-PB B
LSX 3XTM PB-SB W
LSX 3XTM PB-SB B
LSX 3XTM PB-AB W
LSX 3XTM PB-AB B
LSX 3XTM PB-BS W
LSX 3XTM PB-BS B
LSX 3XTM PB-SS W
LSX 3XTM PB-SS B

LSX 4XTM PB-PB W
LSX 4XTM PB-PB B
LSX 4XTM PB-SB W
LSX 4XTM PB-SB B
LSX 4XTM PB-AB W
LSX 4XTM PB-AB B
LSX 4XTM PB-BS W
LSX 4XTM PB-BS B
LSX 4XTM PB-SS W
LSX 4XTM PB-SS B

Satin Brass



Satin Brass
Satin Brass
Satin Steel
Satin Steel

White
Black
White
Black

LSX 1XTM SB-SB W
LSX 1XTM SB-SB B
LSX 1XTM SB-SS W
LSX 1XTM SB-SS B

LSX 2XTM SB-SB W
LSX 2XTM SB-SB B
LSX 2XTM SB-SS W
LSX 2XTM SB-SS B

LSX 3XTM SB-SB W
LSX 3XTM SB-SB B
LSX 3XTM SB-SS W
LSX 3XTM SB-SS B

LSX 4XTM SB-SB W
LSX 4XTM SB-SB B
LSX 4XTM SB-SS W
LSX 4XTM SB-SS B

Antique Brass



Antique Brass
Satin Brass

Black
Black

LSX 1XTM AB-AB B
LSX 1XTM AB-SB B

LSX 2XTM AB-AB B
LSX 2XTM AB-SB B

LSX 3XTM AB-AB B
LSX 3XTM AB-SB B

LSX 4XTM AB-AB B
LSX 4XTM AB-SB B

Satin Nickel



Bright Steel
Bright Steel
Satin Steel
Satin Steel

White
Black
White
Black

LSX 1XTM SN-BS W
LSX 1XTM SN-BS B
LSX 1XTM SN-SS W
LSX 1XTM SN-SS B

LSX 2XTM SN-BS W
LSX 2XTM SN-BS B
LSX 2XTM SN-SS W
LSX 2XTM SN-SS B

LSX 3XTM SN-BS W
LSX 3XTM SN-BS B
LSX 3XTM SN-SS W
LSX 3XTM SN-SS B

LSX 4XTM SN-BS W
LSX 4XTM SN-BS B
LSX 4XTM SN-SS W
LSX 4XTM SN-SS B

Black Nickel



Black Nickel
Bright Steel
Polished Brass

Black
Black
Black

LSX 1XTM BK-BK B
LSX 1XTM BK-BS B
LSX 1XTM BK-PB B

LSX 2XTM BK-BK B
LSX 2XTM BK-BS B
LSX 2XTM BK-PB B

LSX 3XTM BK-BK B
LSX 3XTM BK-BS B
LSX 3XTM BK-PB B

LSX 4XTM BK-BK B
LSX 4XTM BK-BS B
LSX 4XTM BK-PB B


Concealed Fixing Touch Slave Controllers

Note: To only be used with Touch Master Dimmers.

Note: Tungsten filament GU10 lamps must be branded and with a fused base.

Note: When using mains voltage halogen lamps - dimmers should be de-rated by 25%.

Note: When using mains voltage halogen load transformers - maximum rating is 210VA.



LSX 2XTS PB-PB B



**1 gang
Multi-Way
Touch Slave
Controller**

Nominal Plate Size:
91 x 91 mm
Minimum Wall Box
Depth: 35 mm
Technical Insert
Reference: 1XTS
Product Code



**2 gang
Multi-Way
Touch Slave
Controller**

Nominal Plate Size:
91 x 91 mm
Minimum Wall Box
Depth: 35 mm
Technical Insert
Reference: 2XTS
Product Code



**3 gang
Multi-Way
Touch Slave
Controller**

Nominal Plate Size:
150 x 91 mm
Minimum Wall Box
Depth: 35 mm
Technical Insert
Reference: 3XTS
Product Code



**4 gang
Multi-Way
Touch Slave
Controller**

Nominal Plate Size:
150 x 91 mm
Minimum Wall Box
Depth: 35 mm
Technical Insert
Reference: 4XTS
Product Code

**Frame and
Insert Finish**

Plate Finish

**Insert
Surround
Colour**

Bright Chrome



Bright Steel **White**
Bright Steel **Black**
Satin Steel **White**
Satin Steel **Black**
Polished Brass **White**
Polished Brass **Black**
Black Nickel **Black**
Piano Black **Black**

LSX 1XTS BC-BS W
LSX 1XTS BC-BS B
LSX 1XTS BC-SS W
LSX 1XTS BC-SS B
LSX 1XTS BC-PB W
LSX 1XTS BC-PB B
LSX 1XTS BC-BK B
LSX 1XTS BC-N B

LSX 2XTS BC-BS W
LSX 2XTS BC-BS B
LSX 2XTS BC-SS W
LSX 2XTS BC-SS B
LSX 2XTS BC-PB W
LSX 2XTS BC-PB B
LSX 2XTS BC-BK B
LSX 2XTS BC-N B

LSX 3XTS BC-BS W
LSX 3XTS BC-BS B
LSX 3XTS BC-SS W
LSX 3XTS BC-SS B
LSX 3XTS BC-PB W
LSX 3XTS BC-PB B
LSX 3XTS BC-BK B
LSX 3XTS BC-N B

LSX 4XTS BC-BS W
LSX 4XTS BC-BS B
LSX 4XTS BC-SS W
LSX 4XTS BC-SS B
LSX 4XTS BC-PB W
LSX 4XTS BC-PB B
LSX 4XTS BC-BK B
LSX 4XTS BC-N B

Polished Brass



Polished Brass **White**
Polished Brass **Black**
Satin Brass **White**
Satin Brass **Black**
Antique Brass **White**
Antique Brass **Black**
Bright Steel **White**
Bright Steel **Black**
Satin Steel **White**
Satin Steel **Black**

LSX 1XTS PB-PB W
LSX 1XTS PB-PB B
LSX 1XTS PB-SB W
LSX 1XTS PB-SB B
LSX 1XTS PB-AB W
LSX 1XTS PB-AB B
LSX 1XTS PB-BS W
LSX 1XTS PB-BS B
LSX 1XTS PB-SS W
LSX 1XTS PB-SS B

LSX 2XTS PB-PB W
LSX 2XTS PB-PB B
LSX 2XTS PB-SB W
LSX 2XTS PB-SB B
LSX 2XTS PB-AB W
LSX 2XTS PB-AB B
LSX 2XTS PB-BS W
LSX 2XTS PB-BS B
LSX 2XTS PB-SS W
LSX 2XTS PB-SS B

LSX 3XTS PB-PB W
LSX 3XTS PB-PB B
LSX 3XTS PB-SB W
LSX 3XTS PB-SB B
LSX 3XTS PB-AB W
LSX 3XTS PB-AB B
LSX 3XTS PB-BS W
LSX 3XTS PB-BS B
LSX 3XTS PB-SS W
LSX 3XTS PB-SS B

LSX 4XTS PB-PB W
LSX 4XTS PB-PB B
LSX 4XTS PB-SB W
LSX 4XTS PB-SB B
LSX 4XTS PB-AB W
LSX 4XTS PB-AB B
LSX 4XTS PB-BS W
LSX 4XTS PB-BS B
LSX 4XTS PB-SS W
LSX 4XTS PB-SS B

Satin Brass



Satin Brass **White**
Satin Brass **Black**
Satin Steel **White**
Satin Steel **Black**

LSX 1XTS SB-SB W
LSX 1XTS SB-SB B
LSX 1XTS SB-SS W
LSX 1XTS SB-SS B

LSX 2XTS SB-SB W
LSX 2XTS SB-SB B
LSX 2XTS SB-SS W
LSX 2XTS SB-SS B

LSX 3XTS SB-SB W
LSX 3XTS SB-SB B
LSX 3XTS SB-SS W
LSX 3XTS SB-SS B

LSX 4XTS SB-SB W
LSX 4XTS SB-SB B
LSX 4XTS SB-SS W
LSX 4XTS SB-SS B

Antique Brass



Antique Brass **Black**
Satin Brass **Black**

LSX 1XTS AB-AB B
LSX 1XTS AB-SB B

LSX 2XTS AB-AB B
LSX 2XTS AB-SB B

LSX 3XTS AB-AB B
LSX 3XTS AB-SB B

LSX 4XTS AB-AB B
LSX 4XTS AB-SB B

Satin Nickel



Bright Steel **White**
Bright Steel **Black**
Satin Steel **White**
Satin Steel **Black**

LSX 1XTS SN-BS W
LSX 1XTS SN-BS B
LSX 1XTS SN-SS W
LSX 1XTS SN-SS B

LSX 2XTS SN-BS W
LSX 2XTS SN-BS B
LSX 2XTS SN-SS W
LSX 2XTS SN-SS B

LSX 3XTS SN-BS W
LSX 3XTS SN-BS B
LSX 3XTS SN-SS W
LSX 3XTS SN-SS B

LSX 4XTS SN-BS W
LSX 4XTS SN-BS B
LSX 4XTS SN-SS W
LSX 4XTS SN-SS B

Black Nickel



Black Nickel **Black**
Bright Steel **Black**
Polished Brass **Black**

LSX 1XTS BK-BK B
LSX 1XTS BK-BS B
LSX 1XTS BK-PB B

LSX 2XTS BK-BK B
LSX 2XTS BK-BS B
LSX 2XTS BK-PB B

LSX 3XTS BK-BK B
LSX 3XTS BK-BS B
LSX 3XTS BK-PB B

LSX 4XTS BK-BK B
LSX 4XTS BK-BS B
LSX 4XTS BK-PB B







Concealed Fixing EuroFix Plates complete with Fixing Grid

Minimum Wall Box Depth is dependent on the EuroFix insert fitted - please see the EuroFix section for our complete range of inserts.



LSX EURO4 BC-BS



		1 Module EuroFix Plate Nominal Plate Size: 91 x 91 mm Aperture: 25 x 50 mm Technical Insert Reference: EURO1 Product Code	2 Module EuroFix Plate Nominal Plate Size: 91 x 91 mm Aperture: 50 x 50 mm Technical Insert Reference: EURO2 Product Code	3 Module EuroFix Plate Nominal Plate Size: 150 x 91 mm Aperture: 75 x 50 mm Technical Insert Reference: EURO3 Product Code	4 Module EuroFix Plate Nominal Plate Size: 150 x 91 mm Aperture: 100 x 50 mm Technical Insert Reference: EURO4 Product Code
Frame Finish	Plate Finish				
Bright Chrome 	Bright Steel Satin Steel Polished Brass Black Nickel Piano Black	LSX EURO1 BC-BS LSX EURO1 BC-SS LSX EURO1 BC-PB LSX EURO1 BC-BK LSX EURO1 BC-N	LSX EURO2 BC-BS LSX EURO2 BC-SS LSX EURO2 BC-PB LSX EURO2 BC-BK LSX EURO2 BC-N	LSX EURO3 BC-BS LSX EURO3 BC-SS LSX EURO3 BC-PB LSX EURO3 BC-BK LSX EURO3 BC-N	LSX EURO4 BC-BS LSX EURO4 BC-SS LSX EURO4 BC-PB LSX EURO4 BC-BK LSX EURO4 BC-N
	Polished Brass 	LSX EURO1 PB-PB LSX EURO1 PB-SB LSX EURO1 PB-AB LSX EURO1 PB-BS LSX EURO1 PB-SS	LSX EURO2 PB-PB LSX EURO2 PB-SB LSX EURO2 PB-AB LSX EURO2 PB-BS LSX EURO2 PB-SS	LSX EURO3 PB-PB LSX EURO3 PB-SB LSX EURO3 PB-AB LSX EURO3 PB-BS LSX EURO3 PB-SS	LSX EURO4 PB-PB LSX EURO4 PB-SB LSX EURO4 PB-AB LSX EURO4 PB-BS LSX EURO4 PB-SS
	Satin Brass 	LSX EURO1 SB-SB LSX EURO1 SB-SS	LSX EURO2 SB-SB LSX EURO2 SB-SS	LSX EURO3 SB-SB LSX EURO3 SB-SS	LSX EURO4 SB-SB LSX EURO4 SB-SS
	Antique Brass 	LSX EURO1 AB-AB LSX EURO1 AB-SB	LSX EURO2 AB-AB LSX EURO2 AB-SB	LSX EURO3 AB-AB LSX EURO3 AB-SB	LSX EURO4 AB-AB LSX EURO4 AB-SB
	Satin Nickel 	LSX EURO1 SN-BS LSX EURO1 SN-SS	LSX EURO2 SN-BS LSX EURO2 SN-SS	LSX EURO3 SN-BS LSX EURO3 SN-SS	LSX EURO4 SN-BS LSX EURO4 SN-SS
	Black Nickel 	LSX EURO1 BK-BK LSX EURO1 BK-BS LSX EURO1 BK-PB	LSX EURO2 BK-BK LSX EURO2 BK-BS LSX EURO2 BK-PB	LSX EURO3 BK-BK LSX EURO3 BK-BS LSX EURO3 BK-PB	LSX EURO4 BK-BK LSX EURO4 BK-BS LSX EURO4 BK-PB

Concealed Fixing Blank Plates



LSX BPD BC-N



		Single Blank Plate Nominal Plate Size: 91 x 91 mm Technical Insert Reference: BPS Product Code	Double Blank Plate Nominal Plate Size: 150 x 91 mm Technical Insert Reference: BPD Product Code
Frame Finish	Plate Finish		
Bright Chrome 	Bright Steel Satin Steel Polished Brass Black Nickel Piano Black	LSX BPS BC-BS LSX BPS BC-SS LSX BPS BC-PB LSX BPS BC-BK LSX BPS BC-N	LSX BPD BC-BS LSX BPD BC-SS LSX BPD BC-PB LSX BPD BC-BK LSX BPD BC-N
Polished Brass 	Polished Brass Satin Brass Antique Brass Bright Steel Satin Steel	LSX BPS PB-PB LSX BPS PB-SB LSX BPS PB-AB LSX BPS PB-BS LSX BPS PB-SS	LSX BPD PB-PB LSX BPD PB-SB LSX BPD PB-AB LSX BPD PB-BS LSX BPD PB-SS
Satin Brass 	Satin Brass Satin Steel	LSX BPS SB-SB LSX BPS SB-SS	LSX BPD SB-SB LSX BPD SB-SS
Antique Brass 	Antique Brass Satin Brass	LSX BPS AB-AB LSX BPS AB-SB	LSX BPD AB-AB LSX BPD AB-SB
Satin Nickel 	Bright Steel Satin Steel	LSX BPS SN-BS LSX BPS SN-SS	LSX BPD SN-BS LSX BPD SN-SS
Black Nickel 	Black Nickel Bright Steel Polished Brass	LSX BPS BK-BK LSX BPS BK-BS LSX BPS BK-PB	LSX BPD BK-BK LSX BPD BK-BS LSX BPD BK-PB

Concealed Fixing GRID-IT Grid Fix Plates complete with Fixing Grid

Minimum Wall Box Depth is dependent on the GRID-IT insert fitted - please see the GRID-IT section for our complete range of inserts.



LSX 4GP SN-SS



1 gang Aperture Grid Fix

Nominal Plate Size:
91 x 91 mm

Technical Insert
Reference: **1GP**
Product Code



2 gang Aperture Grid Fix

Nominal Plate Size:
91 x 91 mm

Technical Insert
Reference: **2GP**
Product Code



3 gang Aperture Grid Fix

Nominal Plate Size:
150 x 91 mm

Technical Insert
Reference: **3GP**
Product Code



4 gang Aperture Grid Fix

Nominal Plate Size:
150 x 91 mm

Technical Insert
Reference: **4GP**
Product Code

Frame Finish	Plate Finish				
Bright Chrome 	Bright Steel Satin Steel Polished Brass Black Nickel Piano Black	LSX 1GP BC-BS LSX 1GP BC-SS LSX 1GP BC-PB LSX 1GP BC-BK LSX 1GP BC-N	LSX 2GP BC-BS LSX 2GP BC-SS LSX 2GP BC-PB LSX 2GP BC-BK LSX 2GP BC-N	LSX 3GP BC-BS LSX 3GP BC-SS LSX 3GP BC-PB LSX 3GP BC-BK LSX 3GP BC-N	LSX 4GP BC-BS LSX 4GP BC-SS LSX 4GP BC-PB LSX 4GP BC-BK LSX 4GP BC-N
Polished Brass 	Polished Brass Satin Brass Antique Brass Bright Steel Satin Steel	LSX 1GP PB-PB LSX 1GP PB-SB LSX 1GP PB-AB LSX 1GP PB-BS LSX 1GP PB-SS	LSX 2GP PB-PB LSX 2GP PB-SB LSX 2GP PB-AB LSX 2GP PB-BS LSX 2GP PB-SS	LSX 3GP PB-PB LSX 3GP PB-SB LSX 3GP PB-AB LSX 3GP PB-BS LSX 3GP PB-SS	LSX 4GP PB-PB LSX 4GP PB-SB LSX 4GP PB-AB LSX 4GP PB-BS LSX 4GP PB-SS
Satin Brass 	Satin Brass Satin Steel	LSX 1GP SB-SB LSX 1GP SB-SS	LSX 2GP SB-SB LSX 2GP SB-SS	LSX 3GP SB-SB LSX 3GP SB-SS	LSX 4GP SB-SB LSX 4GP SB-SS
Antique Brass 	Antique Brass Satin Brass	LSX 1GP AB-AB LSX 1GP AB-SB	LSX 2GP AB-AB LSX 2GP AB-SB	LSX 3GP AB-AB LSX 3GP AB-SB	LSX 4GP AB-AB LSX 4GP AB-SB
Satin Nickel 	Bright Steel Satin Steel	LSX 1GP SN-BS LSX 1GP SN-SS	LSX 2GP SN-BS LSX 2GP SN-SS	LSX 3GP SN-BS LSX 3GP SN-SS	LSX 4GP SN-BS LSX 4GP SN-SS
Black Nickel 	Black Nickel Bright Steel Polished Brass	LSX 1GP BK-BK LSX 1GP BK-BS LSX 1GP BK-PB	LSX 2GP BK-BK LSX 2GP BK-BS LSX 2GP BK-PB	LSX 3GP BK-BK LSX 3GP BK-BS LSX 3GP BK-PB	LSX 4GP BK-BK LSX 4GP BK-BS LSX 4GP BK-PB