



DUST EXTRACTORS

The Range



	101DS	202DS	202DSLP	202DS ATEX
	VAC-109	VAC-003	VAC-092	VAC-128
KG	20 KG	33 KG	35 KG	65 KG
	H 810mm L 500mm W 370mm	H 1000mm L 520mm W 480mm	H 1200mm L 500mm W 560mm	H 1200mm L 520mm W 480mm
- (1.1kw	2 x 1.1kw	2 x 1.1kw	1.8kw
4	110v/230v	110v/230v	110v/230v	110v/230v
	175m³/hr	360m³/hr	360m³/hr	250m³/hr
	20 Litre	20 Litre	-	-
(((0)))	72dB(A)	74dB(A)	74dB(A)	75dB(A)





DUST EXTRACTORS

The Range



	M450 DRY/WET	M450LP	TS750PN DRY/WET	PRE SEPARATOR
	VAC-002	VAC-093	VAC-095	VAC-081
KG	75 KG	80 KG	140 KG	30 KG
0	H 1350mm L 580mm W 600mm	H 1700mm L 800mm W 650mm	H 1850mm L 1100mm W 620mm	H 1050mm L 580mm W 600mm
-	3 x 1.1kw	3 x 1.1kw	5.5kw	-
4	110v/230v	110v / 230v	415v / 3 Phase 32amp	-
	540m³/hr	540m³/hr	550m³/hr	-
	60 Litre	-	100 Litre	-
(((0)))	75dB(A)	75dB(A)	79dB(A)	-

The Preparation Group



DUST EXTRACTORS

Why choose us?




The Preparation Group's Industrial Vacuums are highly efficient, with powerful suction for optimum dust control when using equipment & tools or for heavy duty stand alone vacuuming tasks. Two years warranty is included for confidence in performance.

Constructed from high grade steel, they are built to last & virtually maintenance free.

Offering exceptional filtration levels, all models are fitted with 'M' class rated filters as standard, with 'H' filters available from stock for specialist or hazardous applications such as dealing with asbestos.

Our range of vacuums have different features including; energy saving motors, dustop filter cleaning, dry/wet use & longopac® safe bagging systems, providing every solution for effective, controlled dust/debris extraction & containment.









DUST EXTRACTORS

Our difference



1. Energy saving features

202DS & M450 - the individual motors can be switched on or off independently to conserve energy for light use.



2. Super efficient 'Dustop' filter cleaning system

101DS & 202DS – for extended filter life & performance. The vacuums' own suction capacity also cleans the filter.



3. Dry/Wet models with no clogging of filter

M450 & TS750PN – switch between dust & liquids with no compromise to the performance. No need to change the filter.



4. Longopac@ options that deal with hazardous material

202DSLP, 202DS Atex & M450LP – safe bagging of contaminated dust to prevent it from entering the atmosphere. No handling, simply secure & dispose.



5. Easy change filters

All models – one quick & easy action - remove filter from the vacuum body, until from frame & replace. 'H' Filters are available for all models.





DUST EXTRACTORS

RECOMMENDED PARTS & ACCESSORIES









LACEIISIOII LEau
ELEC-015 ELEC-136

Hose
50mm DUCTING-001
75mm DUCTING-002

Wand VAC-007

Nozzle VAC-008









11022	ic ocui
Brush	VAC-018
Rubber	VAC-022

Connector 50-50mm VAC-009 80-50mm VAC-013 80-70mm VAC-014

Connector VAC-029

40mm - VAC-020 50mm - VAC-019

Rubber Cones









'L' Class Filter
101DS VAC-071

'M' Cla	ss Filter
101DS	VAC-119
202DS	VAC-062
M450	VAC-061

TT Cla	33 I II.CI
202DS	VAC-120 VAC-001
M450	VAC-090

Motor	
VAC-032	



Longopac® Bags

4 x 22m VAC-094