

insafe®

SAFES SINCE 1840

Safe Directory



LPS 1183: Issue 4
Cert/LPCB ref. 954b



**EVERY SAFE ■ EVERY GRADE
EVERY SIZE**

Tested.
Certified.
Approved.
Safe.



LPS 1183: Issue 4
Cert/LPCB ref. 954b





SAFES SINCE 1840

Tested.

This means your safe has been independently tested to resist attack by an accredited testing house.



Certified.

The safe, manufacture and testing are independently certified. A certification plate found on the inside of the safe door is your confirmation of this.




Approved.

All Insafe safes are approved by the Association of Insurance Surveyors (AiS). The AiS is a highly respected body of risk control experts working in the UK insurance market.

Safe.

Purchase an AiS approved safe and you can be safe in the knowledge that your safe is the real thing, made to protect its contents and be accepted by all major insurance companies and brokers.



How To Choose Your Safe.

There are four simple steps in selecting the right safe for your home, business or organisation.

Step 1 : Grade

This is the degree of protection the safe offers against attack. Each GRADE is awarded a CASH RATING by AiS (The Association of Insurance Surveyors).

The JEWELLERY & VALUABLES RATING is normally 10 x CASH RATING.

See the insurance rating table opposite.

Step 2 : Size

Every GRADE is available in a choice of sizes depending upon what you need to protect. Choose the size you need, giving consideration to the location and weight of the safe.

Step 3 : Locking Options

All safes are available with HIGH SECURITY KEYLOCK or ELECTRONIC DIGITAL LOCKING.

There are other options available.

Step 4 : Optional Extras

All safes are equipped with adjustable / removable shelves. Consider what you need to protect, a wide range of interior fittings are available:

- Lockable drawers
- Lockable cupboards
- Heavy duty shelves
- Internal lights
- Automatic watch winders
- Colour options
- Glass shelving



Insurance Rating.

Insurance, overnight cash and valuables/jewellery ratings are for guidance only and you should check with your insurer for the exact requirements since the ratings may vary depending upon a number of factors including other security measures, location and the actual contents to be insured.

SAFE	CASH RATING	JEWELLERY & VALUABLES	PAGE
Guardian S2 - Key	£4,000	£40,000	6
Guardian S2 - Electronic	£4,000	£40,000	8
Paramount - Key	£5,000	£50,000	10
Paramount - Elec	£5,000	£50,000	12
Britannia Grade 0 - Key	£6,000	£60,000	14
Britannia Grade 0 - Elec	£6,000	£60,000	16
EuroCash Grade 1	£10,000	£100,000	18
EuroCash Grade 2	£17,500	£175,000	20
EuroCash Grade 3	£35,000	£350,000	22
EuroCash Grade 4	£60,000	£600,000	24
EuroCash Grade 5	£100,000	£1 Million	26
EuroCash Grade 6	£150,000	£1.5 Million	28



These icons help you to choose the right grade and cash / jewellery cover of safe



This icon indicates the fire protection rating



This icon indicates the length of warranty



Guardian S2

KEY LOCKING



Size 0

Ratings : Cash £4,000
Jewellery & Valuables £40,000

- Independently tested & certified against attack by LPCB to European Standard EN14450
- Approved by the Association of Insurance Surveyors (AiS)
 - 30 minute fire resistance
 - High security keylock tested to European Standard EN1300
- Interior options include shelves, drawers and cupboards
 - Bespoke sizes, interiors and finishes available
 - Digital electronic locking options
 - Available in 7 sizes



Size 0

Size 1



Size 2

Size 3




BS EN 14450: 2005
Cert/LPCB ref. 954a01

Tested. Certified. Approved. Safe™

	Size 0 	Size 1 
Ext Size (HxWxD)	275 x 325 x 325 mm	330 x 450 x 380 mm
Int Size (HxWxD)	200 x 250 x 225 mm	255 x 375 x 285 mm
Volume	11 litres	27 litres
Net Weight	26 kg	40 kg

	Size 2 
Ext Size (HxWxD)	430 x 360 x 400 mm
Int Size (HxWxD)	355 x 285 x 295 mm
Volume	30 litres
Net Weight	41 kg

	Size 3	Size 3 Deep 
Ext Size (HxWxD)	470 x 490 x 410 mm	470 x 490 x 545 mm
Int Size (HxWxD)	385 x 375 x 295 mm	385 x 375 x 430 mm
Volume	42 litres	62 litres
Net Weight	56 kg	72 kg

	Size 4	Size 5
Ext Size (HxWxD)	660 x 490 x 410 mm	860 x 490 x 410 mm
Int Size (HxWxD)	575 x 375 x 295 mm	775 x 375 x 295 mm
Volume	63 litres	85 litres
Net Weight	73 kg	91 kg





Guardian S2

ELECTRONIC LOCKING



Size 3

Ratings : Cash £4,000
Jewellery & Valuables £40,000

- Independently tested & certified against attack by LPCB to European Standard EN14450
- Approved by the Association of Insurance Surveyors (AiS)
 - 30 minute fire resistance
 - High security electronic lock
- Interior options include shelves, drawers and cupboards
 - Bespoke sizes, interiors and finishes available
 - Available in 7 sizes



Size 0

Size 1



Size 2

Size 3




BS EN 14450: 2005
Cert/LPCB ref. 954a01

Tested. Certified. Approved. Safe™

	Size 0 	Size 1 
Ext Size (HxWxD)	275 x 325 x 325 mm	330 x 450 x 380 mm
Int Size (HxWxD)	200 x 250 x 225 mm	255 x 375 x 285 mm
Volume	11 litres	27 litres
Net Weight	26 kg	40 kg

	Size 2 
Ext Size (HxWxD)	430 x 360 x 400 mm
Int Size (HxWxD)	355 x 285 x 295 mm
Volume	30 litres
Net Weight	41 kg

	Size 3	Size 3 Deep 
Ext Size (HxWxD)	470 x 490 x 410 mm	470 x 490 x 545 mm
Int Size (HxWxD)	385 x 375 x 295 mm	385 x 375 x 430 mm
Volume	42 litres	62 litres
Net Weight	56 kg	72 kg

	Size 4	Size 5
Ext Size (HxWxD)	660 x 490 x 410 mm	860 x 490 x 410 mm
Int Size (HxWxD)	575 x 375 x 295 mm	775 x 375 x 295 mm
Volume	63 litres	85 litres
Net Weight	73 kg	91 kg





Paramount

KEY LOCKING



Size 0

**Ratings : Cash £5,000
Jewellery & Valuables £50,000**

- Approved by the Association of Insurance Surveyors (AiS)
 - 30 minute fire resistance
- High security keylock tested to European Standard EN1300
 - Interior options include shelves, drawers and cupboards
 - Bespoke sizes, interiors and finishes available
 - Digital electronic locking options
 - Available in 5 sizes





Size 0

Size 1

Size 2



	Size 0 	Size 1 
Ext Size (HxWxD)	380 x 328 x 359 mm	481 x 430 x 429 mm
Int Size (HxWxD)	280 x 228 x 222 mm	381 x 330 x 292 mm
Volume	14 litres	37 litres
Net Weight	85 kg	140 kg

	Size 2 	Size 3
Ext Size (HxWxD)	608 x 430 x 429 mm	735 x 532 x 556 mm
Int Size (HxWxD)	508 x 330 x 292 mm	635 x 432 x 419 mm
Volume	49 litres	115 litres
Net Weight	165 kg	245 kg

	Size 4
Ext Size (HxWxD)	864 x 557 x 594 mm
Int Size (HxWxD)	762 x 457 x 457 mm
Volume	159 litres
Net Weight	300 kg





Paramount

ELECTRONIC LOCKING



Size 2

**Ratings : Cash £5,000
Jewellery & Valuables £50,000**

- Approved by the Association of Insurance Surveyors (AiS)
 - 30 minute fire resistance
- High security keylock tested to European Standard EN1300
 - Interior options include shelves, drawers and cupboards
 - Bespoke sizes, interiors and finishes available
 - Available in 5 sizes





Size 0

Size 1

Size 2



	Size 0 	Size 1 
Ext Size (HxWxD)	380 x 328 x 359 mm	481 x 430 x 429 mm
Int Size (HxWxD)	280 x 228 x 222 mm	381 x 330 x 292 mm
Volume	14 litres	37 litres
Net Weight	85 kg	140 kg

	Size 2 	Size 3
Ext Size (HxWxD)	608 x 430 x 429 mm	735 x 532 x 556 mm
Int Size (HxWxD)	508 x 330 x 292 mm	635 x 432 x 419 mm
Volume	49 litres	115 litres
Net Weight	165 kg	245 kg

	Size 4
Ext Size (HxWxD)	864 x 557 x 594 mm
Int Size (HxWxD)	762 x 457 x 457 mm
Volume	159 litres
Net Weight	300 kg





Britannia Grade 0

KEY LOCKING



Size 1

Ratings : Cash £6,000
Jewellery & Valuables £60,000

- Independently tested & certified against attack by LPCB to European Standard EN1143
- Approved by the Association of Insurance Surveyors (AiS)
 - 30 minute fire resistance
- High security keylock tested to European Standard EN1300
- Interior options include shelves, drawers and cupboards
 - Bespoke sizes, interiors and finishes available
 - Digital electronic locking options
 - Available in 6 sizes



Size 0


Size 1


Size 2

Size 3



Tested. Certified. Approved. Safe™

	Size 0 	Size 1 
Ext Size (HxWxD)	455 x 405 x 370 mm	455 x 455 x 457 mm
Int Size (HxWxD)	355 x 305 x 220 mm	355 x 355 x 307 mm
Volume	24 litres	39 litres
Net Weight	112 kg	146 kg

	Size 2 	Size 3
Ext Size (HxWxD)	585 x 405 x 457 mm	685 x 520 x 607 mm
Int Size (HxWxD)	485 x 305 x 307 mm	585 x 420 x 457 mm
Volume	45 litres	112 litres
Net Weight	168 kg	260 kg

	Size 4	Size 5
Ext Size (HxWxD)	800 x 550 x 632 mm	1000 x 610 x 707 mm
Int Size (HxWxD)	700 x 450 x 482 mm	900 x 510 x 557 mm
Volume	152 litres	256 litres
Net Weight	315 kg	441 kg





Britannia Grade 0

ELECTRONIC LOCKING



Size 2

**Ratings : Cash £6,000
Jewellery & Valuables £60,000**

- Independently tested & certified against attack by LPCB to European Standard EN1143
- Approved by the Association of Insurance Surveyors (AiS)
 - 30 minute fire resistance
- High security keylock tested to European Standard EN1300
 - Interior options include shelves, drawers and cupboards
 - Bespoke sizes, interiors and finishes available
 - Available in 6 sizes



Size 0



Size 1


Size 2

Size 3



Tested. Certified. Approved. Safe™

	Size 0 	Size 1 
Ext Size (HxWxD)	455 x 405 x 370 mm	455 x 455 x 457 mm
Int Size (HxWxD)	355 x 305 x 220 mm	355 x 355 x 307 mm
Volume	24 litres	39 litres
Net Weight	112 kg	146 kg

	Size 2 	Size 3
Ext Size (HxWxD)	585 x 405 x 457 mm	685 x 520 x 607 mm
Int Size (HxWxD)	485 x 305 x 307 mm	585 x 420 x 457 mm
Volume	45 litres	112 litres
Net Weight	168 kg	260 kg

	Size 4	Size 5
Ext Size (HxWxD)	800 x 550 x 632 mm	1000 x 610 x 707 mm
Int Size (HxWxD)	700 x 450 x 482 mm	900 x 510 x 557 mm
Volume	152 litres	256 litres
Net Weight	315 kg	441 kg





EuroCash Grade 1

KEY OR ELECTRONIC LOCKING



Ratings : Cash £10,000
Jewellery & Valuables £100,000

- Independently tested and certified against attack by LPCB to European Standard EN1143
- Approved by the Association of Insurance Surveyors (AiS)
 - 60 minute fire tested and certified by SP Laboratory
- High security keylock tested to European Standard EN1300
- Intelligent time delay and programmable locking options
- Interior options include shelves, drawers and cupboards
 - Bespoke sizes, interiors and finishes available
 - Digital electronic locking options
 - Available in 8 sizes





LPS 1183: Issue 4
Cert/LPCB ref: 954bu06



Tested. Certified. Approved. Safe™

	Size 0 	Size 1 
Ext Size (HxWxD)	455 x 405 x 370 mm	455 x 455 x 465 mm
Int Size (HxWxD)	355 x 305 x 180 mm	355 x 355 x 275 mm
Volume	19 litres	35 litres
Net Weight	98 kg	118 kg
	Size 2 	Size 3
Ext Size (HxWxD)	585 x 405 x 465 mm	685 x 520 x 615 mm
Int Size (HxWxD)	485 x 305 x 275 mm	585 x 420 x 425 mm
Volume	40 litres	105 litres
Net Weight	131 kg	207 kg
	Size 4	Size 5
Ext Size (HxWxD)	800 x 550 x 640 mm	1000 x 610 x 715 mm
Int Size (HxWxD)	700 x 450 x 450 mm	900 x 510 x 525 mm
Volume	142 litres	240 litres
Net Weight	247 kg	337 kg
	Size 6	Size 7
Ext Size (HxWxD)	1200 x 610 x 715 mm	1400 x 610 x 715 mm
Int Size (HxWxD)	1100 x 510 x 525 mm	1300 x 510 x 525 mm
Volume	295 litres	348 litres
Net Weight	394 kg	447 kg





EuroCash Grade 2

KEY OR ELECTRONIC LOCKING



Size 2

Size 1

Ratings : Cash £17,500
Jewellery & Valuables £175,000

- Independently tested and certified against attack by VdS to European Standard EN1143
- Approved by the Association of Insurance Surveyors (AiS)
 - 60 minute fire tested and certified by SP Laboratory
- High security keylock tested to European Standard EN1300
- Intelligent time delay and programmable locking options
- Interior options include shelves, drawers and cupboards
 - Bespoke sizes, interiors and finishes available
 - Digital electronic locking options
 - Available in 8 sizes



Size 1

Size 2

Size 3

Size 4

Size 5



Tested. Certified. Approved. Safe™

	Size 1	Size 2
Ext Size (HxWxD)	485 x 485 x 498 mm	615 x 435 x 498 mm
Int Size (HxWxD)	355 x 355 x 275 mm	485 x 305 x 275 mm
Volume	35 litres	40 litres
Net Weight	178 kg	186 kg

	Size 3	Size 4
Ext Size (HxWxD)	715 x 550 x 648 mm	830 x 580 x 673 mm
Int Size (HxWxD)	585 x 420 x 425 mm	700 x 450 x 450 mm
Volume	104 litres	142 litres
Net Weight	284 kg	339 kg

	Size 5	Size 6
Ext Size (HxWxD)	1030 x 640 x 748 mm	1230 x 640 x 748 mm
Int Size (HxWxD)	900 x 510 x 525 mm	1100 x 510 x 525 mm
Volume	240 litres	294 litres
Net Weight	444 kg	514 kg

	Size 7	Size 8
Ext Size (HxWxD)	1430 x 640 x 748 mm	1730 x 800 x 693 mm
Int Size (HxWxD)	1300 x 510 x 525 mm	1600 x 670 x 470 mm
Volume	348 litres	503 litres
Net Weight	579 kg	738 kg





EuroCash Grade 3

KEY OR ELECTRONIC LOCKING



Size 3

Size 1

Ratings : Cash £35,000
Jewellery & Valuables £350,000

- Independently tested and certified against attack by LPCB to European Standard EN1143
- Approved by the Association of Insurance Surveyors (AiS)
 - 60 minute fire tested and certified by SP Laboratory
- High security keylock tested to European Standard EN1300
- Intelligent time delay and programmable locking options
- Interior options include shelves, drawers and cupboards
 - Bespoke sizes, interiors and finishes available
 - Digital electronic locking options
 - Available in 8 sizes



Size 1

Size 2

Size 3

Size 4

Size 5



LPS 1183: Issue 4
Cert.LPCB ref: 954b01



Tested. Certified. Approved. Safe™

	Size 1 	Size 2 
Ext Size (HxWxD)	485 x 485 x 498 mm	615 x 435 x 498 mm
Int Size (HxWxD)	355 x 355 x 275 mm	485 x 305 x 275 mm
Volume	35 litres	40 litres
Net Weight	178 kg	186 kg
	Size 3	Size 4
Ext Size (HxWxD)	715 x 550 x 648 mm	830 x 580 x 673 mm
Int Size (HxWxD)	585 x 420 x 425 mm	700 x 450 x 450 mm
Volume	105 litres	142 litres
Net Weight	284 kg	339 kg
	Size 5	Size 6
Ext Size (HxWxD)	1030 x 640 x 748 mm	1230 x 640 x 748 mm
Int Size (HxWxD)	900 x 510 x 525 mm	1100 x 510 x 525 mm
Volume	240 litres	295 litres
Net Weight	444 kg	514 kg
	Size 7	Size 8
Ext Size (HxWxD)	1430 x 640 x 748 mm	1730 x 800 x 693 mm
Int Size (HxWxD)	1300 x 510 x 525 mm	1600 x 670 x 470 mm
Volume	348 litres	503 litres
Net Weight	579 kg	738 kg





EuroCash Grade 4

KEY OR ELECTRONIC LOCKING



Size 4



Size 3

Ratings : Cash £60,000
Jewellery & Valuables £600,000

- Independently tested and certified against attack by LPCB to European Standard EN1143
- Approved by the Association of Insurance Surveyors (AiS)
 - 90 minute fire tested and certified by SP Laboratory
- High security keylock tested to European Standard EN1300
- Intelligent time delay and programmable locking options
- Interior options include shelves, drawers and cupboards
 - Bespoke sizes, interiors and finishes available
 - Digital electronic locking options
 - Available in 6 sizes



Size 3

Size 4

Size 5



LPS 1183: Issue 4
Cert/LPCB ref: 954b/02



Tested. Certified. Approved. Safe™

	Size 3	Size 4
Ext Size (HxWxD)	715 x 550 x 648 mm	830 x 580 x 673 mm
Int Size (HxWxD)	585 x 420 x 425 mm	700 x 450 x 450 mm
Volume	105 litres	142 litres
Net Weight	385 kg	455 kg

	Size 5	Size 6
Ext Size (HxWxD)	1030 x 640 x 748 mm	1230 x 640 x 748 mm
Int Size (HxWxD)	900 x 510 x 525 mm	1100 x 510 x 525 mm
Volume	240 litres	295 litres
Net Weight	612 kg	714 kg

	Size 7	Size 8
Ext Size (HxWxD)	1430 x 640 x 748 mm	1730 x 800 x 693 mm
Int Size (HxWxD)	1300 x 510 x 525 mm	1600 x 670 x 470 mm
Volume	348 litres	503 litres
Net Weight	812 kg	1086 kg



Size 6

Size 7

Size 8



EuroCash Grade 5

KEY OR ELECTRONIC LOCKING



Size 5

Size 4

Ratings : Cash £100,000
Jewellery & Valuables £1,000,000

- Independently tested and certified against attack by LPCB to European Standard EN1143
- Approved by the Association of Insurance Surveyors (AiS)
 - 90 minute fire tested and certified by SP Laboratory
- High security keylock tested to European Standard EN1300
- Intelligent time delay and programmable locking options
- Interior options include shelves, drawers and cupboards
 - Bespoke sizes, interiors and finishes available
 - Digital electronic locking options
 - Available in 6 sizes



Size 3

Size 4

Size 5




LPS 1183: Issue 4
Cert/LPCB ref: 954bu03



Tested. Certified. Approved. Safe™

	Size 3 	Size 4
Ext Size (HxWxD)	715 x 550 x 648 mm	830 x 580 x 673 mm
Int Size (HxWxD)	585 x 420 x 425 mm	700 x 450 x 450 mm
Volume	105 litres	142 litres
Net Weight	385 kg	455 kg
	Size 5	Size 6
Ext Size (HxWxD)	1030 x 640 x 748 mm	1230 x 640 x 748 mm
Int Size (HxWxD)	900 x 510 x 525 mm	1100 x 510 x 525 mm
Volume	240 litres	295 litres
Net Weight	612 kg	714 kg
	Size 7	Size 8
Ext Size (HxWxD)	1430 x 640 x 748 mm	1730 x 800 x 693 mm
Int Size (HxWxD)	1300 x 510 x 525 mm	1600 x 670 x 470 mm
Volume	348 litres	503 litres
Net Weight	812 kg	1086 kg



Safe Options





EuroCash Grade 6

KEY OR ELECTRONIC LOCKING



Size 4

Size 3

Ratings : Cash £150,000
Jewellery & Valuables £1,500,000

- Independently tested and certified against attack by LPCB to European Standard EN1143
- Approved by the Association of Insurance Surveyors (AiS)
 - 90 minute fire tested and certified by SP Laboratory
- High security keylock tested to European Standard EN1300
- Intelligent time delay and programmable locking options
- Interior options include shelves, drawers and cupboards
 - Bespoke sizes, interiors and finishes available
 - Digital electronic locking options
 - Available in 5 sizes



Size 3

Size 4



LPS 1183 Issue 4
CertifLPCB ref: 954bu04




Tested. Certified. Approved. Safe™

	Size 3	Size 4
Ext Size (HxWxD)	790 x 690 x 730 mm	1090 x 690 x 730 mm
Int Size (HxWxD)	600 x 500 x 450 mm	900 x 500 x 450 mm
Volume	135 litres	202 litres
Net Weight	720 kg	924 kg

	Size 5	Size 6
Ext Size (HxWxD)	1390 x 690 x 830 mm	1590 x 690 x 830 mm
Int Size (HxWxD)	1200 x 500 x 550 mm	1400 x 500 x 550 mm
Volume	330 litres	385 litres
Net Weight	1219 kg	1359 kg

	Size 7
Ext Size (HxWxD)	1890 x 940 x 830 mm
Int Size (HxWxD)	1700 x 750 x 550 mm
Volume	701 litres
Net Weight	1898 kg



Safe Options



Designer Safes.

Some of the features and options available on our designer range of safes:

- Tested and certified in the UK by LPCB and approved by AiS
 - Fire tested by SP Laboratory
- High security keylock tested to European Standard EN1300
 - Internal power • Interior LED lighting • Glass shelving
- Leather trim • Mirror walls • Watch winders • Colour options
 - Bespoke jewellery trays, drawers and cupboards

Digital electronic locking options include:

- Intelligent time delay and programmable locking
 - Fingerprint recognition locking




High-shine
finish




Tested and certified



Finger-print recognition




Glass shelving



Safes for those requiring
that little bit more.

Drop Safes.

All of our European graded safes can be fitted with deposit features, internal cupboards, air tubes, CIT features, time delay, audit and internet remote control locks.



INSAFE ARE EXPERTS IN
BESPOKE AND SPECIALIST SAFES.

Fire Guardian

Fire Resistant Filing Cabinets.



Fire Guardian 60

Key or Electronic Locking

1 hour fire resistant filing cabinets are fire tested for paper at 1,010°C ensuring superb protection for your documents.

- Tested and Certified by Underwriters Laboratories of USA
 - One Hour Fire Tested for Paper at 1,010°C
 - 6 Lever Security Locking and Emergency Latch
 - Double Extension Sliding Drawers

	2 Drawer	3 Drawer
Ext Size (HxWxD)	778 x 534 x 665 mm	1156 x 534 x 665 mm
Int Size (HxWxD)	280 x 388 x 499 mm	280 x 388 x 499 mm
Fire Rating	1 hour	1 hour
Net Weight	175 kg	275 kg
	4 Drawer	
Ext Size (HxWxD)	1534 x 534 x 665 mm	
Int Size (HxWxD)	280 x 388 x 499 mm	
Volume	1 hour	
Net Weight	375 kg	

Fire Guardian 120

2 hour fire resistant filing cabinets also available.




...and



Bankers Till Drawers



Fire Safes



Vaults



Vault Doors



Grille Gates



Hotel Safes



Counter Note Safes

MORE



Key Cabinets



Cash Boxes



Security Cabinets



Drawer Deposits



Underfloor Safes



Counter Deposit Safes



Gun Safes

Your last line
of defence...



LPS 1183: Issue 4
Cert/LPCB ref. 954b



INSPIRED SECURITY

INSAFE.COM

SALES & SERVICE • SALES@INSAFE.CO.UK

0800 52 63 88

Insafe International Limited 2 Mount Ephraim
Royal Tunbridge Wells Kent TN4 8AS Telephone 01892 533 000



Assessed to ISO 9001
LPCB Cert No. 1106



© 2017 - The Insafe logo is a registered trade mark of Insafe International Limited which includes the Pantone 268C purple square. The statements "Tested. Certified. Approved. Safe." and "Your Last Line of Defence" are all trade marks of Insafe International Limited.

Cash, jewellery and valuable ratings are recommended. Positioning of the safe, type of premises, location and other security measures may also affect ratings. Detail, imagery and specifications contained within this publication may vary. All dimensions, weights and capacities are approximate.