

YANMAR AIR-COOLED

MAKENDA SALES (PTY) LTD

| CODE KODE | MODEL MODEL | REFERENCE VERWYSING | DESCRIPTION BESKRYWING |
|--------------|----------------|------------------------|---|
| GW2 | L40/60/48 | 114250-1258-0 | AIR CLEANER ELEMENT |
| GW21 | L40/60/70 | 114250-12581 | FILTER WET AIR (GENUINE) |
| GW22 | L40/60/70 | | AIR CLEANER ASSY |
| GW3 | L40 | | FILTER OIL |
| GW31 | L-SERIES | | OIL STRAINER (Gen) Nett |
| GW31.L | L-SERIES | AT201-YM186-00 | OIL FILTER (NEW TYPE) |
| GW4 | L40/60 | L48/70 | VALVE COVER (BONNET ASSY) |
| GW5 | L75/90/100 | 114650-12540 | AIR FILTER ELEMENT (L-100) |
| GW6 | L70/L100N | N-SERIES | AIR FILTER ELEMENT GEN(NEW |
| GW7 | L40/48 | GEN/NETT | SPEED CONTROL BRACKET |
| GX1 | L40 | | GASKET SET |
| GX2 | L60 | | GASKET SET |
| GX3 | L40 | 114250-01340 | CYL HEAD GASKET (NETT) |
| GX4 | L60 | 114350-01340 | CYL HEAD GASKET (NETT) |
| GY1 | L40 | 114250-11101 | VALVE - INLET |
| GY11 | L40/48 | 142520-11101 | VALVE INLET (GENUINE) |
| GY2 | L60 | | VALVE - INLET |
| GY3 | L40 | L40/48 | VALVE - EXHAUST |
| GY31 | L40 | | VALVE - EXHAUST (GENUINE) |
| GY32 | L40/48 | | VALVE STEM SEAL |
| GY33 | L40/48 | | VALVE SPRING RETAINER & COTTER |
| GY34 | L40/48 | | VALVE GUIDE |
| GY35 | L40/48 | AT-4546-YM170-00 | VALVE CAP/ROTATOR |
| GY4 | L60 | | VALVE - EXHAUST |
| GY5 | L40/60/70 | with studs | ELEMENT-FUEL OIL STRAINER |
| GY5.L(ANT) | L40/60/70 | with studs | FUEL FILTER ELEMENT WITH WASHER |
| GY6 | L60 | GENUINE | ELEMENT-FUEL OIL STRAINER (GEN. - NETT) |
| GY62 | FITS ALL | 114239-5512 | FUEL FILTER - NEW TYPE |
| GY7 | L40/48 | | MAIN BEARING-PLAIN (L)STD |
| GY8 | L60/70 | | MAIN BEARING-PLAIN (L)STD |
| GY9 | L40/48 | | MAIN BEAR-PLAIN (L) .25 U/S |
| GZ1 | L60/70 | | MAIN BEAR-PLAIN (L) .25 U/S |
| GZ2 | L40/48 | | MAIN BEAR-PLAIN (L) .50 U/S |
| GZ3 | L60 | | MAIN BEAR-PLAIN (L) .50 U/S |
| GZ4 | L40 | | OIL PUMP ROTOR ASS.(ROLL |
| GZ5 | L60 | | OIL PUMP ROTOR ASS.(ROLL |
| GZ6 | L40/70 | 160110-02220 | CRANKSHAFT OIL SEAL (30 X 45 X 8) |
| GZ7 | L40/70 | 160110-0220 | CRANKSHAFT OIL SEAL (25 X 41 X 8) |
| HB1 | L40 | | PISTON+PIN+CLIPS - STD |
| HB2 | L60 | | PISTON+PIN+CLIPS - STD |
| HB3 | L40 | FITS L-48 | CONROD BEARING - STD |
| HB4 | L60/70 | 714350-23600 | CONROD BEARING - STD (FITS L-70) |

| CODE KODE | MODEL MODEL | REFERENCE VERWYSING | DESCRIPTION BESKRYWING |
|--------------|----------------|------------------------|---------------------------|
|--------------|----------------|------------------------|---------------------------|

| | | | |
|------|-------------|---------------|---|
| HB41 | L60/70 | 714380-23600 | CONROD BEARING - STD GEN. |
| HC1 | L40 | | PISTON+PIN+CLIPS - .25MM |
| HC11 | L40 | | PISTON ASSY 0.25 - GEN NETT |
| HC2 | L60 | | PISTON+PIN+CLIPS - .25MM |
| HC3 | L40/48 | | CONROD BEARING - .25 U/S |
| HC4 | L60 | | CONROD BEARING - .25 U/S |
| HD1 | L40 | | PISTON+PIN+CLIPS - .50MM |
| HD11 | L40 | | PISTON+PIN+CLIPS - 0.75mm |
| HD12 | L40 | | PISTON+PIN+CLIPS -1.00mm |
| HD2 | L60 | | PISTON+PIN+CLIPS - .50MM |
| HD21 | L60 | | PISTON+PIN+CLIPS - .75MM |
| HD22 | L60 | | PISTON+PIN+CLIPS - 1.00mm |
| HD3 | L40 | | CONROD BEARING - .50 U/S |
| HD4 | L60 | | CONROD BEARING - .50 U/S |
| HG1 | L40 | | RING SET - STD (RIK) |
| HG2 | L60 | | RING SET - STD (RIK) |
| HH1 | L40 | | RING SET - .25MM O/S |
| HH2 | L60 | | RING SET - .25MM O/S |
| HJ1 | L40 | | RING SET - .50MM O/S |
| HJ2 | L60 | | RING SET - .50MM O/S |
| HJ21 | L60 | | RING SET - 0.75MM O/S |
| HJ22 | L60 | | RING SET - 1.00 MM O/S |
| HJ3 | L40/48 | 114250-53001 | INJECTOR TIP (NOZZLE)Z-NO DSLA150PN 930 |
| HJ31 | L-48 | 714250-53101 | FUEL INJ COMPLETE/VALVE AS |
| HJ32 | L40/48 | | FUEL INJ COMPLETE (GENUINE) |
| HJ33 | L40/48/100 | 719-YM1701-01 | INJ. NOZZLE - SHORT |
| HJ4 | L40/48 | 114250-5120 | PLUNGER & BARREL (GENUINE) |
| HJ41 | L40/48 | 114250-51200 | BODY, PIF PUMP (GENUINE) (P&B) |
| HJ42 | L40/48 | NO STOCK | FUEL PUMP COMPLETE H/S |
| HJ5 | L-60/70 | 114870-53000 | INJECTOR TIP (NOZZLE) (GENUINE) |
| HJ51 | L60/70 | 14870-53100 | FUEL INJ. VALVE ASSY |
| HJ6 | L60/70 | REF HL852 | PLUNGER & BARREL (GENUINE) |
| HJ61 | ALL | 114250-76600 | PLUNGER ON TAPPET COVER (OIL IN) |
| | | | (ONLY 1 - 2 DROPS - EASY START) |
| HJ62 | L-SERIES | | FUEL TANK CAP |
| HJ7 | L-SERIES | | FUEL TAP (NETT) |
| HK1 | L48 | 714780-22720 | PISTON+RINGS STD (GENUINE) |
| HK11 | L-48 | | PISTON 0.25 |
| HK12 | L-48/HD70 | | PISTON + PIN 0.50mm |
| HK2 | L-48 556-75 | 714770-22500 | RING SET STD (FITS TF-5) |
| HK21 | L-48 | | RING SET 0.25mm |
| HK22 | L-48/HD70 | | RING SET 0.50 mm |
| HK6 | L48/HD70 | | CYL HEAD GASKET (H/S) |
| HK7 | L48 | 714770-92600 | GASKET SET (NETT) |
| HK71 | L48/HD78 | | CONROD BEARING (CAST IRON) H/S STD |
| HK8 | L48 | 714250-23600 | CONROD BEARING STD (ALUMINIUM) |
| | | | (ORDER HB3) |

| CODE KODE | MODEL MODEL | REFERENCE VERWYSING | DESCRIPTION BESKRYWING |
|------------------|----------------|------------------------|---|
| HK81 | L48/HD70 | 714770-23600 | CONROD BEARING STD (CAST IRON) NEW |
| HK9 | L48 | 714770-23610 | CONROD BEARING .25 U/S |
| HL1 | L48/HD70 | 714770-23620 | CONROD BEARING .50 U/S (CAST IRON)NEW |
| HL2 | L48 | 114250-51200 | PLUNGER & BARREL (ORDER HJ4) |
| HL3.L48 (ANT) | L40/48 | AT-10208-YM170-00 | ROPE START ASSY WITH CUP NOT2:1) |
| HL31 | L-40/48AED | 714260-76821 | ROPE START ASSY (GENUINE) NETT |
| HL32 | L-40/48AES | 714250-76821 | ROPE START ASSY (GENUINE) NETT (2:1) |
| HL33 | L40/48 | | RECOIL STARTING CUP |
| HL34 | L40/48 | | RECOIL START 2:1 REDUCTION H/S |
| HL35 | L40/48AED | | RECOIL START (NOT 2:1) Plastic paws JYM |
| HL36 | L40/48 | | FRICITION SPRING |
| HL41 | L48 | <u>114250-35110</u> | STRAINER, LUB OIL (FILTER) |
| HL5 | L48 | <u>ORDER GY11</u> | INLET VALVE (GENUINE) |
| HL7 | L48 | | PISTON PIN |

TWO TYPES OF CONNECTING RODS - CAST IRON OR ALIMINIUM

| | <u>CAST IRON</u> | <u>HK81</u> | |
|---------|------------------|-----------------|-------------------------------------|
| HL80 | L70/HD78 | 714872-22502 | RING SET STD |
| HL81 | L70/HD78 | | RING SET 0.25 |
| HL82 | L70/HD78 | | RING SET 0.50 |
| HL83 | L70/HD78 | | GASKET SET |
| HL84 | L70/HD78 | | CYLINDER HEAD GASKET |
| HL841 | L70 | AT114-YM178-600 | CYLINDER OVAL "O"-RING |
| HL85 | L70/HD78 | | PISTON STD |
| HL852 | L70/HD78 | AT701-YM178-00 | FUEL PUMP COMPLETE |
| HL86 | L70/HD78 | | PISTON 0.25 ONLY |
| HL87 | L70/HD78 | | PISTON 0.50 ONLY |
| HL89 | L70/HD78 | | CONROD BEARING STD (CAST IRON) GEN |
| HL897 | L70/HD78 | | OIL DIPSTICK (NETT) H/S |
| HL898 | L60/70 | NOT 2:1 | RECOIL STARTER WITH CUP |
| HL898.A | L70 | NOT 2:1 | RECOIL STARTER WITH CUP |
| HL899 | L60/70 | 2:1 REDUC H/S | RECOIL STARTER WITH CUP |
| HL9 | L70/HD79 | | CONROD BEARING 0.25 (CAST IRON) GEN |
| HL91 | L70/HD80 | | CONROD BEARING 0.50 (CAST IRON) GEN |
| HL92 | L70/HD78 | | CONROD BEARING 0.25 |
| HL93 | L70/HD78 | | CONROD BEARING 0.50mm |
| HL94 | L70/HD78 | | INLET VALVE |
| HL95 | L70/HD78 | | EXHAUST VALVE |
| HL96 | L70/HD78 | | VALVE STEM SEAL |
| HL97 | L70/HD78 | | VALVE GUIDES |
| HL98 | L70/HD78 | | CONROD (CAST IRON) H/S |
| HL99 | L70/HD78 | | SILENCER COMPLETE |
| HM1 | L-75ES | 714550-22723 | PISTON ASSY STD |
| HM2 | L-75ES | 714550-22624 | PISTON ASSY 0.25 |
| HM3 | L-75ES | 714550-22580 | PISTON ASSY 0.50 |

| CODE | MODEL | REFERENCE | DESCRIPTION |
|------|-------|-----------|-------------|
| KODE | MODEL | VERWYSING | BESKRYWING |

| | | | |
|--------|------------|-----------------------|--|
| HM4 | L-75ES | 714650-23600 | CONROD BEARING STD (CRANK PIN) L-90/100 |
| HM72 | L-75ES | 114650-02200 | MAIN BEARING 0.25 (L90/100) |
| HM721 | L75/100 | 114650-0220 | MAIN BEARING 0.25 (GEN) NETT |
| HM73 | L-75ES | 114650-02210 | MAIN BEARING 0.50 (L90/100) |
| HM74 | L-75ES | 114650-11100 | INLET VALVE |
| HM75 | L-75ES | 114654-11110 | EXHAUST VALVE |
| HM76 | L-75ES | 124060-23910 | SMALL END BUSH (PISTON PIN) L90/100 |
| HM77 | L-75ES | 24101-062070 | CAMSHAFT BALL BEARING |
| HM79 | L-75ES | 714589-92605 | GASKET SET |
| HM8 | L-75ES | 714679-14580 | CAMSHAFT (NEW) "AES" |
| HM84 | L-90 | | RINGS STD (714650-22502) CPS |
| HM87 | L-90 | ORDER HM4 | CONROD BEARING STD |
| HM90 | L-90 | | GASKET SET GMF |
| HN2 | L-100/HD86 | AT302-YM186-00 | RING SET STD (REPLACEMENT) |
| HN21 | L-100/HD86 | | RING SET 0.25 |
| HN22 | L-100/HD86 | | RING SET 0.50 |
| HN23 | L-100/HD86 | | PISTON + PIN + CLIPS STD |
| HN24 | L-100/HD86 | | PISTON + PIN + CLIPS 0.25 |
| HN25 | L-100/HD86 | | PISTON + PIN + CLIPS 0.50 |
| HN26 | L-100/HD86 | L-75/90/100 | CONROD BEARINGS STD |
| HN27 | L-100/HD86 | L-75/90/100 | CONROD BEARINGS 0.25 |
| HN271 | L-100 | | CONROD BEARING 0.50 |
| HN28 | L-100/HD86 | L-75/90/100 | CONROD BEARINGS 0.75 |
| HN281 | L100/HD86 | CAST IRON | CONNECTING ROD |
| HN282 | L100/HD86 | AT408-YM186-00 | VALVE INLET |
| HN283 | L100/HD86 | | VALVE EXHAUST H/S |
| HN284 | L100/HD86 | | VALVE STEM SEALS |
| HN285 | L100/HD86 | | "O" RING CYLINDER TO BLOCK |
| HN286 | L100/HD86 | | PUSH ROD |
| HN287 | L100/HD86 | | VALVE COTTER (EACH) |
| HN288 | L100/HD86 | | VALVE GUIDE |
| HN29 | L-100/HD86 | | CYL HEAD GASKET |
| HN30 | L-100/HD86 | | GASKET SET |
| HN31 | L-100/HD86 | 35 X 50 X 8 | CRANKSHAFT OIL SEAL |
| HN32 | L-100/HD86 | | BONNET GASKET |
| HN33 | L-100/HD86 | | PISTON PIN |
| HN34 | L-100/HD86 | | PISTON PIN BUSH (REF. HM76) |
| HN35 | L-100/HD86 | L-75/90/100 | MAIN BEARING STD |
| HN36 | L-100/HD86 | L-75/90/100 | MAIN BEARING 0.25 |
| HN37 | L-100/HD86 | L-75/90/100 | MAIN BEARING 0.50 |
| HN38.A | L100/HD86 | | RECOIL STARTER WITH CUP (NOT 2:1) |
| HN381 | L100/HD86 | 114699-76251 | RECOIL STARTER NOT 2:1 |
| HN39 | L100/HD86 | GENUINE | RECOIL STARTER ASSY (2:1 REDUCTION) |
| HN391 | L100/HD86 | | RECOIL FRICTION SPRING |
| HN40 | L100/HD86 | | MUFFLER/EXHAUST H/S |

| CODE | MODEL | REFERENCE | DESCRIPTION |
|------|-------|-----------|-------------|
| KODE | MODEL | VERWYSING | BESKRYWING |

| | | | |
|--------|-----------|-----------------|------------------------------|
| HN41 | L100/HD86 | | INJECTOR TIP (KAMA) 150P224 |
| HN41.A | L100/HD86 | | INJECTOR TIP (SHORT) 150P224 |
| HN411 | L-100 N | 114339-53200 | FUEL IN. NOZZLE (NETT) |
| HN42 | L100 | AT-701-YM186-00 | FUEL INJECTOR PUMP |
| HN 421 | L100/HD86 | 186 FE | FUEL PUMP ASSY +SOLENOID |

| | | | |
|-------------------|------------|----------------|---------------------------------------|
| HN43 | HD86 | | FUEL INJ. COMPLETE H/S |
| HN431 | | 186F | FUEL INJ COMPLETE 120P925(NB) |
| HN432 | L100/186F | AT702-YM186-01 | FUEL INJ COMPLETE 150P224(NB) |
| HN44 | HD86 | | FUEL PIPE (HD86 ONLY) |
| HN45 | L-100 | 12 V | STARTER MOTOR (Gen.) Nett |
| HN45.A | L-SERIES | AT607-YM186-00 | STARTER MOTOR 12 V |
| HN46 | HD70/78/86 | AT719-YM178-00 | INJECTOR TIP (NOZZLE - LONG) |
| HN47 | L100/HD86 | | RECOIL REPAIR KIT (NOT 2:1) |
| HN48 | L48/70/100 | | REGULATOR ASSY (NETT) |
| HN481 | L-SERIES | | CURRENT LIMITER 15A |
| HN482 | L-SERIES | 114351-77500 | KEY SWITCH PANEL |
| HN49 | L-100 | | BONNET ASSY (069114650-11951) |
| HN491 | L-100 | | BONNET ASSY (069114650-11951) REPLACE |
| HN5 | L-SERIES | | FUEL TANK DAMPER |
| HN5.(ANT) | L-SERIES | | FUEL TANK DAMPER |
| HN50 | HD86/L100 | | PLUNGER (11-418-205-501) H/S |
| HN51 | L100/HD86 | | FUEL INJ. COMPLETE H/S |
| HN52 | L100/HD86 | | AIR CLEANER - TOP AND BOTTOM COVER |
| | | | |
| HN6.L100 (ANT) | L100/HD86 | | FUEL TANK BLACK (NO CAP) |

P.S. KAYA = L40&L60

PARTS COMPATIBLE

THIS LIST REPLACES ALL PREVIOUS ISSUES & IS SUBJECT TO CHANGE WITHOUT PRIOR NOTICE.

HIERDIE PRYSLYS VERVANG ALLE VORIGE UITGAWES & IS ONDERHEWIG AAN VERANDERING SONDER VOORAF KENNISGEWING.