

Frog wash 3 MSDS

Rev. 2 02.02.2012

MATERIAL DATA SAFETY SHEET

1 IDENTIFICATION OF SUBSTANCE/PREPARATION/COMPANY

Identification of Substance/Preparation: Frog Wash 3

Application: Water Miscible Transfer Cylinder

Jacket Wash

Company: Made under license in the UK for:

CYANX LTD

Unit 5, Moorfield Industrial Estate

Leeds LS19 7BN West Yorkshire Tel: 0113 2029545 Fax: 0113 2029555

2 COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Composition: Petroleum Distillates N.O.S.

(Petroleum NAPTHA)

Hazardous Components: None

3 HAZARD CLASIFICATION

Flammable: Class 3

4 SUBSIDIARY HAZARD CLASIFICATION

None

5 TRANSPORT INFORMATION

UN number: UN1268

Transport hazard class(es) 3
Packing group III
Environmentally hazardous Yes
Marine pollutant Yes

Special precautions No special precautions

Tunnel code D/E Transport category 3



6 FIRST AID MEASURES

Eyes: Wash out thoroughly with water while lifting the eye lids. If

irritation persists seek medical advice.

Skin: Remove effected person from source of contamination.

Wash skin with soap & water. Get medical attention if

irritation persists after washing.

Ingestion: Do not induce vomiting. Remove victim from source of

exposure. Seek medical attention.

Inhalation: Move the effected person to fresh air at once. Seek

medical attention

7 FIRE FIGHTING MEASURES

Extinguish with foam, dry powder, sand or earth. For small fires, use CO2.

8 ACCIDENTAL RELEASE MEASURES

May cause slippery surfaces. Contain spillage – prevent from entering drains. Absorb using suitable absorbent such as clay, sand. Dispose of via authorised waste disposal contractor in accordance with the Environmental Protection Act 1990.

9 HANDLING AND STORAGE

Handling Precautions: Maintain good hygiene standards and keep skin contact to

a minimum. Keep away from sparks & open flame.

Ventilate well. Avoid breathing vapours.

Storage Conditions: Flammable/combustible – keep away from oxidisers, heat

& flames in a cool well ventilated place. May attack some

Frog wash 3 MSDS

Rev. 2 02.02.2012

plastics, rubber & coatings.

10 PHYSICAL PROPERTIES

State: Liquid
Colour: Light green
Odour: Aromatic
Solubility: Miscible
Viscosity: Non-viscous

Flash point °C: ~41C

11 DISPOSAL CONSIDERATIONS

Dispose of used product and containers in line with current Environmental Act 1990. Do not allow this product to contaminate ponds, soil & drains.



12 OTHER INFORMATION

Other sources of information/publications:

Occupational Exposure Limits – revised annually (HSE ref.EH40).

Approved Codes of Practice (HSE ref.L5).

Waste Management - The Duty of Care, A Code of Practice.

Health Surveillance of Occupational Skin Disease (HSE ref.MS24).

Personal Protective Equipment at Work Regulations, Guidance on Controls (HSE ref. L25).

Control of Substances Hazardous to Health.

Respiratory Protective Equipment (HSE ref. HS(G) 53).