

# Hamilton® Linea-Perlina CFX®

## Elegant and classic with a Beaded Edge Frame

The Linea CFX® range comes in five different designs to suit either contemporary or classic interiors. Linea CFX® has a separate back frame and our patented four point face plate clipping system, allowing the option of matching or contrasting elements.

- Minimal depth and a modern look
- Three stunning front plate finishes and two frame and insert finishes give a limitless choice of combinations
- Two-part frame and plate for 'mix and match'
- Concealed fixing
- Grid Fix and Eurofix options also available (see separate GRID-IT and EuroFix sections)



LPX R23 PB-SB W



LPX T21 AB-AB



LPX DENT AB-PB B



LPX 1X40 PB-PB




LPX R21 PB-AB B



LPX SS1 AB-PB B

### Hamilton Linea-Perlina CFX® Concealed Fixing

Plate Depth 4.2 mm



**Hamilton®** *fashion, finish, function and flexibility*



# Hamilton® Linea-Perlina CFX®

Select your choice of accessory finish from this Colourway Chart

Select the accessory required from the following pages overleaf

1. Select the required electrical accessory from the following pages. e.g. LPX R23 = Linea-Perlina CFX 3 gang 10AX 2 way Rocker Switch.
2. Using the Colour Chart above;
  - a. Select the required Frame Finish e.g. Polished Brass = PB- - - -.
  - b. Select the required Front Plate Finish e.g. Satin Brass = - - -SB.
  - c. Select the required Insert Surround Colour e.g. White = - - - - - W.

Therefore a Linea-Perlina CFX 3 gang 10AX 2 way Rocker Switch as illustrated below = LPX R23 PB-SB W.

## Front Plate Finish











Frame and Insert Finish	Polished Brass	Satin Brass	Antique Brass
<b>Polished Brass</b> Polished Brass Frame, Matching Insert with White Surround	 PB-PB W	 PB-SB W	 PB-AB W
<b>Polished Brass</b> Polished Brass Frame, Matching Insert with Black Surround	 PB-PB B	 PB-SB B	 PB-AB B
<b>Antique Brass</b> Antique Brass Frame, Matching Insert with Black Surround	 AB-PB B	 AB-SB B	 AB-AB B

Illustration of Product Code configuration to order a Linea-Perlina CFX LPX R23 PB-SB W




Linea-Perlina CFX SS2 is a UK Registered Design Certificate No. 2066588.  
Linea-Perlina CFX SS2 is a Malaysia Registered Design Certificate No. 02/0169.

Linea-Perlina CFX SS2 is a Singapore Registered Design Certificate No. DU2002/482/E.  
Linea-Perlina CFX SS2 is an Indian Registered Design Certificate No. 2159.



# Hamilton® Linea-Perlina CFX®

## Concealed Fixing Rocker Switches



LPX R23 PB-SB W



### 1 gang 10AX 2 way Rocker

Nominal Plate Size:  
91 x 91 mm

Min. Wall Box  
Depth: 25 mm

Technical Insert  
Reference: **R21**  
Product Code



### 2 gang 10AX 2 way Rocker

Nominal Plate Size:  
91 x 91 mm

Min. Wall Box  
Depth: 25 mm

Technical Insert  
Reference: **R22**  
Product Code



### 3 gang 10AX 2 way Rocker

Nominal Plate Size:  
91 x 91 mm

Min. Wall Box  
Depth: 25 mm

Technical Insert  
Reference: **R23**  
Product Code



### 4 gang 10AX 2 way Rocker

Nominal Plate Size:  
150 x 91 mm

Min. Wall Box  
Depth: 25 mm

Technical Insert  
Reference: **R24**  
Product Code




### 6 gang 10AX 2 way Rocker

Nominal Plate Size:  
150 x 91 mm

Min. Wall Box  
Depth: 25 mm

Technical Insert  
Reference: **R26**  
Product Code

Frame and Insert Finish	Plate Finish	Insert Surround Colour	Reference: <b>R21</b> Product Code	Reference: <b>R22</b> Product Code	Reference: <b>R23</b> Product Code	Reference: <b>R24</b> Product Code	Reference: <b>R26</b> Product Code
 Polished Brass	Polished Brass	White	LPX R21 PB-PB W	LPX R22 PB-PB W	LPX R23 PB-PB W	LPX R24 PB-PB W	LPX R26 PB-PB W
	Polished Brass	Black	LPX R21 PB-PB B	LPX R22 PB-PB B	LPX R23 PB-PB B	LPX R24 PB-PB B	LPX R26 PB-PB B
	Satin Brass	White	LPX R21 PB-SB W	LPX R22 PB-SB W	LPX R23 PB-SB W	LPX R24 PB-SB W	LPX R26 PB-SB W
	Satin Brass	Black	LPX R21 PB-SB B	LPX R22 PB-SB B	LPX R23 PB-SB B	LPX R24 PB-SB B	LPX R26 PB-SB B
	Antique Brass	White	LPX R21 PB-AB W	LPX R22 PB-AB W	LPX R23 PB-AB W	LPX R24 PB-AB W	LPX R26 PB-AB W
Antique Brass	Black	LPX R21 PB-AB B	LPX R22 PB-AB B	LPX R23 PB-AB B	LPX R24 PB-AB B	LPX R26 PB-AB B	
 Antique Brass	Antique Brass	Black	LPX R21 AB-AB B	LPX R22 AB-AB B	LPX R23 AB-AB B	LPX R24 AB-AB B	LPX R26 AB-AB B
	Polished Brass	Black	LPX R21 AB-PB B	LPX R22 AB-PB B	LPX R23 AB-PB B	LPX R24 AB-PB B	LPX R26 AB-PB B
	Satin Brass	Black	LPX R21 AB-SB B	LPX R22 AB-SB B	LPX R23 AB-SB B	LPX R24 AB-SB B	LPX R26 AB-SB B



LPX R31 PB-AB B

## Concealed Fixing Rocker Switches



### 1 gang 10AX Intermediate Rocker

Nominal Plate Size: 91 x 91 mm  
Min. Wall Box Depth: 25 mm

Technical Insert Reference: **R31**  
Product Code



### 2 gang 10AX Intermediate Rocker

Nominal Plate Size: 91 x 91 mm  
Min. Wall Box Depth: 25 mm

Technical Insert Reference: **R32**  
Product Code



### 1 gang 10AX Push To Make/ Break Retractive Rocker

Nominal Plate Size: 91 x 91 mm  
Min. Wall Box Depth: 25 mm

Technical Insert Reference: **CFXRRT**  
Product Code

Frame and Insert Finish	Plate Finish	Surround Colour	Reference: <b>R31</b> Product Code	Reference: <b>R32</b> Product Code	Reference: <b>CFXRRT</b> Product Code
 Polished Brass	Polished Brass	White	LPX R31 PB-PB W	LPX R32 PB-PB W	LPX RRT PB-PB W
	Polished Brass	Black	LPX R31 PB-PB B	LPX R32 PB-PB B	LPX RRT PB-PB B
	Satin Brass	White	LPX R31 PB-SB W	LPX R32 PB-SB W	LPX RRT PB-SB W
	Satin Brass	Black	LPX R31 PB-SB B	LPX R32 PB-SB B	LPX RRT PB-SB B
	Antique Brass	White	LPX R31 PB-AB W	LPX R32 PB-AB W	LPX RRT PB-AB W
Antique Brass	Black	LPX R31 PB-AB B	LPX R32 PB-AB B	LPX RRT PB-AB B	
 Antique Brass	Antique Brass	Black	LPX R31 AB-AB B	LPX R32 AB-AB B	LPX RRT AB-AB B
	Polished Brass	Black	LPX R31 AB-PB B	LPX R32 AB-PB B	LPX RRT AB-PB B
	Satin Brass	Black	LPX R31 AB-SB B	LPX R32 AB-SB B	LPX RRT AB-SB B



### 1 gang 10A Triple Pole Rocker

Nominal Plate Size: 91 x 91 mm  
Min. Wall Box Depth: 25 mm

Technical Insert Reference: **TP**  
Product Code



Frame Finish	Plate Finish	Insert and Surround Colour	Reference: <b>TP</b> Product Code
 Polished Brass	Polished Brass	White	LPX TP PB-PB W
	Polished Brass	Black	LPX TP PB-PB B
	Satin Brass	White	LPX TP PB-SB W
	Satin Brass	Black	LPX TP PB-SB B
	Antique Brass	White	LPX TP PB-AB W
Antique Brass	Black	LPX TP PB-AB B	
 Antique Brass	Antique Brass	Black	LPX TP AB-AB B
	Polished Brass	Black	LPX TP AB-PB B
	Satin Brass	Black	LPX TP AB-SB B




## Concealed Fixing Rocker Switches





LPX R222 AB-SB B

Frame and Insert Finish	Plate Finish	Insert Surround Colour	1 gang 20AX 2 way Rocker		2 gang 20AX 2 way Rocker		3 gang 20AX 2 way Rocker		4 gang 20AX 2 way Rocker		1 gang 20AX Intermediate Rocker		2 gang 20AX Intermediate Rocker	
			Nominal Plate Size: 91 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: <b>R212</b> Product Code	Nominal Plate Size: 91 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: <b>R222</b> Product Code	Nominal Plate Size: 150 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: <b>R232</b> Product Code	Nominal Plate Size: 150 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: <b>R242</b> Product Code	Nominal Plate Size: 91 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: <b>R312</b> Product Code	Nominal Plate Size: 91 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: <b>R322</b> Product Code						
 Polished Brass	Polished Brass	White	LPX R212 PB-PB W	LPX R222 PB-PB W	LPX R232 PB-PB W	LPX R242 PB-PB W	LPX R312 PB-PB W	LPX R322 PB-PB W	LPX R212 PB-PB B	LPX R222 PB-PB B	LPX R232 PB-PB B	LPX R242 PB-PB B	LPX R312 PB-PB B	LPX R322 PB-PB B
	Polished Brass	Black	LPX R212 PB-SB B	LPX R222 PB-SB B	LPX R232 PB-SB B	LPX R242 PB-SB B	LPX R312 PB-SB B	LPX R322 PB-SB B	LPX R212 PB-SB W	LPX R222 PB-SB W	LPX R232 PB-SB W	LPX R242 PB-SB W	LPX R312 PB-SB W	LPX R322 PB-SB W
	Satin Brass	White	LPX R212 PB-SB B	LPX R222 PB-SB B	LPX R232 PB-SB B	LPX R242 PB-SB B	LPX R312 PB-SB B	LPX R322 PB-SB B	LPX R212 PB-AB W	LPX R222 PB-AB W	LPX R232 PB-AB W	LPX R242 PB-AB W	LPX R312 PB-AB W	LPX R322 PB-AB W
	Satin Brass	Black	LPX R212 PB-SB B	LPX R222 PB-SB B	LPX R232 PB-SB B	LPX R242 PB-SB B	LPX R312 PB-SB B	LPX R322 PB-SB B	LPX R212 PB-AB B	LPX R222 PB-AB B	LPX R232 PB-AB B	LPX R242 PB-AB B	LPX R312 PB-AB B	LPX R322 PB-AB B
	Antique Brass	White	LPX R212 PB-AB W	LPX R222 PB-AB W	LPX R232 PB-AB W	LPX R242 PB-AB W	LPX R312 PB-AB W	LPX R322 PB-AB W	LPX R212 PB-AB B	LPX R222 PB-AB B	LPX R232 PB-AB B	LPX R242 PB-AB B	LPX R312 PB-AB B	LPX R322 PB-AB B
 Antique Brass	Antique Brass	Black	LPX R212 AB-AB B	LPX R222 AB-AB B	LPX R232 AB-AB B	LPX R242 AB-AB B	LPX R312 AB-AB B	LPX R322 AB-AB B	Polished Brass	Black	LPX R212 AB-PB B	LPX R222 AB-PB B	LPX R232 AB-PB B	LPX R242 AB-PB B
	Polished Brass	Black	LPX R212 AB-PB B	LPX R222 AB-PB B	LPX R232 AB-PB B	LPX R242 AB-PB B	LPX R312 AB-PB B	LPX R322 AB-PB B	Satin Brass	Black	LPX R212 AB-SB B	LPX R222 AB-SB B	LPX R232 AB-SB B	LPX R242 AB-SB B
	Satin Brass	Black	LPX R212 AB-SB B	LPX R222 AB-SB B	LPX R232 AB-SB B	LPX R242 AB-SB B	LPX R312 AB-SB B	LPX R322 AB-SB B						

## Concealed Fixing Toggle Switches




LPX T21 AB-AB

Frame and Insert Finish	Plate Finish	1 gang 20AX 2 way Toggle		2 gang 20AX 2 way Toggle		3 gang 20AX 2 way Toggle		4 gang 20AX 2 way Toggle		1 gang 20AX Intermediate Toggle	
		Nominal Plate Size: 91 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: <b>T21</b> Product Code	Nominal Plate Size: 91 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: <b>T22</b> Product Code	Nominal Plate Size: 150 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: <b>T23</b> Product Code	Nominal Plate Size: 150 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: <b>T24</b> Product Code	Nominal Plate Size: 91 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: <b>T31</b> Product Code					
 Polished Brass	Polished Brass	LPX T21 PB-PB	LPX T22 PB-PB	LPX T23 PB-PB	LPX T24 PB-PB	LPX T31 PB-PB	LPX T21 PB-SB	LPX T22 PB-SB	LPX T23 PB-SB	LPX T24 PB-SB	LPX T31 PB-SB
	Satin Brass	LPX T21 PB-SB	LPX T22 PB-SB	LPX T23 PB-SB	LPX T24 PB-SB	LPX T31 PB-SB	LPX T21 PB-AB	LPX T22 PB-AB	LPX T23 PB-AB	LPX T24 PB-AB	LPX T31 PB-AB
	Antique Brass	LPX T21 PB-AB	LPX T22 PB-AB	LPX T23 PB-AB	LPX T24 PB-AB	LPX T31 PB-AB					
 Antique Brass	Antique Brass	LPX T21 AB-AB	LPX T22 AB-AB	LPX T23 AB-AB	LPX T24 AB-AB	LPX T31 AB-AB	Polished Brass	LPX T21 AB-PB	LPX T22 AB-PB	LPX T23 AB-PB	LPX T24 AB-PB
	Polished Brass	LPX T21 AB-PB	LPX T22 AB-PB	LPX T23 AB-PB	LPX T24 AB-PB	LPX T31 AB-PB	Satin Brass	LPX T21 AB-SB	LPX T22 AB-SB	LPX T23 AB-SB	LPX T24 AB-SB
	Satin Brass	LPX T21 AB-SB	LPX T22 AB-SB	LPX T23 AB-SB	LPX T24 AB-SB	LPX T31 AB-SB					



# Hamilton® Linea-Perlina CFX®

## Concealed Fixing Key Switches



LPX K21 PB-PB B



### 1 gang 20AX 2 way Key Switch

Nominal Plate Size:  
91 x 91 mm  
Minimum Wall Box  
Depth: 35 mm  
Technical Insert  
Reference: **K21**  
**Product Code**




### 1 gang 20AX 2 way Key Switch "EMG LTG TEST"

Nominal Plate Size:  
91 x 91 mm  
Minimum Wall Box  
Depth: 35 mm  
Technical Insert  
Reference: **KEL**  
**Product Code**

Frame Finish	Plate Finish	Insert Colour		
<b>Polished Brass</b> 	Polished Brass	White	LPX K21 PB-PB W	LPX KEL PB-PB W
	Polished Brass	Black	LPX K21 PB-PB B	LPX KEL PB-PB B
	Satin Brass	White	LPX K21 PB-SB W	LPX KEL PB-SB W
	Satin Brass	Black	LPX K21 PB-SB B	LPX KEL PB-SB B
	Antique Brass	White	LPX K21 PB-AB W	LPX KEL PB-AB W
	Antique Brass	Black	LPX K21 PB-AB B	LPX KEL PB-AB B
<b>Antique Brass</b> 	Antique Brass	Black	LPX K21 AB-AB B	LPX KEL AB-AB B
	Polished Brass	Black	LPX K21 AB-PB B	LPX KEL AB-PB B
	Satin Brass	Black	LPX K21 AB-SB B	LPX KEL AB-SB B

## Concealed Fixing Hotel Card Switch with LED

Adjustable Time Delay 10 seconds - 5 minutes. Suitable for 44 mm and 54 mm width Hotel Key Cards.



LPX C11 PB-AB W





### 1 gang 10A (6AX) On/Off with Blue LED Locator

Nominal Plate Size:  
91 x 91 mm  
Minimum Wall Box  
Depth: 35 mm  
Technical Insert  
Reference: **C11**  
**Product Code**



### 1 gang 12-24V AC/DC +/-10% On/Off with Blue LED Locator (Suitable for KNX BUS System)

Nominal Plate Size:  
91 x 91 mm  
Minimum Wall Box  
Depth: 35 mm  
Technical Insert  
Reference: **CKNX**  
**Product Code**

Frame and Insert Finish	Plate Finish	Insert Surround Colour		
<b>Polished Brass</b> 	Polished Brass	White	LPX C11 PB-PB W	LPX CKNX PB-PB W
	Polished Brass	Black	LPX C11 PB-PB B	LPX CKNX PB-PB B
	Satin Brass	White	LPX C11 PB-SB W	LPX CKNX PB-SB W
	Satin Brass	Black	LPX C11 PB-SB B	LPX CKNX PB-SB B
	Antique Brass	White	LPX C11 PB-AB W	LPX CKNX PB-AB W
	Antique Brass	Black	LPX C11 PB-AB B	LPX CKNX PB-AB B
<b>Antique Brass</b> 	Antique Brass	Black	LPX C11 AB-AB B	LPX CKNX AB-AB B
	Polished Brass	Black	LPX C11 AB-PB B	LPX CKNX AB-PB B
	Satin Brass	Black	LPX C11 AB-SB B	LPX CKNX AB-SB B



# Hamilton® Linea-Perlina CFX®

## Concealed Fixing Power Sockets



LPX SS1 AB-PB B




**1 gang 13A Double Pole Switched Socket**

Nominal Plate Size: 91 x 91 mm  
Min. Wall Box Depth: 35 mm  
Technical Insert Reference: **SS1**  
Product Code



**2 gang 13A Double Pole Switched Socket**

Nominal Plate Size: 150 x 91 mm  
Min. Wall Box Depth: 35 mm  
Technical Insert Reference: **SS2**  
Product Code



LPX USB99 AB-AB B



**2 gang 13A Unswitched Socket + 2 x USB Charging Points**

Nominal Plate Size: 150 x 91 mm  
Min. Wall Box Depth: 35 mm  
Technical Insert Reference: **USB99**  
Product Code

Frame and Insert Finish	Plate Finish	Insert Surround Colour		
	Polished Brass	White	LPX SS1 PB-PB W	LPX SS2 PB-PB W
	Polished Brass	Black	LPX SS1 PB-PB B	LPX SS2 PB-PB B
	Satin Brass	White	LPX SS1 PB-SB W	LPX SS2 PB-SB W
	Satin Brass	Black	LPX SS1 PB-SB B	LPX SS2 PB-SB B
	Antique Brass	White	LPX SS1 PB-AB W	LPX SS2 PB-AB W
	Antique Brass	Black	LPX SS1 PB-AB B	LPX SS2 PB-AB B
	Antique Brass	Black	LPX SS1 AB-AB B	LPX SS2 AB-AB B
	Polished Brass	Black	LPX SS1 AB-PB B	LPX SS2 AB-PB B
	Satin Brass	Black	LPX SS1 AB-SB B	LPX SS2 AB-SB B

Frame Finish	Plate Finish	Insert Colour		
	Polished Brass	White	LPX USB99 PB-PB W	
	Polished Brass	Black	LPX USB99 PB-PB B	
	Satin Brass	White	LPX USB99 PB-SB W	
	Satin Brass	Black	LPX USB99 PB-SB B	
	Antique Brass	White	LPX USB99 PB-AB W	
	Antique Brass	Black	LPX USB99 PB-AB B	
	Antique Brass	Black	LPX USB99 AB-AB B	
	Polished Brass	Black	LPX USB99 AB-PB B	
	Satin Brass	Black	LPX USB99 AB-SB B	

## Concealed Fixing Power Sockets



LPX 6126 PB-PB W



**1 gang 2A Unswitched Socket**

Nominal Plate Size: 91 x 91 mm  
Min. Wall Box Depth: 35 mm  
Technical Insert Reference: **US2**  
Product Code



**1 gang 5A Unswitched Socket**

Nominal Plate Size: 91 x 91 mm  
Min. Wall Box Depth: 35 mm  
Technical Insert Reference: **US5**  
Product Code



**Shaver Dual voltage Unswitched Socket**

Nominal Plate Size: 150 x 91 mm  
Min. Wall Box Depth: 47 mm  
Technical Insert Reference: **SHS**  
Product Code



**1 gang 16A German Unswitched Socket**

Nominal Plate Size: 91 x 91 mm  
Min. Wall Box Depth: 47 mm  
Technical Insert Reference: **6126**  
Product Code



**1 gang 15A American Unswitched Socket**

Nominal Plate Size: 91 x 91 mm  
Min. Wall Box Depth: 35 mm  
Technical Insert Reference: **5258**  
Product Code



**2 gang 15A American Unswitched Socket**


Nominal Plate Size: 150 x 91 mm  
Min. Wall Box Depth: 35 mm  
Technical Insert Reference: **5320**  
Product Code

Frame Finish	Plate Finish	Insert Colour						
	Polished Brass	White	LPX US2 PB-PB W	LPX US5 PB-PB W	LPX SHS PB-PB W	LPX 6126 PB-PB W	LPX 5258 PB-PB W	LPX 5320 PB-PB W
	Polished	Brass	LPX US2 PB-PB B	LPX US5 PB-PB B	LPX SHS PB-PB B	LPX 6126 PB-PB B	LPX 5258 PB-PB B	LPX 5320 PB-PB B
	Satin Brass	White	LPX US2 PB-SB W	LPX US5 PB-SB W	LPX SHS PB-SB W	LPX 6126 PB-SB W	LPX 5258 PB-SB W	LPX 5320 PB-SB W
	Satin Brass	Black	LPX US2 PB-SB B	LPX US5 PB-SB B	LPX SHS PB-SB B	LPX 6126 PB-SB B	LPX 5258 PB-SB B	LPX 5320 PB-SB B
	Antique Brass	White	LPX US2 PB-AB W	LPX US5 PB-AB W	LPX SHS PB-AB W	LPX 6126 PB-AB W	LPX 5258 PB-AB W	LPX 5320 PB-AB W
	Antique Brass	Black	LPX US2 PB-AB B	LPX US5 PB-AB B	LPX SHS PB-AB B	LPX 6126 PB-AB B	LPX 5258 PB-AB B	LPX 5320 PB-AB B
	Antique Brass	Black	LPX US2 AB-AB B	LPX US5 AB-AB B	LPX SHS AB-AB B	LPX 6126 AB-AB B	LPX 5258 AB-AB B	LPX 5320 AB-AB B
	Polished Brass	Black	LPX US2 AB-PB B	LPX US5 AB-PB B	LPX SHS AB-PB B	LPX 6126 AB-PB B	LPX 5258 AB-PB B	LPX 5320 AB-PB B
	Satin Brass	Black	LPX US2 AB-SB B	LPX US5 AB-SB B	LPX SHS AB-SB B	LPX 6126 AB-SB B	LPX 5258 AB-SB B	LPX 5320 AB-SB B



# Hamilton® Linea-Perlina CFX®

## Concealed Fixing Television Coaxial Sockets



LPX TV AB-PB B



**1 gang  
Non Isolated  
TV  
1 In/1 Out**

Nominal Plate Size:  
91 x 91 mm

Min. Wall Box  
Depth: 25 mm

Technical Insert  
Reference: TV  
Product Code



**Isolated  
TV/FM  
Diplexer  
1 In/2 Out**

Nominal Plate Size:  
91 x 91 mm

Min. Wall Box  
Depth: 25 mm

Technical Insert  
Reference: TVFM  
Product Code



**1 gang  
Isolated  
TV  
1 In/1 Out**

Nominal Plate Size:  
91 x 91 mm

Min. Wall Box  
Depth: 25 mm

Technical Insert  
Reference: TVI  
Product Code



**2 gang  
Non Isolated TV  
+ Satellite  
2 In/2 Out**

Nominal Plate Size:  
91 x 91 mm

Min. Wall Box  
Depth: 35 mm

Technical Insert  
Reference: TVSAT  
Product Code



**1 gang  
Non Isolated  
Satellite**

Nominal Plate Size:  
91 x 91 mm

Min. Wall Box  
Depth: 35 mm

Technical Insert  
Reference: SATN  
Product Code



**1 gang  
Isolated  
Satellite**

Nominal Plate Size:  
91 x 91 mm

Min. Wall Box  
Depth: 35 mm

Technical Insert  
Reference: SATI  
Product Code

Frame Finish	Plate Finish	Insert Colour	Product Code	Product Code	Product Code	Product Code	Product Code	Product Code
Polished Brass	Polished Brass	White	LPX TV PB-PB W	LPX TVFM PB-PB W	LPX TVI PB-PB W	LPX TVSAT PB-PB W	LPX SATN PB-PB W	LPX SATI PB-PB W
	Polished Brass	Black	LPX TV PB-PB B	LPX TVFM PB-PB B	LPX TVI PB-PB B	LPX TVSAT PB-PB B	LPX SATN PB-PB B	LPX SATI PB-PB B
	Satin Brass	White	LPX TV PB-SB W	LPX TVFM PB-SB W	LPX TVI PB-SB W	LPX TVSAT PB-SB W	LPX SATN PB-SB W	LPX SATI PB-SB W
	Satin Brass	Black	LPX TV PB-SB B	LPX TVFM PB-SB B	LPX TVI PB-SB B	LPX TVSAT PB-SB B	LPX SATN PB-SB B	LPX SATI PB-SB B
	Antique Brass	White	LPX TV PB-AB W	LPX TVFM PB-AB W	LPX TVI PB-AB W	LPX TVSAT PB-AB W	LPX SATN PB-AB W	LPX SATI PB-AB W
Antique Brass	Antique Brass	Black	LPX TV PB-AB B	LPX TVFM PB-AB B	LPX TVI PB-AB B	LPX TVSAT PB-AB B	LPX SATN PB-AB B	LPX SATI PB-AB B
	Antique Brass	Black	LPX TV AB-AB B	LPX TVFM AB-AB B	LPX TVI AB-AB B	LPX TVSAT AB-AB B	LPX SATN AB-AB B	LPX SATI AB-AB B
	Polished Brass	Black	LPX TV AB-PB B	LPX TVFM AB-PB B	LPX TVI AB-PB B	LPX TVSAT AB-PB B	LPX SATN AB-PB B	LPX SATI AB-PB B
	Satin Brass	Black	LPX TV AB-SB B	LPX TVFM AB-SB B	LPX TVI AB-SB B	LPX TVSAT AB-SB B	LPX SATN AB-SB B	LPX SATI AB-SB B
	Satin Brass	Black	LPX TV AB-SB B	LPX TVFM AB-SB B	LPX TVI AB-SB B	LPX TVSAT AB-SB B	LPX SATN AB-SB B	LPX SATI AB-SB B



LPX DTRID PB-PB B



**Non Isolated  
TV/FM/Satellite  
Triplexer 1 In/3 Out**

Nominal Plate Size:  
91 x 91 mm

Min. Wall Box  
Depth: 35 mm

Technical Insert  
Reference: DTRID  
Product Code



**1 gang  
Non Isolated  
TV (Female)**

Nominal Plate Size:  
91 x 91 mm

Min. Wall Box  
Depth: 35 mm

Technical Insert  
Reference: DTVF  
Product Code



**1 gang  
Non Isolated  
TV (Male)**

Nominal Plate Size:  
91 x 91 mm

Min. Wall Box  
Depth: 35 mm

Technical Insert  
Reference: DTVM  
Product Code

Frame Finish	Plate Finish	Insert Colour	Product Code	Product Code	Product Code
Polished Brass	Polished Brass	White	LPX DTRID PB-PB W	LPX DTVF PB-PB W	LPX DTVM PB-PB W
	Polished Brass	Black	LPX DTRID PB-PB B	LPX DTVF PB-PB B	LPX DTVM PB-PB B
	Satin Brass	White	LPX DTRID PB-SB W	LPX DTVF PB-SB W	LPX DTVM PB-SB W
	Satin Brass	Black	LPX DTRID PB-SB B	LPX DTVF PB-SB B	LPX DTVM PB-SB B
	Antique Brass	White	LPX DTRID PB-AB W	LPX DTVF PB-AB W	LPX DTVM PB-AB W
Antique Brass	Antique Brass	Black	LPX DTRID PB-AB B	LPX DTVF PB-AB B	LPX DTVM PB-AB B
	Antique Brass	Black	LPX DTRID AB-AB B	LPX DTVF AB-AB B	LPX DTVM AB-AB B
	Polished Brass	Black	LPX DTRID AB-PB B	LPX DTVF AB-PB B	LPX DTVM AB-PB B
	Satin Brass	Black	LPX DTRID AB-SB B	LPX DTVF AB-SB B	LPX DTVM AB-SB B
	Satin Brass	Black	LPX DTRID AB-SB B	LPX DTVF AB-SB B	LPX DTVM AB-SB B



## Concealed Fixing Digital Television Sockets - Screened Non Isolated - DAB Compatible



LPX DENT AB-PB B



**1 gang  
Non Isolated  
Satellite**

Nominal Plate Size:  
91 x 91 mm

Min. Wall Box  
Depth: 35 mm

Technical Insert  
Reference: **DSAT**  
Product Code



**Non Isolated  
TV/FM/ Satellite 1/  
Satellite 2 Quadplexer  
2 In/4 Out**

Nominal Plate Size:  
91 x 91 mm

Min. Wall Box  
Depth: 35 mm

Technical Insert  
Reference: **DENT**  
Product Code



**Non Isolated  
TV/FM/Satellite 1/  
Satellite 2 Quadplexer  
2 In/4 Out  
+ TVF + TCS**


Nominal Plate Size:  
150 x 91 mm

Min. Wall Box  
Depth: 35 mm

Technical Insert  
Reference: **DSAT+**  
Product Code

Frame Finish	Plate Finish	Insert Colour	Product Code	Product Code	Product Code
	Polished Brass	White	LPX DSAT PB-PB W	LPX DENT PB-PB W	LPX DSAT+ PB-PB W
	Polished Brass	Black	LPX DSAT PB-PB B	LPX DENT PB-PB B	LPX DSAT+ PB-PB B
	Satin Brass	White	LPX DSAT PB-SB W	LPX DENT PB-SB W	LPX DSAT+ PB-SB W
	Satin Brass	Black	LPX DSAT PB-SB B	LPX DENT PB-SB B	LPX DSAT+ PB-SB B
	Antique Brass	White	LPX DSAT PB-AB W	LPX DENT PB-AB W	LPX DSAT+ PB-AB W
	Antique Brass	Black	LPX DSAT PB-AB B	LPX DENT PB-AB B	LPX DSAT+ PB-AB B
	Antique Brass	Black	LPX DSAT AB-AB B	LPX DENT AB-AB B	LPX DSAT+ AB-AB B
	Polished Brass	Black	LPX DSAT AB-PB B	LPX DENT AB-PB B	LPX DSAT+ AB-PB B
	Satin Brass	Black	LPX DSAT AB-SB B	LPX DENT AB-SB B	LPX DSAT+ AB-SB B

## Concealed Fixing Telephone and Data Outlets



LPX J12 PB-PB B



**1 gang  
Telephone  
Master**

Nominal Plate Size:  
91 x 91 mm

Min. Wall Box  
Depth: 25 mm

Technical Insert  
Reference: **TCM**  
Product Code



**1 gang  
Telephone  
Slave**

Nominal Plate Size:  
91 x 91 mm

Min. Wall Box  
Depth: 25 mm

Technical Insert  
Reference: **TCS**  
Product Code



**1 gang  
RJ12 Outlet  
Unshielded**

Nominal Plate Size:  
91 x 91 mm

Min. Wall Box  
Depth: 35 mm

Technical Insert  
Reference: **J12**  
Product Code



**2 gang  
RJ12 Outlet  
Unshielded**

Nominal Plate Size:  
91 x 91 mm

Min. Wall Box  
Depth: 35 mm

Technical Insert  
Reference: **2J12**  
Product Code



**1 gang RJ45  
CAT 5E Outlet  
Unshielded**

Nominal Plate Size:  
91 x 91 mm

Min. Wall Box  
Depth: 35 mm

Technical Insert  
Reference: **J45**  
Product Code



**2 gang RJ45  
CAT 5E Outlet  
Unshielded**

Nominal Plate Size:  
91 x 91 mm

Min. Wall Box  
Depth: 35 mm

Technical Insert  
Reference: **2J45**  
Product Code

Frame Finish	Plate Finish	Insert Colour	Product Code	Product Code	Product Code	Product Code	Product Code	
	Polished Brass	White	LPX TCM PB-PB W	LPX TCS PB-PB W	LPX J12 PB-PB W	LPX 2J12 PB-PB W	LPX J45 PB-PB W	LPX 2J45 PB-PB W
	Polished Brass	Black	LPX TCM PB-PB B	LPX TCS PB-PB B	LPX J12 PB-PB B	LPX 2J12 PB-PB B	LPX J45 PB-PB B	LPX 2J45 PB-PB B
	Satin Brass	White	LPX TCM PB-SB W	LPX TCS PB-SB W	LPX J12 PB-SB W	LPX 2J12 PB-SB W	LPX J45 PB-SB W	LPX 2J45 PB-SB W
	Satin Brass	Black	LPX TCM PB-SB B	LPX TCS PB-SB B	LPX J12 PB-SB B	LPX 2J12 PB-SB B	LPX J45 PB-SB B	LPX 2J45 PB-SB B
	Antique Brass	White	LPX TCM PB-AB W	LPX TCS PB-AB W	LPX J12 PB-AB W	LPX 2J12 PB-AB W	LPX J45 PB-AB W	LPX 2J45 PB-AB W
	Antique Brass	Black	LPX TCM PB-AB B	LPX TCS PB-AB B	LPX J12 PB-AB B	LPX 2J12 PB-AB B	LPX J45 PB-AB B	LPX 2J45 PB-AB B
	Antique Brass	Black	LPX TCM AB-AB B	LPX TCS AB-AB B	LPX J12 AB-AB B	LPX 2J12 AB-AB B	LPX J45 AB-AB B	LPX 2J45 AB-AB B
	Polished Brass	Black	LPX TCM AB-PB B	LPX TCS AB-PB B	LPX J12 AB-PB B	LPX 2J12 AB-PB B	LPX J45 AB-PB B	LPX 2J45 AB-PB B
	Satin Brass	Black	LPX TCM AB-SB B	LPX TCS AB-SB B	LPX J12 AB-SB B	LPX 2J12 AB-SB B	LPX J45 AB-SB B	LPX 2J45 AB-SB B



# Hamilton® Linea-Perlina CFX®

## Concealed Fixing Double Pole Switches



LPX DPN PB-AB B



LPX 45N AB-AB B



Frame and Insert Finish	Plate Finish	Insert Surround Colour	1 gang 20AX Double Pole Rocker + Neon Nominal Plate Size: 91 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: DPN Product Code	45A Double Pole Red Rocker + Neon + 13A Switched Socket Nominal Plate Size: 150 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: 45SS1 Product Code
	Polished Brass	White	LPX DPN PB-PB W	LPX 45SS1 PB-PB W
	Polished Brass	Black	LPX DPN PB-PB B	LPX 45SS1 PB-PB B
	Satin Brass	White	LPX DPN PB-SB W	LPX 45SS1 PB-SB W
	Satin Brass	Black	LPX DPN PB-SB B	LPX 45SS1 PB-SB B
	Antique Brass	White	LPX DPN PB-AB W	LPX 45SS1 PB-AB W
	Antique Brass	Black	LPX DPN PB-AB B	LPX 45SS1 PB-AB B
	Antique Brass	Black	LPX DPN AB-AB B	LPX 45SS1 AB-AB B
	Polished Brass	Black	LPX DPN AB-PB B	LPX 45SS1 AB-PB B
	Satin Brass	Black	LPX DPN AB-SB B	LPX 45SS1 AB-SB B

Frame Finish	Plate Finish	Insert Surround Colour	1 gang 45A Double Pole Red Rocker + Neon Nominal Plate Size: 91 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: 45N Product Code
	Polished Brass	White	LPX 45N PB-PB W
	Polished Brass	Black	LPX 45N PB-PB B
	Satin Brass	White	LPX 45N PB-SB W
	Satin Brass	Black	LPX 45N PB-SB B
	Antique Brass	White	LPX 45N PB-AB W
	Antique Brass	Black	LPX 45N PB-AB B
	Antique Brass	Black	LPX 45N AB-AB B
	Polished Brass	Black	LPX 45N AB-PB B
	Satin Brass	Black	LPX 45N AB-SB B

## Concealed Fixing Connection Units



LPX SPN AB-PB B



Frame and Insert Finish	Plate Finish	Insert Surround Colour	1 gang 13A Double Pole Fused Spur + Neon Nominal Plate Size: 91 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: SPN Product Code	1 gang 13A Fuse with Red Neon Halo Nominal Plate Size: 91 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: FN Product Code
	Polished Brass	White	LPX SPN PB-PB W	-
	Polished Brass	Black	LPX SPN PB-PB B	-
	Polished Brass	Red Halo	-	LPX FN PB-PB R
	Satin Brass	White	LPX SPN PB-SB W	-
	Satin Brass	Black	LPX SPN PB-SB B	-
	Satin Brass	Red Halo	-	LPX FN PB-SB R
	Antique Brass	White	LPX SPN PB-AB W	-
	Antique Brass	Black	LPX SPN PB-AB B	-
	Antique Brass	Red Halo	-	LPX FN PB-AB R
	Antique Brass	Black	LPX SPN AB-AB B	-
	Antique Brass	Red Halo	-	LPX FN AB-AB R
	Polished Brass	Black	LPX SPN AB-PB B	-
	Polished Brass	Red Halo	-	LPX FN AB-PB R
	Satin Brass	Black	LPX SPN AB-SB B	-
Satin Brass	Red Halo	-	LPX FN AB-SB R	











LPX 2X40 AB-PB

## Concealed Fixing Leading Edge Push On/Off Resistive Dimmers

Note: Tungsten filament GU10 lamps must be branded and with a fused base.

Note: When using mains voltage halogen lamps - dimmers should be de-rated by 25%.

Note: When dimming LED lamps de-rate by 75% - please contact our Technical Department for compatibility.



Frame and Insert Finish	Plate Finish						
		<b>1 gang 400W 2 way Dimmer</b> Nominal Plate Size: 91 x 91 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: <b>1X40</b> <b>Product Code</b>	<b>2 gang 400W 2 way (Max. 300 watts per gang) Dimmer</b> Nominal Plate Size: 91 x 91 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: <b>2X40</b> <b>Product Code</b>	<b>3 gang 400W 2 way Dimmer</b> Nominal Plate Size: 150 x 91 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: <b>3X40</b> <b>Product Code</b>	<b>4 gang 400W 2 way (Max. 300 watts per gang) Dimmer</b> Nominal Plate Size: 150 x 91 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: <b>4X40</b> <b>Product Code</b>	<b>1 gang 600W 2 way Dimmer</b> Nominal Plate Size: 91 x 91 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: <b>1X60</b> <b>Product Code</b>	<b>1 gang 1000W 2 way Dimmer</b> Nominal Plate Size: 150 x 91 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: <b>1X1K</b> <b>Product Code</b>
Polished Brass	Polished Brass Satin Brass Antique Brass	LPX 1X40 PB-PB LPX 1X40 PB-SB LPX 1X40 PB-AB	LPX 2X40 PB-PB LPX 2X40 PB-SB LPX 2X40 PB-AB	LPX 3X40 PB-PB LPX 3X40 PB-SB LPX 3X40 PB-AB	LPX 4X40 PB-PB LPX 4X40 PB-SB LPX 4X40 PB-AB	LPX 1X60 PB-PB LPX 1X60 PB-SB LPX 1X60 PB-AB	LPX 1X1K PB-PB LPX 1X1K PB-SB LPX 1X1K PB-AB
Antique Brass	Antique Brass Polished Brass Satin Brass	LPX 1X40 AB-AB LPX 1X40 AB-PB LPX 1X40 AB-SB	LPX 2X40 AB-AB LPX 2X40 AB-PB LPX 2X40 AB-SB	LPX 3X40 AB-AB LPX 3X40 AB-PB LPX 3X40 AB-SB	LPX 4X40 AB-AB LPX 4X40 AB-PB LPX 4X40 AB-SB	LPX 1X60 AB-AB LPX 1X60 AB-PB LPX 1X60 AB-SB	LPX 1X1K AB-AB LPX 1X1K AB-PB LPX 1X1K AB-SB



LPX 1X2V PB-PB

## Concealed Fixing Leading Edge Push On/Off Inductive Dimmers

Note: When dimming LED lamps de-rate by 75% - please contact our Technical Department for compatibility.

Frame and Insert Finish	Plate Finish		
		<b>1 gang 200VA 2 way Dimmer</b> Nominal Plate Size: 91 x 91 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: <b>1X2V</b> <b>Product Code</b>	<b>1 gang 300VA 2 way Dimmer</b> Nominal Plate Size: 91 x 91 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: <b>1X3V</b> <b>Product Code</b>
Polished Brass	Polished Brass Satin Brass Antique Brass	LPX 1X2V PB-PB LPX 1X2V PB-SB LPX 1X2V PB-AB	LPX 1X3V PB-PB LPX 1X3V PB-SB LPX 1X3V PB-AB
Antique Brass	Antique Brass Polished Brass Satin Brass	LPX 1X2V AB-AB LPX 1X2V AB-PB LPX 1X2V AB-SB	LPX 1X3V AB-AB LPX 1X3V AB-PB LPX 1X3V AB-SB



## Concealed Fixing Trailing Edge Push On/Off Dimmers

Note: Tungsten filament GU10 lamps must be branded and with a fused base.

Note: When using mains voltage halogen lamps - dimmers should be de-rated by 25%.

Note: When using mains voltage halogen load transformers - maximum rating is 210VA.

Note: When dimming LED lamps de-rate by 75% - please contact our Technical Department for compatibility.



LPX 2XTE AB-PB

Frame and  
Insert Finish

Plate Finish

Polished Brass

Polished Brass  
Satin Brass  
Antique Brass



Antique Brass

Antique Brass  
Polished Brass  
Satin Brass



**1 gang**  
250W/210VA  
Trailing Edge  
Multi-Way Dimmer

Nominal Plate Size:  
91 x 91 mm

Minimum Wall Box  
Size: 35 mm

Technical Insert  
Reference: **1XTE**  
Product Code



**2 gang**  
250W/210VA  
Trailing Edge  
Multi-Way Dimmer

Nominal Plate Size:  
91 x 91 mm

Minimum Wall Box  
Size: 35 mm

Technical Insert  
Reference: **2XTE**  
Product Code



**3 gang**  
250W/210VA  
Trailing Edge  
Multi-Way Dimmer

Nominal Plate Size:  
150 x 91 mm

Minimum Wall Box  
Size: 35 mm

Technical Insert  
Reference: **3XTE**  
Product Code



**4 gang**  
250W/210VA  
Trailing Edge  
Multi-Way Dimmer

Nominal Plate Size:  
150 x 91 mm

Minimum Wall Box  
Size: 35 mm

Technical Insert  
Reference: **4XTE**  
Product Code

LPX 1XTE PB-PB  
LPX 1XTE PB-SB  
LPX 1XTE PB-AB

LPX 2XTE PB-PB  
LPX 2XTE PB-SB  
LPX 2XTE PB-AB

LPX 3XTE PB-PB  
LPX 3XTE PB-SB  
LPX 3XTE PB-AB

LPX 4XTE PB-PB  
LPX 4XTE PB-SB  
LPX 4XTE PB-AB

LPX 1XTE AB-AB  
LPX 1XTE AB-PB  
LPX 1XTE AB-SB

LPX 2XTE AB-AB  
LPX 2XTE AB-PB  
LPX 2XTE AB-SB

LPX 3XTE AB-AB  
LPX 3XTE AB-PB  
LPX 3XTE AB-SB

LPX 4XTE AB-AB  
LPX 4XTE AB-PB  
LPX 4XTE AB-SB


## Concealed Fixing Trailing Edge Touch Master Multi-Way Dimmers

Note: Tungsten filament GU10 lamps must be branded and with a fused base.

Note: When using mains voltage halogen lamps - dimmers should be de-rated by 25%.

Note: When using mains voltage halogen load transformers - maximum rating is 210VA.

Note: When dimming LED lamps de-rate by 75% - please contact our Technical Department for compatibility.



LPX 1XTM PB-PB B

Frame and  
Insert Finish

Plate Finish

Insert  
Surround  
Colour

Polished Brass

Polished Brass  
Polished Brass  
Satin Brass  
Satin Brass  
Antique Brass  
Antique Brass



Antique Brass

Antique Brass  
Polished Brass  
Satin Brass



**1 gang** 250W/210VA  
Trailing Edge  
Multi-Way  
Touch Master Dimmer

Nominal Plate Size:  
91 x 91 mm

Minimum Wall Box  
Depth: 35 mm

Technical Insert  
Reference: **1XTM**  
Product Code



**2 gang** 250W/210VA  
Trailing Edge  
Multi-Way  
Touch Master Dimmer

Nominal Plate Size:  
91 x 91 mm

Minimum Wall Box  
Depth: 35 mm

Technical Insert  
Reference: **2XTM**  
Product Code



**3 gang** 250W/210VA  
Trailing Edge  
Multi-Way  
Touch Master Dimmer

Nominal Plate Size:  
150 x 91 mm

Minimum Wall Box  
Depth: 35 mm

Technical Insert  
Reference: **3XTM**  
Product Code



**4 gang** 250W/210VA  
Trailing Edge  
Multi-Way  
Touch Master Dimmer

Nominal Plate Size:  
150 x 91 mm

Minimum Wall Box  
Depth: 35 mm

Technical Insert  
Reference: **4XTM**  
Product Code

LPX 1XTM PB-PB W  
LPX 1XTM PB-PB B  
LPX 1XTM PB-SB W  
LPX 1XTM PB-SB B  
LPX 1XTM PB-AB W  
LPX 1XTM PB-AB B

LPX 2XTM PB-PB W  
LPX 2XTM PB-PB B  
LPX 2XTM PB-SB W  
LPX 2XTM PB-SB B  
LPX 2XTM PB-AB W  
LPX 2XTM PB-AB B

LPX 3XTM PB-PB W  
LPX 3XTM PB-PB B  
LPX 3XTM PB-SB W  
LPX 3XTM PB-SB B  
LPX 3XTM PB-AB W  
LPX 3XTM PB-AB B

LPX 4XTM PB-PB W  
LPX 4XTM PB-PB B  
LPX 4XTM PB-SB W  
LPX 4XTM PB-SB B  
LPX 4XTM PB-AB W  
LPX 4XTM PB-AB B

LPX 1XTM AB-AB B  
LPX 1XTM AB-PB B  
LPX 1XTM AB-SB B

LPX 2XTM AB-AB B  
LPX 2XTM AB-PB B  
LPX 2XTM AB-SB B

LPX 3XTM AB-AB B  
LPX 3XTM AB-PB B  
LPX 3XTM AB-SB B

LPX 4XTM AB-AB B  
LPX 4XTM AB-PB B  
LPX 4XTM AB-SB B




## Concealed Fixing Touch Slave Controllers

Note: To only be used with Touch Master Dimmers.






Note: Tungsten filament GU10 lamps must be branded and with a fused base.

Note: When using mains voltage halogen lamps - dimmers should be de-rated by 25%.

Note: When using mains voltage halogen load transformers - maximum rating is 210VA.




LPX 1XTS PB-AB W

Frame and Insert Finish	Plate Finish	Insert Surround Colour	 <b>1 gang Multi-Way Touch Slave Dimmer</b> Nominal Plate Size: 91 x 91 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: <b>1XTS</b> Product Code	 <b>2 gang Multi-Way Touch Slave Dimmer</b> Nominal Plate Size: 91 x 91 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: <b>2XTS</b> Product Code	 <b>3 gang Multi-Way Touch Slave Dimmer</b> Nominal Plate Size: 150 x 91 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: <b>3XTS</b> Product Code	 <b>4 gang Multi-Way Touch Slave Dimmer</b> Nominal Plate Size: 150 x 91 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: <b>4XTS</b> Product Code
			<b>Polished Brass</b> 	<b>Polished Brass</b> <b>Polished Brass</b> <b>Satin Brass</b> <b>Satin Brass</b> <b>Antique Brass</b> <b>Antique Brass</b>	<b>White</b> <b>Black</b> <b>White</b> <b>Black</b> <b>White</b> <b>Black</b>	LPX 1XTS PB-PB W LPX 1XTS PB-PB B LPX 1XTS PB-SB W LPX 1XTS PB-SB B LPX 1XTS PB-AB W LPX 1XTS PB-AB B
<b>Antique Brass</b> 	<b>Antique Brass</b> <b>Polished Brass</b> <b>Satin Brass</b>	<b>Black</b> <b>Black</b> <b>Black</b>	LPX 1XTS AB-AB B LPX 1XTS AB-PB B LPX 1XTS AB-SB B	LPX 2XTS AB-AB B LPX 2XTS AB-PB B LPX 2XTS AB-SB B	LPX 3XTS AB-AB B LPX 3XTS AB-PB B LPX 3XTS AB-SB B	LPX 4XTS AB-AB B LPX 4XTS AB-PB B LPX 4XTS AB-SB B

## Concealed Fixing EuroFix Plates complete with Fixing Grid

Minimum Wall Box Depth dependant on EuroFix insert fitted - please see the EuroFix section for our complete range of inserts.



LPX EURO2 AB-AB

Frame Finish	Plate Finish	 <b>1 Module EuroFix Plate</b> Nominal Plate Size: 91 x 91 mm Aperture: 25 x 50 mm Technical Insert Reference: <b>EURO1</b> Product Code	 <b>2 Module EuroFix Plate</b> Nominal Plate Size: 91 x 91 mm Aperture: 50 x 50 mm Technical Insert Reference: <b>EURO2</b> Product Code	 <b>3 Module EuroFix Plate</b> Nominal Plate Size: 150 x 91 mm Aperture: 75 x 50 mm Technical Insert Reference: <b>EURO3</b> Product Code	 <b>4 Module EuroFix Plate</b> Nominal Plate Size: 150 x 91 mm Aperture: 100 x 50 mm Technical Insert Reference: <b>EURO4</b> Product Code
		<b>Polished Brass</b> 	<b>Polished Brass</b> <b>Satin Brass</b> <b>Antique Brass</b>	LPX EURO1 PB-PB LPX EURO1 PB-SB LPX EURO1 PB-AB	LPX EURO2 PB-PB LPX EURO2 PB-SB LPX EURO2 PB-AB
<b>Antique Brass</b> 	<b>Antique Brass</b> <b>Polished Brass</b> <b>Satin Brass</b>	LPX EURO1 AB-AB LPX EURO1 AB-PB LPX EURO1 AB-SB	LPX EURO2 AB-AB LPX EURO2 AB-PB LPX EURO2 AB-SB	LPX EURO3 AB-AB LPX EURO3 AB-PB LPX EURO3 AB-SB	LPX EURO4 AB-AB LPX EURO4 AB-PB LPX EURO4 AB-SB



# Hamilton® Linea-Perlina CFX®



LPX 1GP PB-PB

## Concealed Fixing GRID-IT Grid Fix Plates complete with Fixing Grid

Minimum Wall Box Depth dependant on GRID-IT insert fitted - please see the GRID-IT section for our complete range of inserts.



**1 gang Aperture Grid Fix Plate**  
Nominal Plate Size: 91 x 91 mm  
Technical Insert Reference: **1GP**  
**Product Code**



**2 gang Aperture Grid Fix Plate**  
Nominal Plate Size: 91 x 91 mm  
Technical Insert Reference: **2GP**  
**Product Code**



**3 gang Aperture Grid Fix Plate**  
Nominal Plate Size: 150 x 91 mm  
Technical Insert Reference: **3GP**  
**Product Code**



**4 gang Aperture Grid Fix Plate**  
Nominal Plate Size: 150 x 91 mm  
Technical Insert Reference: **4GP**  
**Product Code**

Frame Finish

Plate Finish

Polished Brass

Polished Brass  
Satin Brass  
Antique Brass



LPX 1GP PB-PB  
LPX 1GP PB-SB  
LPX 1GP PB-AB

LPX 2GP PB-PB  
LPX 2GP PB-SB  
LPX 2GP PB-AB

LPX 3GP PB-PB  
LPX 3GP PB-SB  
LPX 3GP PB-AB

LPX 4GP PB-PB  
LPX 4GP PB-SB  
LPX 4GP PB-AB

Antique Brass

Antique Brass  
Polished Brass  
Satin Brass




LPX 1GP AB-AB  
LPX 1GP AB-PB  
LPX 1GP AB-SB

LPX 2GP AB-AB  
LPX 2GP AB-PB  
LPX 2GP AB-SB

LPX 3GP AB-AB  
LPX 3GP AB-PB  
LPX 3GP AB-SB

LPX 4GP AB-AB  
LPX 4GP AB-PB  
LPX 4GP AB-SB



LPX BPS AB-AB

## Concealed Fixing Blank Plates



**Single Blank Plate**  
Nominal Plate Size: 91 x 91 mm  
Technical Insert Reference: **BPS**  
**Product Code**



**Double Blank Plate**  
Nominal Plate Size: 150 x 91 mm  
Technical Insert Reference: **BPD**  
**Product Code**

Frame Finish

Plate Finish

Polished Brass

Polished Brass  
Satin Brass  
Antique Brass



LPX BPS PB-PB  
LPX BPS PB-SB  
LPX BPS PB-AB

LPX BPD PB-PB  
LPX BPD PB-SB  
LPX BPD PB-AB

Antique Brass

Antique Brass  
Polished Brass  
Satin Brass



LPX BPS AB-AB  
LPX BPS AB-PB  
LPX BPS AB-SB

LPX BPD AB-AB  
LPX BPD AB-PB  
LPX BPD AB-SB