Government of Telangana



T.S. Revised Standard Data

(With Schedule of Rates 2015-16) (Effective from 01-06-2015)

Part – 1

For IRRIGATION & CAD WORKS

and

LEADS & LIFTS (Common to all Departments)

BOARD OF CHIEF ENGINEERS

Office of the Engineer-in-Chief (I.W) I&CAD Dept., Errummanzil, Hyderabad

Procs.No.ENC/IW/P&M/EE/DEE-2/AEE-5/13305/Vol-1 dt: 25.07.2015

Sub: Telangana Revised Standard Data for I&CAD works(Part-I) for the year 2015-16 –

approved-Printing & communication of Standard Data -Reg.,

Ref: 1)G.O.Ms.No.49,I&CAD (PW:Reforms)Dept., dt:2.3.2009

2) Minutes of BOCEs meeting for Schedule of Rates held on 25.05.2015.

3) SoR Procs.No.ENC/IW/P&M/EE/DEE-2/AEE-5/13305/Vol-1 dt:25.07.2015

The Board of Chief Engineers meeting for finalization of Schedule of Rates (SoR) for I&CAD (Part-I), Road & Bridges (Part-II), Building (Part-III) and Public Health (Part-IV) was held on 25.05.2015 @ 3.30 PM and approved the SoR. Based on the approval of BoCE's, the SoR for I&CAD Dept(basic input required for arriving unit item rate as per Telangana Revised Standard data), I&CAD Department, R&B Department, PR Department and Public Health Department items were communicated vide this office proceedings 3rd cited.

During the BoCE's meeting held on 25-05-2015, it is observed that in some of the estimates, Lead Charges are being added directly to the material basic rates for arriving the finished item rate. In view of that, the BoCE has instructed to see that while arriving the finished item rate, the lead charges are to be added to the material basic rates only after deducting the provision of "Contractor's Profit and Overhead charges"

By incorporating the items, the Telangana Revised Standard Data (unit rate for work items) for the year 2015-16 is finalized. Any additions, modifications or deletions in the existing data must be approved by BoCEs. One soft copy is herewith enclosed.

Encl: Soft copy of Telangana Revised Standard Data for I&CAD Department for the year 2015-16

Sd/- J.Vijaya Prakash, 25.07.2015 Engineer-in-Chief (I.W.) Chairman, BOCE (SoR)

- **I)** Copy communicated to the Principal Secretary to Govt., I&CAD Dept., J-Block, Telangana Secretariat Buildings, Hyderabad.
- **II)** Copy Communicated to the following Heads of Departments along with Enclosures for information.
- 1) Engineer-in-Chief (Admn & NH), Roads & Buildings Department.
- 2) Engineer-in-Chief (P.H.), Public Health Department.
- 3) Engineer-in-Chief (P.R.), Panchayath Raj Department.

- 4) Engineer-in-Chief (RWS) R W S, Department.
- 5) Chief Engineer (Buildings), R&B Department.
- 6) Copy of C.D containing Schedule of Rates 2015-16 & Standard data, part-1 (Irrigation & CAD works) to all Engineers-in-Chief, Chief Engineers of Irrigation & CAD Department for favour of information.
- **III)** Copy to the Superintending Engineer, Irrigation Circle, Irrigation & CAD Department, Red Hill, Hyderabad for necessary action.

Sd/- J.Vijaya Prakash, 25.07.2015 Engineer-in-Chief (I.W.) Chairman, BOCE (SoR)

GOVERNMENT OF ANDHRA PRADESH ABSTRACT

Irrigation & CAD Department - Adoption of Revision and Updating of Andhra Pradesh Standard data in all Engineering/Public Works Department and other organisations - Orders - Issued.

IRRIGATION & CAD (PW- REFORMS) DEPARTMENT

G.O.Ms. No.49

Dated: the 2nd March, 2009 Read the following:-

1. G.O.Rt.No.7326 , GA (GPM/AR) Department dated 26.10.2005

- 2. From the Director General D.O.Letter.No.CGG/AP Standard Data/2006-07, dated 8.12.2006
- 3. Govt.Memo.No.36710/Reforms/I&CAD(PW) Dept., dated 22.6.2007
- 4. U.O.Note.No.36710/Reforms/2005, I&CAD (PW) Dpt., dt.29.6.2007
- 5. Govt. Memo. No. 36710/Reforms/2005, I&CAD Dept., dated 10.3.2008
- From ENC (AW)/IW I&CAD Dept., Letter.No.ENC/IW/P&M/EE.1/DEE.8 /19200-98, dated 21.4.2008

ORDER:

The basic components for preparing any estimate are Standard Specifications, Standard Data, and Schedule of Rates for construction materials, skilled and un-skilled labour and hire charges of machinery utilized To get the work done, as per the standard specifications, required quantities of recommended materials, requirement of specific need based manpower, deployment of proper utility based machinery and duration of its utilization are to be observed and quantified for each unit of work, and this is called Standard Data. Thus, the Standard Data gives the details of various inputs in terms of quantities required for one Unit of any work. Schedule of rates for material, skilled and unskilled labour are fixed and revised by the Board of Chief Engineers' once in a year and these are called Standard Schedule of Rates. When the Standard Schedule of Rates and Hire charges of machinery are incorporated in the inputs of Standard Data and Standard Schedule of Rates it will have direct bearing on the preparation of project Estimates and consequent finalization of Tenders.

(P.T.O.)

2. The existing AP Standard Data for various construction items were based on observations made several decades back mostly by utilizing manpower for execution of all items of works, and deployment of machinery was at the barest minimum. The advent of latest machinery and their extensive use has changed the structure and methodology of data formulation and rate structure. There is a need to revise the present "Standard Data" for all items of works dealing with Public works. Realizing the urgency and importance to have realistic data, Government in the GO.Rt.No.7326 G.A (GPM & AR) Department dated 26-10-2005 constituted a High Level Committee under the chairmanship of Special Chief Secretary, General Administration (GPM&AR) Department, to advise on "Updating and Revising the A.P.Standard Data". A project for Standard Data (revision) and Schedule of Rates was conceived and entrusted to the Centre for Good Governance. Keeping in view the strategy, factors considered and classification of works, a number of High Level Committee meetings and review meetings were conducted at Centre for Good Governance/ A.P.Secretariat and in the offices of concerned Engineers-in-Chief I&CAD, Public Health, Panchayati Raj and Roads & Buildings Departments etc. Their specific views, suggestions and recommendations were taken into account, besides collecting the data from various sources while finalizing the Draft AP standard Data and Standard Schedule of Rates. This has been cleared by the Board of Chief Engineers' and finally by the High level Committee. The Standard Data has been revised and updated in four parts considering nature of work, location of work and magnitude of work as indicated below.

1. PART - I : Irrigation & Command Area Development.

2. PART- II : Roads & Bridges.

3. PART-III : Buildings

4. PART-IV : Drinking Water Supply Schemes.

- 3. The revision of Standard Data and Schedule of Rates in respect of works items of Irrigation Department has been taken up by the SPIU (Irrigation) and completed as per the C.W.C guidelines and B.I.S standards and also observations and recommendations made by the High Level Committee. In respect of other Departments, MORTH data is adopted for Roads & Bridges, where higher capacity machinery can be deployed and MORD data—is adopted for Roads & Bridges in Rural areas. For other works data as per MORTH, MORD, and C.P.W.D.—etc., is adopted. The comparative estimates have been prepared by the T.R. &B Dept., Engineering-in-Chief (Irrigation) and MA & UD Department for various types of works of a magnitude of Rs.15-20 crores, based upon the earlier data and the newly revised and proposed data.
- 4. After detailed deliberations and discussion on the above issue, the Govt. accept the recommendations of Board of Chief Engineers and High level Committee and accordingly issue the orders for adoption of the Revised and Updated Standard data in all Engineering/ Public works Department and other organisations in four parts considering nature of work, location of work and magnitude of work as indicated below. The four parts of Standard Data

booklets are forwarded to Engineer-in-Chief (AW), who in turn will publish the authenticated version and circulate a copy to all works Departments.

1. PART - I

: Irrigation & Command Area Development.

2. PART- II

: Roads & Bridges.

3. PART-III

: Buildings

4. PART-IV

: Drinking Water Supply Schemes.

- 5. The Revised Data now approved is to be adopted by all Engineering Departments/ all Public Works Department and other organisations, duly superseding all the earlier orders issued on the subject.
- 6. These orders shall come into force from the date of issue.
- 7. This order issues with the concurrence of Finance Department vide their U.O.No.5532/520/Exp.PW.I Dept/08, dated 13-5-2008.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

RAJIV RANJAN MISHRA SECRETARY TO GOVERNMENT

To

All the Engineer-in-Chief of Irrigation & CAD Department.

All the Chief Engineers of Irrigation & CAD Department.

The Commissioner, Commissioner of Tenders,

The Engineer-in-Chief, PR &RD Department, Hyderabad.

The Engineer-in-Chief (R&B) Admn., Dept., Hyderabad.

The Engineer-in-Chief (PH) Hyderabad.

Copy to:

All the Collectors & Dist. Magistrate of Andhra Pradesh

All Sections in Irrign. & CAD (PW/Irrgn.) Dept.

The Accountant General Andhra Pradesh Hyderabad.

The G.A. (Cabinet) Dept. w.r.t. U.O.No.79/2009, dated 17-2-2009.

The G.A. (GPM&AR) Dept.

The Finance (W&P) Dept.

The P.S. to Ministers (PR & RD/ MA &UD/ T.R. & B / Housing)

The P.S. to Prl. Secy. (SKJ)/ P.S. to Secretary (AD)/ P.S. to Secretary (RRM)

The P.S. to Prl. Secretary, Housing/P.S. to Prl. Secy, M.A. & U.D. / P.S. to Secretary, T.R.& B / P.S. to Prl. Secretary, PR & RD./P.S. to Secretary, Housing.

All the Advisors of Irrgn. & CAD Dept. (Telongona) SF/SC.

// FORWARDED::BY ORDER//

J. Mara/conteesova. SECTION OFFICER

| O . I . | No. 10 de la colonia de la col | + |
|------------------------|--|------|
| Item Code | Item of the work | Page |
| | Proceedings for the Standard Data | |
| | G.O.Ms.No.49, I & CAD (PW: Reforms) Dept., dt:.2-3-2009. | |
| ! | PREAMBLE & GUIDELINES | i-> |
| PART-1 | IRRIGATION | |
| | Abstract of Items - Irrigation | 1- |
| | Abstract of Leads and Lifts | 46 |
| IRR-DAW | Dam And Allied Works (48-104) | |
| IRR-DAW-1 | EXCAVATION & FOUNDATION TREATMENT WORKS: | 48 |
| IRR-DAW-2 | REINFORCEMENT & CEMENT CONCRETE WORKS : | 59 |
| IRR-DAW-3 | MASONRY & GUNITING WORKS : | 78 |
| IRR-DAW-4 | CONTRACTION JOINT WORKS: | 84 |
| IRR-DAW-5 | EARTH / ROCKFILL EMBANKMENT WORKS : | 87 |
| IRR-DAW-6 | FILTER & PITCHING WORKS : | 96- |
| IRR-TAW | Tunnel & Allied Works (105-130) | |
| IRR-TAW-1 | EXCAVATION: | 105 |
| IRR-TAW-2 | DEWATERING & GUNITING WORKS : | 113 |
| IRR-TAW-3 | TEMPORARY & PERMANENT SUPPORTS : | 116 |
| IRR-TAW-4 | MASONRY WORKS : | 122 |
| IRR-TAW-5 | REINFORCEMENT & CONCRETE WORKS : | 123 |
| IRR-TAW-6 | DRILLING & GROUTING WORKS : | 128 |
| IRR-CAW | Canal And Allied Works (131-230) | _ |
| IRR-CAW-1 | EXCAVATION WORKS : | 131- |
| IRR-CAW-2 | EMBANKMENT WORKS USING BORROW AREA SOIL : | 146 |
| IRR-CAW-3 | EMBANKMENT WORKS USING DUMP AREA SOIL : | 153 |
| IRR-CAW-4 | EMBANKMENT WORKS USING EXCAVATED SOIL : | 158 |
| IRR-CAW-5 | FOUNDATION FILLING WORKS : | 163 |
| IRR-CAW-6 | ROCK FILL WORKS : | 171 |
| IRR-CAW-7 | CANAL LINING WORKS : | 173 |
| IRR-CAW-8 | ROCK PITCHING: | 217 |
| IRR-CCDW | Canal & Cross Drainage Works (229-284) | _ |
| IRR-CCDW-1 | EXCAVATION & FOUNDATION TREATMENT WORKS : | 229 |
| IRR-CCDW-2 | STEEL AND CEMENT CONCRETE WORKS : | 235 |
| IRR-CCDW-3 | FOUNDATION WELL SINKING WORKS: | 261 |
| IRR-CCDW-4 | MASONRY WORKS : | 263 |
| IRR-CCDW-5 | COPING & RAILING WORKS : | 270 |
| IRR-CCDW-6 | HUME PIPE LAYING & JOINTING WORKS : | 274 |
| IRR-CCDW-7 | BACK FILLING & OTHER WORKS : | 280 |
| IDD CAW | Cotoo/Heigte And Allied Wester (205 247) | 4 |
| IRR_GAW | Gates/Hoists And Allied Works (285-317) NOTES ON GATES/HOISTS AND ALLIED WORKS | |
| IRR_GAW-1 | RADIAL GATES | 28 |
| _ | | 285 |
| IRR_GAW-2 | VERTICAL LIFT GATES SAND BLASTING AND PAINTING: | 291 |
| IRR_GAW-3 IRR_GAW-4 | PAINTING WITHOUT SAND BLASTING: | 310 |

| | Item Code | Item of the work | Page No. |
|----------|--------------------------|--|----------|
| | IRR-PMW | Preliminary And Maintenance Works (318-354) | |
| | IRR-PMW-1 | JUNGLE CLEARANCE : | 318-328 |
| | IRR-PMW-2 | PRELIMINARY WORKS : | 328-338 |
| | IRR-PMW-3 | MAINTENANCE WORKS : | 338-354 |
| | | | |
| | COMMON ITEMS TO A | ALL DEPARTMENTS (unless specified) | |
| | | | |
| | COM-MWRK | A. Manual Works | 355-355 |
| | COM-LDLFT | B. Lead/Lift/Loading & Unloading Charges | 356-356 |
| | | (to follow MORTH standardsfor the items not covered ,as | |
| | | applicable to roads and bridge works) | |
| | COM-LDLFT | Notes on Lead and Lift | 356-356 |
| | COM-LDLFT-1 | (Lead) Conveyance Charges for materials by head load | 356-356 |
| | | (Lead) Conveyance charges for machinery per kilometer for | |
| | | transporting materials by tippers and trucks, excluding | |
| | | loading, unloading and hire charges of machinery. | |
| | | | |
| | COM-LDLFT-2 | | 356-356 |
| | | LOADING AND UNLOADING CHARGES BY MANUAL | |
| | COM-LDLFT-3 | MEANS (Idle hire charges of trucks are not added) | 356-357 |
| | | LOADING AND UNLOADING CHARGES BY MANUAL | |
| | COM-LDLFT-4 | MEANS (including idle hire charges of trucks) | 357-357 |
| | | LOADING AND UNLOADING CHARGES BY MECHANICAL | |
| | | MEANS (including idle hire charges of trucks) | |
| | COM-LDLFT-5 | | 357-357 |
| | COM-LDLFT-6 | LIFT CHARGES FOR MATERIALS BY HEAD LOAD | 357-357 |
| | COM-DTL-LDLFT-1 | (Lead) Conveyance Charges for materials by head load | 358-359 |
| | | (Lead) Conveyance charges for machinery per kilometer for | |
| | | transporting materials by tippers and trucks, excluding | |
| | | loading, unloading and hire charges of machinery. | |
| | COM DTI I DI ET C | | 050 005 |
| | COM-DTL-LDLFT-2 | LOADING AND UNIT OADING GUADOEG DYANGANIA | 359-365 |
| | COM DTI I DI ET C | LOADING AND UNLOADING CHARGES BY MANUAL | 205 200 |
| | COM-DTL-LDLFT-3 | MEANS (idle hire charges of trucks are not added) | 365-366 |
| | COMPTILIBLET 4 | LOADING AND UNLOADING CHARGES BY MANUAL | 200 207 |
| - | COM-DTL-LDLFT-4 | MEANS (including idle hire charges of trucks) LOADING AND UNLOADING CHARGES BY MECHANICAL | 366-367 |
| | | | |
| | COM DTI I DI CT 5 | MEANS (including idle hire charges of trucks) | 007.000 |
| <u> </u> | COM-DTL-LDLFT-5 | LIFT CHARGE FOR MATERIAL C. DV LIFAR LOAD | 367-368 |
| <u> </u> | COM-DTL-LDLFT-6 | LIFT CHARGES FOR MATERIALS BY HEAD LOAD | 368-369 |
| | | Hire Charges | 370-371 |

T.S. REVISED STANDARD DATA

PREAMBLE

The TS Revised Standard data for various construction items has come into existence as per the Government orders G.O.Ms.No.49, I & CAD (PW: Reforms) Dept., dt: 2-3-2009.

The background for adoption of Telangana Revised Standard Data is:

1. Government, in GO 7326 (GAD-GPM& AR), Dated 26-10-2005, has observed that the age old "Standard data" requires revision and updation with reference to the latest machinery and contemporary practices and has constituted a High Level Committee to advise on updating and revision of standard data and schedule of rates. The work has been taken up by CGG and SPIU-irrigation. The secretary (Irrigation) is the member- convener of the committee

Accordingly the data has been revised adopting the procedures and guidelines given by CWC, Report on "committee on cost control of river valley Projects, BIS specifications, NHAI, MORTH, MORD, CPWD and Government of Karnataka and revised data and formulated schedule of rates for all infrastructure Departments (I&CAD, R&B, PR and PH). The team of senior engineers interacted with the S.R Committee of Karnataka on implementation and improvements needed. For irrigation works, the data pattern as adopted by Karnataka has been considered and for other Departments, the data adopted by MORTH, MORD and NHAI etc. is considered.

- 2. Sequence followed in revision of standard data is,
 - a) The first step is the revision and formulation of standard data for each work component.

- b) The second step is to work out the details of inputs. This enables to generate the unit work item rates, by incorporating the use rates of machinery, materials, labour charges and other supplementary parameters.
- c) (c) The third step is to develop software tool to generate unit rate using the software (completed for irrigation works by the SPI Unit of Irrigation)
- 3. The Detailed draft data was communicated to all the HOD's and interacted through many seminars and discussions and incorporated the relevant features. The Board of chief engineers in their meetings have recommended for acceptance to the data formulated and schedule of rates. It was proposed to examine the recommendations on important parameters, to refer to high level committee, for their specific recommendations for adoption, as they are common to all departments.

The committee made in depth study on the methodology and systems followed by the reputed National organizations and other States and made detailed deliberations with HOD's and representatives of Builders Association of India and made recommendations to the Government, on adoption of such parameters in Telangana.

4. The Chief Secretary held a detailed discussions on 04-07-2007, with the Secretaries of the Departments and Heads of Departments.

GUIDELINES

- 1) The Revised Standard Data is formulated under four Parts, which are applicable to all the Engineering Departments and other Organisations.
- PART -1: Irrigation CAD (Dam and Allied Works, Canals and Allied Works, Canal C.D. Works, Tunnels and Allied Works, Preliminary and Maintenance Works, Hydraulic Gates and allied works and Leads and Lifts applicable to all Departments
- PART -2: Roads and Bridges
- PART -3: Buildings including Electrical Works
- PART -4: Drinking Water Supply and Public Health (ONLY FOR WORKS DONE BY MANUAL MEANS)

2) Brief description of item of work. :

Brief description of the item of work to cover all important aspects of the work included in the in the Data. On reading the item description, the user should be in a position to assess the various cost components involved in the work.

3) Data for assessing quantities:

The data reflects various assessments / assumptions made in arriving at the quantities of materials, machinery, labour and other in-puts. In case of plants and equipment the output of main plant is worked out and the requirement of all other inputs and assessed to match the output of the main plant. Cycle time of operations is the criteria for assessing the output of equipment. Generally the equipment manufacturers furnish the output of machinery under ideal conditions of working. Suitable job and management efficiency factors are considered while working out the average output of machinery under field conditions. In case of combination of machinery and manpower, the assessment of manpower shall match the output of machinery.

Though cycle time of operations is the criteria for hourly / daily out-put of machinery work-force ,the actual progress of work depends on several other

factors such as power interruptions, minor break-downs, time for meals and other needs of work-force, stray rains etc. Therefore, it is the general practice to consider 50 minutes as the actual working time per hour for working out the hourly / daily out-put of machinery / work-force. CWC / BIS guide-lines stipulate the actual working hours for the purpose of equipment planning and utilisation. The daily out-put is computed duly considering the actual available working time and feed back from the field.

- For gate and hoist works, it is the general practice to specify the quantity
 of work in terms of number of sets of embedded parts / gates. The
 requirement of machinery and work-force for cutting, bending,
 fabrication, erection, painting etc., is assessed to commensurate with the
 task involved.
- The data for gates and E.M. Parts is arrived per Ton quantity.
- The data for Hoists and Gantry Cranes is worked out on the basis of capacity in tonnage
- 4) The lead and lift charges provided in <u>PART-I (B)</u> are generally applicable and common to all Departments. Any item is not covered in this part, the rates as provided in the data of the relevant works may be adopted in preparation of estimates.
- 5) The basic material inputs needed for all works are listed and incorporated in the data. The requirements are analyzed and the specifications adopted shall confirm to Standards published by the BIS.
 - The labour and material rates will be communicated by the Board of Chief engineers.
 - Unless otherwise specified, all material rates shall be inclusive of all taxes, duties, levies, transportation and handling costs up to project area.
 - For sand, gravel, murum, stones, course aggregates etc, the rates are to be fixed for delivery at Quarry, adding loading charges by machinery /

- manual means and idle hire charges of machinery (as per table under chapter "conveyance or lead and lift charges"), as applicable.
- For steel, Cement, AC sheets, GI sheets, Hume pipes, wood and stone slabs, the rates are to be taken prevailing at major commercial centre near project area. The lead charges, as applicable are to be added in preparing estimates.
- The specifications of the aggregates for sizes and gradation and its adoption shall be as per IS 383.
- **6) The labour** component in the data is mentioned for unit work.
 - No allowance towards labour importation and labour amenities added extra as they are included in the recommended overheads.
 - On Labour Component: Certain additional allowances are added extra to the wages of labour (,i.e. only on labour component in the work item) in the form of percentage, as recommended by the Government/Board of chief engineers due to statutory and other provisions.
 - However, If more than one area allowances, such as those for (1)
 Municipalities (2) Agency / Tribal areas (3) Industrial areas are applicable
 for a particular situation, only the maximum out of the allowable
 percentages is to be allowed.
- 7) HIRE CHARGES OF MACHINERY: The machinery and /or group of machinery for items of works and their output has been worked based on the availability of machinery generally in the market and working in the field successfully, duly considering cycle time, idle time, operator efficiency, type of work etc.
 - The hire charge of a machinery / equipment is worked out based on the guidelines published by CWC and BIS codes.
 - For the other machinery not covered by the list, the R&B and other users may adopt hire charges as recommended by the MORTH.

8) Lead Charges

- The high level committee has recommended to adopt, for conveyance by head load, a minimum lead of 50 meters and additional lead up to 150 meters in the intervals of 50 meters. Beyond 150 meters lead, only machinery rates are to be adopted.
- The basic work item rates provided in the Standard Data & Schedule of rates include 50 m or 1 km as initial lead and no lead charges shall be allowed where the source of material is within the initial lead specified in item rate. Additional lead charges shall be allowed for the lead exceeding initial lead specified in the item rate. The Guidelines may be followed regarding adding Lead charges as given against each chapter.
- The lead charges per unit quantity for conveyance of the materials are worked out, and included in the schedule of rates in increment of 50 m for head load and in increment of 1 km for mechanical mode.
- The rates for lead charges by head load up to 150 meters and by machinery up to 5 km, shall be cumulative and inclusive of lead charges for preceding lead. For lead beyond 5 km, the lead charges shall be worked out on per km basis.

9) Loading and Unloading charges for Materials

The following features are considered:

- 1. Loading and unloading charges are not payable for conveyance by head load.
- 2. Loading and unloading charges are not payable for conveyance by mechanical means, for disposal of excavated material unless specified.
- The rates for unloading of materials except earth, sand, gravel, coarse aggregate, rubble, size stone and cut stone, are inclusive of stacking wherever applicable.

10) LIFT CHARGES:

- The data includes initial lift charges of 3 meters ,for materials conveyance by head load, Additional leads in the interval of 1.0 meters are worked out, as additional labour input and incorporated in the chapter on Lead and lifts.
- Where the conveyance / lifting of material is done by mechanical means,
 lift charges shall not be considered, as the cycle time of operation of the machine includes lifts involved.
- The data and rates for lift charges is cumulative and are inclusive of rates for preceding lifts also.

11) Wastage of Materials

- I) Cement: No wastage allowance is recommended towards the quantity of cement used in works, as the wastage is already included in the input and in major works, bulk quantities are used.
- structures. For RCC works the wastage is @2.5% for the reinforcement rods above 36mm dia. and @ 5% for rods below 36mm dia. Including overlaps, if they are not welded.

 If welding is adopted for the reinforcement rods even for below 36mm

If welding is adopted for the reinforcement rods even for below 36mm dia, 2.5% of wastage is only recommended.

12) Provision for rate of water:-

The Committee has recommended not to consider the water charges in the Irrigation Project works. But, it may be considered in specific cases as per the site conditions.

13) In respect of RCC works the rate for cement concrete for 1 cum is worked separately for all grades based on Indian Standards. The rate for ton is

calculated separately and to be added separately in the estimates of RCC works as a separate item.

- **14) Soil classification**: The Committee recommended to allow uniform classification of soils for all Departments and data is worked out accordingly.
- 1. all soils
- 2. Marshy soil
- 3. ordinary rock (not requiring blasting),
- 4. hard rock
 - a. hard rock (requiring blasting)
 - b. hard rock (controlled blasting)
 - c. removable by chiseling(blasting prohibited)

15) Use of Super Plasticizers and Admixtures:

Concrete admixtures such as Air-Entraining Agent (AEA) / Water reducing agent can be used advantageously for better quality concrete. The high level committee has recommended to adopt for super plasticizers and admixtures at 0.4% on cement for concrete work as per MORTH standards for batching plants.

16) Contractors overheads, profit and other provisions:

- High Level Committee has recommended adding 14% towards contractor overheads and profit including labour importation and amenities etc., as given below which includes various items recommended in MORTH.
- The provision for VAT at 5% or as fixed by the Government from time to time should be made separately in Part-B of the estimate. In the agreements it should be mentioned that it will be reimbursed as per actual. The provisions allowed in G.O.Ms.No.94, I&CAD, dt: 01.07.03, need not be added separately for the items covered in the contractor overhead charges.
- The provision for labour Cess at 1% or as fixed by the Government from time to time should be made separately in Part-B of the estimate.

The overhead charges include the following elements:

- Site accommodation, setting up plant, access road, water supply, electricity and general site arrangements.
- Office furniture, equipment and communications
- Expenditure on:
- Corporate office of contractor
- site supervision
- Documentation and "as built" drawings
- Mobilisation/ de-mobilisation of resources
- Labour camps with minimum amenities and transportation to work sites.
- Light vehicles for site supervision including administrative and managerial requirements.
- Laboratory equipment and quality control including field and laboratory testing.
- Minor T & P and survey instruments and setting outworks, including verification
 of line, dimensions, trial pits and bore holes, where required.
- Watch and ward
- Traffic management during construction
- Expenditure on safeguarding environment
- Sundries
- Financing Expenditure
- Sales/ Turn overtax
- Work Insurance/ compensation

17) EXCISE DUTY ON SUPPLIES:

In respect of gates, hoists and allied works, excise duty is applicable on the value of fabricated components supplied to site. Excise duty is not applicable on erection charges. Further, the excise duty shall not be considered in the rate analysis on material component, as basic material rates are inclusive of excise duty. Therefore, excise duty is considered in the rate analysis only on machinery and labour components required for fabrication of gates and hoists at the central fabrication yard. It is difficult to determine the machinery and labour components separately for fabrication and erection.

For the purpose of computation of excise duty to be included in the rate analysis the machinery and labour components may apportioned at 75% for central fabrication yard and 25% for field erection and commissioning. Therefore, 75% of the machinery and labour components may be considered for assessing the extent of excise duty to be added in the rate analysis.

18) DEWATERING & DESILTING:

The High level committee considering the local conditions of rainfall / seepage has recommended towards de-watering and de-silting at 3 percent on the relevant work component for which dewatering is required.

It is also proposed as per CWC guidelines, to keep a condition in the agreements shall be incorporated, to fix a ceiling of 5% in extreme cases, with the specific approval of chief engineer/Government.

19) Computerization Of Data:

- A software program is developed by the SPI Unit (Irrigation), which facilitates automatic changes and generation of unit rates, based on basic input rates of Labour, materials and capital cost of machinery.
- A soft ware tool is also developed for auto preparation of estimates based on in put quantities.
- Other Departments are also advised to develop such program.
- **20)** For each chapter separate additional details are incorporated for clarity.

USER GUIDELINES OF REVISED STANDARD DATA

- 1. Please select the item of work, as given in Index Code, and view the relevant data.
- 2. The common data items like, lead, lift, conveyance and manual excavation (without involving contracting agencies) is applicable to all Departments (volume-1).
- 3. The departments have to adopt the relevant data from other Departments, if such works are executed by them.
- 4. The unit rate /hire charges, of machinery not covered in the Irrigation data, the MORTH data may be taken with the approval of Board of Chief Engineers.
- 5. For "Drinking water Supply works" (PART-IV), the data incorporated is generally applicable only for manual means of execution. The rates deploying machinery have to be worked out by the Board of Chief engineers and approved for adoption.

1. ROLE OF CENTRAL COMPETENT AGENCY FOR SCHEDULE OF RATES

(BOARD OF CHIEF ENGINEERS)

a) The Board Of Chief Engineers under the chairman ship of Engineer-in-Chief, (administration) I&CAD Department is the competent authority to finalise and recommend the Schedule of Rates applicable for all engineering Departments. The board has to assess and incorporate only the three basic inputs required to generate unit work item rates as below.

Basic rates of labour:

Wages of labour commonly required in execution of works has to be arrived and incorporated in the schedule of rates (Basic Input Of Labour Wages), without adding extra towards area allowances (like municipality allowance, tribal area and ghat road allowances etc, which shall be added to the rates where applicable in the form of separate percentage as explained in the preceding paras. The rates shall be the prevailing daily rates in the State and shall not be less than the minimum wages fixed by the Government from time to time.

Materials rates:

The basic input material rates common to all departmental works are listed out and incorporated (in the chapter "Basic inputs") The material specifications adopted shall confirm to Standards published by the BIS.

The Prevailing market rates for all basic input materials shall be obtained from the major commercial centers near the project areas. Average of the rates, ignoring freak rates, shall be reckoned as the prevailing market rate.

Unless otherwise specified, all material rates shall be inclusive of all taxes, duties, levies, royalty, transportation and handling costs up to project area.

For sand, gravel, murrum, stones, aggregates etc, the rates are for delivery at Quarry including loading charges and idle hire charges. For steel, Cement, AC sheets, GI sheets, Hume pipes, wood and stone slabs, the rates prevailing at major commercial centre near project area has to be adopted.

Use rate of machinery:

The third parameter for incorporation in the Basic Inputs, is the use rate of machinery. To arrive at the use rate of machinery, the inputs to be incorporated are

- The list and capital cost of machinery required to be used in the construction activity, The rate has to be obtained from major manufacturers and outlet sources and the rate shall be the current market price inclusive of all taxes, duties and freight charges.
- The prevailing fuel charges of petrol and diesel are ascertained and average rate adopted
- Borrow rate of interest as fixed by the Government/competent authority be indicated.
- For the other machinery not covered by the list, the R&B and other users may adopt hire charges as recommended by the MORTH
- b) The Chairman, Board of Chief Engineers or competent authority appointed by the Government, based on the approved basic inputs, load the above three basic parameters in the software program. The unit rate of all works including hire charges of all machinery will be generated automatically for adoption.

He shall communicate the uniform Schedule of rates arrived from Standard Data, to all users for uniform and direct adoption in all infrastructure Departments, as applicable

| Criapher Component Compo | ** Area Allowand | e inclu | WORK ITEM RATES FOR THE YEAR - 2015-16 Area Allowance and VAT as applicable in the estimate udes profit component also vithout Seigniorage Charges | | | |
|--|---|---------|--|------|--------|--------|
| 1 2 3 4 5 6 | | S.NO | Item description | Unit | Rate | |
| IRR-DAW-1-1 IRR-DAW-1-1 IRR-DAW-1-1 IRR-DAW-1-1 IRR-DAW-1-1 IRR-DAW-1-1 IRR-DAW-1-1 IRR-DAW-1-2 IRR-DAW-1-2 IRR-DAW-1-2 IRR-DAW-1-2 IRR-DAW-1-2 IRR-DAW-1-2 IRR-DAW-1-2 IRR-DAW-1-3 IRR-DAW-1-4 IRR-DAW-1-4 IRR-DAW-1-4 IRR-DAW-1-5 IRR-DAW-1-6 IRR-D | 1 | 2 | 3 | 4 | 5 | |
| IRR-DAW-1-1 Excavation for foundation in all kinds of soil including busiders upto 0.30 m diameter for dam, pillway, intake structure and other appurtnant works and placing the excavated soil neath in dump area or disposing off the same as directed etc., complete with initial lead upto 1 km and all lifts. | | | DAM AND ALLIED WORKS | | | |
| IRR-DAW-1-1 1 Exception for foundation in all kinds of stall including boulders upto 0.30 m | IKK-DAW | | BAIN AND ALLIED WORKS | | | |
| iRR-DAW-1-1 1 diameter for dam, spilway, intake structure and other appurtenant works and placing the exexavated of intends in dump area or disposing off the same as directed etc., complete with initial lead upto 1 km and all litts. Labour Component (including contractor's profit and Overheads) | IRR-DAW-1 | | EXCAVATION & FOUNDATION TREATMENT WORKS: | | | |
| Excavation for foundation in ordinary rock (including HDR) without blasting including boulders above 0.3 m upto 0.6 m dia for dam, spillway, intake structure and other appurtnenant works and placing the excavated material neatly in dump area or disposing off the same as directed etc., complete with initial lead unto 1.6 m and all lifts. Labour Component (including contractor's profit and Overheads) Excavation for foundation in hard rock (including F&F) requiring blasting including boulders above 0.6 m upto 1.2 m dia. for dam, spillway, intake structure and other appurtnenant works and placing the excavated material neatly in dump area or disposing off the same as directed etc., complete with initial lead unto 1.1 km and all lifts. Excavation for foundation in hard rock (including F&F rock) including boulders above 0.8 m upto 1.2 m dia. by controlled blasting and controlling boulders above 0.8 m upto 1.2 m dia. by controlled blasting and controlling boulders above 0.8 m upto 1.2 m dia. by controlled blasting and controlling boulders above 0.8 m upto 1.2 m dia. by controlled blasting and controlling boulders above 0.8 m upto 1.2 m dia. by controlled blasting and controlling boulders above 0.8 m upto 1.2 m dia. by controlled blasting including contractor's profit and Overheads) Excavation for foundation in hard rock of all toughness by blasting including contractor's profit and Overheads) Excavation for foundation in hard rock of all toughness by blasting including boulders above 1.2 m dia. for dam, spillway, intake structure and other appurtnenant works and placing the excavated rock neathy in dump area or stack yard including levelling as directed etc., complete with initial lead upto 1 km and all lifts. Excavation for foundation in hard rock of all toughness including boulders above 1.2 m dia. by controlled blasting method and controlling fly-rock by muffling arrangements for dam, spilway, intake structure and other appurtnenant structures are. Including placing and levelling the excavated rock neathy in | IRR-DAW-1-1 | 1 | diameter for dam, spillway, intake structure and other appurtenant works and placing the excavated soil neatly in dump area or disposing off the same as | cum | 120.10 | |
| IRR-DAW-1-2 2 including boulders above 0.3 m upto 0.6 m dia for dam, spillway, intake 2 structure and other appurenant works and placing the excavated material neaty in dump area or disposing off the same as directed etc., complete with initial lead unto 1.1 man and IIII/6s. Excavation for foundation in hard rock (including F&F requiring blasting including boulders above 0.6 m upto 1.2 m dia. for dam, spillway, intake structure and other appurenant works and placing the excavated material neaty in dump area or disposing off the same as directed etc., complete with initial lead unto 1.1 km and all III/6s. Labour Component (including contractor's profit and Overheads) Excavation for foundation in hard rock (including F&F rock) including boulders above 0.6 m upto 1.2 m dia. by controlled blasting and controlling boulders above 0.6 m upto 1.2 m dia. by controlled blasting and controlling boulders above 0.6 m upto 1.2 m dia. by controlled blasting and controlling boulders above 0.6 m upto 1.2 m dia. by controlled blasting and controlling boulders above 0.6 m upto 1.2 m dia. by controlled blasting and controlling boulders above 0.6 m upto 1.2 m dia. by controlled blasting and controlling boulders above 0.6 m upto 1.2 m dia. by controlled blasting and controlling boulders above 0.6 m upto 1.2 m dia. by controlled blasting and controlling boulders above 0.6 m upto 1.2 m dia. by controlled blasting and controlling boulders above 0.6 m upto 1.2 m dia. by controlled blasting and controlling boulders above 0.6 m upto 1.2 m dia. by controlled blasting and controlling boulders above 0.6 m upto 1.2 m dia. by controlled blasting boulders above 0.6 m upto 1.2 m dia. by controlled blasting and controlling boulders above 1.2 m dia. by controlled blasting method and controlling fly-rock by multiling arrangements for dam, spillway, intake structure and other appurtenant structures etc., including placing and levelling the excavated rock neathy in dump area or other place as directed etc., complete with lead upto 1 km and all li | | | Labour Component (including contractor's profit and Overheads) | cum | | 24.10 |
| Excavation for foundation in hard rock (including F&F) requiring blasting including boulders above 0.6 m upto 1.2 m dia. for dam, spillway, intake structure and other appurentant works and pleaning the excavated material neatly in dump area or disposing off the same as directed etc., complete with initial lead untar I km and all IIIs. Labour Component (including contractor's profit and Overheads) Excavation for foundation in hard rock (including F&F rock) including boulders above 0.6 m upto 1.2 m dia. by controlled blasting and controlling boulders above 0.6 m upto 1.2 m dia. by controlled blasting and controlling appurenant works and other open foundation works and plecing the excavated material neatly in dump area or disposing off the same as directed etc., complete with initial lead upto 1 km and all leads Labour Component (including contractor's profit and Overheads) Excavation for foundation in hard rock of all toughness by blasting including boulders above 1.2 m dia. by controlled blasting and controlling boulders above 1.2 m dia. by controlled blasting including boulders above 1.2 m dia. by controlled blasting method and controlling fly-rock by muffling arrangements of complete with initial lead upto 1 km and all lifts. Excavation for foundation in hard rock of all toughness including boulders above 1.2 m dia. by controlled blasting method and controlling fly-rock by muffling arrangements for dam, spillway, intake structure and other appurtenant structures etc., including placing and levelling the excavated rock neatly in dump area or other place as directed etc., complete with initial lead upto 1 km and all lifts. Excavation for foundation in hard rock of all toughness including boulders above 1.2 m dia. by interdiffice and toughness including boulders above 1.2 m dia. by interdiffice and several dia position and other appurtenant structures etc., including dressing sides and bed to required level / profile, placing and levelling the excavated rock neatly in dump area or other place as directed et | IRR-DAW-1-2 | 2 | including boulders above 0.3 m upto 0.6 m dia for dam, spillway, intake structure and other appurtenant works and placing the excavated material neatly in dump area or disposing off the same as directed etc., complete with initial lead upto 1 km and all lifts . | cum | 159.10 | |
| iRR-DAW-1-3-3 including boulders above 0.6 m upto 1.2 m dia. for dam, spillway, intake um 241.40 in dump area or disposing off the same as directed etc., complete with initial lead unto 1.1 m and all IIIs. Labour Component (including contractor's profit and Overheads) cum 241.40 | | | Labour Component (including contractor's profit and Overheads) | cum | | 31.20 |
| IRR-DAW-1-3-A New Item 2014- 15-1 Excavation for foundation in hard rock (including F&F rock) including boulders above 0.6 m upto 1.2 m dia. by controlled blasting and controlling fly rock by muffling arrangements for dam, spillway, intake structure and other appurtenant works and other open foundation works and placing the excavated material neatly in dump area or disposing off the same as directed etc., complete with initial lead upto 1 km and all leads. Excavation for foundation in hard rock of all toughness by blasting including boulders above 1.2 m dia. For dam, spillway, intake structure and other appurtenant works and placing the excavated rock neatly in dump area or stack yard including levelling as directed etc., complete with initial lead upto 1 km and all leads. Excavation for foundation in hard rock of all toughness by blasting including boulders above 1.2 m dia. by controlled blasting method and controlling fly-rock by muffling arrangements for dam, spillway, intake structure and other appurtenant structures etc., including placing and levelling the excavated rock neatly in dump area or other place as directed etc., complete with lead upto 1 km and all lifts. Excavation for foundation in hard rock of all toughness including boulders above 1.2 m dia. by controlled blasting method and controlling fly-rock by muffling arrangements for dam, spillway, intake structure and other appurtenant structures etc., including placing and levelling the excavated rock neatly in dump area or other place as directed etc., complete with lead upto 1 km and all lifts. Excavation for foundation in hard rock of all toughness including boulders above 1.2 m dia. by line drilling and smooth blasting and controlling fly-rock by muffling arrangements for dam, spillway, intake structure and other appurtenant structures etc., including dressing sides and bed to required level / profile, placing and leveling the excavated rock neatly in dump area or other place as directed etc., complete with lead upto 1 km and all lifts. 1 | IRR-DAW-1-3 | 3 | including boulders above 0.6 m upto 1.2 m dia. for dam, spillway, intake structure and other appurtenant works and placing the excavated material neatly in dump area or disposing off the same as directed etc., complete with initial | cum | 241.40 | |
| New Item 2014- 4 15-1 4 4 15-1 4 4 15-1 4 4 15-1 4 4 15-1 4 4 15-1 4 4 15-1 4 4 15-1 4 4 15-1 4 4 15-1 4 4 15-1 4 4 15-1 4 4 15-1 4 4 15-1 4 4 15-1 4 4 15-1 15-1 4 15-1 4 15-1 1 | | | | cum | | 55.70 |
| Excavation for foundation in hard rock of all toughness by blasting including boulders above 1.2 m dia. for dam, spillway, intake structure and other appurtenant works and placing the excavated rock neatly in dump area or stack yard including levelling as directed etc., complete with initial lead upto 1 km and all lifts. Labour Component (including contractor's profit and Overheads) cum 107.70 Excavation for foundation in hard rock of all toughness including boulders above 1.2 m dia. by controlled blasting method and controlling fly-rock by muffling arrangements for dam, spillway, intake structure and other appurtenant structures etc., including placing and levelling the excavated rock neatly in dump area or other place as directed etc., complete with lead upto upto 1 km and all lifts. Labour Component (including contractor's profit and Overheads) cum 118.00 Excavation for foundation in hard rock of all toughness including boulders above 1.2 m dia. by line drilling and smooth blasting and controlling fly-rock by muffling arrangements for dam, spillway, intake structure and other appurtenant structures etc., including dressing sides and bed to required level / profile, placing and levelling the excavated rock neatly in dump area or other place as directed etc., complete with lead upto 1 km and all lifts. i) For the purpose of payment 1 m width of excavation along boundary of excavation shall be treated as excavation by normal / controlled blasting as the case may be. ii) The rate includes controlling fly-rock wherever required. iii) The rate includes controlling fly-rock wherever required. iii) The rate under this item shall be paid only on ascertaining that the excavated face has come of fineatly as per specifications or atleast 50 percent of smooth blast holes are visible for inspection and are spaced at specified interval. iv) In case, where the above criteria is not fulfilled payment shall be restricted to rate provided for excavation by normal blasting or controlled blasting as the case may be. | IRR-DAW-1-3-A New Item 2014- 15-1 | 4 | boulders above 0.6 m upto 1.2 m dia. by controlled blasting and controlling fly rock by muffling arrangements for dam, spillway, intake structure and other appurtenant works and other open foundation works and placing the excavated material neatly in dump area or disposing off the same as directed etc., complete with initial lead upto 1 km and all leads | cum | 367.20 | 05.40 |
| Excavation for foundation in hard rock of all toughness by blasting including boulders above 1.2 m dia. for dam, spillway, intake structure and other appurtenant works and placing the excavated rock neathy in dump area or stack yard including levelling as directed etc., complete with initial lead upto 1 km and all lifts. Labour Component (including contractor's profit and Overheads) cum 107.70 Excavation for foundation in hard rock of all toughness including boulders above 1.2 m dia. by controlled blasting method and controlling fly-rock by muffling arrangements for dam, spillway, intake structure and other appurtenant structures etc., including placing and levelling the excavated rock neathy in dump area or other place as directed etc., complete with lead upto upto 1 km and all lifts. Labour Component (including contractor's profit and Overheads) cum 118.00 Excavation for foundation in hard rock of all toughness including boulders above 1.2 m dia. by line drilling and smooth blasting and controlling fly-rock by muffling arrangements for dam, spillway, intake structure and other appurtenant structures etc., including dressing sides and bed to required level / profile, placing and levelling the excavated rock neathy in dump area or other place as directed etc., complete with lead upto 1 km and all lifts. i) For the purpose of payment 1 m width of excavation along boundary of excavation shall be treated as excavation by normal / controlled blasting as the case may be. ii) The rate includes controlling fly-rock wherever required. iii) The rate includes controlling fly-rock wherever required. iii) The rate includes controlling fly-rock wherever required. iii) In case, where the above criteria is not fulfilled payment shall be restricted to rate provided for excavation by normal blasting or controlled blasting as the case may be. | | | Labour Component (including contractor's profit and Overneads) | cum | | 65.40 |
| Labour Component (including contractor's profit and Overheads) cum 107.70 | IRR-DAW-1-4(a) | 5 | boulders above 1.2 m dia. for dam, spillway, intake structure and other appurtenant works and placing the excavated rock neatly in dump area or stack yard including levelling as directed etc., complete with initial lead upto 1 km | | 432.40 | |
| above 1.2 m dia. by controlled blasting method and controlling fly-rock by muffling arrangements for dam, spillway, intake structure and other appurtenant structures etc., including placing and levelling the excavated rock neatly in dump area or other place as directed etc., complete with lead upto upto 1 km and all life. Labour Component (including contractor's profit and Overheads) Excavation for foundation in hard rock of all toughness including boulders above 1.2 m dia. by line drilling and smooth blasting and controlling fly-rock by muffling arrangements for dam, spillway, intake structure and other appurtenant structures etc., including dressing sides and bed to required level / profile, placing and levelling the excavated rock neatly in dump area or other place as directed etc., complete with lead upto 1 km and all lifts. i) For the purpose of payment 1 m width of excavation along boundary of excavation shall be treated as excavation by line drilling and smooth blasting and remaining portion shall be treated as excavation by normal / controlled blasting as the case may be. ii) The rate includes controlling fly-rock wherever required. iii) The rate under this item shall be paid only on ascertaining that the excavated face has come off neatly as per specifications or atleast 50 percent of smooth blast holes are visible for inspection and are spaced at specified interval. iv) In case, where the above criteria is not fulfilled payment shall be restricted to rate provided for excavation by normal blasting or controlled blasting as the case may be. | | | | cum | | 107.70 |
| Excavation for foundation in hard rock of all toughness including boulders above 1.2 m dia. by line drilling and smooth blasting and controlling fly-rock by muffling arrangements for dam, spillway, intake structure and other appurtenant structures etc., including dressing sides and bed to required level / profile, placing and levelling the excavated rock neatly in dump area or other place as directed etc., complete with lead upto 1 km and all lifts. i) For the purpose of payment 1 m width of excavation along boundary of excavation shall be treated as excavation by line drilling and smooth blasting and remaining portion shall be treated as excavation by normal / controlled blasting as the case may be. ii) The rate includes controlling fly-rock wherever required. iii) The rate under this item shall be paid only on ascertaining that the excavated face has come off neatly as per specifications or atleast 50 percent of smooth blast holes are visible for inspection and are spaced at specified interval. iv) In case, where the above criteria is not fulfilled payment shall be restricted to rate provided for excavation by normal blasting or controlled blasting as the case may be. | IRR-DAW-1-5(b) | 6 | above 1.2 m dia. by controlled blasting method and controlling fly-rock by muffling arrangements for dam, spillway, intake structure and other appurtenant structures etc., including placing and levelling the excavated rock neatly in dump area or other place as directed etc., complete with lead upto upto 1 km and all | cum | 680.30 | |
| above 1.2 m dia. by line drilling and smooth blasting and controlling fly-rock by muffling arrangements for dam, spillway, intake structure and other appurtenant structures etc., including dressing sides and bed to required level / profile, placing and levelling the excavated rock neatly in dump area or other place as directed etc., complete with lead upto 1 km and all lifts. i) For the purpose of payment 1 m width of excavation along boundary of excavation shall be treated as excavation by line drilling and smooth blasting and remaining portion shall be treated as excavation by normal / controlled blasting as the case may be. ii) The rate includes controlling fly-rock wherever required. iii) The rate under this item shall be paid only on ascertaining that the excavated face has come off neatly as per specifications or atleast 50 percent of smooth blast holes are visible for inspection and are spaced at specified interval. iv) In case, where the above criteria is not fulfilled payment shall be restricted to rate provided for excavation by normal blasting or controlled blasting as the case may be. | | | | cum | | 118.00 |
| | IRR-DAW-1-6(c) | 7 | above 1.2 m dia. by line drilling and smooth blasting and controlling fly-rock by muffling arrangements for dam, spillway, intake structure and other appurtenant structures etc., including dressing sides and bed to required level / profile, placing and levelling the excavated rock neatly in dump area or other place as directed etc., complete with lead upto 1 km and all lifts. i) For the purpose of payment 1 m width of excavation along boundary of excavation shall be treated as excavation by line drilling and smooth blasting and remaining portion shall be treated as excavation by normal / controlled blasting as the case may be. ii) The rate includes controlling fly-rock wherever required. iii) The rate under this item shall be paid only on ascertaining that the excavated face has come off neatly as per specifications or atleast 50 percent of smooth blast holes are visible for inspection and are spaced at specified interval. iv) In case, where the above criteria is not fulfilled payment shall be restricted to rate provided for excavation by normal blasting or controlled blasting as the case | cum | 929.20 | |
| The state of the s | | | · · | cum | | 311.00 |
| | | | , and and a romaday | | | |

| Chapterwise item No. | S.NO | Item description | Unit | Rate | Itemwise unit rate for Labour Component |
|----------------------|------|--|-------|----------|---|
| 1 | 2 | 3 | 4 | 5 | 6 |
| IRR-DAW-1-7 | 8 | Preparing foundation bed for masonry or concrete by benching, stepping, removing all loose material by wedging / chiselling and disposing off the same as directed and cleaning the surface with air and water jet etc.,complete with initial lead upto 50 m and all lifts. | sqm | 35.60 | |
| | | Labour Component (including contractor's profit and Overheads) | sqm | | 28.30 |
| | | | | | |
| IRR-DAW-1-8 | 9 | Preparing foundation bed for cut-off trench filling in rock portion by removing all loose materials by wedging / chiselling and disposing off the same as directed etc complete with initial lead upto 50 m and all lifts . | sqm | 23.90 | |
| | | Labour Component (including contractor's profit and Overheads) | sqm | | 23.90 |
| IRR-DAW-1-9 | 10 | Drilling 45 to 50 mm dia holes vertical or inclined upto 10 degrees to vertical in rock /masonry / concrete by percussion drilling using waggon drill or any other suitable equipment including cost of all materials, machinery, labour, redrilling through partially set grout wherever required etc., complete for drilling upto 6 m depth from surface. The item rate for drilling through rock / masonry / concrete includes redrilling through partially set grout, if any, in the portion of the hole drilled and grouted. | Rm | 202.80 | |
| | | Bevond 6 m upto 12 m from surface : | Rm | 223.10 | |
| | | Beyond 12 m upto 18 m from surface : | Rm | 245.40 | |
| | | Beyond 18 m upto 24 m from surface | Rm | 269.90 | |
| | | Beyond 24 m upto 30 m from surface | Rm | 296.90 | |
| | | Beyond 30 m upto 36 m from surface | Rm | 326.60 | |
| | | Beyond 36 m upto 42 m from surface | Rm | 359.30 | |
| | | Beyond 42 m upto 48 m from surface | Rm | 395.20 | |
| | | Labour Component (including contractor's profit and Overheads) | Rm | | 46.90 |
| IRR-DAW-1-10 | 11 | Flushing grout holes of all sizes with water and air jets alternatively for an average period of 30 minutes including water intake observations after flushing, cost of all materials, machinery, labour etc., complete. | Rm | 51.50 | |
| | | Labour Component (including contractor's profit and Overheads) | Rm | | 18.30 |
| IRR-DAW-1- 11(a) | 12 | Consolidation grouting with neat cement grout mix of suitable consistency under specified pressure as directed in drilled holes by stage grouting method including cost of all materials, machinery, labour, redrilling if necessary etc.,complete with initial lead upto 1 km and all lifts. | tonne | 11093.30 | |
| | | Labour Component (including contractor's profit and Overheads) | tonne | | 2959.00 |
| IRR-DAW-1- 12(b) | 13 | Curtain grouting with neat cement grout mix of suitable consistency under specified pressure as directed in drilled holes by stage grouting method including cost of all materials, machinery, labour, redrilling if necessary etc., complete with initial lead upto 1 km and all lifts. | tonne | 12054.50 | 3813.80 |
| | | Labour Component (including contractor's profit and Overheads) | tonne | | 3013.00 |
| IRR-DAW-1-13 | 14 | Providing and fixing 25 mm dia 3 m long cold twisted deformed steel dowel bars with one end driven into 45 to 50 mm diameter 1.50 m deep hole drilled in bed rock and other end provided with L-bend for embedding in concrete / masonry of over flow / non-over flow blocks and other appertenant works including cost of drilling and cleaning hole, filling hole with cement mortar 1:1 proportion, driving anchor rod, cost of all materials, machinery, labour etc., complete with initial lead upto 1 km and all lifts. | Each | 940.30 | |
| | | Labour Component (including contractor's profit and Overheads) | Each | | 109.60 |
| IRR-DAW-1-14 | 15 | Providing and fixing 25 mm dia. 2.75 m long ribbed steel anchor rods with one end split and driven firmly using steel wedge into 1.25 m deep 45 to 50 mm dia. hole drilled in bed rock and other end provided with L- bend for embedding in concrete / masonry for spillway and appurtenant works including drilling and cleaning hole, filling hole with thick cement slurry, driving anchor rod, cost of all materials, machinery, labour, steel wedge etc., complete with initial lead upto 1 km and all lifts. | Each | 863.90 | |
| | | Labour Component (including contractor's profit and Overheads) | Each | | 123.60 |
| | | | | | |
| IRR-DAW-2 | | REINFORCEMENT & CEMENT CONCRETE WORKS : | | | |
| IRR-DAW-2-1A | 16 | Providing, fabricating and placing in position reinforcement steel for RCC,below 36 dia rods overlaps and wastages wherever required, tying with 1.25 mm diameter soft annealed steel wire, including cost of all materials, machinery, labour etc., complete with initial lead upto 1 km and all lifts. | tonne | 52115.67 | |
| | | Labour Component (including contractor's profit and Overheads) | tonne | | 3522.50 |
| | | , | | 1 | |

| Chapterwise item No. | S.NO | Item description | Unit | Rate | Itemwise unit rate for Labour Component |
|---|------|---|----------------|----------|---|
| 1 | 2 | 3 | 4 | 5 | 6 |
| IRR-DAW-2-1B | 17 | Providing, fabricating and placing in position reinforcement steel for RCC above 36 dia with welding and wastage at 2.5%, tying with 1.25 mm diameter soft annealed steel wire, including cost of all materials, machinery, labour etc., complete with initial lead upto 1 km and all lifts. Labour Component (including contractor's profit and Overheads) | tonne tonne | 53545.14 | 4701.30 |
| | | | | | |
| IRR-DAW-2-2 | 18 | Providing and laying <code>insitu</code> <code>vibrated</code> <code>M-15</code> (28 days cube compressive strength not less than 15 N / sq mm) grade cement concrete using <code>80</code> mm <code>down</code> <code>size</code> approved, clean, hard, graded aggregates including cost of all materials, machinery, labour, formwork, centering, scaffolding, cleaning, batching, mixing, placing in position, levelling, vibrating, finishing, curing etc.,complete <code>for</code> <code>plain</code> <code>concrete</code> <code>works</code> with <code>initial</code> lead upto <code>1</code> km and all lifts. (<code>Cement</code> <code>content</code> : 250 kg /cum with use of super plasticiser <code>equla</code> to <code>0.4%</code> of <code>cement</code> <code>content</code> , <code>CA</code> : <code>0.98</code> cum, <code>Blending</code> Ratio of <code>CA</code> <code>40:30:20:10</code> , <code>FA</code> : <code>0.35</code> cum)) | cum | 4221.00 | |
| | | Labour Component (including contractor's profit and Overheads) | cum | | 171.30 |
| IRR-DAW-2-2A (new Item1 2010- 11) | 19 | Providing and laying insitu vibrated M-20 (28 days cube compressive strength not less than 20 N / sq mm) grade cement concrete using 80 mm down size approved, clean, hard, graded aggregates including cost of all materials, machinery, labour, formwork, centering, scaffolding, cleaning, batching, mixing, placing in position, levelling, vibrating, finishing, curing etc.,complete for plain concrete works with initial lead upto 1 km and all lifts. (Cement content: 300 kg /cum with use of super plasticiser equla to 0.4% of cement content, CA: 0.90 cum, Blending Ratio of CA 40:30:20:10, FA: 0.4 cum)) | cum | 4584.80 | |
| | | Labour Component (including contractor's profit and Overheads) | cum | | 171.30 |
| IRR-DAW-2-3 | 20 | Providing and laying insitu vibrated M-10 (28 days cube compressive strength not less than 10 N / sq mm) grade cement concrete using 80 mm down size approved, clean, hard, graded aggregates including cost of all materials, machinery, labour, formwork, centering, scaffolding, cleaning, batching, mixing, placing in position, levelling, vibrating, finishing, curing etc.,complete for plain concrete works with initial lead upto 1 km and all lifts. (Cement content: 220 kg /cum with use of super plasticiser, CA: 0.98 cum, Blending Ratio of CA40:30:20:10, FA: 0.37 cum) | cum. | 3982.40 | |
| | | Labour Component (including contractor's profit and Overheads) | cum. | | 171.30 |
| IRR-DAW-2-4 | 21 | Providing and laying insitu vibrated M-20 (28 days cube compressive strength not less than 20 N / sq mm) grade cement concrete using 40 mm down size approved, clean, hard, graded aggregates including cost of all materials, machinery, labour, formwork, centering, scaffolding, cleaning, batching, mixing, placing in position, levelling, vibrating, finishing, curing etc.,complete for RCC works of gallery, sluice, spillway crest, spillway d / s face, energy dissipating structures, training walls, piers, abutments and such other locations with initial lead upto 1 km and all lifts. (Cement content: 310 kg / cum with use of super plasticiser, CA: 0.90 cum, blending ratio of CA50:30:20, FA: 0.40 cum) | cum. | 5554.00 | |
| | | Labour Component (including contractor's profit and Overheads) | cum. | | 338.00 |
| IRR-DAW-2-4A (new Item2 2010- 11) | 22 | Providing and laying insitu vibrated M-25 (28 days cube compressive strength not less than 25 N / sq mm) grade cement concrete using 40 mm down size approved, clean, hard, graded aggregates including cost of all materials, machinery, labour, formwork, centering, scaffolding, cleaning, batching, mixing, placing in position, levelling, vibrating, finishing, curing etc.,complete for RCC works of gallery, sluice, spillway crest, spillway d / s face, energy dissipating structures, training walls, piers, abutments and such other locations with initial lead upto 1 km and all lifts. (Cement content: 360 kg / cum with use of super plasticiser,CA: 0.90 cum, blending ratio of CA50:30:20, FA: 0.40 cum) | cum. | 5976.00 | |
| | | Labour Component (including contractor's profit and Overheads) | cum. | | 338.00 |
| IRR-DAW-2-4B (new Item3 2010- 11) | 23 | Providing and laying insitu vibrated M-25 (28 days cube compressive strength not less than 25 N / sq mm) grade cement concrete using 20 mm down size approved, clean, hard, graded aggregates including cost of all materials, machinery, labour, formwork, centering, scaffolding, cleaning, batching, mixing, placing in position, levelling, vibrating, finishing, curing etc.,complete for RCC works of gallery, sluice, spillway crest, spillway d / s face, energy dissipating structures, training walls, piers, abutments and such other locations with initial lead upto 1 km and all lifts. (Cement content: 380 kg / cum with use of super plasticiser,CA: 0.90 cum, blending ratio of CA-65:35, FA: 0.40 cum) | cum. | 6124.90 | |
| | | | | | |

| | S.NO | Item description | Unit | Rate | Itemwise unit rate for Labour Component |
|-------------|------|--|------|---------|---|
| 1 | 2 | 3 | 4 | 5 | 6 |
| IRR-DAW-2-5 | 24 | Providing and laying <code>insitu</code> <code>vibrated</code> <code>M-15</code> (28 days cube compressive strength not less than 15 N / sq mm) grade cement concrete using <code>40</code> <code>mm</code> <code>down</code> <code>size</code> approved, clean, hard, graded aggregates including cost of all materials, machinery, labour, formwork, centering, scaffolding, cleaning, batching, mixing, placing in position, levelling, vibrating, finishing, curing etc.,complete for plain concrete works <code>with</code> <code>initial</code> <code>lead</code> <code>upto</code> <code>1</code> <code>km</code> <code>and</code> <code>all</code> <code>lifts</code> . (Cement content: 260 <code>kg</code> /cum with use of super plasticiser,CA: 0.90 cum, Blending Ratio of CA 50:30:20, FA: 0.40 cum) | cum. | 5020.50 | |
| | | Labour Component (including contractor's profit and Overheads) | cum. | | 1202.30 |
| IRR-DAW-2-6 | 25 | Providing and laying insitu vibrated M-15 (28 days cube compressive strength not less than 15 N / sq mm) grade cement concrete using 40 mm down size approved, clean, hard, graded aggregates with placing and sinking plums of size 150 to 80 mm upto 15 percent for gravity type structures including cost of all materials, machinery, labour, formwork, scaffolding, cleaning, batching, mixing, placing in position, levelling, vibrating, finishing, curing etc.,complete with initial lead upto 1 km and all lifts. (Cement content: 260 kg / cum of concrete with use of plums and super plasticiser,, CA: 0.77 cum, Blending Ratio of CA: 50:30:20,FA: 0.34 cum, plums of size 150 to 80 mm: 0.25 cum) | cum. | 4884.50 | |
| | | Labour Component (including contractor's profit and Overheads) | cum. | | 1173.20 |
| IRR-DAW-2-7 | 26 | Providing and laying insitu vibrated M-10 (28 days cube compressive strength not less than 10 N / sq mm) grade cement concrete using 40 mm down size approved, clean, hard, graded aggregates including cost of all materials, machinery, labour, formwork, centering, scaffolding, cleaning, batching, mixing, placing in position, levelling, vibrating, finishing, curing etc.,complete for plain concrete works with initial lead upto 1 km and all lifts. (Cement content 220 kg /cum with use of super plasticiser,CA: 0.90 cum, Blending Ratio of CA: 50:30:20. FA: 0.40 cum | cum. | 4586.00 | |
| | | Labour Component (including contractor's profit and Overheads) | cum. | | 1088.20 |
| IRR-DAW-2-8 | 27 | Providing and laying insitu vibrated M-15 (28 days cube compressive strength not less than 15 N / sq mm) grade cement concrete using 20 mm down size approved, clean, hard, graded aggregates including cost of all materials, machinery, labour, formwork, centering, scaffolding, cleaning, batching, mixing, placing in position, levelling, vibrating, finishing, curing etc.,complete for plain concrete works with initial lead upto 1 km and all lifts. (Cement content: 280 | cum. | 4959.50 | |
| | | kg /cum with use of super plasticiser,CA : 0.80 cum, Blending Ratio of CA 65:35, FA : 0.44 cum) | | | |
| | | | cum. | | 1114.40 |
| IRR-DAW-2-9 | 28 | 65:35, FA: 0.44 cum) | cum. | 6774.50 | 1114.40 |
| IRR-DAW-2-9 | 28 | 65:35, FA: 0.44 cum) Labour Component (including contractor's profit and Overheads) Providing and laying insitu vibrated M-20 (28 days cube compressive strength not less than 20 N / sq mm) grade cement concrete using 20 mm down size approved, clean, hard, graded aggregates including cost of all materials, machinery, labour, formwork, centering, scaffolding, cleaning, batching, mixing, placing in position, levelling, vibrating, finishing, curing etc.,complete for RCC works of spillway bridge, blockouts and such other similar structures with conjested reinforcement with initial lead upto 1 km and all lifts. (Cement content: 330 kg / cum with use of super plasticiser, CA: 0.80 cum, Blending | | 6774.50 | 1114.40 |
| IRR-DAW-2-9 | 28 | 65:35, FA: 0.44 cum) Labour Component (including contractor's profit and Overheads) Providing and laying insitu vibrated M-20 (28 days cube compressive strength not less than 20 N / sq mm) grade cement concrete using 20 mm down size approved, clean, hard, graded aggregates including cost of all materials, machinery, labour, formwork, centering, scaffolding, cleaning, batching, mixing, placing in position, levelling, vibrating, finishing, curing etc.,complete for RCC works of spillway bridge, blockouts and such other similar structures with conjested reinforcement with initial lead upto 1 km and all lifts. (Cement content: 330 kg / cum with use of super plasticiser, CA: 0.80 cum, Blending Ratio of CA 65:35, FA: 0.44 cum). | cum. | 6774.50 | |

| alternate panels, levelling, compacting, finishing, curing, packing joints with apphalt mortar etc., complete with initial lead upto 1 km and all lifts. (Cement content: 380 kg / cum with use of super plasticiser, CA: 0.80 cum, Blending Ratio of CA65:35, FA: 0.45 cum) Labour Component (including contractor's profit and Overheads) Pre-cooling to control placement temperature of cement concrete in the range of 18 to 21 C at the concrete placement point by inundation of coarse aggregates and adding flaked ice as part of mixing water including cost of all materials, machinery, labour etc., complete with all leads and lifts. Labour Component (including contractor's profit and Overheads) Conveying and fixing elastomeric bearing for spillway bridge including cleaning and preparing surface, mixing and applying adhesive, fixing bearing in correct position etc., including cost of all materials except bearings, machinery, labour etc., complete with all leads and lifts. Labour Component (including contractor's profit and Overheads) Each Providing and constructing 150 mm dia hume pipe weep holes for concrete / masonry walls including providing 20 x 20 x 20 cm size porous concrete block made of cement and 20 mm down coarse aggregate in 1: 4 proportion including 10 cm thick sand backing at the junction of wall and soil back fill, cost of all materials, machinery, labour etc., complete with lead upto 1 km and all lifts. Labour Component (including contractor's profit and Overheads) Rm 464.30 Providing and forming expansion joint for spillway bridge consisting of 75 x 75 x 6 mm angles 2 numbers provided with 25 cm long 12 mm dia. anchors fixed to both flances at 15 cm c/c and 140 x 6 mm plate welled on ton of one of the | item No. | S.NO | Item description | Unit | Rate | Itemwise unit rate for Labour Component |
|--|--------------|------|---|------|---------|---|
| in colless tiban 20 N / sq. mm) grade coment concriete using 20 mm down size approved, clean, hard, graded aggregates including cost of all materials, machinery, bibour, formovic, certaining, scalability, desiring, backing in position, inveiling, whething, infesting, curring etc., complete for RCC solutions of the provided in the control of the provided in the control of the complete control of the control | 1 | 2 | 3 | 4 | 5 | |
| Providing and laying linsitu vibrated M-20 (28 days cube compressive strength not less than 20 N / sq. mm.) grade cement concrete using 20 mm down size approved, clean, hard, graded aggregates including cost of all materials, machinery, labour, formwork, centering, scaffolding, cleaning, batching, mixing, placing in prosition, leveling, vibrating, finishing, curing etc. complete for RCC arramental parapet consisting of 35 cm x 20 cm kerb, 35 cm x 35 cm x 1 m. plillars spaced approximately 30 cm c / c with 12.5 cm thick and 35 cm wide coping slab for posts and pillars with top edges of kerb and coping chamfered or rounded as directed etc., complete (excluding cost of providing and placing reinforcement steel and gate) with timital lead upto 1 km and all lifts. (Cement contents: 350 kg / cm with use of super plasticleser, CA: 0.80 cm, Blending Ratio of CA-65:35, FA: 0.44 cm) Labour Component (including contractor's profit and Overheads) | | 30 | not less than 20 N / sq mm) grade cement concrete using 20 mm down size approved, clean, hard, graded aggregates including cost of all materials, machinery, labour, formwork, centering, scaffolding, cleaning, batching, mixing, placing in position, levelling, vibrating, finishing, curing etc.,complete for RCC solid parapet consisting of 35 cm x 20 cm kerb, 35 cm x 35 cm x 1 m pillars spaced approximately at 3.35 m c / c, 12.5 cm thick wall 80 cm height with 12.5 cm thick and 35 cm wide coping slab for wall and 12 .5 cm thick 40 cm x 40 cm coping for pillars with top edges of kerb and coping chamferred / rounded as directed etc., complete (excluding cost of providing and placing reinforcement steel and gate) with initial lead upto 1 km and all lifts. (Cement content 350 kg / cum with use of super plasticiser (0.4% by wt.of cement), CA : 0.80 cum, Blending Ratio of CA65:35, FA : 0.44 cum) | | 2428.60 | 071.50 |
| IRR-DAW-2-1 IRR-DAW-2-1 IRR-DAW-2-1 IRR-DAW-2-1 IRR-DAW-2-1 IRR-DAW-2-1 IRR-DAW-2-1 IRR-DAW-2-1 IRR-DAW-2-1 IRR-DAW-2-13 IRR-DAW-2-13 IRR-DAW-2-13 IRR-DAW-2-13 IRR-DAW-2-13 IRR-DAW-2-13 IRR-DAW-2-13 IRR-DAW-2-14 IRR-DAW-2-15 IRR-DAW-2-14 IRR-DAW-2-15 IRR-DAW-2-16 IRR-DAW-2-17 IRR-DAW-2-16 IRR-DAW-2-17 IRR-DAW-2-16 IRR-DAW-2-16 IRR-DAW-2-16 IRR-DAW-2-16 IRR-DAW-2-17 IRR-DAW-2-16 IRR-DAW-2-17 IRR-DAW-2-16 IRR-DAW-2-17 IRR-DAW-2-18 IRR-DAW-2-18 IRR-DAW-2-19 IRR-DAW-2-19 IRR-DAW-2-19 IRR-DAW-2-19 IRR-DAW-2-10 IRR-DAW-2-1 | | | Labour Component (including contractor's profit and Overneads) | KM | | 674.50 |
| Providing and laying insitu M- 25 (28 days cube compressive strength not less than 25 N / sq mm) grade cement concrete using 20 mm down size approved, clean, hard, graded aggregates for wearing coat including cost of all materials, marchinery, labour, formwork, cleaning, batching, mixing, placing in position in alternate panels, levelling, compacting, finishing, curing, packing joints with asphalt mortar etc., complete with initial lead upto 1 km and all lifts. (Cement 18 of 26 - 35.35, FA : 0.45 cum) Labour Component (including contractor's profit and Overheads) cum 5846.60 Pre-cooling to control placement temperature of cement concrete in the range of 18 to 21 C at the concrete placement point by inundation of coarse aggregates and adding flaked ice as part of mixing water including cost of all materials, machinery, labour etc., complete with all leads and lifts. Labour Component (including contractor's profit and Overheads) cum 531.20 Conveying and fixing elastomeric bearing for spillway bridge including cleaning and preparing surface, mixing and applying adhesive, fixing bearing in correct position etc., including cost of all materials except bearings, machinery, labour etc., complete with all leads and lifts. Labour Component (including contractor's profit and Overheads) Each 284.00 RR-DAW-2-16 Providing and constructing 150 mm dia hume pipe weep holes for concrete / masonry walls including providing 20 x 20 x 20 cm size porous concrete block made of cement and 20 mm down coarse aggregate in 1:4 proportion including 10 cm thick sand backing at the junction of wall and soil back fill, cost of all materials, machinery, labour etc., complete with lead upto 1 km and all lifts. Labour Component (including contractor's profit and Overheads) Rm 64.40 Providing and forming expansion joint for spillway bridge consisting of 75 x 75 x 6 mm angles 2 numbers provided with 25 cm long 12 mm dia. anchores fixed to both flanges at 15 cm c /s and 140 x 6 mm plate welded on top of one of the angle including cost o | | 31 | not less than 20 N / sq mm) grade cement concrete using 20 mm down size approved, clean, hard, graded aggregates including cost of all materials, machinery, labour, formwork, centering, scaffolding, cleaning, batching, mixing, placing in position, levelling, vibrating, finishing, curing etc.,complete for RCC ornamental parapet consisting of 35 cm x 20 cm kerb, 35 cm x 35 cm x 1 m pillars spaced approximately at 3.5 m apart, 20 cm x 15 cm posts 80 cm height approximately 30 cm c / c with 12.5 cm thick and 35 cm wide coping slab for posts and pillars with top edges of kerb and coping chamferred or rounded as directed etc., complete (excluding cost of providing and placing reinforcement steel and gate) with initial lead upto 1 km and all lifts. (Cement content: 350 kg / cum with use of super plasticiser, CA: 0.80 cum, Blending Ratio of CA | Rm | 2440.10 | |
| than 25 M / sq mm) grade cement concrete using 20 mm down size approved, clean, hard, graded aggregates for wearing coat including cost of all materials, machinery, labour, formwork, cleaning, batching, mixing, placing in position in alternate panels, levelling, compacting, finishing, curing, packing joints with asphalt mortar etc., complete with initial lead upto 1 km and all lifts. (Cement content: 380 kg / cum with use of super plasticiser, CA: 0.80 cum, Blending Ratio of CA65:35, FA: 0.45 cum) Labour Component (including contractor's profit and Overheads) | | | Labour Component (including contractor's profit and Overheads) | Rm | | 716.10 |
| Pre-cooling to control placement temperature of cement concrete in the range of 18 to 21 C at the concrete placement point by inundation of coarse aggregates and adding flaked ice as part of mixing water including cost of all materials, machinery, labour etc., complete with all leads and lifts. Labour Component (including contractor's profit and Overheads) Conveying and fixing elastomeric bearing for spillway bridge including cleaning and preparing surface, mixing and applying adhesive, fixing bearing in correct position etc., including cost of all materials except bearings, machinery, labour etc., complete with all leads and lifts. Labour Component (including contractor's profit and Overheads) Each Providing and constructing 150 mm dia hume pipe weep holes for concrete / masonry walls including providing 20 x 20 x 20 cm size porous concrete block made of cement and 20 mm down coarse aggregate in 1: 4 proportion including 10 cm thick sand backing at the junction of wall and soil back fill, cost of all materials, machinery, labour etc., complete with lead upto 1 km and all lifts. Labour Component (including contractor's profit and Overheads) Rm Providing and forming expansion joint for spillway bridge consisting of 75 x 75 x 6 mm angles 2 numbers provided with 25 cm long 12 mm dia. anchors fixed to both flanges at 15 cm c/c and 140 x 6 mm plate welded on top of one of the diagnesic including cost of all materials, machinery, labour, providing and fixing 38 mm thick joint filler board matching the thickness of wearing coat, painting etc., complete with lead upto 1 km and all lifts. Labour Component (including contractor's profit and Overheads) Rm 1764.50 Rm 297.30 | IRR-DAW-2-13 | 32 | than 25 N / sq mm) grade cement concrete using 20 mm down size approved, clean, hard, graded aggregates for wearing coat including cost of all materials, machinery, labour, formwork, cleaning, batching, mixing, placing in position in alternate panels, levelling, compacting, finishing, curing, packing joints with asphalt mortar etc., complete with initial lead upto 1 km and all lifts. (Cement content: 380 kg / cum with use of super plasticiser, CA: 0.80 cum, Blending | cum | 5846.60 | |
| IRR-DAW-2-14 33 18 to 21 C at the concrete placement point by inundation of coarse aggregates and adding flaked ice as part of mixing water including cost of all materials, machinery, labour etc., complete with all leads and lifts. Labour Component (including contractor's profit and Overheads) 18R-DAW-2-15 34 Conveying and fixing elastomeric bearing for spillway bridge including cleaning and preparing surface, mixing and applying adhesive, fixing bearing in correct position etc., including cost of all materials except bearings, machinery, labour etc., complete with all leads and lifts. Labour Component (including contractor's profit and Overheads) Each 284.00 Providing and constructing 150 mm dia hume pipe weep holes for concrete / masonry walls including providing 20 x 20 x 20 cm size porous concrete block made of cement and 20 mm down coarse aggregate in 1:4 proportion including 10 cm thick sand backing at the junction of wall and soil back fill, cost of all materials, machinery, labour etc., complete with lead upto 1 km and all lifts. Labour Component (including contractor's profit and Overheads) Rm 64.40 Providing and forming expansion joint for spillway bridge consisting of 75 x 75 x 6 mm angles 2 numbers provided with 25 cm long 12 mm dia, anchors fixed to both flanges at 15 cm c / c and 140 x 6 mm plate welded on top of one of the angle including cost of all materials, machinery, labour, providing and fixing 38 mm thick joint filler board matching the thickness of wearing coat, painting etc., complete with lead upto 1 km and all lifts. Labour Component (including contractor's profit and Overheads) Rm 297.30 | | | Labour Component (including contractor's profit and Overheads) | cum | | 1351.80 |
| IRR-DAW-2-15 34 Conveying and fixing elastomeric bearing for spillway bridge including cleaning and preparing surface, mixing and applying adhesive, fixing bearing in correct position etc., including cost of all materials except bearings, machinery, labour etc., complete with all leads and lifts. Labour Component (including contractor's profit and Overheads) Each Providing and constructing 150 mm dia hume pipe weep holes for concrete / masonry walls including providing 20 x 20 x 20 cm size porous concrete block made of cement and 20 mm down coarse aggregate in 1 : 4 proportion including 10 cm thick sand backing at the junction of wall and soil back fill, cost of all materials, machinery, labour etc., complete with lead upto 1 km and all lifts. Labour Component (including contractor's profit and Overheads) Rm 64.40 Providing and forming expansion joint for spillway bridge consisting of 75 x 75 x 6 mm angles 2 numbers provided with 25 cm long 12 mm dia. anchors fixed to both flanges at 15 cm c /c and 140 x 6 mm plate welded on top of one of the angle including cost of all materials, machinery, labour, providing and fixing 38 mm thick joint filler board matching the thickness of wearing coat, painting etc., complete with lead upto 1 km and all lifts. Labour Component (including contractor's profit and Overheads) Rm 1764.50 | IRR-DAW-2-14 | 33 | 18 to 21 C at the concrete placement point by inundation of coarse aggregates and adding flaked ice as part of mixing water including cost of all materials, | cum | 82.30 | |
| IRR-DAW-2-15 34 and preparing surface, mixing and applying adhesive, fixing bearing in correct position etc., including cost of all materials except bearings, machinery, labour etc., complete with all leads and lifts. Labour Component (including contractor's profit and Overheads) Each 284.00 Providing and constructing 150 mm dia hume pipe weep holes for concrete / masonry walls including providing 20 x 20 x 20 cm size porous concrete block made of cement and 20 mm down coarse aggregate in 1: 4 proportion including 10 cm thick sand backing at the junction of wall and soil back fill, cost of all materials, machinery, labour etc., complete with lead upto 1 km and all lifts. Labour Component (including contractor's profit and Overheads) Rm 64.40 Providing and forming expansion joint for spillway bridge consisting of 75 x 75 x 6 mm angles 2 numbers provided with 25 cm long 12 mm dia. anchors fixed to both flanges at 15 cm c /c and 140 x 6 mm plate welded on top of one of the angle including cost of all materials, machinery, labour, providing and fixing 38 mm thick joint filler board matching the thickness of wearing coat, painting etc., complete with lead upto 1 km and all lifts. Labour Component (including contractor's profit and Overheads) Rm 1764.50 | | | Labour Component (including contractor's profit and Overheads) | cum | | 13.10 |
| Providing and constructing 150 mm dia hume pipe weep holes for concrete / masonry walls including providing 20 x 20 x 20 cm size porous concrete block made of cement and 20 mm down coarse aggregate in 1: 4 proportion including 10 cm thick sand backing at the junction of wall and soil back fill, cost of all materials, machinery, labour etc., complete with lead upto 1 km and all lifts. Labour Component (including contractor's profit and Overheads) Providing and forming expansion joint for spillway bridge consisting of 75 x 75 x 6 mm angles 2 numbers provided with 25 cm long 12 mm dia. anchors fixed to both flanges at 15 cm c /c and 140 x 6 mm plate welded on top of one of the angle including cost of all materials, machinery, labour, providing and fixing 38 mm thick joint filler board matching the thickness of wearing coat, painting etc., complete with lead upto 1 km and all lifts. Labour Component (including contractor's profit and Overheads) Rm 1764.50 | IRR-DAW-2-15 | 34 | and preparing surface, mixing and applying adhesive, fixing bearing in correct position etc., including cost of all materials except bearings, machinery, labour etc., complete with all leads and lifts. | | 331.20 | |
| IRR-DAW-2-16 35 masonry walls including providing 20 x 20 x 20 cm size porous concrete block made of cement and 20 mm down coarse aggregate in 1:4 proportion including 10 cm thick sand backing at the junction of wall and soil back fill, cost of all materials, machinery, labour etc., complete with lead upto 1 km and all lifts. Labour Component (including contractor's profit and Overheads) Rm 464.30 | | | Labour Component (including contractor's profit and Overheads) | Each | | 284.00 |
| Providing and forming expansion joint for spillway bridge consisting of 75 x 75 x 6 mm angles 2 numbers provided with 25 cm long 12 mm dia. anchors fixed to both flanges at 15 cm c /c and 140 x 6 mm plate welded on top of one of the angle including cost of all materials, machinery, labour, providing and fixing 38 mm thick joint filler board matching the thickness of wearing coat, painting etc., complete with lead upto 1 km and all lifts. Labour Component (including contractor's profit and Overheads) Rm 297.30 | IRR-DAW-2-16 | 35 | masonry walls including providing 20 x 20 x 20 cm size porous concrete block made of cement and 20 mm down coarse aggregate in $1:4$ proportion including 10 cm thick sand backing at the junction of wall and soil back fill, cost of all materials, machinery, labour etc., complete with lead upto 1 km and all lifts. | | 464.30 | |
| IRR-DAW-2-17 36 75 x 6 mm angles 2 numbers provided with 25 cm long 12 mm dia. anchors fixed to both flanges at 15 cm c /c and 140 x 6 mm plate welded on top of one of the angle including cost of all materials, machinery, labour, providing and fixing 38 mm thick joint filler board matching the thickness of wearing coat, painting etc., complete with lead upto 1 km and all lifts. Labour Component (including contractor's profit and Overheads) Rm 1764.50 | | | Labour Component (including contractor's profit and Overheads) | Rm | | 64.40 |
| | IRR-DAW-2-17 | 36 | 75×6 mm angles 2 numbers provided with 25 cm long 12 mm dia. anchors fixed to both flanges at 15 cm c /c and 140×6 mm plate welded on top of one of the angle including cost of all materials, machinery, labour, providing and fixing 38 mm thick joint filler board matching the thickness of wearing coat, painting etc., | Rm | 1764.50 | |
| RR DAW-3 MASONRY & GUNITING WORKS : | | | Labour Component (including contractor's profit and Overheads) | Rm | | 297.30 |
| | | | | | | |

| Chapterwise item No. | S.NO | Item description | Unit | Rate | Itemwise unit rate for Labour Component |
|----------------------|------|--|------------|---------|---|
| 1 | 2 | 3 | 4 | 5 | 6 |
| IRR_DAW-3-1 | 37 | Providing and constructing un-coursed rubble stone masonry using approved stones in cement mortar 1:3 proportion including cost of all materials, machinery, labour, scaffolding, cleaning, packing mortar, wedging stone chips, curing etc., complete with initial lead upto 1 km and all lifts. (Cement content: 190 kg/cum of masonry, rubble stones: 0.85 cum,stone chips: 0.15 cum/cum, FA: 0.4 cum) | cum | 3218.20 | |
| | | Labour Component (including contractor's profit and Overheads) | cum | | 1028.80 |
| IRR_DAW-3-2 | 38 | Providing and constructing un-coursed rubble stone masonry using approved stones in cement mortar 1:4 proportion including cost of all materials, machinery, labour, scaffolding, cleaning, packing mortar, wedging stone chips, curing etc., complete with initial lead upto 1 km and all lifts. (Cement content: 143 kg/cum of masonry, rubble stones: 0.85 cum, stone chips: 0.15 cum/cum, FA · 0.4 cum) Labour Component (including contractor's profit and Overheads) | cum cum | 2875.70 | 1028.80 |
| | | | | | |
| IRR_DAW-3-3 | 39 | Providing and constructing coursed rubble face stone masonry using approved rubble stones in cement mortar 1:3 proportion including cost of all materials, machinery, labour, scaffolding, ramps, cleaning, packing mortar, wedging stone chips, curing etc., with initial lead upto 1 km and all lifts.(Thickness of the CR face assumed: 0.75 m, Cement content: 178 kg/cum of masonry, rubble stones: 0.35 cum, stone chips: 0.15 cum/cum, FA: 0.375 cum, CR stones $30 \times 30 \times 45$ cm: 9.75 No, CR stones $30 \times 30 \times 60$ cm: 3.25 No) | cum | 3389.10 | |
| | | Labour Component (including contractor's profit and Overheads) | cum | | 1146.50 |
| IRR_DAW-3-4 | 40 | Providing and constructing coursed rubble face stone masonry using approved rubble stones in cement mortar 1 : 4 proportion including cost of all materials, machinery, labour, scaffolding,ramps, cleaning, packing mortar, wedging stone chips, curing etc., with initial lead upto 1 km and all lifts. (Cement content : 134 kg/cum of masonry, rubble stones : 0.35 cum, stone chips : 0.15 cum/cum, FA : 0.375 cum, CR stones 30 x 30 x 45 cm : 9.75 No, CR stones 30 x 30 x 60 cm : 3.25 No.) | cum | 3068.40 | |
| | | Labour Component (including contractor's profit and Overheads) | cum | | 1146.50 |
| IRR_DAW-3-5 | 41 | Providing and constructing chisel drafted and hammer dressed face stone masonry with approved stones in cement mortar $1:3$ proportion including cost of all materials, machinery, labour, scaffolding, ramps, cleaning, packing mortar, wedging stone chips, curing etc.,complete with initial lead upto $1\ km$ and all lifts. (Cement content: $167\ kg/cum$ of masonry, rubble stones: $0.35\ cum$, stone chips: $0.15\ cum/cum$, FA: $0.35\ cum$, Dressed stones $30\ x\ 30\ x\ 45\ cm: 10\ No$, Dressed stones $30\ x\ 30\ x\ 60\ cm: 3.40\ No)$ | cum | 3560.90 | |
| | | Labour Component (including contractor's profit and Overheads) | cum | | 1410.50 |
| IRR-DAW-3-6 | 42 | Providing and constructing chisel drafted and hammer dressed face stone masonry with approved stones in cement mortar 1:4 proportion including cost of all materials, machinery, labour, scaffolding, ramps, cleaning, packing mortar, wedging stone chips, curing etc.,complete with initial lead upto 1 km and all lifts. (Cement content: 125 kg/cum of masonry, rubble stones: 0.35 cum, stone chips: 0.15 cum/cum, FA: 0.35 cum, Dressed stones 30 x 30 x 45 cm: 10 No, Dressed stones 30 x 30 x 60 cm: 3.40 No) | cum | 3254.80 | |
| | | Labour Component (including contractor's profit and Overheads) | cum | | 1410.50 |
| IRR-DAW-3-7 | 43 | Providing cement mortar pointing to coursed rubble face stone masonry 50 mm deep in CM 1:2 proportion by volume including raking and cleaning joints, pressing mortar into joints, cost of all materials, labour, scaffolding, finishing, curing etc., complete with initial lead upto 1 km and all lifts. | sqm | 122.10 | |
| | | Labour Component (including contractor's profit and Overheads) | sqm | | 82.40 |
| IRR-DAW-3-8 | 44 | Providing cement mortar pointing to coursed rubble face stone masonry 50 mm deep in CM 1:3 proportion by volume including raking and cleaning joints, pressing mortar into joints, cost of all materials, labour, scaffolding, finishing, curing etc., complete with initial lead upto 1 km and all lifts. | sqm | 112.40 | |
| | | Labour Component (including contractor's profit and Overheads) | sqm | | 82.40 |
| IRR_DAW-4 | | CONTRACTION JOINT WORKS: | | | |
| _ | | | | | |
| IRR-DAW-4-1 | 45 | Providing 25 mm thick guniting to rock or masonry surface in cement mortar 1:3 proportion by weight including cost of all materials, machinery, labour, raking-out and cleaning joints, scaffolding wherever required and all other ancillary operations etc., complete with initial lead upto 1 km and all lifts. | sqm | 515.30 | |
| | | | | | 163.00 |

| Chapterwise item No. | S.NO | Item description | Unit | Rate | Itemwise unit rate for Labour Component |
|----------------------|------|---|------|----------|---|
| 1 | 2 | 3 | 4 | 5 | 6 |
| IRR-DAW-4-2 | 46 | Providing and constructing contraction joints by fixing 16 SWG 60 cm wide annealed copper sheets in two lines with 8 mm dia steel dowel rods on either side at one metre interval, forming 125 x 125 mm size groove in between copper strips for filling asphalt including fixing 15 mm dia two legged G.I pipe with U bend at bottom for circulation of steam at intervals and forming 150 mm dia formed drain behind water seals including cost of all materials, machinery, labour, filling asphalt, circulation of steam through pipes etc., complete with all leads and lifts . | Rm | 14553.30 | |
| | | Labour Component (including contractor's profit and Overheads) | Rm | | 173.50 |
| IRR-DAW-4-3 | 47 | Providing and constructing contraction joints by fixing 310 mm wide central bulb type approved quality PVC water stop in two lines with 8 mm diameter steel dowel rods on either side at 1m interval, forming 125 x 125 mm size groove in between two water stops, providing & fixing 15 mm dia two legged G.I pipe with U-bend at bottom for circulation steam at interval, forming 150 mm diameter formed drain behind water seals including filling groove with asphalt, circulation of steam at intervals, cost of all materials, machinery, labour etc., complete with all leads and lifts . | Rm | 1753.10 | |
| | | Labour Component (including contractor's profit and Overheads) | Rm | | 114.50 |
| IRR-DAW-4-4 | 48 | Providing and constructing contraction joints by fixing 16 SWG 60 cm wide annealed copper sheets in single line with 8 mm dia steel dowel rods on either side at 1 metre interval including cost of all materials, machinery, labour etc., complete with all leads and lifts. | Rm | 7090.80 | |
| | | Labour Component (including contractor's profit and Overheads) | Rm | | 133.50 |
| IRR-DAW-4-5 | 49 | Providing and constructing contraction joints by fixing 23 cm wide central bulb type PVC water stop in single line supported by 10 mm dia steel dowel rods on either side at 1 metre interval including cost of all materials, machinery, labour, valcunising joints etc., complete with all leads and lifts . | Rm | 220.80 | |
| | | Labour Component (including contractor's profit and Overheads) | Rm | | 106.50 |
| IRR-DAW-5 | | EARTH / ROCKFILL EMBANKMENT WORKS : | | | |
| | | | | | |
| IRR-DAW-5-1 | 50 | Providing hearting embankment using selected impervious soil from approved borrow areas in layers of 25 to 30 cm before compaction including cost of all materials, machinery, labour, all operations such as excavation, sorting out, transportation, spreading soil in layer of specified thickness, breaking clods, sectioning, watering, compacting to density control of not less than 95 percent or as stipulated using Sheep foot roller / Vibratory roller/8 to 10 tonne power roller etc., complete with initial lead upto 1 km and all lifts. | cum | 138.00 | |
| | | Labour Component (including contractor's profit and Overheads) | cum | | 20.50 |
| IRR-DAW-5-2 | 51 | Providing cut-off trench filling using selected impervious soil from approved borrow areas in layers of 25 to 30 cm before compaction including cost of all materials, machinery, labour, all operations such as excavation, sorting out, transportation, spreading soil to specified thickness, breaking clods, sectioning, watering, compacting to density control of not less than 95 percent using Sheep foot roller / Vibratory roller / 8 to 10 tonne power roller as stipulated etc., complete with initial lead upto 1 km and all lifts. | cum | 148.10 | |
| | | Labour Component (including contractor's profit and Overheads) | cum | | 22.30 |
| IRR-DAW-5-3 | 52 | Providing casing embankment using semi-pervious soil from approved borrow areas in layers of 25 to 30 cm before compaction including cost of all materials, machinery, labour, all other operations such as excavation, sorting out, transportation, spreading soil in layers of specified thickness, breaking clods, sectioning, watering, compacting to density control of not less than 95 percent using Sheep foot roller / Vibratory roller/8 to 10 tonne power roller as stipulated etc., complete with initial lead upto 1 km and all lifts. | cum | 148.50 | |
| | | Labour Component (including contractor's profit and Overheads) | cum | | 22.20 |
| | 1 | Providing casing embankment using semi-pervious soil available from | | | |
| IRR-DAW-5-4 | 53 | excavation in layers of 25 to 30 cm before compaction including cost of all materials, machinery, labour, all other operations such as re-excavation, sorting out, transportation, spreading in layers of specified thickness, breaking clods, sectioning, watering, compacting to specified density control of not less than 95 percent using Sheep foot roller / Vibratory roller / 8 to 10 tonne power roller as stipulated etc., complete with initial lead upto 1 km and all lifts. | cum | 124.90 | |

| Providing and constructing rockfill embankment with 300 mm down graded stones and quarry spalls from approved source including cost of all materials, machinery, labour, spreading stones and spalls in layers, hand packing, wedging, finishing the surface to required slopes etc., complete with initial lead unto 1 km and all lifts. Labour Component (including contractor's profit and Overheads) cum Providing and constructing dry rubble rock-toe using rubble and stone chips from approved source including cost of all materials, machinery, labour, hand packing rubble and stone chips, finishing top and sides to required slopes etc., rommlete with initial lead unto 1 km and all lifts. Labour Component (including contractor's profit and Overheads) cum Providing and constructing dry rubble rock-toe with rubble and stone chips from dump yard including cost of all materials, machinery, labour, hand packing rubble and stone chips, finishing top and sides to required slopes etc., complete with initial lead upto 1 km and all lifts. RRP-DAW-5-9-9 Solution of the providing and constructing dry rubble rock-toe with rubble and stone chips from dump yard including cost of all materials, machinery, labour, hand packing rubble and stone chips, finishing top and sides to required slopes etc., complete with initial lead upto 1 km and all lifts. Note: Useful rubble and stone chips will be issued at dump yard at the issue rate for useful rubble /stone chips. Sorting out and breaking charges included in rate analysis. Labour Component (including contractor's profit and Overheads) cum Providing and constructing Dry rock Pitching for Groynes using Un-Coursed rubble stone of size 300 mm thick and Un-Coursed rubble stone chips from Quarry to site of work including cost of all materials, Machinery, Labour charge hand packing Un-Course rubble stone &chips to the designed profile with all leads and lifts etc | emwise unit rate for Labour Component | Rate | Unit | Item description | S.NO | Chapterwise item No. |
|--|---|--------|------|--|------|----------------------|
| IRR-DAW-5-4-A (New Item1 - 2011-12) 154 155 157 158 158 159 159 159 159 159 159 | 6 | 5 | 4 | 3 | 2 | 1 |
| Providing homogeneous embankment using soil from approved borrow area in layers of 25 to 30 cm before compaction including cost of all materials, machinery, labour, all operations such as excavation, sorting out, transportation, spreading soil in layer of specified thickness, breaking closds, sectioning, watering, compacting to density control of not less than 95 percent or as stipulated using Sheep foot roller / Vibratory roller / 8t o 10 tonne power roller etc., complete with initial lead upto 1 km and all lifts. Labour Component (including contractor's profit and Overheads) | | 85.40 | | excavation in layers of 25 to 30 cm before compaction including cost of all materials, machinery, labour, all other operations such as re-excavation, sorting out, transportation, spreading in layers of specified thickness, breaking clods, sectioning, watering, compacting to specified density control of not less than 90 percent using 2Tonne Roller as stipulated etc., complete with initial lead upto 1 km and all lifts. (For Maintenance Works) | 54 | (New Item1 - |
| IRR-DAW-5-5 Isyers of 25 to 30 cm before compaction including cost of all materials, machinery, labour, all operations such as excavation, sorting out, transportation, spreading soil in layer of specified thickness, breaking clods, sectioning, watering, compacting to density control of not less than 95 percent or as stipulated using Sheep foot roller / Vibratory roller/9 to 10 to me power roller etc., complete with initial lead upto 1 km and all lifts. Labour Component (including contractor's profit and Overheads) | 18.90 | | cum | Labour Component (including contractor's profit and Overheads) | | |
| IRR-DAW-5-6 IRR-DAW-5-7 IRR-DAW-5-9 IRR-D | | 140.30 | cum | layers of 25 to 30 cm before compaction including cost of all materials, machinery, labour, all operations such as excavation, sorting out, transportation, spreading soil in layer of specified thickness, breaking clods, sectioning, watering, compacting to density control of not less than 95 percent or as stipulated using Sheep foot roller / Vibratory roller / 8 to 10 tonne power | 55 | IRR-DAW-5-5 |
| trial pits using impervious soil from approved borrow areas in layers of 10 to 15 cm and compacting each layer to density control of not less than 95 percent using pneumatic tampers or by vibratory earth rammers including cost of all materials, machinery, labour, picking previous layer, spreading soil in layer, breaking clods, watering etc., complete with initial lead upto 1 km and all lifts. Labour Component (including contractor's profit and Overheads) Providing and constructing rockfill embankment with 300 mm down graded stones and quarry spalls from approved source including cost of all materials, machinery, labour, spreading stones and spalls in layers, hand packing, wedging, finishing the surface to required slopes etc., complete with initial lead unto 1 km and all lifts. Labour Component (including contractor's profit and Overheads) URR-DAW-5-8 TRR-DAW-5-8 Providing and constructing dry rubble rock-toe using rubble and stone chips from approved source including cost of all materials, machinery, labour, hand packing rubble and stone chips, finishing top and sides to required slopes etc., complete with initial lead unto 1 km and all lifts. Labour Component (including contractor's profit and Overheads) URR-DAW-5-9 Providing and constructing dry rubble rock-toe with rubble and stone chips from dump yard including cost of all materials, machinery, labour, hand packing rubble and stone chips, finishing top and sides to required slopes etc., complete with initial lead unto 1 km and all lifts. URR-DAW-5-9-4 Note: Useful rubble and stone chips. Sorting out and breaking charges included in rate analysis. Labour Component (including contractor's profit and Overheads) URR-DAW-5-9-A New Item4-2012 Application of the providing and constructing Dry rock Pitching for Groynes using Un-Coursed rubble stone chips from the providing and constructing Dry rock Pitching for Groynes using Un-Coursed rubble stone of size 300 mm thick and Un-Coursed rubble stone chips from the providing contractor's profit and Over | 20.90 | | cum | Labour Component (including contractor's profit and Overheads) | | |
| Providing and constructing rockfill embankment with 300 mm down graded stones and quarry spalls from approved source including cost of all materials, machinery, labour, spreading stones and spalls in layers, hand packing, wedging, finishing the surface to required slopes etc., complete with initial lead unto 1 km and all lifts. Labour Component (including contractor's profit and Overheads) Providing and constructing dry rubble rock-toe using rubble and stone chips from approved source including cost of all materials, machinery, labour, hand packing rubble and stone chips, finishing top and sides to required slopes etc., complete with initial lead unto 1 km and all lifts. Labour Component (including contractor's profit and Overheads) Cum Providing and constructing dry rubble rock-toe with rubble and stone chips from dump yard including cost of all materials, machinery, labour, hand packing rubble and stone chips, finishing top and sides to required slopes etc., complete with initial lead upto 1 km and all lifts. RR-DAW-5-9-9 Solve in the first of th | | 264.30 | cum | trial pits using impervious soil from approved borrow areas in layers of 10 to 15 cm and compacting each layer to density control of not less than 95 percent using pneumatic tampers or by vibratory earth rammers including cost of all materials, machinery, labour, picking previous layer, spreading soil in layer, | 56 | IRR-DAW-5-6 |
| IRR-DAW-5-7 The stones and quarry spalls from approved source including cost of all materials, machinery, labour, spreading stones and spalls in layers, hand packing, wedging, finishing the surface to required slopes etc., complete with initial lead unto 1 km and all lifts. Labour Component (including contractor's profit and Overheads) The providing and constructing dry rubble rock-toe using rubble and stone chips from approved source including cost of all materials, machinery, labour, hand packing rubble and stone chips, finishing top and sides to required slopes etc., complete with initial lead unto 1 km and all lifts. Labour Component (including contractor's profit and Overheads) The providing and constructing dry rubble rock-toe with rubble and stone chips from dump yard including cost of all materials, machinery, labour, hand packing rubble and stone chips, finishing top and sides to required slopes etc., complete with initial lead upto 1 km and all lifts. The providing and constructing dry rubble rock-toe with rubble and stone chips from dump yard including cost of all materials, machinery, labour, hand packing rubble and stone chips, finishing top and sides to required slopes etc., complete with initial lead upto 1 km and all lifts. The providing and constructing dry rubble issued at dump yard at the issue rate for usefull rubble /stone chips. Sorting out and breaking charges included in rate analysis: Labour Component (including contractor's profit and Overheads) The providing and constructing Dry rock Pitching for Groynes using Un-Coursed rubble stone of size 300 mm thick and Un-Coursed rubble stone chips from duary to site of work including cost of all materials, Machinery, Labour charge hand packing Un-Course rubble stone &chips to the designed profile with all leads and lifts etc Labour Component (including contractor's profit and Overheads) The providing and laying 30 cm diameter open jointed hume pipes with collars in | 113.20 | | cum | Labour Component (including contractor's profit and Overheads) | | |
| Labour Component (including contractor's profit and Overheads) Cum | | 435.00 | cum | stones and quarry spalls from approved source including cost of all materials, machinery, labour, spreading stones and spalls in layers, hand packing, wedging, finishing the surface to required slopes etc., complete with initial | 57 | IRR-DAW-5-7 |
| From approved source including cost of all materials, machinery, labour, hand packing rubble and stone chips, finishing top and sides to required slopes etc., complete with initial lead unto 1 km and all lifts Labour Component (including contractor's profit and Overheads) cum | 103.30 | | cum | | | |
| Labour Component (including contractor's profit and Overheads) Providing and constructing dry rubble rock-toe with rubble and stone chips from dump yard including cost of all materials, machinery, labour, hand packing rubble and stone chips, finishing top and sides to required slopes etc., complete with initial lead upto 1 km and all lifts. Note: Useful rubble and stone chips will be issued at dump yard at the issue rate for usefull rubble /stone chips. Sorting out and breaking charges included in rate analysis. Labour Component (including contractor's profit and Overheads) Providing and constructing Dry rock Pitching for Groynes using Un-Coursed rubble stone of size 300 mm thick and Un-Coursed rubble stone chips from (Quarry to site of work including cost of all materials, Machinery, Labour charge hand packing Un-Course rubble stone &chips to the designed profile with all leads and lifts etc Labour Component (including contractor's profit and Overheads) Providing and laying 30 cm diameter open jointed hume pipes with collars in | | 498.60 | cum | from approved source including cost of all materials, machinery, labour, hand packing rubble and stone chips, finishing top and sides to required slopes etc., | 58 | IRR-DAW-5-8 |
| from dump yard including cost of all materials, machinery, labour, hand packing rubble and stone chips, finishing top and sides to required slopes etc., complete with initial lead upto 1 km and all lifts. Note: Useful rubble and stone chips will be issued at dump yard at the issue rate for usefull rubble /stone chips. Sorting out and breaking charges included in rate analysis Labour Component (including contractor's profit and Overheads) Providing and constructing Dry rock Pitching for Groynes using Un-Coursed rubble stone of size 300 mm thick and Un-Coursed rubble stone chips from Quarry to site of work including cost of all materials, Machinery, Labour charge hand packing Un-Course rubble stone &chips to the designed profile with all leads and lifts etc Labour Component (including contractor's profit and Overheads) Providing and laying 30 cm diameter open jointed hume pipes with collars in | 193.00 | | cum | | | |
| Labour Component (including contractor's profit and Overheads) cum | | 462.10 | cum | from dump yard including cost of all materials, machinery, labour, hand packing rubble and stone chips, finishing top and sides to required slopes etc., complete with initial lead upto 1 km and all lifts . Note: Useful rubble and stone chips will be issued at dump yard at the issue rate for usefull rubble /stone chips. Sorting out and breaking charges included in rate | 59 | IRR-DAW-5-9 |
| IRR-DAW-5-9-A (New Item4-2012- 13) | 132.70 | | cum | | | |
| Labour Component (including contractor's profit and Overheads) cum Providing and laying 30 cm diameter open jointed hume pipes with collars in | | 679.40 | cum | rubble stone of size 300 mm thick and Un-Coursed rubble stone chips from Quarry to site of work including cost of all materials, Machinery, Labour charge hand packing Un-Course rubble stone &chips to the designed profile with all | - 60 | (New Item4-2012- |
| | 132.70 | | cum | | | |
| complete with lead upto 1 km and all lifts. | | 824.80 | | rock-toe for drainage including cost of all materials, machinery, labour etc., complete with lead unto 1 km and all lifts. | 61 | IRR-DAW-5-10 |
| Labour Component (including contractor's profit and Overheads) Rm | 29.50 | | Rm | Labour Component (including contractor's profit and Overheads) | | |
| IRR-DAW-6 FILTER & PITCHING WORKS : | | | | FILTER & PITCHING WORKS : | | IRR-DAW-6 |

| 1 2 Providing and constructing 1.20 m internal diameter and average 3 m height RCC manable with 60 on dia. top cover in M-15 grade cement concrete using 20 mm down graded, clean, hard coarse aggregate, 20 cm bick for bed sides / top size) / 1.5 m long cut off wat and 7.5 cm thick for cover including providing 12 mm dia restrictment base at 30 cm of 1 to british for both sides / top size) / 1.5 m long cut off wat and 7.5 cm thick for cover including providing 12 mm dia restrictment base at 30 cm of 1 to british for foundation, providing 30 cm dia hume pipe outlet, cost of all materials, machinery, labour, formorks, cataloding, bashing, mang, laying, vibrating, finishing, curing etc., complete with lead upto 1 km and all litts. (cement context) 300 kg/cmm, 61 a 180 kg/cmm, | item No. | S.NO | Item description | Unit | Rate | Itemwise unit rate for Labour Component |
|--|-----------------|------|---|------|----------|---|
| RR-DAW-6-1 RR-DAW-6-5 RR-DAW-6-5 RR-DAW-6-6 RR-DAW-6-7 RR-DAW-6-7 RR-DAW-6-7 RR-DAW-6-7 RR-DAW-6-7 RR-DAW-6-7 RR-DAW-6-7 RR-DAW-6-7 RR-DAW-6-6 RR-DAW-6-7 RR-DAW-6-6 RR- | 1 | 2 | 3 | 4 | 5 | 6 |
| Providing and constructing langitudinal and cross graded filter drains using and and 80-20 mm and 20 mm down graded aggregates satisfying specified filter creation in layers as a graded and 80-20 mm and 20 mm down graded aggregates satisfying specified filter creation in layers as a production sincularing cost of all materials. cum 1013.10 | IRR-DAW-6-1 | 62 | RCC manhole with 60 cm dia. top cover in M-15 grade cement concrete using 20 mm down graded, clean, hard coarse aggregate, 20 cm thick for bed / sides / top slab / 1.5 m long cut-off wall and 7.5 cm thick for cover including providing 12 mm dia reinforcement bars at 30 cm c / c bothways for bed / sides / cut-off wall / top slab / rungs and 8 mm dia bars at 15 cm c / c bothways for cover, excavation for foundation, providing 30 cm dia hume pipe outlet, cost of all materials, machinery, labour, formwork, scaffolding, batching, mixing, laying, vibrating, finishing, curing etc., complete with lead upto 1 km and all lifts.(Cement content: 300 kg/cum, CA: 0.80 cum, Blending Ratioof CA 65:35,FA: 0.44 | Each | 46639.10 | |
| IRR-DAW-6-2 63 and and 80-20 mm and 20 mm down graded aggregates satisfying specified filter creteria in layers as per specifications including cost of all materials, machinery, labour, kiying to required slopes, compaction etc. complete with initial lead up to 50 m and all lifts. 14 | | | Labour Component (including contractor's profit and Overheads) | Each | | 9978.60 |
| IRR-DAW-6-3 Providing and constructing 1.40 m thick vertical or inclined graded filter media consisting of 20 cm thick sand layers, 25 cm thick 20 mm down coarse aggregate layers and 50 cm thick 80-20 mm coarse aggregate layer using approved materials satisfying specified filter reteria as per specifications including cost of all materials, machinery, labour, laying to required slope, compaction etc., complete with initial lead upto 50 m and all litts. Cabour Component (including contractor's profit and Overheads) | IRR-DAW-6-2 | 63 | sand and 80-20 mm and 20 mm down graded aggregates satisfying specified filter creteria in layers as per specifications including cost of all materials, machinery, labour, laying to required slopes, compaction etc. complete with | cum | 1013.10 | |
| iRR-DAW-6-3 64 coarse aggregate layers and 50 cm thick 80-20 mm coarse aggregate layer using approved materials satisfying specified filter creteria as per specifications including cost of all materials, machinery, labour, laying to required slope, compaction etc., complete with initial lead upto 50 m and all lifts. Labour Component (including contractor's profit and Overheads) cum 1017.40 178 compaction etc., complete with initial lead upto 50 m and all lifts. Labour Component (including contractor's profit and Overheads) cum 1017.40 187 compaction etc., complete with initial lead upto 50 m and all lifts. Labour Component (including contractor's profit and Overheads) cum 1017.40 187 compaction etc., complete with initial lead upto 50 m and all lifts. Labour Component (including contractor's profit and Overheads) cum 1017.40 188 compaction etc., complete with initial lead upto 50 m and all lifts. Labour Component (including contractor's profit and Overheads) cum 1133.30 188 compaction etc., complete with initial lead upto 50 m and all lifts. Labour Component (including contractor's profit and Overheads) cum 1133.30 188 compacting etc., complete with initial lead unto 50 m and all lifts. Labour Component (including contractor's profit and Overheads) cum 1133.30 188 compacting etc., complete with initial lead unto 50 m and all lifts. Labour Component (including contractor's profit and Overheads) cum 1133.30 188 compacting etc., complete with initial lead unto 50 m and all lifts. Labour Component (including contractor's profit and Overheads) sqm 950.60 188 compacting etc., complete with initial lead upto 50 m and all lifts. Labour Component (including contractor's profit and Overheads) cum 1161.80 188 compacting etc., complete with initial lead upto 50 m and all lifts. Labour Component (including contractor's profit and Overheads) cum 1161.80 188 compacting etc., complete with initial lead upto 50 m and all lifts. Labour Component (including contractor's profit and Overheads) cum 1161.80 19 | | | Labour Component (including contractor's profit and Overheads) | cum | | 138.40 |
| IRR-DAW-6-4 Providing and constructing graded filter media below and behind rock-toe consisting of 20 cm thick sand, 25 cm thick 20 - 4.75 mm and 40 cm thick 80 - 20 mm size graded coarse aggregates satisfying filter creteria as per specifications including cost of all materials, abour, machinery, laying to required slope, compaction etc., complete with initial lead upto 50 m and all lifts. Labour Component (including contractor's profit and Overheads) | IRR-DAW-6-3 | 64 | media consisting of 20 cm thick sand layers, 25 cm thick 20 mm down coarse aggregate layers and 50 cm thick 80-20 mm coarse aggregate layer using approved materials satisfying specified filter creteria as per specifications including cost of all materials, machinery, labour, laying to required slope, | cum | 1074.00 | |
| IRR-DAW-6-4 65 65 65 65 65 65 65 65 65 6 | | | Labour Component (including contractor's profit and Overheads) | cum | | 138.40 |
| IRR-DAW-6-4-A (New Item2 2011- 12) Providing and constructing graded filter media below and behind rock-toe consisting of 30 cm thick, 80 - 20 mm size graded coarse aggregates satisfying filter creteria as per specifications including cost of all materials, labour, machinery, laying to required slope, compaction etc., complete with initial lead unto 50 m and all lifts. Labour Component (including contractor's profit and Overheads) Providing and laying filter media consisting of 2 layers of 250 gsm poly-propeline non-woven filter fabric and 400 mm thick 20 mm down graded coarse aggregate for vertical / inclined and horizontal filter blanket for embankment including cost of all materials, machinery, labour, expensively and satisfying filter creteria including cost of all materials, machinery, labour, compacting etc., complete with initial lead upto 50 m and all lifts. Labour Component (including contractor's profit and Overheads) Sqm 53. Providing and constructing 45 cm thick chimney filter using clean approved sand satisfying filter creteria including cost of all materials, machinery, labour, compacting etc., complete with initial lead upto 50 m and all lifts. Labour Component (including contractor's profit and Overheads) cum 778.30 cum 110 TRR-DAW-6-7 Providing and constructing 90 cm thick transition cum filter media behind rockfill using approved sand and 80-20 mm and 20 mm down graded aggregates satisfying the filter creteria in layers of 30 cm thickness each as per to required slope, compaction etc., complete with initial lead upto 50 m and all lifts. Labour Component (including cost of all materials, machinery, labour, laying each layer to required slope, compaction etc., complete with initial lead upto 50 m and all lifts. Providing and constructing 60 cm thick hand packed rough stone revetment with 65 to 75 cm long through stones at 1.50 m c / c over a backing of 45 cm thick graded filter media consisting of sand, 10 mm and 40 mm size approved graded aggregates laid in layers of 15 cm thick ea | IRR-DAW-6-4 | 65 | consisting of 20 cm thick sand, 25 cm thick 20 - 4.75 mm and 40 cm thick 80 - 20 mm size graded coarse aggregates satisfying filter creteria as per specifications including cost of all materials, labour, machinery, laying to required | cum | 1017.40 | |
| Consisting of 30 cm thick, 80 - 20 mm size graded coarse aggregates satisfying filter creteria as per specifications including cost of all materials, labour, machinery, laying to required slope, compaction etc., complete with initial lead unto 50 m and all lifts. | | | Labour Component (including contractor's profit and Overheads) | cum | | 124.30 |
| Providing and laying filter media consisting of 2 layers of 250 gsm polypropeline non-woven filter fabric and 400 mm thick 20 mm down graded coarse aggregate for vertical / inclined and horizontal filter blanket for embankment including cost of all materials, machinery, labour etc., complete with lead upto 50 m for aggregate and all leads for fabric and all lifts. Labour Component (including contractor's profit and Overheads) sqm 53. | (New Item2 2011 | - 66 | consisting of 30 cm thick, 80 - 20 mm size graded coarse aggregates satisfying filter creteria as per specifications including cost of all materials, labour, machinery, laying to required slope, compaction etc., complete with initial lead unto 50 m and all lifts. | cum | 1133.30 | |
| IRR-DAW-6-5 67 67 68 68 68 68 68 69 69 69 69 69 | | | Labour Component (including contractor's profit and Overheads) | cum | | 46.80 |
| IRR-DAW-6-6 8 Providing and constructing 45 cm thick chimney filter using clean approved sand satisfying filter creteria including cost of all materials, machinery, labour, compacting etc., complete with initial lead upto 50 m and all lifts. Labour Component (including contractor's profit and Overheads) Cum 110 Providing and constructing 90 cm thick transition cum filter media behind rockfill using approved sand and 80-20 mm and 20 mm down graded aggregates satisfying the filter creteria in layers of 30 cm thickness each as per specifications including cost of all materials, machinery, labour, laying each layer to required slope, compaction etc., complete with initial lead upto 50 m and all lifts. Labour Component (including contractor's profit and Overheads) Cum 1061.80 Providing and constructing 60 cm thick hand packed rough stone revetment with 65 to 75 cm long through stones at 1.50 m c / c over a backing of 45 cm thick graded filter media consisting of sand, 10 mm and 40 mm size approved graded aggregates laid in layers of 15 cm thick each including cost of all materials, machinery, labour, laying to required slopes, wedging with chips, finishing etc. complete with initial lead upto 50 m and all lifts. | IRR-DAW-6-5 | 67 | propeline non-woven filter fabric and 400 mm thick 20 mm down graded coarse aggregate for vertical / inclined and horizontal filter blanket for embankment including cost of all materials, machinery, labour etc., complete | sqm | 950.60 | |
| IRR-DAW-6-6 68 sand satisfying filter creteria including cost of all materials, machinery, labour, compacting etc., complete with initial lead upto 50 m and all lifts. Labour Component (including contractor's profit and Overheads) cum 110 Providing and constructing 90 cm thick transition cum filter media behind rockfill using approved sand and 80-20 mm and 20 mm down graded aggregates satisfying the filter creteria in layers of 30 cm thickness each as per specifications including cost of all materials, machinery, labour, laying each layer to required slope, compaction etc., complete with initial lead upto 50 m and all lifts. Labour Component (including contractor's profit and Overheads) cum 1061.80 Providing and constructing 60 cm thick hand packed rough stone revetment with 65 to 75 cm long through stones at 1.50 m c / c over a backing of 45 cm thick graded filter media consisting of sand, 10 mm and 40 mm size approved graded aggregates laid in layers of 15 cm thick each including cost of all materials, machinery, labour, laying to required slopes, wedging with chips, finishing etc. complete with initial lead upto 50 m and all lifts. | | | Labour Component (including contractor's profit and Overheads) | sqm | | 53.90 |
| IRR-DAW-6-7 Providing and constructing 90 cm thick transition cum filter media behind rockfill using approved sand and 80-20 mm and 20 mm down graded aggregates satisfying the filter creteria in layers of 30 cm thickness each as per specifications including cost of all materials, machinery, labour, laying each layer to required slope, compaction etc., complete with initial lead upto 50 m and all lifts. Labour Component (including contractor's profit and Overheads) cum 1061.80 Providing and constructing 60 cm thick hand packed rough stone revetment with 65 to 75 cm long through stones at 1.50 m c / c over a backing of 45 cm thick graded filter media consisting of sand, 10 mm and 40 mm size approved graded aggregates laid in layers of 15 cm thick each including cost of all materials, machinery, labour, laying to required slopes, wedging with chips, finishing etc. complete with initial lead upto 50 m and all lifts. | IRR-DAW-6-6 | 68 | sand satisfying filter creteria including cost of all materials, machinery, labour, | cum | 778.30 | |
| rockfill using approved sand and 80-20 mm and 20 mm down graded aggregates satisfying the filter creteria in layers of 30 cm thickness each as per specifications including cost of all materials, machinery, labour, laying each layer to required slope, compaction etc., complete with initial lead upto 50 m and all lifts. Labour Component (including contractor's profit and Overheads) Cum 1061.80 Providing and constructing 60 cm thick hand packed rough stone revetment with 65 to 75 cm long through stones at 1.50 m c / c over a backing of 45 cm thick graded filter media consisting of sand, 10 mm and 40 mm size approved graded aggregates laid in layers of 15 cm thick each including cost of all materials, machinery, labour, laying to required slopes, wedging with chips, finishing etc. complete with initial lead upto 50 m and all lifts. | | | Labour Component (including contractor's profit and Overheads) | cum | | 110.20 |
| Providing and constructing 60 cm thick hand packed rough stone revetment with 65 to 75 cm long through stones at 1.50 m c / c over a backing of 45 cm thick graded filter media consisting of sand, 10 mm and 40 mm size approved graded aggregates laid in layers of 15 cm thick each including cost of all materials, machinery, labour, laying to required slopes, wedging with chips, finishing etc. complete with initial lead upto 50 m and all lifts. | IRR-DAW-6-7 | 69 | rockfill using approved sand and 80-20 mm and 20 mm down graded aggregates satisfying the filter creteria in layers of 30 cm thickness each as per specifications including cost of all materials, machinery, labour, laying each layer to required slope, compaction etc., complete with initial lead upto 50 m and all lifts. | cum | 1061.80 | |
| With 65 to 75 cm long through stones at 1.50 m c / c over a backing of 45 cm thick graded filter media consisting of sand, 10 mm and 40 mm size approved graded aggregates laid in layers of 15 cm thick each including cost of all materials, machinery, labour, laying to required slopes, wedging with chips, finishing etc. complete with initial lead upto 50 m and all lifts. | | 1 | Labour Component (including contractor's profit and Overheads) | cum | | 145.40 |
| Labour Commonant (including a set of the set | IRR-DAW-6-8 | 70 | with 65 to 75 cm long through stones at 1.50 m c / c over a backing of 45 cm thick graded filter media consisting of sand, 10 mm and 40 mm size approved graded aggregates laid in layers of 15 cm thick each including cost of all | sqm | 893.60 | |
| Labour Component (including contractor's profit and Overheads) sqm 162 | | | finishing etc. complete with initial lead upto 50 m and all lifts. | | | |
| II apolit Lompopent (including contractor's protit and Liverpoods) cam 1 | IRR-DAW-6-8 | 70 | with 65 to 75 cm long through stones at 1.50 m c / c over a backing of 45 cm thick graded filter media consisting of sand, 10 mm and 40 mm size approved graded aggregates laid in layers of 15 cm thick each including cost of all | sqm | 893.60 | |

| Chapterwise item No. | S.NO | Item description | Unit | Rate | Itemwise unit rate for Labour Component |
|----------------------|------|---|------|---------|---|
| 1 | 2 | 3 | 4 | 5 | 6 |
| IRR-DAW-6-9 | 71 | Providing and constructing 60 cm thick hand packed rough stone revetment with 65 to 75 cm long through stones at 1.50 m c / c over a backing of 60 cm thick graded filter media consisting of sand, 10 mm and 40 mm size approved graded aggregates laid in layers of 20 cm thick each including cost of all materials, machinery, labour, laying to required slopes, wedging with chips, finishing etc. complete with initial lead upto 50 m and all lifts. | sqm | 1064.20 | |
| | | Labour Component (including contractor's profit and Overheads) | sqm | | 183.90 |
| IRR-DAW-6-10 | 72 | Providing and constructing 60 cm thick hand packed rough stone riprap over a backing of 45 cm thick graded filter media consisting of sand, 10 mm and 40 mm size graded approved aggregates laid in layers of 15 cm thick each including cost of all materials, machinery, labour, laying to required slopes, wedging with stone chips etc., complete with initial lead upto 50 m and all lifts. | sqm | 834.40 | |
| | | Labour Component (including contractor's profit and Overheads) | sqm | | 124.20 |
| IRR-DAW-6-11 | 73 | Providing and constructing 75 cm thick hand packed rough stone riprap over a backing of 45 cm thick graded filter media consisting of sand, 10 mm and 40 mm size graded approved aggregates laid in layers of 15 cm thick each including cost of all materials, machinery, labour, laying to required slopes, wedging with stone chips, etc., complete with initial lead upto 50 m and all lifts. | sqm | 910.10 | |
| | | Labour Component (including contractor's profit and Overheads) | sqm | | 135.40 |
| IRR-DAW-6-12 | 74 | Providing and constructing 90 cm thick hand packed rough stone riprap over a backing of 45 cm thick graded filter media consisting of sand, 10 mm and 40 mm size graded approved aggregates laid in layers of 15 cm thick each including cost of all materials, machinery, labour, laying to required slopes, wedging with stone chips etc., complete with initial lead upto 50 m and all lifts. | sqm | 999.10 | |
| | | Labour Component (including contractor's profit and Overheads) | sqm | | 157.90 |
| IRR-DAW-6-13 | 75 | Providing and laying Hariyala or other approved quality turfing sods for the slopes of earthen embankments over 20 mm thick sand backing including cost of all materials, machinery, labour including preparing surface, spreading sand, watering for 15 days etc., complete with initial lead upto 1 km and all lifts. | sqm | 107.70 | |
| | | Labour Component (including contractor's profit and Overheads) | sqm | | 62.50 |
| Chapter II | | | | | |
| IRR-TAW | | TUNNEL AND ALLIED WORKS | | | |
| | | | | | |
| IRR-TAW-1 | 76 | EXCAVATION: Excavation for adit by tunnelling methods in all types of rock including cost of all materials, machinery, labour, scaling excavated surface, ventilation, lighting, drainage, removing and hauling the excavated muck outside adit upto specified dump area and all other ancillary operations etc., complete with initial lead upto 50 m and all lifts. | cum | 1750.60 | |
| | | Labour Component (including contractor's profit and Overheads) | cum | | 590.50 |
| | | Excavation for vertical / inclined shaft in all types of soft / hard rock including cost of all materials, machinery, labour, shoring, strutting, scaling | | 2316.20 | |
| IRR-TAW-1-2 | 77 | excavated surface, ventilation, lighting, drainage, removing and hauling excavated muck outside shaft upto specified dump area and all other ancillary operations etc., complete with initial lead upto 1 km and all lifts. | cum | 2310.20 | |
| IRR-TAW-1-2 | 77 | excavated muck outside shaft upto specified dump area and all other ancillary | cum | 2010.20 | 1177.80 |
| IRR-TAW-1-2 | 77 | excavated muck outside shaft upto specified dump area and all other ancillary operations etc., complete with initial lead upto 1 km and all lifts. | | 1786.70 | |
| | | excavated muck outside shaft upto specified dump area and all other ancillary operations etc., complete with initial lead upto 1 km and all lifts. Labour Component (including contractor's profit and Overheads) Excavation for tunnel by tunnelling methods in rock not requiring supports including cost of all materials,machinery, labour, scaling excavated surface, removing under-cuts, ventilation, lighting, drainage, removing and hauling the excavated muck outside tunnel upto specified dump area and all other ancillary | cum | | 1177.80 581.70 |
| | | excavated muck outside shaft upto specified dump area and all other ancillary operations etc., complete with initial lead upto 1 km and all lifts. Labour Component (including contractor's profit and Overheads) Excavation for tunnel by tunnelling methods in rock not requiring supports including cost of all materials,machinery, labour, scaling excavated surface, removing under-cuts, ventilation, lighting, drainage, removing and hauling the excavated muck outside tunnel upto specified dump area and all other ancillary operations etc., complete with initial lead upto 1 km and all lifts. | cum | | |

| item No. | S.NO | Item description | Unit | Rate | Itemwise unit rate for Labour Component |
|--|------|---|-------------------|---------------------|---|
| 1 | 2 | 3 | 4 | 5 | 6 |
| IRR-TAW-1-5 | 80 | Excavation for tunnel by heading and benching tunnelling methods including excavation for supports in all types of soil / rock strata requiring supports (excluding cost of providing supports) for roof before benching including cost of all other materials, machinery, labour, scaling excavated surface, ventilation, lighting, drainage removing and hauling excavated muck outside tunnel upto specified dump area and all other ancillary operations etc., complete with initial lead upto 1 km and all lifts. | cum | 1887.90 | |
| | | NOTE: Where mucking is to be carried out through shaft using winch and mucking tub system increase the basic rates for items 3, 4 & 5 by 8 percent. | | | |
| | | Labour Component (including contractor's profit and Overheads) | cum | | 645.70 |
| IRR-TAW-1-6 | 81 | Removing and hauling muck overfallen due to natural causes such as geological faults etc., out of tunnel including breaking large fragments by blasting if necessary and disposing off the same in specified dump area or as directed including cost of all materials, machinery, labour, ventilation, drainage, lighting and all other ancillary operations etc., complete with initial lead upto 1 km and all lifts. | cum | 364.90 | |
| | | Labour Component (including contractor's profit and Overheads) | cum | | 89.80 |
| IRR-TAW-2 | | DEWATERING & GUNITING WORKS : | | | |
| IRR-TAW-2-1 | 82 | Dewatering tunnel by pumping out water collected by natural drainage inside tunnel including providing sump wherever necessary, cost of all materials, machinery, labour, drainage, lighting, ventilation and all other ancillary operations etc., complete. | Kwhr | 23.60 | |
| | | Labour Component (including contractor's profit and Overheads) | Kwhr | | 8.30 |
| IRR-TAW-2-2 | 83 | Providing 25 mm thick guniting to sides and arch of tunnel in cement mortar 1:3 proportion by weight including cost of all materials, machinery, labour, ventilation, lighting, drainage and all other ancillary operations etc., complete with lead unto 1 km and all lifts. | sqm | 630.00 | |
| | | Labour Component (including contractor's profit and Overheads) | sqm | | 185.10 |
| IRR-TAW-2-3 (new Item4 2010- 11) | - 84 | Shortcreting in two layers (each layer+38 mm thickness) for slabs duly fixing chain weld wire mesh 100 x 100x5 mm in between the two layers including cost and conveyance of all materials, labour charges, all heads, lifts, centering, scaffolding, machine mixing, laying concrete with shortcrete machine etc. complete as per specification and as directed by Engineer-in-Charge | sqm | 1524.00 | |
| | | Labour Component (including contractor's profit and Overheads) | sqm | | 185.10 |
| IRR-TAW-3 | | TEMPORARY & PERMANENT SUPPORTS : | | | |
| IRR-TAW-3-1 | 85 | Providing and fixing 25 mm diameter steel rock bolts with mechanical / wedge type anchorage including drilling 35 mm dia holes, providing 15 cm long 20 mm thick steel tapered wedge, 10 mm thick plate washers and nuts, tightening bolt by torque wrench, cost of all materials, machinery, labour, ventilation, lighting, drainage and all other ancillary operations etc., complete with lead upto 1 km and all lifts. | Rm | 1063.40 | |
| | | Labour Component (including contractor's profit and Overheads) | KIII | | 315.30 |
| | | | KIII | | 315.30 |
| IRR-TAW-3-2 | 86 | Providing and fixing 25 mm diameter steel rock bolts with resin bond cement capsule anchorage including drilling 35 mm dia holes, inserting grout capsule, driving bolt, fixing 10 mm thick plate washers and nuts and tightening the same by torque wrench after hardening of cement grout, cost of all materials, machinery, labour, ventilation, lighting, drainage and other ancillary operations etc complete with lead unto 1 km and all lifts. | Rm | 1020.70 | |
| IRR-TAW-3-2 | 86 | Providing and fixing 25 mm diameter steel rock bolts with resin bond cement capsule anchorage including drilling 35 mm dia holes, inserting grout capsule, driving bolt, fixing 10 mm thick plate washers and nuts and tightening the same by torque wrench after hardening of cement grout, cost of all materials, machinery, labour, ventilation, lighting, drainage and other ancillary operations | | 1020.70 | 315.30 290.50 |
| IRR-TAW-3-2 | 86 | Providing and fixing 25 mm diameter steel rock bolts with resin bond cement capsule anchorage including drilling 35 mm dia holes, inserting grout capsule, driving bolt, fixing 10 mm thick plate washers and nuts and tightening the same by torque wrench after hardening of cement grout, cost of all materials, machinery, labour, ventilation, lighting, drainage and other ancillary operations etc complete with lead unto 1 km and all lifts. | Rm | 1020.70 88520.40 | |
| | | Providing and fixing 25 mm diameter steel rock bolts with resin bond cement capsule anchorage including drilling 35 mm dia holes, inserting grout capsule, driving bolt, fixing 10 mm thick plate washers and nuts and tightening the same by torque wrench after hardening of cement grout, cost of all materials, machinery, labour, ventilation, lighting, drainage and other ancillary operations etccomplete with lead unto 1 km and all lifts. Labour Component (including contractor's profit and Overheads) Providing, fabricating and fixing in position permanent structural steel supports as per details including cost of all materials, machinery, labour, cutting, bending, welding, grinding, lighting, ventilation, drainage and all other | Rm Rm | | |
| | | Providing and fixing 25 mm diameter steel rock bolts with resin bond cement capsule anchorage including drilling 35 mm dia holes, inserting grout capsule, driving bolt, fixing 10 mm thick plate washers and nuts and tightening the same by torque wrench after hardening of cement grout, cost of all materials, machinery, labour, ventilation, lighting, drainage and other ancillary operations atc complete with lead unto 1 km and all lifts. Labour Component (including contractor's profit and Overheads) Providing, fabricating and fixing in position permanent structural steel supports as per details including cost of all materials, machinery, labour, cutting, bending, welding, grinding, lighting, ventilation, drainage and all other ancillary operations etc., complete with initial lead upto 1 km and all lifts. | Rm Rm tonne | | 290.50 |

| Chapterwise item No. | S.NO | Item description | Unit | Rate | Itemwise unit rat for Labour Component |
|----------------------|------|---|-------|----------|--|
| 1 | 2 | 3 | 4 | 5 | 6 |
| IRR-TAW-3-5 | 89 | Providing and fixing hard variety cut jungle wood for lagging / blocking locations in tunnel wherever required including cost of all materials, machinery, labour, fixing in position, lighting, ventilation, drainage etc complete with all leads and lifts. | cum | 34880.10 | |
| | | Labour Component (including contractor's profit and Overheads) | cum | | 1495.90 |
| IRR-TAW-4 | | MASONRY WORKS: | | | |
| | | | | | |
| IRR-TAW-4-1 | 90 | Providing and constructing un-coursed rubble stone masonry with approved stones from tunnel excavated muck in cement mortar 1:6 proportion for backfilling over cuts / slips on tunnel sides due to geological faults etc., including cost of all materials, machinery, labour, cleaning, scaffolding, packing mortar, wedging stone chips, curing, ventilation, lighting, drainage complete with lead upto 1 km and all lifts.(cement content: 95 kg/cum of masonry, Rubble stones: 0.83 cum, Stone chips: 0.13 cum,FA: 0.40 cum) | cum | 2478.30 | |
| | | Labour Component (including contractor's profit and Overheads) | cum | | 780.40 |
| IRR-TAW-5 | | REINFORCEMENT & CONCRETE WORKS : | | | |
| | | | | | |
| IRR-TAW-5-1 | 91 | Providing, fabricating and placing in position reinforcement steel for tunnel RCC works including cleaning, straightening, cutting, bending, hooking, lapping / welding joints wherever required, tying with 1.25 mm dia.soft annealed steel wire, including cost of all materials, labour, machinery, ventilation, lighting, drainage etc.,complete with initial lead upto 1 km and all lifts. | tonne | 65041.30 | |
| | | Labour Component (including contractor's profit and Overheads) | tonne | | 10293.50 |
| IRR-TAW-5-2 | 92 | Providing and laying <code>insitu</code> <code>vibrated</code> <code>M-10</code> (28 days cube compressive strength not less than 10 N / sq mm) grade cement concrete using <code>40</code> <code>mm</code> <code>down</code> <code>size</code> approved, clean, hard, graded aggregates crushed from tunnel excavated muck for filling and levelling over-cuts in bed due to geological faults etc., including cost of all materials, machinery, labour, cleaning bed, batching, mixing, conveying and laying, levelling, compacting, finishing, curing, lighting, ventilation, drainage etc., <code>complete</code> <code>with</code> <code>initial</code> <code>lead</code> <code>upto 1</code> <code>km</code> <code>and</code> <code>all</code> <code>lifts</code> . (<code>Cement content: 220 kg / cum, CA: 0.90cum, <code>Blending Ratio</code> of CA50:30:20, <code>FA: 0.40 cum, Superplasticizer 0.4%</code> <code>by</code> <code>wt. of cement)</code></code> | cum | 5763.00 | |
| | | Labour Component (including contractor's profit and Overheads) | cum | | 783.90 |
| IRR-TAW-5-3 | 93 | Providing and laying insitu vibrated M-20 (28 days cube compressive strength not less than 20 N / sqmm) grade cement concrete using 40 mm and down size approved clean, hard, graded aggregates crushed from tunnel muck for kerb and bed lining including cost of all materials, machinery, labour, formwork, batching, mixing, conveying upto placing point in agitator cars, placing in position, levelling, vibrating, finishing, curing, ventilation, lighting, drainage and all other ancillary operations etc., complete with lead upto 1 km and all lifts. (Cement content 330 kg / cum for use of super plasticiser(0.4% by wt. of cement),CA: 0.90cum, Blending Ratio of CA50:30:20, FA: 0.40 cum) | cum | 7107.80 | 076.60 |
| | | Labour Component (including contractor's profit and Overheads) | cum | | 976.60 |
| IRR-TAW-5-4 | 94 | Providing and laying insitu vibrated M-20 (28 days cube compressive strength not less than 20 N / sqmm) grade cement concrete using 40 mm and down size approved clean, hard, graded aggregates crushed from tunnel muck for sides and arch lining including cost of all materials, machinery, labour, formwork, batching, mixing, conveying upto placing point in agitator cars, placing in position, levelling, vibrating, finishing, curing, ventilation, lighting, drainage and all other ancillary operations etc., complete with lead upto 1 km and all lifts. (Cement content 330 kg / cum for use of super plasticiser (0.4% by wt. of cement),CA: 0.90cum, Blending Ratio of CA50:30:20, FA: 0.40 cum) | cum | 7312.40 | |
| | | Labour Component (including contractor's profit and Overheads) | cum | | 768.20 |
| | | i e | | ĺ | |
| IRR-TAW-6 | | DRILLING & GROLITING WORKS | | | |
| IRR-TAW-6 | | DRILLING & GROUTING WORKS : | | | |
| IRR-TAW-6 | 95 | DRILLING & GROUTING WORKS: Drilling 32 mm diameter grout holes in concrete / rock by percussion drilling using jack hammer or stooper drills as directed to specified depth for consolidation / contact grouting including cost of all materials, machinery, labour, cleaning holes, ventilation, lighting, drainage and all other ancillary operations etc., complete. | Rm | 399.10 | |

| Chapterwise item No. | S.NO | Item description | Unit | Rate | Itemwise unit rate for Labour Component |
|------------------------|------|---|-------|----------|---|
| 1 | 2 | 3 | 4 | 5 | 6 |
| IRR-TAW-6-2 96 | 96 | Grouting cement slurry in grout holes under specified pressure for consolidation / contact grouting including cost of all materials, machinery, labour, redrilling wherever necessary, ventilation, lighting, drainage and other ancillary operations etc., complete with lead upto 1 km and all lifts. | tonne | 11980.40 | |
| | | Labour Component (including contractor's profit and Overheads) | tonne | | 2318.70 |
| IRR-TAW-6-3 | 97 | Drilling 75 mm diameter drainage holes vertical or inclined in rock / concrete in tunnel by percussion drilling using waggon drill or other suitable drilling equipment including cost of all materials, machinery, labour, ventilation, lighting, drainage etc., complete. | Rm | 365.50 | |
| | | Labour Component (including contractor's profit and Overheads) | Rm | | 62.80 |
| 01 | | | | | |
| Chapter III IRR-CAW | | CANAL AND ALLIED WORKS | | | |
| | | | | | |
| IRR-CAW-1 | | EXCAVATION WORKS: | | | |
| IRR-CAW-1-1 | 98 | Excavation in all kinds of soil including boulders upto 0.3 m diameter for canal, seating of embankment, filter drains / catch water drains etc., including dressing bed and sides to required level and profile, cost of all materials, machinery, labour, placing the excavated soil neatly in dump area or for the formation of service road / embankment as directed etc., complete with initial lead upto 1 km and all lifts. | cum | 93.90 | |
| | | Labour Component (including contractor's profit and Overheads) | cum | | 23.90 |
| IRR-CAW-1-2 | 99 | Excavation in all kinds of soil including boulders upto 0.30 m dia for field channels, seating of embankment for field channels etc., including dressing of bed and sides to required profile, cost of all materials, machinery, labour, placing the excavated stuff for formation of service road / embankment as directed etc., complete with lead upto 10 m and lift upto 3 m. (Machinery excavation and manual conveyance) | cum | 50.00 | |
| | | Labour Component (including contractor's profit and Overheads) | cum | | 19.20 |
| | | 2000 Component (moduling contractor o prom and o remodule) | | | |
| IRR-CAW-1-3 | 100 | Excavation in ordinary rock (including HDR) without blasting including boulders above 0.30 m upto 0.6 m dia. for canals, seating of embankment, filter drain / catch water drains etc., including dressing of bed and sides to required level and profile, cost of all materials, machinery, labour, placing the excavated soft rock neatly in dump area or for formation of service road as directed etc., complete with lead upto 1 km and all lifts. | cum | 127.40 | |
| | | Labour Component (including contractor's profit and Overheads) | cum | | 35.60 |
| IRR-CAW-1-4 | 101 | Excavation in ordinary rock (including HDR) without blasting including boulders above 0.3 m upto 0.60 m dia. for field channels, seating of embankment for field channels etc., including dressing of bed and sides to required profile, cost of all materials, machinery, labour, placing the excavated stuff for formation of service road as directed etc.,complete with lead upto 10 m and lift upto 3 m. | cum | 83.00 | |
| | | Machinery excavation and manual conveyance) Labour Component (including contractor's profit and Overheads) | cum | | 31.80 |
| IRR-CAW-1-5 | 102 | Excavation in hard rock (including F&F rock) requiring blasting including boulders above 0.6 m upto 1.2 m dia. for canals, seating of embankment, filter drain / catch water drains etc., including dressing bed and sides to required level and profile, cost of all materials, machinery, labour, placing the excavated rock in dump area or for formation of service road as directed etc., complete with lead | cum | 196.40 | |
| | | unto 1 km and all lifts. Labour Component (including contractor's profit and Overheads) | cum | | 64.50 |
| | | | | | - |
| | 103 | Excavation in hard rock of all toughness by blasting including boulders above 1.2 m dia. for canals, seating of embankment, filter drain / catch water drains etc., including levelling the bed by removing all projections by hammering / chiselling, cost of all materials, machinery, labour, placing the excavated rock neatly in approved dump area and levelling the same as directed etc., complete with initial lead upto 1 km and all lifts. | cum | 486.60 | |
| RR-CAW-1-6 (a) | | : \ The note under this item shall be adopted for course decisioned for | | | |
| RR-CAW-1-6 (a) | | i) The rate under this item shall be adopted for canals designed for carrying capacity of less than 15 cumecs or where the average depth excavation in hard rock is less than 3 m. ii) The rate includes levelling canal bed by hammering / chiselling all rock projections wherever required Labour Component (including contractor's profit and Overheads) | | | |

| Chapterwise item No. | S.NO | Item description | Unit | Rate | Itemwise unit rate for Labour Component |
|----------------------|------|--|-------|---------|---|
| 1 | 2 | 3 | 4 | 5 | 6 |
| IRR-CAW-1-7 (b) | 104 | Excavation in hard rock of all toughness including boulders above 1.2 m dia. by approved controlled blasting methods for canals, cut-off trench of embankment, filter / catch-water drains etc., including controlling fly-rock by muffling arrangements such as placing 50 x 50 mm opening chain link mesh or waste tyres and sand bags, monitoring ground vibrations at specified locations, costof all materials, machinery, labour, placing excavated rock neatly in approved dump area or other place as directed etc., complete with lead upto 1 km and all lifts. i) The rate under this item shall be adopted for canals designed for carrying capacity of less than 15 cumecs or where the average depth excavation in hard rock is less than 3 m. ii) The rate under this item shall be adopted where the control of fly-rock and | cum | 617.90 | |
| | | Labour Component (including contractor's profit and Overheads) | cum | | 137.10 |
| IRR-CAW-1-8(c) | 105 | Excavation in hard rock of all toughness including boulders above 1.2 m dia. for dressing canal sides neatly on either side to required profile by line drilling and smooth blasting including removing under-cuts by chiselling / hammering, placing the excavated rock neatly in dump area or other place as directed, cost of all materials, machinery, labour etc., complete with lead upto 1 km and all lifts. i) For excavation of canal below free board level combination of normal controlled blasting and line drilling and smooth blasting shall be adopted to obtain neat side slopes. For the purpose of payment 1 m width of excavation on either side shall be treated as excavation by line drilling and smooth blasting and remaining portion shall be treated as excavation by normal / controlled blasting as the case may be. ii) The rate under this item shall be adopted for canals designed for carrying capacity of less than 15 cumecs or where the average depth of excavation in hard rock is less than 3 m. iii) The rate includes controlling fly-rock wherever required. iv) The rate under this item shall be paid only on ascertaining that the excavated face has come off neatly as per specifications or atleast 50 percent of smooth | cum | 1069.20 | |
| | | Labour Component (including contractor's profit and Overheads) | cum | | 366.30 |
| IRR-CAW-1-9(a) | 106 | Excavation in hard rock by blasting including boulders above 1.2 m dia. for canals, seating embankment etc., including levelling bed by removing all projections by hammering / chiselling, cost of all materials, machinery, labour, placing the excavated rock neatly in approved dump area and levelling the same as directed etc.,complete with initial lead upto 1 km and all lifts. i) The rate under this item shall be adopted for canals designed for carrying capacity of more than 15 cumecs or where the average depth of excavation in hard rock is more than 3 m. ii) The rate includes levelling canal bed by hammering /chiselling all rock projections wherever required. | cum | 298.20 | 42.00 |
| | | Labour Component (including contractor's profit and Overheads) | cum | | 43.90 |
| IRR-CAW-1- 10(b) | 107 | Excavation in hard rock of all toughness including boulders above 1.2 m dia. by approved controlled blasting methods for canals, cut-off trench of embankment etc., including controlling fly-rock by muffling arrangements such as placing 50 x 50 mm opening chain link mesh or waste tyres and sand bags, monitoring ground vibrations at specified locations, cost of all materials, machinery, labour, placing excavated rock neatly in approved dump area or other place as directed etc., complete with lead upto 1 km and all lifts. i) The rate under this item shall be adopted for canals designed for carrying capacity of more than 15 cumecs or where the average depth of excavation in hard rock is more than 3 m. ii) The rate under this item shall be adopted where the control of fly-rock and ground vibrations is required. | cum | 446.90 | |
| | | Labour Component (including contractor's profit and Overheads) | cum | | 50.20 |
| | | | Cuiii | | 33.20 |

| Chapterwise item No. | S.NO | Item description | Unit | Rate | Itemwise unit rate for Labour Component |
|--------------------------|------|--|-------|--------|---|
| 1 IRR-CAW-1- 11(c) | 108 | Excavation in hard rock of all toughness including boulders above 1.2 m dia. for dressing canal sides neatly on either side to required profile by line drilling and smooth blasting including removing under-cuts by chiselling / hammering, placing the excavated rock neatly in dump area or other place as directed, cost of all materials, machinery, labour etc., complete with lead upto 1 km and all lifts. i) For excavation of canal below free board level combination of normal controlled blasting and line drilling and smooth blasting shall be adopted to obtain neat side slopes. For the purpose of payment 1 m width of excavation on either side shall be treated as excavation by line drilling and smooth blasting and remaining portion shall be treated as excavation by normal / controlled blasting as the case may be. ii) The rate under this item shall be adopted for canals designed for carrying capacity of more than 15 cumecs or where the average depth of excavation in hard rock is more than 3 m. iii) The rate includes controlling fly-rock wherever required. iv) The rate under this item shall be paid only on ascertaining that the excavated face has come off neatly as per specifications or atleast 50 percent of smooth Labour Component (including contractor's profit and Overheads) | cum | 734.30 | 113.20 |
| IDD CAW 2 | | EMPANIANENE WORKS HOME POPPOW AREA SOIL | | | |
| IRR-CAW-2 | 109 | Providing impervious hearting embankment with selected soil from approved borrow areas in layers of 25 cm before compaction including cost of all materials, machinery, labour, all operations such as excavation, sorting out, transporting, spreading in layer of specified thickness, breaking clods, sectioning, watering, compacting each layer to density control of not less than 98 percent or as stipulated by Sheep foot roller / Vibratory roller / 8 to 10 tonne power roller etc., complete with initial lead upto 1 km and all lifts. | cum | 196.40 | |
| | | Labour Component (including contractor's profit and Overheads) | cum | | 32.90 |
| IRR-CAW-2-2 | 110 | Providing impervious hearting embankment with selected soil from approved borrow areas in layers of 25 cm before compaction including cost of all materials, machinery, labour, all operations such as excavation, sorting out, transporting, spreading in layer of specified thickness, breaking clods, sectioning, watering, compacting each layer to density control of not less than 95 percent or as stipulated by Sheep foot roller / Vibratory roller / 8 to 10 tonne power roller etc., complete with initial lead upto 1 km and all lifts. Labour Component (including contractor's profit and Overheads) | cum | 189.70 | 32.40 |
| | | Education of Profit and Overheads) | oum | | 02.10 |
| IRR-CAW-2-3 | 111 | Providing semi-pervious / pervious casing embankment using soil from approved borrow area in layers of 25 cm before compaction including cost of all materials, machinery, labour, all operations such as excavation, sortingout, transporting, spreading in layer of specified thickness, breaking clods, sectioning, watering, compacting to density control of not less than 98 percent or as stipulated by Sheep foot roller / Vibratory roller/ 8 to 10 tonne power roller etc., complete with initial lead upto 1 km and all lifts. Labour Component (including contractor's profit and Overheads) | cum | 196.20 | 32.90 |
| | | Labour Component (including contractor's profit and Overneads) | Cuiii | | 32.30 |
| IRR-CAW-2-4 | 112 | Providing semi-pervious / pervious casing embankment using soil from approved borrow area in layers of 25cm before compaction including cost of all materials, machinery, labour, all operations such as excavation, sortingout, transporting, spreading in layer of specified thickness, breaking clods, sectioning, watering, compacting to density control of not less than 95 percent or as stipulated by Sheep foot roller / Vibratory roller/8 to 10 tonne power roller etc., complete with initial lead upto 1 km and all lifts. | cum | 191.90 | |
| | | Labour Component (including contractor's profit and Overheads) | cum | | 34.70 |
| IRR-CAW-2-5 | 113 | Providing semi-pervious / pervious casing embankment using soil from approved borrow area in layers of 25cm before compaction including cost of all materials, machinery, labour, all operations such as excavation, sortingout, transporting, spreading in layer of specified thickness, breaking clods, sectioning, compacting each layer without watering to density control of not less than 95 percent or as stipulated by Sheep foot roller / Vibratory roller/8 to 10 tonne power roller etc., complete with initial lead upto 1 km and all lifts. | cum | 178.70 | |
| | | Labour Component (including contractor's profit and Overheads) | cum | | 30.00 |
| | | | | | <u> </u> |

| Chapterwise item No. | S.NO | Item description | Unit | Rate | Itemwise unit rate for Labour Component |
|----------------------|------|---|------|--------|---|
| 1 | 2 | 3 | 4 | 5 | 6 |
| IRR-CAW-2-6 | 114 | Providing hearting / casing embankment with homogeneous soil from approved borrow areas in layers of 25 cm before compaction including cost of all materials, machinery, labour, all operations such as excavation, sorting out, transporting, spreading in layer of specified thickness, breaking clods, sectioning, watering, compacting each layer to density control of not less than 98 percent or as stipulated by Sheep foot roller / Vibratory roller / 8 to 10 tonne power roller etc., complete with initial lead upto 1 km and all lifts. | cum | 169.70 | |
| | | Labour Component (including contractor's profit and Overheads) | cum | | 27.30 |
| IRR-CAW-2-7 | 115 | Providing hearting / casing embankment with homogeneous soil from approved borrow areas in layers of 25 cm before compaction including cost of all materials, machinery, labour, all operations such as excavation, sorting out, transporting, spreading in layer of specified thickness, breaking clods, sectioning, watering, compacting each layer to density control of not less than 95 percent or as stipulated by Sheep foot roller / Vibratory roller/8 to 10 tonne power roller etc., complete with initial lead upto 1 km and all lifts. | cum | 163.80 | |
| | | Labour Component (including contractor's profit and Overheads) | cum | | 26.70 |
| IRR-CAW-2-8 | 116 | Providing casing embankment using homogeneous soil from approved borrow area in layers of 25 cm before compaction including cost of all materials, machinery, labour, all operations such as excavation, sortingout, transporting, spreading in layer of specified thickness, breaking clods, sectioning, compacting each layer without watering to density control of not less than 95 percent or as stipulated by Sheep foot roller / Vibratory roller/8 to 10 tonne power roller etc., complete with initial lead upto 1 km and all lifts. | cum | 153.90 | |
| | | Labour Component (including contractor's profit and Overheads) | cum | | 24.50 |
| IRR-CAW-3 | | EMBANKMENT WORKS USING DUMP AREA SOIL : | | | |
| nat oray o | | EMBANNIEN WORKS SOME PARENCOIL. | | | |
| IRR-CAW-3-1 | 117 | Providing impervious hearting embankment with soil from approved dump areas in layers of 25 cm before compaction including cost of all materials, machinery, labour, all operations such as re-excavation, sorting out, transporting, spreading in layer of specified thickness, breaking clods, sectioning, watering, compacting each layer to achieve density control of not less than 98 percent or as stipulated by Sheep foot roller / Vibratory roller/ 8 to 10 tonne power roller etc.,complete with initial lead upto 1 km and all lifts. | cum | 149.00 | |
| | | Labour Component (including contractor's profit and Overheads) | cum | | 25.20 |
| IRR-CAW-3-2 | 118 | Providing impervious hearting embankment with soil from approved dump areas in layers of 25 cm before compaction including cost of all materials, machinery, labour, all operations such as re-excavation, sorting out, transporting, spreading in layer of specified thickness, breaking clods, sectioning, watering, compacting each layer to achieve density control of not less than 95 percent or as stipulated by Sheep foot roller / Vibratory roller/8 to 10 tonne power roller etc.,complete with initial lead upto 1 km and all lifts. | cum | 143.70 | 0100 |
| | | Labour Component (including contractor's profit and Overheads) | cum | | 24.90 |
| IRR-CAW-3-3 | 119 | Providing semi-pervious / pervious casing embankment using soil from approved dump area in layers of 25 cm before compaction including cost of all materials, machinery, labour, all operations such as re-excavation, sorting out, transporting, spreading in layer of specified thickness, breaking clods, sectioning, watering, compacting each layer to density control of not less than 98 percent or as stipulated by Sheep foot roller / Vibratory roller / 8 to 10 tonne power roller etc., complete with initial lead upto 1 km and all lifts. | cum | 144.80 | |
| | | Labour Component (including contractor's profit and Overheads) | cum | | 24.40 |
| IRR-CAW-3-4 | 120 | Providing semi-pervious / pervious casing embankment using soil from approved dump area in layers of 25 cm before compaction including cost of all materials, machinery, labour, all operations such as re-excavation, sorting out, transporting, spreading in layer of specified thickness, breaking clods, sectioning, watering, compacting each layer to density control of not less than 95 percent or as stipulated by Sheep foot roller / Vibratory roller/8 to 10 tonne power roller etc., complete with initial lead upto 1 km and all lifts. | cum | 139.30 | |
| | | Labour Component (including contractor's profit and Overheads) | cum | | 24.00 |
| | | | | | |

| Chapterwise item No. | S.NO | Item description | Unit | Rate | Itemwise unit rate for Labour Component |
|----------------------|------|--|------|--------|---|
| 1 | 2 | 3 | 4 | 5 | 6 |
| IRR-CAW-3-5 | 121 | Providing semi-pervious / pervious casing embankment using soil from approved dump area in layers of 25 cm before compaction including cost of all materials, machinery, labour, all operations such as re-excavation, sorting out, transporting, spreading in layer of specified thickness, breaking clods, sectioning, compacting each layer without watering to density control of not less than 95 percent or as stipulated by Sheep foot roller / Vibratory roller/8 to 10 tonne power roller etc., complete with initial lead upto 1 km and all lifts. | cum | 130.60 | |
| | | Labour Component (including contractor's profit and Overheads) | cum | | 22.00 |
| IRR-CAW-4 | | EMBANKMENT WORKS USING EXCAVATED SOIL : | | | |
| IRR-CAW-4-1 | 122 | Providing impervious hearting embankment with soil collected in embankment area in heaps as part of disposal of excavated soil from canal including cost of all materials, machinery, labour, all operations such as sortingout, spreading in layer of 25 cm before compaction, breaking clods, sectioning, watering and compacting each layer to density control of not less than 98 percent or as stipulated by Sheep foot roller / Vibratory roller/8 to 10 tonne power roller etc., complete with lead upto 1 km for water. | cum | 66.60 | |
| | | Labour Component (including contractor's profit and Overheads) | cum | | 10.10 |
| IRR-CAW-4-2 | 123 | Providing impervious hearting embankment with soil collected in embankment area in heaps as part of disposal of excavated soil from canal including cost of all materials,machinery, labour, all operations such as sortingout, spreading in layer of 25 cm before compaction, breaking clods,sectioning, watering and compacting each layer to density control of not less than 95 percent or as stipulated by Sheep foot roller / Vibratory roller/8 to 10 tonne power roller etc., complete with lead upto 1 km for water. | cum | 61.20 | |
| | | Labour Component (including contractor's profit and Overheads) | cum | | 10.30 |
| IRR-CAW-4-3 | 124 | Providing semi-pervious / pervious casing hearting embankment using soil collected in heaps in embankment area as part of disposal of excavated soil from canal including cost of all materials, machinery, labour, all operations such as sorting-out, spreading in layers of 25 cm before compaction, breaking clods, sectioning, watering and compacting each layer to density control of not less than 98 percent or as stipulated by Sheep foot roller / Vibratory roller/8 to 10 tonne power roller etc., complete with lead upto 1 km for water. | cum | 66.60 | |
| | | Labour Component (including contractor's profit and Overheads) | cum | | 10.10 |
| IRR-CAW-4-4 | 125 | Providing semi-pervious / pervious casing embankment using soil collected in heaps in embankment area as part of disposal of excavated soil from canal including cost of all materials, machinery, labour, all operations such as sorting-out, spreading in layers of 25 cm before compaction, breaking clods, sectioning, watering and compacting each layer to density control of not less than 95 percent or as stipulated by Sheep foot roller / Vibratory roller / 8 to 10 tonne power roller etc., complete with lead upto 1 km for water. | cum | 61.20 | |
| | | Labour Component (including contractor's profit and Overheads) | cum | | 10.30 |
| IRR-CAW-4-5 | 126 | Providing semi-pervious / pervious casing embankment using soil collected in heaps in embankment area as part of disposal of excavated soil from canal including cost of all materials, machinery, labour, all operations such as sorting-out, spreading in layers of 25 cm before compaction, breaking clods, sectioning and compacting each layer without watering to density control of not less than 95 percent or as stipulated by Sheep foot roller / Vibratory roller / 8 to 10 tonne power roller etc., complete. | cum | 51.00 | |
| | | Labour Component (including contractor's profit and Overheads) | cum | | 7.40 |
| IRR-CAW-4-6 | 127 | Providing compacted embankment for field irrigation channels with gravely soil from approved borrow area including sorting out, spreading in layers of 15 cm thickness, breaking clods, watering, compacting, dressing sides to required slopes etc.,complete with lead upto 50 m and all lifts. (manual work with water pump) | cum | 281.50 | |
| | | Labour Component (including contractor's profit and Overheads) | cum | | 277.30 |
| | | | 1 | 1 | 1 |
| IRR-CAW-5 | | FOUNDATION FILLING WORKS : | | | |
| IRR-CAW-5 | 128 | FOUNDATION FILLING WORKS: Providing rubble and sand filling in layers of 22.5 to 30 cm including cost of all materials, machinery, labour, watering, ramming etc., complete with initial lead upto 50 m and all lifts. | cum | 770.30 | |

| Chapterwise item No. | S.NO | Item description | Unit | Rate | Itemwise unit rate for Labour Component |
|---|------|--|----------|---------|---|
| 1 | 2 | 3 | 4 | 5 | 6 |
| IRR-CAW-5-2 | 129 | Providing rubble and Murum filling in layers of 22.5 to 30 cm including cost of all materials, machinery, labour, watering, ramming etc., complete with initial | cum | 568.10 | |
| | | lead upto 50 m and all lifts. Labour Component (including contractor's profit and Overheads) | cum | | 140.90 |
| IRR-CAW-5-3 | 130 | Providing and laying 25 cm thick sand blanket below embankment including cost of all materials, machinery, labour, spreading to specified thickness etc., complete with initial lead upto 50 m and all lifts. | sqm | 176.70 | |
| | | Labour Component (including contractor's profit and Overheads) | sqm | | 17.60 |
| RR-CAW-5-3-A (New Item 3 - 2011-12) | 131 | Providing and laying sand blanket below embankment including cost of all materials, machinery, labour, spreading to specified thickness etc., complete with initial lead unto 50 m and all lifts. | cum | 706.70 | |
| | | Labour Component (including contractor's profit and Overheads) | cum | | 70.40 |
| IRR-CAW-5-4 | 132 | Providing and constructing dry rubble rock-toe using rubble and stone chips from approved source including cost of all materials, machinery, labour, hand packing rubble and stone chips, finishing top and sides to required slopes etc., complete with initial lead unto 50 m and all lifts. | cum | 537.60 | 400.00 |
| | | Labour Component (including contractor's profit and Overheads) | cum | | 100.90 |
| IRR-CAW-5-5 | 133 | Providing and constructing longitudinal and cross graded filter drains using sand and 20 mm down graded aggregates satisfying specified filter creteria in layers as per specifications including cost of all materials, machinery, labour, laying to required slopes, compaction etc., complete with initial lead upto 50 m and all lifts. | cum | 916.80 | |
| | | Labour Component (including contractor's profit and Overheads) | cum | | 131.30 |
| IRR-CAW-5-6 | 134 | Laying Longitudinal Drains and Transverse drains of Size 600 x600 x750 mm in Bed and filling with 12 mm to 40 mm HG machine Crushed metal and sand in bed including excavation of drains and Cost of procuring of all materials | Rm | 448.50 | |
| | | 133 | Rm | | 24.90 |
| IRR-CAW-5-7 | 135 | Laying and fixing of 100 mm Dia 300 mm long precast porus CC plugs in bed and sides using 1.181 Kgs of cement per each using 20 mm HG metal and placing in local filters of size 600x600x750 mm in size including excavation of drains and Cost of procuring of all materials | one plug | 366.30 | |
| | | Labour Component (including contractor's profit and Overheads) | one plug | | 105.70 |
| IRR-CAW-5-8 | 136 | Providing and constructing 0.50 m thick vertical or inclined graded filter media consisting of 15 cm thick sand layers and 20 cm thick 20 mm down coarse aggregate layer using approved materials satisfying specified filter creteria as per specifications including cost of all materials, machinery, labour, laying to required slope, compaction etc., complete with initial lead upto 50 m and all lifts. | cum | 1024.90 | |
| | | Labour Component (including contractor's profit and Overheads) | cum | | 131.30 |
| IRR-CAW-5-9 | 137 | Providing and constructing graded filter media below and behind rock-toe consisting of 20 cm thick sand, 15 cm thick 20 mm down and 15 cm thick 40 mm down size graded coarse aggregates satisfying filter creteria behind rock-toe and 15 cm thick sand, 20 cm thick 20 mm down coarse aggregate and 65 cm thick 40 mm down size coarse aggregate satisfying filter creiteria below rock-toe as per specifications including cost of all materials, machinery, labour, laying to required slope, compaction etc., complete with initial lead upto 50 m and all lifts. | cum | 1198.60 | |
| | | Labour Component (including contractor's profit and Overheads) | cum | | 122.70 |
| IRR-CAW-5- 10(a) | 138 | Providing and laying filter media consisting of 2 layers of poly-propeline nonwoven filter fabric and 200 mm thick 20 mm down graded coarse aggregate for embankment including cost of all materials, machinery, labour, forming toe drain etc., complete with lead upto 50 m for aggregate and all leads for fabric and all lifts. | sqm | 600.10 | |
| | | Using 200 gsm filter fabric. Labour Component (including contractor's profit and Overheads) | sqm | | 29.20 |
| | | Providing and laying filter media consisting of 2 layers of poly-propeline | 24111 | | |
| IRR-CAW-5- 11(b) | 139 | Providing and laying filter media consisting of 2 layers of poly-propeline nonwoven filter fabric and 200 mm thick 20 mm down graded coarse aggregate for embankment including cost of all materials, machinery, labour, forming toe drain etc., complete with lead upto 50 m for aggregate and all leads for fabric and all lifts. | sqm | 652.50 | |
| | | Using 250 gsm filter fabric. Labour Component (including contractor's profit and Overheads) | | | 29.20 |
| | | | sqm | | |

| Chapterwise item No. | S.NO | Item description | Unit | Rate | Itemwise unit rate for Labour Component |
|----------------------|--|---|------|--------------|---|
| 1 | 2 | 3 | 4 | 5 | 6 |
| IRR-CAW-6 | | ROCK FILL WORKS : | | | |
| IRR-CAW-6-1 | 140 | Providing and constructing rockfill casing to canal embankment with graded stones and spalls from approved quarry including cost of all materials, machinery, labour, spreading stones and spalls in layers, hand packing, wedging, finishing surface to required slopes etc., complete with initial lead upto 50 m and all lifts. | cum | 489.70 | |
| | | Labour Component (including contractor's profit and Overheads) | cum | | 53.40 |
| IRR-CAW-6-2 | 141 | Providing and constructing rockfill casing to canal embankment with graded stones and spalls available in dump yard including cost of all materials, machinery, labour, spreading stones and spalls in layers, hand packing, wedging, finishing surface to required slopes etc., complete with initial lead upto 50 m and all lifts. | cum | 287.80 | |
| | | Stones and spalls available in dump yard will be issued at specified issue rate. Labour Component (including contractor's profit and Overheads) | cum | | 68.90 |
| | | | | | |
| IRR-CAW-7 | | CANAL LINING WORKS : | | | |
| IRR-CAW-7-1 | 142 | Providing cohesive non-swelling (CNS) soil lining to canals using soil from approved borrow area including spreading soil in layers of thickness not more than 15 cm, breaking clods, watering, compacting to density control of not less than 98 percent or as stipulated, dressing to required profile etc., complete with initial lead unto 1 km and all lifts | cum | 211.50 | |
| | | Labour Component (including contractor's profit and Overheads) | cum | | 64.40 |
| IRR-CAW-7-2 | 143 | Providing cohesive non-swelling (CNS) soil lining to canals using soil from approved borrow area including spreading soil in layers of thickness not more than 15 cm, breaking clods, watering, compacting to density control of not less than 95 percent or as stipulated, dressing to required profile etc., complete with initial lead unto 1 km and all lifts | cum | 206.60 | |
| | | Labour Component (including contractor's profit and Overheads) | cum | | 63.50 |
| IRR-CAW-7-3 | 144 | Providing cohesive non-swelling (CNS) soil lining to canal using soil collected in heaps along the edge of canal requiring CNS soil lining as part of the disposal of excavated soil from canal excavation in CNS soil reach including spreading in layers of thickness not more than 15 cm, breaking clods, watering, compacting to density control of not less than 95 percent or as stipulated, dressing to required profile etc., complete with lead upto upto 50 m and all lifts | cum | 105.20 | |
| | | Labour Component (including contractor's profit and Overheads) | cum | | 48.50 |
| IRR-CAW-7-4 | 145 | Providing and fixing 20 x 20 x 75 cm size top surface neatly dressed canal bed level stones including cost of all materials, labour, excavation, fixing in position to correct level etc., complete with lead upto 50 m and all lifts. | Each | 91.80 | |
| | | Labour Component (including contractor's profit and Overheads) | Each | | 65.70 |
| IRR-CAW-7-5 | 146 | Providing, fabricating and placing in position reinforcement steel bars for RCC works including cleaning, straightening, cutting, bending, hooking, lapping, tying with 1.25 mm dia.soft annealed steel wire, welding wherever required including cost of all materials, machinery, labour etc., complete with initial lead upto 50 and all lifts.(1.05 tonne/tonne of steel) | kg | 55.80 | |
| | | Labour Component (including contractor's profit and Overheads) | kg | | 7.30 |
| IRR-CAW-7-6 | 147 | Providing and laying 75 mm thick in-situ M-15 (28 days cube compressive strength not less than 15 N / sqmm) grade cement concrete with 20 mm down size approved, clean, hard, graded aggregates for canal lining using vibrating cylinder type mechanical paver including cost of all materials, machinery, labour, cleaning, batching, mixing, placing in position, finishing, forming contraction joints, fixing PVC joint sealing strips, curing, shifting of paver from one side to other side of canal etc., complete with initial lead upto 1 km and all lifts. (43 Gr Cement content: (300kg /cum) 22.5 kg / sqm for use of super plasticiser (0.4% by wt. of cement),CA: 0.80cum, Blending Ratio of CA65:35, FA: 0.45 cum, equivalent concrete volume:79.2 cum including the extra quantity of concrete for curvatures and bends etc.,) | sqm | 464.10 | |
| | | Labour Component (including contractor's profit and Overheads) | sqm | | 29.70 |
| | | The first time of the state of | | | + |

| item No. | S.NO | Item description | Unit | Rate | Itemwise unit rate for Labour Component |
|--------------|------|---|----------|--------------------|---|
| 1 | 2 | 3 | 4 | 5 | 6 |
| IRR-CAW-7-7 | 148 | Providing and laying 80 mm thick in-situ M-15 (28 days cube compressive strength not less than 15 N / sqmm) grade cement concrete with 20 mm down size approved, clean, hard, graded aggregates for canal lining using vibrating cylinder type mechanical paver including cost of all materials, machinery, labour, cleaning, batching, mixing, placing in position, finishing, forming contraction joints, fixing PVC joint sealing strips, curing, shifting of paver from one side to other side of canal etc., complete with initial lead upto 1 km and all lifts. (43 Gr Cement content: (300kg /cum) 24 kg / sqm for use of super plasticiser(0.4% by wt. of cement),CA: 0.80cum, Blending Ratio of CA65:35, FA: 0.45 cum, equivalent concrete volume:84.48 cum including the extra quantity of concrete for curvatures and bends etc.,) | sqm | 484.80 | |
| | | Labour Component (including contractor's profit and Overheads) | sqm | | 29.70 |
| IRR-CAW-7-8 | 149 | Providing and laying 100 mm thick in situ M-15 (28 days cube compressive strength not less than 15 N /Sqmm) grade cement concrete with 20 mm down size approved, clean, hard, graded aggregates for canal lining using, vibrating, cylinder type mechanical paver including cost of all materials, machinery, labour, cleaning, batching, mixing, placing in position, finishing, forming contraction joints, fixing PVC joint sealing strips, curing, shifting of paver from one side to othere side of canal etc., complete with initial lead upto 1 Km and all lifts. (43 Gr Cement content: (300kg /cum) 30 kg / sqm for use of super plasticiser(0.4% by wt. of cement),CA: 0.80cum, Blending Ratio of CA65:35, FA: 0.45 cum, equivalent concrete volume:88 cum including the extra quantity of concrete for curvatures and bends etc.,) | sqm | 588.90 | |
| | | Labour Component (including contractor's profit and Overheads) | sqm | | 34.30 |
| IRR-CAW-7-9 | 150 | Dismantling, shifting and re-erecting mechanical concrete paver and DG set with all accessories across canal CD work or other locations wherever shifting and re-erecting is necessary including aligning paver correctly for continuing canal lining work, cost of all materials, machinery, labour etc., complete with all leads and lifts. Note: Local shifting and re-erection of paver for LH and RH side lining included in concrete lining rates under items IRR-CAW-7-7 and IRR-CAW-7-8 and | shifting | 8830.60 | |
| | | saperate rate for shifting shall not be allowed. Labour Component (including contractor's profit and Overheads) | shifting | | 6428.80 |
| | | Descriptions and leaving in after with rested M 10 / 00 days such a compression strength | | | |
| IRR-CAW-7-10 | 151 | Providing and laying insitu vibrated M-10 (28 days cube compressive strength not less than 10 N /sq mm) grade cement concrete using 40 mm down size approved, clean, hard, graded aggregates for bed and side lining of canal (150mm thick) including finishing the junction of bed and sides to required curveture, cost of all materials, machinery, labour, formwork including supports, cleaning, batching, mixing, placing in position, levelling, vibrating, finishing, curing etc., complete with initial lead upto 50 m and all lifts. (43 Gr Cement content: 250 kg / cum for use of super plasticiser(0.4% by wt. of cement),CA: 0.90cum, Blending Ratio of CA50:30:20, FA: 0.40 cum) (Only forManually operated) | cum | 4865.80 | |
| IRR-CAW-7-10 | 151 | not less than 10 N /sq mm) grade cement concrete using 40 mm down size approved, clean, hard, graded aggregates for bed and side lining of canal (150mm thick) including finishing the junction of bed and sides to required curveture, cost of all materials, machinery, labour, formwork including supports, cleaning, batching, mixing, placing in position, levelling, vibrating, finishing, curing etc., complete with initial lead upto 50 m and all lifts. (43 Gr Cement content: 250 kg / cum for use of super plasticiser(0.4% by wt. of cement),CA: 0.90cum, Blending Ratio of CA50:30:20, FA: 0.40 cum) | cum | 4865.80 | 1129.00 |
| IRR-CAW-7-10 | 151 | not less than 10 N /sq mm) grade cement concrete using 40 mm down size approved, clean, hard, graded aggregates for bed and side lining of canal (150mm thick) including finishing the junction of bed and sides to required curveture, cost of all materials, machinery, labour, formwork including supports, cleaning, batching, mixing, placing in position, levelling, vibrating, finishing, curing etc., complete with initial lead upto 50 m and all lifts. (43 Gr Cement content: 250 kg / cum for use of super plasticiser (0.4% by wt. of cement),CA: 0.90cum, Blending Ratio of CA50:30:20, FA: 0.40 cum) | | 4865.80 5005.10 | 1129.00 |
| | | not less than 10 N /sq mm) grade cement concrete using 40 mm down size approved, clean, hard, graded aggregates for bed and side lining of canal (150mm thick) including finishing the junction of bed and sides to required curveture, cost of all materials, machinery, labour, formwork including supports, cleaning, batching, mixing, placing in position, levelling, vibrating, finishing, curing etc., complete with initial lead upto 50 m and all lifts. (43 Gr Cement content: 250 kg / cum for use of super plasticiser(0.4% by wt. of cement),CA: 0.90cum, Blending Ratio of CA50:30:20, FA: 0.40 cum) (Only forManually operated) Labour Component (including contractor's profit and Overheads) Providing and laying insitu vibrated M-10 (28 days cube compressive strength not less than 10 N/sqm) grade cement concrete using 40 mm down size approved, clean, hard, graded aggregade for bed and side lining of canal(100 mm thick) including, finishing the junction of bed and sides to required curveture, cost of all materials, machinery, labour, formwork including supports cleaning, batching, mixing, placing in position, levelling, vibrating, finishing, curing etc., complete with initial lead up to 50 m and all lifts (43 Gr Cement content: 250 kg / cum for use of super plasticiser(0.4% by wt. of cement),CA: | cum | | 1129.00 |
| | | not less than 10 N /sq mm) grade cement concrete using 40 mm down size approved, clean, hard, graded aggregates for bed and side lining of canal (150mm thick) including finishing the junction of bed and sides to required curveture, cost of all materials, machinery, labour, formwork including supports, cleaning, batching, mixing, placing in position, levelling, vibrating, finishing, curing etc., complete with initial lead upto 50 m and all lifts. (43 Gr Cement content: 250 kg / cum for use of super plasticiser(0.4% by wt. of cement),CA: 0.90cum, Blending Ratio of CA50:30:20, FA: 0.40 cum) [Only forManually operated] Labour Component (including contractor's profit and Overheads) Providing and laying insitu vibrated M-10 (28 days cube compressive strength not less than 10 N/sqm) grade cement concrete using 40 mm down size approved, clean, hard, graded aggregade for bed and side lining of canal(100 mm thick) including, finishing the junction of bed and sides to required curveture, cost of all materials, machinery, labour, formwork including supports cleaning, batching, mixing, placing in position, levelling, vibrating, finishing, curing etc., complete with initial lead up to 50 m and all lifts (43 Gr Cement content: 250 kg / cum for use of super plasticiser(0.4% by wt. of cement),CA: 0.90cum, Blending Ratio of CA50:30:20, FA: 0.40 cum) | cum | | |

| Chapterwise item No. | S.NO | Item description | Unit | Rate | Itemwise unit rate for Labour Component |
|----------------------|------|--|--------------|---------|---|
| 1 | 2 | 3 | 4 | 5 | 6 |
| IRR-CAW-7-13 | 154 | Providing and laying insitu vibrated M-10 (28 days cube compressive strength not less than 10 N /sq mm) grade cement concrete using 20 mm down size approved, clean, hard, graded aggregates for bed and side lining of canal including finishing the junction of bed and sides to required curveture, cost of all materials, machinery, labour, formwork including supports, cleaning, batching, mixing, placing in position, levelling, vibrating, finishing, curing etc., complete with initial lead upto 50 m and all lifts. (Cement content: 250 kg / cum for use of super plasticiser(0.4% by wt. of cement),CA: 0.80cum, Blending Ratio of CA-65:35, FA: 0.45 cum) | cum | 4910.50 | |
| | | Labour Component (including contractor's profit and Overheads) | cum | | 1162.60 |
| IRR-CAW-7-14 | 155 | Providing and laying insitu vibrated M-15 (28 days cube compressive strength not less than 15 N /sq mm) grade cement concrete using 40 mm down size approved, clean, hard, graded aggregates for bed and side lining(150 mm thick) of canal including finishing the junction of bed and sides to required curveture, cost of all materials, machinery, labour, formwork including supports, cleaning, batching, mixing, placing in position, levelling, vibrating, finishing, curing etc., complete with initial lead upto 50 m and all lifts. (Cement content: 290 kg / cum for use of super plasticiser(0.4% by wt. of cement),CA: 0.90cum, Blending Ratio of CA50:30:20, FA: 0.40 cum) | cum | 5307.30 | |
| | | Labour Component (including contractor's profit and Overheads) | cum | | 1230.20 |
| IRR-CAW-7-15 | 156 | Providing and laying insitu vibrated M-15 (28 days cube compressive strength not less than 15 N /sq mm) grade cement concrete using 20 mm down size approved, clean, hard, graded aggregates for bed and side lining(of thickness 100 mm) of canal including finishing the junction of bed and sides to required curveture, cost of all materials, machinery, labour, formwork including supports, cleaning, batching, mixing, placing in position, levelling, vibrating, finishing, curing etc., complete with initial lead upto 50 m and all lifts. (Cement content: 300 kg / cum for use of super plasticiser(0.4% by wt. of cement),CA: 0.80 cum, Blending Ratio of CA65:35, FA: 0.45 cum) | cum | 5464.70 | |
| | | Labour Component (including contractor's profit and Overheads) | cum | | 1299.40 |
| IRR-CAW-7-16 | 157 | Providing and laying 150mm thick insitu vibrated M-15 (28 days cube compressive strength-not less than 15.00 N / sq mm) grade cement concrete using 20 mm down size approved, clean, hard, graded aggregates for bed and side lining of canal lining using vibrating cylindertype mechanical paver including cost of all materials mechinery labour batching mixing placing in position forming contractiom joints fixing pvc joint seiling strips shifting of paver from one side of canal to other side etc.complete with all leads & lifts. (Cement content: 300 kg / cum for use of super plasticiser(0.4% by wt. of cement),CA: 0.80 cum, Blending Ratio of CA65:35, FA: 0.44 cum) | sqm | 792.80 | |
| | | (Paver) | | | |
| | | Labour Component (including contractor's profit and Overheads) | sqm | | 34.30 |
| IRR-CAW-7-17 | 158 | Providing and fixing pre-cast RCC template walls consisting of 0.05 cum M-15 grade concrete using 20 mm down size coarse aggregates and 10 kg reinforcement steel moulded as per specifications and drawing in CM 1:4 proportion including cost of all materials, machinery, labour, formwork, fabricating and placing reinforcement steel, mixing, laying, conveying and fixing in position including necessary excavation for seating, finishing joints in CM 1:4, curing etc., complete with initial lead upto 1 km and all lifts . | Rm | 973.60 | |
| | | Labour Component (including contractor's profit and Overheads) | Rm | | 257.10 |
| IRR-CAW-7-18 | 159 | Providing and fixing 50 mm dia perforated GI pressure relief pipes 12.50 cm long with one end closed with perforated GI plate and other end provided with alluminium lid hinged to pipe including cost of all materials, labour, drilling 8 mm dia holes etc. complete with all leads and lifts. Labour Component (including contractor's profit and Overheads) | Each Each | 114.20 | 44.90 |
| | | | Lacii | | 77.30 |
| IRR-CAW-7-19 | 160 | Providing and fixing 50 mm dia perforated GI pressure relief pipes 22.50 cm long with one end closed with perforated GI plate and other end provided with alluminium lid hinged to pipe including cost of all materials, labour, drilling 8 mm dia holes etc. complete with all leads and lifts. Labour Component (including contractor's profit and Overheads) | Each Each | 160.80 | 44.90 |
| | | | | | 50 |
| IRR-CAW-7-20 | 161 | Providing and fixing 50 mm dia perforated GI pressure relief pipes 30 cm long with one end closed with perforated GI plate and other end provided with alluminium lid hinged to pipe including cost of all materials, labour, drilling 8 mm dia holes etc complete with all leads and lifts. | Each | 192.60 | |
| | | Labour Component (including contractor's profit and Overheads) | Each | 1 | 44.90 |

| Chapterwise item No. | S.NO | Item description | Unit | Rate | Itemwise unit rate for Labour Component |
|----------------------|------|--|--------------|--------|---|
| 1 | 2 | 3 | 4 | 5 | 6 |
| IRR-CAW-7-21 | 162 | Providing and fixing 50 mm dia perforated GI pressure relief pipes 45 cm long with one end closed with perforated GI plate and other end provided with alluminium lid hinged to pipe including cost of all materials, labour, drilling 8 mm dia holes etc complete with all leads and lifts. Labour Component (including contractor's profit and Overheads) | Each Each | 253.90 | 44.90 |
| IRR-CAW-7-22 | 163 | Providing and fixing 50 mm dia perforated GI pressure relief pipes 75 cm long with one end closed with perforated GI plate and other end provided with alluminium lid hinged to pipe including cost of all materials, labour, drilling 8 mm dia holes etc., complete with all leads and lifts. | Each | 374.40 | |
| | | Labour Component (including contractor's profit and Overheads) | Each | | 44.90 |
| IRR-CAW-7-23 | 164 | Providing and fixing 100 mm dia perforated PVC pipes 40 cm long for Weep holes including cost of all materials, labour, drilling 8 mm dia holes etc. complete with all leads and lifts. | Each | 221.30 | |
| | | Labour Component (including contractor's profit and Overheads) | Each | | 22.50 |
| IRR-CAW-7-24 | 165 | Drilling 32 mm dia pressure relief hole below pressure relief pipe for bed and side lining of canal laid on rock including cost of all materials, machinery, labour etc complete with all leads and lifts. | Each | 268.70 | |
| | | Labour Component (including contractor's profit and Overheads) | Each | | 91.80 |
| IRR-CAW-7-25 | 166 | Providing and forming 35 x 35 x 40 cm deep filter drain consisting of 75 mm thick 10 mm down coarse aggregate around pressure relief pipe and 75 mm thick sand around coarse aggregate filter including cost of all materials, labour, excavation of pit etc., complete with lead upto 50 m and all lifts. | Each | 44.90 | |
| | | Labour Component (including contractor's profit and Overheads) | Each | | 7.70 |
| IRR-CAW-7-26 | 167 | Providing and fixing 25 to 40 mm thick Shahabad / Talikota / other similar stone slabs with pointing and finishing joints neatly in CM 1:3 proportion for canal / field channel lining including cutting slabs to required size, mixing mortar, finishing joints neatly, curing etc., complete with lead upto 50 m and all lifts. | sqm | 373.30 | |
| | | Labour Component (including contractor's profit and Overheads) | sqm | | 67.10 |
| IRR-CAW-7-27 | 168 | Fixing PCC slabs of various sizes in CM 1: 3 proportion to the side slopes of canal including preparing bed, flush pointing joints in CM 1: 3 propn, cost of all materials (excluding PCC slabs), labour, finishing, curing etc., complete with initial lead unto 50 m and all lifts. | sqm | 85.90 | |
| | | Labour Component (including contractor's profit and Overheads) | sqm | | 62.30 |
| IRR-CAW-7-28 | 169 | Fixing PCC lug slabs of various sizes in CM 1:3 proportion for supporting PCC slab lining including necessary excavation, refilling, flush pointing joints in CM 1:3 propn, cost of all materials (excluding PCC lug slabs), labour, finishing, curing etc., complete with initial lead upto 50 m and all lifts. | Rm | 48.00 | |
| | | Labour Component (including contractor's profit and Overheads) | Rm | | 41.80 |
| IRR-CAW-7-29 | 170 | Fixing 30 cm height pre-cast drops for field channels as directed including excavation, etc., complete with all leads and lifts. | Each | 175.30 | 475.00 |
| | | Labour Component (including contractor's profit and Overheads) | Each | | 175.30 |
| IRR-CAW-7-30 | 171 | Providing and fixing LDPE sheet for bed and sides of canal including cost of all materials, labour, laying, joining etc., complete with all leads and lifts. Using 500 micron thick LDPE sheet. | sqm | 133.70 | |
| | | Labour Component (including contractor's profit and Overheads) | sqm | | 12.40 |
| | | If the surface on which the LDPE sheet is to be laid is too rough and undulating provide 75 mm thick sand backing to LDPE sheet. For providing 75 mm thick Sand for backing add | sqm | 56.20 | |
| | | Labour Component (including contractor's profit and Overheads) | sqm | | 8.40 |
| IRR-CAW-7-31 | 172 | Providing and fixing LDPE sheet for bed and sides of canal including cost of all materials, labour, laying, joining etc., complete with all leads and lifts. Using 750 micron thick LDPE sheet. | sqm | 188.30 | |
| | | Labour Component (including contractor's profit and Overheads) | sqm | | 16.90 |
| IRR-CAW-7-32 | 173 | Providing and fixing LDPE sheet for bed and sides of canal including cost of all materials, labour, laying, joining etc., complete with all leads and lifts. Using 1000 micron thick LDPE sheet. | sqm | 259.20 | |

| Chapterwise item No. | S.NO | Item description | Unit | Rate | Itemwise unit rate for Labour Component |
|----------------------|------|---|----------|--------|---|
| 1 | 2 | 3 Labour Component (including contractor's profit and Overheads) | 4 sqm | 5 | 6 22.80 |
| IRR-CAW-7-33 | 174 | Providing and fixing 12 mm thick 380 mm depth tarfelt expansion joint filler boards for stone masonry lining of canal including cost of all materials, labour etc complete with all leads and lifts. Labour Component (including contractor's profit and Overheads) | Rm Rm | 192.60 | 7.70 |
| IRR-CAW-7-34 | 175 | Providing and fixing 20 mm thick 100 mm depth tarfelt expansion joint filler boards for cement concrete lining of canal including cost of all materials, labour etc complete with all leads and lifts. | Rm | 81.60 | |
| | | Labour Component (including contractor's profit and Overheads) | Rm | | 7.70 |
| IRR-CAW-7-35 | 176 | Providing and fixing 20 mm thick 150 mm depth tarfelt expansion joint filler boards for cement concrete lining of canal including cost of all materials, labour etc complete with all leads and lifts. | Rm | 120.70 | |
| | | Labour Component (including contractor's profit and Overheads) | Rm | | 7.70 |
| IRR-CAW-7-36 | 177 | Providing and forming 35 mm wide and 10 mm thick construction / contraction joints for concrete lining by mastic filler including cost of all materials. labour etc., complete with all leads and lifts. | Rm | 7.60 | 5.70 |
| | | Labour Component (including contractor's profit and Overheads) | Rm | | 5.70 |
| IRR-CAW-7-37 | 178 | Manufacturing 550 x 550 x 55 mm size PCC lining slabs in M-15 grade (28 days cube compressive strength not less than 15 N /sqmm) cement concrete using 20 mm down graded coarse aggregate including cost of all materials, machinery, labour, batching, mixing, laying, compacting, formwork, finishing, curing etc.,complete with initial lead upto 50 m and all lifts. (Cement content: 300 kg / cum with super plastcizer (0.4% by wt. of cement), CA: 0.80 cum, Blending Ratio of CA: 65:35, FA: 0.45cum) | Each | 102.20 | |
| | | Labour Component (including contractor's profit and Overheads) | Each | | 24.40 |
| IRR-CAW-7-38 | 179 | Manufacturing 550 x 300 x 55 mm size PCC lug slabs in M-15 grade (28 days cube compressive strength not less than 15 N / sqmm) cement concrete using 20 mm down graded coarse aggregate including cost of all materials, machinery, labour, batching, mixing, laying, compacting, formwork, finishing, curing etc.,complete with initial lead upto 50 m and all lifts. (Cement content: 300 kg / cum with super plastcizer (0.4% by wt. of cement), CA: 0.80 cum, Blending Ratio of CA: 65:35, FA: 0.45cum) | Each | 70.00 | |
| | | Labour Component (including contractor's profit and Overheads) | Each | | 24.40 |
| IRR-CAW-7-39 | 180 | Manufacturing 450 x 300 x 30 mm size PCC lining slabs in M-15 grade (28 days cube compressive strength not less than 15 N / sqmm) cement concrete using 10 mm down graded coarse aggregate including cost of all materials, machinery, labour, batching, mixing, laying, compacting, formwork, finishing, curing etc.,complete with initial lead upto 50 m and all lifts. (Cement content: 300 kg / cum with super plastcizer (0.4% by wt. of cement), CA: 0.68 cum, FA: 0.43cum) | Each | 35.50 | |
| | | Labour Component (including contractor's profit and Overheads) | Each | | 15.70 |
| IRR-CAW-7-40 | 181 | Manucturing 450 x 150 x 30 mm size PCC lug slabs in M-15 grade (28 days cube compressive strength not less than 15 N / sqmm) cement concrete using 10 mm down graded coarse aggregate including cost of all materials, machinery, labour, batching, mixing, laying, compacting, formwork, finishing, curing etc.,complete with initial lead upto 50 m and all lifts. (Cement content: 300 kg / cum with super plastcizer (0.4% by wt. of cement),CA: 0.68 cum, FA: 0.43cum) | Each | 26.50 | |
| | | Labour Component (including contractor's profit and Overheads) | Each | | 15.70 |
| IRR-CAW-7-41 | 182 | Manufacturing 600 x 300 x 100mm size PCC lining slabs in M-15 grade (28 days cube compressive strength not less than 15 N/Sqmm) cement concrete using 20 mm down grades coarse aggregate including cost of all materials, machinery, labour, batching, mixing, laying, compacting, formwork, finishing, curing etc., complete with initial lead upto 50 m and all lifts. (Cement content: 300 kg / cum with super plastcizer (0.4% by wt. of cement), CA: 0.80 cum, FA: 0.45cum, Blending Ratio of CA65:35) | Each | 90.10 | |
| | | Labour Component (including contractor's profit and Overheads) | Each | | 15.60 |
| IRR-CAW-7-42 | 183 | Manucturing 400 x 400 x 30 mm size PCC lining slabs in M-15 grade (28 days cube compressive strength not less than 15 N / sqmm)cement concrete using 10 mm down graded coarse aggregate including cost of all materials, machinery, labour, batching, mixing, laying, compacting, formwork, finishing, curing etc.,complete with initial lead upto 50 m and all lifts. (Cement content: 300 kg / cum with super plastcizer (0.4% by wt. of cement), CA: 0.68 cum, FA: 0.43cum) | Each | 38.10 | |

| | S.NO | Item description | Unit | Rate | Itemwise unit rate for Labour Component |
|--|------|--|--------------------------|---------|---|
| 1 | 2 | 3 | 4 | 5 | 6 |
| | | Labour Component (including contractor's profit and Overheads) | Each | | 15.70 |
| IRR-CAW-7-43 | 184 | Manufacturing 400 x 150 x 30 mm size PCC lug slabs in M-15 grade (28 days cube compressive strength not less than 15 N /sqmm) cement concrete using 10 mm down graded coarse aggregate including cost of all materials, machinery, labour, batching, mixing, laying, compacting, formwork, finishing, curing etc.,complete with initial lead upto 50 m and all lifts. (Cement content: 300 kg / cum with super plastcizer (0.4% by wt. of cement), CA: 0.68 cum, FA: 0.43cum) | Each | 25.80 | |
| | | Labour Component (including contractor's profit and Overheads) | Each | | 15.70 |
| IRR-CAW-7-44 | 185 | Providing and laying uncoursed rubble stone masonry in CM 1:5 proportion for canal side lining using stones and chips from approved quarry including cost of all materials, machinery, labour, forming weep holes at specified intervals, finishing, curing etc., complete with initial lead upto 50 m and all lifts.(Thickness of the masonry assumed: 0.3 m, rubble stones: 0.96 cum, Stone Chips: 0.15cum,Through Stones 20 x 20 x 30cm: 1/sqm) | cum | 2317.40 | |
| | | Labour Component (including contractor's profit and Overheads) | cum | | 600.90 |
| IRR-CAW-7-45 | 186 | Providing and laying uncoursed rubble stone masonry in CM 1:5 proportion for canal side lining using stones from approved quarry including cost of all materials, machinery, labour, forming weep holes at specified intervals, finishing, curing etc., complete with initial lead upto 50m and all lifts.(with no pin headers)(Thickness of the Masonry assumed:0.3 m, rubble stones: 1.1 cum) | cum | 3444.70 | |
| | | Labour Component (including contractor's profit and Overheads) | cum | | 1981.90 |
| IRR-CAW-7-46 | 187 | Providing and laying uncoursed rubble stone masonry in CM 1:5 proportion for canal side lining using stones and chips from canal excavation including cost of all materials, machinery, labour, forming weep holes at specified interval, finishing, curing etc., complete with initial lead upto 50 m and all lifts.(rubble stones: 0.96 cum, Stone Chips: 0.15cum, Through Stones 20 x 20 x 30cm: 1/smm) | cum | 2179.10 | |
| | | Labour Component (including contractor's profit and Overheads) | cum | | 678.20 |
| IRR-CAW-7-47 | 188 | Providing and laying uncoursed rubble stone masonry in CM 1:5 proportion for canal side lining using stones from canal excavation including cost of all materials, machinery, labour, forming weep holes at specified intervals, finishing, curing etc., complete with initial lead upto 50m and all lifts.(with no | cum | 3239.00 | |
| | | pin headers)(rubble stones : 1.1cum, cement : 98kg, sand 0.34 cum) | | | |
| | | pin headers) (rubble stones : 1.1cum, cement : 98kg, sand 0.34 cum) Labour Component (including contractor's profit and Overheads) | cum | | 1981.90 |
| | | Labour Component (including contractor's profit and Overheads) | cum | | 1981.90 |
| IRR-CAW-8 | | | cum | | 1981.90 |
| IRR-CAW-8 | 189 | Labour Component (including contractor's profit and Overheads) | cum | 200.50 | 1981.90 |
| | 189 | ROCK PITCHING Providing and constructing 25 cm thick dry rubble stone pitching with pin headers at 2 per sqm including cost of all materials, labour, hand packing, finishing etc., complete with initial lead upto 50 m and all lifts.(rubble stones: 0.23 cum/sqm, Stone Chips: 0.0375cum/sqm, Pin Headers 30cm: 2/sqm) Labour Component (including contractor's profit and Overheads) | sqm | | 1981.90 46.70 |
| | 189 | ROCK PITCHING Providing and constructing 25 cm thick dry rubble stone pitching with pin headers at 2 per sqm including cost of all materials, labour, hand packing, finishing etc., complete with initial lead upto 50 m and all lifts.(rubble stones: 0.23 cum/sqm, Stone Chips: 0.0375cum/sqm, Pin Headers 30cm: 2/sqm) Labour Component (including contractor's profit and Overheads) If 15 cm thick murum bed is to be provided below pitching add | sqm sqm sqm | 200.50 | 46.70 |
| IRR-CAW-8-1 | 189 | Providing and constructing 25 cm thick dry rubble stone pitching with pin headers at 2 per sqm including contractor's profit and Overheads) Labour Component (including cost of all materials, labour, hand packing, finishing etc., complete with initial lead upto 50 m and all lifts.(rubble stones: 0.23 cum/sqm, Stone Chips: 0.0375cum/sqm, Pin Headers 30cm: 2/sqm) Labour Component (including contractor's profit and Overheads) If 15 cm thick murum bed is to be provided below pitching add Labour Component (including contractor's profit and Overheads) Providing and constructing 22.5 cm thick dry rubble stone pitching with pin headers at 2 per sqm including cost of all materials, labour, hand packing, finishing etc., complete with initial lead upto 50 m and all lifts.(rubble stones: 0.207 cum/sqm, Stone Chips: 0.3375cum/sqm, Pin Headers 30cm: 2/sqm) | sqm sqm sqm sqm | | 46.70 14.10 |
| IRR-CAW-8-1 IRR-CAW-8-1-A (New Item4 - | | Providing and constructing 25 cm thick dry rubble stone pitching with pin headers at 2 per sqm including contractor's profit and Overheads) Labour Component (including cost of all materials, labour, hand packing, finishing etc., complete with initial lead upto 50 m and all lifts.(rubble stones: 0.23 cum/sqm, Stone Chips: 0.0375cum/sqm, Pin Headers 30cm: 2/sqm) Labour Component (including contractor's profit and Overheads) If 15 cm thick murum bed is to be provided below pitching add Labour Component (including contractor's profit and Overheads) Providing and constructing 22.5 cm thick dry rubble stone pitching with pin headers at 2 per sqm including cost of all materials, labour, hand packing, finishing etc., complete with initial lead upto 50 m and all lifts.(rubble stones: 0.207 cum/sqm, Stone Chips: 0.3375cum/sqm, Pin Headers 30cm: 2/sqm) | sqm sqm sqm | 37.60 | 46.70 |
| IRR-CAW-8-1 IRR-CAW-8-1-A (New Item4 - | | ROCK PITCHING Providing and constructing 25 cm thick dry rubble stone pitching with pin headers at 2 per sqm including cost of all materials, labour, hand packing, finishing etc., complete with initial lead upto 50 m and all lifts.(rubble stones: 0.23 cum/sqm, Stone Chips: 0.0375cum/sqm, Pin Headers 30cm: 2/sqm) Labour Component (including contractor's profit and Overheads) If 15 cm thick murum bed is to be provided below pitching add Labour Component (including contractor's profit and Overheads) Providing and constructing 22.5 cm thick dry rubble stone pitching with pin headers at 2 per sqm including cost of all materials, labour, hand packing, finishing etc., complete with initial lead upto 50 m and all lifts.(rubble stones: 0.207 cum/sqm, Stone Chips: 0.3375cum/sqm, Pin Headers 30cm: 2/sqm) [For Maintenance Works] Labour Component (including contractor's profit and Overheads) Providing and constructing 25 cm thick dry rubble stone pitching including cost of all materials, labour, hand packing, finishing etc., complete with initial lead upto 50 m and all lifts.(with no pin headers) (rubble stones: 0.33 cum/sqm) | sqm sqm sqm sqm sqm | 37.60 | 46.70 14.10 46.70 |
| IRR-CAW-8-1 IRR-CAW-8-1-A (New Item4 - 2011-12) | 190 | ROCK PITCHING Providing and constructing 25 cm thick dry rubble stone pitching with pin headers at 2 per sqm including cost of all materials, labour, hand packing, finishing etc., complete with initial lead upto 50 m and all lifts.(rubble stones: 0.23 cum/sqm, Stone Chips: 0.0375cum/sqm, Pin Headers 30cm: 2/sqm) Labour Component (including contractor's profit and Overheads) If 15 cm thick murum bed is to be provided below pitching add Labour Component (including contractor's profit and Overheads) Providing and constructing 22.5 cm thick dry rubble stone pitching with pin headers at 2 per sqm including cost of all materials, labour, hand packing, finishing etc., complete with initial lead upto 50 m and all lifts.(rubble stones: 0.207 cum/sqm, Stone Chips: 0.3375cum/sqm, Pin Headers 30cm: 2/sqm) (For Maintenance Works) Labour Component (including contractor's profit and Overheads) Providing and constructing 25 cm thick dry rubble stone pitching including cost of all materials, labour, hand packing, finishing etc., complete with initial lead upto 50 m and all lifts.(with no pin headers) (rubble stones: 0.33 | sqm sqm sqm sqm | 37.60 | 46.70 14.10 |
| IRR-CAW-8-1 IRR-CAW-8-1-A (New Item4 - 2011-12) | 190 | ROCK PITCHING Providing and constructing 25 cm thick dry rubble stone pitching with pin headers at 2 per sqm including cost of all materials, labour, hand packing, finishing etc., complete with initial lead upto 50 m and all lifts.(rubble stones: 0.23 cum/sqm, Stone Chips: 0.0375cum/sqm, Pin Headers 30cm: 2/sqm) Labour Component (including contractor's profit and Overheads) If 15 cm thick murum bed is to be provided below pitching add Labour Component (including contractor's profit and Overheads) Providing and constructing 22.5 cm thick dry rubble stone pitching with pin headers at 2 per sqm including cost of all materials, labour, hand packing, finishing etc., complete with initial lead upto 50 m and all lifts.(rubble stones: 0.207 cum/sqm, Stone Chips: 0.3375cum/sqm, Pin Headers 30cm: 2/sqm) [For Maintenance Works] Labour Component (including contractor's profit and Overheads) Providing and constructing 25 cm thick dry rubble stone pitching including cost of all materials, labour, hand packing, finishing etc., complete with initial lead upto 50 m and all lifts.(with no pin headers) (rubble stones: 0.33 cum/sqm) | sqm sqm sqm sqm sqm | 37.60 | 46.70 14.10 46.70 |

| Chapterwise item No. | S.NO | Item description | Unit | Rate | Itemwise unit rate for Labour Component |
|----------------------|------|--|------|--------|---|
| 1 | 2 | 3 | 4 | 5 | 6 |
| IRR-CAW-8-3 | 193 | Providing and constructing 30 cm thick dry rubble stone pitching with pin headers at 2 per sqm including cost of all materials, labour, hand packing, finishing etc., complete with initial lead upto 50 m and all lifts.(rubble stones: 0.275 cum/sqm, Stone Chips: 0.045cum/sqm, Pin Headers 30cm: 2/sqm) | sqm | 220.50 | |
| | | Labour Component (including contractor's profit and Overheads) | sqm | | 46.70 |
| | | Providing and constructing 30 cm thick dry rubble stone pitching including | | | |
| IRR-CAW-8-4 | 194 | cost of all materials, labour, hand packing, finishing etc., complete with initial lead upto 50 m and all lifts.(with no pin headers)(rubble stones: 0.33 cum/som) | sqm | 256.10 | 122.40 |
| | | Labour Component (including contractor's profit and Overheads) | sqm | | 132.40 |
| IRR-CAW-8-5 | 195 | Providing and constructing 45 cm thick dry rubble stone pitching with pin headers at 2 per sqm including cost of all materials, labour, hand packing, finishing etc., complete with initial lead upto 50 m and all lifts.(rubble stones: 0.40 cum/sqm, Stone Chips: 0.0675cum/sqm, Pin Headers 45cm: 2/sqm) | sqm | 331.90 | |
| | | Labour Component (including contractor's profit and Overheads) | sqm | | 65.70 |
| IRR-CAW-8-6 | 196 | Providing and constructing 45 cm thick dry rubble stone pitching including cost of all materials, labour, hand packing, finishing etc., complete with initial lead upto 50 m and all lifts.(with no pin headers)(rubble stones: 0.495 cum/som) | sqm | 384.10 | |
| | | Labour Component (including contractor's profit and Overheads) | sqm | | 198.50 |
| IRR-CAW-8-7 | 197 | Providing and constructing 30 cm thick rubble stone pitching set in CM 1: 5 proportion with pin headers at 2 per sqm in including cost of all materials, labour, packing chips and mortar, finishing, curing etc., complete with initial lead upto 50 m and all lifts. (rubble stones: 0.275 cum/sqm, Stone Chips: 0.045cum/sqm, Pin Headers 30cm: 2/sqm) | sqm | 561.10 | |
| | | Labour Component (including contractor's profit and Overheads) | sqm | | 79.90 |
| IRR-CAW-8-8 | 198 | Providing and Constructing 30 cm thick rubble stone pitching set in CM 1:5 Proportion including cost of all materials, labour, packing chips and mortar ,finishing etc.,complete(rubble stones : 0.33 cum/sqm) | sqm | 469.70 | |
| | | Labour Component (including contractor's profit and Overheads) | sqm | | 17.70 |
| IRR-CAW-8-9 | 199 | Providing and constructing 30 cm thick dry khandki stone pitching using 20 to 25 cm size khandki stones with pin headers at 2 per sqm including cost of all materials, labour, hand packing, finishing etc., complete with initial lead upto 50 m and all lifts.(Khandki stones 20- 25 cm height: 1200 Nos/sqm, Stone Chips: 0.045cum/sqm, Pin Headers 30cm: 2/sqm) | sqm | 294.60 | |
| | | Labour Component (including contractor's profit and Overheads) | sqm | | 46.70 |
| IRR-CAW-8-10 | 200 | Providing and constructing 45 cm thick dry khandki stone pitching using 25 to 30 cm size khandki stones with pin headers at 2 per sqm including cost of all materials, labour, hand packing, finishing etc., complete with initial lead upto 50 m and all lifts.(Khandki stones 25-30 cm height: 1200 Nos/sqm, Stone Chips: 0.0675cum/sqm, Pin Headers 45cm: 2/sqm) | sqm | 314.60 | |
| | | Labour Component (including contractor's profit and Overheads) | sqm | | 65.70 |
| IRR-CAW-8-11 | 201 | Providing and constructing 30 cm thick khandki stone pitching using 20 to 25 cm size khandki stones with pin headers at 2 per sqm set in CM 1:5 proportion with pointing joints in CM 1:3 proportion including cost of all materials, labour, packing chips and mortar, finishing, curing etc.complete with initial lead upto 50 m and all lifts.(Khandki stones 20-25 cm height: 1200 Nos/sqm, Stone Chips: 0.045cum/sqm, Pin Headers 30cm: 2/sqm) | sqm | 617.50 | |
| | | Labour Component (including contractor's profit and Overheads) | sqm | | 76.30 |
| | 202 | Providing and constructing 45 cm thick khandki stone pitching using 25 to 30 cm stones with pin headers at 2 per sqm set in CM 1:5 proportion with pointing joints in CM 1:3 proportion including cost of all materials, labour, packing chips and mortar, finishing, curing etc., complete with initial lead upto 50 m and all | sqm | 768.50 | |
| IRR-CAW-8-12 | 202 | lifts.(Khandki stones 25- 30 cm height: 730 Nos/sqm, Stone Chips: 0.0675cum/sqm, Pin Headers 45cm: 2/sqm) | | | |
| IRR-CAW-8-12 | 202 | | sqm | | 104.60 |
| IRR-CAW-8-12 | 203 | 0.0675cum/sqm, Pin Headers 45cm : 2/sqm) | sqm | 104.00 | 104.60 |

| Chapterwise item No. | S.NO | Item description | Unit | Rate | Itemwise unit rate for Labour Component |
|----------------------|------|--|------|--------|---|
| 1 | 2 | 3 | 4 | 5 | 6 |
| | | Providing 10 cm thick approved type grass turfing to the side slopes of | | | |
| IRR-CAW-8-14 | 204 | canal icluding cost of all materials, labour, watering for minimum 15 days etc.,complete with lead 50 m and all lifts. | sqm | 66.10 | |
| | | with no sand Labour Component (including contractor's profit and Overheads) | sqm | | 34.30 |
| Chapter IV | | | | | |
| IRR-CCDW | | CANAL CROSS DRAINAGE WORKS | | | |
| | | | | | |
| IRR-CCDW-1 | | EXCAVATION & FOUNDATION TREATMENT WORKS : (manual means of excavation and conveyance) | | | |
| IRR-CCDW-1-1 | 205 | Excavation in all kinds of soil including boulders upto 0.30 m dia. for foundations of canal cross drainage and other appurtenant structures and placing the excavated stuff neatly in specified dump area or disposing off the same as directed etc., complete with initial lead upto 50 m and initial lift upto 3 m. | cum | 222.70 | |
| | | Labour Component (including contractor's profit and Overheads) | cum | | 222.70 |
| | | Excavation for Structures- Mechanical Means (Data adopted from MORTH) | | | |
| IRR-CCDW-1-2 | 206 | Earth work in excavation in all kinds of soils of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and backfilling with approved material. (depth upto 3 meters) | cum | 92.50 | |
| | | Labour Component (including contractor's profit and Overheads) | cum | | 18.60 |
| | | | | | |
| IRR-CCDW-1-3 | 207 | (manual means of excavation and conveyance) Excavation in ordnary rock (including HDR) without blasting including | cum | 327.80 | |
| IKK-00DW-1-3 | 207 | boulders above 0.3 m upto 0.60 m dia. for foundations of canal cross drainage and other appurtenant structures and placing the excavated stuff neatly in specified dump area or disposing off the same as directed etc., complete with initial lead upto 50 m and initial lift upto 3 m. | cum | 327.00 | |
| | | Labour Component (including contractor's profit and Overheads) | cum | | 327.80 |
| | | | | | |
| IRR-CCDW-1-4 | 208 | (Data adopted from MORTH) (manual means of excavation and conveyance) Excavation in ordnary rock (including HDR) without blasting for foundations of canal cross drainage and other appurtenant structures and placing the excavated stuff neatly in specified dump area or disposing off the same as directed etc., complete with initial lead upto 50 m and initial lift upto 3 m. | cum | 119.20 | |
| | | Labour Component (including contractor's profit and Overheads) | cum | | 20.70 |
| | | Francisco Grant Gr | | | |
| IRR-CCDW-1-5 | 209 | (manual means of excavation after blasting and conveyance) Excavation in hard rock requiring blasting including boulders above 0.6 m upto 1.2 m dia. for foundations of canal cross drainage and other appurtenant structures and placing the excavated stuff neatly in specified dump area or disposing off the same as directed etc., complete with initial lead upto 50 m and initial lift upto 3 m. | cum | 336.60 | |
| | | Labour Component (including contractor's profit and Overheads) | cum | | 254.40 |
| | | (manual means of excavation after blasting and conveyance) | | | |
| IRR-CCDW-1-6 | 210 | Excavation in hard rock of all toughness by blasting including boulders above 1.2 m dia. for foundations of canal cross drainage and other appurtenant structures and placing the excavated rock neatly in specified dump area or stack yard as directed etc., complete with initial lead upto 50 m and initial lift upto 3 m. | cum | 525.80 | |
| | | Labour Component (including contractor's profit and Overheads) | cum | | 317.80 |
| IRR-CCDW-1-7 | 211 | (manual means of excavation after controlled blasting and conveyance) Hard Rock (blasting prohibited) (Data adopted from MORTH) Excavation in hard rock with blasting (blasting prohibited) prohibited for foundations of canal cross drainage and other appurtenant structures and | cum | 981.80 | |
| | | placing the excavated rock neatly in or stack yard as directed etc., complete | | | |
| | | with specified dump area initial lead upto 50 m and initial lift upto 3 m. | | | |
| | | Labour Component (including contractor's profit and Overheads) | cum | L | 318.70 |

| Chapterwise item No. | S.NO | Item description | Unit | Rate | Itemwise unit rate for Labour Component |
|----------------------|------|---|------|---------|---|
| 1 | 2 | 3 | 4 | 5 | 6 |
| IRR-CCDW-1-8 | 212 | Providing and fixing 25 mm dia 2.50 m long cold twisted deformed steel anchor rods with 1.25 m length driven into 32 mm dia hole drilled in bed rock and remaining length embedded in concrete / masonry including cost of all materials, machinery, labour, drilling and cleaning hole, driving anchor rod, grouting hole with thick cement slurry etc., complete with initial lead upto 50 m and all lifts. | Each | 846.70 | |
| | | Labour Component (including contractor's profit and Overheads) | Each | | 198.60 |
| IRR-CCDW-2 | | STEEL AND CEMENT CONCRETE WORKS : | | | |
| IRR-CCDW-2-1 | 213 | Providing, fabricating and placing in position reinforcement steel bars for RCC works including cleaning, straightening, cutting, bending, hooking, lapping, welding wherever required,tying with 1.25 mm dia soft annealed steel wire, including cost of all materials, machinery, labour etc., complete with initial lead upto 50 and all lifts. | kg | 56.10 | |
| | | Labour Component (including contractor's profit and Overheads) | kg | | 7.70 |
| IRR-CCDW-2-2 | 214 | Providing, fabricating and fixing in position structural steel cutting edge consisting of 100 x 100 x 10 mm angle and 250 x 12 mm plate for sinking 4.50 m outer diameter foundation wells foundation wells including cost of all materials, machinery, labour, bending, welding, providing anchors etc., complete with initial lead unto 50 m and all lifts. | kg | 70.10 | |
| | | Labour Component (including contractor's profit and Overheads) | kg | | 9.20 |
| IRR-CCDW-2-3 | 215 | Providing and laying insitu vibrated M-15 (28 days cube compressive strength not less than 15 N /sq mm) grade cement concrete using 40 mm down size approved, clean, hard, graded aggregates for foundation filling including cost of all materials, machinery, labour, formwork, cleaning, batching, mixing, placing in position, levelling, vibrating, finishing, curing etc., complete with initial lead upto 50 m and all lifts. (Cement content: 260 kg / cum with use of super plasticiser(0.4% by wt. of cement),CA: 0.90cum, Blending Ratio of CA-50:30:20, FA: 0.40 cum) | cum | 4990.20 | |
| | | Labour Component (including contractor's profit and Overheads) | cum | | 1170.80 |
| IRR-CCDW-2-4 | 216 | Providing and laying insitu vibrated M-15 (28 days cube compressive strength not less than 15 N / sq mm) grade cement concrete using 80 mm down size approved, clean, hard, graded aggregates for foundation filling including cost of all materials, machinery, labour, formwork, cleaning, batching, mixing, placing in position, levelling, vibrating, finishing, curing etc., complete with initial lead upto 50 m and all lifts. (Cement content: 250 kg / cum with use of super plasticiser(0.4% by wt. of cement),CA: 0.98cum, Blending Ratio of CA-35:30:20:15, FA: 0.35 cum) | cum | 4934.70 | |
| | | Labour Component (including contractor's profit and Overheads) | cum | | 1219.70 |
| IRR-CCDW-2-5 | 217 | Providing and laying insitu vibrated M-10 (28 days cube compressive strength not less than 10 N / sq mm) grade cement concrete using 40 mm down size approved, clean, hard, graded aggregates for foundation filling including cost of all materials, machinery, labour, formwork, cleaning, batching, mixing, placing in position, levelling, vibrating, finishing, curing etc., complete with initial lead upto 50 m and all lifts. (Cement content: 220 kg / cum with use of super plasticiser(0.4% by wt. of cement),CA: 0.90cum, Blending Ratio of CA-50:30:20, FA: 0.40 cum) | cum | 4625.40 | |
| | | Labour Component (including contractor's profit and Overheads) | cum | | 1118.70 |
| IRR-CCDW-2-6 | 218 | Providing and laying insitu vibrated M-10 (28 days cube compressive strength not less than 10 N / sq mm) grade cement concrete using 80 mm down size approved, clean, hard, graded aggregates for foundation filling including cost of all materials, machinery, labour, formwork, cleaning, batching, mixing, placing in position, levelling, vibrating, finishing, curing etc., complete with initial lead upto 50 m and all lifts. (Cement content: 220 kg / cum with use of super plasticiser(0.4% by wt. of cement),CA: 0.98cum, Blending Ratio of CA-35:30:20:15, FA: 0.35 cum) | cum | 4696.50 | |
| | | Labour Component (including contractor's profit and Overheads) | cum | | 1211.70 |
| | | Timperioria (modeling serial actor o profit and o vorticado) | - 2 | | |

| Chapterwise item No. | S.NO | Item description | Unit | Rate | Itemwise unit rate for Labour Component |
|----------------------|------|--|------|---------|---|
| 1 | 2 | 3 | 4 | 5 | 6 |
| IRR-CCDW-2-7 | 219 | Providing and laying insitu vibrated M-20 (28 days cube compressive strength not less than 20 N / sq mm) grade cement concrete using $40\ mm$ down size approved, clean, hard, graded aggregates for foundation filling including cost of all materials, machinery, labour, formwork, cleaning, batching, mixing, placing in position, levelling, vibrating, finishing, curing etc., complete with initial lead upto 50 m and all lifts. (Cement content: 310 kg / cum with use of super plasticiser(0.4% by wt. of cement),CA: 0.90cum, Blending Ratio of CA-50:30:20, FA: 0.40 cum) | cum | 5442.80 | |
| | | Labour Component (including contractor's profit and Overheads) | cum | | 1231.00 |
| IRR-CCDW-2-8 | 220 | Providing and laying insitu vibrated M-20 (28 days cube compressive strength not less than 20 N / sq mm) grade cement concrete using 40 mm down size approved, clean, hard, graded aggregates for sub-structure / super- structure works including cost of all materials, machinery, labour, formwork, scaffolding, cleaning, batching, mixing, placing in position, levelling, vibrating, finishing, curing etc., complete with initial lead upto 50 m and all lifts.(Cement content: 320 kg / cum with use of super plasticiser(0.4% by wt. of cement),CA: 0.90cum, Blending Ratio of CA50:30:20, FA: 0.40 cum) | cum | 5877.80 | |
| | | Labour Component (including contractor's profit and Overheads) | cum | | 1226.00 |
| IRR-CCDW-2-9 | 221 | Providing and laying insitu vibrated M-20 (28 days cube compressive strength not less than 20 N / sq mm) grade cement concrete using 20 mm down size approved, clean, hard, graded aggregates for sub-structure / super- structure works including cost of all materials, machinery, labour, formwork, scaffolding, cleaning, batching, mixing, placing in position, levelling, vibrating, finishing, curing etc., complete with initial lead upto 50 m and all lifts.(Cement content: 330 kg / cum with use of super plasticiser(0.4% by wt. of cement),CA: 0.80cum, Blending Ratio of CA65:35, FA: 0.45 cum) | cum | 5912.30 | |
| | | Labour Component (including contractor's profit and Overheads) | cum | | 1302.70 |
| IRR-CCDW-2-10 | 222 | Providing and laying insitu vibrated M-15 (28 days cube compressive strength not less than 15 N / sq mm) grade cement concrete using 20 mm down size approved, clean, hard, graded aggregates for sub-structure / super- structure works including cost of all materials, machinery, labour, formwork, scaffolding, cleaning, batching, mixing, placing in position, levelling, vibrating, finishing, curing etc., complete with initial lead upto 50 m and all lifts.(Cement content: 280 kg / cum with use of super plasticiser(0.4% by wt. of cement),CA: 0.80cum, Blending Ratio of CA65:35, FA: 0.45 cum) | cum | 5535.60 | |
| | | Labour Component (including contractor's profit and Overheads) | cum | | 1305.00 |
| IRR-CCDW-2-11 | 223 | Providing and laying insitu vibrated M-10 (28 days cube compressive strength not less than 10 N / sq mm) grade cement concrete using 20 mm down size approved, clean, hard, graded aggregates for sub-structure / super- structure works including cost of all materials, machinery, labour, formwork, scaffolding, cleaning, batching, mixing, placing in position, levelling, vibrating, finishing, curing etc., complete with initial lead upto 50 m and all lifts. (Cement content: 220 kg / cum with use of super plasticiser(0.4% by wt. of cement),CA: 0.80cum, Blending Ratio of CA65:35, FA: 0.45 cum) | cum | 4968.80 | |
| · | | Labour Component (including contractor's profit and Overheads) | cum | | 1212.60 |
| RR-CCDW-2-12 | 224 | Providing and laying insitu vibrated M-20 (28 days cube compressive strength not less than 20 N / sq mm) grade cement concrete using 20 mm down size approved, clean, hard, graded aggregates for well kerb including cost of all materials, machinery, labour, formwork, scaffolding, cleaning, batching, mixing, placing in position, levelling, vibrating, finishing, curing etc., complete with initial lead upto 50 m and all lifts. (Cement content: 350 kg / cum with use of super plasticiser (0.4% by wt. of cement), CA: 0.80 cum, Blending Ratio of CA-65:35, FA: 0.45 cum) | cum | 7164.40 | |
| | | l I | | | |
| | | If water is to be brought from other place add only lead charges @ 500 ltr / Labour Component (including contractor's profit and Overheads) | cum | | 1575.40 |

| Chapterwise item No. | S.NO | Item description | Unit | Rate | Itemwise unit rate for Labour Component |
|----------------------|------|--|------|---------|---|
| 1 | 2 | 3 | 4 | 5 | 6 |
| IRR-CCDW-2-13 | 225 | Providing and laying insitu vibrated M-20 (28 days cube compressive strength not less than 20 N / sq mm) grade cement concrete using $40\ mm$ down size approved, clean, hard, graded aggregates for well steining including cost of all materials, machinery, labour, formwork, scaffolding, cleaning, batching, mixing, placing in position, levelling, vibrating, finishing, curing etc., complete with initial lead upto $50\ m$ and all lifts. (Cement content: $320\ kg$ / cum with use of super plasticiser (0.4% by wt. of cement),CA: 0.90cum, Blending Ratio of CA-50:30:20, FA: 0.40 cum) | cum | 6502.70 | |
| | | cum. Labour Component (including contractor's profit and Overheads) | cum | | 1439.40 |
| IRR-CCDW-2-14 | 226 | Providing and laying insitu M-15 (28 days cube compressive strength not less than 15 N / sq mm) grade cement concrete using 20 mm down size approved, clean, hard, graded aggregates for well bottom plug by tremie or skip box method including cost of all materials, complete with initial lead upto 50 m and all lifts.(Cement content: 350 kg / cum with use of super plasticiser(0.4% by wt. of cement),CA: 0.80cum, Blending Ratio of CA65:35, FA: 0.45 cum) | cum | 5204.60 | |
| | | Labour Component (including contractor's profit and Overheads) | cum | | 1130.00 |
| IRR-CCDW-2-15 | 227 | Providing and laying insitu vibrated M-15 (28 days cube compressive strength not less than 15 N / sq mm) grade cement concrete using 40 mm down size approved, clean, hard, graded aggregates for well top plug including cost of all materials, machinery, labour, cleaning, batching, mixing, placing in position, levelling, vibrating, finishing, curing etc., complete with initial lead upto 50 m and all lifts. (Cement content: 280 kg / cum with use of super plasticiser (0.4% by wt. of cement),CA: 0.90cum, Blending Ratio of CA50:30:20, FA: 0.40 cum) If water is to be brought from other place add only lead charges @ 500 ltrs / cum | cum | 4735.10 | |
| | | Labour Component (including contractor's profit and Overheads) | cum | | 1112.60 |
| IRR-CCDW-2-16 | 228 | not less than 20 N / sq mm) grade cement concrete using 20 mm down size approved, clean, hard, graded aggregates for well cap including cost of all materials, machinery, labour, formwork, scaffolding, cleaning, batching, mixing, placing in position, levelling, vibrating, finishing, curing etc., complete with initial lead upto 50 m and all lifts. (Cement content: 330 kg / cum with use of super plasticiser (0.4% by wt. of cement),CA: 0.80cum, Blending Ratio of CA65:35, FA: 0.45 cum) | cum | 5306.50 | |
| | | cum. Labour Component (including contractor's profit and Overheads) | cum | | 1132.40 |
| IRR-CCDW-2-17 | 229 | Providing and laying insitu vibrated M-15 (28 days cube compressive strength not less than 15 N / sq mm) grade cement concrete using 80 mm down size approved, clean, hard, graded aggregates for piers and abutments including cost of all materials, labour, machinery, formwork, cleaning, batching, mixing, placing in position, levelling, vibrating, finishing, curing etc., complete with initial lead upto 50 m and all lifts. (Cement content: 250 kg / cum with use of super plasticiser(0.4% by wt. of cement),CA: 0.98cum, Blending Ratio of CA-35:30:20:15, FA: 0.35 cum) If water is to be brought from other place add only lead charges @ 500 ltr / | cum | 5856.90 | |
| | | cum. Labour Component (including contractor's profit and Overheads) | cum | | 1504.40 |
| | 230 | Providing and laying insitu vibrated M-10 (28 days cube compressive strength not less than 10 N / sq mm) grade cement concrete using 80 mm down size approved, clean, hard, graded aggregates for piers and abutments including cost of all materials, labour, machinery, formwork, cleaning, batching, mixing, placing in position, levelling, vibrating, finishing, curing etc., complete with initial lead upto 50 m and all lifts. (Cement content: 220 kg / cum with use of super plasticiser(0.4% by wt. of cement),CA: 0.98cum, Blending Ratio of CA | cum | 5618.70 | |
| IRR-CCDW-2-18 | | 35:30:20:15, FA: 0.35 cum) | | | |
| IRR-CCDW-2-18 | | 35:30:20:15, FA: 0.35 cum) If water is to be brought from other place add only lead charges @ 500 ltr / cum. Labour Component (including contractor's profit and Overheads) | cum | | 1495.90 |

| Providing and laying insitu vibrated M-10 (28 days cube compressive strength not less than 10 N / sq mm) grade cement concrete using 40 mm down size approved, clean, hard, graded aggregates for piers and abutments including cost of all materials, labour, machinery, formwork, cleaning, batching, mixing, placing in position, levelling, vibrating, finishing, curing etc., complete with initial lead upto 50 m and all lifts. (Cement content: 220 kg / cum with use of super plasticiser (0.4% by wt. of cement), CA: 0.90cum, Blending Ratio of CA-50:30:20, FA: 0.40 cum) If water is to be brought from other place add only lead charges @ 500 ltr / | 6 |
|--|---------|
| not less than 10 N / sq mm) grade cement concrete using 40 mm down size approved, clean, hard, graded aggregates for piers and abutments including cost of all materials, labour, machinery, formwork, cleaning, batching, mixing, placing in position, levelling, vibrating, finishing, curing etc., complete with initial lead upto 50 m and all lifts. (Cement content: 220 kg / cum with use of super plasticiser(0.4% by wt. of cement), CA: 0.90cum, Blending Ratio of CA-50:30:20, FA: 0.40 cum) If water is to be brought from other place add only lead charges @ 500 ltr / | |
| | |
| cum. | |
| Labour Component (including contractor's profit and Overheads) cum | 1383.60 |
| Providing and laying insitu vibrated M-20 (28 days cube compressive strength not less than 20 N / sq mm) graded cement concrete using 40 mm down size approved, clean, hard, graded aggregates for cantiliver / counterfort retaining walls including cost of all materials, machinery, labour, formwork, scaffolding, cleaning, batching, mixing, placing in position, levelling, vibrating, finishing, curing etc., complete with initial lead upto 50 m and all lifts. (Cement content: 320 kg / cum with use of super plasticiser(0.4% by wt. of cement),CA: 0.90cum, Blending Ratio of CA50:30:20, FA: 0.40 cum) If water is to be brought from other place add only lead charges @ 500 ltr / | |
| cum. Labour Component (including contractor's profit and Overheads) cum | 1432.60 |
| | |
| Providing and laying insitu vibrated M-15 (28 days cube compressive strength not less than 15 N / sq mm) grade cement concrete using 40 mm down size approved, clean, hard, graded aggregates with placing and sinking plums of size 150 to 80 mm upto 15 percent for gravity type retaining walls / piers / abutments etc., including cost of all materials, machinery, labour, formwork, scaffolding, cleaning, batching, mixing, placing in position, levelling, vibrating, finishing, curing etc., complete with initial lead upto 50 m and all lifts. (Cement content: 260 kg / cum with use of super plasticiser(0.4% by wt. of cement),CA: 0.765cum, Blending Ratio of CA-50:30:20, FA: 0.34 cum, plums of size 150 to 80 mm: 0.25cum) If water is to be brought from other place add only lead charges @ 500 ltr / cum. | |
| Labour Component (including contractor's profit and Overheads) cum | 1341.10 |
| Providing and laying insitu vibrated M-15 (28 days cube compressive strength not less than 15 N / sq mm) grade cement concrete using 40 mm down size approved, clean, hard,graded aggregates for cast in-situ pipes including cost of all materials, machinery, labour, cleaning, batching, mixing, placing in position, levelling, vibrating, finishing, curing etc., complete with initial lead upto 50 m and all lifts.(Cement content: 260 kg / cum with use of super plasticiser(0.4% by wt. of cement),CA: 0.90cum, Blending Ratio of CA-50:30:20, FA: 0.40 cum) If water is to be brought from other place add only lead charges @ 500 ltr / cum. | |
| Labour Component (including contractor's profit and Overheads) cum | 1267.30 |
| Providing and laying insitu vibrated M-15 (28 days cube compressive strength not less than 15 N / sq mm) grade cement concrete using 80 mm down size approved, clean, hard, graded aggregates for cast in-situ pipes including cost of all materials, labour, machinery, formwork, cleaning, batching, mixing, placing in position, levelling, vibrating, finishing, curing etc., complete with initial lead upto 50 m and all lifts. (Cement content: 250 kg / cum with use of super plasticiser (0.4% by wt. of cement),CA: 0.98cum, Blending Ratio of CA | |
| 35:30:20:15, FA: 0.35 cum) | |
| 35:30:20:15, FA: 0.35 cum) If water is to be brought from other place add only lead charges @ 500 ltr / cum. Labour Component (including contractor's profit and Overheads) cum | 1315.40 |

| Providing and laying institu vibrared N-20 (28 days cube compressive strength not less than 20 N /s or mit yarde cement concrete using 20 mm down size approved, clean, hard, graded aggregates for deck slike A keth including cost of all materials, machinery, labour, formwork, sandforling, clearing, blacking, mixing pisnengin position, leveling vibrating, institut, cump die in vibrating institut vibrated with initial lead upto 50 m and all fits. (Coment contrest: 330 kg /cmm with conference of the brought from other place add only lead charges @ 500 ltr /cmm. It waster is to be brought from other place add only lead charges @ 500 ltr /cmm. It was the size of the mixing in position, leveling with initial end upto 50 m and all fits. (Coment contrest: 330 kg /cmm with seed only lead only lead charges @ 500 ltr /cmm. It waster is to be brought from other place add only lead charges @ 500 ltr /cmm. It was the size of the mixing in position, leveling vibrating, limiting, curing etc., complete with initial lead upto 50 m and all lifts. (Cement contents: 330 kg /cmm with use of super plasticise(0.4% by w. of cement),CA: 0.800 cmm, lifeling, mixing, placing in position, leveling vibrating, limiting, curing etc., complete with initial lead upto 50 m and all lifts. (Cement contents: 330 kg /cmm with use of super plasticise(0.4% by w. of cement),CA: 0.800 cmm, lifeling, mixing places and contents of the content | Chapterwise item No. | S.NO | Item description | Unit | Rate | Itemwise unit rate for Labour Component |
|--|----------------------|------|--|-------|---------|---|
| IRR-CCDW-2-22 IRR-CCDW-2-24 IRR-CCDW-2-24 IRR-CCDW-2-25 IRR-CCDW-2-25 IRR-CCDW-2-26 IRR-CCDW-2-27 IRR-CC | 1 | 2 | 3 | 4 | 5 | |
| Labour Component (including contrator's profit and Overheads) cum 1887.40 Providing and laying insitu vibrated M-20 (28 days cube compressive strength not less than 20 N / sqr mn) grade cement concrete using 20 ma down size approved. Geen, hard, graded appregates for columns and beaums including cost of all materials, abour, machinery, formwork, scaffolding, cleaning, batching, mixing, placing in position, levelling, vibrating, finishing, curing with the component (including contrator's profit and Overheads) cum 7562.10 [RR-CCDW-2-25 25 | IRR-CCDW-2-24 | 236 | not less than 20 N / sq mm) grade cement concrete using 20 mm down size approved, clean, hard, graded aggregates for deck slab & kerb including cost of all materials,machinery, labour, formwork, scaffolding, cleaning, batching, mixing, placing in position, levelling, vibrating, finishing, curing etc., complete with initial lead upto 50 m and all lifts. (Cement content: 330 kg / cum with use of super plasticiser(0.4% by wt. of cement),CA: 0.80cum, Blending Ratio of CA65:35, FA: 0.45 cum) | cum | 8533.50 | |
| Providing and taying insitu vibrated M-20 (28 days cube compressive strength not less than 20 N / sq. mm.) grade cement concrete using 20 mm down size and control of the strength of the str | | | cum. | cum | | 1887.40 |
| IRR-CCDW-2-25 IRR-CCDW-2-26 IRR-CCDW-2-27 IRR-CCDW-2-27 IRR-CCDW-2-28 IRR-CCDW-2-27 IRR-CCDW-2-27 IRR-CCDW-2-27 IRR-CCDW-2-27 IRR-CCDW-2-27 IRR-CCDW-2-27 IRR-CCDW-3-29 IRR-CCDW-3-2 IRR-CCDW-3-3 IRR-CCDW-3-2 IRR-CCDW-3-3 IRR-CCDW-3-4 IRR-CCDW-3-4 IRR-CCDW-3-5 | | | , | | | |
| Cum. 1721.70 | IRR-CCDW-2-25 | 237 | not less than 20 N / sq mm) grade cement concrete using 20 mm down size approved, clean, hard, graded aggregates for columns and beams including cost of all materials, labour, machinery, formwork, scaffolding, cleaning, batching, mixing, placing in position, levelling, vibrating, finishing, curing etc.,complete with initial lead upto 50 m and all lifts. (Cement content: 330 kg / cum with use of super plasticiser(0.4% by wt. of cement),CA: 0.80cum, Blending Ratio of CA65:35,FA: 0.45 cum) | cum | 7562.10 | |
| Providing and laying insitu M- 20 (28 days cube compressive strength not less than 20 N / sqmm) grade cement concrete using 20 mm down size approved, clean, hard, graded aggregates for wearing coat including cost of all materials, machinery, labour, formwork, cleaning, batching, mixing, pleating in position in alternate panels, levelling, compacting, finishing, curing, packing joints with alternate panels, levelling, compacting, finishing, curing, packing joints with alternate panels, levelling, compacting, finishing, curing, packing joints with assignment and compacting in the property of the content: 330 kg / cum with use of super plasticiser (0.4% by wt. of cement), CA: 0.80 cum, Blending Ratio of CA-65:35, FA: 0.45 cum) If water is to be brought from other place add only lead charges @ 500 ltr / cum. Labour Component (including contractor's profit and Overheads) IRR-CCDW-2-27 239 lead upto 50 m and all lifts, (Cement content 3:30 kg / cum with use of super plasticiser (0.4% by wt. of cement), CA: 0.80 cum, Blending Ratio of CA-65:35, FA: 0.45 cum) If water is to be brought from other place add only lead charges @ 500 ltr / cum. Labour Component (including contractor's profit and Overheads) cum 6955.60 IRR-CCDW-3-1 IRR-CCDW-3-1 Sinking RCC wells vertically for foundation of piers and abutments in all kinds of soil, sand and soft rock by approved well sinking method including cost of all materials, machinery, labour, kent - ledge arrangements, disposal of complete with lead upto 50 m for disposal of excavated material as disposal of excavated materials as disposal of excavated materials and soff rock by approved well sinking method including cost of all materials, machinery, labour, kent - ledge arrangements, disposal of excavated materials and 5254.90 10 card of the proposed of the proposed labour component (including contractor | | | cum. | CIIM | | 1721 70 |
| than 20 N / sqmm) grade cement concrete using 20 mm down size approved, clean, hard, graded aggregates for vending, maching, placing in position in alternate panels, levelling, compacting, finishing, curing, packing joints with asphalt mortar etc., complete with initial lead upto 50 m and all lifts, (Gement content 330 kg / cum with use of super plasticiser (0.4% by wt. of cement),CA : 0.80cum, Blending Ratio of CA-65:35, FA : 0.45 cum) If water is to be brought from other place add only lead charges @ 500 ltr / cum. Labour Component (including contractor's profit and Overheads) | | | Labour Component (including contractor's profit and Overneads) | Guili | | 1121.10 |
| Labour Component (including contractor's profit and Overheads) cum 1161.70 | IRR-CCDW-2-26 | 238 | than 20 N / sqmm) grade cement concrete using 20 mm down size approved, clean, hard, graded aggregates for wearing coat including cost of all materials, machinery, labour, formwork, cleaning, batching, mixing, placing in position in alternate panels, levelling, compacting, finishing, curing, packing joints with asphalt mortar etc., complete with initial lead upto 50 m and all lifts. (Cement content: 330 kg / cum with use of super plasticiser(0.4% by wt. of cement),CA | cum | 5214.20 | |
| IRR-CCDW-2-27 IRR-CCDW-3-1 IRR-CCDW-3-1 IRR-CCDW-3-1 IRR-CCDW-3-2 IRR-CCDW-3-2 IRR-CCDW-3-2 IRR-CCDW-3-2 IRR-CCDW-3-2 IRR-CCDW-3-2 IRR-CCDW-3-2 IRR-CCDW-3-2 IRR-CCDW-3-3 IRR-CCDW-3-4 IRR-CCDW-3-4 IRR-CCDW-3-5 IRR-CCDW-3-5 IRR-CCDW-3-6 IRR-CCDW-3-7 IRR-CCDW-3-7 IRR-CCDW-3-7 IRR-CCDW-3-8 IRR-CCDW-3-8 IRR-CCDW-3-8 IRR-CCDW-3-9 I | | | cum. | | | |
| IRR-CCDW-2-27 IRR-CCDW-3-1 IRR-CCDW-3-1 IRR-CCDW-3-1 IRR-CCDW-3-2 IRR-CCDW-3-3-2 IRR-CCDW-3-3-1 I | | | | cum | | 1161.70 |
| cum. Labour Component (including contractor's profit and Overheads) Cum 1596.40 IRR-CCDW-3 FOUNDATION WELL SINKING WORKS: Sinking RCC wells vertically for foundation of piers and abutments in all kinds of soil, sand and soft rock by approved well sinking method including cost of all materials, machinery, labour, kent - ledge arrangements, disposal of excavated material as disposal of excavated material as directed etc., complete with lead upto 50 m for disposal of excavated material.(diameter of well 6.00m) (Data adopted from MORTH) Labour Component (including contractor's profit and Overheads) *Rm 3707.60 *Rm 1603.10 for 3 to 10 meters for each running meter *Rm 5254.90 Labour Component (including contractor's profit and Overheads) *Rm 2098.10 Filling foundation wells with sand in layers of 25 to 30 cm and compacting by watering, ramming as directed including cost of all materials, machinery, labour etc., complete with initial lead upto 50 m and all lifts. Labour Component (including contractor's profit and Overheads) cum 769.60 | IRR-CCDW-2-27 | 239 | not less than 20 N / sq mm) grade cement concrete using 20 mm down size approved, clean, hard, graded aggregates for troughs including cost of all materials, machinery, labour, formwork, scaffolding, cleaning, batching, mixing, placing in position,levelling, vibrating, finishing, curing etc., complete with initial lead upto 50 m and all lifts. (Cement content: 330 kg / cum with use of super plasticiser(0.4% by wt. of cement),CA: 0.80cum, Blending Ratio of CA65:35, | cum | 6955.60 | |
| IRR-CCDW-3-1 FOUNDATION WELL SINKING WORKS: Sinking RCC wells vertically for foundation of piers and abutments in all kinds of soil, sand and soft rock by approved well sinking method including cost of all materials, machinery, labour, kent - ledge arrangements, disposal of excavated material as disposal of excavated material as directed etc., complete with lead upto 50 m for disposal of excavated material. (diameter of well 6.00m) (Data adopted from MORTH) Labour Component (including contractor's profit and Overheads) *Rm 5254.90 Labour Component (including contractor's profit and Overheads) *Rm 2098.10 IRR-CCDW-3-2 241 Filling foundation wells with sand in layers of 25 to 30 cm and compacting by watering, ramming as directed including cost of all materials, machinery, labour etc., complete with initial lead upto 50 m and all lifts. Labour Component (including contractor's profit and Overheads) cum 769.60 | | | cum. | | | |
| Sinking RCC wells vertically for foundation of piers and abutments in all kinds of soil, sand and soft rock by approved well sinking method including cost of all materials, machinery, labour, kent - ledge arrangements, disposal of excavated material as directed etc., complete with lead upto 50 m for disposal of excavated material.(diameter of well 6.00m) (Data adopted from MORTH) Labour Component (including contractor's profit and Overheads) *Rm 5254.90 Labour Component (including contractor's profit and Overheads) *Rm 5254.90 Labour Component (including contractor's profit and Overheads) *Rm 2098.10 IRR-CCDW-3-2 241 Filling foundation wells with sand in layers of 25 to 30 cm and compacting by watering, ramming as directed including cost of all materials, machinery, labour etc., complete with initial lead upto 50 m and all lifts. | | | Labour Component (including contractor's profit and Overheads) | cum | | 1596.40 |
| kinds of soil, sand and soft rock by approved well sinking method including cost of all materials, machinery, labour, kent - ledge arrangements, disposal of excavated material as disposal of excavated material as directed etc., complete with lead upto 50 m for disposal of excavated material. (diameter of well 6.00m) (Data adopted from MORTH) Labour Component (including contractor's profit and Overheads) *Rm 5254.90 Labour Component (including contractor's profit and Overheads) *Rm 5254.90 *Rm 2098.10 Filling foundation wells with sand in layers of 25 to 30 cm and compacting by watering, ramming as directed including cost of all materials, machinery, labour etc., complete with initial lead upto 50 m and all lifts. Labour Component (including contractor's profit and Overheads) cum 769.60 | IRR-CCDW-3 | | FOUNDATION WELL SINKING WORKS : | | | |
| Filling foundation wells with sand in layers of 25 to 30 cm and compacting by watering, ramming as directed including cost of all materials, machinery, labour etc., complete with initial lead upto 50 m and all lifts. | IRR-CCDW-3-1 | 240 | kinds of soil, sand and soft rock by approved well sinking method including cost of all materials, machinery, labour, kent - ledge arrangements, disposal of excavated material as disposal of excavated material as directed etc., complete with lead upto 50 m for disposal of excavated material.(diameter of well | *Rm | 3707.60 | |
| Labour Component (including contractor's profit and Overheads) *Rm 2098.10 RR-CCDW-3-2 241 Filling foundation wells with sand in layers of 25 to 30 cm and compacting by watering, ramming as directed including cost of all materials, machinery, labour etc., complete with initial lead upto 50 m and all lifts. Labour Component (including contractor's profit and Overheads) cum 101.50 | | | | | | 1603.10 |
| IRR-CCDW-3-2 241 Filling foundation wells with sand in layers of 25 to 30 cm and compacting by watering, ramming as directed including cost of all materials, machinery, labour etc., complete with initial lead upto 50 m and all lifts. Labour Component (including contractor's profit and Overheads) cum 769.60 | | | | | 5254.90 | 2098.10 |
| IRR-CCDW-3-2 241 by watering, ramming as directed including cost of all materials, machinery, labour etc., complete with initial lead upto 50 m and all lifts. Labour Component (including contractor's profit and Overheads) cum 101.50 | | | | | | |
| | IRR-CCDW-3-2 | 241 | by watering, ramming as directed including cost of all materials, machinery, labour etc., complete with initial lead upto 50 m and all lifts. | cum | 769.60 | |
| IDD CODWA MACCAUDY WORKS | | | Labour Component (including contractor's profit and Overheads) | cum | | 101.50 |
| IRR-CCDW-4 MASONRY WORKS: | IRR-CCDW-4 | | MASONRY WORKS: | | | |

| Chapterwise item No. | S.NO | Item description | Unit | Rate | Itemwise unit rate for Labour Component |
|----------------------|------|--|------|----------|---|
| 1 | 2 | 3 | 4 | 5 | 6 |
| IRR-CCDW-4-1 | 242 | Providing and constructing un-coursed rubble stone masonry with approved stones in CM 1:4 proportion for sub-structure portions of return walls / abutments etc., including cost of all materials, machinery, labour, scaffolding, cleaning, packing cement mortar, wedging stone chips, curing etc., complete with initial lead upto 50 m and all lifts.(Cement content: 143 kg / cum of masonry, rubble stones: 0.85cum, FA: 0.40 cum,Stone Chips: 0.15 cum) | cum | 2564.50 | |
| | | Labour Component (including contractor's profit and Overheads) | cum | | 729.70 |
| IRR-CCDW-4-2 | 243 | Providing and constructing un-coursed rubble stone masonry with approved stones in CM 1: 4 proportion for super-structure portions of return walls / abutments etc., including cost of all materials, machinery, labour, scaffolding, cleaning, packing cement mortar, wedging stone chips, curing etc., complete with initial lead upto 50 m and all lifts. (Cement content: 143 kg / cum of masonry, rubble stones: 0.85cum, FA: 0.40 cum, Stone Chips: 0.15 cum) | cum | 2626.50 | |
| | | Labour Component (including contractor's profit and Overheads) | cum | | 747.90 |
| IRR-CCDW-4-3 | 244 | Providing and constructing coursed rubble masonry second sort in CM 1:4 proportion with stones from approved source including cost of all materials, machinery, labour, scaffolding, ramps, cleaning, packing mortar, wedging stone chips, finishing, curing etc., complete with initial lead upto 50 m and initial lift upto 3 m.(Cement content: 133 kg / cum of masonry, rubble stones: 0.45cum, FA: 0.35 cum,Stone Chips: 0.15 cum, Khandki stones 25 x 25 x 30 cm: 180 Nos, Header stones 25 x 25x 45 cm: 60 Nos) | cum | 3056.20 | |
| | | Labour Component (including contractor's profit and Overheads) | cum | | 841.10 |
| IRR-CCDW-4-4 | 245 | Providing and constructing coursed rubble masonry first sort in CM 1:4 proportion with stones from approved source including cost of all materials, machinery, labour, scaffolding, ramps, cleaning, packing mortar, wedging stone chips, finishing, curing etc., complete with initial lead upto 50 m and initial lift upto 3 m.(Cement content: 133 kg / cum of masonry, rubble stones: 0.45cum, FA: 0.35 cum, Stone Chips: 0.15 cum, Khandki stones 25 x 25 x 30 cm: 180 Nos, Header stones 25 x 25x 45 cm: 60 Nos) | cum | 3185.50 | 070 40 |
| | | Labour Component (including contractor's profit and Overheads) | cum | | 970.40 |
| IRR-CCDW-4-5 | 246 | Providing cement mortar pointing to coursed rubble face stone masonry in CM 1:2 proportion by volume including raking and cleaning joints for 50 mm depth, pressing cement mortar into joints, cost of all materials, labour, scaffolding, finishing, curing etc., complete with initial lead upto 50 m and all lifts. | sqm | 127.00 | |
| | | 246 | sqm | | 86.90 |
| IRR-CCDW-4-6 | 247 | Providing cement mortar pointing to coursed rubble face stone masonry in CM 1:3 proportion by volume including raking and cleaning joints for 50 mm depth, pressing cement mortar into joints, cost of all materials, labour, scaffolding, finishing, curing etc., complete with initial lead upto 50 m and all lifts. | sqm | 117.20 | |
| | | Labour Component (including contractor's profit and Overheads) | sqm | | 86.90 |
| IRR-CCDW-4-7 | 248 | Providing 12 mm thick plastering in cement mortar 1:3 proportion by volume including cost of all materials, machinery, labour, scaffolding, cleaning joints, smooth finishing, curing etc., complete with initial lead upto 50 m and all lifts. | sqm | 180.00 | |
| | | Labour Component (including contractor's profit and Overheads) | sqm | | 122.10 |
| IRR-CCDW-4-8 | 249 | Providing 12 mm thick plastering in cement mortar 1:4 proportion by volume including cost of all materials, machinery, labour, scaffolding, cleaning joints, smooth finishing, curing etc., complete with initial lead upto 50 m and all lifts. | sqm | 168.40 | |
| | | Labour Component (including contractor's profit and Overheads) | sqm | | 122.10 |
| IRR-CCDW-4-9 | 250 | Providing 20 mm thick plastering in cement mortar 1:3 proportion by volume including cost of all materials, machinery, labour, scaffolding, cleaning joints, smooth finishing, curing etc., complete with initial lead upto 50 m and all lifts. | sqm | 259.80 | |
| | | Labour Component (including contractor's profit and Overheads) | sqm | | 163.40 |
| IRR-CCDW-4-10 | 251 | Providing 20 mm thick plastering in cement mortar 1:4 proportion by volume including cost of all materials, machinery, labour, scaffolding, cleaning joints, smooth finishing, curing etc., complete with initial lead upto 50 m and all lifts. | sqm | 240.60 | |
| | | <u> </u> | | <u> </u> | |
| | | Labour Component (including contractor's profit and Overheads) | sqm | | 163.40 |

| | S.NO | Item description | Unit | Rate | Itemwise unit rate for Labour Component |
|----------------------------|------|--|----------------|---------|---|
| 1 | 2 | 3 | 4 | 5 | 6 |
| IRR-CCDW-5-1 | 252 | Providing and fixing 10 cm thick roughly dressed burnt stone slabs for coping set in CM 1: 6 proportion by volume with pointing to joints in CM 1: 3 proportion by volume including cost of all materials, machinery, labour, finishing, curing etc., complete with initial lead upto 50 m and all lifts.(Cement content: 7.5 kg / sqm, FA: 0.030 cum/sqm, Burnt stone slab 10 cm thick 1.05 sqm/sqm) | sqm | 626.60 | |
| | | Labour Component (including contractor's profit and Overheads) | sqm | | 177.20 |
| IRR-CCDW-5-2 | 253 | Providing and fixing 10 cm thick one line dressed burnt stone slabs for coping set in CM 1: 6 proportion by volume with pointing to joints in CM 1: 3 proportion by volume including cost of all materials, machinery, labour, finishing, curing etc., complete with initial lead upto 50 m and all lifts.(Cement content: 7.5 kg / sqm, FA: 0.030 cum/sqm, Burnt stone slab 10 cm thick 1.05 sqm/sqm) | sqm | 773.20 | |
| | | Labour Component (including contractor's profit and Overheads) | sqm | | 323.80 |
| IRR-CCDW-5-3 | 254 | Providing and fixing 10 cm thick two line dressed burnt stone slabs for coping set in CM 1: 6 proportion by volume with pointing to joints in CM 1: 3 proportion by volume including cost of all materials, machinery, labour, finishing, curing etc., complete with initial lead upto 50 m and all lifts.(Cement content: 7.5 kg / sqm, FA: 0.030 cum/sqm, Burnt stone slab 10 cm thick 1.05 sqm/sqm) | sqm | 961.80 | |
| | | Labour Component (including contractor's profit and Overheads) | sqm | | 512.40 |
| IRR-CCDW-5-4 | 255 | Providing and laying insitu M-15 (28 days cube compressive strength not less than 15 N / sqmm) grade cement concrete using 20 mm down size approved clean, hard, graded aggregates for coping slab including cost of all materials, machinery, labour, formwork, cleaning surface, batching, mixing, placing in position, levelling, compacting, finishing, curing etc., complete with initial lead upto 50 m and initial lift upto 3 m. (Cement content: 300 kg / cum with use of super plasticiser (0.4% by wt. of cement),CA: 0.80cum, Blending Ratio of CA-65:25 EA: 0.45 cm) | cum | 6658.50 | |
| | | Labour Component (including contractor's profit and Overheads) | cum | | 1513.50 |
| IRR-CCDW-5-5 | 256 | Providing and constructing protective railing consisting of in-situ railing posts of size 15 x 15 cm at bottom, 10 x 10 cm at top and 75 cm height at 2 m centre to centre in M-20 grade concrete using 20 mm down size graded aggregates and with each post reinforced by 4 Nos. of 8 mm dia main bars embedded in kerb concrete for a depth of 40 cm and 5 Nos. of 6 mm dia. stirrups including fixing 3 rows of 40 mm dia. GI pipes with one coat of red oxide primer and two coats of synthetic enamel paint, cost of all materials, machinery, labour, formwork, finishing, curing etc., complete with lead upto 50 m and all lifts. | Rm | 1349.40 | |
| | | Labour Component (including contractor's profit and Overheads) | Rm | | 169.10 |
| | | HUME PIPE LAYING & JOINTING WORKS : | | | |
| IRR-CCDW-6 | | | | | ļ |
| | 257 | Laying and jointing 300 mm dia. NP- 2 class or IRC standard hume pipes in CM 1: 2 proportion by volume including cost of all materials (excluding pipes and collars), machinery, labour, aligning, packing joints with hemp, finishing, curing etc., complete with initial lead upto 50 m and all lifts.(Cement content: 9.9 kg / joint, FA: 0.01cum/joint, Hemp Yarn: 0.091kg/joint) | Joint | 322.10 | |
| | 257 | Laying and jointing 300 mm dia. NP- 2 class or IRC standard hume pipes in CM 1: 2 proportion by volume including cost of all materials (excluding pipes and collars), machinery, labour, aligning, packing joints with hemp, finishing, curing etc., complete with initial lead upto 50 m and all lifts.(Cement content: | Joint Joint | 322.10 | 235.20 |
| IRR-CCDW-6-1 | 257 | Laying and jointing 300 mm dia. NP- 2 class or IRC standard hume pipes in CM 1:2 proportion by volume including cost of all materials (excluding pipes and collars), machinery, labour, aligning, packing joints with hemp, finishing, curing etc., complete with initial lead upto 50 m and all lifts.(Cement content: 9.9 kg / joint, FA: 0.01cum/joint, Hemp Yarn: 0.091kg/joint) | | 322.10 | 235.20 |
| IRR-CCDW-6-1 IRR-CCDW-6-2 | | Laying and jointing 300 mm dia. NP- 2 class or IRC standard hume pipes in CM 1 : 2 proportion by volume including cost of all materials (excluding pipes and collars), machinery, labour, aligning, packing joints with hemp, finishing, curing etc., complete with initial lead upto 50 m and all lifts.(Cement content: 9.9 kg / joint, FA : 0.01cum/joint, Hemp Yarn : 0.091kg/joint) Labour Component (including contractor's profit and Overheads) Laying and jointing 450 mm dia. NP- 2 class or IRC standard hume pipes in CM 1 : 2 proportion by volume including cost of all materials (excluding pipes and collars), machinery, labour, aligning, packing joints with hemp, finishing, curing etc., complete with initial lead upto 50 m and all lifts.(Cement content: | Joint | | 235.20 |
| IRR-CCDW-6-1 | | Laying and jointing 300 mm dia. NP- 2 class or IRC standard hume pipes in CM 1: 2 proportion by volume including cost of all materials (excluding pipes and collars), machinery, labour, aligning, packing joints with hemp, finishing, curing etc., complete with initial lead upto 50 m and all lifts.(Cement content: 9.9 kg / joint, FA: 0.01cum/joint, Hemp Yarn: 0.091kg/joint) Labour Component (including contractor's profit and Overheads) Laying and jointing 450 mm dia. NP- 2 class or IRC standard hume pipes in CM 1: 2 proportion by volume including cost of all materials (excluding pipes and collars), machinery, labour, aligning, packing joints with hemp, finishing, curing etc., complete with initial lead upto 50 m and all lifts.(Cement content: 17.4 kg / joint, FA: 0.022cum/joint, Hemp Yarn: 0.127kg/joint) | Joint Joint | | |

| Chapterwise item No. | S.NO | Item description | Unit | Rate | Itemwise unit rate for Labour Component |
|----------------------|------|---|-------|---------|---|
| 1 | 2 | 3 | 4 | 5 | 6 |
| IRR-CCDW-6-4 | 260 | Laying and jointing 700 mm dia. NP- 2 class or IRC standard hume pipes in CM 1: 2 proportion by volume including cost of all materials (excluding pipes and collars), machinery, labour, aligning, packing joints with hemp, finishing, curing etc., complete with initial lead upto 50 m and all lifts.(Cement content: 32.1 kg/joint, FA: 0.031cum/joint, Hemp Yarn: 0.25kg/joint) | Joint | 568.40 | |
| | | Labour Component (including contractor's profit and Overheads) | Joint | | 291.40 |
| IRR-CCDW-6-5 | 261 | Laying and jointing 800 mm dia. NP- 2 class or IRC standard hume pipes in CM 1:2 proportion by volume including cost of all materials (excluding pipes and collars), machinery, labour, aligning, packing joints with hemp, finishing, curing etc., complete with initial lead upto 50 m and all lifts.(Cement content: 39.6 kg/joint, FA: 0.039cum/joint, Hemp Yarn: 0.31kg/joint) | Joint | 690.10 | |
| | | Labour Component (including contractor's profit and Overheads) | Joint | | 347.70 |
| IRR-CCDW-6-6 | 262 | Laying and jointing 900 mm dia. NP- 2 class or IRC standard hume pipes in CM 1:2 proportion by volume including cost of all materials (excluding pipes and collars), machinery, labour, aligning, packing joints with hemp, finishing, curing etc., complete with initial lead upto 50 m and all lifts.(Cement content: 44.6 kg/joint, FA: 0.045cum/joint, Hemp Yarn: 0.34kg/joint) | Joint | 733.60 | |
| | | Labour Component (including contractor's profit and Overheads) | Joint | | 347.70 |
| IRR-CCDW-6-7 | 263 | Laying and jointing 1000 mm dia. NP- 2 class or IRC standard hume pipes in CM 1:2 proportion by volume including cost of all materials (excluding pipes and collars), machinery, labour, aligning, packing joints with hemp, finishing, curing etc., complete with initial lead upto 50 m and all lifts.(Cement content: 49.5 kg/joint, FA: 0.05cum/joint, Hemp Yarn: 0.377kg/joint) | Joint | 811.20 | |
| | | Labour Component (including contractor's profit and Overheads) | Joint | | 382.90 |
| IRR-CCDW-6-8 | 264 | Laying and jointing 1100 mm dia. NP- 2 class or IRC standard hume pipes in CM 1:2 proportion by volume including cost of all materials (excluding pipes and collars), machinery, labour, aligning, packing joints with hemp, finishing, curing etc., complete with initial lead upto 50 m and all lifts.(Cement content: 56.9 kg/joint, FA: 0.058cum/joint, Hemp Yarn: 0.415kg/joint) | Joint | 874.20 | |
| | | Labour Component (including contractor's profit and Overheads) | Joint | | 382.90 |
| IRR-CCDW-6-9 | 265 | Laying and jointing 1200 mm dia. NP- 2 class or IRC standard hume pipes in CM 1:2 proportion by volume including cost of all materials (excluding pipes and collars), machinery, labour, aligning, packing joints with hemp, finishing, curing etc., complete with initial lead upto 50 m and all lifts.(Cement content: 66.8 kg / joint, FA: 0.069cum/joint, Hemp Yarn: 0.453kg/joint) | Joint | 1034.90 | |
| | | Labour Component (including contractor's profit and Overheads) | Joint | | 460.10 |
| IRR-CCDW-7 | | BACK FILLING & OTHER WORKS : | | | |
| IKIT GODAY 7 | | Broth IEEMO & OTTER WORKS. | | | |
| IRR-CCDW-7-1 | 266 | Providing rubble / boulder and sand filling behind abutment and return walls in layers including cost of all materials, machinery, labour, watering, ramming etc., complete with initial lead upto 50 m and initial lift upto 3 m. | cum | 835.10 | |
| | | Labour Component (including contractor's profit and Overheads) | cum | | 205.60 |
| IRR-CCDW-7-2 | 267 | Providing and filling murrum / gravely soil (CNS soil) for foundation or around pipes including breaking clods, spreading in layers of 10 to 15 cm, watering, compaction by earth masters to achieve density control of not less than 95 percent etc., complete with lead upto 50 m and all lifts. | cum | 415.00 | |
| | | Labour Component (including contractor's profit and Overheads) | cum | | 258.20 |
| IRR-CCDW-7-3 | 268 | Providing and filling murum / gravely soil (CNS soil) for foundation or above pipes including breaking clods, spreading in layers of 10 to 15 cm, watering, compaction by power roller to achieve density control of not less than 98 percent etc., complete with lead upto 50 m and all lifts. | cum | 278.30 | |
| | | Labour Component (including contractor's profit and Overheads) | cum | | 103.50 |
| IRR-CCDW-7-4 | 269 | Providing and fixing one line dressed 111x35x25 cm thick IRC standard kilometre stone in cement concrete M-10 grade with 40 mm down size aggregates including excavating pit of size 70x45x40 cm, embedding the stone by 30 cm in concrete, providing 2 coats synthetic enamel paint of approved quality and colour to exposed surfaces and lettering as directed, cost of all materials, labour, finishing, curing etc., complete with initial lead upto 50 m and all lifts. | Each | 1420.20 | |

| Chapterwise item No. | S.NO | Item description | Unit | Rate | Itemwise unit rate for Labour Component |
|----------------------|------|--|-------------------|-----------|---|
| 1 | 2 | 3 | 4 | 5 | 6 |
| | | Labour Component (including contractor's profit and Overheads) | Each | | 443.10 |
| IRR-CCDW-7-5 | 270 | Providing and fixing one line dressed 65x15x10 cm thick IRC standard hectometre stone in cement concrete M-10 grade with 40 mm down size aggregates including excavating pit of size 50x45x40 cm, embedding the stone by 30 cm in concrete, providing 2 coats synthetic enamel paint of approved quality and colour to exposed surfaces and lettering as directed, cost of all materials, labour, finishing, curing etc., complete with initial lead upto 50 m and all lifts. | Each | 1055.50 | |
| | | Labour Component (including contractor's profit and Overheads) | Each | | 374.90 |
| Chapter V | | | | | |
| IRR-GAW | | GATES / HOISTS AND ALLIED WORKS | | | |
| IRR-GAW-1-1 | 271 | SPILLWAY RADIAL GATES E.M Parts and anchorages fabrication, supply, erection, testing and commissioning of embedded parts for radial gate consists of sill beam, wall plates, anchor girders, yoke girders, tie flats, trunnion supports etc., including cost of all materials, machinery, labour, welding, finishing, with leads and lifts &all accessories (without painting on sand-blasted or mechanical cleaning surfaces which are added extra as per scedule of rates under itemsinthis chapter and add as applicable separately) | tonne | 145343.80 | 42007.40 |
| | | Labour Component (including contractor's profit and Overheads) | tonne | | 43697.40 |
| IRR-GAW-1-2 | 272 | RADIAL GATES fabrication, supply, erection, testing and commissioning of radial gate consisting of skin plate, stiffeners, horizontal girders, radial arms, trunnion assemblies, tie beam, pulley supports, bracings, rubber seals, clamps etc., with all accessories for spillway/canals including cost of all materials, machinery, labour, seal fixing etc., complete as per specifications and approved drawings (without painting on sand-blasted or mechanical cleaning surfaces which are added extra as per scedule of rates under itemsinthis chapter and add as applicable separately) | tonne | 129684.80 | |
| | | Labour Component (including contractor's profit and Overheads) | tonne | | 33286.70 |
| IRR-GAW-1-3 | 273 | RADIAL GATES-ROPE DRUM HOISTS WITH HOIST BRIDGES fabrication, supply, erection, testing and commissioning of electrically operated rope drum hoist of adequate capacity consisting of base frames, rope drums,connecting shaft, gear system, brake system, electric motor, wire ropes, gate position indicator, manual operation arrangement etc., with all accessories for spillway radial gate including cost of all materials, machinery, labour,, greasing, providing hand railing and approach staircase with gate to hoist platform,, complete as per specifications and approved drawings (without painting on sand-blasted or mechanical cleaning surfaces which are added extra as per scedule of rates under itemsinthis chapter and add as applicable separately) | tonne capacity | 41988.00 | |
| | | Lobour Company (including contractable profit and Overhoods) | tonne | | 2660.00 |
| | | Labour Component (including contractor's profit and Overheads) | capacity | | |
| IRR-GAW-1-4 | 274 | Walk way(cat walk) Design, fabrication, supply, erection and commissioning of 1 metre wide walkway connecting spillway piers / abutments at trunnion platform level including cost of all materials, machinery, labour, cutting, etc., complete as per specifications and approved drawings (without painting on sand-blasted or mechanical cleaning surfaces which are added extra as per scedule of rates under items in this chapter and add as applicable separately) | Rm | 99181.90 | |
| | | Labour Component (including contractor's profit and Overheads) | Rm | | 31657.90 |
| IRR-GAW-2-1 | 275 | VERTICAL LIFT GATES-EM PARTS Design, fabrication, supply, erection and commissioning of embedded parts consisting of sill beam, slide tracks, seal seats, guide rails, dogging sets for storage of stoplog elements etc., with all accessories for spillway stop log gates and other vertical lift elements including cost of all materials, machinery, labour, etc., complete as per specifications and approved drawings (without painting on sand-blasted or mechanical cleaning surfaces which are added extra as per scedule of rates under items in this chapter and add as applicable | tonne | 160796.80 | |
| | | separately) Labour Component (including contractor's profit and Overheads) | tonne | | 51925.90 |
| | | | | | |

| Chapterwise item No. | S.NO | Item description | Unit | Rate | Itemwise unit rate for Labour Component |
|----------------------|------|---|-------------------|-----------|---|
| 1 | 2 | yertical lift gates and stop log gate elements (SLIDING GATES) | 4 | 5 | 6 |
| IRR-GAW-2-2 | 276 | Design, fabrication, supply, erection, testing and commissioning of vertical lift gates and stoplog gate elements, consisting of skin plate, horizontal and vertical girders, stiffeners, lifting pins, bronze padded slide blocks/bearings, guide shoes, rubber seals, clamps etc., with all accessories including cost of all materials, machinery, labour, seal fixing etc.,complete as per specifications and approved drawings (without painting on sand-blasted or mechanical cleaning surfaces which are added extra as perscedule of rates under items in this chapter and add as applicable | tonne | 132071.40 | |
| | | separately)2 | | | |
| | | Labour Component (including contractor's profit and Overheads) | tonne | | 38393.90 |
| IRR-GAW-2-3 | 277 | fabrication, supply, erection, testing and commissioning of automatic lifting beam with all accessories for handling, lowering and lifting of spillway stop log gate elements including cost of all materials, machinery, labour, cutting, aligning, welding, finishing, etc., complete as per specifications and drawings with all leads and lifts. (without painting on sand-blasted or mechanical cleaning surfaces which are added extra as per scedule of rates under items in this chapter and add as applicable separately) | tonne | 113865.40 | |
| | | Labour Component (including contractor's profit and Overheads) | tonne | | 19338.30 |
| IRR-GAW-2-4 | 278 | MOVING GANTRY CRANE-CLASS II fabrication, supply, erection, testing and commissioning of adequate capacity Class- II type moving gantry crane consisting of rail mounted gantry frame, top platform with hand railing, long / cross travel arrangements, rope drums, gear systems, electric motors, electro-magnetic brake system, cabin, control panel, wire rope, ladder, motorised cable reeling drum etc., with all accessories for operating spillway stop log gate elements and river sluice / canal sluice emergency gates including cost of all materials, machinery, labour, etc., complete with all leads and lifts. (without painting on sand-blasted or mechanical cleaning surfaces which are added extra as per scedule of rates under items in this chapter and add as applicable separately) | tonne capacity | 231380.80 | |
| | | Labour Component (including contractor's profit and Overheads) | tonne capacity | | 19535.80 |
| IRR-GAW-2-5 | 279 | RAIL TRACK FUR GANTRY CRANE Design, fabrication, supply, erection and commissioning of rail track using 45 kg / m standard rails on spillway bridge for movement of gantry crane for handling and operating spillway stoplog gate elements / river sluice / canal sluice emergency gate including cost of all materials, machinery, labour, complete as per specifications (without painting on sand-blasted or mechanical cleaning surfaces which are added extra as per scedule of rates under items in this chapter and add as applicable separately) | Rm | 7342.50 | |
| | | Labour Component (including contractor's profit and Overheads) | Rm | | 479.80 |
| IRR-GAW-2-6 | 280 | Design, fabrication, supply, erection, testing and commissioning of fixed wheel type vertical lift service gate consisting of skin plate, vertical and horizontal girders, wheels, stiffeners, lifting brackets, guide rollers, ballast blocks, teflon claded rubber seals etc., with all accessories for river sluice / canal sluice vent including cost of all materials, machinery, labour, welding, aligning finishing seal fixing etc.with all leads and lifts, complete as per specifications and approved drawings (without painting on sand-blasted or mechanical cleaning surfaces which are added extra as per scedule of rates under items in this chapter and add as applicable separately) Labour Component (including contractor's profit and Overheads) | tonne | 131393.50 | 36338.10 |
| | | Labour Component (including contractor's profit and Overneads) | TOTALE | | 30330.10 |
| IRR-GAW-2-7 | 281 | VERTICAL LIFT GATES-ROPE DRUM HOIST UPTO 30 TON CAP. POWER OPERATED Design, fabrication, supply, erection, testing and commissioning of adequate capacity rope drum hoist consisting of hoist platform, rope drum, gear system, electric motor, electro-magnetic brake system, hand operation assembly, control panel, wire rope, pulleys, ladder etc., with all accessories for operating river sluice / canal sluice service gate including cost of all materials, machinery, labour, , complete as per specifications and drawings with all leads and lifts (without painting on sand-blasted or mechanical cleaning surfaces which are added extra as per scedule of rates under items in this chapter and add as applicable separately) | tonne capacity | 70666.00 | |

| Chapterwise item No. | S.NO | Item description | Unit | Rate | Itemwise unit rate for Labour Component |
|--|------|--|-------------------|-----------|---|
| 1 | 2 | 3 | 4 | 5 | 6 |
| | | Labour Component (including contractor's profit and Overheads) | tonne capacity | | 2538.00 |
| IRR-GAW-2-8 | 282 | HOIST BRIDGE/ WITH TRESSELS Design, fabrication, supply, erection and commissioning of structural steel hoist bridge consisting of columns, beams, bracings, stiffeners, ties, chequered plate covering, hand railing, ladder etc., with all accessories for supporting rope drum hoist for operating barrage gates including cost of all materials, machinery, labour, welding, finishing, etc., complete complete as per specifications and drawings with all leads and lifts (without painting on sand-blasted or mechanical cleaning surfaces which are added extra as per scedule of rates under items in this chapter and add as applicable separately) | tonne | 112880.70 | |
| | | Labour Component (including contractor's profit and Overheads) | tonne | | 32801.20 |
| IRR-GAW-2-9 | 283 | ROPE DRUM HOIST WITHOUT HOIST BRIDGE FOR BARRAGE GATES Design, fabrication, supply, erection, testing and commissioning of adequate capacity rope drum hoist consisting of rope drum, pulleys, gear system, electric motor, electro-magnetic brake system, manual operation assembly, position indicator, control panel, wire rope etc., with all accessories for operating vertical lift roller gates for barrage including cost of all materials, machinery, labour, cutting, bending, aligning, anchoring, welding, finishing etc., complete with all leads and lifts. (without painting on sand-blasted or mechanical cleaning surfaces which are added extra as per scedule of rates under items in this chapter and add as applicable separately) | tonne capacity | 34920.60 | |
| | | Labour Component (including contractor's profit and Overheads) | tonne capacity | | 1075.80 |
| | | Labour Component (including contractor's profit and Overneaus) | σαρασιτή | | |
| IRR-GAW-2-10 | 284 | SCREW GEAR HOISTS INCLUDING PLATFORM (UPTO 10 TON CAP) Design, fabrication, supply, erection, testing and commissioning of adequate capacity screw gear type hoist consisting of supporting structure, platform, ladder etc., with all accessories for operating canal escape / regulator gate including cost of all materials, machinery, labour, cutting, bending, aligning, anchoring, welding,finishing etc.,complete with all leads and lifts. (without painting on sand-blasted or mechanical cleaning surfaces which are added extra as per scedule of rates under items in this chapter and add as applicable separately) | tonne capacity | 33260.70 | |
| | | Labour Component (including contractor's profit and Overheads) | tonne capacity | | 4866.10 |
| IRR-GAW-2-11 | 285 | MANUAL OPERATED ROPE DRUM HOISTS Design, fabrication, supply, erection, testing and commissioning of adequate capacity manually operated rope drum hoist consisting of hoist platform, rope drum, gear system, brake system, wire rope, ladder etc., with all accessories for operating canal regulator radial gate including cost of all materials, machinery, labour, welding, finishing, cleaning, ., complete with all leads and lifts (without painting on sand-blasted or mechanical cleaning surfaces which are added extra as per scedule of rates under items in this chapter and add as applicable separately) | tonne capacity | 74976.20 | |
| | | Labour Component (including contractor's profit and Overheads) | tonne capacity | | 6515.10 |
| IRR-GAW-2-12 New Item 2014- 15-2 | 286 | OT SLUICE SHUTTERS Screw Gear Hoist Including Platform for below 5 Tons Capacity (Small Gates) As per Guidelines of Chief Engineer, Central Designs Organization, Hyderabad Specification drawing for Krishna Delta System Fabrication, supply, erection, testing and commissioning of Embedded parts consisting of supporting structure, platform etc. with all accessories for operating canal escape/ regulator gate with all accessories including cost of all materials, machinery, labour, cutting, bending, aligning, anchoring, welding, finishing etc. complete as per Specification and approved drawings (without painting on mechanical cleaning surfaces which are added extra as per schedule of rates under items in this chapter and add as applicable separately) | Tonne | 121623.80 | |
| | | of rates under items in this chapter and add as applicable separately) Labour Component (including contractor's profit and Overheads) | Tonne | | 24310.00 |
| | | | - | | |

| IRR-GAW-2-13 New Item 2014- 15-3 287 OT SLUICE SHUTTERS EM parts for Below 5 Tons capacity (small gates) As per Guidelines of Chief Engineer, Central Designs Organization, Hyderabad Specification drawing for Krishna Delta System Fabrication, supply, erection, testing and commissioning of Embedded parts consisting of sil beam, slide tracks, seal seats, Guide plates etc. with all accessories including cost of all materials, machinery, labour, etc. complete as per specifications and approved drawings. (without painting on mechanical cleaning surfaces which are added extra as per schedule of rates under items in this chapter and add as applicable separately) Labour Component (including contractor's profit and Overheads) OT SLUICE SHUTTERS for Below 5 Tons capacity (small gates) As per Guidelines of Chief Engineer, Central Designs Organization, Hyderabad Specification drawing for Krishna Delta System Fabrication, supply, erection, testing and commissioning of Sluice Shutters and commissioning of | Chapterwise item No. | S.NO | Item description | Unit | Rate | Itemwise unit rate for Labour Component |
|--|----------------------|------|--|-------|-----------|---|
| RR-GAW-2-13 As per Guidelines of Chriel Engineer, Central Designs Organization, Hyderabad Specification drawing for Kinhan Della System 15-3 200 2 | 1 | 2 | 3 | 4 | 5 | 6 |
| IRR-GAW-3-1 IRR-GAW-3-2 IRR-GAW-3-3 IRR-GAW-3-4 IRR-GAW-3-5 IRR-G | New Item 2014- | 287 | As per Guidelines of Chief Engineer, Central Designs Organization, Hyderabad Specification drawing for Krishna Delta System Fabrication, supply, erection, testing and commissioning of Embedded parts consisting of sil beam, slide tracks, seal seats, Guide plates etc. with all accessories including cost of all materials, machinery, labour, etc. complete as per specifications and approved drawings. (without painting on mechanical cleaning surfaces which are added extra as per schedule of rates under items in this chapter and add as applicable separately) | | 77152.00 | 20340.30 |
| IRR-GAW-3-1 IRR-GAW-3-2 IRR-GAW-3-2 IRR-GAW-3-2 IRR-GAW-3-3 IRR-GAW-3-2 IRR-GAW-3-2 IRR-GAW-3-3 IRR-GAW-3-2 IRR-GAW-3-3 IRR-GAW-3-2 IRR-GAW-3-3 IRR-GAW-3-3 IRR-GAW-3-3 IRR-GAW-3-3 IRR-GAW-3-3 IRR-GAW-3-4 IRR-GAW-3-4 IRR-GAW-3-4 IRR-GAW-3-4 IRR-GAW-3-4 IRR-GAW-3-5 IRR-GAW-3-5 IRR-GAW-3-6 IRR-GAW-3-7 IRR-GAW-3-7 IRR-GAW-3-8 IRR-GAW-3-9 IRR-G | | | , and the second | | | |
| IRR-GAW-3-1 IRR-GAW-3-2 IRR-GAW-3-2 IRR-GAW-3-2 IRR-GAW-3-2 IRR-GAW-3-2 IRR-GAW-3-3 IRR-GAW-3-4 IRR-GAW-3-4 IRR-GAW-3-4 IRR-GAW-3-4 IRR-GAW-3-4 IRR-GAW-3-5 IRR-GAW-3-6 IRR-GAW-3-7 IRR-GAW-3-7 IRR-GAW-3-8 IRR-GAW-3-8 IRR-GAW-3-8 IRR-GAW-3-9 IRR-G | New Item 2014- | 288 | As per Guidelines of Chief Engineer, Central Designs Organization, Hyderabad Specification drawing for Krishna Delta System Fabrication, supply, erection, testing and commissioning of Sluice Shutters consisting of skin plate, horizontal and vertical angles, stiffeners, rubber seals, clamps with all accessories for sluice shutters including cost of all materials, machinery, labour, seal fixing etc., complete as per specifications and approved drawings (without painting on mechanical cleaning surfaces which are added extra as per schedule of rates under items in this chapter and add as applicable | Tonne | 192481.40 | |
| IRR-GAW-3-1 289 Cleaning gates / hoists / embedded parts/lifting beams etc, to expose fresh metal surface for painting by sand blasting method as per specifications including cost of all materials, labour, machinery, scaffolding, etc., complete with initial lead for sand upto 1 km and all lifts. Labour Component (including contractor's profit and Overheads) sqm 89.20 | | | | Tonne | | 10291.50 |
| IRR-GAW-3-1 289 Cleaning gates / hoists / embedded parts/lifting beams etc, to expose fresh metal surface for painting by sand blasting method as per specifications including cost of all materials, labour, machinery, scaffolding, etc., complete with initial lead for sand upto 1 km and all lifts. Labour Component (including contractor's profit and Overheads) sqm 89.20 | IDD CAM 2 | | SAND BLASTING AND DAINTING | | | |
| including cost of all materials, labour, machinery, scaffolding, etc., complete with initial lead for sand upto 1 km and all lifts. Labour Component (including contractor's profit and Overheads) sqm 490.30 painting of embedded metal parts and all types of gates, stoplogs,etc, on sand blasted surfaces with one coat of inorganic zinc silicate (airless spray preferred)70+/-5 and two super coats with a total thickness of 300 microns (each 150+/-5) of solventless coaltar epoxy paint each coat 150 microns (total 300 microns) cost of all materials, labour, scaffolding etc., complete with all leads and all lifts (Upstream surface of gates portion may be painted with solventless coaltar epoxy brown paint instead of solventless coaltar for Upstream side painting) Labour Component (including contractor's profit and Overheads) sqm 346.60 painting of Lifting beams, cat walks and other similar structures-painting hoist machinery, on sand blasted surfaces with two coats of zinc phosphate prince (airless spray preferred) 40microns/coat and twocoats of allkyd based micaccous iron oxide paint, 65 microns/coat cost of all materials, labour, scaffolding etc., complete with all leads and all lifts Labour Component (including contractor's profit and Overheads) sqm 148.00 HOISTS:STRUCTURAL COMPONENTS-painting structurals on sand blasted surfaces with two coats of zinc phosphate printer (airless spray preferred) 40microns/coat and one coat 65+/5 of alkyd based micaccous iron oxide paint followed by two coats of synthetic enamel paint 25 microns/coat or of all materials, labour, scaffolding etc., complete with all leads and all lifts Labour Component (including contractor's profit and Overheads) sqm 192.90 HOISTS:machineryCOMPONENTS-painting hoist machinery, on sand blasted surfaces with one coats of zinc phosphate primer (airless spray preferred) 50microns/coat cost of all materials, labour, scaffolding etc., complete with all leads and all lifts | IKK-GAW-3 | | GAND BLAGTING AND FAINTING | | | |
| painting of embedded metal parts and all types of gates, stoplogs,etc, on sand blasted surfaces with one coat of inorganic zinc silicate (airless spray preferred)70+/-5 and two super coats with a total thickness of 300 microns (each 150+/-5) of solventless coaltar epoxy paint each coat 150 microns (total and microns) cost of all materials, labour, scaffolding etc., complete with all leads and all lifts (Upstream surface of gates portion may be painted with solventless coaltar epoxy brown paint instead of solventless coaltar black. The rate for coaltar epoxy brown shall be adopted in data for Upstream side painting) Labour Component (including contractor's profit and Overheads) sqm 192.90 painting of Lifting beams,cat walks and other similar structures-painting hoist machinery, on sand blasted surfaces with two coats of zinc phosphate primer (airless spray preferred) 40microns/coat and twocoats of alkyd based micaccous iron oxide paint, 65 microns/coat cost of all materials, labour, scaffolding etc., complete with all leads and all lifts Labour Component (including contractor's profit and Overheads) sqm 148.00 HOISTS:STRUCTURAL COMPONENTS-painting structurals on sand blasted surfaces with two coats of zinc phosphate primer (airless spray preferred) 40microns/coat and one coat 65+/-5 alikyd based micaccous iron oxide paint (50 microns/coat and one coat 65+/-5 alikyd based micaccous iron oxide paint (50 microns/coat and one coat 65+/-5 complete with all leads and all lifts Labour Component (including contractor's profit and Overheads) sqm 192.90 HOISTS:machineryCOMPONENTS-painting hoist machinery, on sand blasted surfaces with one coats of zinc phosphate primer (airless spray preferred) 50 microns/coat and three coats of aluminium paint or synthetic enamel, 25 microns/coat and three coats of aluminium paint or synthetic enamel, 25 microns/coat and three coats of aluminium paint or synthetic enamel, 25 microns/coat and three coats of aluminium paint or synthetic enamel, 25 microns/coat and three coats of alu | IRR-GAW-3-1 | 289 | metal surface for painting by sand blasting method as per specifications including cost of all materials, labour, machinery, scaffolding, etc., complete with initial lead for sand upto 1 km and all lifts. | sqm | 490.30 | |
| sand blasted surfaces with one coat of inorganic zinc silicate (airless spray preferred)70+/- 5 and two super coats with a total thickness of 300 microns (each 150+/- 5) of solventless coaltar epoxy paint each coat 150 microns (total 300 microns) cost of all materials, labour, scaffolding etc., complete with all leads and all lifts (Upstream surface of gates portion may be painted with solventless coaltar epoxy brown paint instead of solventless coaltar black. The rate for coaltar epoxy brown shall be adopted in data for Upstream side painting) Labour Component (including contractor's profit and Overheads) sqm 192.90 painting of Lifting beams, cat walks and other similar structures-painting hoist machinery, on sand blasted surfaces with two coats of zinc phosphate primer (airless spray preferred) 40microns/coat and twocoats of all wide based micaccous iron oxide paint, 65 microns/coat cost of all materials, labour, scaffolding etc., complete with all leads and all lifts Labour Component (including contractor's profit and Overheads) sqm 431.80 HOISTS:STRUCTURAL COMPONENTS—painting structurals on sand blasted surfaces with two coats of zinc phosphate primer (airless spray preferred) 40microns/coat and one coat 65+/- 5 of alkyd based micaccous iron oxide paint followed by two coats of synthetic enamel paint 25 microns/coat cost of all materials, labour, scaffolding etc., complete with all leads and all lifts Labour Component (including contractor's profit and Overheads) sqm 192.90 HOISTS:machineryCOMPONENTS—painting hoist machinery, on sand blasted surfaces with one coats of zinc phosphate primer (airless spray preferred) 50microns/coat and three coats of all materials, labour, scaffolding etc., complete with all leads and all lifts Labour Component (including contractor's profit and Overheads) sqm 192.90 | | | Labour Component (including contractor's profit and Overheads) | sqm | | 89.20 |
| Labour Component (including contractor's profit and Overheads) sqm 192.90 | IRR-GAW-3-2 | 290 | sand blasted surfaces with one coat of inorganic zinc silicate (airless spray preferred)70+/- 5 and two super coats with a total thickness of 300 microns (each 150+/- 5) of solventless coaltar epoxy paint each coat 150 microns (total 300 microns) cost of all materials, labour, scaffolding etc., complete with all leads and all lifts (Upstream surface of gates portion may be painted with solventless coaltar epoxy brown paint instead of solventless coaltar black. The rate for | sqm | 479.00 | |
| IRR-GAW-3-3 291 hoist machinery, on sand blasted surfaces with two coats of zinc phosphate primer (airless spray preferred) 40microns/coat and twocoats of alkyd based micaccous iron oxide paint, 65 microns/coat cost of all materials, labour, scaffolding etc., complete with all leads and all lifts Labour Component (including contractor's profit and Overheads) Sqm 148.00 HOISTS:STRUCTURAL COMPONENTS painting structurals on sand blasted surfaces with two coats of zinc phosphate primer (airless spray preferred) 40microns/coat and one coat 65+/- 5 of alkyd based micaccous iron oxide paint followed by two coats of synthetic enamel paint 25 microns/coat cost of all materials, labour, scaffolding etc., complete with all leads and all lifts Labour Component (including contractor's profit and Overheads) Sqm 192.90 HOISTS:machineryCOMPONENTS painting hoist machinery, on sand blasted surfaces with one coats of zinc phosphate primer (airless spray preferred) 50microns/coat and three coats of aluminium paint or synthetic enamel, 25 microns/coat cost of all materials, labour, scaffolding etc., complete with all leads and all lifts Labour Component (including contractor's profit and Overheads) sqm 388.50 | | | | sqm | | 192.90 |
| painting structurals on sand blasted surfaces with two coats of zinc phosphate primer (airless spray preferred) 40microns/coat and one coat 65+/5 of alkyd based micaccous iron oxide paint followed by two coats of synthetic enamel paint 25 microns/coat cost of all materials, labour, scaffolding etc., complete with all leads and all lifts Labour Component (including contractor's profit and Overheads) sqm 192.90 HOISTS:machineryCOMPONENTSpainting hoist machinery, on sand blasted surfaces with one coats of zinc phosphate primer (airless spray preferred) 50microns/coat and three coats of all materials, labour, scaffolding etc., complete with all leads and all lifts Labour Component (including contractor's profit and Overheads) sqm 192.90 | IRR-GAW-3-3 | 291 | hoist machinery, on sand blasted surfaces with two coats of zinc phosphate primer (airless spray preferred) 40microns/coat and twocoats of alkyd based micaccous iron oxide paint, 65 microns/coat cost of all materials, labour, scaffolding etc., complete with all leads and all lifts | | 346.60 | 148.00 |
| painting structurals on sand blasted surfaces with two coats of zinc phosphate primer (airless spray preferred) 40microns/coat and one coat 65+/5 of alkyd based micaccous iron oxide paint followed by two coats of synthetic enamel paint 25 microns/coat cost of all materials, labour, scaffolding etc., complete with all leads and all lifts Labour Component (including contractor's profit and Overheads) sqm 192.90 HOISTS:machineryCOMPONENTSpainting hoist machinery, on sand blasted surfaces with one coats of zinc phosphate primer (airless spray preferred) 50microns/coat and three coats of all materials, labour, scaffolding etc., complete with all leads and all lifts Labour Component (including contractor's profit and Overheads) sqm 192.90 | | | | | | |
| IRR-GAW-3-5 293 HOISTS:machineryCOMPONENTS painting hoist machinery, on sand blasted surfaces with one coats of zinc phosphate primer (airless spray preferred) 50microns/coat and three coats of aluminium paint or synthetic enamel, 25 microns/coat cost of all materials, labour, scaffolding etc., complete with all leads and all lifts Labour Component (including contractor's profit and Overheads) sqm 192.90 | IRR-GAW-3-4 | 292 | painting structurals on sand blasted surfaces with two coats of zinc phosphate primer (airless spray preferred) 40microns/coat and one coat 65+/-5 of alkyd based micaccous iron oxide paint followed by two coats of synthetic enamel paint 25 microns/coat cost of all materials, labour, scaffolding etc., complete with all leads and all lifts | | 431.80 | 192.90 |
| IRR-GAW-3-5 293 painting hoist machinery, on sand blasted surfaces with one coats of zinc phosphate primer (airless spray preferred) 50microns/coat and three coats of aluminium paint or synthetic enamel, 25 microns/coat cost of all materials, labour, scaffolding etc., complete with all leads and all lifts Labour Component (including contractor's profit and Overheads) 388.50 388.50 | | | Component (moluling contractor's profit and Overneads) | 34III | | 102.30 |
| | IRR-GAW-3-5 | 293 | painting hoist machinery, on sand blasted surfaces with one coats of zinc phosphate primer (airless spray preferred) 50microns/coat and three coats of aluminium paint or synthetic enamel, 25 microns/coat cost of all materials, labour, scaffolding etc., complete with all leads and all lifts | | 388.50 | 400.00 |
| IRR-GAW-4 PAINTING WITHOUT SAND BLASTING | | | Labour Component (including contractor's profit and Overheads) | sqm | | 192.90 |
| | IRR-GAW-4 | | PAINTING WITHOUT SAND BLASTING | | | |

| item No. | S.NO | Item description | Unit | Rate | Itemwise unit rat for Labour Component |
|-------------------------|------|---|----------------------------------|---------------------------|--|
| 1 | 2 | 3 | 4 | 5 | 6 |
| IRR-GAW-4-1 | 294 | E.M Parts OF ALL TYPES OF GATES Surface cleaning of metal surfaces by chemical cleaners and then by hand and power tool cleaners and removing dust. After cleaning,applying primary coat with one coat of Protective Mastic to athickness of 70+5 microns ,followed by finishing coats 2 coats with coal tar epoxy each coat with a DFT of 150+5 microns and total DFT of all coats including Primary coat should not be less than 350 microns with material, labour and all accessories with all leads and lifts | sqm | 567.40 | |
| | | (in respect of Heavily rusted (30 to 40% rusted) surfaces) Labour Component (including contractor's profit and Overheads) | sqm | | 192.90 |
| IRR-GAW-4-2 | | Deleted from the year 2014-15 onwards | | | |
| | | | | | |
| IRR-GAW-4-3 | 295 | HOIST BRIDGES ,HOISTING EQUIPMENT AND CRANES,Etc, Surface cleaning of metal surfaces by chemical cleaners and then by hand and power tool cleaners and removing dust. After cleaning,applying primary coat with two coats of Zinc chromite red oxide primer , followed by finishing coats 3 coats with synthetic enamel paint with material, labour,and all accessories with all leads and lifts where surface cleaning by sand blasting is not feasible and based on specific recommendations of designers, it is to adopt surface preperation done manually by hand and power tool after cleaning by chemical treatment to remove grease, rust, scaling etc., and to form phasphate coating to prevent further rusting, before applying primer painting. | sqm | 410.90 | |
| | | Labour Component (including contractor's profit and Overheads) | sqm | | 192.90 |
| IRR-GAW-4-4 | 296 | WALK WAYS(CAT WALKS), LIFTING BEAMS, etc, Surface cleaning of metal surfaces by chemical cleaners and then by hand and power tool cleaners and removing dust. After cleaning, applying primary coat with one coat of Zinc rich epoxy primer to a thickness of 40 microns ,followed by finishing coats 2 coats with coal tar epoxy with material, labour, and all accessories with all leads and lifts | sqm | 474.30 | |
| | | Labour Component (including contractor's profit and Overheads) | sqm | | 130.10 |
| | | | | | |
| | | | | | |
| Chapter VI IRR-PMW | | PRELIMINARY AND MAINTENANCE WORKS | | | |
| IICIC-I IIIVV | | TREEMINARY AND MAINTENANCE WORKS | | | |
| IRR-PMW-1 IRR-PMW-1-1 | 297 | JUNGLE CLEARANCE : Clearing thin jungle growth (more than 50 percent open space) including bushes upto 30 cm / parthenium and other weeds including burning or | sqm | 1.30 | |
| | | disposing off the same as directed etc., complete. | | | |
| | | disposing off the same as directed etc., complete. Labour Component (including contractor's profit and Overheads) | sqm | | 1.20 |
| IRR-PMW-1-2 | 298 | Labour Component (including contractor's profit and Overheads) Clearing thick jungle growth (less than 50 percent open space) including bushes upto 30 cm / parthenium and other weeds including burning or disposing off the same as directed etc., complete. | sqm | 2.00 | |
| IRR-PMW-1-2 | 298 | Labour Component (including contractor's profit and Overheads) Clearing thick jungle growth (less than 50 percent open space) including bushes upto 30 cm / parthenium and other weeds including burning or | | 2.00 | 1.20 |
| IRR-PMW-1-2 | 298 | Labour Component (including contractor's profit and Overheads) Clearing thick jungle growth (less than 50 percent open space) including bushes upto 30 cm / parthenium and other weeds including burning or disposing off the same as directed etc., complete. Labour Component (including contractor's profit and Overheads) Removing stumps, tree roots, roots of bamboo clusters etc., upto 1.50 m girth including excavation, stacking the materials neatly and levelling the surface etc., complete with initial lead upto 50 m and all lifts. | sqm sqm Each | 2.00 | 2.00 |
| | | Labour Component (including contractor's profit and Overheads) Clearing thick jungle growth (less than 50 percent open space) including bushes upto 30 cm / parthenium and other weeds including burning or disposing off the same as directed etc., complete. Labour Component (including contractor's profit and Overheads) Removing stumps, tree roots, roots of bamboo clusters etc., upto 1.50 m girth including excavation, stacking the materials neatly and levelling the surface etc., | sqm | | |
| | | Labour Component (including contractor's profit and Overheads) Clearing thick jungle growth (less than 50 percent open space) including bushes upto 30 cm / parthenium and other weeds including burning or disposing off the same as directed etc., complete. Labour Component (including contractor's profit and Overheads) Removing stumps, tree roots, roots of bamboo clusters etc., upto 1.50 m girth including excavation, stacking the materials neatly and levelling the surface etc., complete with initial lead upto 50 m and all lifts. | sqm sqm Each | | 2.00 |
| IRR-PMW-1-3 | | Labour Component (including contractor's profit and Overheads) Clearing thick jungle growth (less than 50 percent open space) including bushes upto 30 cm / parthenium and other weeds including burning or disposing off the same as directed etc., complete. Labour Component (including contractor's profit and Overheads) Removing stumps, tree roots, roots of bamboo clusters etc., upto 1.50 m girth including excavation, stacking the materials neatly and levelling the surface etc., complete with initial lead upto 50 m and all lifts. | sqm sqm Each | | 2.00 |
| IRR-PMW-1-3 | 299 | Labour Component (including contractor's profit and Overheads) Clearing thick jungle growth (less than 50 percent open space) including bushes upto 30 cm / parthenium and other weeds including burning or disposing off the same as directed etc., complete. Labour Component (including contractor's profit and Overheads) Removing stumps, tree roots, roots of bamboo clusters etc., upto 1.50 m girth including excavation, stacking the materials neatly and levelling the surface etc., complete with initial lead upto 50 m and all lifts. Labour Component (including contractor's profit and Overheads) Removing stumps, tree roots, roots of bamboo cluster etc., with girth above 1.50 m and upto 3.0 m including excavation, stacking the materials neatly and | sqm sqm Each | 45.40 | 2.00 |
| IRR-PMW-1-3 | 299 | Labour Component (including contractor's profit and Overheads) Clearing thick jungle growth (less than 50 percent open space) including bushes upto 30 cm / parthenium and other weeds including burning or disposing off the same as directed etc., complete. Labour Component (including contractor's profit and Overheads) Removing stumps, tree roots, roots of bamboo clusters etc., upto 1.50 m girth including excavation, stacking the materials neatly and levelling the surface etc., complete with initial lead upto 50 m and all lifts. Labour Component (including contractor's profit and Overheads) Removing stumps, tree roots, roots of bamboo cluster etc., with girth above 1.50 m and upto 3.0 m including excavation, stacking the materials neatly and levelling the area etc., complete with initial lead upto 50 m and all lifts. | sqm sqm Each Each | 45.40 | 2.00 |
| | 299 | Labour Component (including contractor's profit and Overheads) Clearing thick jungle growth (less than 50 percent open space) including bushes upto 30 cm / parthenium and other weeds including burning or disposing off the same as directed etc., complete. Labour Component (including contractor's profit and Overheads) Removing stumps, tree roots, roots of bamboo clusters etc., upto 1.50 m girth including excavation, stacking the materials neatly and levelling the surface etc., complete with initial lead upto 50 m and all lifts. Labour Component (including contractor's profit and Overheads) Removing stumps, tree roots, roots of bamboo cluster etc., with girth above 1.50 m and upto 3.0 m including excavation, stacking the materials neatly and levelling the area etc., complete with initial lead upto 50 m and all lifts. Labour Component (including contractor's profit and Overheads) Removing stumps, tree roots, roots of bamboo cluster etc., with girth above 3.0 m and upto 5.0 m including excavation, stacking the materials neatly and | sqm sqm Each Each Each | 45.40 | 2.00 |
| IRR-PMW-1-3 | 299 | Labour Component (including contractor's profit and Overheads) Clearing thick jungle growth (less than 50 percent open space) including bushes upto 30 cm / parthenium and other weeds including burning or disposing off the same as directed etc., complete. Labour Component (including contractor's profit and Overheads) Removing stumps, tree roots, roots of bamboo clusters etc., upto 1.50 m girth including excavation, stacking the materials neatly and levelling the surface etc., complete with initial lead upto 50 m and all lifts. Labour Component (including contractor's profit and Overheads) Removing stumps, tree roots, roots of bamboo cluster etc., with girth above 1.50 m and upto 3.0 m including excavation, stacking the materials neatly and levelling the area etc., complete with initial lead upto 50 m and all lifts. Labour Component (including contractor's profit and Overheads) Removing stumps, tree roots, roots of bamboo cluster etc., with girth above 3.0 m and upto 5.0 m including excavation, stacking the materials neatly and levelling the area etc., complete with initial lead upto 50 m and all lifts. Labour Component (including contractor's profit and Overheads) Additional rate for every 0.5 m increase in girth of tree stump/stumps of | sqm sqm Each Each Each Each | 45.40 | 2.00 45.40 |
| IRR-PMW-1-4 IRR-PMW-1-5 | 300 | Labour Component (including contractor's profit and Overheads) Clearing thick jungle growth (less than 50 percent open space) including bushes upto 30 cm / parthenium and other weeds including burning or disposing off the same as directed etc., complete. Labour Component (including contractor's profit and Overheads) Removing stumps, tree roots, roots of bamboo clusters etc., upto 1.50 m girth including excavation, stacking the materials neatly and levelling the surface etc., complete with initial lead upto 50 m and all lifts. Labour Component (including contractor's profit and Overheads) Removing stumps, tree roots, roots of bamboo cluster etc., with girth above 1.50 m and upto 3.0 m including excavation, stacking the materials neatly and levelling the area etc., complete with initial lead upto 50 m and all lifts. Labour Component (including contractor's profit and Overheads) Removing stumps, tree roots, roots of bamboo cluster etc., with girth above 3.0 m and upto 5.0 m including excavation, stacking the materials neatly and levelling the area etc., complete with initial lead upto 50 m and all lifts. Labour Component (including excavation, stacking the materials neatly and levelling the area etc., complete with initial lead upto 50 m and all lifts. Labour Component (including contractor's profit and Overheads) | sqm sqm Each Each Each Each Each | 45.40 102.30 327.20 | 2.00 45.40 |

| Chapterwise item No. | | Item description | Unit | Rate | Itemwise unit rate for Labour Component |
|----------------------|-----|--|-------|---------|---|
| 1 | 2 | 3 | 4 | 5 | 6 |
| | | Labour Component (including contractor's profit and Overheads) | Each | | 13.30 |
| IRR-PMW-1-8 | 304 | Cutting and removing jauliflora bushes upto 1.5 m girth excluding removal of stumps and including burning or disposing off the materials as directed with initial lead upto 50 m and all lifts. | Each | 12.80 | |
| | | Labour Component (including contractor's profit and Overheads) | Each | | 12.80 |
| IRR-PMW-1-9 | 305 | Cutting and removing jauliflora bushes above 1.5 m upto 3.0 m girth excluding removal of stumps and including burning or disposing off the materials as directed with initial lead upto 50 m and all lifts. | Each | 25.70 | |
| | | Labour Component (including contractor's profit and Overheads) | Each | | 25.70 |
| IRR-PMW-1-10 | 306 | Cutting trees above 0.3 m and upto 0.6 m girth excluding removal of stumps and including stacking the materials neatly as directed with initial lead upto 50 m and all lifts. | Each | 86.60 | |
| | | Labour Component (including contractor's profit and Overheads) | Each | | 83.60 |
| IRR-PMW-1-11 | 307 | Cutting trees above 0.6 m and upto 1.2 m girth excluding removal of stumps and including stacking the materials neatly as directed with initial lead upto 50 m and all lifts. | Each | 303.20 | |
| | | Labour Component (including contractor's profit and Overheads) | Each | | 292.60 |
| IRR-PMW-1-12 | 308 | Cutting trees above 1.2 m and upto 1.8 m girth excluding removal of stumps and including stacking the materials neatly as directed with initial lead upto 50 m and all lifts. | Each | 606.40 | |
| | | Labour Component (including contractor's profit and Overheads) | Each | | 585.10 |
| IRR-PMW-1-13 | 309 | Cutting trees above 1.8 m and upto 2.4 m girth excluding removal of stumps and including stacking the materials neatly as directed with initial lead upto 50 m and all lifts. | Each | 1212.80 | |
| | | Labour Component (including contractor's profit and Overheads) | Each | | 1170.20 |
| IRR-PMW-1-14 | 310 | Cutting trees above 2.4 m and upto 3.0 m girth excluding removal of stumps and including stacking the materials neatly as directed with initial lead upto 50 m and all lifts. | Each | 1959.90 | |
| | | Labour Component (including contractor's profit and Overheads) | Each | | 1874.60 |
| IRR-PMW-1-15 | 311 | For every 0.5 m increase in girth of tree beyond 3 m add | Each | 687.40 | |
| | | Additional rate for cutting tree for every 0.5 m increase in girth of tree beyond 3 m. | 20011 | 001110 | |
| | | Labour Component (including contractor's profit and Overheads) | Each | | 661.80 |
| IRR-PMW-1-16 | 312 | Cutting and burning or disposing off Apu / Jondu from marshy areas as directed with initial lead upto 50 m and all lifts. | sqm | 4.70 | |
| | | Labour Component (including contractor's profit and Overheads) | sqm | | 4.70 |
| IRR-PMW-2 | | PRELIMINARY WORKS : | | | |
| IRR-PMW-2-1 | 313 | Earthwork excavation for trial pits / borrow pits and other investigation works in all kinds of soil including boulders upto 30 cm dia and disposing off excavated soil as directed with lead upto 10 m and lift upto 3 m. | cum | 234.00 | |
| | | Labour Component (including contractor's profit and Overheads) | cum | | 234.00 |
| | | | | | |
| IRR-PMW-2-2 | 314 | Earthwork excavation for trial pits / borrow pits and other investigation works in soft rock including disposing off the excavated rock as directed with lead upto 10 m and lift upto 3 m. | cum | 328.90 | |
| | | Labour Component (including contractor's profit and Overheads) | cum | | 328.90 |
| | | | | | |
| IRR-PMW-2-3 | 315 | Conducting geophysical investigation studies by electrical resistivity method in stages of 5m for sub-surface details such as depth of formations, shear zones, classification of strata, depth of water table etc., including cost of all materials, equipments, labour, analysing and reporting the details of field studies conducted etc., complete excluding cost of transportation arrangements. | stage | 292.00 | |
| | | anamentena. | | | i . |

| Chapterwise item No. | S.NO | Item description | Unit | Rate | Itemwise unit rate for Labour Component |
|---|------|--|---------|---------|---|
| 1 IRR-PMW-2-4 | 316 | J Drilling 80 mm dia hole through over-burden using casing shoe bit vertical or inclined upto 10 degrees to vertical as directed including cost of all materials, machinery, labour, water charges, reaming, collection of wash samples at suitable intervals, logging and lebelling, supplying honne wood core box, fixing casing pipes (excluding cost of casing pipes) etc., complete for depth upto 30 m from surface. 1. For driiling through over-burden beyond 30 m from surface increase the rate | 4 Rm | 1173.70 | 6 |
| | | per Rm by 10 percent. 2. For providing HDPE or light black MS casing pipe add the cost of pipe per Rm. | | | |
| | | Labour Component (including contractor's profit and Overheads) | Rm | | 413.70 |
| IRR-PMW-2-5 | 317 | Drilling 76 mm dia (NX) core hole in hard rock using diamond core bit vertical / inclined upto 10 degree to vertical as directed including cost of all materials, machinery, labour, water charges, collection of core samples, logging and lebelling, supplying honne wood core box and redrilling in case of collapse of sides etc., complete for depth upto 30 m from surface. 1. For driiling in hard rock beyond 30 m upto 60 m from surface increase the rate per Rm by 25 percent. 2. For driiling in hard rock beyond 60 m upto 90 m from surface increase the rate per Rm by 40 percent. | Rm | 5976.10 | |
| | | Labour Component (including contractor's profit and Overheads) | Rm | | 1666.10 |
| IRR-PMW-2-5-A (New Item 2014- 15)-5 | 318 | Drilling 76 mm dia (NX) core hole in all types of rocks (other than Hard Rock) including Masonry/CC (where drilling is not possible by casing shoe) using diamond core bit vertical / inclined upto 10 degree to vertical as directed including cost of all materials, machinery, labour, water charges, and redrilling in case of collapse of sides etc., complete for depth upto 30 m from surface for Primary and Secondary Holes 1. For drilling in all types of rocks (other than hard rock) including masonry/CC beyond 30 m upto 60 m from surface increase the rate per Rm by 25 percent. 2. For drilling in all types of rocks (other than hard rock) including masonry/CC beyond 60 m upto 90 m from surface increase the rate per Rm by 40 percent. | Rm | 3808.20 | |
| | | Labour Component (including contractor's profit and Overheads) | Rm | | 994.10 |
| IRR-PMW-2-5-B (New Item 2014- 15)-6 | 319 | Drilling 76 mm dia (NX) core hole in all types of rocks (other than Hard Rock) including Masonry/CC (where drilling is not possible by casing shoe) using diamond core bit vertical / inclined upto 10 degree to vertical as directed including cost of all materials, machinery, labour, water charges, collection of core samples, logging and lebelling, supplying honne wood core box and redrilling in case of collapse of sides etc., complete for depth upto 30 m from surface for Test Holes 1. For drilling in all types of rocks (other than hard rock) including masonry/CC beyond 30 m upto 60 m from surface increase the rate per Rm by 25 percent. 2. For drilling in all types of rocks (other than hard rock) including masonry/CC beyond 60 m upto 90 m from surface increase the rate per Rm by 40 percent. | Rm | 4628.70 | |
| | | Labour Component (including contractor's profit and Overheads) | Rm | | 994.60 |
| IRR-PMW-2-6 | 320 | Drilling 47 mm (BX)dia core hole in hard rock using diamond core bit vertical / inclined upto 10 degree to vertical as directed including cost of all materials, machinery, labour, water charges,collection of core samples,logging, lebelling, supplying honne wood core box and redrilling in case of collapse of sides etc., complete for depth upto 30 m from surface. 1. For drilling in hard rock beyond 30 m upto 60 m from surface increase the rate per Rm by 25 percent. | Rm | 5815.50 | |
| | | 2. For drilling in hard rock beyond 60 $\rm m$ upto 90 $\rm m$ from surface increase the rate per Rm by 40 percent. | | | 4055 15 |
| | | Labour Component (including contractor's profit and Overheads) | Rm | | 1666.10 |
| | | · · · · · · · · · · · · · · · · · · · | _ | | |

| Chapterwise item No. | S.NO | Item description | Unit | Rate | Itemwise unit rate for Labour Component |
|---|------|--|-------------------|---------|---|
| 1 | 2 | 3 | 4 | 5 | 6 |
| IRR-PMW-2-6-A (New Item 2014- 15)-7 | 321 | Drilling 47 mm (BX)dia core hole in all types of rocks (other than Hard Rock) including Masonry/CC (where drilling is not possible by casing shoe) using diamond core bit vertical / inclined upto 10 degree to vertical as directed including cost of all materials, machinery, labour, water charges, and redrilling in case of collapse of sides etc., complete for depth upto 30 m 1. For drilling in all types of rocks (other than hard rock) including masonry/CC beyond 30 m upto 60 m from surface increase the rate per Rm by 25 percent. 2. For drilling in all types of rocks (other than hard rock) including masonry/CC | Rm | 3580.30 | |
| | | beyond 60 m upto 90 m from surface increase the rate per Rm by 40 percent. | | | |
| | | Labour Component (including contractor's profit and Overheads) | Rm | | 994.10 |
| IRR-PMW-2-7 | 322 | Providing and fixing 20 x 20 x 75 cm size roughly dressed boundary / demarcation / chainage / arrow stones including cost of all materials, labour, engraving marks, fixing in position, murum filling etc., complete with lead upto 50 m and all lifts. | Each | 143.50 | 110.10 |
| | | Labour Component (including contractor's profit and Overheads) | Each | | 110.10 |
| IRR-PMW-2-8 | 323 | Providing and fixing 20 x 20 x 75 cm size temporary bench mark stone in CC 1:4:8 using 40 mm down size graded coarse aggregate including cost of all materials, labour, dressing top surface, engraving BM data etc.,complete with lead unto 50 m and all lifts. | Each | 498.00 | |
| NOTE | | Labour Component (including contractor's profit and Overheads) | Each | | 327.80 |
| NOTE: | | For providing 30 cm thick compacted murum bed in B.C soil area including addition excavation for thickness of murum bedding add per | nal Each | 4.00 | |
| | | excavation for thickness of murum bedding add per | Lacii | 4.00 | |
| IRR-PMW-2-9 | 324 | Providing and fixing 20 x 20 x 75 cm size permanent bench mark stone in CC $1:3:6$ block of size 90 x 90 x 120 cm using 40 mm down size graded coarse aggregate and providing 35 cm thick 30 cm high UCR masonry in CM $1:5$ proportion protective wall alround the BM stone, including cost of all materials, labour, dressing top surface of stone, engraving BM data | Each | 6526.60 | |
| | | Labour Component (including contractor's profit and Overheads) | Each | | 2871.60 |
| IDD DIAM O | | | | | |
| IRR-PMW-3 | | MAINTENANCE WORKS : | | | |
| IRR-PMW-3-1 | 325 | Removing dry stone rock-toe / rivetment and filter layers below rock-toe/ rivetment including stacking all materials separately as directed with initial lead upto 50 m and all lifts. | cum | 189.40 | |
| | | Labour Component (including contractor's profit and Overheads) | cum | | 189.40 |
| IRR-PMW-3-2 | 326 | Re-constructing 60 cm thick hand packed rough stone revetment with through stones at 1.5 m c / c over a backing of 45 cm thick graded filter media consisting of sand, 10 mm and 40 mm size graded aggregates satisfying filter criteria laid in layers of 15 cm thick each using sand from approved quarry and stones and filter aggregates obtained from revetment removed for reconstruction including cost of all machinery, labour, laying filter and stones to specified slopes, wedging with chips, finishing etc. complete with initial lead unto 50 m and all lifts. | sqm | 239.10 | |
| | | Labour Component (including contractor's profit and Overheads) | sqm | | 141.80 |
| | | Re-constructing dry rubble rock-toe and filter media for rock-toe consisting of sand 20 mm and 80 mm size graded aggregates satisfying filter criteria laid in layers of 15 cm thick each using sand from approved quarry and stones and filter | cum | 265.40 | |
| IRR-PMW-3-3 | 327 | aggregates obtained from rock-toe removed for re-construction including cost of all machinery, labour, laying filter and stones to specified slopes, wedging with chips, finishing etc. complete with initial lead upto 50 m and all lifts. | | | |
| IRR-PMW-3-3 | 327 | all machinery, labour, laying filter and stones to specified slopes, wedging with | cum | | 203.00 |
| IRR-PMW-3-3 | 327 | all machinery, labour, laying filter and stones to specified slopes, wedging with chips, finishing etc. complete with initial lead upto 50 m and all lifts. Labour Component (including contractor's profit and Overheads) | cum | | 203.00 |
| IRR-PMW-3-3 | 327 | all machinery, labour, laying filter and stones to specified slopes, wedging with chips, finishing etc. complete with initial lead upto 50 m and all lifts. Labour Component (including contractor's profit and Overheads) Removing and resetting disturbed Yarguntla / Shahabad / Talikot / PCC / Other types of slab lining set in CM 1:3 including flush cement mortar pointing in CM 1:3 with lead upto 50 m and all lifts. | sqm | 58.40 | |
| | | all machinery, labour, laying filter and stones to specified slopes, wedging with chips, finishing etc. complete with initial lead upto 50 m and all lifts. Labour Component (including contractor's profit and Overheads) Removing and resetting disturbed Yarguntla / Shahabad / Talikot / PCC / Other types of slab lining set in CM 1:3 including flush cement mortar | | 58.40 | 203.00 |
| | | all machinery, labour, laying filter and stones to specified slopes, wedging with chips, finishing etc. complete with initial lead upto 50 m and all lifts. Labour Component (including contractor's profit and Overheads) Removing and resetting disturbed Yarguntla / Shahabad / Talikot / PCC / Other types of slab lining set in CM 1:3 including flush cement mortar pointing in CM 1:3 with lead upto 50 m and all lifts. Labour Component (including contractor's profit and Overheads) Removing and resetting disturbed dry rubble / khandki stone pitching 25 to 45 cm thick including packing, wedging, finishing etc., complete with all leads and lifts. | sqm sqm sqm | 58.40 | 49.40 |
| IRR-PMW-3-4 | 328 | all machinery, labour, laying filter and stones to specified slopes, wedging with chips, finishing etc. complete with initial lead upto 50 m and all lifts. Labour Component (including contractor's profit and Overheads) Removing and resetting disturbed Yarguntla / Shahabad / Talikot / PCC / Other types of slab lining set in CM 1 : 3 including flush cement mortar pointing in CM 1 : 3 with lead upto 50 m and all lifts. Labour Component (including contractor's profit and Overheads) Removing and resetting disturbed dry rubble / khandki stone pitching 25 to 45 cm thick including packing, wedging, finishing etc., complete with all leads | sqm sqm | | |
| IRR-PMW-3-4 | 328 | all machinery, labour, laying filter and stones to specified slopes, wedging with chips, finishing etc. complete with initial lead upto 50 m and all lifts. Labour Component (including contractor's profit and Overheads) Removing and resetting disturbed Yarguntla / Shahabad / Talikot / PCC / Other types of slab lining set in CM 1:3 including flush cement mortar pointing in CM 1:3 with lead upto 50 m and all lifts. Labour Component (including contractor's profit and Overheads) Removing and resetting disturbed dry rubble / khandki stone pitching 25 to 45 cm thick including packing, wedging, finishing etc., complete with all leads and lifts. | sqm sqm sqm | | 49.40 |

| Chapterwise item No. | S.NO | Item description | Unit | Rate | Itemwise unit rate for Labour Component |
|----------------------|------|---|--------------|--------|---|
| 1 | 2 | 3 | 4 | 5 | 6 |
| IRR-PMW-3-7 | 331 | Removing and refixing disturbed km stone / sign board / hecto-metre stone etc., including excavation, back filling with available stuff after refixing, forming base platform of size 90 x 90 x 7.5 cm including watering, ramming etc complete with all leads and lifts. Labour Component (including contractor's profit and Overheads) | Each Each | 144.90 | 144.90 |
| IRR-PMW-3-8 | 332 | Providing impervious hearting for breached / damaged portion of embankment with soil from approved borrow areas in layers of 10 to 15 cm before compaction including cost of all materials, machinery, labour, all operations such as collection of soil, sorting out, spreading soil to specified thickness, breaking clods, sectioning, watering, compacting each layer to density control of not less than 98 percent or as stipulated by rolling or by using mechanical tampers etc., complete with initial lead upto 1 km and all lifts. | cum | 184.20 | |
| | | Labour Component (including contractor's profit and Overheads) | cum | | 29.90 |
| IRR-PMW-3-9 | 333 | Providing pervious/semi-pervious casing for breached / damaged portion of embankment with soil from approved borrow areas in layers of 10 to 15 cm before compaction including cost of all materials, machinery, labour, all operations such as collection of soil, sorting out, spreading soil to specified thickness, breaking clods, sectioning, watering, compacting each layer to density control of not less than 98 percent or as stipulated by rolling or by using mechanical tampers etc., complete with initial lead upto 1 km and all lifts. | cum | 210.80 | |
| | | Labour Component (including contractor's profit and Overheads) | cum | | 35.70 |
| IRR-PMW-3-10 | 334 | Providing impervious hearting for breached / damaged portion of embankment with soil from approved dump areas in layers of 10 to 15 cm before compaction including cost of all materials, machinery, labour, all operations such as collection of soil,sorting out, spreading soil to specified thickness, breaking clods, sectioning, watering, compacting each layer to density control of not less than 98 percent or as stipulated by rolling or by using mechanical tampers etc., complete with initial lead upto 1 km and all lifts. | cum | 167.40 | |
| | | Labour Component (including contractor's profit and Overheads) | cum | | 28.50 |
| IRR-PMW-3-11 | 335 | Providing pervious /semi-pervious casing for breached /damaged portion of embankment with soil from approved dump areas in layers of 10 to 15 cm before compaction including cost of all materials, machinery, labour, all operations such as collection of soil, sorting out, spreading soil to specified thickness, breaking clods, sectioning, watering, compacting each layer to density control of not less than 98 percent or as stipulated by rolling or by using mechanical tampers etc., complete with initial lead upto 1 km and all lifts. | cum | 190.80 | |
| | | Labour Component (including contractor's profit and Overheads) | cum | | 33.70 |
| IRR-PMW-3-12 | 336 | Repairing rain cuts / resectioning canal slopes to required lines and grades as directed using available soil including dressing, clod breaking, packing, tamping etc., complete with all leads and lifts. Labour Component (including contractor's profit and Overheads) | sqm | 3.30 | 3.30 |
| IRR-PMW-3-13 | 337 | Cleaning drainage gallery, adits, instrumentation galleries etc., by scrubbing / brushing including chiselling and removing leached lime deposit and disposing off all the waste material out side adits in specified location etc., complete with all leads and lifts. | Rm | 36.90 | 3.30 |
| | | Labour Component (including contractor's profit and Overheads) | Rm | | 29.50 |
| IRR-PMW-3-14 | 338 | Cleaning dam parapet inner face and top using oxalic acid and water by scrubbing / brushing and washing to remove all surface coatings etc., complete | Rm | 33.00 | |
| | | Labour Component (including contractor's profit and Overheads) | Rm | | 21.10 |
| IRR-PMW-3-15 | | Deleted from the year 2014-15 onwards | | | |
| IRR-PMW-3-16 | | Deleted from the year 2014-15 onwards | | | |
| IRR-PMW-3-17 | | Deleted from the year 2014-15 onwards | | | |
| IRR-PMW-3-18 | | Deleted from the year 2014-15 onwards | | | |
| IRR-PMW-3-19 | | Deleted from the year 2014-15 onwards | | | |

| Chapterwise item No. | S.NO | Item description | Unit | Rate | Itemwise unit rate for Labour Component |
|--|--|---|----------------|----------|---|
| 1 | 2 | 3 | 4 | 5 | 6 |
| IRR-PMW-3-20 | 339 | Excavation and removal of silt and silt mixed with sand from canal bed in dry condition including disposing off the same in spoil bank or on the canal embankment in layers as directed etc., complete with initial lead upto 50 m and all lifts. | cum | 140.90 | |
| | | Labour Component (including contractor's profit and Overheads) | cum | | 140.90 |
| IRR-PMW-3-21 | R-PMW-3-21 340 Excavation and removal of silt or silt mixed with sand in slussy condition from canal bed including disposing off the same in spoil bank or on the canal embankment in layers as directed etc., complete with initial lead upto 50 m and all lifts. | | cum | 176.10 | 476.40 |
| | | Labour Component (including contractor's profit and Overheads) | cum | | 176.10 |
| IRR-PMW-3-22 (new Item5 2010- 11) (for Minor Works) | 341 | Providing homogeneous embankment using soil from approved borrow area in layers of 25 to 30 cm before compaction including cost of all materials, machinery, labour, all operations such as excavation, sorting out, transportation, spreading soil in layer of specified thickness, breaking clods, sectioning,etc.,complete with initial lead upto 1 km and all lifts. | cum | 94.70 | |
| | | Labour Component (including contractor's profit and Overheads) | cum | | 14.10 |
| IRR-PMW-3-23 (new Item6 2010- 11) (for Minor Works) | 342 | Providing homogeneous embankment using soil from approved borrow area in layers of 25 to 30 cm before compaction including cost of all materials, machinery, labour, all operations such as watering, compactingto density control of not less than 95 percent or as stipulated using 8T roller etc., complete with initial lead upto 1 km and all lifts. | cum | 45.60 | |
| | | Labour Component (including contractor's profit and Overheads) | | | 6.80 |
| IRR-PMW-3-24 (new Item7 2010- 11) | 343 | Providing homogeneous embankment using soil from approved borrow area in layers of 25 to 30 cm before compaction including cost of all materials, machinery, labour, all operations such as compactingto density control of not less than 90 percent or as stipulated using 2T roller etc., complete with initial lead upto 1 km and all lifts. | cum | 6.10 | |
| | | Labour Component (including contractor's profit and Overheads) | cum | | 1.10 |
| (New Item 2012- 13-3) | | Weed Removal by Manual Means | | | |
| IRR-PMW-3- 25(a) | 344 | Removal of Water Hyacinth up to 30 cm thick | Sqm | 5.70 | |
| IRR-PMW-3- 25(b) | 345 | Removal of Water Hyacinth beyond 30 cm thick | Sqm | 7.80 | |
| IRR-PMW-3-25(c) | 346 | Clearing Alchi Tilla | Sqm | 5.30 | |
| IRR-PMW-3- 25(d) | 347 | Removal of Jammu | Sqm | 4.40 | |
| IRR-PMW-3- 25(e) | 348 | Removal of Imponea, Cornea | Sqm | 5.30 | |
| IRR-PMW-3- 25(f) (new Item 2012- 13-6) | 349 | Removal of Natchu, goobi, thooti, etc. | Sqm | 1.70 | |
| IRR-PMW-3-26 New Item 2014- 15-8 | 350 | PAINTING OF SLUICES FOR MAINTENANCE WORKS Surface cleaning of metal surfaces by chemical cleaners and then by hand and power tool cleaners and removing dust. After cleaniong, applying primary coat with one coat of Zinc rich epoxy primer to a thickness of 100 microns, followed by finishing coats 2 coats with Coal tar epoxy with material, labour, and all accessories with all leads and lifts. | Sqm | 408.60 | |
| | | Labour Component (including contractor's profit and Overheads) | Sqm | | 154.52 |
| COM-MWRK | | New extra items common item for all earth works using only manual labo | ur for all oth | er works | |
| | | without involving contractors | | | |
| COM-MWRK-1 | 351 | (Manual)Excavation in all kinds of soil including boulders upto 0.30 m dia. for foundations of canal cross drainage and other appurtenant structures and placing excavated stuff neatly in specified dump area or disposing off the same as directed etc., complete with initial lead upto 10 m and initial lift upto 1.5 m. (WIthout involving the contractors for specified works) With 3 Cum per day output | cum | 103.30 | |
| | | · , . | | | |

| Chapterwise item No. | No. S.NO Item description | | Unit | Rate | Itemwise unit rate for Labour Component |
|----------------------|---|---|------|--------|---|
| 1 | 2 3 | | 4 | 5 | 6 |
| COM-MWRK-2 | M-MWRK-2 (Manual)Excavation in all kinds of soil/HDR including boulders upto 0.30 m dia. for foundations of canal cross drainage and other appurtenant structures and placing excavated stuff neatly in specified dump area or disposing off the same as directed etc., complete with initial lead upto 10 m and initial lift upto 1.5 m. (Without involving the contractors for specified works) With 2.5 Cum per day output | | cum | 124 | |
| | | | | | |
| COM-MWRK-3 | 353 | (Manual)Excavation in soft rock (including F&F rock) without blasting, including boulders upto 0.30 m dia. for foundations of canal cross drainage and other appurtenant structures and placing excavated stuff neatly in specified dump area or disposing off the same as directed etc., complete with initial lead upto 10 m and initial lift upto 1.5 m. (WIthout involving the contractors for specified works) Soft rock 1.33 Cum/Day | cum | 233.10 | |
| | | | | | |
| COM-MWRK-4 | 354 | (Manual)Excavation in hard rock, including boulders upto 0.30 m dia. for foundations of canal cross drainage and other appurtenant structures and placing excavated stuff neatly in specified dump area or disposing off the same as directed etc., complete with initial lead upto 10 m and initial lift upto 1.5 m. (WIthout involving the contractors for specified works) | cum | 462.70 | |

Chapter - I

DAM AND ALLIED WORKS - Standard Data

(WLL BE WITH E-N-C & TO INCORPORATE CHANGES YEARLY/ AS NEEDED)

FOR THE YEAR :2015-16

Index- code IRR-DAW

DAM AND ALLIED WORKS - DATA RATES

Directions to add Seigniorage Charges and Additional Lead Charges Seigniorage Charges:

- 1. The unit rate for work item in the Standard Data is exclusive of Seigniorage Charges wherever applicable.
- 2. The appropriate Seigniorage Charges for relevant materials are to be added to the Unit rate of work item while preparing the estimate. (i.e., to the data itself)
- 3. The Provision towards Contractor's Profit and Overhead charges **should not be operated on** the Seigniorage Charges while adding Seigniorage Charges to the data in the estimate

Additional Lead and Lift Charges:

- 1. Unless otherwise specified the basic rates are inclusive of all lifts.
- 2. For concrete, masonry and reinforcement items **wherever** initial lead of 1km is considered in the basic rate, the additional lead charges are to be added as follows:

Additional lead charges for Cement, Steel, sand, coarse aggregate, stones and stone chips shall be worked out for total lead involved and 1 km lead charges included in basic rate shall be deducted from total lead charges. No loading and unloading charges shall be allowed for any item.

In case of Cement and Steel, Loading and unloading charges are already added in the work item while arriving the unit rate and hence should not be added again Example:

| Total lead for sand from approved sand quarry: | | 15 Km |
|--|-----|-----------|
| Initial lead included in the basic rate in the SR: | | 1 Km |
| Additional lead charges: Lead charges for 5 km | Rs. | 83.60 |
| Lead charges for next 10 km | Rs. | 125 |
| Total lead charges for 15 km /cum | Rs. | 208.60 |
| Less 1 km initial lead charges /cum | Rs. | 31.30 (-) |
| Net additional lead charges / cum | Rs. | 177.30 |

- 3. The Leads for Steel and Cement shall be from the nearest market place to the Project area
- 4. For earth/rockfill embankments **wherever** initial lead of 1km is considered in the basic rate, the additional lead charges are to be added as follows:
 Additional lead charges for Earth, Murrum etc., shall be worked out for total lead involved and 1 km lead charges included in basic rate shall be deducted from total lead charges. No loading and unloading charges shall be allowed for any item. (**same as above**)
 Example:

| Total lead for earth from approved borrow area : | | 15 Km |
|--|-----|-----------|
| Initial lead included in the basic rate in the SR: | | 1 Km |
| Additional lead charges: Lead charges for 5 km | Rs. | 83.60 |
| Lead charges for next 10 km | Rs. | 125 |
| Total lead charges for 15 km /cum | Rs. | 208.60 |
| Less 1 km initial lead charges /cum | Rs. | 31.30 (-) |
| Net additional lead charges / cum | Rs | 177 30 |

5. The initial lead up to 50 m as mentioned in some standard data items is meant for manual lead within the working area. For conveyance of materials, the lead required from quarry/Borrow area/ Dump Area to worksite shall be added to the data without deducting the 50 m initial lead charges

DAW - Work Items

IRR-DAW-1 **EXCAVATION & FOUNDATION TREATMENT WORKS**:

IRR-DAW-1-1 Excavation for foundation in all kinds of soil including boulders upto

 $\bf 0.30~m$ diameter for dam, spillway, intake structure and other appurtenant works and placing the excavated soil neatly in dump area or disposing off the same as directed etc., complete $\bf with~initial~lead~upto~1~km$

and all lifts.

DATA: RATE ANALYSIS

A. MATERIALS: UNIT 880 cum

| | | | | 000 | ouiii |
|-------|-------------------------|------|----------|--------|--------|
| SI No | Particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs |
| 1 | NIL | | 0.00 | 0.00 | 0.00 |
| | | | 0.00 | 0.00 | 0.00 |
| • | Total cost of Materials | | Rs: | 0.00 | |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|------------------------------|------|----------|---------|----------|
| | | | | in Rs. | in Rs |
| 1 | Shovel 0.85 cum capacity | Hour | 8.00 | 1706.60 | 13652.80 |
| | Fuel / Energy charges | Hour | 8.00 | 893.90 | 7151.20 |
| 2 | Dumpers 5 cum capacity 6 Nos | Hour | 48.00 | 580.70 | 27873.60 |

| 1 | | Fuel / Energy charges | Hour | 48.00 | 409.60 | 19660.80 | |
|---|-------------------------------------|----------------------------|------|-------|--------|----------|--|
| | 3 | Tipper 5 cum capacity 1 No | Hour | 8.00 | 446.70 | 3573.60 | |
| | | Fuel / Energy charges | Hour | 8.00 | 307.20 | 2457.60 | |
| ſ | Total hire charges of Machinery Rs: | | | | | | |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount | |
|-------|----------------------------|------|----------|--------|----------|--|
| | | | | in Rs. | in Rs | |
| 1 | Crew for Shovel | Hour | 8.00 | 221.00 | 1768.00 | |
| 2 | Crew for Dumper | Hour | 48.00 | 212.20 | 10185.60 | |
| 3 | Crew for Tipper | Hour | 8.00 | 165.80 | 1326.40 | |
| 4 | work inspector | Day | 1.00 | 400.00 | 400.00 | |
| 5 | mazdoor | Day | 16.00 | 310.00 | 4960.00 | |
| | Total cost of Labour Rs: 1 | | | | | |

 labour component/unit qty
 21.20

 Add contractor's profit and overhead charges
 13.615%
 2.90

 labour component/unit qty (including contractor's profit)
 24.10

ABSTRACT:

A. Cost of Materials Rs: 0.00 B. Hire charges of Machinery Rs: 74369.60 C. Cost of Labour Rs: 18640.00 Total Rs: 93009.60 D.Add for contractor's profit and overheads on (A+B+C) 13.615% Rs. 12663.26 Total cost for 880.00 cum Rs: 105672.86 Rate per **cum** (A+B+C+D)/880 Rs: 120.10

IRR-DAW-1-2

Excavation for foundation in **ordinary rock (including HDR)** without blasting including boulders above **0.3 m upto 0.6 m** dia for dam, spillway, intake structure and other appurtenant works and placing the excavated material neatly in dump area or disposing off the same as directed etc., complete **with initial lead upto 1 km and all lifts.**

DATA:

RATE ANALYSIS

A. MATERIALS: UNIT: 520 cum

| SI No | Particulars | Unit | Quantity | Rate | Amount |
|-------|-----------------------------|------|----------|--------|--------|
| | | | | in Rs. | in Rs. |
| 1 | NIL | | 0.00 | 0.00 | 0.00 |
| | | | 0.00 | 0.00 | 0.00 |
| | Total cost of Materials Rs: | | | | |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount | |
|-------|--|------|----------|---------|----------|--|
| | | | | in Rs. | in Rs | |
| 1 | Shovel 0.85 cum capacity | Hour | 8.00 | 1706.60 | 13652.80 | |
| | Fuel / Energy charges | Hour | 8.00 | 893.90 | 7151.20 | |
| 2 | Dumpers 5 cum capacity(4 Nos) | Hour | 32.00 | 580.70 | 18582.40 | |
| | Fuel / Energy charges | Hour | 32.00 | 409.60 | 13107.20 | |
| 3 | Tipper 5 cum capacity(1 No) | Hour | 8.00 | 446.70 | 3573.60 | |
| | Fuel / Energy charges | Hour | 8.00 | 307.20 | 2457.60 | |
| | Total hire charges of Machinery Rs: 58 | | | | | |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount | |
|-------|--------------------------|------|----------|--------|---------|--|
| | | | | in Rs. | in Rs | |
| 1 | Crew for Shovel | Hour | 8.00 | 221.00 | 1768.00 | |
| 2 | Crew for Dumper | Hour | 32.00 | 212.20 | 6790.40 | |
| 3 | Crew for Tipper | Hour | 8.00 | 165.80 | 1326.40 | |
| 4 | work inspector | Day | 1.00 | 400.00 | 400.00 | |
| 5 | Crowbarman | Day | 2.50 | 370.00 | 925.00 | |
| 6 | mazdoor | Day | 10.00 | 310.00 | 3100.00 | |
| | Total cost of Labour Rs. | | | | | |

labour component/unit qty 27.50
Add contractor's profit and overhead charges 13.615% 3.70
labour component/unit qty (including contractor's profit) 31.20

ABSTRACT:

A. Cost of Materials Rs: 0.00 B. Hire charges of Machinery Rs: 58524.80 C. Cost of Labour Rs: 14309.80 Total Rs: 72834.60 D.Add for contractor's profit and overheads on (A+B+C) 13.615% Rs. 9916.43 Total cost for 520.00 Rs: **82751.03** cum **cum** (A+B+C+D)/520 Rate per Rs: 159.10

UNIT:

UNIT:

IRR-DAW-1-3

Excavation for foundation in hard rock (including F&F rock) requiring blasting including boulders above 0.6 m upto 1.2 m dia. for dam, spillway, intake structure and other appurtenant works and placing the excavated material neatly in dump area or disposing off the same as directed etc., complete with initial

lead upto 1 km and all lifts.

DATA:

RATE ANALYSIS

A. MATERIALS:

| | | | | 520.00 | cum. |
|-------|-----------------------------|------|----------|--------|----------|
| SI No | Description | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs |
| 1 | Use rate of 1.5 m drill rod | Rm | 216.00 | 20.75 | 4482.00 |
| | Reconditioning charges @ | 10% | | | 448.20 |
| 2 | Use rate of air hose 4 Nos. | Hour | 26.00 | 11.56 | 300.63 |
| 3 | Explosive small dia | kg | 104.00 | 70.00 | 7280.00 |
| 4 | Electric detonators | Nos | 154.00 | 13.00 | 2002.00 |
| 5 | Fuse coil | Rm | 320.00 | 11.00 | 3520.00 |
| 6 | Sundries | LS | 5.00 | 20.00 | 100.00 |
| | Total cost of Materials | | | Rs. | 18132.83 |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|--------------------------------------|------|----------|---------|----------|
| | | | | in Rs. | in Rs |
| 1 | Shovel 0.85 cum capacity | Hour | 8.00 | 1706.60 | 13652.80 |
| | Fuel / Energy charges | Hour | 8.00 | 893.90 | 7151.20 |
| 2 | Dumpers 5 cum capacity 4 Nos. | Hour | 32.00 | 580.70 | 18582.40 |
| | Fuel / Energy charges | Hour | 32.00 | 409.60 | 13107.20 |
| 3 | Tipper 5 cum capacity 1 No | Hour | 8.00 | 446.70 | 3573.60 |
| | Fuel / Energy charges | Hour | 8.00 | 307.20 | 2457.60 |
| 4 | Air compressor 8.5 cmm (ele) 2 Nos | Hour | 13.00 | 170.80 | 2220.40 |
| | Fuel / Energy charges | Hour | 13.00 | 433.10 | 5630.30 |
| 5 | Jack hammers 4 Nos. | Hour | 26.00 | 19.80 | 514.80 |
| | Fuel / Energy charges | Hour | 26.00 | 0.00 | 0.00 |
| | Total hire charges of Machinery | | _ | Rs: | 66890.30 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|--------------------------|-------------------------|------|----------|--------|----------|
| | | | | in Rs. | in Rs |
| 1 | Crew for Shovel | Hour | 8.00 | 221.00 | 1768.00 |
| 2 | Crew for Dumper | Hour | 32.00 | 212.20 | 6790.40 |
| 3 | Crew for Tipper | Hour | 8.00 | 165.80 | 1326.40 |
| 4 | Crew for Air compressor | Hour | 13.00 | 153.10 | 1990.30 |
| 5 | Crew for Jack hammer | Hour | 26.00 | 306.20 | 7961.20 |
| 6 | work inspector | Day | 1.00 | 400.00 | 400.00 |
| 7 | Blaster | Day | 1.00 | 480.00 | 480.00 |
| 8 | Helper blaster | Day | 1.00 | 370.00 | 370.00 |
| 9 | Crowbarman | Day | 2.50 | 370.00 | 925.00 |
| 10 | Stone breaker | Day | 1.00 | 370.00 | 370.00 |
| 11 | mazdoor | Day | 10.00 | 310.00 | 3100.00 |
| Total cost of Labour Rs. | | | | | 25481.30 |

labour component/unit qty 49.00
Add contractor's profit and overhead charges 13.615% 6.70
labour component/unit qty (including contractor's profit) 55.70

ABSTRACT:

A. Cost of Materials Rs: 18132.83 Rs: 66890.30 B. Hire charges of Machinery Rs: <u>25481.30</u> C. Cost of Labour Total Rs: 110504.43 D.Add for contractor's profit and overheads on (A+B+C) 13.615% Rs. 15045.18 520.00 Rs: 125549.61 Total cost for cum **cum.** (A+B+C+D)/520 Rate per Rs: 241.40

IRR-DAW-1-3A New Item 2015-16-1

Excavation for foundation in hard rock (including F&F rock) including

boulders above **0.6** m upto **1.2** m dia. by controlled blasting and controlling fly rock by muffling arrangements for dam, spillway, intake structure and other appurtenant works and other open foundation works and placing the excavated material neatly in dump area or disposing off the same as directed etc., complete with **initial lead upto 1** km and all leads

DATA: RATE ANALYSIS
A. MATERIALS:

| | | | | 520.00 | cum. |
|-------|-----------------------------|------|----------|--------|---------|
| SI No | Description | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs |
| 1 | Use rate of 1.5 m drill rod | Rm | 216.00 | 20.75 | 4482.00 |
| | Reconditioning charges @ | 10% | | | 448.20 |

| 3 | Use rate of air hose 4 Nos. Use rate of chain link wire mesh | Sq m | 500.00 | 11.56 <u>300.</u> 67.38 <u>336</u> 8 | |
|---|--|------|--------|---|-------|
| 4 | Use rate of Sand Bags | Nos. | 190.00 | 81.70 1552 | 23.00 |
| 3 | Explosive small dia | kg | 104.00 | 70.00 7280 | 0.00 |
| 4 | Electric delay detonators | Nos | 154.00 | 23.00 3542 | 2.00 |
| 5 | Fuse coil | Rm | 320.00 | 11.00 3520 | 0.00 |
| 6 | Sundries | LS | 5.00 | 20.00 100. | 00 |
| | Total cost of Materials | | | Rs. 6888 | 33.33 |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount | |
|-------|---------------------------------------|------|----------|---------|----------|--|
| | | | | in Rs. | in Rs | |
| 1 | Shovel 0.85 cum capacity | Hour | 8.00 | 1706.60 | 13652.80 | |
| | Fuel / Energy charges | Hour | 8.00 | 893.90 | 7151.20 | |
| 2 | Angle dozer 90 hp | Hour | 1.00 | 1715.50 | 1715.50 | |
| | Fuel / Energy charges | Hour | 1.00 | 625.30 | 625.30 | |
| 3 | Dumpers 5 cum capacity 4 Nos. | Hour | 32.00 | 580.70 | 18582.40 | |
| | Fuel / Energy charges | Hour | 32.00 | 409.60 | 13107.20 | |
| 4 | Tipper 5 cum capacity 1 No | Hour | 8.00 | 446.70 | 3573.60 | |
| | Fuel / Energy charges | Hour | 8.00 | 307.20 | 2457.60 | |
| 5 | Air compressor 8.5 cmm (ele) 2 Nos | Hour | 13.00 | 170.80 | 2220.40 | |
| | Fuel / Energy charges | Hour | 13.00 | 433.10 | 5630.30 | |
| 6 | Jack hammers 4 Nos. | Hour | 26.00 | 19.80 | 514.80 | |
| | Fuel / Energy charges | Hour | 26.00 | 0.00 | 0.00 | |
| | Total hire charges of Machinery Rs: 6 | | | | | |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|--------------------------|-------------------------|------|----------|--------|---------|
| | | | - | in Rs. | in Rs |
| 1 | Crew for Shovel | Hour | 8.00 | 221.00 | 1768.00 |
| 2 | Crew for Angle dozer | Hour | 1.00 | 221.00 | 221.00 |
| 3 | Crew for Dumper | Hour | 32.00 | 212.20 | 6790.40 |
| 4 | Crew for Tipper | Hour | 8.00 | 165.80 | 1326.40 |
| 5 | Crew for Air compressor | Hour | 13.00 | 153.10 | 1990.30 |
| 6 | Crew for Jack hammer | Hour | 26.00 | 306.20 | 7961.20 |
| 7 | work inspector | Day | 3.00 | 400.00 | 1200.00 |
| 8 | Blaster | Day | 1.50 | 480.00 | 720.00 |
| 9 | Helper blaster | Day | 2.00 | 370.00 | 740.00 |
| 10 | Crowbarman | Day | 2.50 | 370.00 | 925.00 |
| 11 | Stone breaker | Day | 2.00 | 370.00 | 740.00 |
| 12 | mazdoor | Day | 18.00 | 310.00 | 5580.00 |
| Total cost of Labour Rs. | | | | | |

labour component/unit qty 57.60
Add contractor's profit and overhead charges 13.615% 7.80
labour component/unit qty (including contractor's profit) 65.40

ABSTRACT:

A. Cost of Materials
B. Hire charges of Machinery Rs: 68883.33 Rs: 69231.10 C. Cost of Labour Rs: <u>29962.30</u> Total Rs: 168076.73 D.Add for contractor's profit and overheads on (A+B+C) 13.615% Rs. 22883.65 Total cost for 520.00 Rs: **190960.38** cum. **cum.** (A+B+C+D)/520Rate per Rs: **367.20**

IRR-DAW-1-4

(a)

Excavation for foundation in hard rock of all toughness by blasting including boulders above 1.2 m dia. for dam, spillway, intake structure and other appurtenant works and placing the excavated rock neatly in dump area or stack yard including levelling as directed etc., complete with initial lead upto 1 km and all lifts.

DATA: RATE ANALYSIS

| | | | | UNIT | | |
|----------------------|----------------------------------|------|----------|--------|----------|--|
| A. MATERIALS: 320.00 | | | | | | |
| SI No | Particulars | Unit | Quantity | Rate | Amount | |
| | | | | in Rs. | in Rs | |
| 1 | Use rate of drill rod 1.5 m long | Rm | 310.00 | 27.67 | 8576.67 | |
| | Reconditioning charges @ | 10% | | | 857.67 | |
| 2 | Use rate of air hose 4 Nos. | Hour | 48.00 | 11.56 | 555.00 | |
| 3 | Explosive small dia | kg | 95.00 | 70.00 | 6650.00 | |
| 4 | Ordinary detonators | Nos | 10.00 | 7.00 | 70.00 | |
| 5 | Electric detonators | Nos | 333.00 | 13.00 | 4329.00 | |
| 6 | Fuse coil | Rm | 450.00 | 11.00 | 4950.00 | |
| 7 | Sundries | LS | 5.00 | 20.00 | 100.00 | |
| | Total cost of Materials | | | Rs: | 26088.34 | |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|---------------------------------------|------|----------|---------|----------|
| | | | | in Rs. | in Rs |
| 1 | Shovel 0.85 cum capacity | Hour | 8.00 | 1706.60 | 13652.80 |
| | Fuel / Energy charges | Hour | 8.00 | 893.90 | 7151.20 |
| 2 | Dumpers 5 cum capacity 3 Nos. | Hour | 24.00 | 580.70 | 13936.80 |
| | Fuel / Energy charges | Hour | 24.00 | 409.60 | 9830.40 |
| 3 | Tipper 5 cum capacity 1 No | Hour | 4.00 | 446.70 | 1786.80 |
| | Fuel / Energy charges | Hour | 4.00 | 307.20 | 1228.80 |
| 4 | Angle dozer 90 hp | Hour | 1.00 | 1715.50 | 1715.50 |
| | Fuel / Energy charges | Hour | 1.00 | 625.30 | 625.30 |
| 5 | Air compressor 8.5 cmm (ele) 2 Nos. | Hour | 24.00 | 170.80 | 4099.20 |
| | Fuel / Energy charges | Hour | 24.00 | 433.10 | 10394.40 |
| 6 | Jack hammers 4 Nos. | Hour | 48.00 | 19.80 | 950.40 |
| | Fuel / Energy charges | Hour | 48.00 | 0.00 | 0.00 |
| | Total hire charges of Machinery Rs. 6 | | | | |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|----------------------|---------------------------|------|----------|--------|----------|
| | | | | in Rs. | in Rs |
| 1 | Crew for Shovel | Hour | 8.00 | 221.00 | 1768.00 |
| 2 | Crew for Dumper | Hour | 24.00 | 212.20 | 5092.80 |
| 3 | Crew for Tipper | Hour | 4.00 | 165.80 | 663.20 |
| 4 | Crew for Dozer | Hour | 1.00 | 221.00 | 221.00 |
| 5 | Crew for Air compressor | Hour | 24.00 | 153.10 | 3674.40 |
| 6 | Crew for Jack hammer | Hour | 48.00 | 306.20 | 14697.60 |
| 7 | work inspector | Day | 1.00 | 400.00 | 400.00 |
| 8 | Blaster | Day | 1.00 | 480.00 | 480.00 |
| 9 | Helper blaster | Day | 1.00 | 370.00 | 370.00 |
| 10 | Crowbarman | Day | 1.00 | 370.00 | 370.00 |
| 11 | Stone breaker | Day | 2.00 | 370.00 | 740.00 |
| 12 | mazdoor | Day | 6.00 | 310.00 | 1860.00 |
| Total cost of Labour | | | • | Rs. | 30337.00 |
| labour | labour component/unit qty | | 94.80 | | |

labour component/unit qty
Add contractor's profit and overhead charges 13.6
labour component/unit qty (including contractor's profit)

13.615% <u>12.90</u> **107.70**

ABSTRACT:

Rs: 26088.34 A. Cost of Materials B. Hire charges of Machinery Rs: 65371.60 C. Cost of Labour Rs: 30337.00 Rs: 121796.94 Total D.Add for contractor's profit and overheads on (A+B+C) Rs. 16582.65 13.615% Total cost for 320.00 cum Rs: **138379.59** Rate per cum (A+B+C+D)/320 Rs: **432.40**

IRR-DAW-1-5

(b)

Excavation for foundation in hard rock of all toughness including boulders above 1.2 m dia. by controlled blasting method and controlling fly-rock by muffling arrangements for dam, spillway, intake structure and other appurtenant structures etc., including placing and levelling the excavated rock neatly in dump area or other place as directed etc., complete with lead upto upto 1 km and all lifts.

DATA: RATE ANALYSIS

| | | 10/11 = /114/ | (E 0 0 | | | |
|-----------------------------|------------------------------------|---------------|----------|--------|----------|--|
| | | | | UNIT : | | |
| A. MATERIALS: 480.00 | | | | | | |
| SI No | Particulars | Unit | Quantity | Rate | Amount | |
| | | | | in Rs. | in Rs | |
| 1 | Use rate of drill rod 1.5 m length | Rm | 464.00 | 27.67 | 12837.33 | |
| | Reconditioning charges @ | 10% | | | 1283.73 | |
| 2 | Use rate of 50 m air hose 4 Nos. | Hour | 70.00 | 11.56 | 809.38 | |
| 3 | Use rate of chain link wire mesh | sqm | 715.00 | 67.38 | 48173.13 | |
| 4 | Use rate of sand bag | Nos | 580.00 | 81.70 | 47386.00 | |
| 5 | Explosive small dia. | kg | 149.00 | 70.00 | 10430.00 | |
| 6 | Ordinary detonators | Nos | 23.00 | 7.00 | 161.00 | |
| 7 | Electric delay detonators | Nos | 500.00 | 23.00 | 11500.00 | |
| 8 | Fuse coil | Rm | 700.00 | 11.00 | 7700.00 | |
| 9 | Sundries | LS | 10.00 | 20.00 | 200.00 | |
| Total cost of Materials Rs: | | | | | | |

B. MACHINERY:

| D. MACHINERT. | | | | | | |
|---------------|-------------------------------|------|----------|---------|----------|--|
| SI No | | Unit | Quantity | Rate | Amount | |
| | Particulars | | | in Rs. | in Rs | |
| 1 | Shovel 0.85 cum capacity | Hour | 12.00 | 1706.60 | 20479.20 | |
| | Fuel / Energy charges | Hour | 12.00 | 893.90 | 10726.80 | |
| 2 | Angle dozer 90 hp | Hour | 2.00 | 1715.50 | 3431.00 | |
| | Fuel / Energy charges | Hour | 2.00 | 625.30 | 1250.60 | |
| 3 | Dumpers 5 cum capacity 3 Nos. | Hour | 36.00 | 580.70 | 20905.20 | |

| 1 | Fuel / Energy charges | Hour | 36.00 | 409.60 | 14745.60 |
|-------------------------------------|--------------------------------------|------|-------|--------|----------|
| 4 | Tipper 5 cum capacity 1 No | Hour | 4.00 | 446.70 | 1786.80 |
| | Fuel / Energy charges | Hour | 4.00 | 307.20 | 1228.80 |
| 5 | Air compressor 8.5 cmm (ele) 2 Nos | Hour | 35.00 | 170.80 | 5978.00 |
| | Fuel / Energy charges | Hour | 35.00 | 433.10 | 15158.50 |
| 6 | Jack hammers 4 Nos. | Hour | 70.00 | 19.80 | 1386.00 |
| | Fuel / Energy charges | Hour | 70.00 | 0.00 | 0.00 |
| Total hire charges of Machinery Rs: | | | | | 97076 50 |

C. LABOUR

| C. LAL | J. LABOUR: | | | | | | |
|--------------------------|-------------------------|------|----------|--------|----------|--|--|
| SI No | Description | Unit | Quantity | Rate | Amount | | |
| | | | | in Rs. | in Rs | | |
| 1 | Crew for Shovel | Hour | 12.00 | 221.00 | 2652.00 | | |
| 2 | Crew for Angle dozer | Hour | 2.00 | 221.00 | 442.00 | | |
| 3 | Crew for Dumper | Hour | 36.00 | 212.20 | 7639.20 | | |
| 4 | Crew for Tipper | Hour | 4.00 | 165.80 | 663.20 | | |
| 5 | Crew for Air compressor | Hour | 35.00 | 153.10 | 5358.50 | | |
| 6 | Crew for Jack hammer | Hour | 70.00 | 306.20 | 21434.00 | | |
| 7 | work inspector | Day | 4.50 | 400.00 | 1800.00 | | |
| 8 | Blaster | Day | 1.50 | 480.00 | 720.00 | | |
| 9 | Helper blaster | Day | 3.00 | 370.00 | 1110.00 | | |
| 10 | Crowbarman | Day | 2.50 | 370.00 | 925.00 | | |
| 11 | Stone breaker | Day | 2.50 | 370.00 | 925.00 | | |
| 13 | mazdoor | Day | 20.00 | 310.00 | 6200.00 | | |
| Total cost of Labour Rs. | | | | | 49868.90 | | |

labour component/unit qty

13.615% 14.10

Add contractor's profit and overhead charges labour component/unit qty (including contractor's profit)

103.90 118.00

ABSTRACT:

A. Cost of Materials Rs: 140480.57 B. Hire charges of Machinery Rs: 97076.50 C. Cost of Labour Rs: 49868.90 Total Rs: 287425.97 D.Add for contractor's profit and overheads on (A+B+C) 13.615% Rs. 39133.05 Total cost for 480.00 Rs: **326559.02** cum Rate per (A+B+C+D)/480 Rs: 680.30

IRR-DAW-1-6

(c)

Excavation for foundation in hard rock of all toughness including boulders above 1.2 m dia. by line drilling and smooth blasting and controlling

fly-rock by muffling arrangements for dam, spillway, intake structure and other appurtenant structures etc., including dressing sides and bed to required level / profile, placing and levelling the excavated rock neatly in dump area or other place as directed etc., complete with lead upto 1 km and all lifts.

Note:

- i) 1 m width of excavation along the face to be dressed shall be treated as excavation by line drilling and smooth blasting.
- ii) The rate includes controlling fly-rock wherever required.
- iii) The rate under this item shall be paid only on ascertaining that the surface requiring dressing has come off neatly as per specifications or atleast 50 percent of smooth blast holes are visible for inspection and are spaced at specified interval.
- iv) In case, where the above criteria is not fulfilled payment shall be restricted to the rate provided for excavation by normal or controlled blasting as the case may be..

DATA:

RATE ANALYSIS

UNIT:

| A. MATERIALS: 40.00 c | | | | | |
|-------------------------------|------------------------------------|------|----------|--------|---------|
| SI No | Particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs |
| 1 | Use rate of drill rod 1.5 m length | Rm | 138.00 | 27.67 | 3818.00 |
| | Reconditioning charges @ | 10% | | | 381.80 |
| 2 | Use rate of 50 m air hose 4 Nos. | Hour | 22.00 | 11.56 | 254.38 |
| 3 | Explosive small dia. | kg | 10.50 | 70.00 | 735.00 |
| 4 | Ordinary detonators | Nos | 2.00 | 7.00 | 14.00 |
| 5 | Electric delay detonators | Nos | 76.00 | 23.00 | 1748.00 |
| 6 | Fuse coil | Rm | 140.00 | 11.00 | 1540.00 |
| 7 | Sundries | LS | 2.00 | 20.00 | 40.00 |
| Total cost of Materials Rs. 8 | | | | | |

B. MACHINERY:

| D. WIAC | B. MACHINEKT. | | | | | | |
|---------|--------------------------------------|------|----------|---------|---------|--|--|
| SI No | Description | Unit | Quantity | Rate | Amount | | |
| | | | | in Rs. | in Rs | | |
| 1 | Shovel 0.85 cum capacity | Hour | 1.00 | 1706.60 | 1706.60 | | |
| | Fuel / Energy charges | Hour | 1.00 | 893.90 | 893.90 | | |
| 2 | Angle dozer 90 hp | Hour | 0.25 | 1715.50 | 428.88 | | |
| | Fuel / Energy charges | Hour | 0.25 | 625.30 | 156.33 | | |
| 3 | Dumpers 5 cum capacity 3 Nos. | Hour | 3.00 | 580.70 | 1742.10 | | |
| | Fuel / Energy charges | Hour | 3.00 | 409.60 | 1228.80 | | |
| 4 | Air compressor 8.5 cmm (ele) 2 Nos | Hour | 11.00 | 170.80 | 1878.80 | | |

LIMIT

| | Fuel / Energy charges | Hour | 11.00 | 433.10 4764.10 |
|---|-----------------------|------------------|-------|----------------|
| 5 | Jack hammers 4 Nos. | Hour | 22.00 | 19.80 435.60 |
| | Fuel / Energy charges | Hour | 22.00 | 0.00 0.00 |
| | Total hire chard | res of Machinery | | Rs: 13235 11 |

C. LABOUR:

| U. LAL | | | | _ | |
|--------|-------------------------|------|----------|----------|----------|
| SI No | Description | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs |
| 1 | Crew for Shovel | Hour | 1.0 | 0 221.00 | 221.00 |
| 2 | Crew for Angle dozer | Hour | 0.2 | 5 221.00 | 55.25 |
| 3 | Crew for Dumper | Hour | 3.0 | 0 212.20 | 636.60 |
| 4 | Crew for Air compressor | Hour | 11.0 | 0 153.10 | 1684.10 |
| 5 | Crew for Jack hammer | Hour | 22.0 | 0 306.20 | 6736.40 |
| 6 | work inspector | Day | 0.5 | 0 400.00 | 200.00 |
| 7 | Blaster | Day | 0.5 | 0 480.00 | 240.00 |
| 8 | Helper blaster | Day | 0.5 | 0 370.00 | 185.00 |
| 9 | Crowbarman | Day | 0.5 | 0 370.00 | 185.00 |
| 10 | Stone breaker | Day | 0.5 | 0 370.00 | 185.00 |
| 11 | mazdoor | Day | 2.0 | 0 310.00 | 620.00 |
| | Total cost of Labor | ır | | Rs | 10948.35 |

labour component/unit qty 273.70 Add contractor's profit and overhead charges 13.615% 37.30 labour component/unit qty (including contractor's profit) 311.00

ABSTRACT:

A. Cost of Materials Rs: 8531.18 B. Hire charges of Machinery Rs: 13235.11 Rs: 10948.35 C. Cost of Labour Rs: 32714.64 Total D.Add for contractor's profit and overheads on (A+B+C) 13.615% Rs. 4454.1 Total cost for 40.00 cum Rs: 37168.74 Rate per (A+B+C+D)/40 Rs: **929.20** cum

IRR-DAW-1-7 Preparing foundation bed for masonry or concrete by benching,

stepping, removing all loose material by wedging / chiselling and disposing off the same as directed and cleaning the surface with air and water jet etc. ,complete with initial lead upto 50 m and all lifts.

RATE ANALYSIS DATA

| A. MAT | A. MATERIALS: | | | | |
|----------------------------------|---------------|------|----------|--------|--------|
| SI No | Particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs |
| 1 | NIL | | 0.00 | 0.00 | 0.00 |
| | | | 0.00 | 0.00 | 0.00 |
| Total cost of Materials Rs. 0.00 | | | | | |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|---------------------------------|------|----------|--------|--------|
| | | | | in Rs. | in Rs |
| 1 | Air compressor 8.5 cmm (ele) | Hour | 1.00 | 170.80 | 170.80 |
| | Fuel / Energy charges | Hour | 1.00 | 433.10 | 433.10 |
| 2 | Pump 5 hp (ele) | Hour | 1.00 | 3.00 | 3.00 |
| | Fuel / Energy charges | Hour | 1.00 | 38.50 | 38.50 |
| | Total hire charges of Machinery | | | Rs. | 645.40 |

C. LABOUR

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|-------------------------|------|----------|--------|---------|
| | | | | in Rs. | in Rs |
| 1 | Crew for Air compressor | Hour | 1.00 | 153.10 | 153.10 |
| 2 | Crew for Pump | Hour | 1.00 | 77.70 | 77.70 |
| 3 | Stone breaker | Day | 2.00 | 370.00 | 740.00 |
| 4 | mazdoor | Day | 2.50 | 310.00 | 775.00 |
| 5 | Crowbar man | Day | 2.00 | 370.00 | 740.00 |
| | Total cost of Labour | | | Rs: | 2485.80 |

labour component/unit qty 24 90 Add contractor's profit and overhead charges 13.615% 3.40 labour component/unit qty (including contractor's profit) 28.30

ABSTRACT:

Rs: 0.00 A. Cost of Materials Rs: 645.40 B. Hire charges of Machinery C. Cost of Labour Rs: 2485.80 Total Rs: 3131.20 D.Add for contractor's profit and overheads on (A+B+C) 13.615% Rs. 426.31 Total cost for 100.00 Rs: **3557.51** sqm (A+B+C+D)/100 Rate per Rs: 35.60

IRR-DAW-1-8 Preparing foundation bed for cut-off trench filling in rock portion by

LINIT:

removing all loose materials by wedging / chiselling and disposing off the same as directed etc., complete $\it with\ initial\ lead\ upto\ 50\ m$ and all lifts.

DATA RATE ANALYSIS

| A. MAT | A. MATERIALS: 100.00 sq | | | | | |
|----------------------------------|-------------------------|------|----------|------|--------|--------|
| SI No | Particulars | Unit | Quantity | | Rate | Amount |
| | | | | | in Rs. | in Rs |
| 1 | NIL | | | 0.00 | 0.00 | 0.00 |
| | | | | 0.00 | 0.00 | 0.00 |
| Total cost of Materials Rs. 0.00 | | | | | | 0.00 |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount | | |
|-------|---------------------------------|------|----------|--------|--------|--|--|
| | | | | in Rs. | in Rs | | |
| 1 | NIL | | 0.00 | 0.00 | 0.00 | | |
| | | | 0.00 | 0.00 | 0.00 | | |
| | Total cost of Machinery Rs. 0.0 | | | | | | |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|----------------------|------|----------|--------|---------|
| | | | | in Rs. | in Rs |
| 1 | Crowbar man | Day | 2.00 | 370.00 | 740.00 |
| 2 | Stone breaker | Day | 2.00 | 370.00 | 740.00 |
| 3 | mazdoor | Day | 2.00 | 310.00 | 620.00 |
| | Total cost of Labour | | | Rs: | 2100.00 |

labour component/unit qty 21.00
Add contractor's profit and overhead charges 13.615% 2.90
labour component/unit qty (including contractor's profit) 23.90

ABSTRACT.

A. Cost of Materials Rs: 0.00 B. Hire charges of Machinery Rs: 0.00 C. Cost of Labour Rs: 2100.00 Total Rs: 2100.00 D.Add for contractor's profit and overheads on (A+B+C) 13.615% Rs. 285.92 Total cost for Rs: **2385.92** 100.00 sam Rate per (A+B+C+D)/100 Rs: 23.90 sqm

IRR-DAW-1-9

Drilling 45 to 50 mm dia holes vertical or inclined upto 10 degrees to vertical **in rock/masonry/ concrete by percussion drilling** using waggon drill or any other suitable equipment including cost of all materials, machinery, labour, redrilling through partially set grout wherever required etc., complete.

for drilling upto 6 m depth from surface.

NOTE:

The item rate for drilling through rock / masonry / concrete includes redrilling through partially set grout, if any, in the portion of hole already grouted.

Data

RATE ANALYSIS

| | | | | OIVII. | |
|--------|--|------|----------|--------|---------|
| A. MAT | ERIALS: | | | 96.00 | Rm |
| SI No | Particulars | Unit | Quantity | Rate | Amoun |
| | | | - | in Rs. | in Rs |
| 1 | Use rate of cross bit 50 mm dia | Rm | 96.00 | 62.50 | 6000.00 |
| 2 | Line water of CO many alie air bases CO me | Hour | 9.00 | 10.63 | 140.00 |

LINIT:

2 Use rate of 50 mm dia air hose 50 m Hour 8.00 18.63 149.00 3 Use rate of extension rod 4.5 m Rm 96.00 6.68 641.09 Total cost of Materials Rs. 6790.09

B. MACHINERY:

| D. 1017 (C | ZI III LE I L I I | | | | |
|------------|---------------------------------|------|----------|--------|---------|
| SI No | Description | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs |
| 1 | Waggon drill | Hour | 8.00 | 188.50 | 1508.00 |
| | Fuel / Energy charges | Hour | 8.00 | 0.00 | 0.00 |
| 2 | Air compressor 8.5 cmm (ele) | Hour | 8.00 | 170.80 | 1366.40 |
| | Fuel / Energy charges | Hour | 8.00 | 433.10 | 3464.80 |
| 3 | Sundries | LS | 2.00 | 20.00 | 40.00 |
| | Total hire charges of Machinery | · | | Rs: | 6379.20 |

C. LABOUR:

| | OUIV. | | | | |
|-------|----------------------------|------|----------|--------|---------|
| SI No | Description | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs |
| 1 | Crew for Waggon drill | Hour | 8.00 | 265.20 | 2121.60 |
| 2 | Crew for Air compressor | Hour | 8.00 | 153.10 | 1224.80 |
| 3 | mazdoor | Day | 2.00 | 310.00 | 620.00 |
| | Total cost of Labour Rs: 3 | | | | |

labour component/unit qty 41.30
Add contractor's profit and overhead charges 13.615% 5.60
labour component/unit qty (including contractor's profit) 46.90

ABSTRACT:

| A. Cost of Material B. Hire charges of C. Cost of Labour | Machinery | | | Total | Rs: Rs: Rs: | 6790.09 6379.20 3966.40 17135.69 |
|--|---------------------------------------|----------|-------------|---------|-------------------|---|
| | or's profit and overheads on (A+B+C | - | | 13.615% | _ | 2333.02 |
| Total cost for | | 96.00 | | Rm | | 19468.71 |
| Rate per | Rm | (A+B+C+ | D)/96 | | Rs: | 202.80 |
| Upto 6 m from surf Beyond 6 m upto 1 | 2 m from surface : | | | | | 202.80 |
| Upto 6 m from surf | ace | Rate per | r Rm | | Rs: | 202.80 |
| Add for redrilling th | rough partially set grout / additiona | l | | | | |
| extension rods / re | duction in rate of drilling etc @ | | | 10% | Rs: | 20.28 |
| Beyond 6 m upto 1 | 2 m from surface | | Rate / Rm | | | 223.10 |
| | 18 m from surface : | | | | | |
| For 6 m to 12 m fro | | Rate per | Pm | | De- | 223.10 |
| | rough partially set grout / additiona | | TXIII | | 11.3. | 225.10 |
| - U | 5 . , 5 | ı | | 10% | Do: | 22.24 |
| | duction in rate of drilling etc @ | | D / / D | 10% | _ | 22.31 |
| Beyond 12 m upto | | | Rate / Rm | | Rs: | 245.40 |
| Beyond 18 m upto | | | | | : | |
| For 12 m to 18 m f | | Rate per | r Rm | | Rs: | 245.40 |
| Add for redrilling th | rough partially set grout / additiona | I | | | | |
| extension rods / re | duction in rate of drilling etc @ | | | 10% | Rs: | 24.54 |
| Beyond 18 m upto | 24 m from surface | | Rate / Rm | | Rs: | 269.90 |
| Beyond 24 m upto | 30 m from surface | | | | : | |
| For 18 m to 24 m f | rom surface | Rate per | Rm | | Rs: | 269.90 |
| Add for redrilling th | rough partially set grout / additiona | | | | | |
| - U | duction in rate of drilling etc @: | • | | 10% | Rs | 26.99 |
| Beyond 24 m upto | <u> </u> | | Rate / Rm | .070 | - | 296.90 |
| Beyond 30 m upto | | | rate / ran | | : | 230.30 |
| For 24 m to 30 m f | | Rate per | . Dm | | = | 296.90 |
| | rough partially set grout / additiona | | IXIII | | 11.5. | 230.30 |
| | | ı | | 10% | Da. | 20.00 |
| | duction in rate of drilling etc @ | | D / / D | 10% | _ | 29.69 |
| Beyond 30 m upto | | | Rate / Rm | | | 326.60 |
| Beyond 36 m upto | | | | | : | |
| For 30 m to 36 m f | | Rate per | Rm | | Rs: | 326.60 |
| Add for redrilling th | rough partially set grout / additiona | l | | | | |
| extension rods / re | duction in rate of drilling etc @ | | | 10% | Rs: | 32.66 |
| Beyond 36 m upto | 42 m from surface | | Rate / Rm | | Rs: | 359.30 |
| Beyond 42 m upto | 48 m from surface | | | | | |
| For 36 m to 42 m f | rom surface | Rate per | r Rm | | Rs: | 359.30 |
| Add for redrilling th | rough partially set grout / additiona | • | | | | |
| | duction in rate of drilling etc @ | | | 10% | Rs: | 35.93 |
| Beyond 42 m upto | | | Rate / Rm | | _ | 395.20 |
| Doyona 42 in upio | TO III IIOIII SUIIAUC | | NAIC / INII | | 1/2. | 000.20 |

IRR-DAW-1-10

Flushing grout holes of all sizes with water and air jets alternatively for an average period of 30 minutes including water intake observations after flushing, cost of all materials, machinery, labour etc., complete.

DATA:

RATE ANALYSIS

| | | | | UNIT : | |
|--------|--------------------------------------|------|----------|--------|--------|
| A. MAT | ERIALS: | | | 192.00 | Rm. |
| SI No | Particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs |
| 1 | Use rate of air hose 2 Nos x 8 hrs | Hour | 16.00 | 11.56 | 184.96 |
| 2 | Use rate of water hose 2 Nos x 8 hrs | Hour | 16.00 | 11.56 | 184.96 |
| 3 | Sundries | LS | 2.00 | 20.00 | 40.00 |
| | Total cost of Materials | | | Rs: | 409.92 |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount | | | |
|-------|-------------------------------------|------|----------|--------|---------|--|--|--|
| | | | | in Rs. | in Rs | | | |
| 1 | Air compressor 8.5 cmm (ele) | Hour | 8.00 | 170.80 | 1366.40 | | | |
| | Fuel / Energy charges | Hour | 8.00 | 433.10 | 3464.80 | | | |
| 2 | Pump 5 hp (ele) | Hour | 8.00 | 3.00 | 24.00 | | | |
| | Fuel / Energy charges | Hour | 8.00 | 38.50 | 308.00 | | | |
| 3 | Sundries | LS | 2.00 | 20.00 | 40.00 | | | |
| | Total hire charges of Machinery Rs: | | | | | | | |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|-------------------------|------|----------|--------|---------|
| | | | | in Rs. | in Rs |
| 1 | Crew for Air compressor | Hour | 8.00 | 153.10 | 1224.80 |
| 2 | Crew for Pump | Hour | 8.00 | 77.70 | 621.60 |
| 3 | mazdoor | Day | 4.00 | 310.00 | 1240.00 |
| | Total cost of Labour | | • | Rs. | 3086 40 |

labour component/unit qty
Add contractor's profit and overhead charges
labour component/unit qty (including contractor's profit) 16.10 13.615% 2.20 18.30

Rs: 51.50

UNIT:

UNIT:

ABSTRACT:

Rate per

A. Cost of Materials Rs: 409.92
B. Hire charges of Machinery Rs: 5203.20
C. Cost of Labour Total Rs: 3086.40
D.Add for contractor's profit and overheads on (A+B+C) 13.615% Rs: 1184.44
Total cost for 192.00 Rm. Rs: 9883.96

(A+B+C+D)/192

IRR-DAW-1-11

Consolidation grouting with neat cement grout mix of suitable consistency under specified pressure as directed in drilled holes by stage grouting method including cost of all materials, machinery, labour,

Rm.

redrilling if necessary etc., complete with initial lead upto 1 km and all lifts.

DATA:

(a)

RATE ANALYSIS

| A. MAT | MATERIALS: 1.05 to | | | | | |
|--------|----------------------------------|-------|----------|---------|---------|--|
| SI No | Particulars | Unit | Quantity | Rate | Amount | |
| | | | | in Rs. | in Rs | |
| 1 | Cement | tonne | 1.05 | 6300.00 | 6615.00 | |
| 2 | Use rate of 50 m pressure hose | Hour | 8.00 | 11.56 | 92.48 | |
| 3 | Sundries (packer assembly etc) | LS | 3.00 | 20.00 | 60.00 | |
| | Total cost of Materials | | | Rs: | 6767.48 | |

B. MACHINERY:

| D. INIA | JIIIINEK I. | | | | | | |
|---------|-------------------------------------|------|----------|--------|--------|--|--|
| SI No | Description | Unit | Quantity | Rate | Amount | | |
| | | | | in Rs. | in Rs | | |
| 1 | Grouting equipment | Hour | 8.00 | 24.90 | 199.20 | | |
| | Fuel / Energy charges | Hour | 8.00 | 38.50 | 308.00 | | |
| 2 | Pump 5 hp (ele) | Hour | 2.00 | 3.00 | 6.00 | | |
| | Fuel / Energy charges | Hour | 2.00 | 38.50 | 77.00 | | |
| 3 | Sundries | LS | 2.00 | 20.00 | 40.00 | | |
| | Total hire charges of Machinery Rs: | | | | | | |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount | | |
|-------|----------------------------|------|----------|--------|---------|--|--|
| | | | | in Rs. | in Rs | | |
| 1 | Crew for Grout pump | Hour | 8.00 | 244.90 | 1959.20 | | |
| 2 | Crew for Pump | Hour | 2.00 | 77.70 | 155.40 | | |
| 3 | mazdoor (cement handling) | Day | 2.00 | 310.00 | 620.00 | | |
| | Total cost of Labour Rs: 2 | | | | | | |

labour component/unit qty 2604.40
Add contractor's profit and overhead charges 13.615% 354.60
labour component/unit qty (including contractor's profit) 2959.00

ABSTRACT:

 A. Cost of Materials
 Rs: 6767.48

 B. Hire charges of Machinery
 Rs: 630.20

 C. Cost of Labour
 Rs: 2734.60

 Total
 Rs: 10132.28

 D.Add for contractor's profit and overheads on (A+B+C)
 13.615%
 Rs. 1379.51

Lead Charges for 1Km for Cement 1.05 Tonne @ (including

 Loading and Unloading Charges)
 129.70 Rs/Tonne
 136.185

 Total cost for
 1.05
 tonne
 Rs: 11647.98

 Rate per
 tonne
 (A+B+C+D)/1.05
 Rs: 11093.30

IRR-DAW-1-12 (b) Curtain grouting with neat cement grout mix of suitable consistency under specified pressure as directed in drilled holes by stage grouting method including cost of all materials, machinery, labour, redrilling if necessary etc., complete with initial lead upto 1 km and all lifts.

DATA:

RATE ANALYSIS

| A. MAT | ERIALS: | | | 1.05 | tonne |
|--------|----------------------------------|-------|----------|---------|---------|
| SI No | Particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs |
| 1 | Cement | tonne | 1.05 | 6300.00 | 6615.00 |
| 2 | Use rate of 100 m pressure hose | Hour | 8.00 | 23.13 | 185.04 |
| 3 | Use rate of 400 m GI pipe | Hour | 8.00 | 0.72 | 5.76 |
| 4 | Sundries (packer assembly etc) | LS | 3.00 | 20.00 | 60.00 |
| | Total cost of Materials | | | Rs: | 6865.80 |

B. MACHINERY:

| D. WIAC | J. MACHINELY I. | | | | | | |
|---------|-----------------------|------|----------|--------|--------|--|--|
| SI No | Description | Unit | Quantity | Rate | Amount | | |
| | | | | in Rs. | in Rs | | |
| 1 | Grouting equipment | Hour | 8.00 | 24.90 | 199.20 | | |
| | Fuel / Energy charges | Hour | 8.00 | 38.50 | 308.00 | | |
| 2 | Pump 5 hp (ele) | Hour | 2.00 | 3.00 | 6.00 | | |
| | Fuel / Energy charges | Hour | 2.00 | 38.50 | 77.00 | | |

| ĺ | 3 | Sundries | ; | LS | 2.00 | 20.00 | 40.00 |
|---|---|----------|-------------------------------|-----|------|-------|--------|
| | | | Total hire charges of Machine | erv | | Rs: | 630.20 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|-----------------------------|------|----------|--------|---------|
| | | | | in Rs. | in Rs |
| 1 | Crew for Grout pump | Hour | 8.00 | 244.90 | 1959.20 |
| 2 | Crew for Pump | Hour | 2.00 | 77.70 | 155.40 |
| 3 | Pipe fitter | Day | 1.00 | 480.00 | 480.00 |
| 4 | mazdoor (cement handling) | Day | 3.00 | 310.00 | 930.00 |
| | Total cost of Labour | | | Rs: | 3524.60 |

labour component/unit qty 3356.80
Add contractor's profit and overhead charges 13.615% 457.00
labour component/unit qty (including contractor's profit) 3813.80

ABSTRACT:

 A. Cost of Materials
 Rs: 6865.80

 B. Hire charges of Machinery
 Rs: 630.20

 C. Cost of Labour
 Rs: 3524.60

 Total
 Rs: 11020.60

 D.Add for contractor's profit and overheads on (A+B+C)
 13.615%
 Rs. 1500.45

Lead Charges for 1Km for Cement 1.05 Tonne @ (including

 Loading and Unloading Charges)
 129.70 Rs/Tonne
 136.185

 Total cost for Rate per tonne
 1.05 tonne
 Rs: 12657.24

 Rate per tonne
 (A+B+C+D)/1.05
 Rs: 12054.50

IRR-DAW-1-13

Providing and fixing 25 mm dia 3 m long cold twisted deformed steel dowel bars with one end driven into 45 to 50 mm diameter 1.50 m deep hole drilled in bed rock and other end provided with L-bend for embedding in concrete / masonry of over flow / non-over flow blocks and other appertenant works including cost of drilling and cleaning hole, filling hole with cement mortar 1:1 proportion, driving anchor rod, cost of all materials, machinery, labour etc., complete with initial lead upto 1 km and all lifts.

Consider 25 anchor rods for analysis.

DATA:

RATE ANALYSIS

UNIT:

| A. MAT | MATERIALS 25 No | | | | | |
|--------|---------------------------------|------|----------|--------|----------|--|
| SI No | Particulars | Unit | Quantity | Rate | Amount | |
| | | | | in Rs. | in Rs | |
| 1 | Use rate of drill bit 50 mm dia | Rm | 37.50 | 62.50 | 2343.75 | |
| 2 | Use rate of air hose 50 m | Hour | 4.00 | 18.63 | 74.52 | |
| 3 | Anchor rod 25 mm dia | kg | 303.22 | 40.00 | 12128.80 | |
| 4 | Cement | kg | 75.00 | 6.30 | 472.50 | |
| 5 | Sand (screened) | cum | 0.05 | 760.00 | 38.00 | |
| | Total cost of Materials | | | Rs: | 15057.57 | |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|-------------------------------------|------|----------|--------|---------|
| | | | | in Rs. | in Rs |
| 1 | Air compressor 8.5 cmm (ele) | Hour | 4.00 | 170.80 | 683.20 |
| | Fuel / Energy charges | Hour | 4.00 | 433.10 | 1732.40 |
| 2 | Waggon drill | Hour | 4.00 | 188.50 | 754.00 |
| | Fuel / Energy charges | Hour | 4.00 | 0.00 | 0.00 |
| | Total hire charges of Machinery Rs: | | | | |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate in Rs. | Amount in Rs |
|-------|-------------------------|------|----------|----------------|--------------|
| | | | | in Rs. | in RS |
| 1 | Crew for Air compressor | Hour | 4.00 | 153.10 | 612.40 |
| 2 | Crew for Waggon drill | Hour | 4.00 | 265.20 | 1060.80 |
| 3 | Bar bender | Day | 0.50 | 490.00 | 245.00 |
| 4 | Mason CI- II | Day | 0.50 | 370.00 | 185.00 |
| 5 | mazdoor | Day | 1.00 | 310.00 | 310.00 |
| | Total cost of Labour | | | Rs: | 2413.20 |

labour component/unit qty 96.50
Add contractor's profit and overhead charges 13.615% 13.10
labour component/unit qty (including contractor's profit) 109.60

ABSTRACT:

| A. Cost of Materials B. Hire charges of Machinery | | | | Rs: 15057.57 Rs: 3169.60 |
|--|------|---------|---------|------------------------------------|
| C. Cost of Labour | | | Total | Rs: <u>2413.20</u> Rs: 20640.37 |
| | | | rotai | RS: 20040.37 |
| D.Add for contractor's profit and overheads on (A+B+ | C) | | 13.615% | Rs. 2810.19 |
| Lead Charges for 1 Km for FA | 0.05 | cum @ | 31.3 | Rs./Cum 1.565 |
| Lead Charges for 1Km for Cement (including Loadin | g | | | |
| and Unloading Charges) | 0.08 | tonne @ | 129.7 | Rs./Tonne 9.7275 |
| Lead Charges for 1Km for Steel (including Loading | | | | |
| and Unloading Charges) | 0.30 | tonne @ | 151.5 | Rs./Tonne <u>45.93783</u> |
| Total cost for | 25.0 | 0 | Nos. | Rs: 23507.79 |

LINIT

16.00 160.00

Rs: 13867.07

10.00

Rate per Each (A+B+C+D)/25 Rs: 940.30

IRR-DAW-1-14

Providing and fixing 25 mm dia. 2.75 m long ribbed steel anchor rods

with one end split and driven firmly using steel wedge into 1.25 m deep 45 to 50 mm dia. hole drilled in bed rock and other end provided with L- bend for embedding in concrete / masonry for spillway and appurtenant works including drilling and cleaning hole, filling hole with thick cement slurry, driving anchor rod, cost of all materials, machinery, labour, steel wedge etc., complete with initial lead upto 1 km and all lifts.

Consider 25 anchor rods for analysis.

Total cost of Materials

DATA: RATE ANALYSIS

| A. MATERIALS: 25. | | | | | | | |
|-------------------|----------------------------------|------|----------|--------|----------|--|--|
| SI No | Particulars | Unit | Quantity | Rate | Amount | | |
| | | | | in Rs. | in Rs | | |
| 1 | Use rate of 50 mm dia drill bit | Rm | 31.25 | 62.50 | 1953.13 | | |
| 2 | Use rate of air hose 50 m 1 Nos. | Hour | 3.00 | 18.63 | 55.89 | | |
| 3 | Anchor rod 25 mm dia | kg | 277.92 | 40.00 | 11116.80 | | |
| 4 | Cement | kg | 62.50 | 6.30 | 393.75 | | |
| 5 | Gas for splitting anchor rods | LS | 5.00 | 37.50 | 187.50 | | |

B. MACHINERY

| D. INIA | ZIMALIKI. | | | | |
|---------|--------------------------------|------|----------|--------|---------|
| SI No | Description | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs |
| 1 | Air compressor 8.5 cmm (ele) | Hour | 3.00 | 170.80 | 512.40 |
| | Fuel / Energy charges | Hour | 3.00 | 433.10 | 1299.30 |
| 2 | Waggon drill | Hour | 3.00 | 188.50 | 565.50 |
| | Fuel / Energy charges | Hour | 3.00 | 0.00 | 0.00 |
| | Total hire charges of Machin | nerv | | Re: | 2377 20 |

C. LABOUR:

| | | 1 | | | |
|-------|-------------------------|------|----------|--------|---------|
| SI No | Description | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs |
| 1 | Crew for Air compressor | Hour | 3.00 | 153.10 | 459.30 |
| 2 | Crew for Waggon drill | Hour | 3.00 | 265.20 | 795.60 |
| 3 | Bar bender | Day | 0.50 | 490.00 | 245.00 |
| 4 | Mason Cl- II | Day | 0.50 | 370.00 | 185.00 |
| 5 | Gas cutter | Day | 1.00 | 415.00 | 415.00 |
| 6 | mazdoor | Day | 2.00 | 310.00 | 620.00 |
| | Total cost of Labour | | - | Rs: | 2719.90 |

labour component/unit qty 108.80
Add contractor's profit and overhead charges 13.615% 14.80
labour component/unit qty (including contractor's profit) 123.60

ABSTRACT:

 A. Cost of Materials
 Rs: 13867.07

 B. Hire charges of Machinery
 Rs: 2377.20

 C. Cost of Labour
 Rs: 2719.90

 Total
 Rs: 18964.17

 D.Add for contractor's profit and overheads on (A+B+C)
 13.615%
 Rs. 2581.97

Lead Charges for 1Km for Cement (including Loading

and Unloading Charges) 0.06 tonne @ 129.7 Rs./Tonne 8.10625

Lead Charges for 1Km for Steel (including Loading

 and Unloading Charges)
 0.28 tonne @
 151.5 Rs./Tonne
 42.10488

 Total cost for
 25.00
 Nos.
 Rs: 21596.35

 Rate per
 Each
 (A+B+C+D)/25
 Rs: 863.90

IRR-DAW-2 REINFORCEMENT & CEMENT CONCRETE WORKS:

IRR-DAW-2-1A Provid

Providing, fabricating and placing in position reinforcement steel for RCC, below 36 dia rods

overlaps and wastages wherever required, tying with 1.25 mm diameter soft annealed steel wire, including cost of all materials, machinery, labour etc.,

complete with initial lead upto 1 km and all lifts.

overlaps and wastage as per NHAI-data

Lap jointing considered for bars upto 36 mm diameter.

DATA: RATE ANALYSIS

| SI No | Particulars | Unit | Quantity | Rate | Amount |
|-------|-----------------------------|-------|----------|----------|----------|
| | | | | in Rs. | in Rs |
| 1 | Rein.Steel with 5 % wastage | tonne | 1.05 | 40000.00 | 42000.00 |
| 2 | Binding wire 1.25 mm dia | kg | 9.00 | 70.00 | 630.00 |
| | Total cost of Materials | | | Rs: | 42630.00 |

| B. MAC | CHINERY: | | | | |
|--------|-------------|------|----------|------|--------|
| SI No | Description | Unit | Quantity | Rate | Amount |

| | | in Rs. | in Rs |
|------------------------------|-----|--------|-------|
| Total hire charges of Machin | ery | Rs: | 0.00 |

C LABOUR.

| O. LAD | COIL. | | | | |
|--------|----------------------|------|----------|--------|---------|
| SI No | Description | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs |
| 1 | Bar bender | Day | 2.00 | 490.00 | 980.00 |
| 2 | mazdoor | Day | 6.84 | 310.00 | 2120.40 |
| | Total cost of Labour | | • | • | 3100.40 |

labour component/unit qty 3100.40 Add contractor's profit and overhead charges 13.615% 422.10

3522.50 labour component/unit qty (including contractor's profit)

42630.00 A.MATERIAL **B.MACHINERY** 0.00 C. LABOUR 3100.40 Total 45730.40 D.Add for contractor's profit and overheads on A+B+C 13.615% 6226.19

Lead Charges for 1Km for Steel (including Loading

and Unloading Charges) 151.50 Rs/Tonne 159.075 Total cost for 1.00 tonne 52115.67 52115.67

Rate per/ TON.=(A+B+C+D) / I

IRR-DAW-2-1B

Providing, fabricating and placing in position reinforcement steel for RCC above 36 dia with welding and wastage at 2.5%, tying with 1.25 mm diameter soft annealed steel wire, including cost of all materials, machinery, labour etc., complete with initial lead upto 1 km and all lifts.

overlaps and wastage as per NHAI-data welding joints considered for bars above 36 mm diameter.

DATA:

IRR-DAW-2-2

RATE ANALYSIS

UNIT:

| A. MAT | MATERIALS: 1.00 ton | | | | | |
|--------|--|-------|----------|----------|----------|--|
| SI No | Particulars | Unit | Quantity | Rate | Amount | |
| | | | | in Rs. | in Rs | |
| 1 | Rein.Steel with 2.5 % wastage | tonne | 1.025 | 40000.00 | 41000.00 | |
| 3 | Welding electrodes 5 per joint and 14 joints per | One | 70.00 | 11.00 | 770.00 | |
| | Total cost of Materials Per 41 | | | | | |

B. MACHINERY:

| D. IVIA | 71 III 4 E I X I . | | | | |
|---------|------------------------------|------|----------|--------|---------|
| SI No | Description | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs |
| 1 | welding machine | hour | 10.00 | 16.00 | 160.00 |
| | fuel charges | hour | 10.00 | 92.40 | 924.00 |
| | Total hire charges of Machir | nerv | | Rs: | 1084.00 |

C. LABOUR:

| O. LAD | OOK. | | | | |
|--------|----------------------|------|----------|--------|---------|
| SI No | Description | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs |
| 1 | welder | day | 2.50 | 415.00 | 1037.50 |
| 2 | Bar bender | Day | 2.00 | 490.00 | 980.00 |
| 3 | mazdoor | Day | 6.84 | 310.00 | 2120.40 |
| | Total cost of Labour | | | | 4137.90 |

labour component/unit qty 4137.90 Add contractor's profit and overhead charges 13.615% 563.40 labour component/unit qty (including contractor's profit) 4701.30

ABSTRACT:

A. Cost of Materials 41770.00 B. Hire charges of Machinery 1084.00 4137.90 C. Cost of Labour 46991.90 D.Add for contractor's profit and overheads on A+B+C 13.615% 6397.95

Lead Charges for 1Km for Steel (including Loading

and Unloading Charges) 151.50 Rs/Tonne 155.2875 Total cost for 1.00 tonne 53545.14 Rate per/ TON.=(A+B+C+D) / I 53545.14

Providing and laying insitu vibrated M-15 (28 days cube compressive strength not less than 15 N / sq mm) grade cement concrete using 80 mm down size approved, clean, hard, graded aggregates including cost of all materials, machinery, labour, formwork, centering, scaffolding, cleaning, batching, mixing, placing in position, levelling, vibrating, finishing, curing etc.,complete for plain concrete works with initial lead upto 1 km and all lifts. (Cement content : 250 kg /cum with use of super plasticiser equal to 0.4% of cement content, CA: 0.98 cum, Blending Ratio of CA -- 40:30:20:10, FA: 0.35 cum)

RATE ANALYSIS DATA:

UNIT:

| A. MA | TERIALS: | | | 240.00 | cum | | | |
|-------|-------------------------------------|------|----------|---------|-----------|--|--|--|
| SI No | Particulars | Unit | Quantity | Rate | Amount | | | |
| | | | | in Rs. | in Rs | | | |
| 1 | Cement for mix | kg | 60000.00 | 6.30 | 378000.00 | | | |
| | Cement for incidentals @ 3 kg / cum | kg | 720.00 | 6.30 | 4536.00 | | | |
| 2 | Coarse aggregate 80-40 mm | cum | 94.08 | 635.00 | 59740.80 | | | |
| | Coarse aggregate 40-20 mm | cum | 70.56 | 1145.00 | 80791.20 | | | |
| | Coarse aggregate 20-10 mm | cum | 47.04 | 1210.00 | 56918.40 | | | |
| | Coarse aggregate 10 mm below | cum | 23.52 | 875.00 | 20580.00 | | | |
| 3 | Fine aggregate (Un-screened) | cum | 84.00 | 560.00 | 47040.00 | | | |
| 4 | Super Plasticizer or AEA | kg | 240.00 | 95.00 | 22800.00 | | | |
| 5 | Use rate of shuttering | sqm | 120.00 | 326.08 | 39129.60 | | | |
| | Total cost of Materials Rs: 7 | | | | | | | |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|-----------------------------------|-----------|----------|--------|----------|
| | - | | - | in Rs. | in Rs |
| 1 | Batching plant | Hour | 8.00 | 518.10 | 4144.80 |
| | Fuel / Energy charges | Hour | 8.00 | 423.40 | 3387.20 |
| 2 | Air compressor 7 cmm (ele) | Hour | 8.00 | 131.90 | 1055.20 |
| | Fuel / Energy charges | Hour | 8.00 | 346.40 | 2771.20 |
| 3 | Tipper | Hour | 32.00 | 446.70 | 14294.40 |
| | Fuel / Energy charges | Hour | 32.00 | 307.20 | 9830.40 |
| 4 | Tower crane 5 t | Hour | 16.00 | 867.10 | 13873.60 |
| | Fuel / Energy charges | Hour | 16.00 | 200.20 | 3203.20 |
| 5 | Concrete bucket | Hour | 40.00 | 15.80 | 632.00 |
| | Fuel / Energy charges | Hour | 40.00 | 0.00 | 0.00 |
| 6 | 10 hp pump (ele) | Hour | 8.00 | 6.70 | 53.60 |
| | Fuel / Energy charges | Hour | 8.00 | 77.00 | 616.00 |
| 7 | Needle vibrator 60 mm dia (ele) | Hour | 16.00 | 9.70 | 155.20 |
| | Fuel / Energy charges | Hour | 16.00 | 11.50 | 184.00 |
| 8 | Sundries | LS | 10.00 | 20.00 | 200.00 |
| | Total hire charges of I | Machinery | | Rs: | 54400.80 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|---------------------------------|------|----------|--------|----------|
| | • | | • | in Rs. | in Rs |
| 1 | Crew for Batching plant | Hour | 8.00 | 318.20 | 2545.60 |
| 2 | Crew for Air compressor | Hour | 8.00 | 153.10 | 1224.80 |
| 3 | Crew for Tipper (4) | Hour | 32.00 | 165.80 | 5305.60 |
| 4 | Crew for Tower crane (2) | Hour | 16.00 | 176.80 | 2828.80 |
| 5 | Crew for Pump | Hour | 8.00 | 77.70 | 621.60 |
| 6 | Crew for Needle vibrator (2) | Hour | 16.00 | 146.90 | 2350.40 |
| 7 | Mason Class-I | Day | 4.00 | 415.00 | 1660.00 |
| 8 | Foreman | Day | 2.00 | 480.00 | 960.00 |
| 9 | mazdoor | | | | |
| | for silo (cement handling) | Day | 2.00 | 310.00 | 620.00 |
| | for batching plant | Day | 2.00 | 310.00 | 620.00 |
| | for conveyor system | Day | 2.00 | 310.00 | 620.00 |
| | for laying & vibrating | Day | 6.00 | 310.00 | 1860.00 |
| | for cleaning / washing / curing | Day | 2.00 | 310.00 | 620.00 |
| 10 | Labour cost for shuttering | sqm | 120.00 | 119.70 | 14364.00 |
| - | Total cost of Labour | | | Rs: | 36200.80 |

labour component/unit qty 150.80 Add contractor's profit and overhead charges labour component/unit qty (including contractor's profit) 13.615% 20.50 171.30

| ABSTRACT: | | | | | | | |
|-----------------------|------------------------------------|------------|---------|---------|-----------------|-----|------------|
| A. Cost of Materials | | | | | | Rs: | 709536.00 |
| B. Hire charges of N | /lachinery | | | | | Rs: | 54400.80 |
| C. Cost of Labour | | | | | | Rs: | 36200.80 |
| | | | | Total | | Rs: | 800137.60 |
| Add for conveyor sy | stem @ | | | 3.00% | | | 24004.13 |
| Add for electric sub- | station/ Demand charges @ | | | 2.5% | | | 20003.44 |
| Add for trestle bridg | e for tower crane track @ | | | 4.0% | | | 32005.50 |
| | | | | Total | | Rs: | 876150.67 |
| D.Add for contractor | r's profit and overheads on (A+B+C | :) | | 13.615% | | Rs. | 119287.91 |
| Lead Charges for 1 | Km for FA | 84.00 | cum @ | | 31.3 Rs./Cum | | 2629.2 |
| Lead Charges for 1 | Km for CA | 235.20 | cum @ | | 30.2 Rs./Cum | | 7103.04 |
| Lead Charges for 11 | Km for Cement (including Loading | | | | | | |
| and Unloading Char | rges) | 60.72 | tonne @ | | 129.7 Rs./Tonne | | 7875.384 |
| Total cost for | | 240.00 |) | cum | | Rs: | 1013046.20 |
| Rate per | cum | (A+B+C- | +D)/240 | | | Rs: | 4221.00 |
| | | | | | | | |

IRR-DAW-2-2A New Item1-2010-11

Providing and laying insitu vibrated M-20 (28 days cube compressive strength not less than 20 N $\!/$ sq mm) grade cement concrete using 80 mm down size approved, clean, hard, graded aggregates including cost of all materials, machinery, labour, formwork, centering, scaffolding, cleaning, batching, mixing, placing in position, levelling, vibrating, finishing, curing etc.,complete for plain concrete works with initial lead upto 1 km and all lifts. (Cement content : 300 kg /cum with use of

0.4% of cement content super plasticiser , CA : 0.90 cum, Blending Ratio of CA -- 40:30:20:10, FA : 0.40 cum)

DATA: RATE ANALYSIS

| | | | | UNIT: | |
|--------|-------------------------------------|------|----------|---------|-----------|
| A. MAT | TERIALS: | | | 240.00 | cum |
| SI No | Particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs |
| 1 | Cement for mix | kg | 72000.00 | 6.30 | 453600.00 |
| | Cement for incidentals @ 3 kg / cum | kg | 720.00 | 6.30 | 4536.00 |
| 2 | Coarse aggregate 80-40 mm | cum | 86.40 | 635.00 | 54864.00 |
| | Coarse aggregate 40-20 mm | cum | 64.80 | 1145.00 | 74196.00 |
| | Coarse aggregate 20-10 mm | cum | 43.20 | 1210.00 | 52272.00 |
| | Coarse aggregate 10 mm below | cum | 21.60 | 875.00 | 18900.00 |
| 3 | Fine aggregate (Un-Screened) | cum | 96.00 | 560.00 | 53760.00 |
| 4 | Super Plasticizer or AEA | kg | 288.00 | 95.00 | 27360.00 |
| 5 | Use rate of shuttering | sqm | 120.00 | 326.08 | 39129.60 |
| | Total cost of Materials | | | Rs: | 778617.60 |

| В. | MACI | HINI | ERY: |
|----|------|------|------|
|----|------|------|------|

| SI No | Description | Unit | Quantity | Rate | Amount | | |
|-------|-------------------------------------|------|----------|--------|----------|--|--|
| | · | | • | in Rs. | in Rs | | |
| 1 | Batching plant | Hour | 8.00 | 518.10 | 4144.80 | | |
| | Fuel / Energy charges | Hour | 8.00 | 423.40 | 3387.20 | | |
| 2 | Air compressor 7 cmm (ele) | Hour | 8.00 | 131.90 | 1055.20 | | |
| | Fuel / Energy charges | Hour | 8.00 | 346.40 | 2771.20 | | |
| 3 | Tipper | Hour | 32.00 | 446.70 | 14294.40 | | |
| | Fuel / Energy charges | Hour | 32.00 | 307.20 | 9830.40 | | |
| 4 | Tower crane 5 t | Hour | 16.00 | 867.10 | 13873.60 | | |
| | Fuel / Energy charges | Hour | 16.00 | 200.20 | 3203.20 | | |
| 5 | Concrete bucket | Hour | 40.00 | 15.80 | 632.00 | | |
| | Fuel / Energy charges | Hour | 40.00 | 0.00 | 0.00 | | |
| 6 | 10 hp pump (ele) | Hour | 8.00 | 6.70 | 53.60 | | |
| | Fuel / Energy charges | Hour | 8.00 | 77.00 | 616.00 | | |
| 7 | Needle vibrator 60 mm dia (ele) | Hour | 16.00 | 9.70 | 155.20 | | |
| | Fuel / Energy charges | Hour | 16.00 | 11.50 | 184.00 | | |
| 8 | Sundries | LS | 10.00 | 20.00 | 200.00 | | |
| | Total hire charges of Machinery Rs: | | | | | | |

C. LABOUR:

| C. LAD | OUIV. | | | | |
|--------|---------------------------------|------|----------|--------|----------|
| SI No | Description | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs |
| 1 | Crew for Batching plant | Hour | 8.00 | 318.20 | 2545.60 |
| 2 | Crew for Air compressor | Hour | 8.00 | 153.10 | 1224.80 |
| 3 | Crew for Tipper (4) | Hour | 32.00 | 165.80 | 5305.60 |
| 4 | Crew for Tower crane (2) | Hour | 16.00 | 176.80 | 2828.80 |
| 5 | Crew for Pump | Hour | 8.00 | 77.70 | 621.60 |
| 6 | Crew for Needle vibrator (2) | Hour | 16.00 | 146.90 | 2350.40 |
| 7 | Mason Class-I | Day | 4.00 | 415.00 | 1660.00 |
| 8 | Foreman | Day | 2.00 | 480.00 | 960.00 |
| 9 | mazdoor | · | | | |
| | for silo (cement handling) | Day | 2.00 | 310.00 | 620.00 |
| | for batching plant | Day | 2.00 | 310.00 | 620.00 |
| | for conveyor system | Day | 2.00 | 310.00 | 620.00 |
| | for laying & vibrating | Day | 6.00 | 310.00 | 1860.00 |
| | for cleaning / washing / curing | Day | 2.00 | 310.00 | 620.00 |
| 10 | Labour cost for shuttering | sqm | 120.00 | 119.70 | 14364.00 |
| | Total cost of Labour | | | Rs: | 36200.80 |

labour component/unit qty 150.80
Add contractor's profit and overhead charges 13.615% 20.50
labour component/unit qty (including contractor's profit) 171.30

ABSTRACT:

| A. Cost of Materials | | | | | | 778617.60 |
|--|--------|---------|---------|-----------------|-----|------------|
| B. Hire charges of Machinery | | | | | Rs: | 54400.80 |
| C. Cost of Labour | | | | | Rs: | 36200.80 |
| | | | Total | | Rs: | 869219.20 |
| Add for conveyor system @ | | | 3.00% | | | 26076.58 |
| Add for electric sub-station/ Demand charges @ | | | 2.5% | | | 21730.48 |
| Add for trestle bridge for tower crane track @ | | | 4.0% | | | 34768.77 |
| | | | Total | | Rs: | 951795.03 |
| D.Add for contractor's profit and overheads on (A+B+ | C) | | 13.615% | | Rs. | 129586.89 |
| Lead Charges for 1 Km for FA | 96.00 | cum @ | | 31.3 Rs./Cum | | 3004.8 |
| Lead Charges for 1 Km for CA | 216.00 | cum @ | | 30.2 Rs./Cum | | 6523.20 |
| Lead Charges for 1Km for Cement (including Loadin | g | | | | | |
| and Unloading Charges) | 72.72 | tonne @ | | 129.7 Rs./Tonne |) | 9431.784 |
| Total cost for | 240.0 | 0 | cum | | Rs: | 1100341.70 |
| Rate per cum | (A+B+C | +D)/240 | | | Rs: | 4584.80 |

IRR-DAW-2-3 Providing and laying insitu vibrated M-10 (28 days cube compressive

strength not less than 10 N / sq mm) grade cement concrete using $80\ mm$ down size approved, clean, hard, graded aggregates including cost of all materials, machinery, labour, formwork, centering, scaffolding, cleaning, batching, mixing, placing in position, levelling, vibrating, finishing, curing etc.,complete for plain concrete works with initial lead upto 1 km and all lifts. (Cement content: 220 kg/cum with use of super plasticiser, CA: 0.98 cum, Blending Ratio of CA --40:30:20:10, FA: 0.37 cum)

DATA: RATE ANALYSIS

| 1011-101-101 | | | | | | | | |
|---|-------------------------------------|------|----------|---------|-----------|--|--|--|
| A. MAT | UNIT: A. MATERIALS: 240.00 ci | | | | | | | |
| SI No | Particulars | Unit | Quantity | Rate | Amount | | | |
| | | | • | in Rs. | in Rs | | | |
| 1 | Cement for mix | kg | 52800 | 6.30 | 332640.00 | | | |
| | Cement for incidentals @ 3 kg / cum | kg | 720.00 | 6.30 | 4536.00 | | | |
| 2 | Coarse aggregate 80-40 mm | cum | 94.08 | 635.00 | 59740.80 | | | |
| | Coarse aggregate 40-20 mm | cum | 70.56 | 1145.00 | 80791.20 | | | |
| | Coarse aggregate 20-10 mm | cum | 47.04 | 1210.00 | 56918.40 | | | |
| | Coarse aggregate 10 mm below | cum | 23.52 | 875.00 | 20580.00 | | | |
| 3 | Fine aggregate (Un-Screened) | cum | 88.8 | 560.00 | 49728.00 | | | |
| 4 | Super Plasticizer or AEA | kg | 211.20 | 95.00 | 20064.00 | | | |
| 5 | Use rate of shuttering | sqm | 120.00 | 326.08 | 39129.60 | | | |
| | Total cost of Materials | | | Rs: | 664128.00 | | | |

| B. MACHINERY |
|--------------|
|--------------|

| B. MACHINERT: | | | | | | | | |
|---------------|-----------------------------------|------------|----------|--------|----------|--|--|--|
| SI No | Description | Unit | Quantity | Rate | Amount | | | |
| | | | | in Rs. | in Rs | | | |
| 1 | Batching plant 2 x 1.5 cum | Hour | 8.00 | 518.10 | 4144.80 | | | |
| | Fuel / Energy charges | Hour | 8.00 | 423.40 | 3387.20 | | | |
| 2 | Air compressor 7 cmm (ele) | Hour | 8.00 | 131.90 | 1055.20 | | | |
| | Fuel / Energy charges | Hour | 8.00 | 346.40 | 2771.20 | | | |
| 3 | Tipper | Hour | 32.00 | 446.70 | 14294.40 | | | |
| | Fuel / Energy charges | Hour | 32.00 | 307.20 | 9830.40 | | | |
| 4 | Tower crane 5 t | Hour | 16.00 | 867.10 | 13873.60 | | | |
| | Fuel / Energy charges | Hour | 16.00 | 200.20 | 3203.20 | | | |
| 5 | Concrete bucket | Hour | 40.00 | 15.80 | 632.00 | | | |
| | Fuel / Energy charges | Hour | 40.00 | 0.00 | 0.00 | | | |
| 6 | 10 hp pump (ele) | Hour | 8.00 | 6.70 | 53.60 | | | |
| | Fuel / Energy charges | Hour | 8.00 | 77.00 | 616.00 | | | |
| 7 | Needle vibrator 60 mm dia (ele) | Hour | 16.00 | 9.70 | 155.20 | | | |
| | Fuel / Energy charges | Hour | 16.00 | 11.50 | 184.00 | | | |
| 8 | Sundries | LS | 10.00 | 20.00 | 200.00 | | | |
| | Total hire charges of N | //achinery | | Rs: | 54400.80 | | | |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|---------------------------------|------|----------|--------|----------|
| | • | | ŕ | in Rs. | in Rs |
| 1 | Crew for Batching plant | Hour | 8.00 | 318.20 | 2545.60 |
| 2 | Crew for Air compressor | Hour | 8.00 | 153.10 | 1224.80 |
| 3 | Crew for Tipper (4) | Hour | 32.00 | 165.80 | 5305.60 |
| 4 | Crew for Tower crane (2) | Hour | 16.00 | 176.80 | 2828.80 |
| 5 | Crew for Pump | Hour | 8.00 | 77.70 | 621.60 |
| 6 | Crew for Needle vibrator (2) | Hour | 16.00 | 146.90 | 2350.40 |
| 7 | Mason Class-I | Day | 4.00 | 415.00 | 1660.00 |
| 8 | Foreman | Day | 2.00 | 480.00 | 960.00 |
| 9 | mazdoor | | | | |
| | for silo (cement handling) | Day | 2.00 | 310.00 | 620.00 |
| | for batching plant | Day | 2.00 | 310.00 | 620.00 |
| | for conveyor system | Day | 2.00 | 310.00 | 620.00 |
| | for laying & vibrating | Day | 6.00 | 310.00 | 1860.00 |
| | for cleaning / washing / curing | Day | 2.00 | 310.00 | 620.00 |
| 10 | Labour cost for shuttering | sqm | 120.00 | 119.70 | 14364.00 |
| | Total cost of Labour | | | Rs: | 36200.80 |

labour component/unit qty
Add contractor's profit and overhead charges
labour component/unit qty (including contractor's profit) 150.80 13.615% 20.50 171.30

| ABSTRACT: | | | | | | |
|--|----------|-------|---------|--------------|-----|-----------|
| A. Cost of Materials | | | Rs: | | | 664128.00 |
| B. Hire charges of Machinery | | | Rs: | | | 54400.80 |
| C. Cost of Labour | | | Rs: | | | 36200.80 |
| | | | Total | | Rs: | 754729.60 |
| Add for conveyor system @ | | | 3.00% | | | 22641.89 |
| Add for electric sub-station/ Demand charges @ | | | 2.5% | | | 18868.24 |
| Add for trestle bridge for tower crane track @ | | | 4.0% | | | 30189.18 |
| | | | Total | | Rs: | 826428.91 |
| D.Add for contractor's profit and overheads on (A+B+ | -C+other | | 13.615% | | Rs. | 112518.3 |
| Lead Charges for 1 Km for FA | 88.80 | cum @ | | 31.3 Rs./Cum | | 2779.44 |
| Lead Charges for 1 Km for CA | 235 20 | cum @ | | 30.2 Rs /Cum | | 7103 04 |

UNIT:

Lead Charges for 1Km for Cement (including Loading

 and Unloading Charges)
 53.52
 tonne @
 129.7 Rs./Tonne
 6941.544

 Total cost for
 240.00
 cum
 Rs:
 955771.23

 Rate per
 cum
 (A+B+C+D)/240
 Rs:
 3982.40

IRR-DAW-2-4

Providing and laying insitu vibrated M-20 (28 days cube compressive strength not less than 20 N / sq mm) grade cement concrete using 40 mm down size approved, clean, hard, graded aggregates including cost of all materials, machinery, labour, formwork, centering, scaffolding, cleaning, batching, mixing, placing in position, levelling, vibrating, finishing, curing etc.,complete for RCC works of gallery, sluice, spillway crest, spillway d / s face, energy dissipating structures, training walls, piers, abutments and such other locations with initial lead upto 1 km and all lifts.

(Cement content : 310 kg / cum with use of super plasticiser, CA : 0.90 cum, blending ratio of CA--50:30:20, FA : 0.40 cum)

DATA:

RATE ANALYSIS

A. MATERIALS: 240.00 cum Rate SI No Particulars Unit Quantity Amount in Rs. in Rs Cement for mix kg 74400 6.30 468720.00 6.30 4536.00 1145.00 123660.00 kg 720.00 2 Cement for incidentals @ 3 kg / cum Coarse aggregate 40-20 mm cum 108 Coarse aggregate 20-10 mm 64.8 1210.00 78408.00 cum Coarse aggregate 10 mm below 875.00 37800.00 cum 43.2 3 Fine aggregate (Un-Screened) cum 96 560.00 53760.00 4 Super Plasticizer or AEA kg 297.60 95.00 28272.00 5 Use rate of shuttering sqm 360.00 326.08 117388.80 6 Scaffolding of shuttering @ 17608.32 Total cost of Materials Rs: **930153.12**

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|-----------------------------------|------|----------|--------|----------|
| | • | | • | in Rs. | in Rs |
| 1 | Batching plant 2 x 1.5 cum | Hour | 8.00 | 518.10 | 4144.80 |
| | Fuel / Energy charges | Hour | 8.00 | 423.40 | 3387.20 |
| 2 | Air compressor 7 cmm (ele) | Hour | 8.00 | 131.90 | 1055.20 |
| | Fuel / Energy charges | Hour | 8.00 | 346.40 | 2771.20 |
| 3 | Tipper | Hour | 32.00 | 446.70 | 14294.40 |
| | Fuel / Energy charges | Hour | 32.00 | 307.20 | 9830.40 |
| 4 | Tower crane 5 t | Hour | 16.00 | 867.10 | 13873.60 |
| | Fuel / Energy charges | Hour | 16.00 | 200.20 | 3203.20 |
| 5 | Concrete bucket | Hour | 40.00 | 15.80 | 632.00 |
| | Fuel / Energy charges | Hour | 40.00 | 0.00 | 0.00 |
| 6 | 10 hp pump (ele) | Hour | 8.00 | 6.70 | 53.60 |
| | Fuel / Energy charges | Hour | 8.00 | 77.00 | 616.00 |
| 7 | Needle vibrator 60 mm dia (ele) | Hour | 16.00 | 9.70 | 155.20 |
| | Fuel / Energy charges | Hour | 16.00 | 11.50 | 184.00 |
| 8 | Sundries | LS | 10.00 | 20.00 | 200.00 |
| | Total hire charges of Machinery | | • | Rs: | 54400.80 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount | | | | |
|-------|---------------------------------|------|----------|--------|----------|--|--|--|--|
| | - | | · | in Rs. | in Rs | | | | |
| 1 | Crew for Batching plant | Hour | 8.00 | 318.20 | 2545.60 | | | | |
| 2 | Crew for Air compressor | Hour | 8.00 | 153.10 | 1224.80 | | | | |
| 3 | Crew for Tipper (4) | Hour | 32.00 | 165.80 | 5305.60 | | | | |
| 4 | Crew for Tower crane (2) | Hour | 16.00 | 176.80 | 2828.80 | | | | |
| 5 | Crew for Pump | Hour | 8.00 | 77.70 | 621.60 | | | | |
| 6 | Crew for Needle vibrator (2) | Hour | 16.00 | 146.90 | 2350.40 | | | | |
| 7 | Mason Class-I | Day | 4.00 | 415.00 | 1660.00 | | | | |
| 8 | Foreman | Day | 2.00 | 480.00 | 960.00 | | | | |
| 9 | mazdoor | | | | 0.00 | | | | |
| | for silo (cement handling) | Day | 2.00 | 310.00 | 620.00 | | | | |
| | for batching plant | Day | 2.00 | 310.00 | 620.00 | | | | |
| | for conveyor system | Day | 2.00 | 310.00 | 620.00 | | | | |
| | for laying & vibrating | Day | 6.00 | 310.00 | 1860.00 | | | | |
| | for cleaning / washing / curing | Day | 2.00 | 310.00 | 620.00 | | | | |
| 10 | Labour cost for shuttering | sqm | 360.00 | 119.70 | 43092.00 | | | | |
| 11 | Labour cost for scaffolding @ | 15% | | | 6463.80 | | | | |
| | Total cost of Labour Rs: | | | | | | | | |

labour component/unit qty 297.50
Add contractor's profit and overhead charges 13.615% 40.50
labour component/unit qty (including contractor's profit) 338.00

ABSTRACT:

A. Cost of Materials
B. Hire charges of Machinery
C. Cost of Labour

Rs: 930153.12 Rs: 54400.80 Rs: 71392.60

| | | | Total | | Rs: | 1055946.52 |
|--|---------|---------|---------|-----------------|-----|------------|
| Add for aggregate conveyor system @ | | | 3.0% | | | 31678.40 |
| Add for electric sub-station / Demand charges @ | | | 2.50% | | | 26398.66 |
| Add for trestle bridge for tower crane track @ | | | 4.0% | | | 42237.86 |
| | | | Total | | Rs: | 1156261.44 |
| D.Add for contractor's profit and overheads on (A+B+ | C+other | | 13.615% | | Rs. | 157425 |
| Lead Charges for 1 Km for FA | 96.00 | cum @ | | 31.3 Rs./Cum | | 3004.8 |
| Lead Charges for 1 Km for CA | 216.00 | cum @ | | 30.2 Rs./Cum | | 6523.20 |
| Lead Charges for 1Km for Cement (including Loadin | g | | | | | |
| and Unloading Charges) | 75.12 | tonne @ | | 129.7 Rs./Tonne | | 9743.064 |
| Total cost for | 240.0 | 0 | cum | | Rs: | 1332957.50 |
| Rate per cum | (A+B+C | +D)/240 | | | Rs: | 5554.00 |

IRR-DAW-2-4A new Item2-2010-11 Providing and laying insitu vibrated M-25 (28 days cube compressive strength not less than 25 N / sq mm) grade cement concrete using 40 mm down size approved, clean, hard, graded aggregates including cost of all materials, machinery, labour, formwork, centering, scaffolding, cleaning, batching, mixing, placing in position, levelling, vibrating, finishing, curing etc.,complete for RCC works of gallery, sluice, spillway crest, spillway d / s face, energy dissipating structures, training walls, piers, abutments and such other locations with initial lead upto 1 km and all lifts.

(Cement content : 360 kg / cum with use of super plasticiser, CA : 0.90 cum, blending ratio of CA-50:30:20, FA : 0.40 cum)

DATA:

RATE ANALYSIS

UNIT:

| A. MA | ΓERIALS: | | | 240.00 | cum |
|-------|-------------------------------------|------|----------|---------|------------|
| SI No | Particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs |
| 1 | Cement for mix | kg | 86400 | 6.30 | 544320.00 |
| 2 | Cement for incidentals @ 3 kg / cum | kg | 720.00 | 6.30 | 4536.00 |
| | Coarse aggregate 40-20 mm | cum | 108 | 1145.00 | 123660.00 |
| | Coarse aggregate 20-10 mm | cum | 64.8 | 1210.00 | 78408.00 |
| | Coarse aggregate 10 mm below | cum | 43.2 | 875.00 | 37800.00 |
| 3 | Fine aggregate (Un-Screened) | cum | 96 | 560.00 | 53760.00 |
| 4 | Super Plasticizer or AEA | kg | 345.60 | 95.00 | 32832.00 |
| 5 | Use rate of shuttering | sqm | 360.00 | 326.08 | 117388.80 |
| 6 | Scaffolding of shuttering @ | 15% | | | 17608.32 |
| | Total cost of Materials | | | Rs: | 1010313.12 |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|-----------------------------------|------|----------|--------|----------|
| | | | | in Rs. | in Rs |
| 1 | Batching plant 2 x 1.5 cum | Hour | 8.00 | 518.10 | 4144.80 |
| | Fuel / Energy charges | Hour | 8.00 | | 3387.20 |
| 2 | Air compressor 7 cmm (ele) | Hour | 8.00 | 131.90 | 1055.20 |
| | Fuel / Energy charges | Hour | 8.00 | 346.40 | 2771.20 |
| 3 | Tipper | Hour | 32.00 | 446.70 | 14294.40 |
| | Fuel / Energy charges | Hour | 32.00 | 307.20 | 9830.40 |
| 4 | Tower crane 5 t | Hour | 16.00 | 867.10 | 13873.60 |
| | Fuel / Energy charges | Hour | 16.00 | 200.20 | 3203.20 |
| 5 | Concrete bucket | Hour | 40.00 | 15.80 | 632.00 |
| | Fuel / Energy charges | Hour | 40.00 | 0.00 | 0.00 |
| 6 | 10 hp pump (ele) | Hour | 8.00 | 6.70 | 53.60 |
| | Fuel / Energy charges | Hour | 8.00 | 77.00 | 616.00 |
| 7 | Needle vibrator 60 mm dia (ele) | Hour | 16.00 | 9.70 | 155.20 |
| | Fuel / Energy charges | Hour | 16.00 | 11.50 | 184.00 |
| 8 | Sundries | LS | 10.00 | 20.00 | 200.00 |
| | Total hire charges of Machinery | | | Rs: | 54400.80 |

C. LABOUR:

| C. EADOUN. | | | | | | | |
|---------------------------------|--|---|--|--|--|--|--|
| Description | Unit | Quantity | Rate | Amount | | | |
| | | | in Rs. | in Rs | | | |
| Crew for Batching plant | Hour | 8.00 | 318.20 | 2545.60 | | | |
| Crew for Air compressor | Hour | 8.00 | 153.10 | 1224.80 | | | |
| Crew for Tipper (4) | Hour | 32.00 | 165.80 | 5305.60 | | | |
| Crew for Tower crane (2) | Hour | 16.00 | 176.80 | 2828.80 | | | |
| Crew for Pump | Hour | 8.00 | 77.70 | 621.60 | | | |
| Crew for Needle vibrator (2) | Hour | 16.00 | 146.90 | 2350.40 | | | |
| Mason Class-I | Day | 4.00 | 415.00 | 1660.00 | | | |
| Foreman | Day | 2.00 | 480.00 | 960.00 | | | |
| mazdoor | | | | 0.00 | | | |
| for silo (cement handling) | Day | 2.00 | 310.00 | 620.00 | | | |
| for batching plant | Day | 2.00 | 310.00 | 620.00 | | | |
| for conveyor system | Day | 2.00 | 310.00 | 620.00 | | | |
| for laying & vibrating | Day | 6.00 | 310.00 | 1860.00 | | | |
| for cleaning / washing / curing | Day | 2.00 | 310.00 | 620.00 | | | |
| Labour cost for shuttering | sqm | 360.00 | 119.70 | 43092.00 | | | |
| Labour cost for scaffolding @ | 15% | | | 6463.80 | | | |
| Total cost of Labour | | | Rs: | 71392.60 | | | |
| | Description Crew for Batching plant Crew for Air compressor Crew for Tipper (4) Crew for Tower crane (2) Crew for Pump Crew for Needle vibrator (2) Mason Class-I Foreman mazdoor for silo (cement handling) for batching plant for conveyor system for laying & vibrating for cleaning / washing / curing Labour cost for shuttering Labour cost for scaffolding @ | Description Unit Crew for Batching plant Crew for Air compressor Crew for Tipper (4) Crew for Tower crane (2) Hour Crew for Pump Hour Crew for Needle vibrator (2) Hour Mason Class-I Foreman Day mazdoor for silo (cement handling) for batching plant for conveyor system Day for laying & vibrating for cleaning / washing / curing Labour cost for scaffolding @ 15% | Description Unit Quantity Crew for Batching plant Hour 8.00 Crew for Air compressor Hour 8.00 Crew for Tipper (4) Hour 32.00 Crew for Tower crane (2) Hour 16.00 Crew for Pump Hour 16.00 Mason Class-I Day 4.00 Foreman Day 2.00 mazdoor for silo (cement handling) Day 2.00 for silo (cement handling) Day 2.00 for batching plant Day 2.00 for laying & vibrating Day 6.00 for cleaning / washing / curing Day 2.00 Labour cost for shuttering sqm 360.00 Labour cost for scaffolding @ 15% | Description Unit Quantity Rate in Rs. Crew for Batching plant Hour 8.00 318.20 Crew for Air compressor Hour 8.00 153.10 Crew for Tipper (4) Hour 32.00 165.80 Crew for Tower crane (2) Hour 16.00 176.80 Crew for Pump Hour 8.00 77.70 Crew for Needle vibrator (2) Hour 16.00 146.90 Mason Class-I Day 4.00 415.00 Foreman Day 2.00 480.00 mazdoor for silo (cement handling) Day 2.00 310.00 for stoling plant Day 2.00 310.00 for laying & vibrating Day 2.00 310.00 for cleaning / washing / curing Day 2.00 310.00 Labour cost for shuttering Sqm 360.00 119.70 Labour cost for scaffolding @ 15% 15% | | | |

labour component/unit qty

297.50

Add contractor's profit and overhead charges 13.615% 40.50 labour component/unit qty (including contractor's profit) 338.00

ABSTRACT:

A. Cost of Materials Rs: 1010313.12 B. Hire charges of Machinery Rs: 54400.80 Rs: <u>71392.60</u> C. Cost of Labour Total Rs: 1136106.52 Add for aggregate conveyor system @ 3.0% 34083.20 Add for electric sub-station / Demand charges @ 2.50% 28402.66 Add for trestle bridge for tower crane track @ 4.0% 45444.26 Total Rs: 1244036.64 D.Add for contractor's profit and overheads on (A+B+C+other Rs. 169375.59 13.615%

 Lead Charges for 1 Km for FA
 96.00 cum @
 31.3 Rs./Cum
 3004.8

 Lead Charges for 1 Km for CA
 216.00 cum @
 30.2 Rs./Cum
 6523.20

Lead Charges for 1Km for Cement (including Loading

 and Unloading Charges)
 87.12
 tonne @
 129.7 Rs./Tonne
 11299.464

 Total cost for
 240.00
 cum
 Rs: 1434239.69

 Rate per
 cum
 (A+B+C+D)/240
 Rs: 5976.00

Dunis

Providing and laying insitu vibrated M-25 (28 days cube compressive strength not less than 25 N / sq mm) grade cement concrete using 20 mm down size approved, clean, hard, graded aggregates including cost of all materials, machinery, labour, formwork, centering, scaffolding, cleaning, batching, mixing, placing in position, levelling, vibrating, finishing, curing etc.,complete for RCC works of gallery, sluice, spillway crest, spillway d / s face, energy dissipating structures, training walls, piers, abutments and such other locations with initial lead upto 1 km and all lifts.

(Cement content : 380 kg / cum with use of super plasticiser, CA : 0.90 cum, blending ratio of CA--65:35, FA : 0.40 cum)

DATA:

IRR-DAW-2-4B

new Item3-2010-11

RATE ANALYSIS

| A. MATERIALS: UNIT: 240.00 cun | | | | | | | | | |
|--------------------------------|-------------------------------------|------|----------|---------|------------|--|--|--|--|
| SI No | Particulars | Unit | Quantity | Rate | Amount | | | | |
| | | | | in Rs. | in Rs | | | | |
| 1 | Cement for mix | kg | 91200 | 6.30 | 574560.00 | | | | |
| 2 | Cement for incidentals @ 3 kg / cum | kg | 720.00 | 6.30 | 4536.00 | | | | |
| | Coarse aggregate 20-10 mm | cum | 140.4 | 1210.00 | 169884.00 | | | | |
| | Coarse aggregate 10 mm below | cum | 75.6 | 875.00 | 66150.00 | | | | |
| 3 | Fine aggregate (Un-Screened) | cum | 96 | 560.00 | 53760.00 | | | | |
| 4 | Super Plasticizer or AEA | kg | 364.80 | 95.00 | 34656.00 | | | | |
| 5 | Use rate of shuttering | sqm | 360.00 | 326.08 | 117388.80 | | | | |
| 6 | Scaffolding of shuttering @ | 15% | | | 17608.32 | | | | |
| | Total cost of Materials | | | Rs: | 1038543.12 | | | | |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|-----------------------------------|------|----------|--------|----------|
| | • | | Ţ | in Rs. | in Rs |
| 1 | Batching plant 2 x 1.5 cum | Hour | 8.00 | 518.10 | 4144.80 |
| | Fuel / Energy charges | Hour | 8.00 | 423.40 | 3387.20 |
| 2 | Air compressor 7 cmm (ele) | Hour | 8.00 | 131.90 | 1055.20 |
| | Fuel / Energy charges | Hour | 8.00 | 346.40 | 2771.20 |
| 3 | Tipper | Hour | 32.00 | 446.70 | 14294.40 |
| | Fuel / Energy charges | Hour | 32.00 | 307.20 | 9830.40 |
| 4 | Tower crane 5 t | Hour | 16.00 | 867.10 | 13873.60 |
| | Fuel / Energy charges | Hour | 16.00 | 200.20 | 3203.20 |
| 5 | Concrete bucket | Hour | 40.00 | 15.80 | 632.00 |
| | Fuel / Energy charges | Hour | 40.00 | 0.00 | 0.00 |
| 6 | 10 hp pump (ele) | Hour | 8.00 | 6.70 | 53.60 |
| | Fuel / Energy charges | Hour | 8.00 | 77.00 | 616.00 |
| 7 | Needle vibrator 60 mm dia (ele) | Hour | 16.00 | 9.70 | 155.20 |
| | Fuel / Energy charges | Hour | 16.00 | 11.50 | 184.00 |
| 8 | Sundries | LS | 10.00 | 20.00 | 200.00 |
| | Total hire charges of Machinery | | | Rs: | 54400.80 |

C. LABOUR:

| C. LAD | | 1.1-24 | 0 | D-4- | A 4 |
|--------|------------------------------|--------|----------|--------|---------|
| SI No | Description | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs |
| 1 | Crew for Batching plant | Hour | 8.00 | 318.20 | 2545.60 |
| 2 | Crew for Air compressor | Hour | 8.00 | 153.10 | 1224.80 |
| 3 | Crew for Tipper (4) | Hour | 32.00 | 165.80 | 5305.60 |
| 4 | Crew for Tower crane (2) | Hour | 16.00 | 176.80 | 2828.80 |
| 5 | Crew for Pump | Hour | 8.00 | 77.70 | 621.60 |
| 6 | Crew for Needle vibrator (2) | Hour | 16.00 | 146.90 | 2350.40 |
| 7 | Mason Class-I | Day | 4.00 | 415.00 | 1660.00 |
| 8 | Foreman | Day | 2.00 | 480.00 | 960.00 |
| 9 | mazdoor | | | | 0.00 |
| | for silo (cement handling) | Day | 2.00 | 310.00 | 620.00 |
| | for batching plant | Day | 2.00 | 310.00 | 620.00 |
| | for conveyor system | Day | 2.00 | 310.00 | 620.00 |

| | for laying & vibrating | Day | 6.00 | 310.00 | 1860.00 |
|----|---------------------------------|-----|--------|--------|----------|
| | for cleaning / washing / curing | Day | 2.00 | 310.00 | 620.00 |
| 10 | Labour cost for shuttering | sqm | 360.00 | 119.70 | 43092.00 |
| 11 | Labour cost for scaffolding @ | 15% | | | 6463.80 |
| | Total cost of Labour | | | Rs: | 71392.60 |

labour component/unit qty 297.50
Add contractor's profit and overhead charges 13.615% 40.50
labour component/unit qty (including contractor's profit) 338.00

ABSTRACT: A. Cost of Materials Rs: 1038543.12 B. Hire charges of Machinery Rs: 54400.80 Rs: 71392.60 C. Cost of Labour Total Rs: 1164336.52 Add for aggregate conveyor system @ 3.0% 34930.10 Add for electric sub-station / Demand charges @ 2.50% 29108.41 Add for trestle bridge for tower crane track @ 4.0% 46573.46 Rs: <u>1274948.49</u> Total D.Add for contractor's profit and overheads on (A+B+C+other 13.615% Rs. 173584.24 Lead Charges for 1 Km for FA cum @ 31.3 Rs./Cum 3004.8 30.2 Rs./Cum 6523.20 Lead Charges for 1 Km for CA 216.00 cum @ Lead Charges for 1Km for Cement (including Loading and Unloading Charges) 91.92 tonne @ 129.7 Rs./Tonne 11922.024 Total cost for 240.00 Rs: 1469982.75 cum Rate per (A+B+C+D)/240 Rs: 6124.90

IRR-DAW-2-5

Providing and laying insitu vibrated M-15 (28 days cube compressive strength not less than 15 N / sq mm) grade cement concrete using 40 mm down size approved, clean, hard, graded aggregates including cost of all materials, machinery, labour, formwork, centering, scaffolding, cleaning, batching, mixing, placing in position, levelling, vibrating, finishing, curing etc.,complete for plain concrete works with initial lead upto 1 km and all lifts. (Cement content: 260 kg / cum with use of super plasticiser, CA: 0.90 cum, Blending Ratio of CA -- 50:30:20, FA: 0.40 cum)

DATA: RATE ANALYSIS

UNIT:
A MATERIALS:
14.00 cum

| A. WAI | A. MATERIALS: 14.00 | | | | | |
|--------|-------------------------------|------|----------|---------|----------|--|
| SI No | Particulars | Unit | Quantity | Rate | Amount | |
| | | | | in Rs. | in Rs | |
| 1 | Cement for mix | kg | 3640.00 | 6.30 | 22932.00 | |
| | Cement for incidentals @ 3 kg | kg | 42.00 | 6.30 | 264.60 | |
| 2 | Coarse aggregate 40-20 mm | cum | 6.3 | 1145.00 | 7213.50 | |
| | Coarse aggregate 20-10 mm | cum | 3.78 | 1210.00 | 4573.80 | |
| | Coarse aggregate 10 mm below | cum | 2.52 | 875.00 | 2205.00 | |
| 3 | Fine aggregate (Un-Screened) | cum | 5.6 | 560.00 | 3136.00 | |
| 4 | Super plasticizer | kg | 14.56 | 95.00 | 1383.20 | |
| 5 | Use rate of shuttering | sqm | 14.00 | 217.39 | 3043.46 | |
| 6 | Use rate of scaffolding @ | 15% | | | 456.52 | |
| | Total cost of Materials Rs: | | | | | |

B. MACHINERY

| B. MACHINERY: | | | | | | | | |
|---------------|--------------------------------------|----------|----------|--------|--------|--|--|--|
| SI No | Description | Unit | Quantity | Rate | Amount | | | |
| | | | | in Rs. | in Rs | | | |
| 1 | Concrete mixer 300 / 200 ltr (ele) | Hour | 8.0 | 51.70 | 413.60 | | | |
| | Fuel / Energy charges | Hour | 8.0 | 38.50 | 308.00 | | | |
| 2 | 10 hp pump (ele) | Hour | 1.0 | 6.70 | 6.70 | | | |
| | Fuel / Energy charges | Hour | 1.0 | 77.00 | 77.00 | | | |
| 3 | Needle vibrator 40 mm dia (ele) | Hour | 8.0 | 8.00 | 64.00 | | | |
| | Fuel / Energy charges | Hour | 8.0 | 7.70 | 61.60 | | | |
| | Total hire charges of M | achinery | | Rs: | 930.90 | | | |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|---------------------------------------|------|----------|--------|----------|
| | | | | in Rs. | in Rs |
| 1 | Crew for Concrete mixer | Hour | 8.00 | 204.10 | 1632.80 |
| 2 | Crew for Pump | Hour | 1.00 | 77.70 | 77.70 |
| 3 | Crew for Needle vibrator | Hour | 8.00 | 146.90 | 1175.20 |
| 4 | Mason Class-I | Day | 1.00 | 415.00 | 415.00 |
| 5 | mazdoor | | | | |
| | for batching cement (cement handling | Day | 2.00 | 310.00 | 620.00 |
| | for batching other materials | Day | 9.00 | 310.00 | 2790.00 |
| | for loading mortar pans | Day | 4.00 | 310.00 | 1240.00 |
| | for laying | Day | 3.00 | 310.00 | 930.00 |
| | for conveying concrete | Day | 14.00 | 310.00 | 4340.00 |
| | for cleaning / washing / curing | Day | 1.00 | 310.00 | 310.00 |
| 6 | Labour cost of shuttering | sqm | 14.00 | 79.80 | 1117.20 |
| 7 | Labour cost of scaffolding @ | 15% | | | 167.58 |
| | Total cost of Labour | | • | Rs: | 14815.48 |

labour component/unit qty
Add contractor's profit and overhead charges

1058.20 13.615% 144.10 labour component/unit qty (including contractor's profit)

1202.30

ABSTRACT:

A. Cost of Materials Rs: 45208.08 B. Hire charges of Machinery Rs: 930.90 C. Cost of Labour Rs: 14815.48 Total Rs: 60954.46 D.Add for contractor's profit and overheads on (A+B+C) 13.615% Rs. 8298.95 Lead Charges for 1 Km for FA 5.60 cum @ 31.3 Rs./Cum 175.28 Lead Charges for 1 Km for CA 12.60 cum @ 30.2 Rs./Cum 380.52 Lead Charges for 1Km for Cement (including Loading and Unloading Charges) 3.68 tonne @ 129.7 Rs./Tonne 477.5554 Total cost for 14.00 Rs: **70286.77** cum (A+B+C+D)/14 Rate per cum Rs: 5020.50

IRR-DAW-2-6

Providing and laying insitu vibrated M-15 (28 days cube compressive strength not less than $15\ N$ / sq mm) grade cement concrete using 40 mm down size approved, clean, hard, graded aggregates with placing and sinking plums of size 150 to 80 mm upto 15 percent for gravity type structures including cost of all materials, machinery, labour, formwork, scaffolding, cleaning, batching, mixing, placing in position, levelling, vibrating, finishing, curing etc.,complete with initial lead upto 1 km and all lifts. (Cement content: 260 kg / cum of concrete with use of plums and super plasticiser of 0.4% of cement quantity, CA: 0.77 cum, Blending Ratio of CA: 50:30:20,FA: 0.34 cum, plums of size 150 to 80 mm: 0.25 cum)

DATA:

RATE ANALYSIS

| A. MAT | TERIALS: | | UNIT: | 16.45 | cum |
|--------|-------------------------------------|------|----------|---------|----------|
| SI No | Particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs |
| 1 | Cement for mix | kg | 4277 | 6.30 | 26945.10 |
| | Cement for incidentals @ 3 kg / cum | kg | 49.35 | 6.30 | 310.91 |
| 2 | Coarse aggregate 40-20 mm | cum | 6.33 | 1145.00 | 7247.85 |
| | Coarse aggregate 20-10 mm | cum | 3.8 | 1210.00 | 4598.00 |
| | Coarse aggregate 10 mm below | cum | 2.53 | 875.00 | 2213.75 |
| 3 | Plums of size 150 to 80 mm | cum | 4.11 | 360.00 | 1480.50 |
| 4 | Fine aggregate (Un-Screened) | cum | 5.59 | 560.00 | 3132.08 |
| 5 | Super Plasticizer | kg | 17.11 | 95.00 | 1625.26 |
| 6 | Use rate of shuttering for 40 uses | sqm | 16.45 | 217.39 | 3576.07 |
| 7 | Scaffolding of shuttering @ | 15% | | | 536.41 |
| | Total cost of Materials | | | Rs: | 51665.93 |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate in Rs. | Amount in Rs |
|-------|--------------------------------------|------|----------|----------------|--------------|
| | | | | | |
| 1 | Concrete mixer 300 / 200 ltr (ele) | Hour | 8.00 | 51.70 | 413.60 |
| | Fuel / Energy charges | Hour | 8.00 | 38.50 | 308.00 |
| 2 | 10 hp pump (ele) | Hour | 1.00 | 6.70 | 6.70 |
| | Fuel / Energy charges | Hour | 1.00 | 77.00 | 77.00 |
| 3 | Needle vibrator 60 mm dia (ele) | Hour | 8.00 | 9.70 | 77.60 |
| | Fuel / Energy charges | Hour | 8.00 | 11.50 | 92.00 |
| | Total hire charges of Machi | nery | | Rs: | 974.90 |

C. LABOUR:

| C. LAD | C. LABOUR: | | | | | | | |
|--------|---------------------------------------|------|----------|--------|----------|--|--|--|
| SI No | Description | Unit | Quantity | Rate | Amount | | | |
| | | | | in Rs. | in Rs | | | |
| 1 | Crew for Concrete mixer | Hour | 8.00 | 204.10 | 1632.80 | | | |
| 2 | Crew for Pump | Hour | 1.00 | 77.70 | 77.70 | | | |
| 3 | Crew for Needle vibrator | Hour | 8.00 | 146.90 | 1175.20 | | | |
| 4 | Mason Class-I | Day | 1.00 | 415.00 | 415.00 | | | |
| 5 | work inspector | Day | 1.00 | 400.00 | 400.00 | | | |
| 6 | mazdoor | | | | | | | |
| | for batching cement (cement handling | Day | 2.00 | 310.00 | 620.00 | | | |
| | for batching other materials | Day | 9.00 | 310.00 | 2790.00 | | | |
| | for loading mortar pans | Day | 4.00 | 310.00 | 1240.00 | | | |
| | for loading plums | Day | 1.00 | 310.00 | 310.00 | | | |
| | for laying concrete and plums | Day | 4.00 | 310.00 | 1240.00 | | | |
| | for conveying concrete | Day | 13.99 | 310.00 | 4335.66 | | | |
| | for conveying plums | Day | 3.00 | 310.00 | 930.00 | | | |
| | for cleaning / washing / curing | Day | 1.00 | 310.00 | 310.00 | | | |
| 7 | Labour for shuttering | sqm | 16.45 | 79.80 | 1312.71 | | | |
| 8 | Labour for scaffolding @ | 15% | | | 196.91 | | | |
| | Total cost of Labour | | | Rs: | 16985.98 | | | |

labour component/unit qty
Add contractor's profit and overhead charges

1032.60 13.615% <u>140</u>.60

labour component/unit qty (including contractor's profit)

1173.20

ABSTRACT:

Rs: 51665.93 A. Cost of Materials B. Hire charges of Machinery Rs: 974.90 Rs: 16985.98 C. Cost of Labour Total Rs: 69626.81 D.Add for contractor's profit and overheads on (A+B+C) 13.615% Rs. 9479.69 Lead Charges for 1 Km for FA
Lead Charges for 1 Km for CA and Plums
Lead Charges for 1Km for Cement (including Loading 31.3 Rs./Cum 175.0609 5.59 cum @ 16.77 30.2 Rs./Cum cum @ 506.53

A:33 tonne @ 129.7 Rs./Tonne 661.1276
Total cost for 16.45 cum Rs: 80349.22
Rate per cum (A+B+C+D)/16.45 Rs: 4884.50

IRR-DAW-2-7

Providing and laying insitu vibrated M-10 (28 days cube compressive strength not less than 10 N / sq mm) grade cement concrete using 40 mm down size approved, clean, hard, graded aggregates including cost of all materials, machinery, labour, formwork, centering, scaffolding, cleaning, batching, mixing, placing in position, levelling, vibrating, finishing, curing etc.,complete for plain concrete works with initial lead upto 1 km and all lifts. (Cement content 220 kg / cum with use of super plasticiser, CA : 0.90 cum, Blending Ratio of CA : 50:30:20, FA : 0.40 cum)

DATA:

RATE ANALYSIS

UNIT:
A. MATERIALS: 16.53 cum

| , tr 1017 tr | | | | | | |
|--------------|------------------------------------|------|----------|---------|----------|--|
| SI No | Particulars | Unit | Quantity | Rate | Amount | |
| | | | | in Rs. | in Rs | |
| 1 | Cement for mix | kg | 3636.60 | 6.30 | 22910.58 | |
| | Cement for incidentals @ 3 kg/ cum | kg | 49.59 | 6.30 | 312.42 | |
| 2 | Coarse aggregate 40-20 mm | cum | 7.44 | 1145.00 | 8517.08 | |
| | Coarse aggregate 20-10 mm | cum | 4.46 | 1210.00 | 5400.35 | |
| | Coarse aggregate 10 mm below | cum | 2.98 | 875.00 | 2603.48 | |
| 3 | Fine aggregate (Un-Screened) | cum | 6.61 | 560.00 | 3702.72 | |
| 4 | Super plasticizer | kg | 14.55 | 95.00 | 1381.91 | |
| 5 | Use rate of shuttering | sqm | 16.53 | 217.39 | 3593.46 | |
| 6 | Use rate of scaffolding @ | 15% | | | 539.02 | |
| | Total cost of Materials | | | Rs: | 48961.02 | |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount | |
|-------|--------------------------------------|------|----------|--------|--------|--|
| | | | | in Rs. | in Rs | |
| 1 | Concrete mixer 300 / 200 ltr (ele) | Hour | 8.00 | 51.70 | 413.60 | |
| | Fuel / Energy charges | Hour | 8.00 | 38.50 | 308.00 | |
| 2 | 10 hp pump (ele) | Hour | 1.00 | 6.70 | 6.70 | |
| | Fuel / Energy charges | Hour | 1.00 | 77.00 | 77.00 | |
| 3 | Needle vibrator 40 mm dia (ele) | Hour | 8.00 | 8.00 | 64.00 | |
| | Fuel / Energy charges | Hour | 8.00 | 7.70 | 61.60 | |
| | Total hire charges of Machinery Rs: | | | | | |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|---------------------------------------|------|----------|--------|----------|
| | | | | in Rs. | in Rs |
| 1 | Crew for Concrete mixer | Hour | 8.00 | 204.10 | 1632.80 |
| 2 | Crew for Pump | Hour | 1.00 | 77.70 | 77.70 |
| 3 | Crew for Needle vibrator | Hour | 8.00 | 146.90 | 1175.20 |
| 4 | Mason Class-I | Day | 1.00 | 415.00 | 415.00 |
| 5 | mazdoor | | | | |
| | for batching cement (cement handling | Day | 2.00 | 310.00 | 620.00 |
| | for batching other materials | Day | 9.00 | 310.00 | 2790.00 |
| | for loading mortar pans | Day | 4.00 | 310.00 | 1240.00 |
| | for laying | Day | 3.00 | 310.00 | 930.00 |
| | for conveying concrete | Day | 16.53 | 310.00 | 5124.30 |
| | for cleaning / washing / curing | Day | 1.00 | 310.00 | 310.00 |
| 6 | Labour cost of shuttering | sqm | 16.53 | 79.80 | 1319.09 |
| 7 | Labour cost of scaffolding @ | 15% | | | 197.86 |
| | Total cost of Labour | | | Rs: | 15831.95 |

labour component/unit qty 957.80
Add contractor's profit and overhead charges 13.615% 130.40
labour component/unit qty (including contractor's profit) 1088.20

ABSTRACT:

| A. Cost of Materials | | | | Rs: 48961.02 |
|---|-------|---------|-----------------|--------------|
| B. Hire charges of Machinery | | | | Rs: 930.90 |
| C. Cost of Labour | | | | Rs: 15831.95 |
| | | Total | | Rs: 65723.87 |
| D.Add for contractor's profit and overheads on (A+B+C | C) | 1; | 3.615% | Rs. 8948.3 |
| Lead Charges for 1 Km for FA | 6.61 | cum @ | 31.3 Rs./Cum | 206.9556 |
| Lead Charges for 1 Km for CA | 14.88 | cum @ | 30.2 Rs./Cum | 449.29 |
| Lead Charges for 1Km for Cement (including Loading | I | | | |
| and Unloading Charges) | 3.69 | tonne @ | 129.7 Rs./Tonne | 478.09884 |

Total cost for 16.53 cum Rs: <u>75806.51</u>
Rate per cum (A+B+C+D)/16.53 cum Rs: <u>4586.00</u>

IRR-DAW-2-8

Providing and laying insitu vibrated M-15 (28 days cube compressive strength not less than 15 N / sq mm) grade cement concrete using $20\ mm$ down size approved, clean, hard, graded aggregates including cost of all materials, machinery, labour, formwork, centering, scaffolding, cleaning, batching, mixing, placing in position, levelling, vibrating, finishing, curing etc.,complete for plain concrete works with initial lead upto 1 km and all lifts. (Cement content : 280 kg / cum with use of super plasticiser, CA : 0.80 cum, Blending Ratio of CA -- 65:35, FA : 0.44 cum)

DATA:

A. MATERIALS: UNIT: 15.87 cum

| SI No | Particulars | Unit | Quantity | Rate | Amount | |
|-------|------------------------------------|------|----------|---------|----------|--|
| | | | | in Rs. | in Rs | |
| 1 | Cement for mix | kg | 4443.6 | 6.30 | 27994.68 | |
| | Cement for incidentals @ 3 kg/ cum | kg | 47.61 | 6.30 | 299.94 | |
| 2 | Coarse aggregate 20-10 mm | cum | 8.25 | 1210.00 | 9985.40 | |
| | Coarse aggregate 10 mm below | cum | 4.44 | 875.00 | 3888.15 | |
| 3 | Fine aggregate (Un-Screened) | cum | 6.98 | 560.00 | 3910.37 | |
| 4 | Super plasticiser | kg | 17.77 | 95.00 | 1688.57 | |
| 5 | Use rate of shuttering | sqm | 15.87 | 217.39 | 3449.98 | |
| 6 | Use rate of scaffolding @ | 15% | | | 517.50 | |
| | Total cost of Materials Rs: | | | | | |

B. MACHINERY:

| B. MACHINENT. | | | | | | | |
|---------------|--------------------------------------|-----------|----------|--------|--------|--|--|
| SI No | Description | Unit | Quantity | Rate | Amount | | |
| | | | | in Rs. | in Rs | | |
| 1 | Concrete mixer 300 / 200 ltr (ele) | Hour | 8.00 | 51.70 | 413.60 | | |
| | Fuel / Energy charges | Hour | 8.00 | 38.50 | 308.00 | | |
| 2 | 10 hp pump (ele) | Hour | 1.00 | 6.70 | 6.70 | | |
| | Fuel / Energy charges | Hour | 1.00 | 77.00 | 77.00 | | |
| 3 | Needle vibrator 40 mm dia (ele) | Hour | 8.00 | 8.00 | 64.00 | | |
| | Fuel / Energy charges | Hour | 8.00 | 7.70 | 61.60 | | |
| | Total hire charges of N | Machinery | | Rs: | 930.90 | | |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|---------------------------------------|------|----------|--------|----------|
| | | | | in Rs. | in Rs |
| 1 | Crew for Concrete mixer | Hour | 8.00 | 204.10 | 1632.80 |
| 2 | Crew for Pump | Hour | 1.00 | 77.70 | 77.70 |
| 3 | Crew for Needle vibrator | Hour | 8.00 | 146.90 | 1175.20 |
| 4 | Mason Class-I | Day | 1.00 | 415.00 | 415.00 |
| 5 | mazdoor | - | | | |
| | for batching cement (cement handling | Day | 2.00 | 310.00 | 620.00 |
| | for batching other materials | Day | 9.00 | 310.00 | 2790.00 |
| | for loading mortar pans | Day | 4.00 | 310.00 | 1240.00 |
| | for laying | Day | 3.00 | 310.00 | 930.00 |
| | for conveying concrete | Day | 15.87 | 310.00 | 4919.70 |
| | for cleaning / washing / curing | Day | 1.00 | 310.00 | 310.00 |
| 6 | Labour cost of shuttering | sqm | 15.87 | 79.80 | 1266.43 |
| 7 | Labour cost of scaffolding @ | 15% | | | 189.96 |
| | Total cost of Labour | • | | Rs: | 15566.79 |

labour component/unit qty 980.90
Add contractor's profit and overhead charges 13.615% 133.50
labour component/unit qty (including contractor's profit) 1114.40

ABSTRACT:

Rs: 51734.59 A. Cost of Materials B. Hire charges of Machinery Rs: 930.90 C. Cost of Labour Rs: 15566.79 Total Rs: 68232.28 D.Add for contractor's profit and overheads on (A+B+C) 13.615% Rs. 9289.82 Lead Charges for 1 Km for FA 6.98 cum @ 31.3 Rs./Cum 218.56164 Lead Charges for 1 Km for CA 12.70 cum @ 30.2 Rs./Cum 383.42 Lead Charges for 1Km for Cement (including Loading and Unloading Charges) 4.49 tonne @ 129.7 Rs./Tonne 582.50994 Total cost for 15.87 cum Rs: 78706.59 (A+B+C+D)/15.87 Rs: **4959.50** Rate per cum

IRR-DAW-2-9

Providing and laying insitu vibrated M-20 (28 days cube compressive strength not less than 20 N / sq mm) grade cement concrete using 20 mm down size approved, clean, hard, graded aggregates including cost of all materials, machinery, labour, formwork, centering, scaffolding, cleaning, batching, mixing, placing in position, levelling, vibrating, finishing, curing etc.,complete for RCC works of spillway bridge, blockouts and such other similar structures with conjested reinforcement with initial lead

upto 1 km and all lifts. (Cement content : 330 kg / cum with use of super plasticiser, CA: 0.80 cum, Blending Ratio of CA -- 65:35,

FA: 0.44 cum)

DATA: **RATE ANALYSIS**

| UNI | ı | • |
|-----|---|---|
| | | |
| | | |

| A. MAT | A. MATERIALS: 13.47 ct | | | | | | |
|--------|------------------------------------|------|----------|---------|----------|--|--|
| SI No | Particulars | Unit | Quantity | Rate | Amount | | |
| | | | | in Rs. | in Rs | | |
| 1 | Cement for mix | kg | 4445.1 | 6.30 | 28004.13 | | |
| | Cement for incidentals @ 3 kg/ cum | kg | 40.41 | 6.30 | 254.58 | | |
| 2 | Coarse aggregate 20-10 mm | cum | 7.00 | 1210.00 | 8475.32 | | |
| | Coarse aggregate 10 mm below | cum | 3.77 | 875.00 | 3300.15 | | |
| 3 | Fine aggregate (Un-Screened) | cum | 5.93 | 560.00 | 3319.01 | | |
| 4 | Super plasticiser | ltr | 17.78 | 95.00 | 1689.14 | | |
| 5 | Use rate of shuttering | sqm | 33.68 | 217.39 | 7320.61 | | |
| 6 | Scaffolding of shuttering @ | 100% | | | 7320.61 | | |
| | Total cost of Materials Rs: | | | | | | |

B MACHINERY.

| D. MIAC | B. MACHINERT: | | | | | | | |
|---------|-------------------------------------|------|----------|--------|--------|--|--|--|
| SI No | Description | Unit | Quantity | Rate | Amount | | | |
| | | | | in Rs. | in Rs | | | |
| 1 | Concrete mixer 300 / 200 ltr (ele | Hour | 8.00 | 51.70 | 413.60 | | | |
| | Fuel / Energy charges | Hour | 8.00 | 38.50 | 308.00 | | | |
| 2 | 10 hp pump (ele) | Hour | 1.00 | 6.70 | 6.70 | | | |
| | Fuel / Energy charges | Hour | 1.00 | 77.00 | 77.00 | | | |
| 3 | Needle vibrator 40 mm dia (ele) | Hour | 8.00 | 8.00 | 64.00 | | | |
| | Fuel / Energy charges | Hour | 8.00 | 7.70 | 61.60 | | | |
| | Total hire charges of Machinery Rs: | | | | | | | |

C. LABOUR:

| O. LAD | OOI (. | | | | | | |
|--------|---|------|----------|--------|---------|--|--|
| SI No | Description | Unit | Quantity | Rate | Amount | | |
| | | | | in Rs. | in Rs | | |
| 1 | Crew for Concrete mixer | Hour | 8.00 | 204.10 | 1632.80 | | |
| 2 | Crew for Pump | Hour | 1.00 | 77.70 | 77.70 | | |
| 3 | Crew for Needle vibrator | Hour | 8.00 | 146.90 | 1175.20 | | |
| 4 | Mason Class-I | Day | 1.00 | 415.00 | 415.00 | | |
| 5 | mazdoor | | | | 0.00 | | |
| | for batching cement (cement handling) | Day | 2.00 | 310.00 | 620.00 | | |
| | for batching other materials | Day | 9.00 | 310.00 | 2790.00 | | |
| | for loading mortar pans | Day | 4.00 | 310.00 | 1240.00 | | |
| | for laying | Day | 3.00 | 310.00 | 930.00 | | |
| | for conveying concrete | Day | 13.47 | 310.00 | 4175.70 | | |
| | for cleaning/ washing/ curing | Day | 1.00 | 310.00 | 310.00 | | |
| 6 | Labour cost of shuttering | sqm | 33.68 | 79.80 | 2687.27 | | |
| 7 | Labour cost of scaffolding @ | 100% | | | 2687.27 | | |
| | Total cost of Labour Rs: ' | | | | | | |

labour component/unit qty 1391.30 Add contractor's profit and overhead charges 13.615% 189.40 labour component/unit qty (including contractor's profit) 1580.70

ABSTRACT:

A. Cost of Materials Rs: 59683.55 B. Hire charges of Machinery Rs: 930.90 C. Cost of Labour Rs: 18740.94 Total Rs: 79355.39 D.Add for contractor's profit and overheads on (A+B+C) 13.615% Rs. 10804.24 Lead Charges for 1 Km for FA 185.50884 5.93 cum @ 31.3 Rs./Cum Lead Charges for 1 Km for CA 10.78 cum @ 30.2 Rs./Cum 325.44 Lead Charges for 1Km for Cement (including Loading and Unloading Charges) tonne @ 129.7 Rs./Tonne 581.77065 Total cost for 13.47 Rs: 91252.34 cum (A+B+C+D)/13.47 Rate per cum Rs: 6774.50

IRR-DAW-2-10

Providing and forming porous concrete body drain of size 68.5 x 68.5 cm with 23 cm diameter central hole using cement and 20 mm down approved, clean, hard, graded coarse aggregates in 1:3.50 proportion by volume including cost of all materials, machinery, labour, formwork, curing etc., complete with initial lead upto 1 km and all lifts. (M15 Cement content: 400kg/cum, CA: 1cum,

Blending Ratio of CA -- 65:35)

DATA:

RATE ANALYSIS

| | | UNIT: |
|--|--|-------|
| | | 20.00 |

| A. MAT | 20.00 | | | | |
|--------|-----------------------------|------|----------|---------|----------|
| SI No | Particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs |
| 1 | Cement | kg | 3424 | 6.30 | 21571.20 |
| 2 | Coarse aggregate 20-10 mm | cum | 5.56 | 1210.00 | 6732.44 |
| 3 | Coarse aggregate 10-4.75 mm | cum | 3.00 | 875.00 | 2621.50 |

| 4 | Use rate of shuttering | sqm | 76.00 | 55.13 | 4189.84 |
|---|-------------------------|-----|-------|-------|----------|
| | Total cost of Materials | | | Rs: | 35114.98 |

B. MACHINERY:

| D | , | | | | | | |
|-------|---------------------------------------|------|----------|--------|--------|--|--|
| SI No | Description | Unit | Quantity | Rate | Amount | | |
| | | | | in Rs. | in Rs | | |
| 1 | Concrete mixer 300 / 200 ltr (ele) | Hour | 8.00 | 51.70 | 413.60 | | |
| | Fuel / Energy charges | Hour | 8.00 | 38.50 | 308.00 | | |
| 2 | 10 hp pump (ele) | Hour | 0.50 | 6.70 | 3.35 | | |
| | Fuel / Energy charges | Hour | 0.50 | 77.00 | 38.50 | | |
| | Total hire charges of Machinery Rs: 7 | | | | | | |

C. LABOUR:


| C. LABOUR. | | | | | | | |
|------------|---------------------------------------|------|----------|--------|---------|--|--|
| SI No | Description | Unit | Quantity | Rate | Amount | | |
| | | | | in Rs. | in Rs | | |
| 1 | Crew for Concrete mixer | Hour | 8.00 | 204.10 | 1632.80 | | |
| 2 | Crew for Pump | Hour | 0.50 | 77.70 | 38.85 | | |
| 3 | Mason Class-I | Day | 1.00 | 415.00 | 415.00 | | |
| 4 | mazdoor | | | | | | |
| | for batching cement (cement handling | Day | 2.00 | 310.00 | 620.00 | | |
| | for batching other materials | Day | 6.00 | 310.00 | 1860.00 | | |
| | for loading mortar pans | Day | 2.00 | 310.00 | 620.00 | | |
| | for laying & packing concrete | Day | 2.00 | 310.00 | 620.00 | | |
| | for conveying concrete | Day | 8.56 | 310.00 | 2653.60 | | |
| 5 | Fitter shuttering | Day | 3.00 | 370.00 | 1110.00 | | |
| | Total cost of Labour | | | Rs: | 9570.25 | | |

labour component/unit qty 478.50
Add contractor's profit and overhead charges 13.615% 65.10
labour component/unit qty (including contractor's profit) 543.60

ABSTRACT:

| ABOTRAOT. | | | | |
|--|--------|---------|--------------|----------------------|
| A. Cost of Materials | | | | Rs: 35114.98 |
| B. Hire charges of Machinery | | | | Rs: 763.45 |
| C. Cost of Labour | | | | Rs: <u>9570.25</u> |
| | | Total | | Rs: 45448.68 |
| D.Add for contractor's profit and overheads on (A+B- | +C) | | 13.615% | Rs. 6187.84 |
| Lead Charges for 1 Km for CA | 8.56 | cum @ | 30.2 Rs./Cu | m 258.51 |
| Lead Charges for 1Km for Cement (including Loadir | ng | | | |
| and Unloading Charges) | 3.42 | tonne @ | 129.7 Rs./Te | onne <u>444.0928</u> |
| Total cost for | 20.0 | 00 | Rm | Rs: 52339.12 |
| Rate per Rm | (A+B+0 | C+D)/20 | | Rs: 2617.00 |

IRR-DAW-2-11 (a) Providing and laying insitu vibrated M-20 (28 days cube compressive strength not less than 20 N / sq mm) grade cement concrete using 20 mm down size approved, clean, hard, graded aggregates including cost of all materials, machinery, labour, formwork, centering, scaffolding, cleaning, batching, mixing, placing in position, levelling, vibrating, finishing, curing etc.,complete for RCC solid parapet consisting of 35 cm x 20 cm kerb, $35\ cm\ x\ 35\ cm\ x\ 1$ m pillars spaced approximately at $3.35\ m\ c\ /\ c$, $12.5\ cm$ thick wall 80 cm height with $12.5\ cm$ thick and $35\ cm$ wide coping slab for wall and $12.5\ cm$ thick $40\ cm\ x\ 40\ cm$ coping for pillars with top edges of kerb and coping chamferred / rounded as directed etc., complete (excluding cost of providing and placing reinforcement steel and gate) with initial lead upto 1 km and all lifts. (Cement content 350 kg / cum with use of super plasticiser(0.4% by wt. of cement), CA: $0.80\ cum$, Blending Ratio of CA-65:35, FA: $0.44\ cum$



DATA: RATE ANALYSIS

UNIT: A. MATERIALS: **36.00** Rm Particulars Unit Quantity Rate Amount in Rs. in Rs Cement mix 3034.5 6.30 19117.35 kg Cement for incidentals @ 5 kg / cum 43 35 6.30 273.11 kg 1210.00 5457.10 2 Coarse aggregate 20-10 mm cum 4.51 Coarse aggregate 10-4.75 mm cum 2.43 875.00 2126.25 3 Fine aggregate (Un-Screened) 3.81 560.00 2133.60 cum 4 Super plasticiser 12.14 95.00 1153.11 kg Use rate of shuttering 95.00 217.39 20652.05 5 sqm 6 Scaffolding of shuttering @ 15% 3097.81 Sundries 2.00 20.00 40.00 Total cost of Materials Rs: 54050.38

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount | | |
|-------|---------------------------------------|------|----------|--------|--------|--|--|
| | | | | in Rs. | in Rs | | |
| 1 | Concrete mixer 300 / 200 ltr (ele) | Hour | 8.00 | 51.70 | 413.60 | | |
| | Fuel / Energy charges | Hour | 8.00 | 38.50 | 308.00 | | |
| 2 | Needle vibrator 40 mm (ele) | Hour | 8.00 | 8.00 | 64.00 | | |
| | Fuel / Energy charges | Hour | 8.00 | 7.70 | 61.60 | | |
| 3 | 10 hp pump (ele) | Hour | 0.50 | 6.70 | 3.35 | | |
| | Fuel / Energy charges | Hour | 0.50 | 77.00 | 38.50 | | |
| | Total hire charges of Machinery Rs: 8 | | | | | | |

C. LABOUR:

| C. LAB | OUR: | | | | |
|--------|---|------|----------|--------|----------|
| SI No | Description | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs |
| 1 | Crew for Concrete mixer | Hour | 8.00 | 204.10 | 1632.80 |
| 2 | Crew for Pump | Hour | 0.50 | 77.70 | 38.85 |
| 3 | Crew for Vibrator | Hour | 8.00 | 146.90 | 1175.20 |
| 4 | Mason Class-I | Day | 2.00 | 415.00 | 830.00 |
| 5 | work inspector | Day | 1.00 | 400.00 | 400.00 |
| 6 | mazdoor | | | | |
| | for batching cement (cement handling) | Day | 2.00 | 310.00 | 620.00 |
| | for batching other materials | Day | 9.00 | | 2790.00 |
| | for loading mortar pans | Day | 4.00 | 310.00 | 1240.00 |
| | for laying & packing concrete | Day | 2.00 | 310.00 | 620.00 |
| | for conveying concrete | Day | 8.67 | 310.00 | 2687.70 |
| | for curing & miscellaneous | Day | 2.00 | 310.00 | 620.00 |
| 7 | Labour for shuttering | sqm | 95.00 | 79.80 | 7581.00 |
| 8 | Labour for scaffolding @ | 15% | | | 1137.15 |
| | Total cost of Labour | | | Rs: | 21372.70 |


labour component/unit qty 593.70
Add contractor's profit and overhead charges 13.615% 80.80
labour component/unit qty (including contractor's profit) 674.50

ABSTRACT:

A. Cost of Materials Rs: 54050.38 B. Hire charges of Machinery Rs: 889 05 C. Cost of Labour Rs: 21372.70 Total Rs: 76312.13 D.Add for contractor's profit and overheads on (A+B+C) 13.615% Rs. 10389.9 Lead Charges for 1 Km for FA 31.3 Rs./Cum 3.81 119.253 cum @ Lead Charges for 1 Km for CA 6.94 cum @ 30.2 Rs./Cum 209.59 Lead Charges for 1Km for Cement (including Loading and Unloading Charges) 3.08 129.7 Rs./Tonne tonne @ 399.19715 Total cost for 36.00 Rm Rs: **87430.07** (A+B+C+D)/36 Rm Rate per Rs: 2428.60

IRR-DAW-2-12 (b)

Providing and laying insitu vibrated M-20 (28 days cube compressive strength not less than 20 N / sq mm) grade cement concrete using 20 mm down size approved, clean, hard, graded aggregates including cost of all materials, machinery, labour, formwork, centering, scaffolding, cleaning, batching, mixing, placing in position, levelling, vibrating, finishing, curing etc.,complete for RCC ornamental parapet consisting of 35 cm x 20 cm kerb, 35 cm x 35 cm x 1 m pillars spaced approximately at 3.5 m apart, 20 cm x 15 cm posts 80 cm height approximately 30 cm c / c with 12.5 cm thick and 35 cm wide coping slab for posts and pillars with top edges of kerb and coping chamferred or rounded as directed etc., complete (excluding cost of providing and placing reinforcement steel and gate) with initial lead upto 1 km and all lifts. (Cement content : 350 kg / cum with use of super plasticiser(0.4% by wt. of cement, CA : 0.80 cum, Blending Ratio of CA--65:35, FA : 0.44 cum)



DATA: RATE ANALYSIS

| | RATE ANALISIS | | | | |
|--------|-------------------------------------|------|----------|---------|----------|
| | | | | UNIT: | |
| A. MAT | TERIALS: | | | 36.00 | Rm |
| SI No | Particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs |
| 1 | Cement mix | kg | 2450 | 6.30 | 15435.00 |
| | Cenent for incidentals @ 5 kg / cum | kg | 35.00 | 6.30 | 220.50 |
| 2 | Coarse aggregate 20-10 mm | cum | 3.64 | 1210.00 | 4404.40 |
| | Coarse aggregate 10-4.75 mm | cum | 1.96 | 875.00 | 1715.00 |
| 3 | Fine aggregate (Un-Screened) | cum | 3.08 | 560.00 | 1724.80 |
| 4 | Super plasticiser | kg | 9.80 | 95.00 | 931.00 |
| 5 | Use rate of shuttering | sqm | 115.00 | 217.39 | 24999.85 |
| 6 | Scaffolding of shuttering @ | 15% | | | 3749.98 |
| 7 | Sundries | LS | 2.00 | 20.00 | 40.00 |
| | Total cost of Materials | | | Pe: | 53220 53 |

B. MACHINERY:

| D. WIAL | D. MACHINERT: | | | | | | | |
|---------|------------------------------------|----------|----------|--------|--------|--|--|--|
| SI No | Description | Unit | Quantity | Rate | Amount | | | |
| | | | | in Rs. | in Rs | | | |
| 1 | Concrete mixer 300 / 200 ltr (ele | Hour | 8.00 | 51.70 | 413.60 | | | |
| | Fuel / Energy charges | Hour | 8.00 | 38.50 | 308.00 | | | |
| 2 | Needle vibrator 40 mm (ele) | Hour | 8.00 | 8.00 | 64.00 | | | |
| | Fuel / Energy charges | Hour | 8.00 | 7.70 | 61.60 | | | |
| 3 | 10 hp pump (ele) | Hour | 0.50 | 6.70 | 3.35 | | | |
| | Fuel / Energy charges | Hour | 0.50 | 77.00 | 38.50 | | | |
| | Total hire charges of M | achinery | • | Rs: | 889.05 | | | |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|---|------|----------|--------|----------|
| | | | | in Rs. | in Rs |
| 1 | Crew for Concrete mixer | Hour | 8.00 | 204.10 | 1632.80 |
| 2 | Crew for Pump | Hour | 0.50 | 77.70 | 38.85 |
| 3 | Crew for Vibrator | Hour | 8.00 | 146.90 | 1175.20 |
| 4 | Mason Class-I | Day | 2.00 | 415.00 | 830.00 |
| 5 | work inspector | Day | 1.00 | 400.00 | 400.00 |
| 6 | mazdoor | | | | |
| | for batching cement (cement handling) | Day | 2.00 | 310.00 | 620.00 |
| | for batching other materials | Day | 9.00 | 310.00 | 2790.00 |
| | for loading mortar pans | Day | 4.00 | 310.00 | 1240.00 |
| | for laying & packing concrete | Day | 2.00 | 310.00 | 620.00 |
| | for conveying concrete | Day | 7.00 | 310.00 | 2170.00 |
| | for curing & miscellaneous | Day | 2.00 | 310.00 | 620.00 |
| 7 | Labour for shuttering | sqm | 115.00 | 79.80 | 9177.00 |
| 8 | Labour for scaffolding @ | 15% | | | 1376.55 |
| | Total cost of Labour | | | Rs: | 22690.40 |

labour component/unit qty 630.30
Add contractor's profit and overhead charges 13.615% 85.80
labour component/unit qty (including contractor's profit) 716.10

ABSTRACT:

| ABSTRACT: | | | | |
|---|------------|---------|-----------------|---------------------|
| A. Cost of Materials | | | | Rs: 53220.53 |
| B. Hire charges of Machinery | | | | Rs: 889.05 |
| C. Cost of Labour | | | | Rs: 22690.40 |
| | | Total | | Rs: 76799.98 |
| D.Add for contractor's profit and overheads on (A+B+C | :) | | 13.615% | Rs. 10456.32 |
| Lead Charges for 1 Km for FA | 3.08 | cum @ | 31.3 Rs./Cum | 96.404 |
| Lead Charges for 1 Km for CA | 5.60 | cum @ | 30.2 Rs./Cum | 169.12 |
| Lead Charges for 1Km for Cement (including Loading | | | | |
| and Unloading Charges) | 2.49 | tonne @ | 129.7 Rs./Tonne | 322.3045 |
| Total cost for | 36.0 | 00 | Rm | Rs: 87844.13 |
| Rate per Rm | (A+B+C | C+D)/36 | | Rs: 2440.10 |

IRR-DAW-2-13

Providing and **laying insitu M- 25** (28 days cube compressive strength not less than 25 N / sq mm) grade cement concrete using **20 mm down size** approved, clean, hard, graded aggregates for wearing coat including cost of all materials, machinery, labour, formwork, cleaning, batching, mixing, placing in position in alternate panels, levelling, compacting, finishing,

curing, packing joints with asphalt mortar etc., complete with initial lead upto 1 km and all lifts.

(Cement content : 380 kg / cum with use of super plasticiser(0.4% by wt. of cement, CA: 0.80 cum, Blending Ratio of CA--65:35, FA: 0.45 cum)

DATA:

RATE ANALYSIS

| | TOTAL PROPERTY. | | | | |
|--------|-------------------------------------|------|----------|---------|----------|
| | | | | UNIT: | |
| A. MAT | ERIALS: | | | 11.70 | cum |
| SI No | Particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs |
| 1 | Cement for mix | kg | 4446 | 6.30 | 28009.80 |
| | Cement for incidentals @ 5 kg / cum | kg | 58.50 | 6.30 | 368.55 |
| 2 | Coarse aggregate 20-10 mm | cum | 6.084 | 1210.00 | 7361.64 |
| | Coarse aggregate 10 mm below | cum | 3.276 | 875.00 | 2866.50 |
| 3 | Fine aggregate (Un-Screened) | cum | 5.265 | 560.00 | 2948.40 |
| 4 | Super Plasticizer | kg | 17.78 | 95.00 | 1689.48 |
| 5 | Use rate of shuttering | sqm | 5.85 | 217.39 | 1271.73 |
| 6 | Sundries (asphalt mortar etc) | LS | 5.00 | 20.00 | 100.00 |
| | Total cost of Materials | | | Rs: | 44616.10 |

| В. | M. | А | CI | НН | N | Е | R | Υ | : |
|----|----|---|----|----|---|---|---|---|---|
|----|----|---|----|----|---|---|---|---|---|

| SI No | Description | Unit | Quantity | Rate | Amount | | |
|-------|-------------------------------------|------|----------|--------|--------|--|--|
| | | | | in Rs. | in Rs | | |
| 1 | Concrete mixer 300/200 ltr (ele) | Hour | 8.00 | 51.70 | 413.60 | | |
| | Fuel / Energy charges | Hour | 8.00 | 38.50 | 308.00 | | |
| 2 | 10 hp pump (ele) | Hour | 0.50 | 6.70 | 3.35 | | |
| | Fuel / Energy charges | Hour | 0.50 | 77.00 | 38.50 | | |
| | Total hire charges of Machinery Rs: | | | | | | |

C. LABOUR:

| U. LAD | OUI. | | | | |
|--------|---|------|----------|--------|----------|
| SI No | Description | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs |
| 1 | Crew for Concrete mixer | Hour | 8.00 | 204.10 | 1632.80 |
| 2 | Crew for Pump | Hour | 0.50 | 77.70 | 38.85 |
| 3 | Mason Class-I | Day | 3.00 | 415.00 | 1245.00 |
| 4 | work inspector | Day | 1.00 | 400.00 | 400.00 |
| 5 | mazdoor | | | | |
| | for batching cement (cement handling) | Day | 2.00 | 310.00 | 620.00 |
| | for batching materials | Day | 9.00 | 310.00 | 2790.00 |
| | for loading mortar pans | Day | 4.00 | 310.00 | 1240.00 |
| | for laying & compacting | Day | 5.00 | 310.00 | 1550.00 |
| | for conveying concrete | Day | 11.70 | 310.00 | 3627.00 |
| | for cleaning/ washing/ curing | Day | 1.00 | 310.00 | 310.00 |
| 6 | Labour cost for shuttering | sqm | 5.85 | 79.80 | 466.83 |
| | Total cost of Labour | | | Rs: | 13920.48 |

labour component/unit qty 1189.80 Add contractor's profit and overhead charges 13.615% 162.00 labour component/unit qty (including contractor's profit) 1351.80

ABSTRACT:

| A. Cost of Materials | | | | Rs: | 44616.10 |
|---|---------|-----------|----------------|-----|-----------|
| B. Hire charges of Machinery | | | | Rs: | 763.45 |
| C. Cost of Labour | | | | Rs: | 13920.48 |
| | | Total | | Rs: | 59300.03 |
| D.Add for contractor's profit and overheads on (A+B+C |) | | 13.615% | Rs. | 8073.7 |
| Lead Charges for 1 Km for FA | 5.27 | cum @ | 31.3 Rs./Cum | | 164.7945 |
| Lead Charges for 1 Km for CA | 9.36 | cum @ | 30.2 Rs./Cum | | 282.67 |
| Lead Charges for 1Km for Cement (including Loading | | | | | |
| and Unloading Charges) | 4.50 | tonne @ | 129.7 Rs./Toni | ne | 584.23365 |
| Total cost for | 11.70 |) | cum | Rs: | 68405.43 |
| Rate per cum | (A+B+C- | +D)/11.70 | | Rs: | 5846.60 |

IRR-DAW-2-14

Pre-cooling to control placement temperature of cement concrete in the

range of 18 to 21 C at the concrete placement point by inundation of coarse aggregates and adding flaked ice as part of mixing water including cost of all materials, machinery, labour etc., **complete with all leads and lifts.**

DATA:

RATE ANALYSIS

| | | | | UNIT. | |
|--------|----------------------------|------|----------|--------|--------|
| A. MAT | ERIALS: | | 500 | cum | |
| SI No | Particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs |
| 1 | Sundries (amonia gas etc) | LS | 3.00 | 20.00 | 60.00 |
| | | | 0.00 | 0.00 | 0.00 |
| | Total cost of Materials | | | Pe: | 60 00 |

| R | MA | \sim H | INE | ED | v. |
|---|----|----------|-----|----|----|
| | | | | | |

| D. WIA | B. WACHINER I. | | | | | | | | |
|--------|-------------------------------|------|----------|--------|---------|--|--|--|--|
| SI No | Description | Unit | Quantity | Rate | Amount | | | | |
| | | | | in Rs. | in Rs | | | | |
| 1 | Ice maker unit consisting of: | Hour | 24.00 | 170.20 | 4084.80 | | | | |

LINIT

| Compressor 125 hp - 1 No Condenser with 30 hp motor - 1 No. | | | | |
|--|------|-------|---------|----------|
| Ice makers 10 t / day each - 3 Nos. | | | | |
| Pump 2 hp for ice cutting - 3 Nos. | | | | |
| Pump 2 hp for pumping water-3 Nos. | | | | |
| Screw conveyor with 15 hp motor -1 | | | | |
| Ice elevator with 5 hp motor - 1 No. | | | | |
| Fuel / Energy charges for system | Hour | 24.00 | 1097.10 | 26330.40 |
| Total hire charges of Machinery | | | | 30415.20 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount | | |
|-------|---------------------------------|------|----------|--------|---------|--|--|
| | | | | in Rs. | in Rs | | |
| 1 | Crew for Ice maker unit | Hour | 24.00 | 122.50 | 2940.00 | | |
| 2 | mazdoor | | | | | | |
| | for Ice chamber (2 x 3) | Day | 6.00 | 310.00 | 1860.00 | | |
| | for miscellaneous works (1 x 3) | Day | 3.00 | 310.00 | 930.00 | | |
| | Total cost of Labour Rs: 5 | | | | | | |

labour component/unit qty 11.50 Add contractor's profit and overhead charges 13.615% <u>1.60</u> labour component/unit qty (including contractor's profit) 13.10

ABSTRACT:

A. Cost of Materials Rs: 60.00 Rs: 30415.20 B. Hire charges of Machinery C. Cost of Labour Rs: 5730.00 Total Rs: 36205.20 13.615% Rs. 4929.34 D.Add for contractor's profit and overheads on (A+B+C) 500.00 cum Total cost for Rs: 41134.54 Rate per cum (A+B+C+D)/500 Rs: 82.30

IRR-DAW-2-15

Conveying and fixing elastomeric bearing for spillway bridge including cleaning and preparing surface, mixing and applying adhesive, fixing bearing in correct position etc., including cost of all materials except bearings, machinery, labour etc., complete with all leads and lifts.

DATA:

RATE ANALYSIS

| | TOTAL PROPERTY. | | | UNIT: | | |
|-----------------------------|---------------------------------------|------|----------|--------|--------|--|
| A. MAT | A. MATERIALS: 6.00 N | | | | | |
| SI No | Particulars | Unit | Quantity | Rate | Amount | |
| | | | | in Rs. | in Rs | |
| 1 | Synthetic adhesive (Resin + Hardener) | kg | 0.60 | 348.00 | 208.80 | |
| 2 | Sundries | LS | 2.00 | 20.00 | 40.00 | |
| Total cost of Materials Rs: | | | | | | |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount | |
|-------|---------------------------------------|-------|----------|--------|--------|--|
| 01110 | Description | Offic | Quantity | in Rs. | in Rs | |
| 1 | Nil | | 0.00 | 0.00 | 0.00 | |
| | | | 0.00 | 0.00 | 0.00 | |
| | Total hire charges of Machinery Rs: 0 | | | | | |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount | |
|-------|-----------------------------|------|----------|--------|--------|--|
| | | | | in Rs. | in Rs | |
| 1 | Marker / Erector | Day | 1.00 | 480.00 | 480.00 | |
| 2 | work inspector | Day | 1.00 | 400.00 | 400.00 | |
| 3 | mazdoor | Day | 2.00 | 310.00 | 620.00 | |
| | Total cost of Labour Rs: 15 | | | | | |

labour component/unit qty 250.00 Add contractor's profit and overhead charges 13.615% 34.00 labour component/unit qty (including contractor's profit) 284.00

ABSTRACT:

Rs: 248.80 A. Cost of Materials B. Hire charges of Machinery Rs: 0.00 C. Cost of Labour Rs: 1500.00 Total Rs: 1748.80 13.615% D.Add for contractor's profit and overheads on (A+B+C) Rs. 238.1 Total cost for 6.00 Nos. Rs: **1986.90** Rate per Each (A+B+C+D)/6 Rs: 331.20

IRR-DAW-2-16

Providing and constructing 150 mm dia hume pipe weep holes for concrete / masonry walls including providing 20 x 20 x 20 cm size porous concrete block made of cement and 20 mm down coarse aggregate in 1: 4 proportion including 10 cm thick sand backing at the junction of wall and soil back fill, cost of all materials, machinery, labour etc., complete with lead upto 1 km and all lifts.

UNIT:

DATA: RATE ANALYSIS

A. MATERIALS: 3.00 Rm Particulars Unit Quantity Rate Amount in Rs. in Rs 150 mm dia hume pipe 2.90 350.00 1015.00 Rm 3.00 2 Cement 6.30 18.90 kg 1210.00 9.68 3 20 - 10 mm coarse aggregate cum 0.01 Sand for filling 0.02 560.00 11.20 Total cost of Materials Rs: 1054.78

B. MACHINERY:

| D. INIAC | . MACHINERY: | | | | | | | |
|----------|---------------------------------|------|----------|--------|--------|--|--|--|
| SI No | Description | Unit | Quantity | Rate | Amount | | | |
| | | | | in Rs. | in Rs | | | |
| 1 | Nil | | 0.00 | 0.00 | 0.00 | | | |
| | | | 0.00 | 0.00 | 0.00 | | | |
| | Total hire charges of Machinery | | | | | | | |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount | | | |
|-------|----------------------------|------|----------|--------|--------|--|--|--|
| | | | | in Rs. | in Rs | | | |
| 1 | Mason Class-II | Day | 0.25 | 370.00 | 92.50 | | | |
| 2 | mazdoor | Day | 0.25 | 310.00 | 77.50 | | | |
| | Total cost of Labour Rs: 1 | | | | | | | |

labour component/unit qty 56.70
Add contractor's profit and overhead charges 13.615% 7.70
labour component/unit qty (including contractor's profit) 64.40

ABSTRACT:

A. Cost of Materials Rs: 1054.78 B. Hire charges of Machinery Rs: 0.00 C. Cost of Labour Rs: 170.00 Total Rs: 1224.78 D.Add for contractor's profit and overheads on (A+B+C) 13.615% Rs. 166.75 Lead Charges for 1 Km for FA 0.02 31.3 Rs./Cum 0.626 cum @ Lead Charges for 1 Km for CA 0.01 cum @ 30.2 Rs./Cum 0.24 Lead Charges for 1Km for Cement (including Loading and Unloading Charges) 129.7 Rs./Tonne 0.3891 tonne @ Total cost for 3.00 Rm Rs: 1392.79 Rate per Rm (A+B+C+D)/3 Rs: **464.30**

IRR-DAW-2-17

Providing and forming expansion joint for spillway bridge consisting of 75 x 75 x 6 mm angles 2 numbers provided with 25 cm long 12 mm dia. anchors fixed to both flanges at 15 cm c /c and 140 x 6 mm plate welded on top of one of the angle including cost of all materials, machinery, labour, providing and fixing 38 mm thick joint filler board matching the thickness of wearing coat, painting etc., complete with lead upto 1 km and all lifts.

DATA: RATE ANALYSIS

UNIT: **A. MATERIALS: 7.50** Rm

| A. 181A I | : MATERIALS: | | | | | |
|-----------|--------------------------------------|------|----------|--------|---------|--|
| SI No | Particulars | Unit | Quantity | Rate | Amount | |
| | | | | in Rs. | in Rs | |
| 1 | Structural steel plate | kg | 50.70 | 40.00 | 2028.00 | |
| 2 | Structural steel angle | kg | 104.50 | 40.00 | 4180.00 | |
| 3 | 12 dia steel anchors | kg | 27.40 | 40.00 | 1096.00 | |
| 4 | Welding electrodes | Nos | 70.00 | 11.00 | 770.00 | |
| 5 | Joint filler board 19 mm thick | sqm | 1.00 | 650.00 | 650.00 | |
| 6 | Sundries (cutting gas / paint etc) | LS | 1.50 | 20.00 | 30.00 | |
| | Total cost of Materials Rs: 8 | | | | | |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount | |
|-------|--|------|----------|--------|--------|--|
| | | | | in Rs. | in Rs | |
| 1 | Welding set | Hour | 8.00 | 16.00 | 128.00 | |
| | Fuel / Energy charges | | 8.00 | 92.40 | 739.20 | |
| 2 | Sundries (cutting torch/ welding guns etc) | LS | 2.00 | 20.00 | 40.00 | |
| | Total hire charges of Machinery Rs: | | | | | |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount | |
|-------|-------------------------------|------|----------|--------|--------|--|
| | | | | in Rs. | in Rs | |
| 1 | Marker / Fabricator / Erector | Day | 1.50 | 480.00 | 720.00 | |
| 2 | Gas cutter / Welder | Day | 1.50 | 415.00 | 622.50 | |
| 3 | mazdoor | Day | 2.00 | 310.00 | 620.00 | |
| | Total cost of Labour Rs: 1 | | | | | |

labour component/unit qty 261.70
Add contractor's profit and overhead charges 13.615% 35.60
labour component/unit qty (including contractor's profit) 297.30

LINIT:

ABSTRACT:

Rs: 8754.00 A. Cost of Materials B. Hire charges of Machinery Rs: 907.20 C. Cost of Labour Rs: 1962.50 Total Rs: 11623.70 13.615% Rs. 1582.57

D.Add for contractor's profit and overheads on (A+B+C)

Lead Charges for 1Km for Steel (including Loading

27.6639 and Unloading Charges) 0.18 tonne @ 151.5 Rs./Tonne 7.50 Rs: **13233.93** Total cost for Rm (A+B+C+D)/7.50 Rate per Rm Rs: 1764.50

IRR_DAW-3

MASONRY & GUNITING WORKS:

IRR-DAW-3-1

Providing and constructing un-coursed rubble stone masonry using approved stones in cement mortar 1:3 proportion including cost of all materials, machinery, labour, scaffolding, cleaning, packing mortar, wedging stone chips, curing etc., complete with initial lead upto 1 km and all lifts. (Cement content : 190 kg/cum of masonry, rubble stones : 0.85 cum, stone chips: 0.15 cum/cum, FA: 0.4 cum)

DATA:

RATE ANALYSIS

| | | | | OINII. | |
|-------|-------------------|------------|--------------|--------|----------|
| A. MA | TERIALS: | | | 25.00 | cum |
| SI No | Particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs |
| 1 | Cement for mortar | kg | 4750 | 6.30 | 29925.00 |
| 2 | Rubble stones | cum | 21.25 | 330.00 | 7012.50 |
| 3 | Stone chips | cum | 3.75 | 360.00 | 1350.00 |
| 4 | Sand (Screened) | cum | 10 | 760.00 | 7600.00 |
| | | Total cost | of Materials | Rs. | 45887 50 |

B. MACHINERY:

| D. 111710 | BI MINOT MINERY I | | | | | | | |
|-----------|--------------------------------------|------|----------|-----------------|--------|--|--|--|
| SI No | Description | Unit | Quantity | Rate | Amount | | | |
| | | | | in Rs. | in Rs | | | |
| 1 | Concrete mixer 300 / 200 ltr (ele) | Hour | 8.00 | 51.70 | 413.60 | | | |
| | Fuel / Energy charges | Hour | 8.00 | 38.50 | 308.00 | | | |
| 2 | 10 hp pump (ele) | Hour | 1.00 | 6.70 | 6.70 | | | |
| | Fuel / Energy charges | Hour | 1.00 | 77.00 | 77.00 | | | |
| | Total hire charges of Machinery | | | Rs ⁻ | 805.30 | | | |

C. LABOUR:

| C. LAB | | | | | |
|--------|---|------|----------|--------|----------|
| SI No | Description | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs |
| 1 | Crew for Concrete mixer | Hour | 8.00 | 204.10 | 1632.80 |
| 2 | Crew for Pump | Hour | 1.00 | 77.70 | 77.70 |
| 3 | work inspector | Day | 1.00 | 400.00 | 400.00 |
| 4 | Mason Class-I | Day | 2.50 | 415.00 | 1037.50 |
| 5 | Mason Class-II | Day | 4.00 | 370.00 | 1480.00 |
| 6 | Chavali | Day | 16.00 | 370.00 | 5920.00 |
| 7 | mazdoor | | | | |
| | for batching cement (cement handling) | Day | 2.00 | 310.00 | 620.00 |
| | for batching sand | Day | 6.00 | 310.00 | 1860.00 |
| | for loading mortar pans | Day | 4.00 | 310.00 | 1240.00 |
| | for laying & packing mortar | Day | 10.00 | 310.00 | 3100.00 |
| | for loading chips | Day | 1.00 | 310.00 | 310.00 |
| | for washing rubble / finishing / curing | Day | 4.00 | 310.00 | 1240.00 |
| | for conveying mortar / chips | Day | 12.00 | 310.00 | 3720.00 |
| | Total cost of Labour | | · | Rs: | 22638.00 |

labour component/unit qty 905.50 Add contractor's profit and overhead charges 13.615% 123.30 labour component/unit qty (including contractor's profit) 1028.80

ABSTRACT:

Rs: 45887.50 A. Cost of Materials B. Hire charges of Machinery Rs: 805.30 C. Cost of Labour Rs: 22638.00 Total Rs: 69330.80 D.Add for contractor's profit and overheads on (A+B+C) 13.615% Rs. 9439.39 Lead Charges for 1 Km for FA 10.00 cum @ 31.3 Rs./Cum 313 Lead Charges for 1 Km for Stones/Stone Chips 25.00 cum @ 30.2 Rs./Cum 755.00 Lead Charges for 1Km for Cement (including Loading and Unloading Charges) 129.7 Rs./Tonne 616.075 tonne @ Total cost for 25.00 Rs: 80454.27 cum Rate per cum (A+B+C+D)/25 Rs: 3218.20

IRR-DAW-3-2

Providing and constructing un-coursed rubble stone masonry using approved stones in cement mortar 1:4 proportion including cost of all materials, machinery, labour, scaffolding, cleaning, packing mortar, wedging stone chips, curing etc., complete with initial lead upto 1 km and all lifts.

(Cement content : 143 kg/cum of masonry, rubble stones : 0.85 cum,

LIMIT

stone chips: 0.15 cum/cum, FA: 0.4 cum)

For 1 cum masonry :-

DATA: RATE ANALYSIS

| | | | | UNIT. | | |
|--------|-----------------------------|------|----------|--------|----------|--|
| A. MAT | TERIALS: | | | 25.00 | cum | |
| SI No | Particulars | Unit | Quantity | Rate | Amount | |
| | | | | in Rs. | in Rs | |
| 1 | Cement for mortar | kg | 3575 | 6.30 | 22522.50 | |
| 2 | Rubble stones | cum | 21.25 | 330.00 | 7012.50 | |
| 3 | Stone chips | cum | 3.75 | 360.00 | 1350.00 | |
| 4 | Sand (Screened) | cum | 10 | 760.00 | 7600.00 | |
| | Total cost of Materials Rs: | | | | | |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount | | |
|-------|-------------------------------------|------|----------|--------|--------|--|--|
| | | | | in Rs. | in Rs | | |
| 1 | Concrete mixer 300 / 200 ltr(ele) | Hour | 8.00 | 51.70 | 413.60 | | |
| | Fuel / Energy charges | Hour | 8.00 | 38.50 | 308.00 | | |
| 2 | 10 hp pump | Hour | 1.00 | 6.70 | 6.70 | | |
| | Fuel / Energy charges | Hour | 1.00 | 77.00 | 77.00 | | |
| | Total hire charges of Machinery Rs: | | | | | | |

C. LABOUR:

| C. LAD | . LABOUR. | | | | | | |
|--------|---|------|----------|--------|----------|--|--|
| SI No | Description | Unit | Quantity | Rate | Amount | | |
| | | | | in Rs. | in Rs | | |
| 1 | Crew for Concrete mixer | Hour | 8.00 | 204.10 | 1632.80 | | |
| 2 | Crew for Pump | Hour | 1.00 | 77.70 | 77.70 | | |
| 3 | work inspector | Day | 1.00 | 400.00 | 400.00 | | |
| 4 | Mason Class-I | Day | 2.50 | 415.00 | 1037.50 | | |
| 5 | Mason Class-II | Day | 4.00 | 370.00 | 1480.00 | | |
| 6 | Chavali | Day | 16.00 | 370.00 | 5920.00 | | |
| 7 | mazdoor | | | | | | |
| | for batching cement (cement handling) | Day | 2.00 | 310.00 | 620.00 | | |
| | for batching sand | Day | 6.00 | 310.00 | 1860.00 | | |
| | for loading mortar pans | Day | 4.00 | 310.00 | 1240.00 | | |
| | for laying & packing mortar | Day | 10.00 | 310.00 | 3100.00 | | |
| | for loading chips | Day | 1.00 | 310.00 | 310.00 | | |
| | for washing rubble / finishing / curing | Day | 4.00 | 310.00 | 1240.00 | | |
| | for conveying mortar / chips | Day | 12.00 | 310.00 | 3720.00 | | |
| | Total cost of Labour | | | Rs: | 22638.00 | | |

labour component/unit qty 905.50
Add contractor's profit and overhead charges 13.615% 123.30
labour component/unit qty (including contractor's profit) 1028.80

ABSTRACT:

A. Cost of Materials Rs: 38485.00 B. Hire charges of Machinery Rs: 805.30 C. Cost of Labour Rs: 22638.00 Total Rs: 61928.30 Rs. 8431.54 D.Add for contractor's profit and overheads on (A+B+C) 13.615% Lead Charges for 1 Km for FA 10.00 cum @ 31.3 Rs./Cum 313 Lead Charges for 1 Km for Stones/Stone Chips 25.00 cum @ 30.2 Rs./Cum 755.00 Lead Charges for 1Km for Cement (including Loading and Unloading Charges) 3.58 tonne @ 129.7 Rs./Tonne 463.6775 Total cost for 25.00 cum Rs: **71891.52** Rate per cum (A+B+C+D)/25 Rs: 2875.70

IRR-DAW-3-3

Providing and constructing coursed rubble face stone masonry using approved rubble stones in cement mortar 1:3 proportion including cost of all materials, machinery, labour, scaffolding, ramps, cleaning, packing mortar, wedging stone chips, curing etc., with initial lead upto 1 km and all lifts.

(Thickness of the CR face assumed: 0.75 m,Cement content : 178 kg/cum of masonry, rubble stones : 0.35 cum, stone chips : 0.15 cum/cum, FA : 0.375 cum, CR stones 30 x 30 x 45 cm : 9.75 No, CR stones 30 x 30 x 60 cm : 3.25 No)

DATA:

RATE ANALYSIS

| | | | | UNIT: | |
|--------|--------------------------------------|--------|----------|--------|----------|
| A. MAT | ERIALS: | | | 25.00 | cum |
| SI No | Particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs |
| 1 | Cement for mortar | kg | 4450 | 6.30 | 28035.00 |
| 2 | Coursed rubble stone 30 x 30 x 45 cm | Nos | 244 | 22.00 | 5368.00 |
| 3 | Coursed rubble stone 30 x 30 x 60 cm | Nos | 82 | 28.00 | 2296.00 |
| 4 | Rubble stones | cum | 8.75 | 330.00 | 2887.50 |
| 5 | Stone chips | cum | 3.75 | 360.00 | 1350.00 |
| 6 | Sand (Screened) | cum | 9.375 | 760.00 | 7125.00 |
| | Total cost of Mat | erials | | Rs: | 47061.50 |

B. MACHINERY:

| D. 1017 (C | S. III/OHINERT: | | | | | | | |
|------------|--------------------------------------|------|-------------------------------------|--------|--------|--|--|--|
| SI No | Description | Unit | Quantity | Rate | Amount | | | |
| | | | | in Rs. | in Rs | | | |
| 1 | Concrete mixer 300 / 200 ltr (ele) | Hour | 8.00 | 51.70 | 413.60 | | | |
| | Fuel / Energy charges | Hour | 8.00 | 38.50 | 308.00 | | | |
| 2 | 10 hp pump (ele) | Hour | 1.00 | 6.70 | 6.70 | | | |
| | Fuel / Energy charges | Hour | 1.00 | 77.00 | 77.00 | | | |
| | Total hire charges of Machi | nerv | Total hire charges of Machinery Rs: | | | | | |

C. LABOUR: SI No Description Unit Quantity Rate Amount in Rs. in Rs 204.10 1632.80 Crew for Concrete mixer 8.00 Hour 77.70 77.70 2 Crew for Pump Hour 1.00 3 work inspector Day 1.00 400.00 400.00 4 Stone chiseller CI -II Day 7.00 370.00 2590.00 5 Mason Class-I 2.50 415.00 1037.50 Day 370.00 1480.00 Mason Class-II 6 Day 4.00 Chavali Day 16.00 370.00 5920.00 mazdoor for batching cement (cement handling) Day 2.00 310.00 620.00 310.00 <u>1860.00</u> 310.00 <u>1240.00</u> for batching sand Day 6.00 for loading mortar pans Day 4.00 310.00 <u>3100.00</u> 310.00 <u>310.00</u> 10.00 for laying & packing mortar Day for loading chips Day 1.00 for washing rubble / finishing / curing Day 4.00 310.00 1240.00 for conveying mortar / chips Day 12.00 310.00 3720.00 Total cost of Labour Rs: **25228.00**

labour component/unit qty 1009.10
Add contractor's profit and overhead charges 13.615% 137.40
labour component/unit qty (including contractor's profit) 1146.50

ABSTRACT:

A. Cost of Materials Rs: 47061.50 B. Hire charges of Machinery Rs: 805.30 C. Cost of Labour Rs: <u>25228.00</u> Total Rs: 73094.80 D.Add for contractor's profit and overheads on (A+B+C) 13.615% Rs. 9951.86 Lead Charges for 1 Km for FA 31.3 Rs./Cum 293.4375 9.38 cum @ Lead Charges for 1 Km for Stones/Stone Chips 26.81 30.2 Rs /Cum 809.66 cum @ Lead Charges for 1Km for Cement (including Loading and Unloading Charges) 4.45 tonne @ 129.7 Rs./Tonne Total cost for 25.00 cum Rs: **84726.92** Rate per cum (A+B+C+D)/25 Rs: 3389.10

IRR-DAW-3-4

Providing and **constructing** coursed rubble face stone masonry using approved rubble stones in **cement mortar 1**: 4 proportion including cost of all materials, machinery, labour, scaffolding, ramps, cleaning, packing mortar, wedging stone chips, curing etc., **with initial lead upto 1 km and all lifts.**

(Cement content : 134 kg/cum of masonry, rubble stones : 0.35 cum,

stone chips: 0.15 cum/cum, FA: 0.375 cum,

CR stones 30 x 30 x 45 cm : 9.75 No, CR stones 30 x 30 x 60 cm : 3.25 No)

DATA:

RATE ANALYSIS

| | | | | OINII. | | |
|--------|--------------------------------------|------|----------|--------|----------|--|
| A. MAT | . MATERIALS: 25.00 cu | | | | | |
| SI No | Particulars | Unit | Quantity | Rate | Amount | |
| | | | | in Rs. | in Rs | |
| 1 | Cement for mortar | kg | 3350 | 6.30 | 21105.00 | |
| 2 | Coursed rubble stone 30 x 30 x 45 cm | Nos | 244 | 22.00 | 5368.00 | |
| 3 | Coursed rubble stone 30 x 30 x 60 cm | Nos | 82 | 28.00 | 2296.00 | |
| 4 | Rubble stones | cum | 8.75 | 330.00 | 2887.50 | |
| 5 | Stone chips | cum | 3.75 | 360.00 | 1350.00 | |
| 6 | Sand (Screened) | cum | 9.375 | 760.00 | 7125.00 | |
| | Total cost of Materials | | | Rs: | 40131.50 | |

LINIT:

B. MACHINERY:

| D. INIAC | B. MACHINERT. | | | | | | | |
|----------|--------------------------------------|-------|----------|--------|--------|--|--|--|
| SI No | Description | Unit | Quantity | Rate | Amount | | | |
| | | | | in Rs. | in Rs | | | |
| 1 | Concrete mixer 300 / 200 ltr (ele) | Hour | 8.00 | 51.70 | 413.60 | | | |
| | Fuel / Energy charges | Hour | 8.00 | 38.50 | 308.00 | | | |
| 2 | 10 hp pump (ele) | Hour | 1.00 | 6.70 | 6.70 | | | |
| | Fuel / Energy charges | Hour | 1.00 | 77.00 | 77.00 | | | |
| | Total hiro charges of Mach | inery | • | Pc: | 90E 20 | | | |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|-------------------------|------|----------|--------|---------|
| | | | | in Rs. | in Rs |
| 1 | Crew for Concrete mixer | Hour | 8.00 | 204.10 | 1632.80 |

Rs: 45070.00

| 2 | Crew for Pump | Hour | 1.00 | 77.70 | 77.70 |
|---|---|------|-------|--------|----------|
| 3 | work inspector | Day | 1.00 | 400.00 | 400.00 |
| 4 | Stone chiseller CI -II | Day | 7.00 | 370.00 | 2590.00 |
| 5 | Mason Class-I | Day | 2.50 | 415.00 | 1037.50 |
| 6 | Mason Class-II | Day | 4.00 | 370.00 | 1480.00 |
| 7 | Chavali | Day | 16.00 | 370.00 | 5920.00 |
| 8 | mazdoor | | | | |
| | for batching cement (cement handling) | Day | 2.00 | 310.00 | 620.00 |
| | for batching sand | Day | 6.00 | 310.00 | 1860.00 |
| | for loading mortar pans | Day | 4.00 | 310.00 | 1240.00 |
| | for laying & packing mortar | Day | 10.00 | 310.00 | 3100.00 |
| | for loading chips | Day | 1.00 | 310.00 | 310.00 |
| | for washing rubble / finishing / curing | Day | 4.00 | 310.00 | 1240.00 |
| | for conveying mortar / chips | Day | 12.00 | 310.00 | 3720.00 |
| | Total cost of Labour | • | · | Rs: | 25228.00 |

labour component/unit qty 1009.10
Add contractor's profit and overhead charges 13.615% 137.40
labour component/unit qty (including contractor's profit) 1146.50

ABSTRACT:

A. Cost of Materials Rs: 40131.50 B. Hire charges of Machinery Rs: 805.30 C. Cost of Labour Rs: 25228.00 Total Rs: 66164.80 13.615% D.Add for contractor's profit and overheads on (A+B+C) Rs. 9008.34 Lead Charges for 1 Km for FA cum @ 31.3 Rs./Cum 293.4375 Lead Charges for 1 Km for Stones/Stone Chips 26.81 30.2 Rs./Cum 809.66 cum @ Lead Charges for 1Km for Cement (including Loading and Unloading Charges) tonne @ 129.7 Rs./Tonne Rs: **76710.73** Total cost for 25.00 cum Rate per cum (A+B+C+D)/25 Rs: 3068.40

IRR-DAW-3-5 Providing and constructing chisel drafted and hammer dressed face

stone masonry with approved stones in cement mortar 1:3 proportion including cost of all materials, machinery, labour, scaffolding, ramps, cleaning, packing mortar, wedging stone chips, curing etc.,complete with initial lead upto 1 km and all lifts.

(Cement content : 167 kg/cum of masonry, rubble stones : 0.35 cum,

Total cost of Materials

stone chips: 0.15 cum/cum, FA: 0.35 cum,

Dressed stones 30 x 30 x 45 cm : 10 No, Dressed stones 30 x 30 x 60 cm : 3.40 No)

DATA: RATE ANALYSIS

UNIT: A. MATERIALS: **25.00** cum SI No Particulars Unit Quantity Rate Amount in Rs in Rs Cement for mortar 4175 6.30 26302.50 kg Nos 2 Coursed rubble stone 30 x 30 x 45 cm 250 22.00 5500.00 28.00 2380.00 3 Coursed rubble stone 30 x 30 x 60 cm Nos 85 8.75 330.00 2887.50 4 Rubble stones cum 5 Stone chips cum 3.75 360.00 1350.00 Sand (Scree 8.75 760.00 6650.00

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|--------------------------------------|------|----------|--------|--------|
| | | | | in Rs. | in Rs |
| 1 | Concrete mixer 300 / 200 ltr (ele) | Hour | 8.00 | 51.70 | 413.60 |
| | Fuel / Energy charges | Hour | 8.00 | 38.50 | 308.00 |
| 2 | 10 hp pump (ele) | Hour | 1.00 | 6.70 | 6.70 |
| | Fuel / Energy charges | Hour | 1.00 | 77.00 | 77.00 |
| | Total hire charges of Machi | nery | | Rs: | 805.30 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|---|------|----------|--------|---------|
| | | | | in Rs. | in Rs |
| 1 | Crew for Concrete mixer | Hour | 8.00 | 204.10 | 1632.80 |
| 2 | Crew for Pump | Hour | 1.00 | 77.70 | 77.70 |
| 3 | work inspector | Day | 1.00 | 400.00 | 400.00 |
| 4 | Stone chiseller CI -I | Day | 14.00 | 415.00 | 5810.00 |
| 5 | Stone chiseller CI -II | Day | 7.00 | 370.00 | 2590.00 |
| 6 | Mason Class-I | Day | 2.50 | 415.00 | 1037.50 |
| 7 | Mason Class-II | Day | 4.00 | 370.00 | 1480.00 |
| 8 | Chavali | Day | 16.00 | 370.00 | 5920.00 |
| 9 | mazdoor | | | | |
| | for batching cement (cement handling) | Day | 2.00 | 310.00 | 620.00 |
| | for batching sand | Day | 6.00 | 310.00 | 1860.00 |
| | for loading mortar pans | Day | 4.00 | 310.00 | 1240.00 |
| | for laying & packing mortar | Day | 10.00 | 310.00 | 3100.00 |
| | for loading chips | Day | 1.00 | 310.00 | 310.00 |

UNIT:

| for washing rubble / finishing / curing | Day | 4.00 | 310.00 | 1240.00 |
|---|-----|-------|--------|----------|
| for conveying mortar / chips | Day | 12.00 | 310.00 | 3720.00 |
| Total cost of Labour | • | | Rs: | 31038.00 |

labour component/unit qty 1241.50 Add contractor's profit and overhead charges 13.615% 169.00 labour component/unit qty (including contractor's profit) 1410.50

ABSTRACT: A. Cost of Materials Rs: 45070.00 B. Hire charges of Machinery Rs: 805.30 C. Cost of Labour Rs: 31038.00 Total Rs: 76913.30 D.Add for contractor's profit and overheads on (A+B+C) 13.615% Rs. 10471.75 Lead Charges for 1 Km for FA 8.75 cum @ 31.3 Rs./Cum 273.875 Lead Charges for 1 Km for Stones/Stone Chips 27.22 cum @ 30.2 Rs./Cum 821.89 Lead Charges for 1Km for Cement (including Loading and Unloading Charges) 129.7 Rs./Tonne 4.18 tonne @ 541.4975 Total cost for 25.00 Rs: **89022.32** cum Rate per cum (A+B+C+D)/25 Rs: **3560.90**

IRR-DAW-3-6

Providing and constructing chisel drafted and hammer dressed face stone masonry with approved stones in cement mortar 1:4 proportion including cost of all materials, machinery, labour, scaffolding, ramps, cleaning, packing mortar, wedging stone chips, curing etc., complete with initial lead upto 1 km and all lifts.

(Cement content : 125 kg/cum of masonry, rubble stones : 0.35 cum,

stone chips: 0.15 cum/cum, FA: 0.35 cum,

Dressed stones 30 x 30 x 45 cm : 10 No, Dressed stones 30 x 30 x 60 cm : 3.40 No)

DATA:

RATE ANALYSIS

| A. MAT | MATERIALS: 25.00 cur | | | | | | |
|--------|--------------------------------------|------|----------|--------|----------|--|--|
| SI No | Particulars | Unit | Quantity | Rate | Amount | | |
| | | | | in Rs. | in Rs | | |
| 1 | Cement for mortar | kg | 3125 | 6.30 | 19687.50 | | |
| 2 | Coursed rubble stone 30 x 30 x 45 cm | Nos | 250 | 22.00 | 5500.00 | | |
| 3 | Coursed rubble stone 30 x 30 x 60 cm | Nos | 85 | 28.00 | 2380.00 | | |
| 4 | Rubble stones | cum | 8.75 | 330.00 | 2887.50 | | |
| 5 | Stone chips | cum | 3.75 | 360.00 | 1350.00 | | |
| 6 | Sand (Screened) | cum | 8.75 | 760.00 | 6650.00 | | |
| | Total cost of Materials | | | Rs: | 38455.00 | | |

B. MACHINERY:

| D. 1117 10 | MIXOTIMERT | | | | | | |
|------------|--------------------------------------|------|----------|--------|--------|--|--|
| SI No | Description | Unit | Quantity | Rate | Amount | | |
| | | | | in Rs. | in Rs | | |
| 1 | Concrete mixer 300 / 200 ltr (ele) | Hour | 8.00 | 51.70 | 413.60 | | |
| | Fuel / Energy charges | Hour | 8.00 | 38.50 | 308.00 | | |
| 2 | 10 hp pump (ele) | Hour | 1.00 | 6.70 | 6.70 | | |
| | Fuel / Energy charges | Hour | 1.00 | 77.00 | 77.00 | | |
| | Total hire charges of Machi | nery | | Rs: | 805.30 | | |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|---|------|----------|--------|----------|
| | • | | - | in Rs. | in Rs |
| 1 | Crew for Concrete mixer | Hour | 8.00 | 204.10 | 1632.80 |
| 2 | Crew for Pump | Hour | 1.00 | 77.70 | 77.70 |
| 3 | work inspector | Day | 1.00 | 400.00 | 400.00 |
| 4 | Stone chiseller CI -I | Day | 14.00 | 415.00 | 5810.00 |
| 5 | Stone chiseller CI -II | Day | 7.00 | 370.00 | 2590.00 |
| 6 | Mason Class-I | Day | 2.50 | 415.00 | 1037.50 |
| 7 | Mason Class-II | Day | 4.00 | 370.00 | 1480.00 |
| 8 | Chavali | Day | 16.00 | 370.00 | 5920.00 |
| 9 | mazdoor | | | | |
| | for batching cement (cement handling | Day | 2.00 | 310.00 | 620.00 |
| | for batching sand | Day | 6.00 | 310.00 | 1860.00 |
| | for loading mortar pans | Day | 4.00 | 310.00 | 1240.00 |
| | for laying & packing mortar | Day | 10.00 | 310.00 | 3100.00 |
| | for loading chips | Day | 1.00 | 310.00 | 310.00 |
| | for washing rubble / finishing / curing | Day | 4.00 | 310.00 | 1240.00 |
| | for conveying mortar / chips | Day | 12.00 | 310.00 | 3720.00 |
| | Total cost of Labour | | | Rs: | 31038.00 |

labour component/unit qty

1241 50

Add contractor's profit and overhead charges labour component/unit qty (including contractor's profit)

13.615% 169.00 1410.50

ABSTRACT:

A. Cost of Materials Rs: 38455 00 Rs: 805.30 B. Hire charges of Machinery C. Cost of Labour Rs: 31038.00

UNIT:

Total Rs: 70298.30 D.Add for contractor's profit and overheads on (A+B+C) 13.615% Rs. 9571.11 Lead Charges for 1 Km for FA 8.75 cum @ 31.3 Rs./Cum 273.875 Lead Charges for 1 Km for Stones/Stone Chips 27.22 30.2 Rs./Cum 821.89 cum @ Lead Charges for 1Km for Cement (including Loading 3.13 and Unloading Charges) 129.7 Rs./Tonne tonne @ 405.3125 Total cost for 25.00 cum Rs: 81370.49 Rate per cum (A+B+C+D)/25 Rs: 3254.80

IRR-DAW-3-7

Providing cement mortar pointing to coursed rubble face stone masonry 50 mm deep in CM 1:2 proportion by volume including raking and cleaning joints, pressing mortar into joints, cost of all materials, labour, scaffolding, finishing, curing etc., complete with initial lead upto 1 km and all lifts.

DATA:

RATE ANALYSIS

| A. MAT | A. MATERIALS: 100.00 sq | | | | | |
|--------|-------------------------|------|----------|--------|---------|--|
| SI No | Particulars | Unit | Quantity | Rate | Amount | |
| | | | | in Rs. | in Rs | |
| 1 | Cement | kg | 455.446 | 6.30 | 2869.31 | |
| 2 | Sand (Screened) | cum | 0.735 | 760.00 | 558.60 | |
| | Total cost of Materials | | | Rs: | 3427.91 | |

| SI No | Description | Unit | Quantity | Rate | Amount | |
|-------|--|------|----------|--------|--------|--|
| | | | | in Rs. | in Rs | |
| 1 | NIL | | 0.00 | 0.00 | 0.00 | |
| | (Manual mixing) | | 0.00 | 0.00 | 0.00 | |
| | Total hire charges of Machinery Rs: 0.00 | | | | | |

| | C. LABOOK. | | | | | | | |
|---|------------|----------------------------|------|----------|--------|---------|--|--|
| | SI No | Description | Unit | Quantity | Rate | Amount | | |
| L | | | | | in Rs. | in Rs | | |
| | 1 | Mason Class-I | Day | 10.00 | 415.00 | 4150.00 | | |
| L | 2 | mazdoor | Day | 10.00 | 310.00 | 3100.00 | | |
| | | Total cost of Labour Rs: 7 | | | | | | |

labour component/unit qty 72.50
Add contractor's profit and overhead charges 13.615% 9.90
labour component/unit qty (including contractor's profit) 82.40

ABSTRACT:

A. Cost of Materials Rs: 3427.91 B. Hire charges of Machinery Rs: 0.00 C. Cost of Labour Rs: 7250.00 Total Rs: 10677.91 D.Add for contractor's profit and overheads on (A+B+C) 13.615% Rs. 1453.8 Lead Charges for 1 Km for FA 31.3 Rs./Cum cum @ 23.0055 Lead Charges for 1Km for Cement (including Loading and Unloading Charges) 0.46 129.7 Rs./Tonne 59.071346 tonne @ 100.00 Rs: **12213.79** Total cost for sam (A+B+C+D)/100 Rate per sam Rs: 122.10

IRR-DAW-3-8

Providing cement mortar pointing to coursed rubble face stone masonry 50 mm deep in CM 1:3 proportion by volume including raking and cleaning joints, pressing mortar into joints, cost of all materials, labour, scaffolding, finishing, curing etc., complete with initial lead upto 1 km and all lifts.

DATA:

RATE ANALYSIS

| | | | | UNIT: | |
|--------|-------------------------|------|----------|--------|---------|
| A. MAT | ERIALS: | | | 100.00 | sqm |
| SI No | Particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs |
| 1 | Cement | kg | 321.80 | 6.30 | 2027.34 |
| 2 | Sand (Screened) | cum | 0.74 | 760.00 | 558.60 |
| | Total cost of Materials | | | Re- | 2585 94 |

B. MACHINERY:

| D. WIAC | OUNER 1. | | | | |
|---------|----------------|---------------------------------|----------|--------|--------|
| SI No | Descriptio | n Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs |
| 1 | NIL | | 0.00 | 0.00 | 0.00 |
| | Manual mixing) | | 0.00 | 0.00 | 0.00 |
| | | Total hire charges of Machinery | | Rs: | 0.00 |

C. LABOUR:

| C. LAD | OUK. | | | | |
|--------|---------------|------|----------|--------|---------|
| SI No | Description | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs |
| 1 | Mason Class-I | Day | 10.00 | 415.00 | 4150.00 |
| 2 | mazdoor | Day | 10.00 | 310.00 | 3100.00 |

Rs: 112.40

Total cost of Labour Rs: **7250.00** 72 50 labour component/unit qty Add contractor's profit and overhead charges 13.615% <u>9.90</u> labour component/unit qty (including contractor's profit) 82.40 ABSTRACT: A. Cost of Materials Rs: 2585.94 B. Hire charges of Machinery Rs: 0.00 C. Cost of Labour Rs: 7250.00 Total Rs: 9835.94 D.Add for contractor's profit and overheads on (A+B+C) 13.615% Rs. 1339.16 Lead Charges for 1 Km for FA cum @ 31.3 Rs./Cum 23.0055 Lead Charges for 1Km for Cement (including Loading and Unloading Charges) 0.32 tonne @ 129.7 Rs./Tonne 41.73746 Total cost for 100.00 Rs: 11239.84 sqm

(A+B+C+D)/100

IRR_DAW-4

CONTRACTION JOINT WORKS:

sqm

Rate per

IRR-DAW-4-1

Providing 25 mm thick guniting to rock or masonry surface in cement mortar 1:3 proportion by weight including cost of all materials, machinery, labour, raking-out and cleaning joints, scaffolding wherever required and all other ancillary operations etc., complete with initial lead upto 1 km and all lifts.

DATA:

RATE ANALYSIS

UNIT: **36.00** sqm A. MATERIALS: SI No Particulars Unit Quantity Rate Amount in Rs. in Rs 609.90 6.30 3842.37 Cement kg 2 Sand (Screened) cum 1.09 760.00 828.40 3 Use rate of grout hose 25 m Hour 8.00 5.78 46.25 4 Use rate of water hose 25 m 8.00 5.78 46.25 Hour Hour 5 Use rate of guniting nozzle 8.00 3.50 28.00 20.00 40.00 2.00 Sundries LS Total cost of Materials Rs: 4831.27

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|--------------------------------|------|----------|--------|---------|
| | | | | in Rs. | in Rs |
| 1 | Guniting equipment | Hour | 8.00 | 110.10 | 880.80 |
| | Fuel / Energy charges | Hour | 8.00 | 0.00 | 0.00 |
| 2 | Air compressor 8.5 cmm (ele) | Hour | 8.00 | 170.80 | 1366.40 |
| | Fuel / Energy charges | Hour | 8.00 | 433.10 | 3464.80 |
| 3 | Pump 10 hp (ele) | Hour | 1.00 | 6.70 | 6.70 |
| | Fuel / Energy charges | Hour | 1.00 | 77.00 | 77.00 |
| 4 | Sundries | LS | 2.00 | 20.00 | 40.00 |
| | Total hire charges of Machi | nerv | | Rs: | 5835.70 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount | |
|-------|-----------------------------|------|----------|--------|---------|--|
| | | | | in Rs. | in Rs | |
| 1 | Crew for Guniting equipment | Hour | 8.00 | 204.10 | 1632.80 | |
| 2 | Crew for Air compressor | Hour | 8.00 | 153.10 | 1224.80 | |
| 3 | Crew for pump | Hour | 1.00 | 77.70 | 77.70 | |
| 4 | Mason CI II | Day | 1.00 | 370.00 | 370.00 | |
| 5 | mazdoor | | | | | |
| | for cement handling | Day | 2.00 | 310.00 | 620.00 | |
| | for sand | Day | 2.00 | 310.00 | 620.00 | |
| | mazdoor for other works | Day | 2.00 | 310.00 | 620.00 | |
| | Total cost of Labour Rs: 51 | | | | | |

labour component/unit qty 143.50
Add contractor's profit and overhead charges 13.615% 19.50
labour component/unit qty (including contractor's profit) 163.00

ABSTRACT:

A. Cost of Materials Rs: 4831.27 B. Hire charges of Machinery Rs: 5835.70 C. Cost of Labour Rs: 5165.30 Total Rs: 15832.27 Add for scaffolding 3% 395.81 Total Rs: 16228.08 D.Add for contractor's profit and overheads on (A+B+C+other 13.615% Rs. 2209.45 Lead Charges for 1 Km for FA 31.3 Rs./Cum 1.09 cum @ 34.117 Lead Charges for 1Km for Cement (including Loading and Unloading Charges) 0.61 tonne @ 129.7 Rs./Tonne 79.10403 Total cost for 36.00 Rs: 18550.75 sam (A+B+C+D)/36 Rate per sqm Rs: 515.30

UNIT:

IRR-DAW-4-2

Providing and constructing contraction joints by fixing 16 SWG 60 cm wide annealed copper sheets in two lines with 8 mm dia steel dowel rods on either side at one metre interval, forming 125 x 125 mm size groove in between copper strips for filling asphalt including fixing 15 mm dia two legged G.I pipe with U - bend at bottom for circulation of steam at intervals and forming 150 mm dia formed drain behind water seals including cost of all materials, machinery, labour, filling asphalt, circulation of steam through pipes etc., complete with all leads and lifts. consider 12 m height of contraction joint for analysis.

DATA:

RATE ANALYSIS

12.00 Rm A. MATERIALS: SI No Particulars Unit Quantity Rate Amount in Rs Copper sheet 16 SWG 215.00 680.00 146200.00 kg 40.00 <u>1200.00</u> 110.00 <u>2640.00</u> kg Rm 2 Reinforcement steel 8 mm dia 30.00 3 GI pipe 15 mm dia 24.00 4 Asphalt 192.00 4.00 768.00 kg 5 Elbows / Nipple / Plugs etc., LS 5.00 17.00 85.00 Soldering materials LS 40.00 17.00 680.00 Total cost of Materials 151573.00

| B. MAC | HINERY: |
|--------|---------|
|--------|---------|

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|---------------------------------------|------|----------|--------|--------|
| | | | | in Rs. | in Rs |
| 1 | Steam circulation arrangement | LS | 8.00 | 17.00 | 136.00 |
| | Fuel charges (gas for heating) | LS | 10.00 | 17.00 | 170.00 |
| | Total hire charges of Machinery Rs: 3 | | | | |

C. LABOUR:

| SI No | Descriptio | n Unit | Quantity | Rate | Amount |
|-------|---------------|----------------------|----------|--------|---------|
| | | | | in Rs. | in Rs |
| 1 | Welder | Day | 1.00 | 415.00 | 415.00 |
| 2 | Tinsmith | Day | 1.00 | 415.00 | 415.00 |
| 3 | Bar bender | Day | 0.50 | 490.00 | 245.00 |
| 4 | Pipe fitter | Day | 0.50 | 480.00 | 240.00 |
| 5 | Mason Class-I | Day | 0.50 | 415.00 | 207.50 |
| 6 | mazdoor | Day | 1.00 | 310.00 | 310.00 |
| | · | Total cost of Labour | | Rs: | 1832.50 |

labour component/unit qty

152.70

Add contractor's profit and overhead charges labour component/unit qty (including contractor's profit)

13.615% 20.80

173.50

ABSTRACT:

Rs: 151573.00 A. Cost of Materials B. Hire charges of Machinery Rs: 306.00 C. Cost of Labour Rs: 1832.50 Total Rs: 153711.50 13.615% D.Add for contractor's profit and overheads on (A+B+C) Rs. 20927.82 Rs: **174639.32** Total cost for 12 00 Rm Rate per Rm (A+B+C+D)/12 Rs: 14553.30

IRR-DAW-4-3

Providing and constructing contraction joints by fixing 310 mm wide central bulb type approved quality PVC water stop in two lines with 8 mm diameter steel dowel rods on either side at 1m interval, forming 125 x 125 mm size groove in between two water stops, providing & fixing 15 mm dia two legged G.I pipe with U-bend at bottom for circulation steam at interval, forming 150 mm diameter formed drain behind water seals including filling groove with asphalt, circulation of steam at intervals, cost of all materials, machinery, labour etc., complete with all leads and lifts.

DATA:

RATE ANALYSIS

| | | | | UNIT: | |
|--------|-------------------------------|------|----------|--------|----------|
| A. MAT | ERIALS: | | | 12.00 | Rm. |
| SI No | Particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs |
| 1 | PVC water stops 310 mm wide | Rm | 24.50 | 485.00 | 11882.50 |
| 2 | Reinforcement steel 8 mm dia | kg | 30.00 | 40.00 | 1200.00 |
| 3 | GI pipe 15 mm dia | Rm | 24.00 | 110.00 | 2640.00 |
| 4 | Asphalt | kg | 192.00 | 4.00 | 768.00 |
| 5 | Elbows / Nipple / Plugs etc., | LS | 5.00 | 17.00 | 85.00 |
| 6 | Vulcanizing materials | LS | 25.00 | 17.00 | 425.00 |
| | Total cost of Materials | | | Rs: | 17000.50 |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|----------------------------------|------|----------|--------|--------|
| | | | | in Rs. | in Rs |
| 1 | Steam circulation arrangement | LS | 8.00 | 17.00 | 136.00 |
| | Fuel charges (gas for heating) | LS | 10.00 | 17.00 | 170.00 |

Total hire charges of Machinery Rs: 306.00

C. LABOUR:

| C. LABOUR: | | | | | | |
|------------|----------------------|------|----------|--------|---------|--|
| SI No | Description | Unit | Quantity | Rate | Amount | |
| | | | | in Rs. | in Rs | |
| 1 | Welder | Day | 0.50 | 415.00 | 207.50 | |
| 2 | Bar bender | Day | 0.50 | 490.00 | 245.00 | |
| 3 | Pipe fitter | Day | 0.50 | 480.00 | 240.00 | |
| 4 | Mason Class-I | Day | 0.50 | 415.00 | 207.50 | |
| 5 | mazdoor | Day | 1.00 | 310.00 | 310.00 | |
| | Total cost of Labour | | | Rs: | 1210.00 | |

labour component/unit qty 100.80
Add contractor's profit and overhead charges 13.615% 13.70
labour component/unit qty (including contractor's profit) 114.50

ABSTRACT:

Rs: 17000.50 A. Cost of Materials B. Hire charges of Machinery Rs: 306.00 C. Cost of Labour Rs: 1210.00 Total Rs: 18516.50 D.Add for contractor's profit and overheads on (A+B+C) 13.615% Rs. 2521.02 Total cost for 12.00 Rm. Rs: 21037.52 (A+B+C+D)/12 Rate per Rm. Rs: 1753.10

IRR-DAW-4-4 Providing and constructing contraction joints by fixing 16 SWG 60 cm

wide annealed copper sheets in single line with 8 mm dia steel dowel rods on either side at 1 metre interval including cost of all materials, machinery, labour etc., complete with all leads and lifts.

DATA: RATE ANALYSIS

UNIT:
A. MATERIALS:
8.7 Rm

| A. 181A | C. MATERIALS. | | | | |
|---------|------------------------------|------|----------|--------|----------|
| SI No | Particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs |
| 1 | Copper sheet 16 SWG | kg | 77.00 | 680.00 | 52360.00 |
| 2 | Reinforcement steel 8 mm dia | kg | 15.00 | 40.00 | 600.00 |
| 3 | Soldering materials | LS | 10.00 | 17.00 | 170.00 |
| | Total cost of Materials | | | Rs: | 53130.00 |

B. MACHINERY:

| B. MACHINERT. | | | | | |
|---------------|---------------------------------------|------|----------|--------|--------|
| SI No | Description | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs |
| 1 | Sundries such as soldering gun etc., | LS | 3.00 | 20.00 | 60.00 |
| | Fuel charges (gas) | LS | 5.00 | 17.00 | 85.00 |
| | Total hire charges of Machinery Rs: 1 | | | | |

C. LABOUR:

| O. LABOUR. | | | | | |
|------------|----------------------|------|----------|--------|---------|
| SI No | Description | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs |
| 1 | Welder | Day | 0.5 | 415.00 | 207.50 |
| 2 | Tinsmith | Day | 0.5 | 415.00 | 207.50 |
| 3 | Bar bender | Day | 0.5 | 490.00 | 245.00 |
| 4 | Mason Class-I | Day | 0.5 | 415.00 | 207.50 |
| 5 | mazdoor | Day | 0.5 | 310.00 | 155.00 |
| | Total cost of Labour | | | Rs: | 1022.50 |

labour component/unit qty 117.50
Add contractor's profit and overhead charges 13.615% 16.00
labour component/unit qty (including contractor's profit) 133.50

ABSTRACT:

A. Cost of Materials Rs: 53130.00 B. Hire charges of Machinery Rs: 145.00 C. Cost of Labour Rs: 1022.50 Total Rs: 54297.50 D.Add for contractor's profit and overheads on (A+B+C) 13.615% Rs. 7392.6 Total cost for 8.70 Rm Rs: 61690.10 Rate per Rm (A+B+C+D)/8.70 Rs: 7090.80

IRR-DAW-4-5 Providing and constructing contraction joints by fixing 23 cm wide central

bulb type PVC water stop in single line supported by 10 mm dia steel dowel rods on either side at 1 metre interval including cost of all materials, machinery, labour, valcunising joints etc., complete **with all leads and lifts.**

DATA: RATE ANALYSIS

| | | | | | UNIT. | | |
|---------|-------------|------|----------|------|--------|--|--|
| A. MATE | ERIALS: | | | 8.70 | Rm | | |
| SI No | Particulars | Unit | Quantity | Rate | Amount | | |

LINIT

| L | | | | | in Rs. | in Rs |
|---|-------------------------------|-------------------------------|----|-------|--------|--------|
| | 1 | PVC water seal 23 cm wide | Rm | 9.00 | 47.00 | 423.00 |
| | 2 | Reinforcement steel 10 mm dia | kg | 10.00 | 40.00 | 400.00 |
| L | 3 | Vulcanising materials | LS | 2.00 | 17.00 | 34.00 |
| ſ | Total cost of Materials Rs: 8 | | | | | 857.00 |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate in Rs. | Amount in Rs |
|-------|-------------------------------|------|----------|-------------|--------------|
| 1 | Sundries such as heater etc., | LS | 0.50 | 20.00 | 10.00 |
| | Fuel charges for heating | LS | 0.50 | 17.00 | 8.50 |
| | Total hire charges of Machin | nery | | | 18.50 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|----------------------|------|----------|--------|--------|
| | | | | in Rs. | in Rs |
| 1 | Welder | Day | 0.50 | 415.00 | 207.50 |
| 2 | Bar bender | Day | 0.50 | 490.00 | 245.00 |
| 3 | Mason Class-I | Day | 0.50 | 415.00 | 207.50 |
| 4 | mazdoor | Day | 0.50 | 310.00 | 155.00 |
| | Total cost of Labour | | | | |

labour component/unit qty 93.70
Add contractor's profit and overhead charges 13.615% 12.80
labour component/unit qty (including contractor's profit) 106.50

ABSTRACT:

A. Cost of Materials Rs: 857.00 B. Hire charges of Machinery C. Cost of Labour Rs: 18.50 Rs: 815.00 Total Rs: 1690.50 D.Add for contractor's profit and overheads on (A+B+C) 13.615% Rs. 230.16 Total cost for 8.70 Rm Rs: 1920.66 Rs: **220.80** Rate per (A+B+C+D)/8.70 Rm

IRR_DAW-5 **EARTH / ROCKFILL EMBANKMENT WORKS :**

IRR-DAW-5-1

Providing hearting embankment using selected impervious soil from approved borrow areas in layers of 25 to 30 cm before compaction including cost of all materials, machinery, labour, all operations such as excavation, sorting out, transportation, spreading soil in layer of specified thickness, breaking clods, sectioning, watering, compacting to density control of not less than 95 percent or as stipulated using Sheep foot roller / Vibratory roller 8 to 10 tonne power roller.

Vibratory roller/ 8 to 10 tonne power roller etc., complete with initial lead upto 1 km and all lifts.

DATA: RATE ANALYSIS

A. MATERIALS: UNIT 825.00 cum

| SI No | Particulars | Unit | Quantity | Rate | Amount |
|-------|-------------------------|------|----------|--------|--------|
| | | | | in Rs. | in Rs |
| 1 | NIL | | 0.00 | 0.00 | 0.00 |
| | | | 0.00 | 0.00 | 0.00 |
| | Total cost of Materials | | | Rs: | 0.00 |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|----------------------------------|-----------|----------|---------|----------|
| | , | | , | in Rs. | in Rs |
| 1 | Angle dozer 90 hp | Hour | 5.50 | 1715.50 | 9435.25 |
| | Fuel / Energy charges | Hour | 5.50 | 625.30 | 3439.15 |
| 2 | Shovel 0.85 cum capacity | Hour | 8.00 | 1706.60 | 13652.80 |
| | Fuel / Energy charges | Hour | 8.00 | 893.90 | 7151.20 |
| 3 | Tippers 5.00 cum capacity 5 Nos. | Hour | 40.00 | 446.70 | 17868.00 |
| | Fuel / Energy charges | Hour | 40.00 | 307.20 | 12288.00 |
| 4 | Pump 5 hp (ele) | Hour | 4.00 | 3.00 | 12.00 |
| | Fuel / Energy charges | Hour | 4.00 | 38.50 | 154.00 |
| 5 | Water tanker 8000 ltr | Hour | 8.00 | 402.50 | 3220.00 |
| | Fuel / Energy charges | Hour | 8.00 | 307.20 | 2457.60 |
| 6 | Vibratory Roller 8 tonne | Hour | 6.50 | 1342.20 | 8724.30 |
| | Fuel / Energy charges | Hour | 6.50 | 1056.40 | 6866.60 |
| 7 | Sundries | LS | 2.00 | 20.00 | 40.00 |
| | Total hire charges of N | Machinery | | Rs: | 85308.90 |

C. LABOUR:

| C. LAB | C. LABOUR: | | | | | | | |
|--------|-----------------------|------|----------|--------|---------|--|--|--|
| SI No | Description | Unit | Quantity | Rate | Amount | | | |
| | | | | in Rs. | in Rs | | | |
| 1 | Crew for Dozer | Hour | 5.50 | 221.00 | 1215.50 | | | |
| 2 | Crew for Shovel | Hour | 8.00 | 221.00 | 1768.00 | | | |
| 3 | Crew for Tipper | Hour | 40.00 | 165.80 | 6632.00 | | | |
| 4 | Crew for Pump | Hour | 4.00 | 77.70 | 310.80 | | | |
| 5 | Crew for Water tanker | Hour | 8.00 | 165.80 | 1326.40 | | | |
| 6 | Crew for Roller | Hour | 6.50 | 244.90 | 1591.85 | | | |
| 7 | work inspector | Day | 2.00 | 400.00 | 800.00 | | | |

 8
 mazdoor
 Day
 4.00
 310.00
 1240.00

 Total cost of Labour

 labour component/unit qty
 18.00

Add contractor's profit and overhead charges
labour component/unit qty (including contractor's profit)

13.615% <u>2.50</u> **20.50**

ABSTRACT:

A. Cost of Materials Rs: 0.00 B. Hire charges of Machinery Rs: 85308.90 C. Cost of Labour Rs: 14884.55 Rs: 100193.45 Total D.Add for contractor's profit and overheads on (A+B+C) 13.615% Rs. 13641.34 825.00 cum Total cost for Rs: **113834.79** Rate per cum (A+B+C+D)/825 Rs: 138.00

IRR-DAW-5-2

Providing cut-off trench filling using selected impervious soil from approved borrow areas in layers of 25 to 30 cm before compaction including cost of all materials, machinery, labour, all operations such as excavation, sorting out, transportation, spreading soil to specified thickness, breaking clods, sectioning, watering, compacting to density control of not

less than 95 percent using Sheep foot roller / Vibratory roller/ 8 to 10 tonne power roller as stipulated etc., complete with initial lead upto 1 km and all lifts.

DATA:

RATE ANALYSIS

| UNIT : | SI No | Particulars | Unit | Quantity | Rate | Am | in Rs. | in |

 SI No
 Particulars
 Unit
 Quantity
 Rate in Rs.
 Amount in Rs.

 1 NIL
 0.00
 0.00
 0.00
 0.00

 Total cost of Materials
 Rs:
 0.00

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|----------------------------------|----------|----------|---------|----------|
| | | | | in Rs. | in Rs |
| 1 | Angle dozer 90 hp | Hour | 5.50 | 1715.50 | 9435.25 |
| | Fuel / Energy charges | Hour | 5.50 | 625.30 | 3439.15 |
| 2 | Shovel 0.85 cum capacity | Hour | 8.00 | 1706.60 | 13652.80 |
| | Fuel / Energy charges | Hour | 8.00 | 893.90 | 7151.20 |
| 3 | Tippers 5.00 cum capacity 6 Nos. | Hour | 48.00 | 446.70 | 21441.60 |
| | Fuel / Energy charges | Hour | 48.00 | 307.20 | 14745.60 |
| 4 | Pump 5 hp (ele) | Hour | 4.00 | 3.00 | 12.00 |
| | Fuel / Energy charges | Hour | 4.00 | 38.50 | 154.00 |
| 5 | Water tanker 8000 ltr | Hour | 8.00 | 402.50 | 3220.00 |
| | Fuel / Energy charges | Hour | 8.00 | 307.20 | 2457.60 |
| 6 | Vibratory Roller 8 tonne | Hour | 6.50 | 1342.20 | 8724.30 |
| | Fuel / Energy charges | Hour | 6.50 | 1056.40 | 6866.60 |
| 7 | Sundries | LS | 2.00 | 20.00 | 40.00 |
| | Total hire charges of M | achinery | | Rs: | 91340.10 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|-----------------------|------|----------|--------|----------|
| | | | | in Rs. | in Rs |
| 1 | Crew for Dozer | Hour | 5.50 | 221.00 | 1215.50 |
| 2 | Crew for Shovel | Hour | 8.00 | 221.00 | 1768.00 |
| 3 | Crew for Tipper | Hour | 48.00 | 165.80 | 7958.40 |
| 4 | Crew for Pump | Hour | 4.00 | 77.70 | 310.80 |
| 5 | Crew for Water tanker | Hour | 8.00 | 165.80 | 1326.40 |
| 6 | Crew for Roller | Hour | 6.50 | 244.90 | 1591.85 |
| 7 | work inspector | Day | 2.00 | 400.00 | 800.00 |
| 8 | mazdoor | Day | 4.00 | 310.00 | 1240.00 |
| | Total cost of Labour | | | Rs: | 16210.95 |

labour component/unit qty 19.60
Add contractor's profit and overhead charges 13.615% 2.70
labour component/unit qty (including contractor's profit) 22.30

ABSTRACT:

A. Cost of Materials Rs: 0.00 B. Hire charges of Machinery 91340.10 Rs: C. Cost of Labour 16210.95 Rs: Total Rs: 107551.05 D.Add for contractor's profit and overheads on (A+B+C) 13.615% Rs. 14643.08 Total cost for 825.00 cum Rs: 122194.13 (A+B+C+D)/825 Rate per Rs: 148.10 cum

IRR-DAW-5-3

Providing casing embankment using semi-pervious soil from approved borrow areas in layers of 25 to 30 cm before compaction including cost of all materials, machinery, labour, all other operations such as excavation, sorting out, transportation, spreading soil in layers of specified thickness,

breaking clods, sectioning, watering, compacting to density control of not

less than 95 percent using Sheep foot roller / Vibratory roller/ 8 to 10 tonne power roller as stipulated etc., complete with initial lead upto 1 km and all lifts.

DATA: RATE ANALYSIS

UNIT: A. MATERIALS: 630 cum SI No Particulars Unit Quantity Rate Amount in Rs NIL 0.00 0.00 0.00 0.00 0.00 0.00 Total cost of Materials Rs: 0.00

| В. | N/I / | ۱n | -IIN | 7 V |
|----|-------|----|------|------------|
| | | | | |

| | , , _ , | | | | |
|-------|--------------------------|----------------|----------|---------|----------|
| SI No | Description | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs |
| 1 | Angle dozer 90 hp | Hour | 4.00 | 1715.50 | 6862.00 |
| | Fuel / Energy charges | Hour | 4.00 | 625.30 | 2501.20 |
| 2 | Shovel 0.85 cum | Hour | 8.00 | 1706.60 | 13652.80 |
| | Fuel / Energy charges | Hour | 8.00 | 893.90 | 7151.20 |
| 3 | Tipper 5 cum | Hour | 32.00 | 446.70 | 14294.40 |
| | Fuel / Energy charges | Hour | 32.00 | 307.20 | 9830.40 |
| 4 | Pump 5 hp (ele) | Hour | 3.00 | 3.00 | 9.00 |
| | Fuel / Energy charges | Hour | 3.00 | 38.50 | 115.50 |
| 5 | Water tanker 8000 ltr | Hour | 5.00 | 402.50 | 2012.50 |
| | Fuel / Energy charges | Hour | 5.00 | 307.20 | 1536.00 |
| 6 | Vibratory Roller 8 tonne | Hour | 5.00 | 1342.20 | 6711.00 |
| | Fuel / Energy charges | Hour | 5.00 | 1056.40 | 5282.00 |
| 7 | Sundries | LS | 5.00 | 20.00 | 100.00 |
| | Total hire charge | s of Machinery | | Rs: | 70058.00 |

C. LABOUR:

| U. LAD | OUR. | | | | | |
|--------|--------------------------|------|----------|--------|---------|--|
| SI No | Description | Unit | Quantity | Rate | Amount | |
| | | | | in Rs. | in Rs | |
| 1 | Crew for Dozer | Hour | 4.00 | 221.00 | 884.00 | |
| 2 | Crew for Shovel | Hour | 8.00 | 221.00 | 1768.00 | |
| 3 | Crew for Tipper | Hour | 32.00 | 165.80 | 5305.60 | |
| 4 | Crew for Pump | Hour | 3.00 | 77.70 | 233.10 | |
| 5 | Crew for Water tanker | Hour | 5.00 | 165.80 | 829.00 | |
| 6 | Crew for Roller | Hour | 5.00 | 244.90 | 1224.50 | |
| 7 | work inspector | Day | 2.00 | 400.00 | 800.00 | |
| 8 | mazdoor | Day | 4.00 | 310.00 | 1240.00 | |
| | Total cost of Labour Rs: | | | | | |

labour component/unit qty 19.50
Add contractor's profit and overhead charges 13.615% 2.70
labour component/unit qty (including contractor's profit) 22.20

ABSTRACT:

A. Cost of Materials Rs: 0.00 B. Hire charges of Machinery Rs: 70058.00 Rs: 12284.20 C. Cost of Labour Total Rs: 82342.20 D.Add for contractor's profit and overheads on (A+B+C) 13.615% Rs. 11210.89 Total cost for 630.00 cum Rs: **93553.09** Rate per (A+B+C+D)/630 Rs: 148.50 cum

IRR-DAW-5-4

DATA:

Providing casing embankment using semi-pervious soil available

from excavation in layers of 25 to 30 cm before compaction including cost

of all materials, machinery, labour, all other operations such as re-excavation,

sorting out, transportation, spreading in layers of specified thickness,

breaking clods, sectioning, watering, compacting to specified density control of not less than 95 percent using Sheep foot roller / Vibratory roller/ 8 to 10 tonne power roller as

stipulated etc.,complete with initial lead upto 1 km and all lifts.

RATE ANALYSIS

UNIT:

| A. MAT | A. MATERIALS: 970.00 c | | | | | |
|--------|-----------------------------|------|----------|--------|--------|--|
| SI No | Particulars | Unit | Quantity | Rate | Amount | |
| | | | | in Rs. | in Rs | |
| 1 | NIL | | 0.00 | 0.00 | 0.00 | |
| | | | 0.00 | 0.00 | 0.00 | |
| | Total cost of Materials Rs: | | | | | |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|-----------------------|------|----------|---------|----------|
| | | | | in Rs. | in Rs |
| 1 | Angle dozer 90 hp | Hour | 4.60 | 1715.50 | 7891.30 |
| | Fuel / Energy charges | Hour | 4.60 | 625.30 | 2876.38 |
| 2 | Shovel 0.85 cum | Hour | 8.00 | 1706.60 | 13652.80 |
| | Fuel / Energy charges | Hour | 8.00 | 893.90 | 7151.20 |

| 1 . | | 1 | | | |
|-----|---------------------------------|------|-------|---------|----------|
| 3 | Tipper 5 cum | Hour | 48.00 | 446.70 | 21441.60 |
| | Fuel / Energy charges | Hour | 48.00 | 307.20 | 14745.60 |
| 4 | Pump 5 hp (ele) | Hour | 4.00 | 3.00 | 12.00 |
| | Fuel / Energy charges | Hour | 4.00 | 38.50 | 154.00 |
| 5 | Water tanker 8000 ltr | Hour | 8.00 | 402.50 | 3220.00 |
| | Fuel / Energy charges | Hour | 8.00 | 307.20 | 2457.60 |
| 6 | Vibratory Roller 8 tonne | Hour | 7.00 | 1342.20 | 9395.40 |
| | Fuel / Energy charges | Hour | 7.00 | 1056.40 | 7394.80 |
| 7 | Sundries | LS | 5.00 | 20.00 | 100.00 |
| | Total hire charges of Machinery | | | Rs: | 90492.68 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|-----------------------|------|----------|-----------------|----------|
| | | | | in Rs. | in Rs |
| 1 | Crew for Dozer | Hour | 4.60 | 221.00 | 1016.60 |
| 2 | Crew for Shovel | Hour | 8.00 | 221.00 | 1768.00 |
| 3 | Crew for Tipper | Hour | 48.00 | 165.80 | 7958.40 |
| 4 | Crew for Pump | Hour | 4.00 | 77.70 | 310.80 |
| 5 | Crew for Water tanker | Hour | 8.00 | 165.80 | 1326.40 |
| 6 | Crew for Roller | Hour | 7.00 | 244.90 | 1714.30 |
| 7 | work inspector | Day | 2.00 | 400.00 | 800.00 |
| 8 | mazdoor | Day | 4.00 | 310.00 | 1240.00 |
| | Total cost of Labour | | | Rs ⁻ | 16134.50 |

labour component/unit qty 16.60 Add contractor's profit and overhead charges 13.615% 2.30 labour component/unit qty (including contractor's profit) 18.90

ABSTRACT:

A. Cost of Materials Rs: 0.00 B. Hire charges of Machinery Rs: 90492.68 C. Cost of Labour Rs: 16134.50 Rs: 106627.18 Total D.Add for contractor's profit and overheads on (A+B+C) 13.615% Rs. 14517.29 970.00 cum Rs: 121144.47 Total cost for Rate per (A+B+C+D)/970 Rs: **124.90** cum

IRR-DAW-5-4-A (New Item1 - 2011-12) Providing casing embankment using semi-pervious soil available

from excavation in layers of 25 to 30 cm before compaction including cost of all materials, machinery, labour, all other operations such as re-excavation, sorting out, transportation, spreading in layers of specified thickness, breaking clods, sectioning, watering, compacting to specified density control of not less than 90 percent using 2 Tonne Roller as stipulated etc.,complete with initial lead upto 1 km and all lifts. (For Maintenance Works)

DATA:

RATE ANALYSIS

| | | | | UNIT: | |
|--------|-------------------------|------|----------|--------|--------|
| A. MAT | ERIALS: | | 970.00 | cum | |
| SI No | Particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs |
| 1 | NIL | | 0.00 | 0.00 | 0.00 |
| | | | 0.00 | 0.00 | 0.00 |
| | Total cost of Materials | | | Rs: | 0.00 |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|---------------------------------|------|----------|---------|----------|
| | | | | in Rs. | in Rs |
| 1 | Angle dozer 90 hp | Hour | 4.60 | 1715.50 | 7891.30 |
| | Fuel / Energy charges | Hour | 4.60 | 625.30 | 2876.38 |
| 2 | Shovel 0.85 cum | Hour | 8.00 | 1706.60 | 13652.80 |
| | Fuel / Energy charges | Hour | 8.00 | 893.90 | 7151.20 |
| 3 | Tipper 5 cum | Hour | 48.00 | 446.70 | 21441.60 |
| | Fuel / Energy charges | Hour | 48.00 | 307.20 | 14745.60 |
| 4 | Pump 5 hp (ele) | Hour | 4.00 | 3.00 | 12.00 |
| | Fuel / Energy charges | Hour | 4.00 | 38.50 | 154.00 |
| 5 | Water tanker 8000 ltr | Hour | 8.00 | 402.50 | 3220.00 |
| | Fuel / Energy charges | Hour | 8.00 | 307.20 | 2457.60 |
| 6 | Vibratory Roller 8 tonne | Hour | 7.00 | 1342.20 | 9395.40 |
| | Fuel / Energy charges | Hour | 7.00 | 1056.40 | 7394.80 |
| 7 | Sundries | LS | 5.00 | 20.00 | 100.00 |
| | Total hire charges of Machinery | | | Rs: | 90492.68 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate in Rs. | Amount in Rs |
|-------|-----------------------|------|----------|----------------|--------------|
| | | | | | |
| 1 | Crew for Dozer | Hour | 4.60 | 221.00 | 1016.60 |
| 2 | Crew for Shovel | Hour | 8.00 | 221.00 | 1768.00 |
| 3 | Crew for Tipper | Hour | 48.00 | 165.80 | 7958.40 |
| 4 | Crew for Pump | Hour | 4.00 | 77.70 | 310.80 |
| 5 | Crew for Water tanker | Hour | 8.00 | 165.80 | 1326.40 |
| 6 | Crew for Roller | Hour | 7.00 | 244.90 | 1714.30 |

| 7 | work inspector | Day | 2.00 | 400.00 | 800.00 |
|---|----------------------|-----|------|--------|----------|
| 8 | mazdoor | Day | 4.00 | 310.00 | 1240.00 |
| | Total cost of Labour | | | Rs: | 16134 50 |

labour component/unit qty

16.60 13.615% 2.30

Add contractor's profit and overhead charges labour component/unit qty (including contractor's profit)

18.90

ABSTRACT:

A. Cost of Materials Rs: 0.00 B. Hire charges of Machinery Rs: 90492.68 C. Cost of Labour Rs: 16134.50 Rs: 106627.18 Total D.Add for contractor's profit and overheads on (A+B+C) 13.615% Rs. 14517.29 Total cost for 970.00 cum Rs: 121144.47 Rate per (A+B+C+D)/970 Rs: 124.90 Deduct Rate for Proctar's density Control of 95% using 8T roller as per IRR-PMW-3-23 Add Rate for Proctor's Density control of 90% using 2T Roller as per IRR-PMW-3-24 45.60

6.10

cum

Rs. 85.40

IRR-DAW-5-5

Providing homogeneous embankment using soil from approved borrow

area in layers of 25 to 30 cm before compaction including cost of all

materials, machinery, labour, all operations such as excavation, sorting out,

transportation, spreading soil in layer of specified thickness, breaking clods,

sectioning, watering, compacting to density control of not less than

95 percent or as stipulated using Sheep foot roller / Vibratory roller/8 to 10 tonne power roller etc., complete with initial lead upto 1 km and all lifts.

DATA:

RATE ANALYSIS

UNIT:

| A. MAT | A. MATERIALS: 807.00 cui | | | | | | |
|--------|----------------------------------|------|----------|--------|--------|--|--|
| SI No | Particulars | Unit | Quantity | Rate | Amount | | |
| | | | • | in Rs. | in Rs | | |
| 1 | NIL | | 0.00 | 0.00 | 0.00 | | |
| | | | 0.00 | 0.00 | 0.00 | | |
| | Total cost of Materials Rs: 0.00 | | | | | | |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|----------------------------------|-----------|----------|---------|----------|
| | | | | in Rs. | in Rs |
| 1 | Angle dozer 90 hp | Hour | 5.40 | 1715.50 | 9263.70 |
| | Fuel / Energy charges | Hour | 5.40 | 625.30 | 3376.62 |
| 2 | Shovel 0.85 cum capacity | Hour | 8.00 | 1706.60 | 13652.80 |
| | Fuel / Energy charges | Hour | 8.00 | 893.90 | 7151.20 |
| 3 | Tippers 5.00 cum capacity 5 Nos. | Hour | 40.00 | 446.70 | 17868.00 |
| | Fuel / Energy charges | Hour | 40.00 | 307.20 | 12288.00 |
| 4 | Pump 5 hp (ele) | Hour | 4.00 | 3.00 | 12.00 |
| | Fuel / Energy charges | Hour | 4.00 | 38.50 | 154.00 |
| 5 | Water tanker 8000 ltr | Hour | 8.00 | 402.50 | 3220.00 |
| | Fuel / Energy charges | Hour | 8.00 | 307.20 | 2457.60 |
| 6 | Vibratory Roller 8 tonne | Hour | 6.40 | 1342.20 | 8590.08 |
| | Fuel / Energy charges | Hour | 6.40 | 1056.40 | 6760.96 |
| 7 | Sundries | LS | 2.00 | 20.00 | 40.00 |
| | Total hire charges of N | Machinery | | Rs: | 84834.96 |

| C. LAD | OUK. | | | | |
|--------|-----------------------|------|----------|--------|----------|
| SI No | Description | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs |
| 1 | Crew for Dozer | Hour | 5.40 | 221.00 | 1193.40 |
| 2 | Crew for Shovel | Hour | 8.00 | 221.00 | 1768.00 |
| 3 | Crew for Tipper | Hour | 40.00 | 165.80 | 6632.00 |
| 4 | Crew for Pump | Hour | 4.00 | 77.70 | 310.80 |
| 5 | Crew for Water tanker | Hour | 8.00 | 165.80 | 1326.40 |
| 6 | Crew for Roller | Hour | 6.40 | 244.90 | 1567.36 |
| 7 | work inspector | Day | 2.00 | 400.00 | 800.00 |
| 8 | mazdoor | Day | 4.00 | 310.00 | 1240.00 |
| | Total cost of Labour | • | · | Rs: | 14837.96 |

labour component/unit qty

18.40

Add contractor's profit and overhead charges labour component/unit qty (including contractor's profit)

13.615% 2.50 20.90

ABSTRACT:

A. Cost of Materials Rs: 0.00 Rs: 84834.96 B. Hire charges of Machinery C. Cost of Labour Rs: 14837.96 Total Rs: 99672.92 D.Add for contractor's profit and overheads on (A+B+C) 13.615% Rs. 13570.47 Total cost for 807.00 cum Rs: **113243.39** Rate per cum (A+B+C+D)/807 Rs: 140.30

IRR-DAW-5-6

Providing embankment adjacent to masonry / concrete structures and filling trial pits

using impervious soil from approved borrow areas in layers of 10 to 15 cm and compacting each layer to density control of not less than 95 percent using pneumatic tampers or by vibratory earth rammers including cost of all materials, machinery, labour, picking previous layer, spreading soil in layer, breaking clods, watering etc., complete with initial lead upto 1 km and all lifts.

DATA: RATE ANALYSIS

| A. MATERIALS: | | UNIT : | | 80 | cum |
|---------------|-------------------------|--------|----------|---------|--------|
| SI No | Particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs |
| 1 | Use rate of air hose | Hour | 16.0 | 0 11.56 | 185.00 |
| | | | 0.0 | 0.00 | 0.00 |
| | Total cost of Materials | | | Rs: | 185.00 |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|---------------------------------|------|----------|---------|----------|
| | | | | in Rs. | in Rs |
| 1 | Angle dozer 90 hp | Hour | 0.15 | 1715.50 | 257.33 |
| | Fuel / Energy charges | Hour | 0.15 | 625.30 | 93.80 |
| 2 | Shovel 0.85 cum | Hour | 0.80 | 1706.60 | 1365.28 |
| | Fuel / Energy charges | Hour | 0.80 | 893.90 | 715.12 |
| 3 | Tipper 5 cum | Hour | 3.00 | 446.70 | 1340.10 |
| | Fuel / Energy charges | Hour | 3.00 | 307.20 | 921.60 |
| 4 | Air compressor 8.5 cmm (ele) | Hour | 8.00 | 170.80 | 1366.40 |
| | Fuel / Energy charges | Hour | 8.00 | 433.10 | 3464.80 |
| 5 | Pump 5 hp (ele) | Hour | 0.40 | 3.00 | 1.20 |
| | Fuel / Energy charges | Hour | 0.40 | 38.50 | 15.40 |
| 6 | Water tanker 8000 ltr | Hour | 0.80 | 402.50 | 322.00 |
| | Fuel / Energy charges | Hour | 0.80 | 307.20 | 245.76 |
| 7 | Pneumatic tampers 2 Nos. | Hour | 16.00 | 20.70 | 331.20 |
| | Fuel / Energy charges | Hour | 16.00 | 0.00 | 0.00 |
| 8 | Sundries | LS | 1.00 | 20.00 | 20.00 |
| | Total hire charges of Machinery | / | • | Rs: | 10459.98 |

C. LABOUR:

| C. LAD | OUR: | | | | |
|--------|---------------------------|------|----------|--------|---------|
| SI No | Description | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs |
| 1 | Crew for Dozer | Hour | 0.15 | 221.00 | 33.15 |
| 2 | Crew for Shovel | Hour | 0.80 | 221.00 | 176.80 |
| 3 | Crew for Tipper | Hour | 3.00 | 165.80 | 497.40 |
| 4 | Crew for Air compressor | Hour | 8.00 | 153.10 | 1224.80 |
| 5 | Crew for Pump | Hour | 0.40 | 77.70 | 31.08 |
| 6 | Crew for Water tanker | Hour | 0.80 | 165.80 | 132.64 |
| 7 | Crew for Pneumatic tamper | Hour | 16.00 | 244.90 | 3918.40 |
| 8 | work inspector | Day | 1.00 | 400.00 | 400.00 |
| 9 | mazdoor | Day | 5.00 | 310.00 | 1550.00 |
| | Total cost of Labour | | | Rs: | 7964.27 |

labour component/unit qty 99.60
Add contractor's profit and overhead charges 13.615% 13.60
labour component/unit qty (including contractor's profit) 113.20

ABSTRACT:

A. Cost of Materials Rs: 185.00 B. Hire charges of Machinery 10459.98 Rs: C. Cost of Labour Rs: 7964.27 Total 18609.25 D.Add for contractor's profit and overheads on (A+B+C) Rs. 2533.65 13.615% Total cost for 80.00 cum Rs: 21142.90 Rate per (A+B+C+D)/80 Rs: 264.30 cum

IRR-DAW-5-7

Providing and **constructing rockfill embankment** with 300 mm down graded stones and quarry spalls from approved source including cost of all materials, machinery, labour, spreading stones and spalls in layers, hand packing, wedging, finishing the surface to required slopes etc., complete **with initial lead upto 1 km and all lifts.**

DATA: RATE ANALYSIS

| A. MAT | TERIALS: | | UNIT: | 400 | cum |
|--------|----------------------------------|------|----------|--------|----------|
| SI No | Particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs |
| 1 | Use rate of drill rod 2.5 m long | Rm | 387.00 | 42.67 | 16512.00 |
| | Reconditioning charges @ | 10% | | | 1651.20 |
| 2 | Use rate of air hose 6 Nos. | Hour | 60.00 | 11.56 | 693.75 |
| 3 | Explosive small dia | kg | 118.00 | 70.00 | 8260.00 |
| 4 | Electric detonators | Nos | 159.00 | 13.00 | 2067.00 |
| 5 | Detonator ordinary | Nos | 8.00 | 7.00 | 56.00 |
| 6 | Fuse coil | Rm | 200.00 | 11.00 | 2200.00 |
| 7 | Sundries (waste tyres etc) | LS | 10.00 | 20.00 | 200.00 |
| | Total cost of Materials | | | Rs: | 31639.95 |

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|--------------------------------------|--------|----------|---------|----------|
| | | | | in Rs. | in Rs |
| 1 | Air compressor 8.5cmm(diesel)3 Nos | Hour | 30.00 | 275.60 | 8268.00 |
| | Fuel / Energy charges | Hour | 30.00 | 914.20 | 27426.00 |
| 2 | Jack hammer 6 Nos | Hour | 60.00 | 19.80 | 1188.00 |
| | Fuel / Energy charges | Hour | 60.00 | 0.00 | 0.00 |
| 3 | Angle dozer 90 hp | Hour | 4.00 | 1715.50 | 6862.00 |
| | Fuel / Energy charges | Hour | 4.00 | 625.30 | 2501.20 |
| 4 | Shovel 0.85 cum | Hour | 8.00 | 1706.60 | 13652.80 |
| | Fuel / Energy charges | Hour | 8.00 | 893.90 | 7151.20 |
| 5 | Tipper 5 cum | Hour | 24.00 | 446.70 | 10720.80 |
| | Fuel / Energy charges | Hour | 24.00 | 307.20 | 7372.80 |
| | Total hire charges of Mac | hinery | | Rs: | 85142.80 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount | |
|-------|--------------------------|------|----------|--------|----------|--|
| | | | | in Rs. | in Rs | |
| 1 | Crew for Air compressor | Hour | 30.00 | 195.90 | 5877.00 | |
| 2 | Crew for Jack hammer | Hour | 60.00 | 306.20 | 18372.00 | |
| 3 | Crew for Shovel | Hour | 8.00 | 221.00 | 1768.00 | |
| 4 | Crew for Tipper | Hour | 24.00 | 165.80 | 3979.20 | |
| 5 | Crew for Dozer | Hour | 4.00 | 221.00 | 884.00 | |
| 6 | Blaster | Day | 1.00 | 480.00 | 480.00 | |
| 7 | Helper blaster | Day | 1.00 | 370.00 | 370.00 | |
| 8 | work inspector | Day | 2.00 | 400.00 | 800.00 | |
| 9 | Mason Class-II | Day | 2.00 | 370.00 | 740.00 | |
| 10 | mazdoor | Day | 10.00 | 310.00 | 3100.00 | |
| | Total cost of Labour Rs: | | | | | |

labour component/unit qty 90.90
Add contractor's profit and overhead charges 13.615% 12.40
labour component/unit qty (including contractor's profit) 103.30

ABSTRACT:

31639.95 A. Cost of Materials Rs: B. Hire charges of Machinery Rs: 85142.80 C. Cost of Labour Rs: 36370.20 Rs: 153152.95 Total D.Add for contractor's profit and overheads on (A+B+C) 13.615% Rs. 20851.77 400.00 cum Rs: **174004.72** Total cost for Rate per cum (A+B+C+D)/400 Rs: **435.00**

IRR-DAW-5-8

Providing and constructing dry rubble rock-toe using rubble and stone chips from approved source including cost of all materials, machinery, labour, hand packing rubble and stone chips, finishing top and sides to required slopes etc., complete with initial lead upto 1 km and all lifts.

DATA:

RATE ANALYSIS

| A. MAT | TERIALS: | | UNIT : | 100 | cum |
|--------|----------------------------------|------|----------|--------|---------|
| SI No | Particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs |
| 1 | Use rate of drill rod 1.5 m long | Rm | 97.00 | 42.67 | 4138.67 |
| | Reconditionong charges @ | 10% | | | 413.87 |
| 2 | Use rate of air hose | Hour | 15.00 | 11.56 | 173.44 |
| 3 | Explosive small dia | kg | 30.00 | 70.00 | 2100.00 |
| 4 | Electric detonator | Nos | 40.00 | 13.00 | 520.00 |
| 5 | Detonator ordinary | Nos | 2.00 | 7.00 | 14.00 |
| 6 | Fuse coil | Rm | 50.00 | 11.00 | 550.00 |
| 7 | Sundries | LS | 2.00 | 20.00 | 40.00 |
| | Total cost of Materials | 3 | | Rs: | 7949.97 |

B. MACHINERY:

| D. IVIA | B. WACHINER I. | | | | | | | |
|---------|-----------------------------------|----------|----------|---------|----------|--|--|--|
| SI No | Description | Unit | Quantity | Rate | Amount | | | |
| | | | | in Rs. | in Rs | | | |
| 1 | Air compressor 8.5 cmm (diesel) | Hour | 7.50 | 275.60 | 2067.00 | | | |
| | Fuel / Energy charges | Hour | 7.50 | 914.20 | 6856.50 | | | |
| 2 | Jack hammer | Hour | 15.00 | 19.80 | 297.00 | | | |
| | Fuel / Energy charges | Hour | 15.00 | 0.00 | 0.00 | | | |
| 3 | Shovel 0.85 cum | Hour | 2.00 | 1706.60 | 3413.20 | | | |
| | Fuel / Energy charges | Hour | 2.00 | 893.90 | 1787.80 | | | |
| 4 | Tipper 5 cum | Hour | 6.00 | 446.70 | 2680.20 | | | |
| | Fuel / Energy charges | Hour | 6.00 | 307.20 | 1843.20 | | | |
| | Total hire charges of Ma | achinery | | Rs: | 18944.90 | | | |

| C. | LA | во | U | R |
|----|----|----|---|---|
| | | | | |

| SI No Description | Unit | Quantity | Rate | Amount |
|-------------------|------|----------|--------|--------|
| | | | in Rs. | in Rs |

100 cum

| -1 | Crew for Air compressor | Hour | 7.50 | 195.90 | 1469.25 |
|----|-------------------------|------|-------|--------|----------|
| ! | · | | | | |
| 2 | Crew for Jack hammer | Hour | 15.00 | 306.20 | 4593.00 |
| 3 | Crew for Shovel | Hour | 2.00 | 221.00 | 442.00 |
| 4 | Crew for Tipper | Hour | 6.00 | 165.80 | 994.80 |
| 5 | Blaster | Day | 0.50 | 480.00 | 240.00 |
| 6 | Helper blaster | Day | 1.00 | 370.00 | 370.00 |
| 7 | work inspector | Day | 1.00 | 400.00 | 400.00 |
| 8 | Mason Class-II | Day | 7.00 | 370.00 | 2590.00 |
| 9 | mazdoor | Day | 19.00 | 310.00 | 5890.00 |
| | Total cost of Labour | | | Rs: | 16989.05 |

labour component/unit qty 169.90
Add contractor's profit and overhead charges 13.615% 23.10
labour component/unit qty (including contractor's profit) 193.00

ABSTRACT:

A. Cost of Materials 7949.97 Rs: B. Hire charges of Machinery Rs: 18944.90 C. Cost of Labour Rs: 16989.05 Total Rs: 43883.92 D.Add for contractor's profit and overheads on (A+B+C) 13.615% Rs. 5974.8 100.00 cum Rs: 49858.72 Total cost for Rate per (A+B+C+D)/100 Rs: 498.60 cum

IRR-DAW-5-9 Providing and constructing dry rubble rock-toe with rubble and stone chips from dump

yard (Spoil Bank) including cost of all materials, machinery, labour, hand packing rubble and stone chips,

finishing top and sides to required slopes etc., complete with initial lead upto 1 km and all

lifts.

Note: Useful rubble and stone chips will be issued at dump yard at the issue rate for usefull rubble /

stone chips. Sorting out and breaking charges included in rate analysis.

DATA: RATE ANALYSIS

UNIT :

| A. IVIA | ENIALS. | | | | | |
|---------|-------------------------------------|------|----------|--------|----------|--|
| SI No | Particulars | Unit | Quantity | Rate | Amount | |
| | | | | in Rs. | in Rs | |
| 1 | Useful rubble (at dump yard) | cum | 100.00 | 165.00 | 16500.00 | |
| 2 | Useful stone chips (at dump yard) | cum | 15.00 | 185.00 | 2775.00 | |
| | Total cost of Materials Rs: | | | | | |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount | |
|-------|-------------------------------------|------|----------|---------|---------|--|
| | | | | in Rs. | in Rs | |
| 1 | Shovel 0.85 cum | Hour | 2.00 | 1706.60 | 3413.20 | |
| | Fuel / Energy charges | Hour | 2.00 | 893.90 | 1787.80 | |
| 2 | Tipper 5 cum | Hour | 6.00 | 446.70 | 2680.20 | |
| | Fuel / Energy charges | Hour | 6.00 | 307.20 | 1843.20 | |
| | Total hire charges of Machinery Rs: | | | | | |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|----------------------|------|----------|--------|----------|
| | | | | in Rs. | in Rs |
| 1 | Crew for Shovel | Hour | 2.00 | 221.00 | 442.00 |
| 2 | Crew for Tipper | Hour | 6.00 | 165.80 | 994.80 |
| 3 | Mason Class-II | Day | 7.00 | 370.00 | 2590.00 |
| 4 | work inspector | Day | 1.00 | 400.00 | 400.00 |
| 6 | Stone breaker | Day | 2.00 | 370.00 | 740.00 |
| 7 | mazdoor | Day | 21.00 | 310.00 | 6510.00 |
| | Total cost of Labour | | _ | Rs: | 11676.80 |

labour component/unit qty 116.80
Add contractor's profit and overhead charges 13.615% 15.90
labour component/unit qty (including contractor's profit) 132.70

ABSTRACT:

A. Cost of Materials 19275.00 Rs: B. Hire charges of Machinery 9724.40 Rs: Rs: C. Cost of Labour 11676.80 Total Rs: 40676.20 D.Add for contractor's profit and overheads on (A+B+C) 13.615% Rs. 5538.06 Total cost for 100.00 cum Rs: 46214.26 (A+B+C+D)/100 Rs: 462.10 Rate per cum

IRR-DAW-5-9-A Providing and constructing Dry rock Pitching for Groynes using Un-Coursed rubble stone of size 300 mm thick (New Item 4 -2012-13) and Un-Coursed rubble stone chips from Quarry to site of work including cost of all materials,

and Un-Coursed rubble stone chips **from Quarry to site of work** including cost of all materials, Machinery, Labour charge hand packing Un-Course rubble stone &chips to the designed profile **with all leads and lifts etc**

DATA: RATE ANALYSIS

UNIT: 100 cum

| A. WAI | ERIALS: | | | | | |
|--------|------------------------------------|------|----------|--------|----------|--|
| SI No | Particulars | Unit | Quantity | Rate | Amount | |
| | | | | in Rs. | in Rs | |
| 1 | Un Coursed Rubble Stones at quarry | cum | 100.00 | 330.00 | 33000.00 | |
| 2 | Stone Chips at Quarry | cum | 15.00 | 360.00 | 5400.00 | |
| | Total cost of Materials Rs: | | | | | |

B. MACHINERY:

| | , | | | | |
|-------|---|------|----------|---------|---------|
| SI No | Description | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs |
| | Shovel 0.85 cum for loading tipper at the | | | | |
| 1 | worksite | Hour | 2.00 | 1706.60 | 3413.20 |
| | Fuel / Energy charges | Hour | 2.00 | 893.90 | 1787.80 |
| 2 | Tipper 5 cum | Hour | 6.00 | 446.70 | 2680.20 |
| | Fuel / Energy charges | Hour | 6.00 | 307.20 | 1843.20 |
| | Total hire charges of Machir | nery | | Rs: | 9724.40 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|----------------------|------|----------|--------|----------|
| | | | | in Rs. | in Rs |
| 1 | Crew for Shovel | Hour | 2.00 | 221.00 | 442.00 |
| 2 | Crew for Tipper | Hour | 6.00 | 165.80 | 994.80 |
| 3 | Mason Class-II | Day | 7.00 | 370.00 | 2590.00 |
| 4 | work inspector | Day | 1.00 | 400.00 | 400.00 |
| 6 | Stone breaker | Day | 2.00 | 370.00 | 740.00 |
| 7 | mazdoor | Day | 21.00 | 310.00 | 6510.00 |
| | Total cost of Labour | | | Rs: | 11676.80 |

labour component/unit qty 116.80
Add contractor's profit and overhead charges 13.615% 15.90
labour component/unit qty (including contractor's profit) 132.70

ABSTRACT:

A. Cost of Materials Rs: 38400.00 B. Hire charges of Machinery 9724.40 C. Cost of Labour 11676.80 Rs: 59801. Rs. 8141.93 59801.20 Total D.Add for contractor's profit and overheads on (A+B+C) 13.615% 100.00 cum Rs: **67943.13** Total cost for Rate per (A+B+C+D)/100 Rs: **679.40**

IRR-DAW-5-10

Providing and laying 30 cm diameter open jointed hume pipes with collars in rock-toe for drainage including cost of all materials, machinery, labour etc., complete with lead upto 1 km and all lifts.

DATA:

RATE ANALYSIS

| A. MATERIALS: | | | UNIT: | 100 | Rm | |
|---------------|----------------------------------|------|----------|--------|----------|--|
| SI No | Particulars | Unit | Quantity | Rate | Amount | |
| | | | | in Rs. | in Rs | |
| 1 | Hume pipe 300 mm dia.with collar | Rm | 100.00 | 700.00 | 70000.00 | |
| | | | 0.00 | 0.00 | | |
| | Total cost of Materials Rs: | | | | | |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount | | |
|-------|------------------------------|------|----------|--------|--------|--|--|
| | | | | in Rs. | in Rs | | |
| 1 | NIL | | 0.00 | 0.00 | 0.00 | | |
| | | | 0.00 | 0.00 | 0.00 | | |
| | Total hire charges of Machir | nerv | | Rs: | 0.00 | | |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|----------------------|------|----------|--------|---------|
| | | | | in Rs. | in Rs |
| 1 | Mason CI- II | Day | 2 | 370.00 | 740.00 |
| 2 | mazdoor | Day | 6 | 310.00 | 1860.00 |
| | Total cost of Labour | | | Rs: | 2600.00 |

labour component/unit qty 26.00
Add contractor's profit and overhead charges 13.615% 3.50
labour component/unit qty (including contractor's profit) 29.50

ABSTRACT:

A. Cost of Materials Rs: 70000.00 B. Hire charges of Machinery Rs: 0.00 C. Cost of Labour Rs: 2600.00 Total Rs: 72600.00 Rs. 9884.49 D.Add for contractor's profit and overheads on (A+B+C) 13.615% 100.00 Rm Rs: **82484.49** Total cost for (A+B+C+D)/100 Rate per Rm Rs: **824.80**


IRR_DAW-6

FILTER & PITCHING WORKS:

IRR-DAW-6-1

Providing and constructing 1.20 m internal diameter and average 3 m height RCC manhole with 60 cm dia. top cover in M-15 grade cement concrete using 20 mm down graded, clean, hard coarse aggregate, 20 cm thick for bed / sides / top slab / 1.5 m long cut-off wall and 7.5 cm thick for cover including providing 12 mm dia reinforcement bars at 30 cm c / c bothways for bed / sides / cut-off wall / top slab / rungs and 8 mm dia bars at 15 cm c / c bothways for cover, excavation for foundation, providing 30 cm dia hume pipe outlet, cost of all materials, machinery, labour, formwork, scaffolding, batching, mixing, laying, vibrating, finishing, curing etc., complete with lead upto 1 km and all lifts.

(Cement content : 300 kg/cum , CA : 0.80 cum, Blending Ratioof CA -- 65:35, FA : 0.44 cum, superplasticizer (0.4% by wt. of cement)



DATA: RATE ANALYSIS

| A. MAT | TERIALS: | l | JNIT | 1 | Each | | |
|--------|--------------------------------------|------|----------|---------|---------|--|--|
| SI No | Particulars | Unit | Quantity | Rate | Amount | | |
| | | | | in Rs. | in Rs | | |
| 1 | Cement | kg | 1331.70 | 6.30 | 8389.71 | | |
| | Cement for incidentals @ 3 kg / cum | kg | 13.32 | 6.30 | 83.90 | | |
| 2 | Coarse aggregate 20 to 10 mm | cum | 2.31 | 1210.00 | 2793.02 | | |
| | Coarse aggregate 10 to 4.75 mm | cum | 1.24 | 875.00 | 1087.56 | | |
| 3 | Fine aggregate (Un-Screened) | cum | 1.95 | 560.00 | 1093.77 | | |
| 4 | Super plasticiser | kg | 23.65 | 95.00 | 2246.34 | | |
| 5 | Reinforcement steel with 5 % wastage | kg | 163.70 | 40.00 | 6547.80 | | |
| 6 | Binding wire | kg | 4.00 | 70.00 | 280.00 | | |
| 7 | Hume pipe 300 mm dia | Rm | 1.00 | 700.00 | 700.00 | | |
| 8 | Use rate of shuttering | sqm | 36.00 | 217.39 | 7826.04 | | |
| 9 | Scaffolding of shuttering @ | 5% | | | 391.30 | | |
| 10 | Sundries | LS | 2.00 | 20.00 | 40.00 | | |
| 1 | Total cost of Materials Rs: | | | | | | |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|-----------------------------------|------|----------|--------|--------|
| | | | | in Rs. | in Rs |
| 1 | Concrete mixer 300 / 200 (ele) | Hour | 4.00 | 51.70 | 206.80 |
| | Fuel / Energy charges | Hour | 4.00 | 38.50 | 154.00 |
| 2 | Needle vibrator 40 mm dia (ele) | Hour | 4.00 | 8.00 | 32.00 |
| | Fuel / Energy charges | Hour | 4.00 | 7.70 | 30.80 |
| 3 | Pump 5 hp (ele) | Hour | 0.50 | 3.00 | 1.50 |
| | Fuel / Energy charges | Hour | 0.50 | 38.50 | 19.25 |
| 4 | Sundries | LS | 1.00 | 20.00 | 20.00 |
| | Total hire charges of Machinery | | | Rs: | 464.35 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|-------------------------------|------|----------|--------|---------|
| | | | | in Rs. | in Rs |
| 1 | Mason Cl- II | Day | 1.00 | 370.00 | 370.00 |
| 2 | Bar bender | Day | 1.00 | 490.00 | 490.00 |
| 3 | work inspector | Day | 1.00 | 400.00 | 400.00 |
| 4 | mazdoor | | | | |
| | for excavation for foundation | Day | 2.00 | 310.00 | 620.00 |
| | for bar bending | Day | 1.00 | 310.00 | 310.00 |
| | for concreting | Day | 5.00 | 310.00 | 1550.00 |
| | for excavation for foundation | Day | 2.00 | 310.00 | 620.00 |
| | for concreting | Day | 4.00 | 310.00 | 1240.00 |
| | for curing | Day | 1.00 | 310.00 | 310.00 |
| 5 | Labour for shuttering | sqm | 36.00 | 79.80 | 2872.80 |
| | Total cost of Labour | | | Rs: | 8782.80 |

labour component/unit qty 8782.80
Add contractor's profit and overhead charges 13.615% 1195.80
labour component/unit qty (including contractor's profit) 9978.60

ABSTRACT:

 A. Cost of Materials
 Rs:
 31479.43

 B. Hire charges of Machinery
 Rs:
 464.35

 C. Cost of Labour
 Rs:
 8782.80

Rs: 40726 Rs. 5544.92 Total 40726.58 D.Add for contractor's profit and overheads on (A+B+C) 13.615% Lead Charges for 1 Km for FA 1.95 cum @ 31.3 Rs./Cum 61.133908 Lead Charges for 1 Km for CA 3.55 cum @ 30.2 Rs./Cum 107.25 Lead Charges for 1Km for Cement (including Loading and Unloading Charges) 1.35 tonne @ 129.7 Rs./Tonne 174.4487 Lead Charges for 1Km for Steel (including Loading and Unloading Charges) 151.5 Rs./Tonne 0.16 tonne @ 24.799793 Total cost for 1.00 Rs: 46639.13 Each Rate per Each (A+B+C+D)/1.0 Rs: 46639.10

IRR-DAW-6-2

Providing and **constructing longitudinal and cross graded filter drains** using sand and 80-20 mm and 20 mm down graded aggregates satisfying specified filter creteria in layers as per specifications including cost of all materials, machinery, labour, laying to required slopes, compaction etc. complete **with initial lead upto 50 m and all lifts.**

DATA:

RATE ANALYSIS

| A. MAT | TERIALS: | | UNIT: | 100 | cum |
|--------|------------------------------|------|----------|---------|----------|
| SI No | Particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs |
| 1 | Fine aggregate (Un-Screened) | cum | 47.50 | 560.00 | 26600.00 |
| 2 | Coarse aggregate 80-40 mm | cum | 17.865 | 635.00 | 11344.28 |
| 3 | Coarse aggregate 40-20 mm | cum | 1.99 | 1145.00 | 2272.83 |
| 4 | Coarse aggregate 20-10 mm | cum | 24.49 | 1210.00 | 29629.88 |
| 5 | Coarse aggregate 10 mm down | cum | 8.16 | 875.00 | 7142.19 |
| | Total cost of Materials | | • | Pe: | 76080 16 |

B. MACHINERY:

| D. INIA | MACHINERY: | | | | | | |
|---------|-------------------------------------|------|----------|--------|--------|--|--|
| SI No | Description | Unit | Quantity | Rate | Amount | | |
| | | | | in Rs. | in Rs | | |
| 1 | NIL | | 0.00 | 0.00 | 0.00 | | |
| | | | 0.00 | 0.00 | 0.00 | | |
| | Total hire charges of Machinery Re- | | | | | | |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount | |
|-------|--------------------------|------|----------|--------|----------|--|
| | | | | in Rs. | in Rs | |
| 1 | work inspector | Day | 1.00 | 400.00 | 400.00 | |
| 2 | mazdoor | Day | 38.00 | 310.00 | 11780.00 | |
| | Total cost of Labour Rs: | | | | | |

labour component/unit qty 121.80
Add contractor's profit and overhead charges 13.615% 16.60
labour component/unit qty (including contractor's profit) 138.40

ABSTRACT:

A. Cost of Materials Rs: 76989.16 B. Hire charges of Machinery 0.00 C. Cost of Labour Rs: 12180.00 89169.16 Total Rs: D.Add for contractor's profit and overheads on (A+B+C) 13.615% Rs. 12140.38 100.00 cum Total cost for Rs: 101309.54 Rate per cum (A+B+C+D)/100 Rs: 1013.10

IRR-DAW-6-3

Providing and **constructing 1.40 m thick vertical or inclined graded filter media** consisting of 20 cm thick sand layers, 25 cm thick 20 mm down coarse aggregate layers and 50 cm thick 80-20 mm coarse aggregate layer using approved materials satisfying specified filter creteria as per specifications including cost of all materials, machinery, labour, laying to required slope, compaction etc., **complete with initial lead upto 50 m and all lifts.**

DATA: RATE ANALYSIS

| A. MATERIALS: | | | UNIT: | 100 | cum |
|-----------------------------|------------------------------|------|----------|---------|----------|
| SI No | Particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs |
| 1 | Fine aggregate (Un-Screened) | cum | 28.60 | 560.00 | 16016.00 |
| 2 | Coarse aggregate 80-40 mm | cum | 32.13 | 635.00 | 20402.55 |
| 3 | Coarse aggregate 40-20 mm | cum | 3.57 | 1145.00 | 4087.65 |
| 4 | Coarse aggregate 20-10 mm | cum | 28.13 | 1210.00 | 34031.25 |
| 5 | Coarse aggregate 10 mm down | cum | 8.93 | 875.00 | 7809.38 |
| Total cost of Materials Rs: | | | | | |

B. MACHINERY:

| SIN | Description | Unit | Quantity | Rate | Amount | | |
|-----|-------------------------------------|------|----------|--------|--------|--|--|
| | | | | in Rs. | in Rs | | |
| | 1 NIL | | 0.00 | 0.00 | 0.00 | | |
| | | | 0.00 | 0.00 | 0.00 | | |
| | Total hire charges of Machinery Rs: | | | | | | |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount | |
|-------|--------------------------|------|----------|--------|----------|--|
| | | | | in Rs. | in Rs | |
| 1 | work inspector | Day | 1.00 | 400.00 | 400.00 | |
| 2 | mazdoor | Day | 38.00 | 310.00 | 11780.00 | |
| | Total cost of Labour Rs: | | | | | |

labour component/unit qty 121.80
Add contractor's profit and overhead charges 13.615% 16.60
labour component/unit qty (including contractor's profit) 138.40

ABSTRACT:

A. Cost of Materials Rs: 82346.83 B. Hire charges of Machinery Rs: 0.00 C. Cost of Labour 12180.00 94526.83 Total Rs: D.Add for contractor's profit and overheads on (A+B+C) 13.615% Rs. 12869.83 Total cost for 100.00 cum Rs: **107396.66** Rate per cum (A+B+C+D)/100 Rs: 1074.00

IRR-DAW-6-4

Providing and constructing graded filter media below and behind rock-toe consisting of 20 cm thick sand, 25 cm thick 20 - 4.75 mm and 40 cm thick 80 - 20 mm size graded coarse aggregates satisfying filter creteria as per specifications including cost of all materials, labour, machinery, laying to required slope, compaction etc., complete **with initial lead upto 50 m and all lifts.**

DATA:

RATE ANALYSIS

| A. MAT | ΓERIALS: | | UNIT | 100 | cum | |
|--------|------------------------------|------|----------|---------|----------|--|
| SI No | Particulars | Unit | Quantity | Rate | Amount | |
| | | | | in Rs. | in Rs | |
| 1 | Fine aggregate (Un-Screened) | cum | 23.55 | 560.00 | 13188.00 | |
| 2 | Coarse aggregate 80-40 mm | cum | 42.39 | 635.00 | 26917.65 | |
| 3 | Coarse aggregate 40-20 mm | cum | 4.71 | 1145.00 | 5392.95 | |
| 4 | Coarse aggregate 20-10 mm | cum | 22.05 | 1210.00 | 26680.50 | |
| 5 | Coarse aggregate 10 mm down | cum | 7.35 | 875.00 | 6431.25 | |
| | Total cost of Materials Rs: | | | | | |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount | | |
|-------------------------------------|-------------|------|----------|--------|--------|--|--|
| | | | | in Rs. | in Rs | | |
| 1 | NIL | | 0.00 | 0.00 | 0.00 | | |
| | | | 0.00 | 0.00 | 0.00 | | |
| Total hire charges of Machinery Rs: | | | | | | | |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|--------------------------|----------------|------|----------|--------|----------|
| | | | | in Rs. | in Rs |
| 1 | work inspector | Day | 1.00 | 400.00 | 400.00 |
| 2 | mazdoor | Day | 34.00 | 310.00 | 10540.00 |
| Total cost of Labour Rs: | | | | | |

labour component/unit qty 109.40
Add contractor's profit and overhead charges 13.615% 14.90
labour component/unit qty (including contractor's profit) 124.30

ABSTRACT:

A. Cost of Materials 78610.35 Rs: B. Hire charges of Machinery Rs: 0.00 C. Cost of Labour Rs: 10940.00 Total Rs: 89550.35 Rs. 12192.28 D.Add for contractor's profit and overheads on (A+B+C) 13.615% Total cost for 100.00 cum Rs: 101742.63 (A+B+C+D)/100 Rate per Rs: 1017.40

IRR-DAW-6-4-A (New Item2- 2011-12)

Providing and constructing graded filter media below and behind rock-toe consisting of

30 cm thick 80 - 20 mm size graded coarse

aggregates satisfying filter creteria as per specifications including cost of all materials, labour, machinery, laying to required slope, compaction etc., complete **with initial lead upto 50 m and all lifts.**

DATA: RATE ANALYSIS

| A. MAT | TERIALS: | | UNIT | 100 | cum |
|--------|-----------------------------|------|----------|---------|----------|
| SI No | Particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs |
| 1 | Coarse aggregate 80-40 mm | cum | 35.00 | 635.00 | 22225.00 |
| 2 | Coarse aggregate 40-20 mm | cum | 55.00 | 1145.00 | 62975.00 |
| 3 | Coarse aggregate 20-10 mm | cum | 5.00 | 1210.00 | 6050.00 |
| 4 | Coarse aggregate 10 mm down | cum | 5.00 | 875.00 | 4375.00 |

| Total cost of Materials | Rs: | 95625.00 |
|-------------------------|-----|----------|

| B. MACHINER I. | | | | | | | |
|----------------|-------------------------------------|------|----------|--------|--------|--|--|
| SI No | Description | Unit | Quantity | Rate | Amount | | |
| | | | | in Rs. | in Rs | | |
| 1 | NIL | | 0.00 | 0.00 | 0.00 | | |
| | | | 0.00 | 0.00 | 0.00 | | |
| | Total hire charges of Machinery Rs: | | | | | | |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate in Rs. | Amount in Rs |
|--------------------------|----------------|------|----------|----------------|--------------|
| 1 | work inspector | Day | 1.00 | 400.00 | 400.00 |
| 2 | mazdoor | Day | 12.00 | 310.00 | 3720.00 |
| Total cost of Labour Rs: | | | | | |


labour component/unit qty 41.20
Add contractor's profit and overhead charges 13.615% 5.60
labour component/unit qty (including contractor's profit) 46.80

ABSTRACT:

| A. Cost of Materials | | | Rs: | 95625.00 |
|--|----------------|---------|-----|-----------|
| B. Hire charges of Machinery | | | Rs: | 0.00 |
| C. Cost of Labour | | | Rs: | 4120.00 |
| | | Total | Rs: | 99745.00 |
| D.Add for contractor's profit and overhead | ads on (A+B+C) | 13.615% | Rs. | 13580.28 |
| Total cost for | 100.00 cum | | Rs: | 113325.28 |
| Rate per cum | (A+B+C+D)/100 | | Rs: | 1133.30 |

IRR-DAW-6-5

Providing and laying filter media consisting of 2 layers of 250 gsm poly-propeline non-woven filter fabric and 400 mm thick 20 mm down graded coarse aggregate for vertical / inclined and horizontal filter blanket for embankment including cost of all materials, machinery, labour etc., complete with lead upto 50 m for aggregate and all leads for fabric and all lifts.



DATA: RATE ANALYSIS

| A. MAT | ERIALS: | | UNIT: | 100 | sqm |
|-----------------------------|--------------------------|------|----------|---------|----------|
| SI No | Particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs |
| 1 | PP filter fabric 250 gsm | sqm | 220.00 | 154.00 | 33880.00 |
| 2 | 20 - 10 mm CA @ 75 % | cum | 30.00 | 1210.00 | 36300.00 |
| | 10 mm down CA @ 25 % | cum | 10.00 | 875.00 | 8750.00 |
| Total cost of Materials Rs: | | | | | |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount | | |
|-------|-------------------------------------|------|----------|--------|--------|--|--|
| | | | | in Rs. | in Rs | | |
| 1 | NIL | | 0.00 | 0.00 | 0.00 | | |
| | | | 0.00 | 0.00 | 0.00 | | |
| | Total hire charges of Machinery Rs: | | | | | | |

C. LABOUR:

| O/ \- | | | | | |
|-------|----------------------|------|----------|--------|---------|
| SI No | Description | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs |
| 1 | work inspector | Day | 1.00 | 400.00 | 400.00 |
| 2 | mazdoor | Day | 14.00 | 310.00 | 4340.00 |
| | Total aget of Labour | | | Do: | 4740.00 |

labour component/unit qty 47.40
Add contractor's profit and overhead charges 13.615% 6.50
labour component/unit qty (including contractor's profit) 53.90

ABSTRACT:

| A. Cost of Materials | | Rs: | 78930.00 |
|--|---------|------|----------|
| B. Hire charges of Machinery | | Rs: | 0.00 |
| C. Cost of Labour | | Rs: | 4740.00 |
| | Total | Rs: | 83670.00 |
| D Add for contractor's profit and overheads on (A+R+C) | 13 615% | Rs 1 | 11391 67 |

Total cost for 100.00 sam Rs: 95061.67 Rate per (A+B+C+D)/100 Rs: 950.60 sqm

IRR-DAW-6-6

Providing and constructing 45 cm thick chimney filter using clean approved sand satisfying filter creteria including cost of all materials, machinery, labour, compacting etc., complete with initial lead upto 50 m and all lifts.

DATA:

RATE ANALYSIS

| A. MAT | TERIALS: | | UNIT: | 100 | cum |
|--------|-------------------------|------|----------|--------|----------|
| SI No | Particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs |
| 1 | Sand (Un-Screened) | cum | 105.00 | 560.00 | 58800.00 |
| | · | | 0.00 | 0.00 | |
| | Total cost of Materials | | | Rs: | 58800.00 |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|------------------------------|------|----------|--------|--------|
| | | | | in Rs. | in Rs |
| 1 | NIL | | 0.00 | 0.00 | 0.00 |
| | | | 0.00 | 0.00 | 0.00 |
| | Total hire charges of Machir | nery | • | Rs: | 0.00 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|----------------------|------|----------|--------|---------|
| | | | | in Rs. | in Rs |
| 1 | work inspector | Day | 1.00 | 400.00 | 400.00 |
| 2 | mazdoor | Day | 30.00 | 310.00 | 9300.00 |
| | Total cost of Labour | | | Rs: | 9700.00 |

labour component/unit qty Add contractor's profit and overhead charges

97.00 13.615% 13.20 110.20

labour component/unit qty (including contractor's profit)

cum

ABSTRACT:

A. Cost of Materials Rs: 58800.00 B. Hire charges of Machinery Rs: 0.00 C. Cost of Labour 9700.00 Rs: Total Rs: 68500.00 D.Add for contractor's profit and overheads on (A+B+C) 13.615% Rs. 9326.28 Total cost for 100.00 cum Rs: **77826.28** Rate per (A+B+C+D)/100 Rs: 778.30

IRR-DAW-6-7

Providing and constructing 90 cm thick transition cum filter media behind rockfill using approved sand and 80-20 mm and 20 mm down graded aggregates satisfying the filter creteria in layers of 30 cm thickness each as per specifications including cost of all materials, machinery, labour, laying each layer to required slope, compaction etc., complete with initial lead upto 50 m and all lifts.

DATA:

RATE ANALYSIS

| A. MAT | ERIALS: | | UNIT: | 100 | cum. |
|--------|-----------------------------|------|----------|---------|----------|
| SI No | Particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs |
| 1 | Sand (Un-Screened) | cum | 34.00 | 560.00 | 19040.00 |
| 2 | Coarse aggregate 80-40 mm | cum | 30.60 | 635.00 | 19431.00 |
| 3 | Coarse aggregate 40-20 mm | cum | 3.40 | 1145.00 | 3893.00 |
| 4 | Coarse aggregate 20-10 mm | cum | 25.50 | 1210.00 | 30855.00 |
| 5 | Coarse aggregate 10 mm down | cum | 8.50 | 875.00 | 7437.50 |
| | Total cost of Materials | | | Rs: | 80656.50 |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|-------------------------------------|------|----------|--------|--------|
| | | | | in Rs. | in Rs |
| 1 | NIL | | 0.00 | 0.00 | 0.00 |
| | | | 0.00 | 0.00 | 0.00 |
| | Total hire charges of Machinery Rs: | | | | |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|----------------------|------|----------|--------|----------|
| | | | | in Rs. | in Rs |
| 1 | work inspector | Day | 1.00 | 400.00 | 400.00 |
| 2 | mazdoor | Day | 40.00 | 310.00 | 12400.00 |
| | Total cost of Lahour | | | Rs: | 12800 00 |

labour component/unit qty Add contractor's profit and overhead charges

128 00 13.615% 17.40

labour component/unit qty (including contractor's profit)

145.40

ABSTRACT:

A. Cost of Materials Rs: 80656.50 B. Hire charges of Machinery Rs: 0.00 C. Cost of Labour Rs: 12800.00 Total Rs: 93456.50 D.Add for contractor's profit and overheads on (A+B+C) 13.615% Rs. 12724.1 Total cost for 100.00 cum. Rs: 106180.60 Rate per (A+B+C+D)/100 cum. Rs: 1061.80

IRR-DAW-6-8

Providing and constructing 60 cm thick hand packed rough stone revetment with 65 to 75 cm long through stones at 1.50 m c / c over a backing of 45 cm thick graded filter media consisting of sand, 10 mm and 40 mm size approved graded aggregates laid in layers of 15 cm thick each including cost of all materials, machinery, labour, laying to required slopes, wedging with chips, finishing etc. complete with initial lead upto 50 m and all lifts.

DATA: RATE ANALYSIS

| A. MAT | TERIALS: | | UNIT: | 100 | sqm |
|--------|--|------|----------|---------|----------|
| SI No | Particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs |
| 1 | Sand (Un-Screened) | cum | 15.30 | 560.00 | 8568.00 |
| 2 | Coarse aggregate 10 mm down | cum | 15.30 | 875.00 | 13387.50 |
| 3 | Coarse aggregate 40-20 mm | cum | 15.30 | 1145.00 | 17518.50 |
| 4 | Stone chips | cum | 9.00 | 360.00 | 3240.00 |
| 5 | Rough stones (rubble) 30 to 45 cm long | cum | 57.60 | 330.00 | 19008.00 |
| 6 | Through stones 65 to 75 cm long | Nos | 44.00 | 59.00 | 2596.00 |
| | Total cost of Materials | | | Rs: | 64318.00 |

B. MACHINERY:

| D. INIA | . MACHINELY I | | | | | | |
|---------|------------------------------|------|----------|--------|--------|--|--|
| SI No | Description | Unit | Quantity | Rate | Amount | | |
| | | | | in Rs. | in Rs | | |
| 1 | NIL | | 0.00 | 0.00 | 0.00 | | |
| | | | 0.00 | 0.00 | 0.00 | | |
| | Total hire charges of Machin | nerv | | Re: | 0.00 | | |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|----------------------|------|----------|--------|----------|
| | | | | in Rs. | in Rs |
| 1 | work inspector | Day | 1.00 | 400.00 | 400.00 |
| 2 | Mason Class-II | Day | 10.00 | 370.00 | 3700.00 |
| 3 | mazdoor | Day | 33.00 | 310.00 | 10230.00 |
| | Total cost of Labour | | | Rs: | 14330.00 |

labour component/unit qty 143.30
Add contractor's profit and overhead charges 13.615% 19.50
labour component/unit qty (including contractor's profit) 162.80

ABSTRACT:

A. Cost of Materials Rs: 64318.00 B. Hire charges of Machinery 0.00 Rs: C. Cost of Labour Rs: 14330.00 Total 78648.00 D.Add for contractor's profit and overheads on (A+B+C) 13.615% Rs. 10707.93 Total cost for 100.00 sqm Rs: 89355.93 Rate per (A+B+C+D)/100 Rs: 893.60 sqm

IRR-DAW-6-9

Providing and constructing 60 cm thick hand packed rough stone revetment with 65 to 75 cm long through stones at 1.50 m c / c over a backing of 60 cm thick graded filter media consisting of sand, 10 mm and 40 mm size approved graded aggregates laid in layers of 20 cm thick each including cost of all materials, machinery, labour, laying to required slopes, wedging with chips, finishing etc. complete with initial lead upto 50 m and all lifts.

DATA: RATE ANALYSIS

| A. MA | TERIALS: | | UNIT: | 100 | sqm |
|-------|--|------|----------|---------|----------|
| SI No | Particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs |
| 1 | Sand (Un-Screened) | cum | 20.40 | 560.00 | 11424.00 |
| 2 | Coarse aggregate 10 mm down | cum | 20.40 | 875.00 | 17850.00 |
| 3 | Coarse aggregate 40-20 mm | cum | 20.40 | 1145.00 | 23358.00 |
| 4 | Stone chips | cum | 9.00 | 360.00 | 3240.00 |
| 5 | Rough stones (rubble) 30 to 45 cm long | cum | 57.60 | 330.00 | 19008.00 |
| 6 | Through stones 65 to 75 cm long | Nos | 44.00 | 59.00 | 2596.00 |
| | Total cost of Materials | | • | Rs: | 77476.00 |

B. MACHINERY:

| D. IVIA | 3. MACHINER 1. | | | | | | |
|---------|----------------|------|----------|--------|--------|--|--|
| SI No | Description | Unit | Quantity | Rate | Amount | | |
| | | | | in Rs. | in Rs | | |
| 1 | NIL | | 0.00 | 0.00 | 0.00 | | |

| | | 0.00 | 0.00 | 0.00 |
|------------------------------|-----|------|------|------|
| Total hire charges of Machin | ery | | Rs: | 0.00 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|----------------------|------|----------|--------|----------|
| | | | | in Rs. | in Rs |
| 1 | work inspector | Day | 1.00 | 400.00 | 400.00 |
| 2 | Mason Class-II | Day | 10.00 | 370.00 | 3700.00 |
| 3 | mazdoor | Day | 39.00 | 310.00 | 12090.00 |
| | Total cost of Labour | • | | Rs: | 16190.00 |

labour component/unit qty 161.90
Add contractor's profit and overhead charges 13.615% 22.00
labour component/unit qty (including contractor's profit) 183.90

ABSTRACT:

A. Cost of Materials 77476.00 Rs: B. Hire charges of Machinery Rs: 0.00 C. Cost of Labour Rs: 16190.00 Total Rs: 93666.00 D.Add for contractor's profit and overheads on (A+B+C) 13.615% Rs. 12752.63 Rs: 106418.63 100.00 sqm Total cost for Rate per (A+B+C+D)/100 Rs: 1064.20 sqm

IRR-DAW-6-10

Providing and constructing 60 cm thick hand packed rough stone riprap over a backing of 45 cm thick graded filter media consisting of sand, 10 mm and 40 mm size graded approved aggregates laid in layers of 15 cm thick each including cost of all materials, machinery, labour, laying to required slopes, wedging with stone chips etc., complete with initial lead upto 50 m and all lifts.

DATA:

RATE ANALYSIS

| A. MAT | TERIALS: | Į. | UNIT : | 100 | sqm. |
|--------|-----------------------------|------|----------|---------|----------|
| SI No | Particulars | Unit | Quantity | Rate | Amount |
| | | | - | in Rs. | in Rs |
| 1 | Sand (Un-Screened) | cum | 15.30 | 560.00 | 8568.00 |
| 2 | Coarse aggregate 10 mm down | cum | 15.30 | 875.00 | 13387.50 |
| 3 | Coarse aggregate 40-20 mm | cum | 15.30 | 1145.00 | 17518.50 |
| 4 | Stone chips | cum | 9.00 | 360.00 | 3240.00 |
| 5 | Rough stones (rubble) | cum | 60.00 | 330.00 | 19800.00 |
| | Total cost of Materials | | | Rs: | 62514 00 |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount | | |
|-------|-------------------------------------|------|----------|--------|--------|--|--|
| | | | | in Rs. | in Rs | | |
| 1 | NIL | | 0.00 | 0.00 | 0.00 | | |
| | | | 0.00 | 0.00 | 0.00 | | |
| | Total hire charges of Machinery Rs: | | | | | | |

C. LABOUR:

| <u> </u> | | | | | | |
|----------|--------------------------|------|----------|--------|---------|--|
| SI No | Description | Unit | Quantity | Rate | Amount | |
| | | | | in Rs. | in Rs | |
| 1 | work inspector | Day | 1.00 | 400.00 | 400.00 | |
| 2 | Mason Class-II | Day | 5.00 | 370.00 | 1850.00 | |
| 3 | mazdoor | Day | 28.00 | 310.00 | 8680.00 | |
| | Total cost of Labour Rs: | | | | | |

labour component/unit qty 109.30
Add contractor's profit and overhead charges 13.615% 14.90
labour component/unit qty (including contractor's profit) 124.20

ABSTRACT:

A. Cost of Materials 62514.00 Rs: B. Hire charges of Machinery Rs: 0.00 C. Cost of Labour 10930.00 Total Rs: 73444.00 Rs. 9999.4 D.Add for contractor's profit and overheads on (A+B+C) 13.615% 100.00 sqm. Total cost for Rs: **83443.40** Rate per sqm. (A+B+C+D)/100 Rs: 834.40

IRR-DAW-6-11

Providing and constructing 75 cm thick hand packed rough stone riprap over a backing of 45 cm thick graded filter media consisting of sand, 10 mm and 40 mm size graded approved aggregates laid in layers of 15 cm thick each including cost of all materials, machinery, labour, laying to required slopes, wedging with stone chips, etc., complete with initial lead upto 50 m and all lifts.

DATA: RATE ANALYSIS

| A. MATERIALS: | | UNIT : | | 100 sqm | | |
|---------------|-------------|--------|----------|----------------|--------|--|
| SI No | Particulars | Unit | Quantity | Rate | Amount | |

| L | | | | | in Rs. | in Rs |
|---|---|-----------------------------|------------|----------|---------|----------|
| | 1 | Sand (Un-Screened) | cum | 15.30 | 560.00 | 8568.00 |
| | 2 | Coarse aggregate 10 mm down | cum | 15.30 | 875.00 | 13387.50 |
| | 3 | Coarse aggregate 40-20 mm | cum | 15.30 | 1145.00 | 17518.50 |
| | 4 | Stone chips | cum | 11.00 | 360.00 | 3960.00 |
| | 5 | Rough stones (rubble) | cum | 75.00 | 330.00 | 24750.00 |
| Г | | Total | cost of Ma | aterials | Rs: | 68184.00 |

| SI No | Description | Unit | Quantity | Rate | Amount | |
|-------|-------------------------------------|------|----------|--------|--------|--|
| | | | | in Rs. | in Rs | |
| 1 | NIL | | 0.00 | 0.00 | 0.00 | |
| | | | 0.00 | 0.00 | 0.00 | |
| | Total hire charges of Machinery Rs: | | | | | |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount | |
|-------|--------------------------|------|----------|--------|---------|--|
| | | | | in Rs. | in Rs | |
| 1 | work inspector | Day | 1.00 | 400.00 | 400.00 | |
| 2 | Mason Class-II | Day | 6.00 | 370.00 | 2220.00 | |
| 3 | mazdoor | Day | 30.00 | 310.00 | 9300.00 | |
| | Total cost of Labour Rs: | | | | | |

labour component/unit qty 119.20
Add contractor's profit and overhead charges 13.615% 16.20
labour component/unit qty (including contractor's profit) 135.40

ABSTRACT:

| A. Cost of Mater | rials | | | Rs: | 68184.00 |
|------------------|---------------------------|----------------|---------|-------|----------|
| B. Hire charges | of Machinery | | | Rs: | 0.00 |
| C. Cost of Labo | ur | | | Rs:_ | 11920.00 |
| | | | Total | Rs: | 80104.00 |
| D.Add for contra | actor's profit and overhe | ads on (A+B+C) | 13.615% | Rs. | 10906.16 |
| Total cost for | | 100.00 sqm | | Rs: 9 | 91010.16 |
| Rate per | sqm | (A+B+C+D)/100 | | Rs: S | 910.10 |

IRR-DAW-6-12

Providing and constructing 90 cm thick hand packed rough stone riprap over a backing of 45 cm thick graded filter media consisting of sand, 10 mm and 40 mm size graded approved aggregates laid in layers of 15 cm thick each including cost of all materials, machinery, labour, laying to required slopes, wedging with stone chips etc., complete with initial lead upto 50 m and all lifts.

DATA: RATE ANALYSIS

| A. MAT | TERIALS: | Į | JNIT : | 100 | sqm |
|--------|-----------------------------|-----------------------|----------|---------|----------|
| SI No | Particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs |
| 1 | Sand (Un-Screened) | cum | 15.30 | 560.00 | 8568.00 |
| 2 | Coarse aggregate 10 mm down | cum | 15.30 | 875.00 | 13387.50 |
| 3 | Coarse aggregate 40-20 mm | cum | 15.30 | 1145.00 | 17518.50 |
| 4 | Stone chips | cum | 13.50 | 360.00 | 4860.00 |
| 5 | Rough stones (rubble) | cum | 90.00 | 330.00 | 29700.00 |
| | То | tal cost of Materials | | Rs: | 74034.00 |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount | | |
|-------------------------------------|-------------|------|----------|--------|--------|--|--|
| | | | | in Rs. | in Rs | | |
| 1 | NIL | | 0.00 | 0.00 | 0.00 | | |
| | | | 0.00 | 0.00 | 0.00 | | |
| Total hire charges of Machinery Rs: | | | | | | | |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|--------------------------|----------------|------|----------|--------|----------|
| | | | | in Rs. | in Rs |
| 1 | work inspector | Day | 1.00 | 400.00 | 400.00 |
| 2 | Mason Class-II | Day | 8.00 | 370.00 | 2960.00 |
| 3 | mazdoor | Day | 34.00 | 310.00 | 10540.00 |
| Total cost of Labour Rs: | | | | | |

labour component/unit qty 139.00
Add contractor's profit and overhead charges 13.615% 18.90
labour component/unit qty (including contractor's profit) 157.90

ABSTRACT:

| A. Cost of Materi | ials | | | Rs: | 74034.00 |
|-------------------|---------------------------|----------------|---------|--------------|----------|
| B. Hire charges | of Machinery | | | Rs: | 0.00 |
| C. Cost of Labou | ır | | | Rs: | 13900.00 |
| | | | Total | Rs: | 87934.00 |
| D.Add for contra | ctor's profit and overhea | ads on (A+B+C) | 13.615% | Rs. 1 | 1972.21 |
| Total cost for | | 100.00 sqm | | Rs: 9 | 9906.21 |
| Rate per | sam | (A+B+C+D)/100 | | Rs: 9 | 99.10 |

IRR-DAW-6-13

Providing and laying Hariyala or other approved quality turfing sods for the slopes of earthen embankments over 20 mm thick sand backing including cost of all materials, machinery, labour including preparing surface, spreading sand, watering for 15 days etc., complete with initial lead upto 1 km and all lifts.

DATA:

RATE ANALYSIS

| A. MAT | A. MATERIALS: | | UNIT: | 100 sqm. | |
|--------|-------------------------|------|----------|-----------------|---------|
| SI No | Particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs |
| 1 | Sand for filling | cum | 2.00 | 560.00 | 1120.00 |
| 2 | Hariyala turfing sods | sqm | 100.00 | 28.00 | 2800.00 |
| | Total cost of Materials | | | Rs: | 3920.00 |

| B. MACHINERY: |
|---------------|
|---------------|

| SI No | Description | Unit | Quantity | Rate | Amount | |
|-------|-------------------------------------|------|----------|--------|--------|--|
| | | | | in Rs. | in Rs | |
| 1 | NIL | | 0.00 | 0.00 | 0.00 | |
| | | | 0.00 | 0.00 | 0.00 | |
| | Total hire charges of Machinery Rs: | | | | | |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|----------------------------------|------|----------|--------|---------|
| | | | | in Rs. | in Rs |
| 1 | Cartman with double bullock cart | Day | 2.00 | 425.00 | 850.00 |
| 2 | mazdoor | Day | 15.00 | 310.00 | 4650.00 |
| | Total cost of Labour | | | Rs: | 5500.00 |

labour component/unit qty 55.00
Add contractor's profit and overhead charges 13.615% 7.50
labour component/unit qty (including contractor's profit) 62.50

ABSTRACT:

A. Cost of Materials Rs: 3920.00 B. Hire charges of Machinery Rs: 0.00 C. Cost of Labour Rs: 5500.00 Total Rs: 9420.00 D.Add for contractor's profit and overheads on (A+B+C) 13.615% Rs. 1282.53 Lead Charges for 1 Km for FA cum @ 31.3 Rs./Cum 62.6 100.00 sqm. Total cost for Rs: 10765.13 (A+B+C+D)/100 Rate per Rs: 107.70 sqm.

Chapter - II

TUNNEL AND ALLIED WORKS - Standard Data

(WLL BE WITH E-N-C & TO INCORPORATE CHANGES YEARLY/ AS NEEDED) FOR THE YEAR :2015-16

Index- code

TUNNEL AND ALLIED WORKS - DATA RATES

IRR-TAW

Directions to add Seigniorage Charges and Additional Lead Charges

Seigniorage Charges:

- 1. The unit rate for work item in the Standard Data is exclusive of Seigniorage Charges wherever applicable.
- 2. The appropriate Seigniorage Charges for relevant materials are to be added to the Unit rate of work item while preparing the estimate. (i.e., to the data itself)
- 3. The Provision towards Contractor's Profit and Overhead charges **should not be operated on** the Seigniorage Charges while adding Seigniorage Charges to the data in the estimate

Additional Lead and Lift Charges:

- 1. Unless otherwise specified the basic rates are inclusive of all lifts.
- 2. For concrete, masonry and reinforcement items **wherever** initial lead of 1km is considered in the basic rate, the additional lead charges are to be added as follows:

Additional lead charges for Cement, Steel, sand, coarse aggregate, stones and stone chips shall be worked out for total lead involved and 1 km lead charges included in basic rate shall be deducted from total lead charges. No loading and unloading charges shall be allowed for any item.

In case of Cement and Steel, Loading and unloading charges are already added in the work item while arriving the unit rate and hence should not be added again

Example:

| Total lead for sand from approved sand quarry: | | 15 Km |
|--|-----|-----------|
| Initial lead included in the basic rate in the SR: | | 1 Km |
| Additional lead charges: Lead charges for 5 km | Rs. | 83.60 |
| Lead charges for next 10 km | Rs. | 125 |
| Total lead charges for 15 km /cum | Rs. | 208.60 |
| Less 1 km initial lead charges /cum | Rs. | 31.30 (-) |
| Net additional lead charges / cum | Rs. | 177.30 |

- 3. The Leads for Steel and Cement shall be from the nearest market place to the Project area
- 4. For earth/rockfill embankments **wherever** initial lead of 1km is considered in the basic rate, the additional lead charges are to be added as follows:

Additional lead charges for Earth, Murrum etc., shall be worked out for total lead involved and 1 km lead charges included in basic rate shall be deducted from total lead charges. No loading and unloading charges shall be allowed for any item. (same as above) Example:


| Total lead for earth from approved borrow area : | | 15 Km |
|--|-----|-----------|
| Initial lead included in the basic rate in the SR: | | 1 Km |
| Additional lead charges: Lead charges for 5 km | Rs. | 83.60 |
| Lead charges for next 10 km | Rs. | 125 |
| Total lead charges for 15 km /cum | Rs. | 208.60 |
| Less 1 km initial lead charges /cum | Rs. | 31.30 (-) |
| Net additional lead charges / cum | Rs. | 177.30 |


5. The initial lead up to 50 m as mentioned in some standard data items is meant for manual lead within the working area. For conveyance of materials, the lead required from quarry/Borrow area/ Dump Area to worksite shall be added to the data without deducting the 50 m initial lead charges

TAW -Work Items

IRR-TAW-1 **EXCAVATION**:

IRR-TAW-1-1 Excavation for adit by tunnelling methods in all types of rock including cost of all materials, machinery, labour, scaling excavated surface, ventilation, lighting, drainage, removing and hauling the excavated muck outside adit upto specified dump area and all other ancillary operations etc., complete with initial lead upto 1km and all lifts.





DATA: RATE ANALYSIS UNIT: 38.50 cum

| A. MATERIALS: | | | | | | | |
|---------------|----------------------------------|------|----------|--------|----------|--|--|
| SI No | Particulars | Unit | Quantity | Rate | Amount | | |
| | | | | in Rs. | in Rs. | | |
| 1 | Small dia explosive | kg | 40.00 | 70.00 | 2800.00 | | |
| 2 | Delay detonators | Nos | 54.00 | 23.00 | 1242.00 | | |
| 3 | Electric detonators | Nos | 5.00 | 13.00 | 65.00 | | |
| 4 | Detonating fuse coil | Rm | 50.00 | 11.00 | 550.00 | | |
| 5 | Use rate of drill rod 2.5 m long | Rm | 119.00 | 42.67 | 5077.33 | | |
| | Reconditioning charges @ | 10% | | | 507.73 | | |
| 6 | Use rate of air hose | Hour | 20.00 | 5.78 | 115.63 | | |
| 7 | Use rate of water hose | Hour | 20.00 | 5.78 | 115.63 | | |
| 8 | Sundries(paint / template etc) | LS | 2.00 | 20.00 | 40.00 | | |
| | Total cost of Materials | • | | Rs: | 10513.32 | | |

B MACHINERY

| B. WACE | IINERT: | | | | |
|---------|-------------------------------------|------|----------|--------|----------|
| SI No | Description | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Drilling jumbo | Hour | 8.00 | 368.40 | 2947.20 |
| | Fuel / Energy charges | Hour | 8.00 | 43.90 | 351.20 |
| 2 | Air compressor 15 cmm (ele) | Hour | 5.00 | 138.80 | 694.00 |
| | Fuel / Energy charges | Hour | 5.00 | 962.30 | 4811.50 |
| 3 | Jack hammer (4 x 5 hrs) | Hour | 20.00 | 19.80 | 396.00 |
| | Fuel / Energy charges | Hour | 20.00 | 0.00 | 0.00 |
| 4 | Pusher leg | Hour | 20.00 | 12.70 | 254.00 |
| | Fuel / Energy charges | Hour | 20.00 | 0.00 | 0.00 |
| 5 | Convey mucker | Hour | 6.50 | 822.80 | 5348.20 |
| | Fuel / Energy charges | Hour | 6.50 | 267.90 | 1741.35 |
| 6 | Dumper (1 x 6.5 hrs) | Hour | 6.50 | 580.70 | 3774.55 |
| | Fuel / Energy charges | Hour | 6.50 | 409.60 | 2662.40 |
| 7 | Pump 10 hp (ele) | Hour | 5.00 | 6.70 | 33.50 |
| | Fuel / Energy charges | Hour | 5.00 | 77.00 | 385.00 |
| 8 | Ventilation fans 20 hp | Hour | 1.00 | 11.50 | 11.50 |
| | Fuel / Energy charges | Hour | 1.00 | 154.00 | 154.00 |
| 9 | Sundries(explosive van / magazine) | LS | 2.00 | 20.00 | 40.00 |
| | Total hire charges of Machinery | • | · [| Rs: | 23604.40 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|--------------------------------|------|----------|--------|---------|
| | | | | in Rs. | in Rs. |
| 1 | Crew for Drilling jumbo | Hour | 8.00 | 163.30 | 1306.40 |
| 2 | Crew for Air compressor | Hour | 5.00 | 163.30 | 816.50 |
| 3 | Crew for Jack hammer | Hour | 20.00 | 306.20 | 6124.00 |
| 4 | Crew for Convey mucker | Hour | 6.50 | 163.30 | 1061.45 |
| 5 | Crew for Dumper | Hour | 6.50 | 212.20 | 1379.30 |
| 6 | Crew for Pump | Hour | 5.00 | 77.70 | 388.50 |
| 7 | Crew for ventilation fans | Hour | 1.00 | 26.80 | 26.80 |
| 8 | Surveyor | Day | 0.50 | 590.00 | 295.00 |
| 9 | Foreman | Day | 1.00 | 480.00 | 480.00 |
| 10 | Fitter / Mechanic | Day | 2.00 | 415.00 | 830.00 |
| 11 | Blaster (Licensed) | Day | 1.00 | 480.00 | 480.00 |
| 12 | Helper blasting | Day | 2.00 | 370.00 | 740.00 |
| 13 | Hammerman | Day | 2.00 | 370.00 | 740.00 |
| 14 | work inspector 1 in each shift | Day | 3.00 | 400.00 | 1200.00 |

| | Total cost of Labour | | | Rs: | 20007.95 |
|----|------------------------------------|-----|------|--------|----------|
| | for cleaning & miscellaneous | Day | 2.00 | 310.00 | 620.00 |
| | for other 2 shifts 1 No each shift | Day | 2.00 | 310.00 | 620.00 |
| | for mucking shift 4 Nos | Day | 4.00 | 310.00 | 1240.00 |
| 16 | mazdoor | | | | |
| 15 | Khalasi for mucking shift 4 Nos | Day | 4.00 | 415.00 | 1660.00 |

labour component/unit qty
Add contractor's profit and overhead charges
13.615% 70.80
labour component/unit qty (including contractor's profit)
590.50

ABSTRACT

| ABSTRACT: | | | | |
|---|---------------------|-------|-----|----------|
| A. Cost of Materials | | | Rs: | 10513.32 |
| B. Hire charges of Machinery | | | Rs: | 23604.40 |
| C. Cost of Labour | | | Rs: | 20007.95 |
| | | Total | Rs: | 54125.67 |
| Add for Air and Water line @ | 1.00% | | Rs: | 541.26 |
| Add for Ventilation @ | 4.50% | | Rs: | 2435.66 |
| Add for Lighting @ | 1.60% | | Rs: | 866.01 |
| Add for Ele sub-station / Demand charge | es @ 2.50% | | Rs: | 1353.14 |
| | | Total | Rs: | 59321.73 |
| D.Add for contractor's profit and overhea | ads on (A+B+C+other | | | |
| percentages) | 13.615% | | Rs: | 8076.65 |
| Total cost for | 38.50 cum | | Rs: | 67398.38 |
| Rate per cum | (A+B+C+D)/38.50 | | Rs: | 1750.60 |

IRR-TAW-1-2 Excavation for vertical / inclined shaft in all types of soft / hard rock including cost of all materials, machinery, labour, shoring, strutting, scaling excavated surface, ventilation, lighting, drainage, removing and hauling excavated muck outside shaft upto specified dump area and all other ancillary operations etc., complete with initial lead upto 1 km and all lifts.

DATA RATE ANALYSIS UNIT: 30.00 cum

| A. MATE | RIALS: | | | | |
|---------|----------------------------------|-------|----------|--------|---------|
| SI No | Particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Small dia explosive | kg | 32.00 | 70.00 | 2240.00 |
| 2 | Electric detonator | Nos | 65.00 | 13.00 | 845.00 |
| 3 | Detonating fuse coil | Rm | 50.00 | 11.00 | 550.00 |
| 4 | Use rate of drill rod 1.6 m long | Rm | 95.00 | 27.67 | 2628.33 |
| 5 | Reconditioning charges @ | 10% | | | 262.83 |
| 6 | Use rate of air hose | Hour | 18.00 | 23.13 | 416.25 |
| 7 | Use rate of water hose | Hour | 16.00 | 23.13 | 370.00 |
| 8 | Use rate of rail track | Shift | 3.00 | 130.01 | 390.04 |
| 9 | Use rate of mucking bucket | Hour | 24.00 | 22.20 | 532.68 |
| 10 | Sundries(paint / template etc) | LS | 2.00 | 20.00 | 40.00 |
| | Total cost of Materials | · | | Rs: | 8275.14 |

B. MACHINERY:

| D. WACE | IIIVLIVI. | | | | |
|---------|-------------------------------------|------|----------|--------|----------|
| SI No | Description | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Air compressor 15 cmm (ele) | Hour | 4.50 | 138.80 | 624.60 |
| | Fuel / Energy charges | Hour | 4.50 | 962.30 | 4330.35 |
| 2 | Jack hammer (4 x 4 hrs) | Hour | 16.00 | 19.80 | 316.80 |
| | Fuel / Energy charges | Hour | 16.00 | 0.00 | 0.00 |
| 3 | Pump 10 hp (ele) | Hour | 4.00 | 6.70 | 26.80 |
| | Fuel / Energy charges | Hour | 4.00 | 77.00 | 308.00 |
| 4 | Pump 20 hp electric | Hour | 2.00 | 12.30 | 24.60 |
| | Fuel / Energy charges | Hour | 2.00 | 154.00 | 308.00 |
| 5 | Winch 35 hp electric | Hour | 28.00 | 129.40 | 3623.20 |
| | Fuel / Energy charges | Hour | 28.00 | 188.60 | 5280.80 |
| 6 | Tipping tub 1.5 cum | Hour | 24.00 | 64.20 | 1540.80 |
| | Fuel / Energy charges | Hour | 24.00 | 0.00 | 0.00 |
| 7 | Sundries(explosive van / magazine) | LS | 2.00 | 20.00 | 40.00 |
| | Total hire charges of Machinery | • | • | Rs: | 16423.95 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|-------------------------|------|----------|--------|---------|
| | | | | in Rs. | in Rs. |
| 1 | Crew for Air compressor | Hour | 4.50 | 163.30 | 734.85 |
| 2 | Crew for Jack hammer | Hour | 16.00 | 306.20 | 4899.20 |

| 1 0 | lo (D 40) | | 1 400 | 77.70 | 040.00 |
|-----|---|------|-------|--------|----------|
| 3 | Crew for Pump 10 hp | Hour | 4.00 | 77.70 | 310.80 |
| 4 | Crew for Pump 20 hp | Hour | 2.00 | 77.70 | 155.40 |
| 5 | Crew for Winch | Hour | 28.00 | 244.90 | 6857.20 |
| 6 | Surveyor | Day | 0.50 | 590.00 | 295.00 |
| 7 | Foreman | Day | 4.00 | 480.00 | 1920.00 |
| 8 | Fitter / Mechanic | Day | 2.00 | 415.00 | 830.00 |
| 9 | Blaster (Licensed) | Day | 1.00 | 480.00 | 480.00 |
| 10 | Helper blasting | Day | 2.00 | 370.00 | 740.00 |
| 11 | Hammerman 1 No. in each shift | Day | 3.00 | 370.00 | 1110.00 |
| 12 | work inspector 1 in each shift | Day | 4.00 | 400.00 | 1600.00 |
| 13 | Khalasi for mucking 2 Nos in each shift | Day | 6.00 | 415.00 | 2490.00 |
| 14 | mazdoor | | | | |
| | for mucking 8 Nos in each shift | Day | 24.00 | 310.00 | 7440.00 |
| | for other 2 shifts 1 No / shift | Day | 2.00 | 310.00 | 620.00 |
| | for cleaning & miscellaneous | Day | 2.00 | 310.00 | 620.00 |
| | Total cost of Labour | • | | Rs: | 31102.45 |

labour component/unit qty

1036.70

Add contractor's profit and overhead charges

13.615% <u>141.10</u>

labour component/unit qty (including contractor's profit)


1177.80

ABSTRACT:

| ADSTRACT. | | | | |
|--|--------------------|-------|-----|----------|
| A. Cost of Materials | | | Rs: | 8275.14 |
| B. Hire charges of Machinery | | | Rs: | 16423.95 |
| C. Cost of Labour | | | Rs: | 31102.45 |
| | | Total | Rs: | 55801.54 |
| Add for Air and Water line @ | 1.00% | | Rs: | 558.02 |
| Add for Ventilation @ | 4.50% | | Rs: | 2511.07 |
| Add for Lighting @ | 1.60% | | Rs: | 892.82 |
| Add for Ele sub-station / Demand charge: | s @ 2.50% | | Rs: | 1395.04 |
| | | Total | Rs: | 61158.48 |
| D.Add for contractor's profit and overhead | ds on (A+B+C+other | | | |
| percentages) | 13.615% | | Rs: | 8326.73 |
| Total cost for | 30.00 cum | | Rs: | 69485.21 |
| Rate per cum | (A+B+C+D)/30.0 | | Rs: | 2316.20 |
| | | | | |

IRR-TAW-1-3 Excavation for tunnel by tunnelling methods in rock not requiring supports including cost of all materials, machinery, labour, scaling excavated surface, removing under-cuts, ventilation, lighting, drainage, removing and hauling the excavated muck outside tunnel upto specified dump area and all other ancillary operations etc., complete with initial lead upto 1 km and all lifts.

DATA: 4.50 m dia Size of tunnel assumed (finished section) Shape of tunnel assumed for excavation D - shape Height of tunnel assumed (finished section) 4.50 m Length of tunnel assumed 1000 m 0.30 m Thickness of CC lining Pay-line margin assumed 0.20 m Diameter of tunnel upto pay line for excavation 5.50 m Distance of dump yard from face :within 500 m Haulage of excavated muck By dumpers



RATE ANALYSIS

DATA:

A. MATERIALS: SI No **Particulars** Unit Quantity Rate Amount in Rs. in Rs. kg 1 Small dia explosive 54.00 70.00 3780.00 2 Delay detonators Nos 68.00 23.00 1564.00 3 Electric detonators 130.00 Nos 10.00 13.00 Detonating fuse coil Rm50.00 11.00 550.00

UNIT:

48.60 cum

| | Total cost of Materia | als | | Rs: | 13381.50 |
|---|----------------------------------|------|--------|-------|----------|
| 8 | Sundries(paint / template etc) | LS | 2.00 | 20.00 | 40.00 |
| 7 | Use rate of water hose | Hour | 24.00 | 5.78 | 138.75 |
| 6 | Use rate of air hose | Hour | 24.00 | 5.78 | 138.75 |
| | Reconditioning charges @ | 10% | | | 640.00 |
| 5 | Use rate of drill rod 2.5 m long | Rm | 150.00 | 42.67 | 6400.00 |

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|-------------------------------------|------|----------|--------|----------|
| | | | | in Rs. | in Rs. |
| 1 | Drilling jumbo | Hour | 10.00 | 368.40 | 3684.00 |
| | Fuel / Energy charges | Hour | 10.00 | 43.90 | 439.00 |
| 2 | Air compressor 15 cmm (ele) | Hour | 6.50 | 138.80 | 902.20 |
| | Fuel / Energy charges | Hour | 6.50 | 962.30 | 6254.95 |
| 3 | Jack hammer (4 x 6.5 hrs) | Hour | 26.00 | 19.80 | 514.80 |
| | Fuel / Energy charges | Hour | 26.00 | 0.00 | 0.00 |
| 4 | Pusher leg | Hour | 26.00 | 12.70 | 330.20 |
| | Fuel / Energy charges | Hour | 26.00 | 0.00 | 0.00 |
| 5 | Convey mucker | Hour | 6.00 | 822.80 | 4936.80 |
| | Fuel / Energy charges | Hour | 6.00 | 267.90 | 1607.40 |
| 6 | Dumper (2 x 6 hrs) | Hour | 12.00 | 580.70 | 6968.40 |
| | Fuel / Energy charges | Hour | 12.00 | 409.60 | 4915.20 |
| 7 | Pump 10 hp (ele) | Hour | 6.50 | 6.70 | 43.55 |
| | Fuel / Energy charges | Hour | 6.50 | 77.00 | 500.50 |
| 8 | Ventilation fans 20 hp | Hour | 2.00 | 11.50 | 23.00 |
| | Fuel / Energy charges | Hour | 2.00 | 154.00 | 308.00 |
| 9 | Sundries(explosive van / magazine) | LS | 2.00 | 20.00 | 40.00 |
| | Total hire charges of Machinery | | | Rs: | 31468.00 |

C. LABOUR:

| C. LABOUR: | | | | | | | |
|------------|------------------------------------|------|----------|--------|----------|--|--|
| SI No | Description | Unit | Quantity | Rate | Amount | | |
| | | | | in Rs. | in Rs. | | |
| 1 | Crew for Drilling jumbo | Hour | 10.00 | 163.30 | 1633.00 | | |
| 2 | Crew for Air compressor | Hour | 6.50 | 163.30 | 1061.45 | | |
| 3 | Crew for Jack hammer | Hour | 26.00 | 306.20 | 7961.20 | | |
| 4 | Crew for Convey mucker | Hour | 6.00 | 163.30 | 979.80 | | |
| 5 | Crew for Dumper | Hour | 12.00 | 212.20 | 2546.40 | | |
| 6 | Crew for Pump | Hour | 6.50 | 77.70 | 505.05 | | |
| 7 | Crew for ventilation fans | Hour | 2.00 | 26.80 | 53.60 | | |
| 8 | Surveyor | Day | 0.50 | 590.00 | 295.00 | | |
| 9 | Foreman | Day | 1.00 | 480.00 | 480.00 | | |
| 10 | Fitter / Mechanic | Day | 2.00 | 415.00 | 830.00 | | |
| 11 | Blaster (Licensed) | Day | 1.00 | 480.00 | 480.00 | | |
| 12 | Helper blasting | Day | 2.00 | 370.00 | 740.00 | | |
| 13 | Hammerman | Day | 2.00 | 370.00 | 740.00 | | |
| 14 | work inspector 1 in each shift | Day | 3.00 | 400.00 | 1200.00 | | |
| 15 | Khalasi for mucking shift 4 Nos | Day | 4.00 | 415.00 | 1660.00 | | |
| 16 | mazdoor | | | | | | |
| | for mucking shift 8 Nos | Day | 8.00 | 310.00 | 2480.00 | | |
| | for other 2 shifts 1 No each shift | Day | 2.00 | 310.00 | 620.00 | | |
| | for cleaning & miscellaneous | Day | 2.00 | 310.00 | 620.00 | | |
| | Total cost of Labou | r | | Rs: | 24885.50 | | |

labour component/unit qty 512.00
Add contractor's profit and overhead charges 13.615% 69.70
labour component/unit qty (including contractor's profit) 581.70

ABSTRACT:

| A. Cost of Materials | | | Rs: | 13381.50 |
|--|--------------------|-------|-----|----------|
| B. Hire charges of Machinery | | | Rs: | 31468.00 |
| C. Cost of Labour | | | Rs: | 24885.50 |
| | | Total | Rs: | 69735.00 |
| Add for Air and Water line @ | 1.00% | | Rs: | 697.35 |
| Add for Ventilation @ | 4.50% | | Rs: | 3138.08 |
| Add for Lighting @ | 1.60% | | Rs: | 1115.76 |
| Add for Ele sub-station / Demand charges | s @ 2.50% | | Rs: | 1743.38 |
| | | Total | Rs: | 76429.56 |
| D.Add for contractor's profit and overhead | ds on (A+B+C+other | | | |
| percentages) | 13.615% | | Rs: | 10405.88 |
| Total cost for | 48.60 cum | | Rs: | 86835.44 |
| Rate per cum | (A+B+C+D)/48.60 | | Rs: | 1786.70 |
| | | | | |

IRR-TAW-1-4 Excavation for tunnel by tunnelling methods including excavation for supports in all types of soil / rock strata requiring supports (excluding cost of providing supports) including cost of all other materials, machinery, labour, scaling excavated surface, ventilation, lighting, drainage, removing and hauling the excavated muck outside tunnel upto specified dump area and all other ancillary operations etc., complete with initial lead upto 1 km and all lifts.

DATA: RATE ANALYSIS UNIT: 46.00 cum

| SI No | Particulars | Unit | Quantity | Rate | Amount |
|-------|----------------------------------|------|----------|--------|----------|
| | | | | in Rs. | in Rs. |
| 1 | Small dia explosive | kg | 41.00 | 70.00 | 2870.00 |
| 2 | Delay detonators | Nos | 77.00 | 23.00 | 1771.00 |
| 3 | Electric detonators | Nos | 10.00 | 13.00 | 130.00 |
| 4 | Detonating fuse coil | Rm | 50.00 | 11.00 | 550.00 |
| 5 | Use rate of drill rod 2.5 m long | Rm | 144.00 | 42.67 | 6144.00 |
| | Reconditioning charges @ | 10% | | | 614.40 |
| 6 | Use rate of air hose | Hour | 24.00 | 5.78 | 138.75 |
| 7 | Use rate of water hose | Hour | 24.00 | 5.78 | 138.75 |
| 8 | Sundries(paint / template etc) | LS | 2.00 | 20.00 | 40.00 |
| | Total cost of Materia | ıls | | Rs: | 12396.90 |

| В. | M | A | Cŀ | Ш | N | Е | R | Υ | : |
|----|---|---|----|---|---|---|---|---|---|
|----|---|---|----|---|---|---|---|---|---|

| D. MACHINER 1: | | | | | | | |
|----------------|-------------------------------------|------|----------|--------|----------|--|--|
| SI No | Description | Unit | Quantity | Rate | Amount | | |
| | | | | in Rs. | in Rs. | | |
| 1 | Drilling jumbo | Hour | 11.00 | 368.40 | 4052.40 | | |
| | Fuel / Energy charges | Hour | 11.00 | 43.90 | 482.90 | | |
| 2 | Air compressor 15 cmm (ele) | Hour | 6.00 | 138.80 | 832.80 | | |
| | Fuel / Energy charges | Hour | 6.00 | 962.30 | 5773.80 | | |
| 3 | Jack hammer (4 x 6 hrs) | Hour | 24.00 | 19.80 | 475.20 | | |
| | Fuel / Energy charges | Hour | 24.00 | 0.00 | 0.00 | | |
| 4 | Pusher leg | Hour | 24.00 | 12.70 | 304.80 | | |
| | Fuel / Energy charges | Hour | 24.00 | 0.00 | 0.00 | | |
| 5 | Convey mucker | Hour | 6.00 | 822.80 | 4936.80 | | |
| | Fuel / Energy charges | Hour | 6.00 | 267.90 | 1607.40 | | |
| 6 | Dumper (2 x 6 hrs) | Hour | 12.00 | 580.70 | 6968.40 | | |
| | Fuel / Energy charges | Hour | 12.00 | 409.60 | 4915.20 | | |
| 7 | Pump 10 hp (ele) | Hour | 6.00 | 6.70 | 40.20 | | |
| | Fuel / Energy charges | Hour | 6.00 | 77.00 | 462.00 | | |
| 8 | Ventilation fans 20 hp | Hour | 2.00 | 11.50 | 23.00 | | |
| | Fuel / Energy charges | Hour | 2.00 | 154.00 | 308.00 | | |
| 9 | Sundries(explosive van / magazine) | LS | 2.00 | 20.00 | 40.00 | | |
| | Total hire charges of Machinery | • | • | Rs: | 31222.90 | | |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|------------------------------------|------|----------|--------|----------|
| | | | | in Rs. | in Rs. |
| 1 | Crew for Drilling jumbo | Hour | 11.00 | 163.30 | 1796.30 |
| 2 | Crew for Air compressor | Hour | 6.00 | 163.30 | 979.80 |
| 3 | Crew for Jack hammer | Hour | 24.00 | 306.20 | 7348.80 |
| 4 | Crew for Convey mucker | Hour | 6.00 | 163.30 | 979.80 |
| 5 | Crew for Dumper | Hour | 12.00 | 212.20 | 2546.40 |
| 6 | Crew for Pump | Hour | 6.00 | 77.70 | 466.20 |
| 7 | Crew for ventilation fans | Hour | 2.00 | 26.80 | 53.60 |
| 8 | Surveyor | Day | 0.50 | 590.00 | 295.00 |
| 9 | Foreman | Day | 1.00 | 480.00 | 480.00 |
| 10 | Fitter / Mechanic | Day | 2.00 | 415.00 | 830.00 |
| 11 | Blaster (Licensed) | Day | 1.00 | 480.00 | 480.00 |
| 12 | Helper blasting | Day | 2.00 | 370.00 | 740.00 |
| 13 | Hammerman 2 Nos | Day | 2.00 | 370.00 | 740.00 |
| 14 | work inspector 1 in each shift | Day | 3.00 | 400.00 | 1200.00 |
| 15 | Khalasi for mucking shift 4 Nos | Day | 4.00 | 415.00 | 1660.00 |
| 16 | mazdoor | | | | |
| | for mucking shift 8 Nos | Day | 8.00 | 310.00 | 2480.00 |
| | for other 2 shifts 1 No each shift | Day | 2.00 | 310.00 | 620.00 |
| | for cleaning & miscellaneous | Day | 2.00 | 310.00 | 620.00 |
| | Total cost of Labour | | · | Rs: | 24315.90 |


labour component/unit qty
Add contractor's profit and overhead charges

528.60

13.615% 72.00

| labour component/unit qty (including contractor's | profit) <u>600.60</u> | | | |
|---|-----------------------|-------|-----|----------|
| ABSTRACT: | | | | |
| A. Cost of Materials | | | Rs: | 12396.90 |
| B. Hire charges of Machinery | | | Rs: | 31222.90 |
| C. Cost of Labour | | | Rs: | 24315.90 |
| | | Total | Rs: | 67935.70 |
| Add for Air and Water line @ | 1.00% | | Rs: | 679.36 |
| Add for Ventilation @ | 4.50% | | Rs: | 3057.11 |
| Add for Lighting @ | 1.60% | | Rs: | 1086.97 |
| Add for Ele sub-station / Demand charges @ | 2.50% | | Rs: | 1698.39 |
| | | Total | Rs: | 74457.53 |
| D.Add for contractor's profit and overheads on (A | \+B+C+other | | | |
| percentages) | 13.615% | | Rs: | 10137.39 |
| Total cost for | 46.00 cum | | Rs: | 84594.92 |
| Rate per cum | (A+B+C+D)/46.0 | | Rs: | 1839.00 |

IRR-TAW-1-5 Excavation for tunnel by heading and benching tunnelling methods including excavation for supports in all types of soil / rock strata requiring supports (excluding cost of providing supports) for roof before benching including cost of all other materials, machinery, labour, scaling excavated surface, ventilation, lighting, drainage removing and hauling excavated muck outside tunnel upto specified dump area and all other ancillary operations etc., complete with initial lead upto 1 km and all lifts.



DATA: RATE ANALYSIS UNIT: 50.00 cum

A. MATERIALS:

| SI No | Particulars | Unit | Quantity | Rate | Amount |
|-------|----------------------------------|------|----------|--------|---------|
| | | | | in Rs. | in Rs. |
| 1 | Small dia explosive | kg | 44.00 | 70.00 | 3080.00 |
| 2 | Delay detonators | Nos | 84.00 | 23.00 | 1932.00 |
| 3 | Electric detonator | Nos | 10.00 | 13.00 | 130.00 |
| 4 | Detonating fuse coil | Rm | 50.00 | 11.00 | 550.00 |
| 5 | Use rate of drill rod 2.5 m long | Rm | 157.00 | 42.67 | 6698.67 |
| | Reconditioning charges @ | 10% | | | 669.87 |
| 6 | Use rate of air hose | Hour | 26.00 | 5.78 | 150.31 |
| 7 | Use rate of water hose | Hour | 26.00 | 5.78 | 150.31 |
| 8 | Sundries(paint / template etc) | LS | 2.00 | 20.00 | 40.00 |
| | Total cost of Materials | Rs: | 13401.16 | | |

B. MACHINERY:

| B. WACH | B. MACHINERY: | | | | | | |
|---------|-------------------------------|------|----------|--------|---------|--|--|
| SI No | Description | Unit | Quantity | Rate | Amount | | |
| | | | | in Rs. | in Rs. | | |
| 1 | Drilling jumbo | Hour | 12.00 | 368.40 | 4420.80 | | |
| | Fuel / Energy charges | Hour | 12.00 | 43.90 | 526.80 | | |
| 2 | Air compressor 15 cmm (ele) | Hour | 6.50 | 138.80 | 902.20 | | |
| | Fuel / Energy charges | Hour | 6.50 | 962.30 | 6254.95 | | |
| 3 | Jack hammer (4 x 6.5 hrs) | Hour | 26.00 | 19.80 | 514.80 | | |
| | Fuel / Energy charges | Hour | 26.00 | 0.00 | 0.00 | | |
| 4 | Pusher leg | Hour | 26.00 | 12.70 | 330.20 | | |
| | Fuel / Energy charges | Hour | 26.00 | 0.00 | 0.00 | | |
| 5 | Convey mucker | Hour | 6.50 | 822.80 | 5348.20 | | |
| | Fuel / Energy charges | Hour | 6.50 | 267.90 | 1741.35 | | |
| 6 | Dumper (2 x 6.5 hrs) | Hour | 13.00 | 580.70 | 7549.10 | | |
| | Fuel / Energy charges | Hour | 13.00 | 409.60 | 5324.80 | | |
| 7 | Pump 10 hp (ele) | Hour | 6.50 | 6.70 | 43.55 | | |
| | Fuel / Energy charges | Hour | 6.50 | 77.00 | 500.50 | | |

| 8 | Ventilation fans 20 hp | Hour | 3.00 | 11.50 | 34.50 |
|---|-------------------------------------|------|------|--------|----------|
| | Fuel / Energy charges | Hour | 3.00 | 154.00 | 462.00 |
| 9 | Sundries(explosive van / magazine) | LS | 2.00 | 20.00 | 40.00 |
| | Total hire charges of Machinery | · | | Rs: | 33993.75 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|-------------------------------------|------|----------|--------|----------|
| | | | | in Rs. | in Rs. |
| 1 | Crew for Drilling jumbo | Hour | 12.00 | 163.30 | 1959.60 |
| 2 | Crew for Air compressor | Hour | 6.50 | 163.30 | 1061.45 |
| 3 | Crew for Jack hammer | Hour | 26.00 | 306.20 | 7961.20 |
| 4 | Crew for Convey mucker | Hour | 6.50 | 163.30 | 1061.45 |
| 5 | Crew for Dumper | Hour | 13.00 | 212.20 | 2758.60 |
| 6 | Crew for Pump | Hour | 6.50 | 77.70 | 505.05 |
| 7 | Crew for Ventilation fan | Hour | 3.00 | 26.80 | 80.40 |
| 8 | Surveyor | Day | 0.50 | 590.00 | 295.00 |
| 9 | Foreman | Day | 1.00 | 480.00 | 480.00 |
| 10 | Fitter / Mechanic | Day | 2.00 | 415.00 | 830.00 |
| 11 | Blaster (Licensed) | Day | 2.00 | 480.00 | 960.00 |
| 12 | Helper blasting | Day | 4.00 | 370.00 | 1480.00 |
| 13 | Hammerman 2 Nos | Day | 2.00 | 370.00 | 740.00 |
| 14 | work inspector 1 in each shift | Day | 3.00 | 400.00 | 1200.00 |
| 15 | Khalasi | | | | |
| | for pushing muck in heading portion | Day | 4.00 | 415.00 | 1660.00 |
| | for mucking shift 4 Nos | Day | 4.00 | 415.00 | 1660.00 |
| 16 | mazdoor | | | | |
| | for mucking shift 8 Nos | Day | 8.00 | 310.00 | 2480.00 |
| | for other 2 shifts 1 No each shift | Day | 2.00 | 310.00 | 620.00 |
| | for cleaning &miscellaneous | Day | 2.00 | 310.00 | 620.00 |
| | Total cost of Labou | r | | Rs: | 28412.75 |

labour component/unit qty568.30Add contractor's profit and overhead charges13.615%77.40labour component/unit qty (including contractor's profit)645.70

ABSTRACT:

| A. Cost of Materials | | | Rs: | 13401.16 |
|--|----------------|-------|-------|----------|
| B. Hire charges of Machinery | | | Rs: | 33993.75 |
| C. Cost of Labour | | | Rs: | 28412.75 |
| | | Total | Rs: | 75807.66 |
| Add for Air and Water line @ | 1.00% | | Rs: | 758.08 |
| Add for Ventilation @ | 4.50% | | Rs: | 3411.34 |
| Add for Lighting @ | 1.60% | | Rs: | 1212.92 |
| Add for Ele sub-station / Demand charges @ | 2.50% | | Rs: | 1895.19 |
| | | Total | Rs: _ | 83085.19 |
| D.Add for contractor's profit and overheads on (A- | +B+C+other | | | |
| percentages) | 13.615% | | Rs: | 11312.05 |
| Total cost for | 50.00 cum | | Rs: | 94397.24 |
| Rate per cum | (A+B+C+D)/50.0 | | Rs: | 1887.90 |

NOTE: Where mucking is to be carried out through shaft using winch and mucking tub system increase the basic rates for items IRR-TAW-1-3, IRR-TAW-1-4 & IRR-TAW-1-5 by 8 percent.

IRR-TAW-1-6 Removing and hauling muck overfallen due to natural causes such as geological faults etc., out of tunnel including breaking large fragments by blasting if necessary and disposing off the same in specified dump area or as directed including cost of all materials, machinery, labour, ventilation, drainage, lighting and all other ancillary operations etc., complete with initial lead upto 1 km and all lifts.

DATA RATE ANALYSIS UNIT: 100.00 cum

| A. MATE | RIALS: | | | | |
|---------|--------------------------|------|----------|--------|--------|
| SI No | Particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Use rate of drill rod | Rm | 15.00 | 27.67 | 415.00 |
| | Reconditioning charges @ | 10% | | | 41.50 |
| 2 | Explosive small dia. | kg | 8.00 | 70.00 | 560.00 |
| 3 | Detonator (ele) | Nos. | 30.00 | 13.00 | 390.00 |
| 4 | Detonating fuse coil | Rm | 20.00 | 11.00 | 220.00 |
| 5 | Use rate of air hose | Hour | 4.00 | 5.78 | 23.13 |

| | Total cost of Materials | | | Rs: | 1692.75 |
|---|-------------------------|------|------|-------|---------|
| 7 | Sundries | LS | 1.00 | 20.00 | 20.00 |
| 6 | Use rate of water hose | Hour | 4.00 | 5.78 | 23.13 |

| D. WACI | IIIAEIXI. | | | | |
|---------|---------------------------------|------|----------|--------|----------|
| SI No | Description | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Air compressor 15 cmm (ele) | Hour | 1.00 | 138.80 | 138.80 |
| | Fuel / Energy charges | Hour | 1.00 | 962.30 | 962.30 |
| 2 | Jack hammer | Hour | 4.00 | 19.80 | 79.20 |
| | Fuel / Energy charges | Hour | 4.00 | 0.00 | 0.00 |
| 3 | Pump 10 hp (ele) | Hour | 1.00 | 6.70 | 6.70 |
| | Fuel / Energy charges | Hour | 1.00 | 77.00 | 77.00 |
| 4 | Convey mucker | Hour | 6.00 | 822.80 | 4936.80 |
| | Fuel / Energy charges | Hour | 6.00 | 267.90 | 1607.40 |
| 5 | Dumper 4.5 cum | Hour | 12.00 | 580.70 | 6968.40 |
| | Fuel / Energy charges | Hour | 12.00 | 409.60 | 4915.20 |
| 6 | Sundries | LS | 1.00 | 20.00 | 20.00 |
| | Total hire charges of Machinery | • | - | Rs: | 19711.80 |

C. LABOUR:

| C. LABO | UK: | | | | |
|---------|-------------------------|------|----------|--------|---------|
| SI No | Description | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Crew for Air compressor | Hour | 1.00 | 163.30 | 163.30 |
| 2 | Crew for Jack hammer | Hour | 4.00 | 306.20 | 1224.80 |
| 3 | Crew for Pump | Hour | 1.00 | 77.70 | 77.70 |
| 4 | Crew for Convey mucker | Hour | 6.00 | 163.30 | 979.80 |
| 5 | Crew for Dumper | Hour | 12.00 | 212.20 | 2546.40 |
| 6 | Blaster (Licensed) | Day | 0.50 | 480.00 | 240.00 |
| 7 | Helper blasting | Day | 0.50 | 370.00 | 185.00 |
| 8 | mazdoor | Day | 8.00 | 310.00 | 2480.00 |
| | Total cost of Labour | | | Rs: | 7897.00 |

labour component/unit qty 79.00
Add contractor's profit and overhead charges 13.615% 10.80
labour component/unit qty (including contractor's profit) 89.80

ABSTRACT:

| ADOTTAOT. | | | | |
|---|-----------------|-------|-----|----------|
| A. Cost of Materials | | | Rs: | 1692.75 |
| B. Hire charges of Machinery | | | Rs: | 19711.80 |
| C. Cost of Labour | | | Rs: | 7897.00 |
| | | Total | Rs: | 29301.55 |
| Add for Air and Water line @ | 1.00% | | Rs: | 293.02 |
| Add for Ventilation @ | 4.50% | | Rs: | 1318.57 |
| Add for Lighting @ | 1.60% | | Rs: | 468.82 |
| Add for Ele sub-station / Demand charges @ | 2.50% | | Rs: | 732.54 |
| | | Total | Rs: | 32114.50 |
| D.Add for contractor's profit and overheads on (A | A+B+C+other | | | |
| percentages) | 13.615% | | Rs: | 4372.39 |
| Total cost for | 100.00 cum | | Rs: | 36486.89 |
| Rate per cum | (A+B+C+D)/100.0 | | Rs: | 364.90 |

IRR_TAW-2 **DEWATERING & GUNITING WORKS**:

IRR-TAW-2-1 **Dewatering tunnel by pumping out water collected by natural drainage inside tunnel** including providing sump wherever necessary, cost of all materials, machinery, labour, drainage, lighting, ventilation and all other ancillary operations etc., complete.

DATA RATE ANALYSIS UNIT: 15.00 Kwhr

A. MATERIALS:

| A. WAIL | NIALS. | | | | |
|---------|---------------------------------|------|----------|--------|--------|
| SI No | Particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Use rate of G.I.pipe 100 mm dia | Hour | 1.00 | 4.67 | 4.67 |
| 2 | Sundries | LS | 0.10 | 20.00 | 2.00 |
| | Total cost of Materials | | | Rs: | 6.67 |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|-----------------------|------|----------|--------|--------|
| | | | | in Rs. | in Rs. |
| 1 | Electric pump 20 hp | Hour | 1.00 | 12.30 | 12.30 |
| 2 | Fuel / Energy charges | Hour | 1.00 | 154.00 | 154.00 |

| 3 | Sundries(Starter/Switches ete) | LS | 0.10 | 20.00 | 2.00 |
|---|---------------------------------|----|------|-------|--------|
| | Total hire charges of Machinery | | | Rs: | 168.30 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|---------------------------|------|----------|--------|--------|
| | | | - | in Rs. | in Rs. |
| 1 | Crew charges for Pump | Hour | 1.00 | 77.70 | 77.70 |
| 2 | Laying & dismantling pipe | LS | 0.05 | 20.00 | 1.00 |
| 3 | mazdoor | Day | 0.10 | 310.00 | 31.00 |
| | Total cost of Labour | | | | 109.70 |

labour component/unit qty

7.30

Add contractor's profit and overhead charges labour component/unit qty (including contractor's profit) 13.615% 1.00 8.30

| ABSTRACT: | | | | |
|---|----------------|-------|-----|--------|
| A. Cost of Materials | | | Rs: | 6.67 |
| B. Hire charges of Machinery | | | Rs: | 168.30 |
| C. Cost of Labour | | | Rs: | 109.70 |
| | | Total | Rs: | 284.67 |
| Add for Air and Water line @ | 1.00% | | Rs: | 2.85 |
| Add for Ventilation @ | 4.50% | | Rs: | 12.81 |
| Add for Lighting @ | 1.60% | | Rs: | 4.55 |
| Add for Ele sub-station / Demand charges @ | 2.50% | | Rs: | 7.12 |
| | | Total | Rs: | 311.99 |
| D.Add for contractor's profit and overheads on (A | +B+C+other | | | |
| percentages) | 13.615% | | Rs: | 42.48 |
| Total cost for | 15.00 Kwhr | | Rs: | 354.47 |
| Rate per Kwhr | (A+B+C+D)/15.0 | | Rs: | 23.60 |

IRR-TAW-2-2 Providing 25 mm thick guniting to sides and arch of tunnel in cement mortar 1:3 proportion by weight including cost of all materials, machinery, labour, ventilation, lighting, drainage and all other ancillary operations etc., complete with lead upto 1 km and all lifts.

RATE ANALYSIS DATA: UNIT: **36.00** sqm

A. MATERIALS:

| A. WAIC | RIALS: | | | | |
|---------|-----------------------------|------|----------|--------|---------|
| SI No | Particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Cement | kg | 600.00 | 6.30 | 3780.00 |
| 2 | Sand (Screened) | cum | 1.10 | 760.00 | 836.00 |
| 3 | Use rate of grout hose 20 m | Hour | 8.00 | 5.78 | 46.25 |
| 4 | Use rate of water hose 20 m | Hour | 8.00 | 5.78 | 46.25 |
| 5 | Use rate of guniting nozzle | Hour | 8.00 | 3.50 | 28.00 |
| 6 | Sundries | LS | 2.00 | 20.00 | 40.00 |
| | Total cost of Materials | | | | 4776.50 |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|---------------------------------|------|----------|---------|---------|
| | | | Ť | in Rs. | in Rs. |
| 1 | Guniting equipment | Hour | 8.00 | 110.10 | 880.80 |
| | Fuel / Energy charges | Hour | 8.00 | 0.00 | 0.00 |
| 2 | Air compressor 8.5 cmm (ele) | Hour | 8.00 | 170.80 | 1366.40 |
| | Fuel / Energy charges | Hour | 8.00 | 433.10 | 3464.80 |
| 3 | Pump 10 hp (ele) | Hour | 1.00 | 6.70 | 6.70 |
| | Fuel / Energy charges | Hour | 1.00 | 77.00 | 77.00 |
| 4 | Drilling jumbo | Hour | 4.00 | 368.40 | 1473.60 |
| | Fuel / Energy charges | Hour | 4.00 | 43.90 | 175.60 |
| 5 | Sundries | LS | 2.00 | 20.00 | 40.00 |
| | Total hire charges of Machinery | | Rs: | 7484.90 | |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|-----------------------------|------|----------|--------|---------|
| | | | | in Rs. | in Rs. |
| 1 | Crew for Guniting equipment | Hour | 8.00 | 204.10 | 1632.80 |
| 2 | Crew for Air compressor | Hour | 8.00 | 153.10 | 1224.80 |
| 3 | Crew for pump | Hour | 1.00 | 77.70 | 77.70 |
| 4 | Crew for Drilling jumbo | Hour | 4.00 | 163.30 | 653.20 |
| 5 | Mason CI I | Day | 1.00 | 415.00 | 415.00 |
| 6 | mazdoor | Day | 6.00 | 310.00 | 1860.00 |

| Total cost of Labou | ır | | | | Rs: | 5863.50 |
|--|---------|----------|---------|-------------|-----|----------|
| labour component/unit qty | | | 162.90 | | | |
| Add contractor's profit and overhead charges | | 13.615% | 22.20 | - | | |
| labour component/unit qty (including contractor's | profit) | | 185.10 | <u>-</u> | | |
| ABSTRACT: | | | | | | |
| A. Cost of Materials | | | | | Rs: | 4776.50 |
| B. Hire charges of Machinery | | | | | Rs: | 7484.90 |
| C. Cost of Labour | | | | | Rs: | 5863.50 |
| | | | | Total | Rs: | 18124.90 |
| Add for Air and Water line @ | | | 1.00% | | Rs: | 181.25 |
| Add for Ventilation @ | | | 4.50% | | Rs: | 815.62 |
| Add for Lighting @ | | | 1.60% | | Rs: | 290.00 |
| Add for Ele sub-station / Demand charges @ | | | 2.50% | | Rs: | 453.12 |
| | | | | Total | Rs: | 19864.89 |
| D.Add for contractor's profit and overheads on (A- | +B+C+ot | her | | | | |
| percentages) | | | 13.615% | | Rs: | 2704.60 |
| Lead Charges for 1 Km for FA | 1.10 | | cum @ | 31.3 Rs./Cu | m | 34.43 |
| Lead Charges for 1Km for Cement (including | | | | | | |
| Loading and Unloading Charges) | 0.60 | | tonne @ | 129.7 Rs./T | | 77.82 |
| Total cost for | | 36.00 | | | Rs: | 22681.75 |
| Rate per sqm | (A+B+ | -C+D)/36 | .0 | | Rs: | 630.00 |

IRR-TAW-2-3 Shortcreting in two layers (each layer+38 mm thickness) for slabs duly fixing chain weld wire mesh

(new4 - 2011-12) 100 x 100x5 mm in between the two layers including cost and conveyance of all materials, labour charges, all heads, lifts, centering, scaffolding, machine mixing, laying concrete with shortcrete machine etc. complete as per specification and as directed by Engineer-in-Charge

RATE ANALYSIS Data UNIT: **36.00** sqm

A. MATERIALS:

| A. WATE | NIALS. | | | | |
|---------|--|------|----------|--------|----------|
| SI No | Particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Cement | kg | 1548.00 | 6.30 | 9752.40 |
| 2 | Sand (Screened) | cum | 2.41 | 760.00 | 1831.60 |
| 3 | Coarse aggregate 10-4.75 mm size | cum | 1.03 | 875.00 | 901.25 |
| 4 | Use rate of grout hose 20 m | Hour | 8.00 | 5.78 | 46.25 |
| 5 | Use rate of water hose 20 m | Hour | 8.00 | 5.78 | 46.25 |
| 6 | Use rate of guniting nozzle | Hour | 8.00 | 3.50 | 28.00 |
| 7 | Welded steel wire fabric 100 x 100 x 5 m | kg | 108.00 | 165.00 | 17820.00 |
| 8 | Sundries | LS | 2.00 | 20.00 | 40.00 |
| | Total cost of Materials | Rs: | 30465.75 | | |

B. MACHINERY:

| D. IIIAOI | | | | | |
|-----------|---------------------------------|------|----------|--------|---------|
| SI No | Description | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Guniting equipment | Hour | 8.00 | 110.10 | 880.80 |
| | Fuel / Energy charges | Hour | 8.00 | 0.00 | 0.00 |
| 2 | Air compressor 8.5 cmm (ele) | Hour | 8.00 | 170.80 | 1366.40 |
| | Fuel / Energy charges | Hour | 8.00 | 433.10 | 3464.80 |
| 3 | Pump 10 hp (ele) | Hour | 1.00 | 6.70 | 6.70 |
| | Fuel / Energy charges | Hour | 1.00 | 77.00 | 77.00 |
| 4 | Drilling jumbo | Hour | 4.00 | 368.40 | 1473.60 |
| | Fuel / Energy charges | Hour | 4.00 | 43.90 | 175.60 |
| 5 | Sundries | LS | 2.00 | 20.00 | 40.00 |
| | Total hire charges of Machinery | | | Rs: | 7484.90 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|-----------------------------|------|----------|---------|---------|
| | | | | in Rs. | in Rs. |
| 1 | Crew for Guniting equipment | Hour | 8.00 | 204.10 | 1632.80 |
| 2 | Crew for Air compressor | Hour | 8.00 | 153.10 | 1224.80 |
| 3 | Crew for pump | Hour | 1.00 | 77.70 | 77.70 |
| 4 | Crew for Drilling jumbo | Hour | 4.00 | 163.30 | 653.20 |
| 5 | Mason CI I | Day | 1.00 | 415.00 | 415.00 |
| 6 | mazdoor | Day | 6.00 | 310.00 | 1860.00 |
| · | Total cost of Labou | | Rs: | 5863.50 | |

labour component/unit qty Add contractor's profit and overhead charges

162.90 13.615% 22.20

| labour component/unit qty (including contractor's | profit) | 185.10 | - - | | |
|---|-------------|---------|-------------------|------|----------|
| ABSTRACT: | | | | | |
| A. Cost of Materials | | | | Rs: | 30465.75 |
| B. Hire charges of Machinery | | | | Rs: | 7484.90 |
| C. Cost of Labour | | | | Rs: | 5863.50 |
| | | | Total | Rs: | 43814.15 |
| Add for Air and Water line @ | | 1.00% | | Rs: | 438.14 |
| Add for Ventilation @ | | 4.50% | | Rs: | 1971.64 |
| Add for Lighting @ | | 1.60% | | Rs: | 701.03 |
| Add for Ele sub-station / Demand charges @ | | 2.50% | | Rs: | 1095.35 |
| | | | Total | Rs: | 48020.31 |
| D.Add for contractor's profit and overheads on (A | \+B+C+other | | | _ | |
| percentages) | | 13.615% | | Rs: | 6537.96 |
| Lead Charges for 1 Km for FA | 2.41 | cum @ | 31.3 Rs./Cu | m | 75.433 |
| Lead Charges for 1 Km for CA | 1.03 | cum @ | 30.2 Rs./Cu | m | 31.106 |
| Lead Charges for 1Km for Cement (including | | | | | |
| Loading and Unloading Charges) | 1.55 | tonne @ | 129.7 Rs./To | onne | 200.7756 |
| Total cost for | 36 | .00 sqm | | Rs: | 54865.59 |
| Rate per sqm | (A+B+C+D)/ | /36.0 | | Rs: | 1524.00 |

IRR_TAW-3 TEMPORARY & PERMANENT SUPPORTS:

IRR-TAW-3-1 Providing and fixing 25 mm diameter steel rock bolts with mechanical / wedge type
anchorage including drilling 35 mm dia holes, providing 15 cm long 20 mm thick steel tapered
wedge, 10 mm thick plate washers and nuts, tightening bolt by torque wrench, cost of all
materials, machinery, labour, ventilation, lighting, drainage and all other ancillary operations
etc., complete with lead upto 1 km and all lifts.

DATA: RATE ANALYSIS UNIT: 20.00 Rm

| A. MATER | A. MATERIALS: | | | | | | | | | |
|----------|--|------|----------|--------|---------|--|--|--|--|--|
| SI No | Particulars | Unit | Quantity | Rate | Amount | | | | | |
| | | | | in Rs. | in Rs. | | | | | |
| 1 | Rein.Steel with 5 % wastage | kg | 86.91 | 40.00 | 3476.55 | | | | | |
| 2 | Steel plate for washers | kg | 65.94 | 40.00 | 2637.60 | | | | | |
| | Steel plate for wedges | kg | 6.18 | 40.00 | 247.28 | | | | | |
| 3 | M S Nuts for bolts | kg | 4.00 | 90.00 | 360.00 | | | | | |
| 4 | Use rate of drill rod | Rm | 20.00 | 42.67 | 853.33 | | | | | |
| | Reconditioning charges @ | 10% | | | 85.33 | | | | | |
| 5 | Use rate of air hose 4 Nos | Hour | 6.00 | 5.78 | 34.69 | | | | | |
| 6 | Use rate of water hose 4 Nos | Hour | 6.00 | 5.78 | 34.69 | | | | | |
| 7 | Sundries (gas for cutting / heating etc) | LS | 5.00 | 20.00 | 100.00 | | | | | |
| | Total cost of Materials | Rs: | 7829.47 | | | | | | | |

B. MACHINERY:

| B. WACI | b. MACHINERT. | | | | | | | |
|---------|---------------------------------|------|----------|--------|---------|--|--|--|
| SI No | Description | Unit | Quantity | Rate | Amount | | | |
| | · | | | in Rs. | in Rs. | | | |
| 1 | Air compressor 15 cmm (ele) | Hour | 1.50 | 138.80 | 208.20 | | | |
| | Fuel / Energy charges | Hour | 1.50 | 962.30 | 1443.45 | | | |
| 2 | Pump 10 hp (ele) | Hour | 1.00 | 6.70 | 6.70 | | | |
| | Fuel / Energy charges | Hour | 1.00 | 77.00 | 77.00 | | | |
| 3 | Jack hammer | Hour | 6.00 | 19.80 | 118.80 | | | |
| | Fuel / Energy charges | Hour | 6.00 | 0.00 | 0.00 | | | |
| 4 | Pusher leg | Hour | 6.00 | 12.70 | 76.20 | | | |
| | Fuel / Energy charges | Hour | 6.00 | 0.00 | 0.00 | | | |
| 5 | Drilling jumbo | Hour | 4.00 | 368.40 | 1473.60 | | | |
| | Fuel / Energy charges | Hour | 4.00 | 43.90 | 175.60 | | | |
| 6 | Sundries (lathe, blower etc) | LS | 5.00 | 20.00 | 100.00 | | | |
| | Total hire charges of Machinery | • | • | Rs: | 3679.55 | | | |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|-------------------------|------|----------|--------|---------|
| | | | | in Rs. | in Rs. |
| 1 | Crew for Air compressor | Hour | 1.50 | 163.30 | 244.95 |
| 2 | Crew for pump | Hour | 1.00 | 77.70 | 77.70 |
| 3 | Crew for Jack hammer | Hour | 6.00 | 306.20 | 1837.20 |
| 4 | Crew for Drilling jumbo | Hour | 4.00 | 163.30 | 653.20 |
| 5 | Fitter | Day | 0.50 | 415.00 | 207.50 |
| 6 | Gas cutter | Day | 1.00 | 415.00 | 415.00 |

| | | Total cost of Labour | • | | Rs: | 5550.55 |
|---|----|----------------------|-----|------|--------|---------|
| L | 11 | mazdoor | Day | 2.00 | 310.00 | 620.00 |
| | 10 | Hammerman | Day | 0.50 | 370.00 | 185.00 |
| | 9 | Khalasi (2 x 0.5) | Day | 1.00 | 415.00 | 415.00 |
| | 8 | Blacksmith | Day | 1.00 | 415.00 | 415.00 |
| 1 | 7 | Turner | Day | 1.00 | 480.00 | 480.00 |

labour component/unit qty 277.50 Add contractor's profit and overhead charges 13.615% 37.80 labour component/unit qty (including contractor's profit) 315.30

| ABSTRACT: | | | | | |
|--|-------------|----------|--------------|------|-------------|
| A. Cost of Materials | | | | Rs: | 7829.47 |
| B. Hire charges of Machinery | | | | Rs: | 3679.55 |
| C. Cost of Labour | | | | Rs: | 5550.55 |
| | | | Total | Rs: | 17059.57 |
| Add for Air and Water line @ | | 1.00% | | Rs: | 170.60 |
| Add for Ventilation @ | | 4.50% | | Rs: | 767.68 |
| Add for Lighting @ | | 1.60% | | Rs: | 272.95 |
| Add for Ele sub-station / Demand charges @ | | 2.50% | | Rs: | 426.49 |
| | | | Total | Rs: | 18697.29 |
| D.Add for contractor's profit and overheads on | (A+B+C+othe | er | | | |
| percentages) | · | 13.615% | | Rs: | 2545.64 |
| Lead Charges for 1Km for Steel (including | | | | | |
| Loading and Unloading Charges) | 0.16 | tonne @ | 151.5 Rs./To | onne | 24.09389719 |
| Total cost for | | 20.00 Rm | | Rs: | 21267.01 |
| Rate per Rm | (A+B+C- | +D)/20.0 | | Rs: | 1063.40 |

IRR-TAW-3-2 Providing and fixing 25 mm diameter steel rock bolts with resin bond cement capsule anchorage including drilling 35 mm dia holes, inserting grout capsule, driving bolt, fixing 10 mm thick plate washers and nuts and tightening the same by torque wrench after hardening of cement grout, cost of all materials, machinery, labour, ventilation, lighting, drainage and other ancillary operations etc., complete with lead upto 1 km and all lifts.

RATE ANALYSIS DATA: UNIT: **20.00** Rm

| Α. | MA | ΓER | IALS | 3: |
|----|----|-----|------|----|
| | | | | |

| SI No | Particulars | Unit | Quantity | Rate | Amount |
|-------|---------------------------------|------|----------|--------|---------|
| | | | | in Rs. | in Rs. |
| 1 | Rein.Steel with 5 % wastage | kg | 86.91 | 40.00 | 3476.55 |
| 2 | Steel plate for washers | kg | 65.94 | 40.00 | 2637.60 |
| 3 | Resin bond cement grout capsule | Nos. | 2.00 | 40.00 | 80.00 |
| 4 | M S Nuts for bolts | kg | 4.00 | 90.00 | 360.00 |
| 5 | Use rate of drill rod | Rm | 20.00 | 42.67 | 853.33 |
| | Reconditioning charges @ | 10% | | | 85.33 |
| 6 | Use rate of air hose 4 Nos | Hour | 6.00 | 5.78 | 34.69 |
| 7 | Use rate of water hose 4 Nos | Hour | 6.00 | 5.78 | 34.69 |
| 8 | Sundries(gas for cutting etc) | LS | 3.00 | 20.00 | 60.00 |
| | Total cost of Materials | Rs: | 7622.19 | | |

B. MACHINERY:

| | D. MACHINENT. | | | | | | | | |
|-------|---------------------------------|------|----------|--------|---------|--|--|--|--|
| SI No | Description | Unit | Quantity | Rate | Amount | | | | |
| | | | | in Rs. | in Rs. | | | | |
| 1 | Air compressor 15 cmm (ele) | Hour | 1.50 | 138.80 | 208.20 | | | | |
| | Fuel / Energy charges | Hour | 1.50 | 962.30 | 1443.45 | | | | |
| 2 | Pump 10 hp (ele) | Hour | 1.00 | 6.70 | 6.70 | | | | |
| | Fuel / Energy charges | Hour | 1.00 | 77.00 | 77.00 | | | | |
| 3 | Jack hammer | Hour | 6.00 | 19.80 | 118.80 | | | | |
| | Fuel / Energy charges | Hour | 6.00 | 0.00 | 0.00 | | | | |
| 4 | Pusher leg | Hour | 6.00 | 12.70 | 76.20 | | | | |
| | Fuel / Energy charges | Hour | 6.00 | 0.00 | 0.00 | | | | |
| 5 | Drilling jumbo | Hour | 4.00 | 368.40 | 1473.60 | | | | |
| | Fuel / Energy charges | Hour | 4.00 | 43.90 | 175.60 | | | | |
| 6 | Sundries (lathe, etc) | LS | 3.00 | 20.00 | 60.00 | | | | |
| | Total hire charges of Machinery | • | | Rs: | 3639.55 | | | | |

C. LABOUR:

| ĺ | SI No | Description | Unit | Quantity | Rate | Amount |
|---|-------|-------------------------|------|----------|--------|--------|
| l | | | | | in Rs. | in Rs. |
| | 1 | Crew for Air compressor | Hour | 1.50 | 163.30 | 244.95 |

| 2 | Crew for pump | Hour | 1.00 | 77.70 | 77.70 |
|----|-------------------------|------|------|--------|---------|
| 3 | Crew for Jack hammer | Hour | 6.00 | 306.20 | 1837.20 |
| 4 | Crew for Drilling jumbo | Hour | 4.00 | 163.30 | 653.20 |
| 5 | Fitter | Day | 0.50 | 370.00 | 185.00 |
| 6 | Gas cutter | Day | 1.00 | 415.00 | 415.00 |
| 7 | Turner | Day | 1.00 | 480.00 | 480.00 |
| 8 | Khalasi (2 x 0.5) | Day | 1.00 | 415.00 | 415.00 |
| 9 | Hammerman | Day | 0.50 | 370.00 | 185.00 |
| 10 | mazdoor | Day | 2.00 | 310.00 | 620.00 |
| | Total cost of Labou | ır | | Rs: | 5113.05 |

labour component/unit qty


255.70

Add contractor's profit and overhead charges labour component/unit qty (including contractor's profit) 13.615% 34.80 290.50

ABSTRACT:

| C. Cost of Labour Rs: 5113. Add for Air and Water line @ 1.00% Rs: 1637. Add for Ventilation @ 4.50% Rs: 736. Add for Lighting @ 1.60% Rs: 262. Add for Ele sub-station / Demand charges @ 2.50% Rs: 409. D.Add for contractor's profit and overheads on (A+B+C+other percentages) 13.615% Rs: 2443. Lead Charges for 1Km for Steel (including Loading and Unloading Charges) 0.15 tonne @ 151.5 Rs./Tone 23.157343 Total cost for 20.00 Rm Rs: 20413. | A. Cost of Materials | | | | Rs: | 7622.19 |
|---|--|---------------|----------|--------------|------|-------------|
| Add for Air and Water line @ 1.00% Rs: 16374. Add for Ventilation @ 4.50% Rs: 163. Add for Lighting @ 1.60% Rs: 262. Add for Ele sub-station / Demand charges @ 2.50% Rs: 409. D.Add for contractor's profit and overheads on (A+B+C+other percentages) 13.615% Rs: 2443. Lead Charges for 1Km for Steel (including Loading and Unloading Charges) 0.15 tonne @ 151.5 Rs./Tone 23.157343 Total cost for 20.00 Rm Rs: 20413. | B. Hire charges of Machinery | | | | Rs: | 3639.55 |
| Add for Air and Water line @ 1.00% Rs: 163. Add for Ventilation @ 4.50% Rs: 736. Add for Lighting @ 1.60% Rs: 262. Add for Ele sub-station / Demand charges @ 2.50% Rs: 409. D.Add for contractor's profit and overheads on (A+B+C+other percentages) Rs: 2443. Lead Charges for 1Km for Steel (including Loading and Unloading Charges) 0.15 tonne @ 151.5 Rs./Tone 23.157343 Total cost for 20.00 Rm Rs: 20413. | C. Cost of Labour | | | | Rs: | 5113.05 |
| Add for Ventilation @ 4.50% Rs: 736. Add for Lighting @ 1.60% Rs: 262. Add for Ele sub-station / Demand charges @ 2.50% Rs: 409. D.Add for contractor's profit and overheads on (A+B+C+other percentages) Rs: 2443. Lead Charges for 1Km for Steel (including Loading and Unloading Charges) 0.15 tonne @ 151.5 Rs./Tone 23.157343 Total cost for 20.00 Rm Rs: 20413. | | | | Total | Rs: | 16374.79 |
| Add for Lighting @ 1.60% Rs: 262. Add for Ele sub-station / Demand charges @ 2.50% Rs: 409. D.Add for contractor's profit and overheads on (A+B+C+other percentages) 13.615% Rs: 2443. Lead Charges for 1Km for Steel (including Loading and Unloading Charges) 0.15 tonne @ 151.5 Rs./T one 23.157343 Total cost for 20.00 Rm Rs: 20413. | Add for Air and Water line @ | | 1.00% | | Rs: | 163.75 |
| Add for Ele sub-station / Demand charges @ 2.50% Rs: 409. D.Add for contractor's profit and overheads on (A+B+C+other percentages) Rs: 2443. Lead Charges for 1Km for Steel (including Loading and Unloading Charges) 0.15 tonne @ 151.5 Rs./Tone 23.157343 Total cost for 20.00 Rm Rs: 20413. | Add for Ventilation @ | | 4.50% | | Rs: | 736.87 |
| D.Add for contractor's profit and overheads on (A+B+C+other percentages) Lead Charges for 1Km for Steel (including Loading and Unloading Charges) 0.15 13.615% Rs: 2443. 151.5 Rs./Tone ② 151.5 Rs./Tone 23.157343 20.00 Rm Rs: 20413. | Add for Lighting @ | | 1.60% | | Rs: | 262.00 |
| D.Add for contractor's profit and overheads on (A+B+C+other percentages) Lead Charges for 1Km for Steel (including Loading and Unloading Charges) 0.15 tonne @ 151.5 Rs./Tonne 23.157343 Total cost for 20.00 Rm Rs: 20413. | Add for Ele sub-station / Demand charges @ | | 2.50% | | Rs: | 409.37 |
| percentages) 13.615% Rs: 2443. Lead Charges for 1Km for Steel (including Loading and Unloading Charges) 0.15 tonne @ 151.5 Rs./Tonne 23.157343 Total cost for 20.00 Rm Rs: 20413. | | | | Total | Rs: | 17946.77 |
| Lead Charges for 1Km for Steel (including Loading and Unloading Charges) O.15 tonne @ 151.5 Rs./Tonne 23.157343 Total cost for 20.00 Rm Rs: 20413. | D.Add for contractor's profit and overheads or | n (A+B+C+othe | er | | | |
| Loading and Unloading Charges) 0.15 tonne @ 151.5 Rs./Tonne 23.157343 Total cost for 20.00 Rm Rs: 20413. | percentages) | · | 13.615% | | Rs: | 2443.45 |
| Total cost for 20.00 Rm Rs: 20413. | Lead Charges for 1Km for Steel (including | | | | | |
| | Loading and Unloading Charges) | 0.15 | tonne @ | 151.5 Rs./To | onne | 23.15734313 |
| Rate per Rm (A+B+C+D)/20.0 Rs: 1020. | Total cost for | | 20.00 Rm | | Rs: | 20413.38 |
| | Rate per Rm | (A+B+C | +D)/20.0 | | Rs: | 1020.70 |

IRR-TAW-3-3 Providing, fabricating and fixing in position permanent structural steel supports as per details including cost of all materials, machinery, labour, cutting, bending, welding, grinding, lighting, ventilation, drainage and all other ancillary operations etc., complete with initial lead upto 1 km and all lifts.



Data

RATE ANALYSIS

UNIT:

1.00 tonne

| | 101127110121010 | | 0.4 | 1100 (| 011110 |
|---------|-------------------------------------|------|----------|--------|----------|
| A. MATE | RIALS: | | | | |
| SI No | Particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Structural steel beams | kg | 760.00 | 40.00 | 30400.00 |
| 2 | Structural steel plates | kg | 115.00 | 40.00 | 4600.00 |
| 3 | Steel bars for tie rods & anchors | kg | 150.00 | 40.00 | 6000.00 |
| 4 | For cutting sections: | | | | |
| | Oxygen gas @ 2.4 cum / t | cum | 2.40 | 45.00 | 108.00 |
| | Acetylene gas @ 0.8 cum / t | cum | 0.80 | 330.00 | 264.00 |
| 5 | For welding sections: | | | | |
| | Electrodes 4 x 300 mm @ 125 Nos / t | Nos. | 125.00 | 11.00 | 1375.00 |
| 6 | For field connections: | | | | |
| | M.S.Bolts / Nuts & Washers | kg | 50.00 | 90.00 | 4500.00 |
| 7 | Sundries | LS | 5.00 | 20.00 | 100.00 |
| | Total cost of Materials | | | Rs: | 47347.00 |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|-----------------------|------|----------|--------|--------|
| | | | | in Rs. | in Rs. |
| 1 | Bending machine | Hour | 8.00 | 42.60 | 340.80 |
| | Fuel / Energy charges | Hour | 8.00 | 115.50 | 924.00 |
| 2 | Welding set | Hour | 16.00 | 16.00 | 256.00 |

| | Fuel / Energy charges | Hour | 16.00 | 92.40 | 1478.40 |
|---|---|------|-------|--------|---------|
| 3 | Drilling Jumbo | Hour | 12.00 | 368.40 | 4420.80 |
| | Fuel / Energy charges | Hour | 12.00 | 43.90 | 526.80 |
| 4 | Sundries (lathe / drilling / grinder) | LS | 30.00 | 20.00 | 600.00 |
| | Total hire charges of Machinery | | | Rs: | 8546.80 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|-----------------------------------|------|----------|--------|----------|
| | | | | in Rs. | in Rs. |
| 1 | Crew for Drilling Jumbo | Hour | 12.00 | 163.30 | 1959.60 |
| 2 | Crew fir Bending machine | Hour | 8.00 | 122.50 | 980.00 |
| 3 | For cutting & preparing sections: | | | | |
| | Structural steel Marker | Day | 1.00 | 480.00 | 480.00 |
| | Gas cutter | Day | 2.00 | 415.00 | 830.00 |
| | Fitter | Day | 2.00 | 415.00 | 830.00 |
| | Turner / Driller | Day | 3.00 | 480.00 | 1440.00 |
| | Khalasi | Day | 2.00 | 415.00 | 830.00 |
| | Helper fabrication | Day | 4.00 | 370.00 | 1480.00 |
| 4 | For welding sections: | | | | |
| | Welder | Day | 2.00 | 415.00 | 830.00 |
| | Helper fabrication | Day | 2.00 | 370.00 | 740.00 |
| | Khalasi | Day | 2.00 | 415.00 | 830.00 |
| 5 | For erection of supports: | • | | | |
| | Foreman | Day | 1.00 | 480.00 | 480.00 |
| | Structural steel Erector | Day | 2.00 | 480.00 | 960.00 |
| | Helper erector | Day | 2.00 | 370.00 | 740.00 |
| | Khalasi | Day | 4.00 | 415.00 | 1660.00 |
| | Total cost of Labor | ur | | Rs: | 15069.60 |

labour component/unit qty 15069.60
Add contractor's profit and overhead charges 13.615% 2051.70
labour component/unit qty (including contractor's profit) 17121.30

ABSTRACT:

| ABSTRACT. | | | | | |
|---|----------------|------------|--------------|------|----------|
| A. Cost of Materials | | | | Rs: | 47347.00 |
| B. Hire charges of Machinery | | | | Rs: | 8546.80 |
| C. Cost of Labour | | | | Rs: | 15069.60 |
| | | | Total | Rs: | 70963.40 |
| Add for Air and Water line @ | | 1.00% | | Rs: | 709.63 |
| Add for Ventilation @ | | 4.50% | | Rs: | 3193.35 |
| Add for Lighting @ | | 1.60% | | Rs: | 1135.41 |
| Add for Ele sub-station / Demand charges @ | | 2.50% | | Rs: | 1774.09 |
| | | | Total | Rs: | 77775.89 |
| D.Add for contractor's profit and overheads o | n (A+B+C+other | | | | |
| percentages) | | 13.615% | | Rs: | 10589.19 |
| Lead Charges for 1Km for Steel (including | | | | | |
| Loading and Unloading Charges) | 1.03 | tonne @ | 151.5 Rs./To | onne | 155.2875 |
| | | | | | |
| Total cost for | | 1.00 tonne | | Rs: | 88520.36 |
| Rate per tonne | (A+B+C+E | 0)/1.0 | | Rs: | 88520.40 |

IRR-TAW-3-4 Providing, fabricating and **fixing in position temperary structural steel supports as per details** and dismantling the same before concreting including cost of all materials, machinery, labour, cutting, bending, welding, grinding, ventilation, lighting, drainage and all other ancillary operations etc.,complete **with initial lead upto 1 km and all lifts.**

DATA RATE ANALYSIS UNIT: 1.00 tonne

A. MATERIALS (for 20 uses):

| SI No | Particulars | Unit | Quantity | Rate | Amount |
|-------|----------------------------|------|----------|--------|----------|
| | | | | in Rs. | in Rs. |
| 1 | Structural steel beams | kg | 760.00 | 40.00 | 30400.00 |
| 2 | Structural steel plates | kg | 115.00 | 40.00 | 4600.00 |
| 3 | Tie rods & anchors | kg | 150.00 | 40.00 | 6000.00 |
| 4 | For cutting sections: | | | | |
| | Oxygen gas @ 2.40 cum / t | cum | 2.40 | 45.00 | 108.00 |
| | Acetylene @ 0.8 cum / t | cum | 0.80 | 330.00 | 264.00 |
| 5 | For welding sections: | | | | |
| | Electrodes @ 125 Nos / t | Nos. | 125.00 | 11.00 | 1375.00 |
| 6 | For field connections: | | | | |
| | M.S.Bolts / Nuts / Washers | kg | 50.00 | 90.00 | 4500.00 |

| 7 Sundries | LS | 20.00 | 20.00 | 400.00 |
|---|----|-------|-------|----------|
| Total cost of Materials for 20 uses of supports | | | Rs: | 47647.00 |
| Cost per use considering | 20 | uses | Rs: | 2382.35 |

B. MACHINERY (for fabrication):

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|---------------------------------|------|----------|--------|---------|
| | | | | in Rs. | in Rs. |
| 1 | Bending machine | Hour | 8.00 | 42.60 | 340.80 |
| | Fuel / Energy charges | Hour | 8.00 | 115.50 | 924.00 |
| 2 | Welding set | Hour | 16.00 | 16.00 | 256.00 |
| | Fuel / Energy charges | Hour | 16.00 | 92.40 | 1478.40 |
| 3 | Sundries | LS | 30.00 | 20.00 | 600.00 |
| | Total hire charges of Machinery | | | Rs: | 3599.20 |
| | Cost per use considering | 20 | uses (| Rs: | 179.96 |

B. MACHINERY (for erection and dismantling):

| D. 1417 (OI | mitarti (loi orocaeri aria diemartiirig). | | | | |
|-------------|---|------|----------|--------|---------|
| SI No | Description | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Drilling Jumbo | Hour | 18.00 | 368.40 | 6631.20 |
| | Fuel / Energy charges | Hour | 18.00 | 43.90 | 790.20 |
| 2 | Sundries | LS | 10.00 | 20.00 | 200.00 |
| | Total hire charges of Machinery | | | Rs: | 7621.40 |

C. LABOUR (for fabrication):

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|-----------------------------------|------|----------|--------|---------|
| | · | | | in Rs. | in Rs. |
| 1 | Crew for Bending machine | Hour | 8.00 | 122.50 | 980.00 |
| 2 | For cutting & preparing sections: | | | | |
| | Structural steel Marker | Day | 1.00 | 480.00 | 480.00 |
| | Gas cutter | Day | 2.00 | 415.00 | 830.00 |
| | Fitter | Day | 2.00 | 415.00 | 830.00 |
| | Turner / Driller | Day | 3.00 | 480.00 | 1440.00 |
| | Khalasi | Day | 2.00 | 415.00 | 830.00 |
| | Helper fabrication | Day | 4.00 | 370.00 | 1480.00 |
| 3 | For welding sections: | | | | |
| | Welder | Day | 2.00 | 415.00 | 830.00 |
| | Helper fabrication | Day | 2.00 | 370.00 | 740.00 |
| | Khalasi | Day | 2.00 | 415.00 | 830.00 |
| • | Total cost of Labour | | | | 9270.00 |
| | Cost per use considering | 2 | O uses | Rs: | 463.50 |

C. LABOUR (for erection):

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|------------------------------|------|----------|--------|---------|
| | | | | in Rs. | in Rs. |
| 1 | Crew for Drilling jumbo | Hour | 8.00 | 163.30 | 1306.40 |
| 2 | For erection of supports: | | | | |
| | Foreman | Day | 1.00 | 480.00 | 480.00 |
| | Structural steel Erector | Day | 2.00 | 480.00 | 960.00 |
| | Helper erector | Day | 2.00 | 370.00 | 740.00 |
| | Khalasi | Day | 4.00 | 415.00 | 1660.00 |
| 3 | For dismantling of supports: | • | | | |
| | Foreman | Day | 0.50 | 480.00 | 240.00 |
| | Structural steel Erector | Day | 1.00 | 480.00 | 480.00 |
| | Helper erector | Day | 1.00 | 370.00 | 370.00 |
| | Khalasi | Day | 2.00 | 415.00 | 830.00 |
| | Total cost of Labour | - | | Rs: | 7066.40 |

labour component/unit qty

7529.90

Add contractor's profit and overhead charges

13.615% <u>1025.20</u> **8555.10**

labour component/unit qty (including contractor's profit)

ABSTRACT:

| ABSTRACT. | | | | |
|---|-------|-------|-----|----------|
| A. Cost of Materials | | | Rs: | 2382.35 |
| B. Hire charges of Machinery for fabrication | | | Rs: | 179.96 |
| C. Hire charges of Machinery for erection and dismantling | | | Rs: | 7621.40 |
| D. Cost of Labour for fabrication | | | Rs: | 463.50 |
| E. Cost of Labour for erection and dismantling | | | Rs: | 7066.40 |
| | | Total | Rs: | 17713.61 |
| Add for Air and Water line @ | 1.00% | | Rs: | 177.14 |
| Add for Ventilation @ | 4.50% | | Rs: | 797.11 |
| Add for Lighting @ | 1.60% | | Rs: | 283.42 |
| Add for Ele sub-station / Demand charges @ | 2.50% | | Rs: | 442.84 |
| | | | | |

Total Rs: 19414.12

D.Add for contractor's profit and overheads on (A+B+C+other percentages) 13.615% Rs: 2643.23

Lead Charges for 1Km for Steel (including

 Loading and Unloading Charges)
 1.03
 tonne @ 151.5 Rs./Tonne
 155.2875

 Total cost for Total cost for Rate per tonne
 (A+B+C+D)/1.0
 Rs: 22212.64

IRR-TAW-3-5 Providing and fixing hard variety cut jungle wood for lagging / blocking locations in tunnel wherever required including cost of all materials, machinery, labour, fixing in position, lighting, ventilation, drainage etc complete with all leads and lifts.

DATA: RATE ANALYSIS UNIT: 1.00 cum

| A. MATE | RIALS: | | | | |
|---------|-------------------------|------|----------|----------|----------|
| SI No | Particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Cut jungle wood | cum | 1.05 | 24600.00 | 25830.00 |
| 2 | Sundries | LS | 2.00 | 20.00 | 40.00 |
| | Total cost of Materials | | | Rs: | 25870 00 |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|---------------------------------|------|----------|--------|--------|
| | | | | in Rs. | in Rs. |
| 1 | Drilling jumbo | Hour | 2.00 | 368.40 | 736.80 |
| | Fuel / Energy charges | Hour | 2.00 | 43.90 | 87.80 |
| 1 | Total hire charges of Machinery | • | • | Rs: | 824.60 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|-------------------------|------|----------|--------|---------|
| | | | | in Rs. | in Rs. |
| 1 | Crew for Drilling jumbo | Hour | 2.00 | 163.30 | 326.60 |
| 2 | Carpenter Cl II | Day | 1.00 | 370.00 | 370.00 |
| 3 | mazdoor | Day | 2.00 | 310.00 | 620.00 |
| | Total cost of Labour | | | Rs: | 1316.60 |

labour component/unit qty1316.60Add contractor's profit and overhead charges13.615%179.30labour component/unit qty (including contractor's profit)1495.90

ABSTRACT:

| Rate per cum | (A+B+C+D)/1.0 | | Rs: | 34880.10 |
|--|--------------------|-------|-----|----------|
| Total cost for | 1.00 cum | | Rs: | 34880.12 |
| percentages) | 13.615% | | Rs: | 4179.84 |
| D.Add for contractor's profit and overhead | ds on (A+B+C+other | | | |
| - | | Total | Rs: | 30700.28 |
| Add for Ele sub-station / Demand charges | s @ 2.50% | | Rs: | 700.28 |
| Add for Lighting @ | 1.60% | | Rs: | 448.18 |
| Add for Ventilation @ | 4.50% | | Rs: | 1260.50 |
| Add for Air and Water line @ | 1.00% | | Rs: | 280.11 |
| | | Total | Rs: | 28011.20 |
| C. Cost of Labour | | | Rs: | 1316.60 |
| B. Hire charges of Machinery | | | Rs: | 824.60 |
| A. Cost of Materials | | | Rs: | 25870.00 |
| ADOTTAOT. | | | | |

IRR TAW-4 MASONRY WORKS:

IRR-TAW-4-1 Providing and constructing un-coursed rubble stone masonry with approved stones from tunnel excavated muck in cement mortar 1:6 proportion for backfilling over cuts / slips on tunnel sides due to geological faults etc., including cost of all materials, machinery, labour, cleaning, scaffolding, packing mortar, wedging stone chips, curing, ventilation, lighting, drainage complete with lead upto 1 km and all lifts.

(cement content : 95 kg/cum of masonry, Rubble stones : 0.83 cum, Stone chips : 0.13 cum, FA : 0.40 cum)

DATA RATE ANALYSIS UNIT: 10.00 cum

| A. MATER | RIALS: | | | | |
|----------|-------------|------|----------|--------|--------|
| SI No | Particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |

| 1 | Cement | kg | 950.00 | 6.30 | 5985.00 |
|---|-------------------------|-----|--------|--------|----------|
| 2 | Rubble stones | cum | 8.30 | 330.00 | 2739.00 |
| 3 | Stone chips | cum | 1.25 | 360.00 | 450.00 |
| 4 | Sand (Screened) | cum | 4.00 | 760.00 | 3040.00 |
| | | | TOTAL | Rs: | 12214.00 |
| | Add for scaffolding @ | | 2.5% | Rs: | 305.35 |
| | Total cost of Materials | | | Rs: | 12519.35 |

| | SI No | Description | Unit | Quantity | Rate in Rs. | Amount in Rs. |
|---|-------|---------------------------------|------|----------|----------------|---------------|
| F | 1 | 10 hp pump (ele) | Hour | 1.00 | | |
| | | Fuel / energy charges | Hour | 1.00 | 77.00 | 77.00 |
| | | Total hire charges of Machinery | Rs: | 83.70 | | |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|---|------|----------|--------|---------|
| | · | | | in Rs. | in Rs. |
| 1 | Crew for Pump | Hour | 1.00 | 77.70 | 77.70 |
| 2 | work inspector | Day | 1.00 | 400.00 | 400.00 |
| 3 | Mason Class-I | Day | 1.00 | 415.00 | 415.00 |
| 4 | Mason Class-II | Day | 2.00 | 370.00 | 740.00 |
| 5 | mazdoor | - | | | |
| | for sorting out rubble in dump yard | Day | 1.00 | 310.00 | 310.00 |
| | for conveying rubble | Day | 2.00 | 310.00 | 620.00 |
| | for preparing mortar | Day | 2.00 | 310.00 | 620.00 |
| | for loading mortar pans | Day | 1.00 | 310.00 | 310.00 |
| | for laying & packing mortar | Day | 4.00 | 310.00 | 1240.00 |
| | for washing rubble / finishing / curing | Day | 1.00 | 310.00 | 310.00 |
| | for conveying mortar / chips | Day | 3.00 | 310.00 | 930.00 |
| | · | | TOTAL | Rs: | 5972.70 |
| | Add for labour for scaffolding @ | | 15.0% | Rs: | 895.91 |
| | Total cost of Labour | | | Rs: | 6868.61 |

labour component/unit qty 686.86
Add contractor's profit and overhead charges 13.615% 93.50
labour component/unit qty (including contractor's profit) 780.40

ABSTRACT:

| ADSTRACT: | | | | | |
|---|-----------------|-----------|--------------|------|----------|
| A. Cost of Materials | | | | Rs: | 12519.35 |
| B. Hire charges of Machinery | | | | Rs: | 83.70 |
| C. Cost of Labour | | | | Rs: | 6868.61 |
| | | | Total | Rs: | 19471.66 |
| Add for Air and Water line @ | | 1.00% | , o | Rs: | 194.72 |
| Add for Ventilation @ | | 4.50% | , 0 | Rs: | 876.22 |
| Add for Lighting @ | | 1.60% | , 0 | Rs: | 311.55 |
| Add for Ele sub-station / Demand charges @ | @ | 2.50% | , 0 | Rs: | 486.79 |
| | | | Total | Rs: | 21340.93 |
| D.Add for contractor's profit and overheads | on (A+B+C+other | | | | |
| percentages) | | 13.615% | , o | Rs: | 2905.57 |
| Lead Charges for 1 Km for FA | 4.00 | cum @ | 31.3 Rs./Cu | m | 125.2 |
| Lead Charges for 1 Km for Stones and Stor | ne Chip: 9.55 | cum @ | 30.2 Rs./Cu | m | 288.41 |
| Lead Charges for 1Km for Cement (includin | ng | | | | |
| Loading and Unloading Charges) | 0.95 | tonne @ | 129.7 Rs./To | onne | 123.215 |
| Total cost for | 1 | 10.00 cum | | Rs: | 24783.33 |
| Rate per cum | (A+B+C+D | 0)/10.0 | | Rs: | 2478.30 |
| | | | | | |

IRR_TAW-5 REINFORCEMENT & CONCRETE WORKS:

IRR-TAW-5-1 Providing, fabricating and placing in position reinforcement steel for tunnel RCC works

including cleaning, straightening, cutting, bending, hooking, lapping / welding joints wherever required, tying with 1.25 mm dia.soft annealed steel wire, including cost of all materials, labour, machinery, ventilation, lighting, drainage etc.,complete with initial lead upto 1 km and all lifts.

DATA RATE ANALYSIS UNIT: 1.00 tonne

| A. MATE | A. MATERIALS: | | | | | | | | | |
|---------|-----------------------------|-------|----------|----------|----------|--|--|--|--|--|
| SI No | Particulars | Unit | Quantity | Rate | Amount | | | | | |
| | | | | in Rs. | in Rs. | | | | | |
| 1 | Rein.Steel with 5 % wastage | tonne | 1.05 | 40000.00 | 42000.00 | | | | | |

| | Total cost of Materials | | | Rs: | 43045.00 | |
|---|-----------------------------------|----|-------|-------|----------|--|
| 3 | Sundries (chairs / spacers etc) | LS | 5.00 | 20.00 | 100.00 | |
| 2 | Binding wire 1.25 mm dia | kg | 13.50 | 70.00 | 945.00 | |

| D1 1007 (O1 11 | | | | | |
|----------------|---------------------------------|------|----------|--------|--------|
| SI No | Description | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Nil | | 0.00 | 0.00 | 0.00 |
| | | | 0.00 | 0.00 | 0.00 |
| | Total hire charges of Machinery | Rs: | 0.00 | | |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount | | | |
|-------|----------------------|------|----------|--------|---------|--|--|--|
| | | | | in Rs. | in Rs. | | | |
| 1 | Bar bender | Day | 9.00 | 490.00 | 4410.00 | | | |
| 2 | mazdoor | Day | 15.00 | 310.00 | 4650.00 | | | |
| | Total cost of Labour | Rs: | 9060.00 | | | | | |

labour component/unit qty9060.00Add contractor's profit and overhead charges13.615%1233.50labour component/unit qty (including contractor's profit)10293.50

ABSTRACT:

| ABSTRACT: | | | | | |
|--|----------------|------------|--------------|------|----------|
| A. Cost of Materials | | | | Rs: | 43045.00 |
| B. Hire charges of Machinery | | | | Rs: | 0.00 |
| C. Cost of Labour | | | | Rs: | 9060.00 |
| | | | Total | Rs: | 52105.00 |
| Add for Air and Water line @ | | 1.00% | | Rs: | 521.05 |
| Add for Ventilation @ | | 4.50% | | Rs: | 2344.73 |
| Add for Lighting @ | | 1.60% | | Rs: | 833.68 |
| Add for Ele sub-station / Demand charges @ | | 2.50% | | Rs: | 1302.63 |
| | | | Total | Rs: | 57107.08 |
| D.Add for contractor's profit and overheads or | n (A+B+C+other | | | | |
| percentages) | • | 13.615% | | Rs: | 7775.13 |
| Lead Charges for 1Km for Steel (including | | | | | |
| Loading and Unloading Charges) | 1.05 | tonne @ | 151.5 Rs./To | onne | 159.075 |
| Total cost for | | 1.00 tonne | | Rs: | 65041.28 |
| Rate per tonne | (A+B+C+E | 0)/1.0 | | Rs: | 65041.30 |
| | | | | | |

IRR-TAW-5-2 Providing and laying insitu vibrated M-10 (28 days cube compressive strength not less than 10 N / sq mm) grade cement concrete using 40 mm down size approved, clean, hard, graded aggregates crushed from tunnel excavated muck for filling and levelling over-cuts in bed due to geological faults etc., including cost of all materials, machinery, labour, cleaning bed, batching, mixing, conveying and laying, levelling, compacting, finishing, curing, lighting, ventilation, drainage etc., complete with initial lead upto 1 km and all lifts. (Cement content: 220 kg / cum, CA: 0.90cum, Blending Ratio of CA--50:30:20, FA: 0.40 cum, Superplasticizer 0.4% by wt. of cement)

DATA RATE ANALYSIS UNIT: 28.00 cum

A. MATERIALS:

| 7. WALE | NIALO: | | | | |
|---------|------------------------------|------|----------|----------|----------|
| SI No | Particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Cement for mix | kg | 6160.00 | 6.30 | 38808.00 |
| 2 | Coarse aggregate 40-20 mm | cum | 12.60 | 1145.00 | 14427.00 |
| | Coarse aggregate 20-10 mm | cum | 7.56 | 1210.00 | 9147.60 |
| | Coarse aggregate 10 mm below | cum | 5.04 | 875.00 | 4410.00 |
| 3 | Fine aggregate (Un-Screened) | cum | 11.20 | 560.00 | 6272.00 |
| 4 | Super Plasticizer | kg | 24.64 | 95.00 | 2340.80 |
| 5 | Sundries | LS | 2.00 | 20.00 | 40.00 |
| | Total cost of Materials | | Rs: | 75445.40 | |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|--------------------------|------|----------|--------|----------|
| | | | | in Rs. | in Rs. |
| 1 | Batching plant 2 x 1 cum | Hour | 8.00 | 405.40 | 3243.20 |
| | Fuel / Energy charges | Hour | 8.00 | 346.40 | 2771.20 |
| 2 | Agitator car 2 cum | Hour | 16.00 | 758.40 | 12134.40 |
| | Fuel / Energy charges | Hour | 16.00 | 893.90 | 14302.40 |
| 3 | 10 hp pump (ele) | Hour | 8.00 | 6.70 | 53.60 |
| | Fuel / Energy charges | Hour | 8.00 | 77.00 | 616.00 |

| 4 | Needle vibrator 40 mm dia | Hour | 8.00 | 8.00 | 64.00 |
|---|---------------------------------|------|------|-------|----------|
| | Fuel / Energy charges | Hour | 8.00 | 7.70 | 61.60 |
| 5 | Sundries | LS | 2.00 | 20.00 | 40.00 |
| | Total hire charges of Machinery | • | · [| Rs: | 33286.40 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|-------------------------------------|------|----------|--------|----------|
| | · | | | in Rs. | in Rs. |
| 1 | Crew for Batching plant | Hour | 8.00 | 318.20 | 2545.60 |
| 2 | Crew for Agitator car | Hour | 16.00 | 265.20 | 4243.20 |
| 3 | Crew for Pump | Hour | 8.00 | 77.70 | 621.60 |
| 4 | Crew for Needle vibrator | Hour | 8.00 | 146.90 | 1175.20 |
| 5 | Mason Class-I | Day | 1.00 | 415.00 | 415.00 |
| 6 | work inspector | Day | 1.00 | 400.00 | 400.00 |
| 7 | mazdoor | | | | |
| | for cleaning bed | Day | 2.00 | 310.00 | 620.00 |
| | for loading material bin (Cement) | Day | 3.00 | 310.00 | 930.00 |
| | for miscellaneous works at BP | Day | 2.00 | 310.00 | 620.00 |
| | for laying concrete | Day | 7.00 | 310.00 | 2170.00 |
| | for conveying laying concrete | Day | 14.00 | 310.00 | 4340.00 |
| | for cleaning bed | Day | 2.00 | 310.00 | 620.00 |
| | for washing CA / curing | Day | 2.00 | 310.00 | 620.00 |
| | Total cost of Labour | • | | Rs: | 19320.60 |

labour component/unit qty 690.00
Add contractor's profit and overhead charges 13.615% 93.90
labour component/unit qty (including contractor's profit) 783.90

ABSTRACT:

| ABSTRACT: | | | | | |
|--|--------------|-----------|--------------|------|-----------|
| A. Cost of Materials | | | | Rs: | 75445.40 |
| B. Hire charges of Machinery | | | | Rs: | 33286.40 |
| C. Cost of Labour | | | | Rs: | 19320.60 |
| | | | Total | Rs: | 128052.40 |
| Add for Air and Water line @ | | 1.00% | | Rs: | 1280.52 |
| Add for Ventilation @ | | 4.50% | | Rs: | 5762.36 |
| Add for Lighting @ | | 1.60% | | Rs: | 2048.84 |
| Add for Ele sub-station / Demand charges @ | | 2.50% | | Rs: | 3201.31 |
| | | | Total | Rs: | 140345.43 |
| D.Add for contractor's profit and overheads on | (A+B+C+other | | | | |
| percentages) | | 13.615% | | Rs: | 19108.03 |
| Lead Charges for 1 Km for FA | 11.20 | cum @ | 31.3 Rs./Cui | m | 350.56 |
| Lead Charges for 1 Km for CA | 25.20 | cum @ | 30.2 Rs./Cui | m | 761.04 |
| Lead Charges for 1Km for Cement (including | | | | | |
| Loading and Unloading Charges) | 6.16 | tonne @ | 129.7 Rs./To | onne | 798.952 |
| Total cost for | | 28.00 cum | | Rs: | 161364.01 |
| Rate per cum | (A+B+C+I | | | Rs: | 5763.00 |
| - | • | , | | | |

IRR-TAW-5-3 Providing and laying insitu vibrated M-20 (28 days cube compressive strength not less than 20 N / sqmm) grade cement concrete using 40 mm and down size approved clean, hard, graded aggregates crushed from tunnel muck for kerb and bed lining including cost of all materials, machinery, labour, formwork, batching, mixing, conveying upto placing point in agitator cars, placing in position, levelling, vibrating, finishing, curing, ventilation, lighting, drainage and all other ancillary operations etc., complete with lead upto 1 km and all lifts. (Cement content 330 kg / cum for use of super plasticiser(0.4% by wt. of cement), CA: 0.90cum, Blending Ratio of CA--50:30:20, FA: 0.40 cum)

DATA RATE ANALYSIS UNIT: 28.00 cum

A. MATERIALS:

| SI No | Particulars | Unit | Quantity | Rate | Amount |
|-------|---------------------------------------|------|----------|---------|----------|
| | | | | in Rs. | in Rs. |
| 1 | Cement 43 Gr | kg | 9240.00 | 6.30 | 58212.00 |
| | Cement for incidentals @ 1 kg / cum | kg | 28.00 | 6.30 | 176.40 |
| 2 | Fine aggregate (Un-Screened) | cum | 11.20 | 560.00 | 6272.00 |
| 3 | Coarse aggregate 40-20 mm | cum | 12.60 | 1145.00 | 14427.00 |
| | Coarse aggregate 20-10 mm | cum | 7.56 | 1210.00 | 9147.60 |
| | Coarse aggregate 10-4.75 mm | cum | 5.04 | 875.00 | 4410.00 |
| 4 | Super plasticiser | kg | 36.96 | 95.00 | 3511.20 |
| 5 | Use rate of shuttering for kerb / bed | sqm | 28.00 | 155.53 | 4354.81 |

| 6 | Sundries | LS | 2.00 | 20.00 | 40.00 |
|---|-------------------------|----|------|-------|-----------|
| | Total cost of Materials | | | Rs: | 100551.01 |

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|---------------------------------|------|----------|--------|----------|
| | | | | in Rs. | in Rs. |
| 1 | Batching plant 2 x 1.00 cum | Hour | 8.00 | 405.40 | 3243.20 |
| | Fuel / Energy charges | Hour | 8.00 | 346.40 | 2771.20 |
| 2 | Agitator car 2 cum (2 Nos) | Hour | 16.00 | 758.40 | 12134.40 |
| | Fuel / Energy charges | Hour | 16.00 | 893.90 | 14302.40 |
| 3 | Needle Vibrator | Hour | 8.00 | 8.00 | 64.00 |
| | Fuel / Energy charges | Hour | 8.00 | 7.70 | 61.60 |
| 4 | Pump 10 hp (Ele) | Hour | 8.00 | 6.70 | 53.60 |
| | Fuel / Energy charges | Hour | 8.00 | 77.00 | 616.00 |
| 5 | Sundries | LS | 5.00 | 20.00 | 100.00 |
| | Total hire charges of Machinery | | | Rs: | 33346.40 |

C. LABOUR:

| C. LABOUR: | | | | | | | | | |
|------------|----------------------------------|------|----------|--------|---------|--|--|--|--|
| SI No | Description | Unit | Quantity | Rate | Amount | | | | |
| | | | | in Rs. | in Rs. | | | | |
| 1 | Crew for Batching plant | Hour | 8.00 | 318.20 | 2545.60 | | | | |
| 2 | Crew for Agitator car | Hour | 16.00 | 265.20 | 4243.20 | | | | |
| 3 | Crew for vibrator | Hour | 8.00 | 146.90 | 1175.20 | | | | |
| 4 | Crew for pump | Hour | 8.00 | 77.70 | 621.60 | | | | |
| 5 | For scaling & cleaning bed | | | | | | | | |
| | Hammerman | Day | 2.00 | 370.00 | 740.00 | | | | |
| | mazdoor | Day | 6.00 | 310.00 | 1860.00 | | | | |
| 6 | For loading cement to BP bin | | | | | | | | |
| | mazdoor | Day | 3.00 | 310.00 | 930.00 | | | | |
| 7 | For miscellaneous work at BP | | | | | | | | |
| | mazdoor | Day | 2.00 | 310.00 | 620.00 | | | | |
| 8 | For wetting C.A & curing | | | | | | | | |
| | mazdoor | Day | 2.00 | 310.00 | 620.00 | | | | |
| 9 | Laying concrete for kerb/ invert | | | | | | | | |
| | Mason CI I | Day | 2.00 | 415.00 | 830.00 | | | | |
| | Mason CI II | Day | 2.00 | 370.00 | 740.00 | | | | |
| | mazdoor | Day | 21.00 | 310.00 | 6510.00 | | | | |
| | work inspector | Day | 1.00 | 400.00 | 400.00 | | | | |
| 10 | Labour charges for shuttering | sqm | 28.00 | 79.80 | 2234.40 | | | | |
| | Total cost of Labour | Rs: | 24070.00 | | | | | | |

labour component/unit qty 859.60
Add contractor's profit and overhead charges 13.615% 117.00
labour component/unit qty (including contractor's profit) 976.60


ABSTRACT:

| ADSTRACT: | | | | | |
|--|----------------|---------|--------------|------|-----------|
| A. Cost of Materials | | | | Rs: | 100551.01 |
| B. Hire charges of Machinery | | | | Rs: | 33346.40 |
| C. Cost of Labour | | | | Rs: | 24070.00 |
| | | | Total | Rs: | 157967.41 |
| Add for Air and Water line @ | | 1.00% | | Rs: | 1579.67 |
| Add for Ventilation @ | | 4.50% | | Rs: | 7108.53 |
| Add for Lighting @ | | 1.60% | | Rs: | 2527.48 |
| Add for Ele sub-station / Demand charges @ | | 2.50% | | Rs: | 3949.19 |
| | | | Total | Rs: | 173132.28 |
| D.Add for contractor's profit and overheads on | (A+B+C+othe | r | | | |
| percentages) | | 13.615% | | Rs: | 23571.96 |
| Lead Charges for 1 Km for FA | 11.20 | cum @ | 31.3 Rs./Cu | m | 350.56 |
| Lead Charges for 1 Km for CA | 25.20 | cum @ | 30.2 Rs./Cu | m | 761.04 |
| Lead Charges for 1Km for Cement (including | | | | | |
| Loading and Unloading Charges) | 9.27 | tonne @ | 129.7 Rs./To | onne | 1202.0596 |
| Total cost for | 28.00 cum | | | Rs: | 199017.90 |
| Rate per cum | (A+B+C+D)/28.0 | | | Rs: | 7107.80 |
| | | | | | |

IRR-TAW-5-4 Providing and laying insitu vibrated M-20 (28 days cube compressive strength not less than 20 N / sqmm) grade cement concrete using 40 mm and down size approved clean, hard, graded aggregates crushed from tunnel muck for sides and arch lining including cost of all materials, machinery, labour, formwork, batching, mixing, conveying upto placing point in agitator cars, placing in position, levelling, vibrating, finishing, curing, ventilation, lighting, drainage and all other ancillary operations etc., complete with lead upto 1 km and all lifts.

(Cement content 330 kg / cum for use of super plasticiser(0.4% by wt. of cement),

CA: 0.90cum, Blending Ratio of CA--50:30:20, FA: 0.40 cum)



DATA: RATE ANALYSIS UNIT: 48.00 cum

| A. MAIL | A. MATERIALS: | | | | | | | |
|---------|-------------------------------------|------|----------|-----------|----------|--|--|--|
| SI No | Particulars | Unit | Quantity | Rate | Amount | | | |
| | | | | in Rs. | in Rs. | | | |
| 1 | Cement 43 Gr | kg | 15840.00 | 6.30 | 99792.00 | | | |
| | Cement for incidentals @ 1 kg / cum | kg | 48.00 | 6.30 | 302.40 | | | |
| 2 | Fine aggregate (Un-Screened) | cum | 19.20 | 560.00 | 10752.00 | | | |
| 3 | Coarse aggregate 40-20 mm | cum | 21.60 | 1145.00 | 24732.00 | | | |
| | Coarse aggregate 20-10 mm | cum | 12.96 | 1210.00 | 15681.60 | | | |
| | Coarse aggregate 10-4.75 mm | cum | 8.64 | 875.00 | 7560.00 | | | |
| 4 | Super plasticiser | kg | 63.36 | 95.00 | 6019.20 | | | |
| 5 | Use rate of end shuttering | sqm | 6.00 | 155.53 | 933.17 | | | |
| 6 | Use rate of steel gantry | sqm | 100.00 | 79.80 | 7980.00 | | | |
| 7 | Sundries (placer pipe etc) | LS | 5.00 | 20.00 | 100.00 | | | |
| | Total cost of Materials | | Rs: | 173852.37 | | | | |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|------------------------------------|------|----------|--------|----------|
| | | | | in Rs. | in Rs. |
| 1 | Air compressor (Ele) 8.5 cmm | Hour | 16.00 | 170.80 | 2732.80 |
| | Fuel / Energy charges @ 75 % load | Hour | 12.00 | 433.10 | 5197.20 |
| 2 | Batching plant 2 x 1.00 cum | Hour | 12.00 | 405.40 | 4864.80 |
| | Fuel / Energy charges | Hour | 12.00 | 346.40 | 4156.80 |
| 3 | Agitator car 2 cum (2 Nos) | Hour | 32.00 | 758.40 | 24268.80 |
| | Fuel / Energy charges | Hour | 32.00 | 893.90 | 28604.80 |
| 4 | Concrete placer pump | Hour | 16.00 | 102.00 | 1632.00 |
| | Fuel / Energy charges | Hour | 16.00 | 2.00 | 32.00 |
| 5 | Needle Vibrator / Shutter vibrator | Hour | 8.00 | 8.00 | 64.00 |
| | Fuel / Energy charges | Hour | 8.00 | 7.70 | 61.60 |
| 6 | Pump 10 hp (Ele) | Hour | 8.00 | 6.70 | 53.60 |
| | Fuel / Energy charges | Hour | 8.00 | 77.00 | 616.00 |
| 7 | Sundries | LS | 5.00 | 20.00 | 100.00 |
| | Total hire charges of Machiner | / | | Rs: | 72384.40 |

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|---------------------------------|------|----------|--------|---------|
| | | | | in Rs. | in Rs. |
| 1 | Crew charges for Air compressor | Hour | 16.00 | 153.10 | 2449.60 |
| 2 | Crew charges for Batching plant | Hour | 16.00 | 318.20 | 5091.20 |
| 3 | Crew charges for Agitator car | Hour | 32.00 | 265.20 | 8486.40 |
| 4 | Crew charges for placer pump | Hour | 16.00 | 16.80 | 268.80 |
| 5 | Crew charges for vibrator | Hour | 8.00 | 146.90 | 1175.20 |
| 6 | Crew charges for Pump | Hour | 8.00 | 77.70 | 621.60 |
| 7 | For scaling & cleaning | | | | |
| | Stone chiseller Cl II | Day | 0.50 | 370.00 | 185.00 |
| | mazdoor | Day | 1.00 | 310.00 | 310.00 |
| 8 | For dismantling / Laying track | | | | |
| | Surveyer | Day | 0.50 | 590.00 | 295.00 |
| | Fitter shuttering | Day | 0.50 | 370.00 | 185.00 |
| | Helper shuttering 2 x 0.5 | Day | 1.00 | 370.00 | 370.00 |
| | Khalasi 6 x 0.5 | Day | 3.00 | 415.00 | 1245.00 |
| | mazdoor 2 x 0.5 | Day | 1.00 | 310.00 | 310.00 |
| 9 | For Moving / Positioning gantry | | | | |
| | Surveyer | Day | 0.50 | 590.00 | 295.00 |
| | Foreman | Day | 0.50 | 480.00 | 240.00 |
| | Fitter shuttering | Day | 0.50 | 370.00 | 185.00 |

| | mazdoor Day 3.00 Total cost of Labour | | | | 32451.60 |
|-------|---------------------------------------|-----|------|--------|----------|
| 14 | For wetting C.A / Curing etc | Dov | 2.00 | 310.00 | 930.00 |
| | work inspector | Day | 3.00 | 400.00 | 1200.00 |
| | mazdoor | Day | 9.00 | 310.00 | 2790.00 |
| | Masom CI I | Day | 3.00 | 415.00 | 1245.00 |
| 13 | For Laying concrete by placer | | | | |
| 12 | For Erection/Dismantling bulk head | sqm | 6.00 | 79.80 | 478.80 |
| • • • | mazdoor | Day | 2.00 | 310.00 | 620.00 |
| 11 | For miscellaneous works of BP | | | | |
| 10 | For loading cement to BP bin mazdoor | Day | 5.00 | 310.00 | 1550.00 |
| | mazdoor 2 x 0.5 | Day | 1.00 | 310.00 | 310.00 |
| | Khalasi 6 x 0.5 | Day | 3.00 | 415.00 | 1245.00 |
| | Helper shuttering 2 x 0.5 | Day | 1.00 | 370.00 | 370.00 |

labour component/unit qty

676.10

Add contractor's profit and overhead charges labour component/unit qty (including contractor's profit)

13.615% 92.10

768.20

ABSTRACT:

| ABSTRACT. | | | | | |
|--|--------------|-----------|--------------|------|-----------|
| A. Cost of Materials | | | | Rs: | 173852.37 |
| B. Hire charges of Machinery | | | | Rs: | 72384.40 |
| C. Cost of Labour | | | | Rs: | 32451.60 |
| | | | Total | Rs: | 278688.37 |
| Add for Air and Water line @ | | 1.00% | | Rs: | 2786.88 |
| Add for Ventilation @ | | 4.50% | | Rs: | 12540.98 |
| Add for Lighting @ | | 1.60% | | Rs: | 4459.01 |
| Add for Ele sub-station / Demand charges @ | | 2.50% | | Rs: | 6967.21 |
| | | | Total | Rs: | 305442.46 |
| D.Add for contractor's profit and overheads on | (A+B+C+other | | | | |
| percentages) | | 13.615% | | Rs: | 41585.99 |
| Lead Charges for 1 Km for FA | 19.20 | cum @ | 31.3 Rs./Cu | m | 600.96 |
| Lead Charges for 1 Km for CA | 43.20 | cum @ | 30.2 Rs./Cu | m | 1304.64 |
| Lead Charges for 1Km for Cement (including | | | | | |
| Loading and Unloading Charges) | 15.89 | tonne @ | 129.7 Rs./To | onne | 2060.6736 |
| Total cost for | | 48.00 cum | | Rs: | 350994.72 |
| Rate per cum | (A+B+C+ | D)/48.0 | | Rs: | 7312.40 |

IRR-TAW-6 DRILLING & GROUTING WORKS:

IRR-TAW-6-1 Drilling 32 mm diameter grout holes in concrete / rock by percussion drilling using jack

hammer or stooper drills as directed to specified depth for consolidation / contact grouting including cost of all materials, machinery, labour, cleaning holes, ventilation, lighting, drainage and all other ancillary operations etc., complete.

DATA:

RATE ANALYSIS

UNIT:

100.00 Rm

| A. MATE | A. MATERIALS: | | | | | | | | |
|---------|------------------------------|------|----------|--------|---------|--|--|--|--|
| SI No | Particulars | Unit | Quantity | Rate | Amount | | | | |
| | | | - | in Rs. | in Rs. | | | | |
| 1 | Use rate of drill rod | Rm | 100.00 | 42.67 | 4266.67 | | | | |
| | Reconditioning charges @ | 10% | | | 426.67 | | | | |
| 2 | Use rate of air hose 4 Nos | Hour | 32.00 | 5.78 | 185.00 | | | | |
| 3 | Use rate of water hose 4 Nos | Hour | 32.00 | 5.78 | 185.00 | | | | |
| 4 | Sundries | LS | 3.00 | 20.00 | 60.00 | | | | |
| | Total cost of Materials | | | | 5123.33 | | | | |

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|-------------------------------|------|----------|--------|---------|
| | | | | in Rs. | in Rs. |
| 1 | Air compressor 15 cmm (ele) | Hour | 8.00 | 138.80 | 1110.40 |
| | Fuel / Energy charges | Hour | 8.00 | 962.30 | 7698.40 |
| 2 | Pump 10 hp (ele) | Hour | 4.00 | 6.70 | 26.80 |
| | Fuel / Energy charges | Hour | 4.00 | 77.00 | 308.00 |
| 3 | Jack hammer | Hour | 32.00 | 19.80 | 633.60 |
| | Fuel / Energy charges | Hour | 32.00 | 0.00 | 0.00 |
| 4 | Pusher leg | Hour | 32.00 | 12.70 | 406.40 |
| | Fuel / Energy charges | Hour | 32.00 | 0.00 | 0.00 |
| 5 | Drilling jumbo | Hour | 8.00 | 368.40 | 2947.20 |
| | Fuel / Energy charges | Hour | 8.00 | 43.90 | 351.20 |
| 6 | Sundries | LS | 5.00 | 20.00 | 100.00 |

| Total hire charges of Machinery | Rs: | 13582.00 |
|---------------------------------|-----|----------|
| | | |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|---------------------------------|------|----------|--------|---------|
| | | | | in Rs. | in Rs. |
| 1 | Crew charges for Air compressor | Hour | 8.00 | 163.30 | 1306.40 |
| 2 | Crew charges for Pump | Hour | 4.00 | 77.70 | 310.80 |
| 3 | Crew charges for Jack Hammer | Hour | 32.00 | 306.20 | 9798.40 |
| 4 | Crew charges for Drilling Jumbo | Hour | 8.00 | 163.30 | 1306.40 |
| 5 | mazdoor | Day | 2.00 | 310.00 | 620.00 |
| | Total cost of Labou | Rs: | 13342.00 | | |

labour component/unit qty

133.40

Add contractor's profit and overhead charges labour component/unit qty (including contractor's profit)

13.615% 18.20 151.60

ABSTRACT:

| Rate per Rm | (A+B+C+D)/100.0 | | Rs: | 399.10 |
|--|--------------------|-------|-----|----------|
| Total cost for | 100.00 Rm | | Rs: | 39905.99 |
| percentages) | 13.615% | | Rs: | 4782.12 |
| D.Add for contractor's profit and overhead | ls on (A+B+C+other | | | |
| | | Total | Rs: | 35123.88 |
| Add for Ele sub-station / Demand charges | 3 @ 2.50% | | Rs: | 801.18 |
| Add for Lighting @ | 1.60% | | Rs: | 512.76 |
| Add for Ventilation @ | 4.50% | | Rs: | 1442.13 |
| Add for Air and Water line @ | 1.00% | | Rs: | 320.47 |
| | | Total | Rs: | 32047.33 |
| C. Cost of Labour | | | Rs: | 13342.00 |
| B. Hire charges of Machinery | | | Rs: | 13582.00 |
| A. Cost of Materials | | | Rs: | 5123.33 |
| ADSTRACT. | | | | |

IRR-TAW-6-2 **Grouting cement slurry in grout holes** under specified pressure for consolidation / contact grouting including cost of all materials, machinery, labour, redrilling wherever necessary, ventilation, lighting, drainage and other ancillary operations etc., complete **with lead upto 1 km** and all lifts.

DATA:

RATE ANALYSIS

UNIT:

1.50 tonne

| Α. | MAT | ER | IAI | _S: |
|----|-----|----|-----|-----|
| | | | | |

| SI No | Particulars | Unit | Quantity | Rate | Amount |
|-------|--------------------------------|-------|----------|---------|---------|
| | | | | in Rs. | in Rs. |
| 1 | Cement | tonne | 1.50 | 6300.00 | 9450.00 |
| 2 | Use rate of grouting hose 50 m | Hour | 8.00 | 11.56 | 92.50 |
| 3 | Use rate of water hose 50 m | Hour | 8.00 | 11.56 | 92.50 |
| 4 | Sundries | LS | 2.00 | 20.00 | 40.00 |
| | Total cost of Materials | Rs: | 9675.00 | | |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|-----------------------------|------|----------|--------|--------|
| | · | | | in Rs. | in Rs. |
| 1 | Grouting machine | Hour | 8.00 | 24.90 | 199.20 |
| | Fuel / Energy charges | Hour | 8.00 | 38.50 | 308.00 |
| 2 | Pump 10 hp (ele) | Hour | 2.00 | 6.70 | 13.40 |
| | Fuel / Energy charges | Hour | 2.00 | 77.00 | 154.00 |
| 3 | Drilling jumbo | Hour | 2.00 | 368.40 | 736.80 |
| | Fuel / Energy charges | Hour | 2.00 | 43.90 | 87.80 |
| 4 | Sundries | LS | 2.00 | 20.00 | 40.00 |
| | Total hire charges of Machi | Rs: | 1539.20 | | |

C. LABOUR:

| O. LADO | OIL. | | | | |
|---------|-------------------------|------|----------|--------|---------|
| SI No | Description | Unit | Quantity | Rate | Amount |
| | · · | | | in Rs. | in Rs. |
| 1 | Crew for Grout pump | Hour | 8.00 | 244.90 | 1959.20 |
| 2 | Crew for pump | Hour | 2.00 | 77.70 | 155.40 |
| 3 | Crew for Drilling jumbo | Hour | 2.00 | 163.30 | 326.60 |
| 4 | mazdoor | Day | 2.00 | 310.00 | 620.00 |
| | Total cost of Labour | | | | 3061.20 |

labour component/unit qty

2040.80

Add contractor's profit and overhead charges

13.615% <u>277.90</u>

labour component/unit qty (including contractor's profit)

2318.70

ABSTRACT:

| A. Cost of Materials | | | | Rs: | 9675.00 |
|--|----------------|------------|--------------|------|----------|
| B. Hire charges of Machinery | | | | Rs: | 1539.20 |
| C. Cost of Labour | | | | Rs: | 3061.20 |
| | | | Total | Rs: | 14275.40 |
| Add for Air and Water line @ | | 1.00% | | Rs: | 142.75 |
| Add for Ventilation @ | | 4.50% | | Rs: | 642.39 |
| Add for Lighting @ | | 1.60% | | Rs: | 228.41 |
| Add for Ele sub-station / Demand charges @ | | 2.50% | | Rs: | 356.89 |
| | | | Total | Rs: | 15645.84 |
| D.Add for contractor's profit and overheads or | n (A+B+C+other | | | | |
| percentages) | ` | 13.615% | | Rs: | 2130.18 |
| Lead Charges for 1Km for Cement (including | | | | | |
| Loading and Unloading Charges) | 1.50 | tonne @ | 129.7 Rs./To | onne | 194.55 |
| Total cost for | | 1.50 tonne | | Rs: | 17970.57 |
| Rate per tonne | (A+B+C+[| 0)/1.50 | | Rs: | 11980.40 |

IRR-TAW-6-3 **Drilling 75 mm diameter drainage holes** vertical or inclined in **rock / concrete** in tunnel by percussion drilling using waggon drill or other suitable drilling equipment including cost of all materials, machinery, labour, ventilation, lighting, drainage etc., complete.

DATA RATE ANALYSIS UNIT: 120.00 Rm

| A. MATE | RIALS: | | | | |
|---------|---------------------------------|------|----------|--------|----------|
| SI No | Particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Use rate of cross bit 75 mm dia | Rm | 120.00 | 125.00 | 15000.00 |
| 2 | Use rate of air hose 20 m | Hour | 16.00 | 4.63 | 74.00 |
| 3 | Use rate of water hose 20 m | Hour | 16.00 | 4.63 | 74.00 |
| 4 | Use rate of extension rods | Rm | 120.00 | 8.90 | 1068.48 |
| | Total cost of Materials | | | | 16216.48 |

B. MACHINERY:

| D. MACI | | | | | |
|---------|--------------------------------|------|----------|--------|---------|
| SI No | Description | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Waggon drill | Hour | 16.00 | 188.50 | 3016.00 |
| | Fuel / Energy charges | Hour | 16.00 | 0.00 | 0.00 |
| 2 | Air compressor 15 cmm (ele) | Hour | 8.00 | 138.80 | 1110.40 |
| | Fuel / Energy charges | Hour | 8.00 | 962.30 | 7698.40 |
| 3 | Pump 10 hp (ele) | Hour | 6.00 | 6.70 | 40.20 |
| | Fuel / Energy charges | Hour | 6.00 | 77.00 | 462.00 |
| 4 | Sundries | LS | 2.00 | 20.00 | 40.00 |
| | Total hire charges of Machiner | Rs: | 12367.00 | | |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|-------------------------|------|----------|--------|---------|
| | • | | - | in Rs. | in Rs. |
| 1 | Crew for Waggon drill | Hour | 16.00 | 265.20 | 4243.20 |
| 2 | Crew for Air compressor | Hour | 8.00 | 163.30 | 1306.40 |
| 3 | Crew for Pump | Hour | 6.00 | 77.70 | 466.20 |
| 4 | mazdoor | Day | 2.00 | 310.00 | 620.00 |
| | Total cost of Labour | Rs: | 6635.80 | | |

labour component/unit qty 55.30
Add contractor's profit and overhead charges 13.615% 7.50
labour component/unit qty (including contractor's profit) 62.80

ABSTRACT:

| 7.2011.7.01. | | | | |
|--|--------------|-------|-----|----------|
| A. Cost of Materials | | | Rs: | 16216.48 |
| B. Hire charges of Machinery | | | Rs: | 12367.00 |
| C. Cost of Labour | | | Rs: | 6635.80 |
| | | Total | Rs: | 35219.28 |
| Add for Air and Water line @ | 1.00% | | Rs: | 352.19 |
| Add for Ventilation @ | 4.50% | | Rs: | 1584.87 |
| Add for Lighting @ | 1.60% | | Rs: | 563.51 |
| Add for Ele sub-station / Demand charges @ | 2.50% | | Rs: | 880.48 |
| | | Total | Rs: | 38600.33 |
| D.Add for contractor's profit and overheads on | (A+B+C+other | | | |
| percentages) | 13.615% | | Rs: | 5255.44 |
| Total cost for | 120.00 Rm | | Rs: | 43855.77 |
| | | | | |

Rate per Rm (A+B+C+D)/120.0 Rs: 365.50

Chapter III

CANAL AND ALLIED WORKS - Standard Data

(WLL BE WITH E-N-C & TO INCORPORATE CHANGES YEARLY/ AS NEEDED) FOR THE YEAR: 2015-16

Index- code

IRR-CAW

CANAL AND ALLIED WORKS - DATA RATES

Directions to add Seigniorage Charges and Additional Lead Charges Seigniorage Charges:

- 1. The unit rate for work item in the Standard Data is **exclusive of Seigniorage Charges** wherever applicable.
- 2. The appropriate Seigniorage Charges for relevant materials are to be added to the Unit rate of work item while preparing the estimate. (i.e., to the data itself)
- 3. The Provision towards Contractor's Profit and Overhead charges **should not be operated on** the Seigniorage Charges while adding Seigniorage Charges to the data in the estimate

Additional Lead and Lift Charges:

- 1. Unless otherwise specified the basic rates are inclusive of all lifts.
- 2. For concrete, masonry and reinforcement items **wherever** initial lead of 1km is considered in the basic rate, the additional lead charges are to be added as follows:

Additional lead charges for Cement, Steel, sand, coarse aggregate, stones and stone chips shall be worked out for total lead involved and 1 km lead charges included in basic rate shall be deducted from total lead charges. No loading and unloading charges shall be allowed for any item.

In case of Cement and Steel, Loading and unloading charges are already added in the work item while arriving the unit rate and hence should not be added again

Example:

| Total lead for sand from app | roved sand quarry: | | 15 Km |
|---------------------------------|-------------------------------------|-----|-----------|
| Initial lead included in the ba | sic rate in the SR: | | 1 Km |
| Additional lead charges: | Lead charges for 5 km | Rs. | 83.60 |
| | Lead charges for next 10 km | Rs. | 125 |
| | Total lead charges for 15 km /cum | Rs. | 208.60 |
| | Less 1 km initial lead charges /cum | Rs. | 31.30 (-) |
| | Net additional lead charges / cum | Rs. | 177.30 |

- 3. The Leads for Steel and Cement shall be from the nearest market place to the Project area
- 4. For earth/rockfill embankments **wherever** initial lead of 1km is considered in the basic rate, the additional lead charges are to be added as follows:

Additional lead charges for Earth, Murrum etc., shall be worked out for total lead involved and 1 km lead charges included in basic rate shall be deducted from total lead charges. No loading and unloading charges shall be allowed for any item. (same as above)

Example:

Total lead for earth from approved borrow area: 15 Km Initial lead included in the basic rate in the SR: 1 Km Additional lead charges: Lead charges for 5 km Rs. 83.60 Lead charges for next 10 km Rs. 125 Total lead charges for 15 km /cum 208.60 Rs. Less 1 km initial lead charges /cum 31.30 (-) Rs. Net additional lead charges / cum 177.30

5. The initial lead up to 50 m as mentioned in some standard data items is meant for manual lead within the working area. For conveyance of materials, the lead required from quarry/Borrow area/ Dump Area to worksite shall be added to the data without deducting the 50 m initial lead charges

CAW-Work Items

IRR-CAW-1 **EXCAVATION WORKS**:

IRR-CAW-1-1 Excavation in all kinds of soil including boulders upto 0.3 m diameter for canal, seating of embankment, filter drains / catch water drains etc., including dressing bed and sides to required level and profile, cost of all materials, machinery, labour, placing the excavated soil neatly in dump area or for the formation of service road / embankment as directed etc., complete with initial lead upto 1 km and all lifts.

DATA:

RATE ANALYSIS UNIT: 925.00 cum

| A. | MΑ | ΙTΕ | R | Α | LS: |
|----|----|-----|---|---|-----|
|----|----|-----|---|---|-----|

| 7 (1 1017 (1 E 1 (1) (E | | | | | |
|----------------------------|-------------------------|------|----------|--------|--------|
| SI No | particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | NIL | | 0.00 | 0.00 | 0.00 |
| | | | 0.00 | 0.00 | 0.00 |
| | Total cost of Materials | | | Rs: | 0.00 |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|---------------------------------|------|----------|---------|----------|
| | | | | in Rs. | in Rs. |
| 1 | Shovel 0.85 cum capacity | Hour | 8.00 | 1706.60 | 13652.80 |
| | Fuel / Energy charges | Hour | 8.00 | 893.90 | 7151.20 |
| 2 | Tippers 5 cum capacity 6 Nos | Hour | 48.00 | 446.70 | 21441.60 |
| | Fuel / Energy charges | Hour | 48.00 | 307.20 | 14745.60 |
| | Total hire charges of Machinery | | | | |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|----------------------|------|----------|--------|---------|
| | | | | in Rs. | in Rs. |
| 1 | Crew for Shovel | Hour | 8.00 | 221.00 | 1768.00 |
| 2 | Crew for Tipper | Hour | 48.00 | 165.80 | 7958.40 |
| 3 | work inspector | Day | 1.00 | 400.00 | 400.00 |
| 4 | mazdoor | Day | 30.00 | 310.00 | 9300.00 |
| | Total cost of Labour | | | | |

labour component/unit qty

21.00

Add contractor's profit and overhead charges

13.615% <u>2.90</u>

labour component/unit qty (including contractor's profit)

23.90

ABSTRACT:

| A. Cost of Materials | Rs: | 0.00 |
|------------------------------|-----|----------|
| B. Hire charges of Machinery | Rs: | 56991.20 |
| C. Cost of Labour | Rs: | 19426.40 |
| Total | Rs: | 76417.60 |
| | | |

D. Add for contractor's profit and overheads on (A+B+C) 13.615% Rs: 10404.26
Total cost for 925.00 cum Rs: **86821.86**Rate per cum (A+B+C+D)/925 Rs. **93.90**

IRR-CAW-1-2

Excavation in all kinds of soil including boulders upto 0.30 m dia for field channels, seating of embankment for field channels etc., including dressing of bed and sides to required profile, cost of all materials, machinery, labour, placing the excavated stuff for formation of service road / embankment as directed etc., complete with lead upto 10 m and lift upto 3 m.

DATA:

| | RATE ANALYSIS UNIT: | | | 440.00 cum | |
|-------------|-------------------------|------|----------|------------|--------|
| A. MATERIAL | S: | | | | |
| SI No | particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | NIL | | 0.00 | 0.00 | 0.00 |
| | | | 0.00 | 0.00 | 0.00 |
| | Total cost of Materials | | | | |

B. MACHINERY:

| <u> </u> | MACHINE | | | | | |
|----------|---------|---------------------------------|------|----------|---------|----------|
| | SI No | Description | Unit | Quantity | Rate | Amount |
| | | | | | in Rs. | in Rs. |
| | 1 | Shovel 0.50 cum capacity | Hour | 8.00 | 1003.10 | 8024.80 |
| | | Fuel / Energy charges | Hour | 8.00 | 487.60 | 3900.80 |
| | | Total hire charges of Machinery | | | Rs: | 11925.60 |

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|-----------------|------|----------|--------|---------|
| | | | | in Rs. | in Rs. |
| 1 | Crew for Shovel | Hour | 8.00 | 221.00 | 1768.00 |
| 2 | work inspector | Day | 1.00 | 400.00 | 400.00 |
| 3 | mazdoor | Day | 17.00 | 310.00 | 5270.00 |

| Total cost of Labo | Total cost of Labour | | | 7438.00 |
|---|----------------------|-------|-----|----------|
| labour component/unit qty | 16.90 | | | |
| Add contractor's profit and overhead charges | 13.615% <u>2.30</u> | | | |
| labour component/unit qty (including contractor's p | orofit) 19.20 | | | |
| ABSTRACT: | | | | |
| A. Cost of Materials | | | Rs: | 0.00 |
| B. Hire charges of Machinery | | | Rs: | 11925.60 |
| C. Cost of Labour | | | Rs: | 7438.00 |
| | | Total | Rs: | 19363.60 |

D. Add for contractor's profit and overheads on (A+B+C) 13.615% Rs: 2636.35

Total cost for 440.00 cum Rs: 21999.95

Rate per cum (A+B+C+D)/440 Rs. 50.00

IRR-CAW-1-3 Excavation in **ordinary rock (including HDR) without blasting** including boulders **above 0.30 m upto 0.6 m dia.** for canals, seating of embankment, filter drain / catch water drains etc., including dressing of bed and sides to required level and profile, cost of all materials, machinery, labour, placing the excavated soft rock neatly in dump area or for formation of service road as directed etc., complete **with lead upto 1 km and all lifts.**

DATA: RATE ANALYSIS UNIT: 630.00 cum

A. MATERIALS:

| A. WATERIAL | A. MATERIALO: | | | | | | | | |
|-------------------------|---------------|------|----------|--------|--------|--|--|--|--|
| SI No | particulars | Unit | Quantity | Rate | Amount | | | | |
| | | | | in Rs. | in Rs. | | | | |
| 1 | NIL | | 0.00 | 0.00 | 0.00 | | | | |
| | | | 0.00 | 0.00 | 0.00 | | | | |
| Total cost of Materials | | | Rs: | 0.00 | | | | | |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|---------------------------------|------------------------------|------|----------|---------|----------|
| | | | | in Rs. | in Rs. |
| 1 | Shovel 0.85 cum capacity | Hour | 8.00 | 1706.60 | 13652.80 |
| | Fuel / Energy charges | Hour | 8.00 | 893.90 | 7151.20 |
| 2 | Tippers 5 cum capacity 5 Nos | Hour | 40.00 | 446.70 | 17868.00 |
| | Fuel / Energy charges | Hour | 40.00 | 307.20 | 12288.00 |
| Total hire charges of Machinery | | | | | 50960.00 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|----------------------|-----------------|------|----------|----------|---------|
| | | | | in Rs. | in Rs. |
| 1 | Crew for Shovel | Hour | 8.00 | 221.00 | 1768.00 |
| 2 | Crew for Tipper | Hour | 40.00 | 165.80 | 6632.00 |
| 3 | work inspector | Day | 1.00 | 400.00 | 400.00 |
| 4 | Crowbarman | Day | 11.00 | 370.00 | 4070.00 |
| 5 | mazdoor | Day | 22.00 | 310.00 | 6820.00 |
| Total cost of Labour | | | Rs: | 19690.00 | |

labour component/unit qty 31.30
Add contractor's profit and overhead charges 13.615% 4.30
labour component/unit qty (including contractor's profit) 35.60

ABSTRACT:

| A. Cost of Materials | | Rs: | 0.00 |
|------------------------------|-------|-----|----------|
| B. Hire charges of Machinery | | Rs: | 50960.00 |
| C. Cost of Labour | | Rs: | 19690.00 |
| | Total | Rs: | 70650.00 |
| | | | |

D. Add for contractor's profit and overheads on (A+B+C) 13.615% Rs: 9619
Total cost for 630.00 cum Rs: **80269.00**Rate per cum (A+B+C+D)/630 Rs. **127.40**

IRR-CAW-1-4 Excavation in ordinary rock (including HDR) without blasting including boulders above 0.3 m upto 0.60 m dia. for field channels, seating of embankment for field channels etc., including dressing of bed and sides to required profile, cost of all materials, machinery, labour, placing the excavated stuff

for formation of service road as directed etc., complete with lead upto 10 m and lift upto 3 m.

DATA:

RATE ANALYSIS UNIT: 265.00 cum

| A. MATER | RIALS: |
|----------|--------|
|----------|--------|

| A. WATERIAL | | | | | |
|-------------------------|-------------|------|----------|--------|--------|
| SI No | particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | NIL | | 0.00 | 0.00 | 0.00 |
| | | | 0.00 | 0.00 | 0.00 |
| Total cost of Materials | | | | | 0.00 |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|---------------------------------|--------------------------|------|----------|---------|----------|
| | | | | in Rs. | in Rs. |
| 1 | Shovel 0.50 cum capacity | Hour | 8.00 | 1003.10 | 8024.80 |
| | Fuel / Energy charges | Hour | 8.00 | 487.60 | 3900.80 |
| Total hire charges of Machinery | | | | Rs: | 11925.60 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|----------------------|------|----------|--------|---------|
| | | | | in Rs. | in Rs. |
| 1 | Crew for Shovel | Hour | 8.00 | 221.00 | 1768.00 |
| 2 | work inspector | Day | 1.00 | 400.00 | 400.00 |
| 3 | Crowbarman | Day | 5.00 | 370.00 | 1850.00 |
| 4 | mazdoor | Day | 11.00 | 310.00 | 3410.00 |
| | Total cost of Labour | | | | 7428.00 |

labour component/unit qty

28.00

31.80

Add contractor's profit and overhead charges

13.615% 3.80

labour component/unit qty (including contractor's profit)

ABSTRACT:

| A. Cost of Materials | | Rs: | 0.00 |
|------------------------------|-------|-----|----------|
| B. Hire charges of Machinery | | Rs: | 11925.60 |
| C. Cost of Labour | | Rs: | 7428.00 |
| | Total | Rs. | 19353 60 |

D. Add for contractor's profit and overheads on (A+B+C) 13.615% Rs: 2634.99
Total cost for 265.00 cum Rs: **21988.59 Rate per cum** (A+B+C+D)/265 Rs. **83.00**

IRR-CAW-1-5

Excavation in hard rock (including F&F rock) requiring blasting including boulders above 0.6 m upto 1.2 m dia. for canals, seating of embankment, filter drain / catch water drains etc., including dressing bed and sides to required level and profile, cost of all materials, machinery, labour, placing the excavated rock in dump area or for formation of service road as directed etc., complete with lead upto 1 km and all lifts.

DATA:

RATE ANALYSIS UNIT: 805.00 cum

| A. | MA | ΓER | IAL | S: |
|----|----|-----|-----|----|
|----|----|-----|-----|----|

| SI No | particulars | Unit | Quantity | Rate | Amount |
|-------|------------------------------------|------|----------|--------|----------|
| | | | | in Rs. | in Rs. |
| 1 | Use rate of drill rod 1.5 m length | Rm | 316.00 | 20.75 | 6557.00 |
| | Reconditioning charges @ | 10% | | | 655.70 |
| 2 | Use rate of 50 m air hose 2 Nos | Hour | 24.00 | 11.56 | 277.50 |
| | | | | | |
| 3 | Explosive small dia (Kelvex-220) | kg | 161.00 | 70.00 | 11270.00 |
| 4 | Ordinary detonators | Nos | 12.00 | 7.00 | 84.00 |
| 5 | Electric detonators | Nos | 215.00 | 13.00 | 2795.00 |
| 6 | Fuse coil | Rm | 520.00 | 11.00 | 5720.00 |
| 7 | Sundries | LS | 5.00 | 20.00 | 100.00 |
| | Total cost of Materials | | | Rs: | 27459.20 |

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|--------------------------|------|----------|---------|----------|
| | | | | in Rs. | in Rs. |
| 1 | Shovel 0.85 cum capacity | Hour | 8.00 | 1706.60 | 13652.80 |

| | Fuel / Energy charges | Hour | 8.00 | 893.90 | 7151.20 |
|---|-----------------------------------|------|-------|--------|----------|
| 2 | Tippers 5 cum capacity 5 Nos. | Hour | 40.00 | 446.70 | 17868.00 |
| | Fuel / Energy charges | Hour | 40.00 | 307.20 | 12288.00 |
| | | | | | |
| 3 | Air compressor 8.5 cmm (diesel) | Hour | 12.00 | 275.60 | 3307.20 |
| | Fuel / Energy charges | Hour | 12.00 | 914.20 | 10970.40 |
| 4 | Jack hammers 3 Nos. | Hour | 39.00 | 19.80 | 772.20 |
| | Fuel / Energy charges | Hour | 39.00 | 0.00 | 0.00 |
| | Total hire charges of Machinery | | | | 66009.80 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|-------------------------|------|----------|--------|----------|
| | | | | in Rs. | in Rs. |
| 1 | Crew for Shovel | Hour | 8.00 | 221.00 | 1768.00 |
| 2 | Crew for Tipper | Hour | 40.00 | 165.80 | 6632.00 |
| 3 | Crew for Air compressor | Hour | 12.00 | 195.90 | 2350.80 |
| 4 | Crew for Jack hammer | Hour | 39.00 | 306.20 | 11941.80 |
| 5 | work inspector | Day | 1.00 | 400.00 | 400.00 |
| 6 | Blaster | Day | 1.00 | 480.00 | 480.00 |
| 7 | Helper blaster | Day | 1.00 | 370.00 | 370.00 |
| 8 | Crowbarman | Day | 16.00 | 370.00 | 5920.00 |
| 9 | Stone breaker | Day | 16.00 | 370.00 | 5920.00 |
| 10 | mazdoor | Day | 32.00 | 310.00 | 9920.00 |
| | Total cost of Labour | | | | |

labour component/unit qty

56.80 7.70 **64.50**

Add contractor's profit and overhead charges

13.615% 7.70

labour component/unit qty (including contractor's profit)

ABSTRACT:

| A. Cost of Materials | | Rs: | 27459.20 |
|------------------------------|-------|-----|-----------|
| B. Hire charges of Machinery | | Rs: | 66009.80 |
| C. Cost of Labour | | Rs: | 45702.60 |
| | Total | Rs: | 139171.60 |


D. Add for contractor's profit and overheads on (A+B+C) 13.615% Rs: 18948.21 Total cost for 805.00 cum Rs: 158119.81 Rate per cum (A+B+C+D)/805 Rs. 196.40


IRR-CAW-1-6 (a)

-6 Excavation in hard rock of all toughness by blasting including boulders above 1.2 m dia. for canals, seating of embankment, filter drain / catch water drains etc., including levelling the bed by removing all projections by hammering / chiselling, cost of all materials, machinery, labour, placing the excavated rock neatly in approved dump area and levelling the same as directed etc., complete with initial lead upto 1 km and all lifts.

Note:

 i) The rate under this item shall be adopted for canals designed for carrying capacity of less than 15 cumecs or where the average depth of excavation in hard rock is less than 3 m.
 ii) The rate includes levelling canal bed by hammering / chiselling all rock projections wherever required.





DATA:

RATE ANALYSIS UNIT: 68.00 cum

A. MATERIALS:

| SI No | particulars | Unit | Quantity | Rate | Amount |
|-------|------------------------------------|------|----------|--------|---------|
| | | | | in Rs. | in Rs. |
| 1 | Use rate of drill rod 1.5 m length | Rm | 85.00 | 27.67 | 2351.67 |
| | Reconditioning charges @ | 10% | | | 235.17 |
| 2 | Use rate of 50 m air hose 2 Nos. | Hour | 13.00 | 11.56 | 150.31 |
| | | | | | |
| 3 | Explosive small dia. (Kelvex-220) | kg | 21.20 | 70.00 | 1484.00 |
| 4 | Ordinary detonators | Nos | 4.00 | 7.00 | 28.00 |
| 5 | Electric detonators | Nos | 59.00 | 13.00 | 767.00 |
| 6 | Fuse coil | Rm | 90.00 | 11.00 | 990.00 |
| 7 | Sundries | LS | 2.00 | 20.00 | 40.00 |
| | Total cost of Materials | | | Rs: | 6046.15 |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|-----------------------------------|------|----------|---------|----------|
| | | | | in Rs. | in Rs. |
| 1 | Shovel 0.85 cum capacity | Hour | 1.10 | 1706.60 | 1877.26 |
| | Fuel / energy charges | Hour | 1.10 | 893.90 | 983.29 |
| 2 | Angle dozer 90 hp | Hour | 0.25 | 1715.50 | 428.88 |
| | Fuel / Energy charges | Hour | 0.25 | 625.30 | 156.33 |
| 3 | Tippers 5 cum capacity 4 Nos. | Hour | 4.40 | 446.70 | 1965.48 |
| | Fuel / Energy charges | Hour | 4.40 | 307.20 | 1351.68 |
| | Air compressor 8.5 cmm (diesel) 1 | | | | |
| 4 | Nos | Hour | 6.50 | 275.60 | 1791.40 |
| | Fuel / Energy charges | Hour | 6.50 | 914.20 | 5942.30 |
| 5 | Jack hammers 2 Nos. | Hour | 13.00 | 19.80 | 257.40 |
| | Fuel / Energy charges | Hour | 13.00 | 0.00 | 0.00 |
| | Total hire charges of Machinery | | | Rs: | 14754.01 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|-------------------------|-------|----------|--------|---------|
| Orivo | Description | Offic | Quantity | in Rs. | in Rs. |
| 1 | Crew for Shovel | Hour | 1.10 | 221.00 | 243.10 |
| 2 | Crew for Dozer | Hour | 0.25 | 221.00 | 55.25 |
| 3 | Crew for Tipper | Hour | 4.40 | 165.80 | 729.52 |
| 4 | Crew for Air compressor | Hour | 6.50 | 195.90 | 1273.35 |
| 5 | Crew for Jack hammer | Hour | 13.00 | 306.20 | 3980.60 |
| 6 | work inspector | Day | 0.50 | 400.00 | 200.00 |
| 7 | Blaster | Day | 1.00 | 480.00 | 480.00 |
| 8 | Helper blaster | Day | 1.00 | 370.00 | 370.00 |
| 9 | Crowbarman | Day | 0.50 | 370.00 | 185.00 |
| 10 | Stone breaker | Day | 0.50 | 370.00 | 185.00 |
| 11 | mazdoor | Day | 2.00 | 310.00 | 620.00 |
| | Total cost of Labour | | | | |

labour component/unit qty

122.40

Add contractor's profit and overhead charges

13.615% <u>16.70</u>

labour component/unit qty (including contractor's profit)

139.10

Rs:

Rs:

6046.15

14754.01

ABSTRACT:

A. Cost of MaterialsB. Hire charges of Machinery

C. Cost of Labour Rs: 8321.82

Total Rs: 29121.98

 D. Add for contractor's profit and overheads on (A+B+C)
 13.615%
 Rs:
 3964.96


 Total cost for
 68.00 cum
 Rs:
 33086.94

 Rate per cum
 (A+B+C+D)/68
 Rs.
 486.60

IRR-CAW-1-7 (b) Excavation **in hard rock of all toughness** including boulders **above 1.2 m dia.** by approved **controlled blasting methods for canals**, cut-off trench of embankment, filter / catch-water drains etc., including controlling fly-rock by muffling arrangements such as placing 50 x 50 mm opening chain link mesh or waste tyres and sand bags, monitoring ground vibrations at specified locations, costof all materials, machinery, labour, placing excavated rock neatly in approved dump area or other place as directed etc., complete **with lead upto 1 km and all lifts.**

Note:

- i) The rate under this item shall be adopted for canals designed for carrying capacity of less than 15 cumecs or where the average depth of excavation in hard rock is less than 3 m.
- ii) The rate under this item shall be adopted where the control of fly-rock and ground vibrations is required.



DATA RATE ANALYSIS UNIT: 68.00 cum

| A. MAIERIA | LS: | | | | |
|------------|------------------------------------|------|----------|--------|---------|
| SI No | particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Use rate of drill rod 1.5 m length | Rm | 85.00 | 27.67 | 2351.67 |
| | Reconditioning charges @ | 10% | | | 235.17 |
| 2 | Use rate of 50 m air hose 2 Nos. | Hour | 13.00 | 11.56 | 150.31 |
| 3 | Use rate of wire mesh | sqm | 94.00 | 55.13 | 5182.22 |
| 4 | Use rate of sand bag | Nos | 98.00 | 20.62 | 2020.76 |
| 5 | Explosive small dia. (Kelvex-220) | kg | 21.20 | 70.00 | 1484.00 |
| 6 | Ordinary detonators | Nos | 4.00 | 7.00 | 28.00 |
| 7 | Electric delay detonators | Nos | 59.00 | 23.00 | 1357.00 |

| | 9 | Suriuries | Total cost of Materials | LO | 2.00 | 20.00 Rs: | 13839.13 |
|---|---|-----------|-------------------------|----|-------|--------------|----------|
| ١ | 0 | Sundries | | 10 | 2.00 | 20.00 | 40.00 |
| | 8 | Fuse coil | | Rm | 90.00 | 11.00 | 990.00 |

B. MACHINERY:

| | | | | _ | _ |
|-------|-----------------------------------|------|----------|---------|----------|
| SI No | Description | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Shovel 0.85 cum capacity | Hour | 1.10 | 1706.60 | 1877.26 |
| | Fuel / Energy charges | Hour | 1.10 | 893.90 | 983.29 |
| 2 | Angle dozer 90 hp | Hour | 0.25 | 1715.50 | 428.88 |
| | Fuel / Energy charges | Hour | 0.25 | 625.30 | 156.33 |
| 3 | Tippers 5 cum capacity 3 Nos. | Hour | 4.40 | 446.70 | 1965.48 |
| | Fuel / Energy charges | Hour | 4.40 | 307.20 | 1351.68 |
| | Air compressor 8.5 cmm (diesel) 1 | | | | |
| 4 | No | Hour | 6.50 | 275.60 | 1791.40 |
| | Fuel / Energy charges | Hour | 6.50 | 914.20 | 5942.30 |
| 5 | Jack hammers 2 Nos. | Hour | 13.00 | 19.80 | 257.40 |
| | Fuel / Energy charges | Hour | 13.00 | 0.00 | 0.00 |
| | Total hire charges of Machinery | | | Rs: | 14754.01 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|-------------------------|------|----------|--------|---------|
| | | | | in Rs. | in Rs. |
| 1 | Crew for Shovel | Hour | 1.10 | 221.00 | 243.10 |
| 2 | Crew for Angle dozer | Hour | 0.25 | 221.00 | 55.25 |
| 3 | Crew for Tipper | Hour | 4.40 | 165.80 | 729.52 |
| 4 | Crew for Air compressor | Hour | 6.50 | 195.90 | 1273.35 |
| 5 | Crew for Jack hammer | Hour | 13.00 | 306.20 | 3980.60 |
| 6 | work inspector | Day | 0.50 | 400.00 | 200.00 |
| 7 | Blaster | Day | 0.50 | 480.00 | 240.00 |
| 8 | Helper blaster | Day | 0.50 | 370.00 | 185.00 |
| 9 | Stone chiseller CI - II | Day | 0.50 | 370.00 | 185.00 |
| 10 | Stone breaker | Day | 0.50 | 370.00 | 185.00 |
| 11 | mazdoor | Day | 3.00 | 310.00 | 930.00 |
| | Total cost of Labour | - | | Rs: | 8206.82 |

labour component/unit qty 120.70
Add contractor's profit and overhead charges 13.615% 16.40
labour component/unit qty (including contractor's profit) 137.10

ABSTRACT:

| 7.5011.7.011 | | | |
|--|--------------|-----|----------|
| A. Cost of Materials | | Rs: | 13839.13 |
| B. Hire charges of Machinery | | Rs: | 14754.01 |
| C. Cost of Labour | | Rs: | 8206.82 |
| | Total | Rs: | 36799.96 |
| Add for blasting studies & monitoring vibrations etc | 0.50% | Rs: | 184.00 |
| | Total | Rs: | 36983.96 |
| D. Add for contractor's profit and overheads on | 13.615% | Rs: | 5035.37 |
| Total cost for | 68.00 cum | Rs: | 42019.33 |
| Rate per cum | (A+B+C+D)/68 | Rs. | 617.90 |

IRR-CAW-1-8 (c)


Excavation in hard rock of all toughness including boulders above 1.2 m dia. for dressing canal sides neatly on either side to required profile by line drilling and smooth blasting including removing under-cuts by chiselling / hammering, placing the excavated rock neatly in dump area or other place as directed, cost of all materials, machinery, labour etc., complete with lead upto 1 km and all lifts.

Note:

- i) For excavation of canal below free board level combination of normal / controlled blasting and line drilling and smooth blasting shall be adopted to obtain neat side slopes. For the purpose of payment 1 m width of excavation on either side shall be treated as excavation by line drilling and smooth blasting and remaining portion shall be treated as excavation by normal / controlled blasting as the case may be.
- ii) The rate under this item shall be adopted for canals designed for carrying capacity of less than 15 cumecs or where the average depth of excavation in hard rock is less than 3 m. iii) The rate includes controlling fly-rock wherever required.
- iv) The rate under this item shall be paid only on ascertaining that the excavated face has come off neatly as per specifications or atleast 50 percent of smooth blast holes are visible for

inspection and are spaced at specified interval.

v) In case, where the above criteria is not fulfilled payment shall be restricted to rate provided for excavation by normal blasting or controlled blasting as the case may be.



DATA

RATE ANALYSIS

| A. MATERIA | A. MATERIALS: | | UNIT: | 17.50 | cum |
|------------|------------------------------------|------|----------|--------|---------|
| SI No | particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Use rate of drill rod 1.5 m length | Rm | 63.00 | 27.67 | 1743.00 |
| | Reconditioning charges @ | 10% | | | 174.30 |
| 2 | Use rate of 50 m air hose 2 Nos. | Hour | 10.00 | 11.56 | 115.63 |
| 3 | Explosive small dia. (Kelvex-220) | kg | 3.50 | 70.00 | 245.00 |
| 4 | Electric delay detonators | Nos | 22.00 | 23.00 | 506.00 |
| 5 | Fuse coil | Rm | 20.00 | 11.00 | 220.00 |
| 6 | Sundries | LS | 1.00 | 20.00 | 20.00 |
| | Total cost of Materials | | | Rs: | 3023.93 |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|-----------------------------------|------|----------|---------|---------|
| | | | | in Rs. | in Rs. |
| 1 | Shovel 0.85 cum capacity | Hour | 0.28 | 1706.60 | 477.85 |
| | Fuel / Energy charges | Hour | 0.28 | 893.90 | 250.29 |
| 2 | Tippers 5 cum capacity 4 Nos. | Hour | 1.12 | 446.70 | 500.30 |
| | Fuel / Energy charges | Hour | 1.12 | 307.20 | 344.06 |
| | Air compressor 8.5 cmm (diesel) 1 | | | | |
| 3 | Nos | Hour | 5.00 | 275.60 | 1378.00 |
| | Fuel / Energy charges | Hour | 5.00 | 914.20 | 4571.00 |
| 4 | Jack hammers 2 Nos. | Hour | 10.00 | 19.80 | 198.00 |
| | Fuel / Energy charges | Hour | 10.00 | 0.00 | 0.00 |
| | Total hire charges of Machinery | | | Rs: | 7719.51 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|-------------------------|------|----------|--------|---------|
| | | | | in Rs. | in Rs. |
| 1 | Crew for Shovel | Hour | 0.50 | 221.00 | 110.50 |
| 2 | Crew for Tipper | Hour | 1.12 | 165.80 | 185.70 |
| 3 | Crew for Air compressor | Hour | 5.00 | 195.90 | 979.50 |
| 4 | Crew for Jack hammer | Hour | 10.00 | 306.20 | 3062.00 |
| 5 | work inspector | Day | 0.50 | 400.00 | 200.00 |
| 6 | Blaster | Day | 0.50 | 480.00 | 240.00 |
| 7 | Helper blaster | Day | 0.50 | 370.00 | 185.00 |
| 8 | Stone breaker | Day | 0.50 | 370.00 | 185.00 |
| 9 | Stone chiseller CI - II | Day | 0.50 | 370.00 | 185.00 |
| 10 | mazdoor | Day | 1.00 | 310.00 | 310.00 |
| | Total cost of Labour | • | · | Rs: | 5642.70 |

labour component/unit qty

322.40

Add contractor's profit and overhead charges

13.615% <u>43.90</u>

labour component/unit qty (including contractor's profit)

366.30

ABSTRACT:

A. Cost of Materials

Rs: 3023.93

B. Hire charges of Machinery Rs: 7719.51 C. Cost of Labour Rs: 5642.70 16386.13 Total Rs: Add for blasting studies & monitoring vibrations etc 0.50% Rs: 81.93 Total Rs: 16468.06 D. Add for contractor's profit and overheads on 13.615% Rs: 2242.13 Total cost for 17.50 cum 18710.19 Rs: Rate per cum (A+B+C+D)/17.50 Rs. 1069.20


IRR-CAW-1-9 Excavation **in hard rock by blasting** including boulders **above 1.2 m dia. for canals**, seating embankment etc., including levelling bed by removing all projections by hammering / chiselling, cost of all materials, machinery, labour, placing the excavated rock neatly in approved dump area and levelling the same as directed etc.,complete with **initial lead upto 1 km and all lifts.**

Note:

i) The rate under this item shall be adopted for canals designed for carrying capacity of more than 15 cumecs or where the average depth of excavation in hard rock is more than 3 m.

ii) The rate includes levelling canal bed by hammering / chiselling all rock projections wherever

ii) The rate includes levelling canal bed by hammering / chiselling all rock projections wherever required.



DATA: RATE ANALYSIS Unit: 386.00 Cum

| A. MATERIALS: | | | | | | | | | |
|---------------|------------------------------------|------|----------|--------|----------|--|--|--|--|
| SI No | particulars | Unit | Quantity | Rate | Amount | | | | |
| | | | | in Rs. | in Rs. | | | | |
| 1 | Use rate of T.C bit 100 mm dia | Rm | 104.00 | 150.00 | 15600.00 | | | | |
| | Use rate of Extension rod with | | | | | | | | |
| 2 | coupling sleeve | Rm | 104.00 | 6.68 | 694.51 | | | | |
| | Use rate of Jack hammer drill rod | | | | | | | | |
| 3 | 1.5 m | Rm | 12.00 | 27.67 | 332.00 | | | | |
| | reconditioning charges @ | 10% | | | 33.20 | | | | |
| | Use rate of 50 m air hose for | | | | | | | | |
| 4 | waggon drill | Hour | 10.50 | 18.63 | 195.56 | | | | |
| | Use rate of 25 m air hose for JH 2 | | | | | | | | |
| | Nos | Hour | 1.00 | 11.56 | 11.56 | | | | |
| 5 | High strength ANFO booster | kg | 38.00 | 68.00 | 2584.00 | | | | |

| 6 | ANFO | kg | 155.00 | 48.00 | 7440.00 |
|----|----------------------------------|-----|--------|-------|----------|
| 7 | Diesel oil | ltr | 35.00 | 59.10 | 2068.50 |
| | | | | | |
| 8 | Explosive small dia (Kelvex-220) | kg | 4.00 | 70.00 | 280.00 |
| 9 | Ordinary detonators | Nos | 20.00 | 7.00 | 140.00 |
| 10 | D-cord | Rm | 145.00 | 10.00 | 1450.00 |
| 11 | Detonating fuse coil | Rm | 20.00 | 11.00 | 220.00 |
| 12 | Sundries | LS | 5.00 | 20.00 | 100.00 |
| | Total cost of Materials | • | | Rs: | 31149.34 |

B. MACHINERY:

| B. WACHINE | dV 1 . | | | | |
|------------|-----------------------------------|------|----------|---------|----------|
| SI No | Description | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Tippers 5 cum capacity | Hour | 24.84 | 446.70 | 11096.03 |
| | Fuel / Energy charges | Hour | 24.84 | 307.20 | 7630.85 |
| 2 | Shovel 0.85 cum capacity | Hour | 6.21 | 1706.60 | 10597.99 |
| | Fuel / Energy charges | Hour | 6.21 | 893.90 | 5551.12 |
| 3 | Angle dozer | Hour | 2.00 | 1715.50 | 3431.00 |
| | Fuel / Energy charges | Hour | 2.00 | 625.30 | 1250.60 |
| 4 | Air compressor 8.5 cmm (diesel) | Hour | 11.50 | 275.60 | 3169.40 |
| | Fuel / Energy charges | Hour | 11.50 | 914.20 | 10513.30 |
| 5 | Waggon drill | Hour | 10.50 | 188.50 | 1979.25 |
| | Fuel / Energy charges | Hour | 10.50 | 0.00 | 0.00 |
| 6 | Jack hammer | Hour | 2.00 | 19.80 | 39.60 |
| | Fuel / Energy charges | Hour | 2.00 | 0.00 | 0.00 |
| | Total hire charges of Machinery | | | Rs: | 55259.13 |

C. LABOUR:

| 0, 0 | • | | | | |
|-------|-------------------------|------|----------|--------|----------|
| SI No | Description | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Crew for Tipper | Hour | 24.84 | 165.80 | 4118.47 |
| 2 | Crew for Shovel | Hour | 6.21 | 221.00 | 1372.41 |
| 3 | Crew for Dozer | Hour | 2.00 | 221.00 | 442.00 |
| 4 | Crew for Air compressor | Hour | 11.50 | 195.90 | 2252.85 |
| 5 | Crew for Waggon drill | Hour | 10.50 | 265.20 | 2784.60 |
| 6 | Crew for Jack hammer | Hour | 2.00 | 306.20 | 612.40 |
| 7 | work inspector | Day | 2.00 | 400.00 | 800.00 |
| 8 | Blaster | Day | 1.00 | 480.00 | 480.00 |
| 9 | Helper blaster | Day | 1.00 | 370.00 | 370.00 |
| 10 | Stone chiseller CI - II | Day | 1.00 | 370.00 | 370.00 |
| 11 | Stone breaker | Day | 1.00 | 370.00 | 370.00 |
| 12 | mazdoor | Day | 3.00 | 310.00 | 930.00 |
| | Total cost of Labour | - | | Rs: | 14902.73 |

labour component/unit qty 38.60
Add contractor's profit and overhead charges 13.615% 5.30
labour component/unit qty (including contractor's profit) 43.90

ABSTRACT:

A. Cost of Materials

B. Hire charges of Machinery

C. Cost of Labour

Rs: 31149.34

Rs: 55259.13

Rs: 14902.73

Total

Rs: 101311.20


D. Add for contractor's profit and overheads on (A+B+C) 13.615% Rs: 13793.52
Total cost for 386.00 Cum Rs: 115104.72
Rate per Cum (A+B+C+D)/386 Rs. 298.20


IRR-CAW-1-10 Excavation in hard rock of all toughness including boulders above 1.2 m dia. by approved

(b) **controlled blasting methods for canals, cut-off trench of embankment etc.**, including controlling fly-rock by muffling arrangements such as placing 50 x 50 mm opening chain link mesh or waste tyres and sand bags, monitoring ground vibrations at specified locations, cost of all materials, machinery, labour, placing excavated rock neatly in approved dump area or other place as directed etc., complete **with lead upto 1 km and all lifts.**

Note:

- i) The rate under this item shall be adopted for canals designed for carrying capacity of more than 15 cumecs or where the average depth of excavation in hard rock is more than 3 m.
- ii) The rate under this item shall be adopted where the control of fly-rock and ground vibrations is required.





DATA

RATE ANALYSIS UNIT: 386.00 cum

| A. MATERIALS: | | | | | | | |
|---------------|------------------------------------|------|----------|--------|----------|--|--|
| SI No | particulars | Unit | Quantity | Rate | Amount | | |
| | | | | in Rs. | in Rs. | | |
| 1 | Use rate of T.C bit 100 mm dia | Rm | 104.00 | 150.00 | 15600.00 | | |
| | Use rate of Extension rod with | | | | | | |
| 2 | coupling sleeve | Rm | 104.00 | 6.68 | 694.51 | | |
| | Use rate of Jack hammer drill rod | | | | | | |
| 3 | 1.6 m | Rm | 12.00 | 27.67 | 332.00 | | |
| | reconditioning charges @ | 10% | | | 33.20 | | |
| | Use rate of 50 m air hose 50 mm 1 | | | | | | |
| 4 | No. | Hour | 10.50 | 18.63 | 195.56 | | |
| | | | | | | | |
| | Use rate of 25 mm air hose 2 Nos | Hour | 2.00 | 11.56 | 23.13 | | |
| 5 | High strength ANFO booster | kg | 38.00 | 68.00 | 2584.00 | | |
| 6 | ANFO | kg | 155.00 | 48.00 | 7440.00 | | |
| 7 | Diesel oil | ltr | 35.00 | 59.10 | 2068.50 | | |
| | | | | | | | |
| 8 | Explosive small dia (Kelvex-220) | kg | 4.00 | 70.00 | 280.00 | | |
| 9 | Ordinary detonators | Nos | 20.00 | 7.00 | 140.00 | | |
| 10 | Shock tube detonators | Rm | 120.00 | 45.00 | 5400.00 | | |
| 11 | Noiseless trunk line delays | Nos | 12.00 | 21.00 | 252.00 | | |
| 12 | Detonating fuse coil | Rm | 20.00 | 11.00 | 220.00 | | |
| 13 | Use rate of chain link wire mesh | sqm | 132.00 | 198.00 | 26136.00 | | |
| 14 | Use rate of sand bag | Nos | 110.00 | 16.62 | 1828.20 | | |
| 15 | Sundries | LS | 20.00 | 20.00 | 400.00 | | |
| | Total cost of Materials | | | | | | |

| B. MACHINE | RY: | | | | |
|------------|-------------|------|----------|------|--------|
| SI No | Description | Unit | Quantity | Rate | Amount |

| | | | | in Rs. | in Rs. |
|---|-----------------------------------|------|-------|---------|----------|
| 1 | Tippers 5 cum capacity | Hour | 30.00 | 446.70 | 13401.00 |
| | Fuel / Energy charges | Hour | 30.00 | 307.20 | 9216.00 |
| 2 | Shovel 0.85 cum capacity | Hour | 10.00 | 1706.60 | 17066.00 |
| | Fuel / Energy charges | Hour | 10.00 | 893.90 | 8939.00 |
| 3 | Angle dozer | Hour | 2.00 | 1715.50 | 3431.00 |
| | Fuel / Energy charges | Hour | 2.00 | 625.30 | 1250.60 |
| 4 | Air compressor 8.5 cmm (diesel) | Hour | 12.50 | 275.60 | 3445.00 |
| | Fuel / Energy charges | Hour | 12.50 | 914.20 | 11427.50 |
| 5 | Waggon drill | Hour | 11.50 | 188.50 | 2167.75 |
| | Fuel / Energy charges | Hour | 11.50 | 0.00 | 0.00 |
| 6 | Jack hammer | Hour | 2.00 | 19.80 | 39.60 |
| | Fuel / Energy charges | Hour | 2.00 | 0.00 | 0.00 |
| | Total hire charges of Machinery | | | | |

C. LABOUR:

| O. LABOUR. | | | | | |
|------------|-------------------------|------|----------|--------|---------|
| SI No | Description | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Crew for Tipper | Hour | 30.00 | 165.80 | 4974.00 |
| 2 | Crew for Shovel | Hour | 10.00 | 221.00 | 2210.00 |
| 3 | Crew for Dozer | Hour | 2.00 | 221.00 | 442.00 |
| 4 | Crew for Air compressor | Hour | 12.50 | 195.90 | 2448.75 |
| 5 | Crew for Waggon drill | Hour | 11.50 | 265.20 | 3049.80 |
| 6 | Crew for Jack hammer | Hour | 2.00 | 306.20 | 612.40 |
| 7 | work inspector | Day | 1.50 | 400.00 | 600.00 |
| 8 | Blaster | Day | 0.50 | 480.00 | 240.00 |
| 9 | Helper blaster | Day | 0.50 | 370.00 | 185.00 |
| 10 | Stone chiseller CI - II | Day | 1.00 | 370.00 | 370.00 |
| 11 | Stone breaker | Day | 1.00 | 370.00 | 370.00 |
| 12 | mazdoor | Day | 5.00 | 310.00 | 1550.00 |
| | Total cost of Labour | | | | |

labour component/unit qty

Add contractor's profit and overhead charges

13.615% 6.00

labour component/unit qty (including contractor's profit)

50.20

ABSTRACT:


| A. Cost of Materials | | Rs: | 63627.10 |
|--|---------------|-----|-----------|
| B. Hire charges of Machinery | | Rs: | 70383.45 |
| C. Cost of Labour | | Rs: | 17051.95 |
| | Total | Rs: | 151062.50 |
| Add for blasting studies & monitoring vibrations etc | 0.50% | Rs: | 755.31 |
| | Total | Rs: | 151817.81 |
| D. Add for contractor's profit and overheads on | 13.615% | Rs: | 20670 |
| Total cost for | 386.00 cum | Rs: | 172487.81 |
| Rate per cum | (A+B+C+D)/386 | Rs. | 446.90 |

IRR-CAW-1-11 Excavation in hard rock of all toughness including boulders above 1.2 m dia. for dressing canal sides neatly on either side to required profile by line drilling and smooth blasting including removing under-cuts by chiselling / hammering, placing the excavated rock neatly in dump area or other place as directed, cost of all materials, machinery, labour etc., complete with lead upto 1 km and all lifts.

Note:

- i) For excavation of canal below free board level combination of normal / controlled blasting and line drilling and smooth blasting shall be adopted to obtain neat side slopes. For the purpose of payment 1 m width of excavation on either side shall be treated as excavation by line drilling and smooth blasting and remaining portion shall be treated as excavation by normal / controlled blasting as the case may be.
- ii) The rate under this item shall be adopted for canals designed for carrying capacity of more than 15 cumecs or where the average depth of excavation in hard rock is more than 3 m. iii) The rate includes controlling fly-rock wherever required.
- iv) The rate under this item shall be paid only on ascertaining that the excavated face has come off neatly as per specifications or atleast 50 percent of smooth blast holes are visible for inspection and are spaced at specified interval.
- v) In case, where the above criteria is not fulfilled payment shall be restricted to rate provided

for excavation by normal blasting or controlled blasting as the case may be.



DATA RATE ANALYSIS UNIT: 97.00 cum

| | TATE ATAL TOO | | 01411 | 07.00 | oam |
|---------|------------------------------------|------|----------|--------|---------|
| MATERIA | ALS: | | | | |
| SI No | particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Use rate of T.C bit 100 mm dia | Rm | 121.00 | 150.00 | 18150.0 |
| | Use rate of Extension rod with | | | | |
| 2 | coupling sleeve | Rm | 121.00 | 6.68 | 808.0 |
| | Use rate of Jack hammer drill rod | | | | |
| 3 | 1.6 m | Rm | 3.00 | 27.67 | 83.0 |
| | reconditioning charges @ | 10% | | | 8.3 |
| | Use rate of 50 m air hose 50 mm 1 | | | | |
| 4 | No. | Hour | 12.00 | 18.63 | 223.5 |
| | Use rate of 25 mm air hose 2 Nos | Hour | 0.50 | 11.56 | 5.7 |
| 5 | High strength ANFO booster | kg | 5.00 | 68.00 | 340.0 |
| 6 | ANFO | kg | 19.00 | 48.00 | 912.0 |
| 7 | Diesel oil | ltr | 4.50 | 59.10 | 265.9 |
| 8 | Explosive small dia (Kelvex-220) | kg | 1.00 | 70.00 | 70.0 |
| 9 | Ordinary detonators | Nos | 5.00 | 7.00 | 35.0 |
| 10 | Detonating shock tube | Rm | 70.00 | 45.00 | 3150.0 |
| 11 | Noiseless trunk line delays | Nos | 4.00 | 21.00 | 84.0 |
| 12 | Fuse coil | Rm | 10.00 | 11.00 | 110.0 |
| 13 | Sundries | LS | 2.00 | 20.00 | 40.0 |
| | Total cost of Materials | i | | Rs: | 24285.5 |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|-----------------------------------|------|----------|---------|----------|
| | | | | in Rs. | in Rs. |
| 1 | Tippers 5 cum capacity | Hour | 6.24 | 446.70 | 2787.41 |
| | Fuel / Energy charges | Hour | 6.24 | 307.20 | 1916.93 |
| 2 | Shovel 0.85 cum capacity | Hour | 1.56 | 1706.60 | 2662.30 |
| | Fuel / Energy charges | Hour | 1.56 | 893.90 | 1394.48 |
| 3 | Angle dozer | Hour | 0.50 | 1715.50 | 857.75 |
| | Fuel / Energy charges | Hour | 0.50 | 625.30 | 312.65 |
| 4 | Air compressor 8.5 cmm (diesel) | Hour | 13.45 | 275.60 | 3706.82 |
| | Fuel / Energy charges | Hour | 13.45 | 914.20 | 12295.99 |
| 5 | Waggon drill | Hour | 13.20 | 188.50 | 2488.20 |
| | Fuel / Energy charges | Hour | 13.20 | 0.00 | 0.00 |
| 6 | Jack hammer | Hour | 0.50 | 19.80 | 9.90 |
| | Fuel / Energy charges | Hour | 0.50 | 0.00 | 0.00 |
| | Total hire charges of Machinery | | | | |

| I | SI No | Description | Unit | Quantity | Rate | Amount |
|---|-------|-----------------|------|----------|--------|--------|
| | | | | | in Rs. | in Rs. |
| | 1 | Crew for Tipper | Hour | 5.24 | 165.80 | 868.79 |
| | 2 | Crew for Shovel | Hour | 1.56 | 221.00 | 344.76 |

| 3 | Crew for Dozer | Hour | 0.50 | 221.00 | 110.50 |
|----|-------------------------|------|-------|--------|---------|
| 4 | Crew for Air compressor | Hour | 13.45 | 195.90 | 2634.86 |
| 5 | Crew for Waggon drill | Hour | 13.45 | 265.20 | 3566.94 |
| 6 | Crew for Jack hammer | Hour | 0.50 | 306.20 | 153.10 |
| 7 | work inspector | Day | 0.50 | 400.00 | 200.00 |
| 8 | Blaster | Day | 0.50 | 480.00 | 240.00 |
| 9 | Helper blaster | Day | 0.50 | 370.00 | 185.00 |
| 10 | Stone breaker | Day | 1.00 | 370.00 | 370.00 |
| 11 | Stone chiseller CI- II | Day | 1.00 | 370.00 | 370.00 |
| 12 | mazdoor | Day | 2.00 | 310.00 | 620.00 |
| | Total cost of Labour | | | | |

99.60

labour component/unit qty Add contractor's profit and overhead charges 13.615% 13.60

labour component/unit qty (including contractor's profit) 113.20

ABSTRACT:

| A. Cost of Materials | | Rs: | 24285.57 |
|--|--------------|-----|----------|
| B. Hire charges of Machinery | | Rs: | 28432.43 |
| C. Cost of Labour | | Rs: | 9663.95 |
| | Total | Rs: | 62381.94 |
| Add for blasting studies & monitoring vibrations etc | 0.50% | Rs: | 311.91 |
| | Total | Rs: | 62693.85 |
| D. Add for contractor's profit and overheads on | 13.615% | Rs: | 8535.77 |
| Total cost for | 97.00 cum | Rs: | 71229.62 |
| Rate per cum | (A+B+C+D)/97 | Rs. | 734.30 |
| | | | |

EMBANKMENT WORKS USING BORROW AREA SOIL: IRR-CAW-2

IRR-CAW-2-1 Providing impervious hearting embankment with selected soil from approved borrow areas in layers of 25 cm before compaction including cost of all materials, machinery, labour, all operations such as excavation, sorting out, transporting, spreading in layer of specified thickness, breaking clods, sectioning, watering, compacting each layer to density control of not less than 98 percent or as stipulated by Sheep foot roller / Vibratory roller/ 8 to 10 tonne power roller etc., complete with initial lead upto 1 km and all lifts.

DATA: RATE ANALYSIS UNIT: 412.80 cum

A MATERIAL C.

| A. WATERIALS | J. | | | | |
|--------------|-------------------------|------|----------|--------|--------|
| SI No | particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Nill | | 0.00 | 0.00 | 0.00 |
| | | | 0.00 | 0.00 | 0.00 |
| | Total cost of Materials | • | · | Rs: | 0.00 |

B. MACHINERY

| b. WACHINER 1. | | | | | | | |
|----------------|----------------------------------|------|----------|---------|----------|--|--|
| SI No | Description | Unit | Quantity | Rate | Amount | | |
| | | | | in Rs. | in Rs. | | |
| 1 | Angle dozer | Hour | 3.40 | 1715.50 | 5832.70 | | |
| | Fuel / Energy charges | Hour | 3.40 | 625.30 | 2126.02 | | |
| 2 | Shovel 0.50 cum capacity | Hour | 8.00 | 1003.10 | 8024.80 | | |
| | Fuel / Energy charges | Hour | 8.00 | 487.60 | 3900.80 | | |
| 3 | Tippers 5.00 cum capacity 4 Nos. | Hour | 32.00 | 446.70 | 14294.40 | | |
| | Fuel / Energy charges | Hour | 32.00 | 307.20 | 9830.40 | | |
| 4 | Pump 5 hp (diesel) | Hour | 2.00 | 10.20 | 20.40 | | |
| | Fuel / Energy charges | Hour | 2.00 | 81.30 | 162.60 | | |
| 5 | Water tanker 8000 ltr | Hour | 4.00 | 402.50 | 1610.00 | | |
| | Fuel / Energy charges | Hour | 4.00 | 307.20 | 1228.80 | | |
| 6 | Vibratory Roller 8 tonne | Hour | 5.10 | 1342.20 | 6845.22 | | |
| | Fuel / Energy charges | Hour | 5.10 | 1056.40 | 5387.64 | | |
| 7 | Sundries | LS | 5.00 | 20.00 | 100.00 | | |
| | Total hire charges of Machinery | | | | | | |

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|-----------------|------|----------|--------|---------|
| | | | | in Rs. | in Rs. |
| 1 | Crew for Dozer | Hour | 3.40 | 221.00 | 751.40 |
| 2 | Crew for Shovel | Hour | 8.00 | 221.00 | 1768.00 |

| 3 | Crew for Tipper | Hour | 32.00 | 165.80 | 5305.60 |
|----------------------|-----------------------|------|-------|----------|---------|
| 4 | Crew for Pump | Hour | 2.00 | 103.60 | 207.20 |
| 5 | Crew for Water tanker | Hour | 4.00 | 165.80 | 663.20 |
| 6 | Crew for Roller | Hour | 5.10 | 244.90 | 1248.99 |
| 7 | work inspector | Day | 2.00 | 400.00 | 800.00 |
| 8 | mazdoor | Day | 4.00 | 310.00 | 1240.00 |
| Total cost of Labour | | | Rs: | 11984.39 | |

labour component/unit qty

29.00

Add contractor's profit and overhead charges

13.615% 3.90

labour component/unit qty (including contractor's profit)

32.90

ABSTRACT:

| A. Cost of Materials | | Rs: | 0.00 |
|---|---------|-----|----------|
| B. Hire charges of Machinery | | Rs: | 59363.78 |
| C. Cost of Labour | | Rs: | 11984.39 |
| | Total | Rs: | 71348.17 |
| | | _ | |
| D. Add for contractor's profit and overheads on (A+B+C) | 13.615% | Rs: | 9714.05 |

D. Add for contractor's profit and overheads on (A+B+C) 13.615% Rs: 9714.05

Total cost for 412.80 cum Rs: 81062.22

Rate per cum (A+B+C+D)/412.80 Rs. 196.40

IRR-CAW-2-2 Providing impervious hearting embankment with selected soil from approved borrow areas in layers of 25 cm before compaction including cost of all materials, machinery, labour, all operations such as excavation, sorting out, transporting, spreading in layer of specified thickness, breaking clods, sectioning, watering, compacting each layer to density control of not less than 95 percent or as stipulated by Sheep foot roller / Vibratory roller/ 8 to 10 tonne power roller etc., complete with initial lead upto 1 km and all lifts.

DATA:

RATE ANALYSIS UNIT: 412.80 cum

| A. MATERIALS | : |
|--------------|---|
|--------------|---|

| A. WALLINAL | .0. | | | | |
|-------------------------|-------------|------|----------|--------|--------|
| SI No | particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Nill | | 0.00 | 0.00 | 0.00 |
| | | | 0.00 | 0.00 | 0.00 |
| Total cost of Materials | | | Rs: | 0.00 | |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|---------------------------------|--------------------------|------|----------|----------|----------|
| | | | | in Rs. | in Rs. |
| 1 | Angle dozer 90 hp | Hour | 3.40 | 1715.50 | 5832.70 |
| | Fuel / Energy charges | Hour | 3.40 | 625.30 | 2126.02 |
| 2 | Shovel 0.5 cum | Hour | 8.00 | 1003.10 | 8024.80 |
| | Fuel / Energy charges | Hour | 8.00 | 487.60 | 3900.80 |
| 3 | Tippers 5 cum | Hour | 32.00 | 446.70 | 14294.40 |
| | Fuel / Energy charges | Hour | 32.00 | 307.20 | 9830.40 |
| 4 | Pump 5 hp (diesel) | Hour | 2.00 | 10.20 | 20.40 |
| | Fuel / Energy charges | Hour | 2.00 | 81.30 | 162.60 |
| 5 | Water tanker 8000 ltr | Hour | 4.00 | 402.50 | 1610.00 |
| | Fuel / Energy charges | Hour | 4.00 | 307.20 | 1228.80 |
| 6 | Vibratory Roller 8 tonne | Hour | 4.18 | 1342.20 | 5610.40 |
| | Fuel / Energy charges | Hour | 4.18 | 1056.40 | 4415.75 |
| 7 | Sundries | LS | 5.00 | 20.00 | 100.00 |
| Total hire charges of Machinery | | | Rs: | 57157.07 | |

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|-----------------------|------|----------|--------|---------|
| | | | | in Rs. | in Rs. |
| 1 | Crew for Dozer | Hour | 3.40 | 221.00 | 751.40 |
| 2 | Crew for Shovel | Hour | 8.00 | 221.00 | 1768.00 |
| 3 | Crew for Tipper | Hour | 32.00 | 165.80 | 5305.60 |
| 4 | Crew for Pump | Hour | 2.00 | 103.60 | 207.20 |
| 5 | Crew for Water tanker | Hour | 4.00 | 165.80 | 663.20 |
| 6 | Crew for Roller | Hour | 4.18 | 244.90 | 1023.68 |
| 7 | work inspector | Day | 2.00 | 400.00 | 800.00 |

| 8 mazdoor | Day | 4.00 | 310.00 | 1240.00 |
|---|---------|-----------|---------|----------|
| Total cost of Labour | | | Rs: | 11759.08 |
| labour component/unit qty | | | 28.50 | |
| Add contractor's profit and overhead charges | | 13.615% | 3.90 | |
| labour component/unit qty (including contractor's pro | ofit) | | 32.40 | |
| ABSTRACT: | | | | |
| A. Cost of Materials | | | Rs: | 0.00 |
| B. Hire charges of Machinery | | | Rs: | 57157.07 |
| C. Cost of Labour | | | Rs: | 11759.08 |
| | | To | tal Rs: | 68916.15 |
| D. Add for contractor's profit and overheads on (A+E | 3+C) | 13.615% | Rs: | 9382.93 |
| Total cost for | 412.80 |) cum | Rs: | 78299.08 |
| Rate per cum | (A+B+C+ | D)/412.80 | Rs. | 189.70 |

IRR-CAW-2-3

Providing semi-pervious / pervious casing embankment using soil from approved borrow area in layers of 25 cm before compaction including cost of all materials, machinery, labour, all operations such as excavation, sortingout, transporting, spreading in layer of specified thickness, breaking clods, sectioning, watering, compacting to density control of not less than 98 percent or as stipulated by Sheep foot roller / Vibratory roller/ 8 to 10 tonne power roller etc., complete with initial lead upto 1 km and all lifts.

DATA:

| A MATERIAL O | RATE ANALYSI | S | UNIT : | 412.80 | cum |
|---------------|-----------------------|--------|----------|--------|--------|
| A. MATERIALS: | | 1.1-21 | 0 | D-1- | A |
| SI No | particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Nill | | 0.00 | 0.00 | 0.00 |
| | | | 0.00 | 0.00 | 0.00 |
| | Total cost of Materia | ls | | Rs: | 0.00 |

B. MACHINERY:

| D. MACHINA | | | | | |
|------------|----------------------------------|------|----------|---------|----------|
| SI No | Description | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Angle dozer 90 hp | Hour | 3.40 | 1715.50 | 5832.70 |
| | Fuel / Energy charges | Hour | 3.40 | 625.30 | 2126.02 |
| 2 | Shovel 0.50 cum capacity | Hour | 8.00 | 1003.10 | 8024.80 |
| | Fuel / Energy charges | Hour | 8.00 | 487.60 | 3900.80 |
| 3 | Tippers 5.00 cum capacity 3 Nos. | Hour | 32.00 | 446.70 | 14294.40 |
| | Fuel / Energy charges | Hour | 32.00 | 307.20 | 9830.40 |
| 4 | Pump 5 hp (diesel) | Hour | 2.00 | 10.20 | 20.40 |
| | Fuel / Energy charges | Hour | 2.00 | 81.30 | 162.60 |
| 5 | Water tanker 8000 ltr | Hour | 4.00 | 402.50 | 1610.00 |
| | Fuel / Energy charges | Hour | 4.00 | 307.20 | 1228.80 |
| 6 | Vibratory Roller 8 tonne | Hour | 5.10 | 1342.20 | 6845.22 |
| | Fuel / Energy charges | Hour | 5.10 | 1056.40 | 5387.64 |
| 7 | Sundries | LS | 2.00 | 20.00 | 40.00 |
| | Total hire charges of Machinery | | | Rs: | 59303.78 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|-----------------------|------|----------|--------|---------|
| | | | | in Rs. | in Rs. |
| 1 | Crew for Dozer | Hour | 3.40 | 221.00 | 751.40 |
| 2 | Crew for Shovel | Hour | 8.00 | 221.00 | 1768.00 |
| 3 | Crew for Tipper | Hour | 32.00 | 165.80 | 5305.60 |
| 4 | Crew for Pump | Hour | 2.00 | 103.60 | 207.20 |
| 5 | Crew for Water tanker | Hour | 4.00 | 165.80 | 663.20 |
| 6 | Crew for Roller | Hour | 5.10 | 244.90 | 1248.99 |
| 7 | work inspector | Day | 2.00 | 400.00 | 800.00 |
| 8 | mazdoor | Day | 4.00 | 310.00 | 1240.00 |
| | Total cost of Labour | | | | |

labour component/unit qty

29.00

Add contractor's profit and overhead charges labour component/unit qty (including contractor's profit)

13.615% <u>3.90</u> **32.90**

ABSTRACT:

 A. Cost of Materials
 Rs: 0.00

 B. Hire charges of Machinery
 Rs: 59303.78

 C. Cost of Labour
 Rs: 11984.39

 Total
 Rs: 71288.17

D. Add for contractor's profit and overheads on (A+B+C) 13.615% Rs: 9705.88

Total cost for 412.80 cum Rs: **80994.05 Rate per cum** (A+B+C+D)/412.80 Rs. **196.20**

IRR-CAW-2-4 Providing semi-pervious / pervious casing embankment using soil from approved borrow area in layers of 25cm before compaction including cost of all materials, machinery, labour, all operations such as excavation, sortingout, transporting, spreading in layer of specified thickness, breaking clods, sectioning, watering, compacting to density control of not less than 95 percent or as stipulated by Sheep foot roller / Vibratory roller/ 8 to 10 tonne power roller etc., complete with initial lead upto 1 km and all lifts.

DATA: RATE ANALYSIS UNIT: 412.80 cum

A. MATERIALS:

| A. MAILINAL | .0. | | | | |
|-------------------------|-------------|------|----------|--------|--------|
| SI No | particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Nill | | 0.00 | 0.00 | 0.00 |
| | | | 0.00 | 0.00 | 0.00 |
| Total cost of Materials | | | Rs: | 0.00 | |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|---------------------------------|------|----------|---------|----------|
| | · | | - | in Rs. | in Rs. |
| 1 | Angle dozer 90 hp | Hour | 3.40 | 1715.50 | 5832.70 |
| | Fuel / Energy charges | Hour | 3.40 | 625.30 | 2126.02 |
| 2 | Shovel 0.5 cum | Hour | 8.00 | 1003.10 | 8024.80 |
| | Fuel / Energy charges | Hour | 8.00 | 487.60 | 3900.80 |
| 3 | Tippers 5 cum | Hour | 32.00 | 446.70 | 14294.40 |
| | Fuel / Energy charges | Hour | 32.00 | 307.20 | 9830.40 |
| 4 | Pump 5 hp (diesel) | Hour | 2.00 | 10.20 | 20.40 |
| | Fuel / Energy charges | Hour | 2.00 | 81.30 | 162.60 |
| 5 | Water tanker 8000 ltr | Hour | 4.00 | 402.50 | 1610.00 |
| | Fuel / Energy charges | Hour | 4.00 | 307.20 | 1228.80 |
| 6 | Vibratory Roller 8 tonne | Hour | 4.17 | 1342.20 | 5596.97 |
| | Fuel / Energy charges | Hour | 4.17 | 1056.40 | 4405.19 |
| 7 | Sundries | LS | 5.00 | 20.00 | 100.00 |
| | Total hire charges of Machinery | | | Rs: | 57133.08 |

C. LABOUR:

| C. LABOUR. | | | | | |
|------------|-----------------------|------|----------|--------|----------|
| SI No | Description | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Crew for Dozer | Hour | 3.40 | 221.00 | 751.40 |
| 2 | Crew for Shovel | Hour | 8.00 | 221.00 | 1768.00 |
| 3 | Crew for Tipper | Hour | 32.00 | 165.80 | 5305.60 |
| 4 | Crew for Pump | Hour | 2.00 | 103.60 | 207.20 |
| 5 | Crew for Water tanker | Hour | 4.00 | 165.80 | 663.20 |
| 6 | Crew for Roller | Hour | 4.00 | 244.90 | 979.60 |
| 7 | work inspector | Day | 4.17 | 400.00 | 1668.00 |
| 8 | mazdoor | Day | 4.00 | 310.00 | 1240.00 |
| | Total cost of Labour | | | Rs: | 12583.00 |

labour component/unit qty 30.50
Add contractor's profit and overhead charges 13.615% 4.20
labour component/unit qty (including contractor's profit) 34.70

ABSTRACT:

 A. Cost of Materials
 Rs: 0.00

 B. Hire charges of Machinery
 Rs: 57133.08

 C. Cost of Labour
 Rs: 12583.00

 Total
 Rs: 69716.08

D. Add for contractor's profit and overheads on (A+B+C) 13.615% Rs: 9491.84
Total cost for 412.80 cum Rs: **79207.92 Rate per cum** (A+B+C+D)/412.80 Rs. **191.90**

IRR-CAW-2-5

Providing semi-pervious / pervious casing embankment using soil from approved borrow area in layers of 25cm before compaction including cost of all materials, machinery, labour, all operations such as excavation, sortingout, transporting, spreading in layer of specified thickness, breaking clods, sectioning, compacting each layer without watering to density control of not less than 95 percent or as stipulated by Sheep foot roller / Vibratory roller/8 to 10 tonne power roller etc., complete with initial lead upto 1 km and all lifts.

DATA: RATE ANALYSIS UNIT: 412.80 cum

| A. | MA | ΓER | IAL | LS: |
|----|----|-----|-----|-----|
|----|----|-----|-----|-----|

| A. MAILINAL | -0. | | | | |
|-------------------------|-------------|------|----------|--------|--------|
| SI No | particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Nill | | 0.00 | 0.00 | 0.00 |
| | | | 0.00 | 0.00 | 0.00 |
| Total cost of Materials | | | Rs: | 0.00 | |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|----------------------------------|------|----------|---------|----------|
| | | | | in Rs. | in Rs. |
| 1 | Angle dozer 90 hp | Hour | 3.40 | 1715.50 | 5832.70 |
| | Fuel / Energy charges | Hour | 3.40 | 625.30 | 2126.02 |
| 2 | Shovel 0.50 cum capacity | Hour | 8.00 | 1003.10 | 8024.80 |
| | Fuel / Energy charges | Hour | 8.00 | 487.60 | 3900.80 |
| 3 | Tippers 5.00 cum capacity 3 Nos. | Hour | 32.00 | 446.70 | 14294.40 |
| | Fuel / Energy charges | Hour | 32.00 | 307.20 | 9830.40 |
| 4 | Vibratory Roller 8 tonne | Hour | 4.17 | 1342.20 | 5596.97 |
| | Fuel / Energy charges | Hour | 4.17 | 1056.40 | 4405.19 |
| 5 | Sundries | LS | 2.00 | 20.00 | 40.00 |
| | Total hire charges of Machinery | | | | 54051.28 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|----------------------|-----------------|------|----------|--------|----------|
| | | | | in Rs. | in Rs. |
| 1 | Crew for Dozer | Hour | 3.40 | 221.00 | 751.40 |
| 2 | Crew for Shovel | Hour | 8.00 | 221.00 | 1768.00 |
| 3 | Crew for Tipper | Hour | 32.00 | 165.80 | 5305.60 |
| 4 | Crew for Roller | Hour | 4.17 | 244.90 | 1021.23 |
| 5 | work inspector | Day | 2.00 | 400.00 | 800.00 |
| 6 | mazdoor | Day | 4.00 | 310.00 | 1240.00 |
| Total cost of Labour | | | | Rs: | 10886.23 |

labour component/unit qty

Add contractor's profit and overhead charges
13.615% 3.60
labour component/unit qty (including contractor's profit)
30.00

ABSTRACT:

| A. Cost of Materials | | Rs: | 0.00 |
|------------------------------|-------|-----|----------|
| B. Hire charges of Machinery | | Rs: | 54051.28 |
| C. Cost of Labour | | Rs: | 10886.23 |
| | Total | Rs: | 64937.52 |

D. Add for contractor's profit and overheads on (A+B+C) 13.615% Rs: 8841.24
Total cost for 412.80 cum Rs: **73778.76 Rate per cum** (A+B+C+D)/412.80 Rs. **178.70**

IRR-CAW-2-6 Providing hearting / casing embankment with homogeneous soil from approved borrow areas in layers of 25 cm before compaction including cost of all materials, machinery, labour, all operations such as excavation, sorting out, transporting, spreading in layer of specified thickness, breaking clods, sectioning, watering, compacting each layer to density control of not less than 98 percent or as stipulated by Sheep foot roller / Vibratory roller/8 to 10 tonne power roller etc., complete with initial lead upto 1 km and all lifts.

DATA:

RATE ANALYSIS UNIT: 677.28 cum

| A. | MΑ | TER | IAL | LS: |
|----|----|-----|-----|-----|
|----|----|-----|-----|-----|

| A. INIA I EIVIAE | .0. | | | | |
|-------------------------|-------------|------|----------|--------|--------|
| SI No | particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Nill | | 0.00 | 0.00 | 0.00 |
| | | | 0.00 | 0.00 | 0.00 |
| Total cost of Materials | | | Rs: | 0.00 | |

B. MACHINERY:

| B. WACHINE | -111 | | | | |
|------------|----------------------------------|------|----------|---------|----------|
| SI No | Description | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Angle dozer | Hour | 6.06 | 1715.50 | 10395.93 |
| | Fuel / Energy charges | Hour | 6.06 | 625.30 | 3789.32 |
| 2 | Shovel 0.50 cum capacity | Hour | 8.00 | 1003.10 | 8024.80 |
| | Fuel / Energy charges | Hour | 8.00 | 487.60 | 3900.80 |
| 3 | Tippers 5.00 cum capacity 6 Nos. | Hour | 48.00 | 446.70 | 21441.60 |
| | Fuel / Energy charges | Hour | 48.00 | 307.20 | 14745.60 |
| 4 | Pump 5 hp (diesel) | Hour | 3.00 | 10.20 | 30.60 |
| | Fuel / Energy charges | Hour | 3.00 | 81.30 | 243.90 |
| 5 | Water tanker 8000 ltr | Hour | 6.00 | 402.50 | 2415.00 |
| | Fuel / Energy charges | Hour | 6.00 | 307.20 | 1843.20 |
| 6 | Vibratory Roller 8 tonne | Hour | 7.53 | 1342.20 | 10106.77 |
| | Fuel / Energy charges | Hour | 7.53 | 1056.40 | 7954.69 |
| 7 | Sundries | LS | 2.00 | 20.00 | 40.00 |
| | Total hire charges of Machinery | | | | 84932.21 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|-----------------------|------|----------|--------|----------|
| | | | | in Rs. | in Rs. |
| 1 | Crew for Dozer | Hour | 6.06 | 221.00 | 1339.26 |
| 2 | Crew for Shovel | Hour | 8.00 | 221.00 | 1768.00 |
| 3 | Crew for Tipper | Hour | 48.00 | 165.80 | 7958.40 |
| 4 | Crew for Pump | Hour | 3.00 | 103.60 | 310.80 |
| 5 | Crew for Water tanker | Hour | 6.00 | 165.80 | 994.80 |
| 6 | Crew for Roller | Hour | 7.53 | 244.90 | 1844.10 |
| 7 | work inspector | Day | 2.00 | 400.00 | 800.00 |
| 8 | mazdoor | Day | 4.00 | 310.00 | 1240.00 |
| | Total cost of Labour | | | Rs: | 16255.36 |

24.00 labour component/unit qty Add contractor's profit and overhead charges 13.615% 3.30 27.30

labour component/unit qty (including contractor's profit)

ABSTRACT:

| A. Cost of Mater | ials | | Rs: | 0.00 |
|------------------|--------------|-------|-----|-----------|
| B. Hire charges | of Machinery | | Rs: | 84932.21 |
| C. Cost of Labor | ır | | Rs: | 16255.36 |
| | | Total | Rs: | 101187 56 |

D. Add for contractor's profit and overheads on (A+B+C) 13.615% Rs: 13776.69 Total cost for 677.28 cum Rs: 114964.25 Rate per cum (A+B+C+D)/677.28 Rs. 169.70

IRR-CAW-2-7

Providing hearting / casing embankment with homogeneous soil from approved borrow areas in layers of 25 cm before compaction including cost of all materials, machinery, labour, all operations such as excavation, sorting out, transporting, spreading in layer of specified thickness, breaking clods, sectioning, watering, compacting each layer to density control of not less than 95 percent or as stipulated by Sheep foot roller / Vibratory roller/ 8 to 10 tonne power roller etc., complete with initial lead upto 1 km and all lifts.

RATE ANALYSIS DATA: UNIT: 677.28 cum

| A. MATERIAL | .S: | | | | |
|-------------|-------------|------|----------|-------------|---------------|
| SI No | particulars | Unit | Quantity | Rate in Rs. | Amount in Rs. |

| Total cost of Materials | 0.00 | 0.00 | 0.00 |
|-------------------------|------|------|------|
| 1 Nill | 0.00 | 0.00 | 0.00 |

B. MACHINERY:

| D. WACIIIIAL | | | | | |
|--------------|---------------------------------|------|----------|---------|----------|
| SI No | Description | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Angle dozer 90 hp | Hour | 6.06 | 1715.50 | 10395.93 |
| | Fuel / Energy charges | Hour | 6.06 | 625.30 | 3789.32 |
| 2 | Shovel 0.5 cum | Hour | 8.00 | 1003.10 | 8024.80 |
| | Fuel / Energy charges | Hour | 8.00 | 487.60 | 3900.80 |
| 3 | Tippers 5 cum 3 Nos | Hour | 48.00 | 446.70 | 21441.60 |
| | Fuel / Energy charges | Hour | 48.00 | 307.20 | 14745.60 |
| 4 | Pump 5 hp (diesel) | Hour | 3.00 | 10.20 | 30.60 |
| | Fuel / Energy charges | Hour | 3.00 | 81.30 | 243.90 |
| 5 | Water tanker 8000 ltr | Hour | 6.00 | 402.50 | 2415.00 |
| | Fuel / Energy charges | Hour | 6.00 | 307.20 | 1843.20 |
| 6 | Vibratory Roller 8 tonne | Hour | 6.16 | 1342.20 | 8267.95 |
| | Fuel / Energy charges | Hour | 6.16 | 1056.40 | 6507.42 |
| 7 | Sundries | LS | 5.00 | 20.00 | 100.00 |
| | Total hire charges of Machinery | | | | 81706.12 |

C. LABOUR:

| 2: 12 0 0 11 | · | | | | |
|--------------|-----------------------|------|----------|--------|----------|
| SI No | Description | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Crew for Dozer | Hour | 6.06 | 221.00 | 1339.26 |
| 2 | Crew for Shovel | Hour | 8.00 | 221.00 | 1768.00 |
| 3 | Crew for Tipper | Hour | 48.00 | 165.80 | 7958.40 |
| 4 | Crew for Pump | Hour | 3.00 | 103.60 | 310.80 |
| 5 | Crew for Water tanker | Hour | 6.00 | 165.80 | 994.80 |
| 6 | Crew for Roller | Hour | 6.16 | 244.90 | 1508.58 |
| 7 | work inspector | Day | 2.00 | 400.00 | 800.00 |
| 8 | mazdoor | Day | 4.00 | 310.00 | 1240.00 |
| | Total cost of Labour | | | | 15919.84 |

labour component/unit qty 23.50
Add contractor's profit and overhead charges 13.615% 3.20
labour component/unit qty (including contractor's profit) 26.70

ABSTRACT:

 A. Cost of Materials
 Rs:
 0.00

 B. Hire charges of Machinery
 Rs:
 81706.12

 C. Cost of Labour
 Rs:
 15919.84

 Total
 Rs:
 97625.97

D. Add for contractor's profit and overheads on (A+B+C) 13.615% Rs: 13291.78
Total cost for 677.28 cum Rs: 110917.75
Rate per cum (A+B+C+D)/677.28 Rs. 163.80

IRR-CAW-2-8 Providing casing embankment using homogeneous soil from approved borrow area

in layers of 25 cm before compaction including cost of all materials, machinery, labour, all operations such as excavation, sortingout, transporting, spreading in layer of specified thickness, breaking clods, sectioning, compacting each layer without watering to density control of not less than 95 percent or as stipulated by Sheep foot roller / Vibratory roller/8 to 10 tonne power roller etc., complete with initial lead upto 1 km and all lifts.

DATA: RATE ANALYSIS UNIT: 677.28 cum

A. MATERIALS:

| SI No | particulars | Unit | Quantity | Rate | Amount |
|-------|-------------------------|------|----------|--------|--------|
| | | | | in Rs. | in Rs. |
| 1 | Nill | | 0.00 | 0.00 | 0.00 |
| | | | 0.00 | 0.00 | 0.00 |
| | Total cost of Materials | | | Rs: | 0.00 |

| 2 | | | | | | |
|-------|-------------|------|----------|-------|--------|--|
| SI No | Description | Unit | Quantity | Rate | Amount | |
| | | | | in Rs | in Rs | |

| 1 | Angle dozer 90 hp | Hour | 6.06 | 1715.50 | 10395.93 |
|---|----------------------------------|------|-------|---------|----------|
| | Fuel / Energy charges | Hour | 6.06 | 625.30 | 3789.32 |
| 2 | Shovel 0.50 cum capacity | Hour | 8.00 | 1003.10 | 8024.80 |
| | Fuel / Energy charges | Hour | 8.00 | 487.60 | 3900.80 |
| 3 | Tippers 5.00 cum capacity 4 Nos. | Hour | 48.00 | 446.70 | 21441.60 |
| | Fuel / Energy charges | Hour | 48.00 | 307.20 | 14745.60 |
| 4 | Vibratory Roller 8 tonne | Hour | 6.16 | 1342.20 | 8267.95 |
| | Fuel / Energy charges | Hour | 6.16 | 1056.40 | 6507.42 |
| 5 | Sundries | LS | 2.00 | 20.00 | 40.00 |
| | Total hire charges of Machinery | | | | |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|----------------------|------|----------|--------|----------|
| | | | | in Rs. | in Rs. |
| 1 | Crew for Dozer | Hour | 6.06 | 221.00 | 1339.26 |
| 2 | Crew for Shovel | Hour | 8.00 | 221.00 | 1768.00 |
| 3 | Crew for Tipper | Hour | 48.00 | 165.80 | 7958.40 |
| 4 | Crew for Roller | Hour | 6.16 | 244.90 | 1508.58 |
| 5 | work inspector | Day | 2.00 | 400.00 | 800.00 |
| 6 | mazdoor | Day | 4.00 | 310.00 | 1240.00 |
| | Total cost of Labour | | | Rs: | 14614.24 |

labour component/unit qty 21.60
Add contractor's profit and overhead charges 13.615% 2.90
labour component/unit qty (including contractor's profit) 24.50

ABSTRACT:

 A. Cost of Materials
 Rs:
 0.00

 B. Hire charges of Machinery
 Rs:
 77113.42

 C. Cost of Labour
 Rs:
 14614.24

 Total
 Rs:
 91727.67

D. Add for contractor's profit and overheads on (A+B+C) 13.615% Rs: 12488.72
Total cost for 677.28 cum Rs: 104216.39
Rate per cum (A+B+C+D)/677.28 Rs. 153.90

IRR-CAW-3 EMBANKMENT WORKS USING DUMP AREA SOIL:

IRR-CAW-3-1 Prov

Providing impervious hearting embankment with soil from approved dump areas in layers of 25 cm before compaction including cost of all materials, machinery, labour, all operations such as re-excavation, sorting out, transporting, spreading in layer of specified thickness, breaking clods, sectioning, watering, compacting each layer to achieve density control of not less than 98 percent or as stipulated by Sheep foot roller / Vibratory roller/8 to 10 tonne power roller etc.,complete with initial lead upto 1 km and all lifts.

DATA: RATE ANALYSIS UNIT: 735.36 cum

A. MATERIALS:

| SI No | particulars | Unit | Quantity | Rate | Amount |
|-------|-------------------------|------|----------|--------|--------|
| | | | | in Rs. | in Rs. |
| 1 | Nill | | 0.00 | 0.00 | 0.00 |
| | | | 0.00 | 0.00 | 0.00 |
| | Total cost of Materials | | | Rs: | 0.00 |

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|----------------------------------|------|----------|---------|----------|
| | | | | in Rs. | in Rs. |
| 1 | Angle dozer | Hour | 4.04 | 1715.50 | 6930.62 |
| | Fuel / Energy charges | Hour | 4.04 | 625.30 | 2526.21 |
| 2 | Shovel 0.50 cum capacity | Hour | 8.00 | 1003.10 | 8024.80 |
| | Fuel / Energy charges | Hour | 8.00 | 487.60 | 3900.80 |
| 3 | Tippers 5.00 cum capacity 6 Nos. | Hour | 48.00 | 446.70 | 21441.60 |
| | Fuel / Energy charges | Hour | 48.00 | 307.20 | 14745.60 |
| 4 | Pump 5 hp (diesel) | Hour | 3.00 | 10.20 | 30.60 |
| | Fuel / Energy charges | Hour | 3.00 | 81.30 | 243.90 |
| 5 | Water tanker 8000 ltr | Hour | 6.00 | 402.50 | 2415.00 |
| | Fuel / Energy charges | Hour | 6.00 | 307.20 | 1843.20 |
| 6 | Vibratory Roller 8 tonne | Hour | 7.50 | 1342.20 | 10066.50 |

| 7 | Fuel / Energy charges Sundries | Hour | 7.50 2.00 | 1056.40 20.00 | 7923.00 40.00 |
|-----|---------------------------------|------|--------------|------------------|------------------|
| - ' | | LO | 2.00 | | |
| | Total hire charges of Machinery | | | Rs: | 80131.83 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|-----------------------|------|----------|--------|----------|
| | | | | in Rs. | in Rs. |
| 1 | Crew for Dozer | Hour | 3.58 | 221.00 | 791.18 |
| 2 | Crew for Shovel | Hour | 8.00 | 221.00 | 1768.00 |
| 3 | Crew for Tipper | Hour | 48.00 | 165.80 | 7958.40 |
| 4 | Crew for Pump | Hour | 3.00 | 103.60 | 310.80 |
| 5 | Crew for Water tanker | Hour | 6.00 | 165.80 | 994.80 |
| 6 | Crew for Roller | Hour | 7.50 | 244.90 | 1836.75 |
| 7 | work inspector | Day | 2.00 | 400.00 | 800.00 |
| 8 | mazdoor | Day | 6.00 | 310.00 | 1860.00 |
| | Total cost of Labour | | | | 16319.93 |

labour component/unit qty

Add contractor's profit and overhead charges

13.615%
3.00

labour component/unit qty (including contractor's profit)

25.20

ABSTRACT:

| A. Cost of Materials | | Rs: | 0.00 |
|------------------------------|-------|-----|----------|
| B. Hire charges of Machinery | | Rs: | 80131.83 |
| C. Cost of Labour | | Rs: | 16319.93 |
| | Total | Rs: | 96451.76 |

D. Add for contractor's profit and overheads on (A+B+C) 13.615% Rs: 13131.91 Total cost for 735.36 cum Rs: 109583.67 Rate per cum (A+B+C+D)/735.36 Rs. 149.00

IRR-CAW-3-2 Providing impervious hearting embankment with soil from approved dump areas in layers of 25 cm before compaction including cost of all materials, machinery, labour, all operations such as re-excavation, sorting out, transporting, spreading in layer of specified thickness, breaking clods, sectioning, watering, compacting each layer to achieve density control of not less than 95 percent or as stipulated by Sheep foot roller / Vibratory roller/8 to 10 tonne power roller etc.,complete with initial lead upto 1 km and all lifts.

DATA: RATE ANALYSIS UNIT: 735.36 cum

A. MATERIALS:

| A. WATERIALS | o: | | | | |
|--------------|-------------------------|------|----------|--------|--------|
| SI No | particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Nill | | 0.00 | 0.00 | 0.00 |
| | | | 0.00 | 0.00 | 0.00 |
| | Total cost of Materials | 3 | | Rs: | 0.00 |

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|---------------------------------|------|----------|---------|----------|
| | | | | in Rs. | in Rs. |
| 1 | Angle dozer 90 hp | Hour | 4.04 | 1715.50 | 6930.62 |
| | Fuel / Energy charges | Hour | 4.04 | 625.30 | 2526.21 |
| 2 | Shovel 0.5 cum | Hour | 8.00 | 1003.10 | 8024.80 |
| | Fuel / Energy charges | Hour | 8.00 | 487.60 | 3900.80 |
| 3 | Tippers 5 cum | Hour | 48.00 | 446.70 | 21441.60 |
| | Fuel / Energy charges | Hour | 48.00 | 307.20 | 14745.60 |
| 4 | Pump 5 hp (diesel) | Hour | 3.00 | 10.20 | 30.60 |
| | Fuel / Energy charges | Hour | 3.00 | 81.30 | 243.90 |
| 5 | Water tanker 8000 ltr | Hour | 6.00 | 402.50 | 2415.00 |
| | Fuel / Energy charges | Hour | 6.00 | 307.20 | 1843.20 |
| 6 | Vibratory Roller 8 tonne | Hour | 6.13 | 1342.20 | 8227.69 |
| | Fuel / Energy charges | Hour | 6.13 | 1056.40 | 6475.73 |
| 7 | Sundries | LS | 5.00 | 20.00 | 100.00 |
| | Total hire charges of Machinery | | | | |

| C. LABOUR | ₹: |
|-----------|----|
|-----------|----|

| | SI No | Description | Unit | Quantity | Rate | Amount | |
|--|-------|-------------|------|----------|------|--------|--|
|--|-------|-------------|------|----------|------|--------|--|

| | | | | in Rs. | in Rs. |
|---|-----------------------|------|-------|--------|----------|
| 1 | Crew for Dozer | Hour | 4.04 | 221.00 | 892.84 |
| 2 | Crew for Shovel | Hour | 8.00 | 221.00 | 1768.00 |
| 3 | Crew for Tipper | Hour | 48.00 | 165.80 | 7958.40 |
| 4 | Crew for Pump | Hour | 3.00 | 103.60 | 310.80 |
| 5 | Crew for Water tanker | Hour | 6.00 | 165.80 | 994.80 |
| 6 | Crew for Roller | Hour | 6.13 | 244.90 | 1501.24 |
| 7 | work inspector | Day | 2.00 | 400.00 | 800.00 |
| 8 | mazdoor | Day | 6.00 | 310.00 | 1860.00 |
| | Total cost of Labour | | | Rs: | 16086.08 |

labour component/unit qty

21.90

Add contractor's profit and overhead charges

13.615% 3.00

labour component/unit qty (including contractor's profit)

24.90

ABSTRACT:

A. Cost of Materials Rs: 0.00 B. Hire charges of Machinery 76905.75 Rs: C. Cost of Labour 16086.08 Rs: 92991.83 Total Rs:

D. Add for contractor's profit and overheads on (A+B+C) 13.615% Rs: 12660.84 105652.67 Total cost for 735.36 cum Rs: Rate per (A+B+C+D)/735.36 Rs. 143.70 cum

IRR-CAW-3-3 Providing semi-pervious / pervious casing embankment using soil from approved dump area in layers of 25 cm before compaction including cost of all materials, machinery, labour, all operations such as re-excavation, sorting out, transporting, spreading in layer of specified thickness, breaking clods, sectioning, watering, compacting each layer to density control of not less than 98 percent or as stipulated by Sheep foot roller / Vibratory roller/

DATA:

RATE ANALYSIS

8 to 10 tonne power roller etc., complete with initial lead upto 1 km and all lifts.

UNIT: 768.00 cum

| A. WATERIAL | .5: | | | | |
|-------------|-------------------------|------|----------|--------|--------|
| SI No | particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Nill | | 0.00 | 0.00 | 0.00 |
| | | | 0.00 | 0.00 | 0.00 |
| | Total cost of Materials | | | Rs: | 0.00 |

B. MACHINERY:

MATERIAL C.

| D. MACHINE | | | | | |
|------------|---------------------------------|------|----------|---------|----------|
| SI No | Description | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Angle dozer 90 hp | Hour | 4.22 | 1715.50 | 7239.41 |
| | Fuel / Energy charges | Hour | 4.22 | 625.30 | 2638.77 |
| 2 | Shovel 0.50 cum capacity | Hour | 8.00 | 1003.10 | 8024.80 |
| | Fuel / Energy charges | Hour | 8.00 | 487.60 | 3900.80 |
| 3 | Tippers 5.00 cum capacity 6 Nos | Hour | 48.00 | 446.70 | 21441.60 |
| | Fuel / Energy charges | Hour | 48.00 | 307.20 | 14745.60 |
| 4 | Pump 5 hp (diesel) | Hour | 3.00 | 10.20 | 30.60 |
| | Fuel / Energy charges | Hour | 3.00 | 81.30 | 243.90 |
| 5 | Water tanker 8000 ltr | Hour | 6.00 | 402.50 | 2415.00 |
| | Fuel / Energy charges | Hour | 6.00 | 307.20 | 1843.20 |
| 6 | Vibratory Roller 8 tonne | Hour | 7.82 | 1342.20 | 10496.00 |
| | Fuel / Energy charges | Hour | 7.82 | 1056.40 | 8261.05 |
| 7 | Sundries | LS | 2.00 | 20.00 | 40.00 |
| | Total hire charges of Machinery | • | • | Rs: | 81320.73 |

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|-----------------------|------|----------|--------|---------|
| | | | | in Rs. | in Rs. |
| 1 | Crew for Dozer | Hour | 4.22 | 221.00 | 932.62 |
| 2 | Crew for Shovel | Hour | 8.00 | 221.00 | 1768.00 |
| 3 | Crew for Tipper | Hour | 48.00 | 165.80 | 7958.40 |
| 4 | Crew for Pump | Hour | 3.00 | 103.60 | 310.80 |
| 5 | Crew for Water tanker | Hour | 6.00 | 165.80 | 994.80 |

| 6 | Crew for Roller | Hour | 7.82 | 244.90 | 1915.12 |
|----------------------|-----------------|------|------|--------|----------|
| 7 | work inspector | Day | 2.00 | 400.00 | 800.00 |
| 8 | mazdoor | Day | 6.00 | 310.00 | 1860.00 |
| Total cost of Labour | | | | Rs: | 16539.74 |

labour component/unit qty

21.50

Add contractor's profit and overhead charges

13.615% 2.90

labour component/unit qty (including contractor's profit) 24.40

ABSTRACT:

 A. Cost of Materials
 Rs: 0.00

 B. Hire charges of Machinery
 Rs: 81320.73

 C. Cost of Labour
 Rs: 16539.74

 Total
 Rs: 97860.47

D. Add for contractor's profit and overheads on (A+B+C) 13.615% Rs: 13323.7 Total cost for 768.00 cum Rs: 111184.17 Rate per cum (A+B+C+D)/768 Rs. 144.80

IRR-CAW-3-4 Providing semi-pervious / pervious casing embankment using soil from approved dump area in layers of 25 cm before compaction including cost of all materials, machinery, labour, all operations such as re-excavation, sorting out, transporting, spreading in layer of specified thickness, breaking clods, sectioning, watering, compacting each layer to density control of not less than 95 percent or as stipulated by Sheep foot roller / Vibratory roller/8 to 10 tonne power roller etc., complete with initial lead upto 1 km and all lifts.

DATA:

RATE ANALYSIS

UNIT: 768.00 cum

| A. MATERIAL | .S: | | | | |
|-------------|-------------------------|------|----------|--------|--------|
| SI No | particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Nill | | 0.00 | 0.00 | 0.00 |
| | | | 0.00 | 0.00 | 0.00 |
| | Total cost of Materials | 1 | · | Rs: | 0.00 |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|---------------------------------|------|----------|---------|----------|
| | | | | in Rs. | in Rs. |
| 1 | Angle dozer 90 hp | Hour | 4.22 | 1715.50 | 7239.41 |
| | Fuel / Energy charges | Hour | 4.22 | 625.30 | 2638.77 |
| 2 | Shovel 0.5 cum | Hour | 8.00 | 1003.10 | 8024.80 |
| | Fuel / Energy charges | Hour | 8.00 | 487.60 | 3900.80 |
| 3 | Tippers 5 cum of 6 Nos | Hour | 48.00 | 446.70 | 21441.60 |
| | Fuel / Energy charges | Hour | 48.00 | 307.20 | 14745.60 |
| 4 | Pump 5 hp (diesel) | Hour | 3.00 | 10.20 | 30.60 |
| | Fuel / Energy charges | Hour | 3.00 | 81.30 | 243.90 |
| 5 | Water tanker 8000 ltr | Hour | 6.00 | 402.50 | 2415.00 |
| | Fuel / Energy charges | Hour | 6.00 | 307.20 | 1843.20 |
| 6 | Vibratory Roller 8 tonne | Hour | 6.40 | 1342.20 | 8590.08 |
| | Fuel / Energy charges | Hour | 6.40 | 1056.40 | 6760.96 |
| 7 | Sundries | LS | 5.00 | 20.00 | 100.00 |
| | Total hire charges of Machinery | | | Rs: | 77974.72 |

C. LABOUR:

| O. LABOUN. | • | | | | |
|------------|-----------------------|------|----------|--------|----------|
| SI No | Description | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Crew for Dozer | Hour | 4.22 | 221.00 | 932.62 |
| 2 | Crew for Shovel | Hour | 8.00 | 221.00 | 1768.00 |
| 3 | Crew for Tipper | Hour | 48.00 | 165.80 | 7958.40 |
| 4 | Crew for Pump | Hour | 3.00 | 103.60 | 310.80 |
| 5 | Crew for Water tanker | Hour | 6.00 | 165.80 | 994.80 |
| 6 | Crew for Roller | Hour | 6.40 | 244.90 | 1567.36 |
| 7 | work inspector | Day | 2.00 | 400.00 | 800.00 |
| 8 | mazdoor | Day | 6.00 | 310.00 | 1860.00 |
| | Total cost of Labour | | | Rs: | 16191.98 |

labour component/unit qty

21.10

Add contractor's profit and overhead charges 13.615% 2.90 labour component/unit qty (including contractor's profit) 24.00

ABSTRACT:

 A. Cost of Materials
 Rs: 0.00

 B. Hire charges of Machinery
 Rs: 77974.72

 C. Cost of Labour
 Rs: 16191.98

 Total
 Rs: 94166.70

D. Add for contractor's profit and overheads on (A+B+C) 13.615% Rs: 12820.8

Total cost for 768.00 cum Rs: **106987.50 Rate per cum** (A+B+C+D)/768 Rs. **139.30**

IRR-CAW-3-5 Providing semi-pervious / pervious casing embankment using soil from approved dump area in layers of 25 cm before compaction including cost of all materials, machinery, labour, all operations such as re-excavation, sorting out, transporting, spreading in layer of specified thickness, breaking clods, sectioning, compacting each layer without watering to density control of not less than 95 percent or as stipulated by Sheep foot roller / Vibratory roller/

8 to 10 tonne power roller etc., complete with initial lead upto 1 km and all lifts.

DATA: RATE ANALYSIS UNIT: 768.00 cum

A. MATERIALS:

| A. WATERIAL | <u> </u> | | | | |
|-------------|-------------------------|------|----------|--------|--------|
| SI No | particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Nill | | 0.00 | 0.00 | 0.00 |
| | | | 0.00 | 0.00 | 0.00 |
| | Total cost of Materials | | | Rs: | 0.00 |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|----------------------------------|------|----------|---------|----------|
| | | | | in Rs. | in Rs. |
| 1 | Angle dozer 90 hp | Hour | 4.22 | 1715.50 | 7239.41 |
| | Fuel / Energy charges | Hour | 4.22 | 625.30 | 2638.77 |
| 2 | Shovel 0.50 cum capacity | Hour | 8.00 | 1003.10 | 8024.80 |
| | Fuel / Energy charges | Hour | 8.00 | 487.60 | 3900.80 |
| 3 | Tippers 5.00 cum capacity 6 Nos. | Hour | 48.00 | 446.70 | 21441.60 |
| | Fuel / Energy charges | Hour | 48.00 | 307.20 | 14745.60 |
| 4 | Vibratory Roller 8 tonne | Hour | 6.40 | 1342.20 | 8590.08 |
| | Fuel / Energy charges | Hour | 6.40 | 1056.40 | 6760.96 |
| 5 | Sundries | LS | 2.00 | 20.00 | 40.00 |
| | Total hire charges of Machinery | | | | |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|----------------------|-----------------|------|----------|--------|----------|
| | | | | in Rs. | in Rs. |
| 1 | Crew for Dozer | Hour | 4.22 | 221.00 | 932.62 |
| 2 | Crew for Shovel | Hour | 8.00 | 221.00 | 1768.00 |
| 3 | Crew for Tipper | Hour | 48.00 | 165.80 | 7958.40 |
| 4 | Crew for Roller | Hour | 6.40 | 244.90 | 1567.36 |
| 5 | work inspector | Day | 2.00 | 400.00 | 800.00 |
| 6 | mazdoor | Day | 6.00 | 310.00 | 1860.00 |
| Total cost of Labour | | | | Rs: | 14886.38 |

labour component/unit qty 19.40
Add contractor's profit and overhead charges 13.615% 2.60
labour component/unit qty (including contractor's profit) 22.00

ABSTRACT:

 A. Cost of Materials
 Rs: 0.00

 B. Hire charges of Machinery
 Rs: 73382.02

 C. Cost of Labour
 Rs: 14886.38

 Total
 Rs: 88268.40

D. Add for contractor's profit and overheads on (A+B+C) 13.615% Rs: 12017.74

Total cost for 768.00 cum Rs: 100286.14

Rate per cum (A+B+C+D)/768 Rs. 130.60

IRR-CAW-4 EMBANKMENT WORKS USING EXCAVATED SOIL:

IRR-CAW-4-1 Providing impervious hearting embankment with soil collected in embankment area in

heaps as part of disposal of excavated soil from canal including cost of all materials, machinery, labour, all operations such as sortingout, spreading in layer of 25 cm before compaction, breaking clods, sectioning, watering and compacting each layer to density control of not less than 98 percent or as stipulated by Sheep foot roller / Vibratory roller/8 to 10 tonne power roller etc., complete with lead upto 1 km for water.

DATA: RATE ANALYSIS UNIT: 600.00 cum

| A. MATERIALS | |
|--------------|--|
|--------------|--|

| SI No | particulars | Unit | Quantity | Rate | Amount |
|-------|-------------------------|------|----------|--------|--------|
| | | | | in Rs. | in Rs. |
| 1 | Nill | | 0.00 | 0.00 | 0.00 |
| | | | 0.00 | 0.00 | 0.00 |
| | Total cost of Materials | | | Rs: | 0.00 |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|---------------------------------|------|----------|---------|----------|
| | | | | in Rs. | in Rs. |
| 1 | Angle dozer 90 hp | Hour | 3.60 | 1715.50 | 6175.80 |
| | Fuel / Energy charges | Hour | 3.60 | 625.30 | 2251.08 |
| 2 | Pump 5 hp (diesel) | Hour | 3.00 | 10.20 | 30.60 |
| | Fuel / Energy charges | Hour | 3.00 | 81.30 | 243.90 |
| 3 | Water tanker 8000 ltr | Hour | 5.00 | 402.50 | 2012.50 |
| | Fuel / Energy charges | Hour | 5.00 | 307.20 | 1536.00 |
| 4 | Vibratory Roller 8 tonne | Hour | 7.30 | 1342.20 | 9798.06 |
| | Fuel / Energy charges | Hour | 7.30 | 1056.40 | 7711.72 |
| 5 | Sundries | LS | 2.00 | 20.00 | 40.00 |
| | Total hire charges of Machinery | | | Rs: | 29799.66 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|----------------------|-----------------------|------|----------|---------|---------|
| | | | | in Rs. | in Rs. |
| 1 | Crew for Dozer | Hour | 3.60 | 221.00 | 795.60 |
| 2 | Crew for Pump | Hour | 3.00 | 103.60 | 310.80 |
| 3 | Crew for Water tanker | Hour | 5.00 | 165.80 | 829.00 |
| 4 | Crew for Roller | Hour | 7.30 | 244.90 | 1787.77 |
| 5 | work inspector | Day | 1.00 | 400.00 | 400.00 |
| 6 | mazdoor | Day | 4.00 | 310.00 | 1240.00 |
| Total cost of Labour | | | Rs: | 5363.17 | |

labour component/unit qty 8.90
Add contractor's profit and overhead charges 13.615% 1.20
labour component/unit qty (including contractor's profit) 10.10

ABSTRACT:

 A. Cost of Materials
 Rs: 0.00

 B. Hire charges of Machinery
 Rs: 29799.66

 C. Cost of Labour
 Rs: 5363.17

 Total
 Rs: 35162.83

D. Add for contractor's profit and overheads on (A+B+C) 13.615% Rs: 4787.42
Total cost for 600.00 cum Rs: **39950.25**Rate per cum (A+B+C+D)/600 Rs. **66.60**

IRR-CAW-4-2 Providing impervious hearting embankment with soil collected in embankment area in

heaps as part of disposal of excavated soil from canal including cost of all materials,machinery, labour, all operations such as sortingout, spreading in layer of 25 cm before compaction, breaking clods,sectioning, watering and compacting each layer to density control of not less than 95 percent or as stipulated by Sheep foot roller / Vibratory roller/8 to 10 tonne power roller etc., complete with lead upto 1 km for water.

DATA: RATE ANALYSIS UNIT: 600.00 cum

| | NATE ANALTON | | OI TIII. | 000.00 | ourn | |
|-------------|--------------|------|----------|--------|--------|---|
| A. MATERIAL | .S: | | | | | |
| SI No | particulars | Unit | Quantity | Rate | Amount | l |

| | | | in Rs. | in Rs. |
|-------------------------|------|------|--------|--------|
| 1 | Nill | 0.00 | 0.00 | 0.00 |
| | | 0.00 | 0.00 | 0.00 |
| Total cost of Materials | | | Rs: | 0.00 |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|---------------------------------|--------------------------|------|----------|---------|----------|
| | | | | in Rs. | in Rs. |
| 1 | Angle dozer 90 hp | Hour | 3.60 | 1715.50 | 6175.80 |
| | Fuel / Energy charges | Hour | 3.60 | 625.30 | 2251.08 |
| 2 | Pump 5 hp (diesel) | Hour | 3.00 | 10.20 | 30.60 |
| | Fuel / Energy charges | Hour | 3.00 | 81.30 | 243.90 |
| 3 | Water tanker 8000 ltr | Hour | 5.00 | 402.50 | 2012.50 |
| | Fuel / Energy charges | Hour | 5.00 | 307.20 | 1536.00 |
| 4 | Vibratory Roller 8 tonne | Hour | 6.06 | 1342.20 | 8133.73 |
| | Fuel / Energy charges | Hour | 6.06 | 1056.40 | 6401.78 |
| 5 | Sundries | LS | 5.00 | 20.00 | 100.00 |
| Total hire charges of Machinery | | | | | 26885.40 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|-----------------------|------|----------|--------|---------|
| | | | | in Rs. | in Rs. |
| 1 | Crew for Dozer | Hour | 3.60 | 221.00 | 795.60 |
| 2 | Crew for Pump | Hour | 3.00 | 103.60 | 310.80 |
| 3 | Crew for Water tanker | Hour | 5.00 | 165.80 | 829.00 |
| 4 | Crew for Roller | Hour | 6.06 | 244.90 | 1484.09 |
| 5 | work inspector | Day | 2.00 | 400.00 | 800.00 |
| 6 | mazdoor | Day | 4.00 | 310.00 | 1240.00 |
| | Total cost of Labour | | | Rs: | 5459.49 |

labour component/unit qty

9.10

Add contractor's profit and overhead charges 13 labour component/unit qty (including contractor's profit)

13.615% <u>1.20</u> fit) **10.30**

UNIT: 600.00 cum

ABSTRACT:

 A. Cost of Materials
 Rs: 0.00

 B. Hire charges of Machinery
 Rs: 26885.40

 C. Cost of Labour
 Rs: 5459.49

 Total
 Rs: 32344.89

D. Add for contractor's profit and overheads on (A+B+C) 13.615% Rs: 4403.76
Total cost for 600.00 cum Rs: 36748.65
Rate per cum (A+B+C+D)/600 Rs. 61.20

IRR-CAW-4-3 Providing semi-pervious / pervious casing hearting embankment using soil collected in

heaps in embankment area as part of disposal of excavated soil from canal including cost of all materials, machinery, labour, all operations such as sorting-out, spreading in layers of 25 cm before compaction, breaking clods, sectioning, watering and compacting each layer to density control of not less than 98 percent or as stipulated by Sheep foot roller / Vibratory roller/8 to 10 tonne power roller etc., complete with lead upto 1 km for water.

DATA:

| A. MATERIAL | .S: | | | | |
|-------------|-------------------------|------|----------|--------|--------|
| SI No | particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Nill | | 0.00 | 0.00 | 0.00 |
| | | | 0.00 | 0.00 | 0.00 |
| | Total cost of Materials | | | Rs: | 0.00 |

RATE ANALYSIS

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|-----------------------|------|----------|---------|---------|
| | | | | in Rs. | in Rs. |
| 1 | Angle dozer 90 hp | Hour | 3.60 | 1715.50 | 6175.80 |
| | Fuel / Energy charges | Hour | 3.60 | 625.30 | 2251.08 |
| 2 | Pump 5 hp (diesel) | Hour | 3.00 | 10.20 | 30.60 |
| | Fuel / Energy charges | Hour | 3.00 | 81.30 | 243.90 |

| 3 | Water tanker 8000 ltr | Hour | 5.00 | 402.50 | 2012.50 |
|---|---------------------------------|------|------|---------|----------|
| | Fuel / Energy charges | Hour | 5.00 | 307.20 | 1536.00 |
| 4 | Vibratory Roller 8 tonne | Hour | 7.30 | 1342.20 | 9798.06 |
| | Fuel / Energy charges | Hour | 7.30 | 1056.40 | 7711.72 |
| 5 | Sundries | LS | 2.00 | 20.00 | 40.00 |
| | Total hire charges of Machinery | , | • | Rs: | 29799.66 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|-----------------------|------|----------|--------|---------|
| | | | | in Rs. | in Rs. |
| 1 | Crew for Dozer | Hour | 3.60 | 221.00 | 795.60 |
| 2 | Crew for Pump | Hour | 3.00 | 103.60 | 310.80 |
| 3 | Crew for Water tanker | Hour | 5.00 | 165.80 | 829.00 |
| 4 | Crew for Roller | Hour | 7.30 | 244.90 | 1787.77 |
| 5 | work inspector | Day | 1.00 | 400.00 | 400.00 |
| 6 | mazdoor | Day | 4.00 | 310.00 | 1240.00 |
| | Total cost of Labour | | | | 5363.17 |

labour component/unit qty 8.90
Add contractor's profit and overhead charges 13.615% 1.20
labour component/unit qty (including contractor's profit) 10.10

ABSTRACT:

 A. Cost of Materials
 Rs: 0.00

 B. Hire charges of Machinery
 Rs: 29799.66

 C. Cost of Labour
 Rs: 5363.17

 Total
 Rs: 35162.83

D. Add for contractor's profit and overheads on (A+B+C) 13.615% Rs: 4787.42
Total cost for 600.00 cum Rs: **39950.25**Rate per cum (A+B+C+D)/600 Rs. **66.60**

IRR-CAW-4-4
Providing semi-pervious / pervious casing embankment using soil collected in heaps in embankment area as part of disposal of excavated soil from canal including cost of all materials, machinery, labour, all operations such as sorting-out, spreading in layers of 25 cm before compaction, breaking clods, sectioning, watering and compacting each layer to density control of not less than 95 percent or as stipulated by Sheep foot roller / Vibratory roller/8 to 10 tonne power roller etc., complete with lead upto 1 km for water.

DATA: RATE ANALYSIS UNIT: 600.00 cum

A. MATERIALS:

| A. WATERIALS | o: | | | | |
|-------------------------|-------------|------|----------|--------|--------|
| SI No | particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Nill | | 0.00 | 0.00 | 0.00 |
| | | | 0.00 | 0.00 | 0.00 |
| Total cost of Materials | | | | | 0.00 |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|---------------------------------|------|----------|---------|---------|
| | | | | in Rs. | in Rs. |
| 1 | Angle dozer 90 hp | Hour | 3.60 | 1715.50 | 6175.80 |
| | Fuel / Energy charges | Hour | 3.60 | 625.30 | 2251.08 |
| 2 | Pump 5 hp (diesel) | Hour | 3.00 | 10.20 | 30.60 |
| | Fuel / Energy charges | Hour | 3.00 | 81.30 | 243.90 |
| 3 | Water tanker 8000 ltr | Hour | 5.00 | 402.50 | 2012.50 |
| | Fuel / Energy charges | Hour | 5.00 | 307.20 | 1536.00 |
| 4 | Vibratory Roller 8 tonne | Hour | 6.1 | 1342.20 | 8133.73 |
| | Fuel / Energy charges | Hour | 6.1 | 1056.40 | 6401.78 |
| 5 | Sundries | LS | 5.00 | 20.00 | 100.00 |
| | Total hire charges of Machinery | | | | |

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|----------------|------|----------|--------|--------|
| | | | | in Rs. | in Rs. |
| 1 | Crew for Dozer | Hour | 3.60 | 221.00 | 795.60 |
| 2 | Crew for Pump | Hour | 3.00 | 103.60 | 310.80 |

| 3 | Crew for Water tanker | Hour | 5.00 | 165.80 | 829.00 |
|----------------------|-----------------------|------|------|---------|---------|
| 4 | Crew for Roller | Hour | 6.1 | 244.90 | 1484.09 |
| 5 | work inspector | Day | 2.00 | 400.00 | 800.00 |
| 6 | mazdoor | Day | 4.00 | 310.00 | 1240.00 |
| Total cost of Labour | | | Rs: | 5459.49 | |

labour component/unit qty

9.10

Add contractor's profit and overhead charges

13.615% 1.20

labour component/unit qty (including contractor's profit)

10.30

ABSTRACT:

| A. Cost of Materials | | Rs: | 0.00 |
|------------------------------|-------|-----|----------|
| B. Hire charges of Machinery | | Rs: | 26885.40 |
| C. Cost of Labour | | Rs: | 5459.49 |
| - | Fotal | Dc. | 32344 80 |

D. Add for contractor's profit and overheads on (A+B+C) 13.615% 4403.76 Rs: 600.00 cum 36748.65 Total cost for Rs: Rate per (A+B+C+D)/600 61.20 cum Rs.

IRR-CAW-4-5

Providing semi-pervious / pervious casing embankment using soil collected in heaps in embankment area as part of disposal of excavated soil from canal including cost of all materials, machinery, labour, all operations such as sorting-out, spreading in layers of 25 cm before compaction, breaking clods, sectioning and compacting each layer without watering to density control of not less than 95 percent or as stipulated by Sheep foot roller / Vibratory roller/ 8 to 10 tonne power roller etc., complete.

DATA:

RATE ANALYSIS

UNIT: 600.00 cum

0.00 0.00

Rs:

Amount

in Rs.

0.00

| A. INIA I LIVIAL | .U. | | | |
|------------------|-------------|------|----------|--------|
| SI No | particulars | Unit | Quantity | Rate |
| | | | | in Rs. |
| 1 | Nill | | 0.00 | 0.00 |
| | | | | |

Total cost of Materials

| B. MACHINERY: |
|---------------|
|---------------|

MATERIAL C.

| SI No | Description | Unit | Quantity | Rate | Amount |
|---------------------------------|--------------------------|------|----------|---------|----------|
| | | | | in Rs. | in Rs. |
| 1 | Angle dozer 90 hp | Hour | 3.60 | 1715.50 | 6175.80 |
| | Fuel / Energy charges | Hour | 3.60 | 625.30 | 2251.08 |
| 2 | Vibratory Roller 8 tonne | Hour | 6.06 | 1342.20 | 8133.73 |
| | Fuel / Energy charges | Hour | 6.06 | 1056.40 | 6401.78 |
| 3 | Sundries | LS | 2.00 | 20.00 | 40.00 |
| Total hire charges of Machinery | | | | | 23002.40 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|----------------------|-----------------|------|----------|--------|---------|
| | | | | in Rs. | in Rs. |
| 1 | Crew for Dozer | Hour | 3.60 | 221.00 | 795.60 |
| 2 | Crew for Roller | Hour | 6.06 | 244.90 | 1484.09 |
| 3 | work inspector | Day | 1.00 | 400.00 | 400.00 |
| 4 | mazdoor | Day | 4.00 | 310.00 | 1240.00 |
| Total cost of Labour | | | | | 3919.69 |

labour component/unit qty

6.50

Add contractor's profit and overhead charges

13.615% 0.90

labour component/unit qty (including contractor's profit)

7.40

ABSTRACT:

| A. Cost of Materials | Rs: | 0.00 |
|------------------------------|-------|----------|
| B. Hire charges of Machinery | Rs: | 23002.40 |
| C. Cost of Labour | Rs: | 3919.69 |
| Tot | al Ro | 26922.09 |

D. Add for contractor's profit and overheads on (A+B+C) Rs: 3665.44 600.00 cum Total cost for 30587.53 Rs: Rate per (A+B+C+D)/600 Rs. 51.00 cum

IRR-CAW-4-6

Providing compacted embankment for field irrigation channels with gravely soil from approved borrow area including sorting out, spreading in layers of 15 cm thickness, breaking clods, watering, compacting, dressing sides to required slopes etc.,complete with lead upto 50 m and all lifts.

DATA RATE ANALYSIS UNIT: 25.00 cum

| A. MATERIAL | _S: | | | | |
|-------------------------|-------------|------|----------|--------|--------|
| SI No | particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Nill | | 0.00 | 0.00 | |
| | | | 0.00 | 0.00 | |
| Total cost of Materials | | | | | 0.00 |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|---------------------------------|-----------------------|------|----------|--------|--------|
| | | | | in Rs. | in Rs. |
| 1 | 5 hp pump (diesel) | Hour | 1.00 | 10.20 | 10.20 |
| | Fuel / Energy charges | Hour | 1.00 | 81.30 | 81.30 |
| Total hire charges of Machinery | | | | Rs: | 91.50 |

C. LABOUR:

| O. EADOON. | | | | | |
|----------------------|--|------|----------|--------|---------|
| SI No | Description | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Crew for pump | Hour | 1.00 | 103.60 | 103.60 |
| 2 | work inspector | Day | 1.00 | 400.00 | 400.00 |
| 3 | Crowbarman for loosening soil | Day | 2.50 | 370.00 | 925.00 |
| 4 | mazdoor | | | | |
| | For excavation at borrow area | Day | 5.00 | 310.00 | 1550.00 |
| | For spreading / levelling / sectioning | Day | 2.50 | 310.00 | 775.00 |
| | for loading soil | Day | 5.00 | 310.00 | 1550.00 |
| 5 | Cartman with Bullock cart for water | Day | 1.00 | 400.00 | 400.00 |
| 6 | Bullock drawn roller for rolling | Day | 1.00 | 400.00 | 400.00 |
| Total cost of Labour | | | | Rs: | 6103.60 |

labour component/unit qty 244.10
Add contractor's profit and overhead charges 13.615% 33.20
labour component/unit qty (including contractor's profit) 277.30

ABSTRACT:

| A. Cost of Materials | | Rs: | 0.00 |
|------------------------------|-------|-----|---------|
| B. Hire charges of Machinery | | Rs: | 91.50 |
| C. Cost of Labour | | Rs: | 6103.60 |
| | Total | Rs: | 6195.10 |

D. Add for contractor's profit and overheads on (A+B+C) 13.615% Rs: 843.46
Total cost for 25.00 cum Rs: **7038.56**Rate per cum (A+B+C+D)/25 Rs. **281.50**

IRR-CAW-5 FOUNDATION FILLING WORKS:

IRR-CAW-5-1 Providing rubble and sand filling in layers of 22.5 to 30 cm including cost of all materials, machinery, labour, watering, ramming etc., complete with initial lead upto 50 m and all lifts.

DATA RATE ANALYSIS UNIT: 10.00 cum

| A. MATERIALS: | | | | | | |
|-------------------------|-------------------------|------|----------|--------|---------|--|
| SI No | particulars | Unit | Quantity | Rate | Amount | |
| | | | | in Rs. | in Rs. | |
| 1 | Rubble stones at quarry | cum | 10.00 | 330.00 | 3300.00 | |
| 2 | Sand for filling | cum | 4.00 | 560.00 | 2240.00 | |
| Total cost of Materials | | | | Rs: | 5540.00 | |

| E | B. MACHINE | RY: | | | | |
|---|------------|-------------|------|----------|------|--------|
| | SI No | Description | Unit | Quantity | Rate | Amount |

| | | | in Rs. | in Rs. |
|---|---------------------------------|------|--------|--------|
| 1 | Nil | 0.00 | 0.00 | 0.00 |
| | | 0.00 | 0.00 | 0.00 |
| | Total hire charges of Machinery | · | Rs: | 0.00 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|-------------|---------|----------|--------|---------|
| | | | | in Rs. | in Rs. |
| 1 | mazdoor | Day | 4.00 | 310.00 | 1240.00 |
| | Rs: | 1240.00 | | | |

labour component/unit qty 124.00

Add contractor's profit and overhead charges 13.615% 16.90 labour component/unit qty (including contractor's profit) 140.90

ABSTRACT:

 A. Cost of Materials
 Rs:
 5540.00

 B. Hire charges of Machinery
 Rs:
 0.00

 C. Cost of Labour
 Rs:
 1240.00

 Total
 Rs:
 6780.00

10tai 113. <u>0700.00</u>

D. Add for contractor's profit and overheads on (A+B+C) 13.615% Rs: 923.1 Total cost for 10.00 cum Rs: **7703.10** Rate per cum (A+B+C+D)/10 Rs. **770.30**

IRR-CAW-5-2 **Providing rubble and Murum filling in layers of 22.5 to 30 cm** including cost of all materials, machinery, labour, watering, ramming etc., complete with **initial lead upto 50 m and all lifts.**

DATA A MATERIALS

| RATE | ANALY | 'SIS | U |
|------|--------------|------|---|
|------|--------------|------|---|

UNIT: 10.00 cum

| A. MATERIAL | -5: | | | | |
|-------------|-------------------------|------|----------|--------|---------|
| SI No | particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Rubble stones at quarry | cum | 10.00 | 330.00 | 3300.00 |
| 2 | Murum | cum | 4.00 | 115.00 | 460.00 |
| | Total cost of Materials | | | | |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|---------------------------------|------|----------|--------|--------|
| | | | | in Rs. | in Rs. |
| 1 | Nil | | 0.00 | 0.00 | 0.00 |
| | | | 0.00 | 0.00 | 0.00 |
| | Total hire charges of Machinery | •' | | Rs: | 0.00 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|----------------------|------|----------|--------|---------|
| | | | | in Rs. | in Rs. |
| 1 | mazdoor | Day | 4.00 | 310.00 | 1240.00 |
| | Total cost of Labour | | | Rs: | 1240.00 |

labour component/unit qty 124.00

Add contractor's profit and overhead charges 13.615% 16.90 labour component/unit qty (including contractor's profit) 140.90

ABSTRACT:

| A. Cost of Materials | | Rs: | 3760.00 |
|------------------------------|-------|-----|---------|
| B. Hire charges of Machinery | | Rs: | 0.00 |
| C. Cost of Labour | | Rs: | 1240.00 |
| | Total | Rs. | 5000.00 |

D. Add for contractor's profit and overheads on (A+B+C) 13.615% Rs: 680.75
Total cost for 10.00 cum Rs: **5680.75**

Total cost for 10.00 cum Rs: **5680.75 Rate per cum** (A+B+C+D)/10 Rs. **568.10**

IRR-CAW-5-3 **Providing and laying 25 cm thick sand blanket below embankment** including cost of all materials, machinery, labour, spreading to specified thickness etc., complete with initial lead **upto 50 m and all lifts.**

DATA RATE ANALYSIS UNIT: 100.00 sqm

A. MATERIALS:

| A. WAIERIAL | _3: | | | | | |
|-------------|-------------------------|------|----------|--------|----------|--|
| SI No | particulars | Unit | Quantity | Rate | Amount | |
| | | | | in Rs. | in Rs. | |
| 1 | Sand for Filling | cum | 25.00 | 560.00 | 14000.00 | |
| | | | 0.00 | 0.00 | | |
| | Total cost of Materials | | | | | |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount | | | |
|-------|---------------------------------|------|----------|--------|--------|--|--|--|
| | | | | in Rs. | in Rs. | | | |
| 1 | Nil | | 0.00 | 0.00 | 0.00 | | | |
| | | | 0.00 | 0.00 | 0.00 | | | |
| | Total hire charges of Machinery | • | | Rs: | 0.00 | | | |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|----------------------|------|----------|--------|---------|
| | | | | in Rs. | in Rs. |
| 1 | mazdoor | Day | 5.00 | 310.00 | 1550.00 |
| | Total cost of Labour | | | Rs: | 1550.00 |

labour component/unit qty

Add contractor's profit and overhead charges

15.50 13.615% 2.10

17.60

labour component/unit qty (including contractor's profit)

ABSTRACT:

 A. Cost of Materials
 Rs: 14000.00

 B. Hire charges of Machinery
 Rs: 0.00

 C. Cost of Labour
 Rs: 1550.00

 Total
 Rs: 15550.00

D. Add for contractor's profit and overheads on (A+B+C) 13.615% Rs: 2117.13
Total cost for 100.00 sqm Rs: 17667.13

Total cost for 100.00 sqm Rs: 17667.13

Rate per sqm (A+B+C+D)/100 Rs. 176.70

IRR-CAW-5-3-A **Providing and laying sand blanket below embankment** including cost of all (New Item3- 2011--

materials, machinery, labour, spreading to specified thickness etc., complete with initial lead **upto 50 m and all lifts.**

RATE ANALYSIS

DATA

12)

| A. MATERIALS: | | | | | | | |
|---------------|-------------------------|------|----------|--------|----------|--|--|
| SI No | particulars | Unit | Quantity | Rate | Amount | | |
| | | | | in Rs. | in Rs. | | |
| 1 | Sand for Filling | cum | 100.00 | 560.00 | 56000.00 | | |
| | | | 0.00 | 0.00 | | | |
| | Total cost of Materials | | | | | | |

B. MACHINERY:

| D: 1007 (O: 101 1E) | | | | | | |
|---------------------|---------------------------------|------|----------|--------|--------|--|
| SI No | Description | Unit | Quantity | Rate | Amount | |
| | | | | in Rs. | in Rs. | |
| 1 | Nil | | 0.00 | 0.00 | 0.00 | |
| | | | 0.00 | 0.00 | 0.00 | |
| | Total hire charges of Machinery | | | | | |

C. LABOUR:

| O. LADOUN. | | | | | |
|------------|----------------------|------|----------|--------|---------|
| SI No | Description | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | mazdoor | Day | 20.00 | 310.00 | 6200.00 |
| | Total cost of Labour | | | Rs: | 6200.00 |

labour component/unit qty

62.00

UNIT: 100.00 cum

Add contractor's profit and overhead charges
13
labour component/unit qty (including contractor's profit)

13.615% <u>8.40</u>

70.40

ABSTRACT:

A. Cost of Materials 56000.00 Rs: B. Hire charges of Machinery Rs: 0.00 C. Cost of Labour Rs: 6200.00

Total Rs: 62200.00

UNIT: 100.00 cum

D. Add for contractor's profit and overheads on (A+B+C) 13.615% Rs: 8468.53 Total cost for 100.00 cum Rs: 70668.53 Rate per (A+B+C+D)/100 Rs. 706.70 cum

IRR-CAW-5-4 Providing and constructing dry rubble rock-toe using rubble and stone chips from approved source including cost of all materials, machinery, labour, hand packing rubble and stone chips, finishing top and sides to required slopes etc., complete with initial lead upto

RATE ANALYSIS

A. MATERIALS:

DATA

50 m and all lifts.

| 7. W/7 = 1 C// | A MAI ENALO: | | | | | | | |
|----------------|-------------------------|------|----------|--------|----------|--|--|--|
| SI No | particulars | Unit | Quantity | Rate | Amount | | | |
| | | | | in Rs. | in Rs. | | | |
| 1 | Rubble | cum | 100.00 | 330.00 | 33000.00 | | | |
| 2 | Stone chips | cum | 15.00 | 360.00 | 5400.00 | | | |
| 3 | Sundries | LS | 2.00 | 20.00 | 40.00 | | | |
| | Total cost of Materials | | | | | | | |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|---------------------------------|------|----------|--------|--------|
| | | | | in Rs. | in Rs. |
| 1 | Nil | | 0.00 | 0.00 | |
| | | | 0.00 | 0.00 | |
| | Total hire charges of Machinery | | | Rs: | 0.00 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|----------------------|----------------|------|----------|--------|---------|
| | | | | in Rs. | in Rs. |
| 1 | work inspector | Day | 1.00 | 400.00 | 400.00 |
| 2 | Mason Class-II | Day | 7.00 | 370.00 | 2590.00 |
| 3 | mazdoor | Day | 19.00 | 310.00 | 5890.00 |
| Total cost of Labour | | | | | 8880.00 |

labour component/unit gty 88.80 Add contractor's profit and overhead charges 13.615% 12.10 labour component/unit qty (including contractor's profit) 100.90

ABSTRACT:

A. Cost of Materials Rs: 38440.00 B. Hire charges of Machinery Rs: 0.00 C. Cost of Labour Rs: 8880.00 Total Rs: 47320.00

D. Add for contractor's profit and overheads on (A+B+C) 13.615% Rs: 6442.62 100.00 cum Total cost for Rs: 53762.62 Rate per (A+B+C+D)/100 Rs. 537.60 cum

IRR-CAW-5-5 Providing and constructing longitudinal and cross graded filter drains using sand and

20 mm down graded aggregates satisfying specified filter creteria in layers as per specifications including cost of all materials, machinery, labour, laying to required slopes, compaction etc., complete with initial lead upto 50 m and all lifts.

DATA **RATE ANALYSIS** UNIT: 100.00 cum

| A. MATERIA | A. MATERIALS: | | | | | | | | | |
|------------|--------------------------------|------|----------|---------|----------|--|--|--|--|--|
| SI No | particulars | Unit | Quantity | Rate | Amount | | | | | |
| | | | | in Rs. | in Rs. | | | | | |
| 1 | Sand (Un-Screened) | cum | 76.80 | 560.00 | 43008.00 | | | | | |
| 2 | Coarse aggregate 20-10 mm 75 % | cum | 17.40 | 1210.00 | 21054.00 | | | | | |

| | Coarse aggregate 10 mm down 25 | | | | |
|---|--------------------------------|-----|------|--------|----------|
| 3 | % | cum | 5.80 | 875.00 | 5075.00 |
| | Total cost of Materials | | | Rs: | 69137.00 |

B. MACHINERY:

| D: 1017 (O: 1111 (E: | | | | | |
|----------------------|---------------------------------|------|----------|--------|--------|
| SI No | Description | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Nil | | 0.00 | 0.00 | |
| | | | 0.00 | 0.00 | |
| | Total hire charges of Machinery | | | Rs: | 0.00 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|----------------------|------|----------|--------|----------|
| | | | | in Rs. | in Rs. |
| 1 | work inspector | Day | 1.00 | 400.00 | 400.00 |
| 2 | mazdoor | Day | 36.00 | 310.00 | 11160.00 |
| | Total cost of Labour | | | | |

labour component/unit qty 115.60
Add contractor's profit and overhead charges 13.615% 15.70
labour component/unit qty (including contractor's profit) 131.30

ABSTRACT:

 A. Cost of Materials
 Rs:
 69137.00

 B. Hire charges of Machinery
 Rs:
 0.00

 C. Cost of Labour
 Rs:
 11560.00

 Total
 Rs:
 80697.00

D. Add for contractor's profit and overheads on (A+B+C) 13.615% Rs: 10986.9
Total cost for 100.00 cum Rs: 91683.90
Rate per cum (A+B+C+D)/100 Rs. 916.80

IRR-CAW-5-6 Laying Longitudinal Drains and Transverse drains of Size 600 x600 x750 mm in Bed and

filling with 12 mm to 40 mm HG machine Crushed metal and sand in bed including Excavation of drains and Cost of procuring of all materials including 50 m lead and for all lifts.

DATA: RATE ANALYSIS

| A. MATER | A. MATERIALS: | | Unit: | 100 | mt |
|----------|-------------------------|------|-------|-------------|---------------|
| SI.No | Particulars | Unit | Qty | Rate in F | Amount in Rs. |
| 1 | 12 mm to 40 mm metal | Cum | 13 | 3.5 1145.00 | 15457.50 |
| 2 | Sand (Un-Screened) | cum | | 36 560.00 | 20160.00 |
| | Total cost of Materials | | | Rs | 35617.5 |

B. MACHINERY

| SI.No | Description | Unit | Quantity | Rate in R | Amount in Rs. |
|-------|------------------------------------|------|----------|-----------|---------------|
| | | | | | |
| 1 | Excavation of drain with Excavator | Cum | 45 | 37.00 | 1665.00 |
| | Total hire charges of Machinery | | | Total Rs. | 1665 |

C. LABOUR

| SI.No | Particulars | Unit | Qty | Rate in R | Amount in Rs. |
|-------|-------------------------|------|------|-----------|---------------|
| 1 | Labour for Sand laying | Cum | 5.14 | 310.00 | 1593.40 |
| 2 | Labour for Metal laying | Cum | 1.93 | 310.00 | 598.30 |
| | Total cost of Labour | | | Rs. | 2191.7 |

labour component/unit qty

Add contractor's profit and overhead charges

13.615% 3.00

labour component/unit qty (including contractor's profit)

24.90

ABSTRACT

 A. Cost of Materials
 Rs.
 35617.5

 B. Hire charges of Machinery
 Rs.
 1665

 C. Cost of Labour
 Rs.
 2191.7

 Total
 Rs:
 39474.20

D. Add for contractor's profit and overheads on (A+B+C) 13.615% Rs: 5374.41

Total cost for 100.00 mt Rs: 44848.61

Rate per mt (A+B+C+D)/100 Rs. 448.50

IRR-CAW-5-7 Laying and fixing of 100 mm Dia 300 mm long precast porus CC plugs in bed and sides using 1.181 Kgs of cement per each using 20 mm HG metal and placing in local filters of size 600x600x750 mm in size including Excavation of drains and Cost of procuring of all materials including 50 m lead and for all lifts.

DATA Rate Analysis Unit 1 Plug

A. MATERIALS:

| | | | | Rate in | Amount in |
|-------|-------------------------|------|-------|---------|-----------|
| SI.No | Particulars | Unit | Qty | Rs | Rs. |
| 1 | Coarse aggregate | Cum | 0.08 | 1210.00 | 97.28 |
| 2 | Sand (Un-Screened) | cum | 0.203 | 560.00 | 113.68 |
| 3 | Cement | Kg | 1.181 | 6.30 | 7.44 |
| | Total cost of Materials | | | Rs. | 218.40 |

B. MACHINERY

| SI.No | Description | Unit | Quantity | Rate in Rs. | Amount in Rs. |
|-------|------------------------------------|------|----------|-------------|---------------|
| | | | | | |
| 1 | Excavation of drain with Excavator | Cum | 0.27 | 37.00 | 9.99 |
| 2 | Machine mixing Charges | Cum | 0.003 | 338.90 | 1.02 |
| | Total hire charges of Machinery | | | Total Rs. | 11.01 |

C. LABOUR

| | | | | Rate in | Amount in |
|-------|----------------------|------|------|---------|-----------|
| SI.No | Particulars | Unit | Qty | Rs | Rs. |
| 1 | Mazdoor | Day | 0.30 | 310.00 | 93.00 |
| | Total cost of Labour | | | Rs. | 93.00 |

labour component/unit qty
Add contractor's profit and overhead charges 13.615% 12.70
labour component/unit qty (including contractor's profit) 105.70

ABSTRACT

| A. Cost of Materials | Rs. | 218.40 |
|------------------------------|-----------|--------|
| B. Hire charges of Machinery | Rs. | 11.01 |
| C. Cost of Labour | Rs. | 93.00 |
| | Total Rs: | 322.41 |

 D. Add for contractor's profit and overheads on (A+B+C)
 13.615%
 Rs:
 43.9

 Total cost for
 1.00 Plug
 Rs:
 366.31

 Rate per
 each plug
 (A+B+C+D)/1.0
 Rs.
 366.30

IRR-CAW-5-8 **Providing and constructing 0.50 m thick vertical or inclined graded filter media** consisting of 15 cm thick sand layers and 20 cm thick 20 mm down coarse aggregate layer using approved materials satisfying specified filter creteria as per specifications including cost of all materials, machinery, labour, laying to required slope, compaction etc., complete with initial lead upto **50 m and all lifts.**

DATA: RATE ANALYSIS UNIT: 100.00 cum

A. MATERIALS:

| A. WAIERIA | LO: | | | | |
|-------------------------|--------------------------------|------|----------|---------|----------|
| SI No | particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Sand (Un-Screened) | cum | 60.00 | 560.00 | 33600.00 |
| | | | | | |
| 2 | Coarse aggregate 20-10 mm 75 % | cum | 30.00 | 1210.00 | 36300.00 |
| | Coarse aggregate 10 mm down 25 | | | | |
| 3 | % | cum | 10.00 | 875.00 | 8750.00 |
| Total cost of Materials | | | | Rs: | 78650.00 |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate in Rs. | Amount in Rs. |
|-------|-------------|------|----------|-------------|---------------|
| 1 | Nil | | 0.00 | 0.00 | 0.00 |
| | | | 0.00 | 0.00 | 0.00 |

Total hire charges of Machinery Rs: 0.00

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|----------------------|------|----------|--------|----------|
| | | | | in Rs. | in Rs. |
| 1 | work inspector | Day | 1.00 | 400.00 | 400.00 |
| 2 | mazdoor | Day | 36.00 | 310.00 | 11160.00 |
| | Total cost of Labour | | | Rs: | 11560.00 |

labour component/unit qty 115.60
Add contractor's profit and overhead charges 13.615% 15.70
labour component/unit qty (including contractor's profit) 131.30

ABSTRACT:

 A. Cost of Materials
 Rs: 78650.00

 B. Hire charges of Machinery
 Rs: 0.00

 C. Cost of Labour
 Rs: 11560.00

 Total
 Rs: 90210.00

D. Add for contractor's profit and overheads on (A+B+C) 13.615% Rs: 12282.09
Total cost for 100.00 cum Rs: 102492.09
Rate per cum (A+B+C+D)/100.0 Rs. 1024.90

IRR-CAW-5-9 **Providing and constructing graded filter media below and behind rock-toe** consisting of 20 cm thick sand, 15 cm thick 20 mm down and 15 cm thick 40 mm down size graded coarse aggregates satisfying filter creteria behind rock-toe and 15 cm thick sand, 20 cm thick 20 mm down coarse aggregate and 65 cm thick 40 mm down size coarse aggregate satisfying filter creiteria below rock-toe as per specifications including cost of all materials, machinery, labour, laying to required slope, compaction etc., complete **with initial lead upto 50 m and all lifts.**

DATA: RATE ANALYSIS

A. MATERIALS:

| A. WAIERIA | LS: | | | | |
|-------------------------|-----------------------------|------|----------|-----------|----------|
| SI No | particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Sand (Un-Screened) | cum | 58.77 | 560.00 | 32911.20 |
| 2 | Coarse aggregate 40-20 mm | cum | 52.70 | 1145.00 | 60341.50 |
| 3 | Coarse aggregate 20-10 mm | cum | 50.70 | 1210.00 | 61347.00 |
| 4 | Coarse aggregate 10 mm down | cum | 13.80 | 875.00 | 12075.00 |
| Total cost of Materials | | | Rs: | 166674.70 | |

UNIT: 176.00 cum

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|---------------------------------|-------------|------|----------|--------|--------|
| | | | | in Rs. | in Rs. |
| 1 | Nil | | 0.00 | 0.00 | 0.00 |
| | | | 0.00 | 0.00 | 0.00 |
| Total hire charges of Machinery | | | Rs: | 0.00 | |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|----------------------|----------------|------|----------|----------|----------|
| | | | | in Rs. | in Rs. |
| 1 | work inspector | Day | 1.00 | 400.00 | 400.00 |
| 2 | mazdoors | Day | 60.00 | 310.00 | 18600.00 |
| Total cost of Labour | | | Rs: | 19000.00 | |

labour component/unit qty108.00Add contractor's profit and overhead charges13.615%14.70labour component/unit qty (including contractor's profit)122.70

ABSTRACT:

 A. Cost of Materials
 Rs: 166674.70

 B. Hire charges of Machinery
 Rs: 0.00


 C. Cost of Labour
 Rs: 19000.00

 Total
 Rs: 185674.70

D. Add for contractor's profit and overheads on (A+B+C) 13.615% Rs: 25279.61
Total cost for 176.00 cum Rs: 210954.31
Rate per cum (A+B+C+D)/176.0 Rs. 1198.60

IRR-CAW-5-10 Providing and laying filter media consisting of 2 layers of poly-propeline nonwoven filter

- (a) fabric and 200 mm thick 20 mm down graded coarse aggregate for embankment including cost of all materials, machinery, labour, forming toe drain etc., complete with lead upto 50 m
 - a. for aggregate and all leads for fabric and all lifts. Using 200 gsm filter fabric.



DATA:

RATE ANALYSIS

| UNIT: 100.00 sqn | 0.00 sqm |
|-------------------------|-----------------|
|-------------------------|-----------------|

| A. MA | TERIAL | .S: | | | | |
|-------|--------|--------------------------|------|----------|---------|----------|
| SI | No | particulars | Unit | Quantity | Rate | Amount |
| | | | | | in Rs. | in Rs. |
| • | 1 | PP filter fabric 200 gsm | sqm | 210.00 | 132.00 | 27720.00 |
| 2 | 2 | 20 - 10 mm CA @ 75 % | cum | 15.00 | 1210.00 | 18150.00 |
| | | 10 mm down CA @ 25 % | cum | 5.00 | 875.00 | 4375.00 |
| | | Total Cost of materials | • | | Rs: | 50245.00 |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|---------------------------------|------|----------|--------|--------|
| | | | | in Rs. | in Rs. |
| 1 | Nil | | 0.00 | 0.00 | 0.00 |
| | | | 0.00 | 0.00 | 0.00 |
| | Total hire charges of Machinery | • | | Rs: | 0.00 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|----------------------|------|----------|--------|---------|
| | | | | in Rs. | in Rs. |
| 1 | work inspector | Day | 1.00 | 400.00 | 400.00 |
| 2 | mazdoor | Day | 7.00 | 310.00 | 2170.00 |
| | Total cost of Labour | | | Rs: | 2570.00 |

labour component/unit qty 25.70
Add contractor's profit and overhead charges 13.615% 3.50
labour component/unit qty (including contractor's profit) 29.20

ABSTRACT:

 A. Cost of Materials
 Rs:
 50245.00

 B. Hire charges of Machinery
 Rs:
 0.00

 C. Cost of Labour
 Rs:
 2570.00

 Total
 Rs:
 52815.00

 D. Add for contractor's profit and overheads on (A+B+C)
 13.615%
 Rs:
 7190.76

 Total cost for
 100.00 sqm
 Rs:
 60005.76

 Rate per sqm
 (A+B+C+D)/100.0
 Rs.
 600.10

IRR-CAW-5-11 Providing and laying filter media consisting of 2 layers of poly-propeline nonwoven filter

- (b) fabric and 200 mm thick 20 mm down graded coarse aggregate for embankment including cost of all materials, machinery, labour, forming toe drain etc., complete with lead upto 50 m for aggregate and all leads for fabric and all lifts.
 - b. Using 250 gsm filter fabric.

Data

RATE ANALYSIS UNIT: 100.00 sqm

A. MATERIALS:

| A. WATERIAL | .0. | | | | |
|-------------|--------------------------|------|----------|---------|----------|
| SI No | particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | PP filter fabric 250 gsm | sqm | 210.00 | 154.00 | 32340.00 |
| 2 | 20 - 10 mm CA @ 75 % | cum | 15.00 | 1210.00 | 18150.00 |
| | 10 mm down CA @ 25 % | cum | 5.00 | 875.00 | 4375.00 |
| | Total cost of Materials | | | | 54865.00 |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|---------------------------------|------|----------|--------|--------|
| | | | | in Rs. | in Rs. |
| 1 | Nil | | 0.00 | 0.00 | 0.00 |
| | | | 0.00 | 0.00 | 0.00 |
| | Total hire charges of Machinery | • | • | Rs: | 0.00 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|----------------------|------|----------|--------|---------|
| | | | | in Rs. | in Rs. |
| 1 | work inspector | Day | 1.00 | 400.00 | 400.00 |
| 2 | mazdoor | Day | 7.00 | 310.00 | 2170.00 |
| | Total cost of Labour | | | Rs: | 2570.00 |

labour component/unit qty

25.70

Add contractor's profit and overhead charges

13.615% 3.50

labour component/unit qty (including contractor's profit)

29.20

ABSTRACT:

 A. Cost of Materials
 Rs: 54865.00

 B. Hire charges of Machinery
 Rs: 0.00

 C. Cost of Labour
 Rs: 2570.00

 Total
 Rs: 57435.00

D. Add for contractor's profit and overheads on (A+B+C) 13.615% Rs: 7819.78
Total cost for 100.00 sqm Rs: **65254.78**Rate per sqm (A+B+C+D)/100.0 Rs. **652.50**

IRR-CAW-6 ROCK FILL WORKS:

IRR-CAW-6-1

Providing and constructing rockfill casing to canal embankment with graded stones and spalls from approved quarry including cost of all materials, machinery, labour, spreading stones and spalls in layers, hand packing, wedging, finishing surface to required slopes etc., complete with initial lead upto 50 m and all lifts.

DATA

RATE ANALYSIS UNIT: 100.00 cum

A MATERIALS.

| A. INIA I FIXIAL | . J . | | | | |
|------------------|------------------------------------|------|----------|--------|----------|
| SI No | particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Rubble stones (at quarry) | cum | 100.00 | 330.00 | 33000.00 |
| 2 | Stone chips / spalls (at quarry) | | 15.00 | 360.00 | 5400.00 |
| | Total cost of Materials | | | | 38400.00 |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|---------------------------------|------|----------|--------|--------|
| | | | | in Rs. | in Rs. |
| 1 | Nil | | 0.00 | 0.00 | 0.00 |
| | | | 0.00 | 0.00 | 0.00 |
| | Total hire charges of Machinery | | | Rs: | 0.00 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|----------------------|--------------|------|----------|--------|---------|
| | | | | in Rs. | in Rs. |
| 1 | Mason Cl- II | Day | 6.00 | 370.00 | 2220.00 |
| 2 | mazdoor | Day | 8.00 | 310.00 | 2480.00 |
| Total cost of Labour | | | | | 4700.00 |

labour component/unit qty

47.00

Add contractor's profit and overhead charges 13.615% 6.40 labour component/unit qty (including contractor's profit) 53.40

ABSTRACT:

 A. Cost of Materials
 Rs: 38400.00

 B. Hire charges of Machinery
 Rs: 0.00

 C. Cost of Labour
 Rs: 4700.00

Total Rs: 43100.00

D. Add for contractor's profit and overheads on (A+B+C) 13.615% Rs: 5868.07

Total cost for 100.00 cum Rs: 48968.07

Rate per cum (A+B+C+D)/100.0 Rs. 489.70

IRR-CAW-6-2 Providing and constructing rockfill casing to canal embankment with graded stones and

spalls **available in dump yard (spoil bank)** including cost of all materials, machinery, labour, spreading stones and spalls in layers, hand packing, wedging, finishing surface to required slopes etc.,

complete with initial lead upto 50 m and all lifts.

Note: Stones and spalls available in dump yard shall be issued at specified issue rate.

DATA RATE ANALYSIS UNIT: 100.00 cum

| A. MATERIA | LS: | | | | |
|------------|-------------------------------------|------|----------|--------|----------|
| SI No | particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Rubble stones at dump yard | cum | 100.00 | 165.00 | 16500.00 |
| | | | | | |
| 2 | Stone chips (spalls) at dump yard | | 15.00 | 185.00 | 2775.00 |
| | Total cost of Materials | | | Rs. | 19275 00 |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|---------------------------------|------|----------|--------|--------|
| | | | | in Rs. | in Rs. |
| 1 | Nil | | 0.00 | 0.00 | 0.00 |
| | | | 0.00 | 0.00 | 0.00 |
| | Total hire charges of Machinery | | | | 0.00 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|----------------------|------|----------|--------|---------|
| | | | | in Rs. | in Rs. |
| 1 | Mason CI- II | Day | 6.00 | 370.00 | 2220.00 |
| 2 | Crowbarman | Day | 2.00 | 370.00 | 740.00 |
| 3 | mazdoor | Day | 10.00 | 310.00 | 3100.00 |
| | Total cost of Labour | | | | 6060.00 |

labour component/unit qty 60.60
Add contractor's profit and overhead charges 13.615% 8.30
labour component/unit qty (including contractor's profit) 68.90

ABSTRACT:

 A. Cost of Materials
 Rs: 19275.00

 B. Hire charges of Machinery
 Rs: 0.00

 C. Cost of Labour
 Rs: 6060.00

 Total
 Rs: 25335.00

D. Add for contractor's profit and overheads on (A+B+C) 13.615% Rs: 3449.36

Total cost for 100.00 cum Rs: 28784.36

Rate per cum (A+B+C+D)/100.0 Rs. 287.80

IRR-CAW-7 CANAL LINING WORKS:

IRR-CAW-7-1 Providing cohesive non-swelling (CNS) soil lining to canals using soil from approved borrow area including spreading soil in layers of thickness not more than 15 cm, breaking clods, watering, compacting to density control of not less than 98 percent or as stipulated,

dressing to required profile etc., complete with initial lead upto 1 km and all lifts.

DATA: Capacity of shovel bucket : 0.50 cum

| | | | 0.50 | |
|---|---|-------------------|----------|---------|
| | Capacity of shovel bucket under heaped condition | : | | cum |
| | Capacity of tipper | : | | cum |
| | Lead for conveyance of soil | | | km |
| | Speed for loaded tipper under haul road condition | | | km / hr |
| | Speed for empty tipper under haul road condition Turning and unloading time | • | 2.00 | km / hr |
| | · · · | | | sec |
| | Shovel digging and loading cycle per bucket In-situ qty / bucket for 15 % bulkage of soil (0.58 /1.15) | : | | cum |
| | In-situ quantity per load for 20 % bulkage of soil (0.36 / 1.13) | | | cum |
| | Number of buckets per load (4.00 / 0.50) | say: | | buckets |
| | Cycle time for loading 8 buckets (8 x 32 / 60) | say: | 4.30 | |
| | Round trip cycle time for tipper: | say: | 4.30 | 111111 |
| | Ideal cycle time of shovel for digging & loading | | 4.30 | min |
| | Time for 1km haulage under load (60 / 20) | : | 3.00 | |
| | Time for turning and un-loading | : | 2.00 | |
| | Time for 1 km return trip (60 / 25) | | 2.40 | |
| | Time for turning and spotting | | 0.50 | |
| | Total | : - | 12.20 | |
| | No. of tippers to match corrected cycle time of shovel (12.60 / 4.00) | | | Nos |
| | Output of tipper / hr with 50 min working / hr (50 x 4.00 / 12.20) | | 16.40 | |
| | Output for 3 tippers per day (3 x 16.40 x 8) | say: | | cum |
| 1 | Stripping of borrow area: | Say . | 334 | cum |
| • | Generally borrow area is stripped once in a week for 6 days requirement | nt of soil | | |
| | Area to be stripped assuming 2.0 m depth of cut (394 x 6 / 2.0) | : | 1182 | sqm |
| | Depth of stripping | : | 0.2 | • |
| | Quantity of stripping considering 5 % extra area (1182x1.05x0.20) | : | | cum |
| | Output of dozer per hr with 50 min / hr working for stripping | : | | cum |
| | Time required for stripping 248 cum | : | | hours |
| | Consider 5 hours including time for levelling stripped siol / shifting time. | | | |
| | Requirement of dozer for one day work of 394 cum | say: | 1.00 | hours |
| 2 | Collection of soil for embankment: | , | | |
| | Deploy one 0.50 cum capacity shovel for 8 hours for digging and loading | g soil. | | |
| | Deploy 3 tippers of 5.00 cum capacity for 8 hours to convey soil to emb | - | | |
| 3 | Spreading soil in 15 cm layer: | | | |
| | In view of narrow width spreading soil by dozer is generally not be poss | ible. | | |
| | Soil collected in heaps along the edge of the canal can be pushed down | n by dozer to the | e extent | |
| | required and further spreading in layers of specified thickness has to be | e carried out by | manual | |
| | labour. Deploy dozer for 2.00 hour for pushing soil. | | | |
| | Output of mazdoor for levelling per day | : | 20 | cum |
| | Consider 27 mazdoors for levelling 551.6 cum soil including extra soil to b | e laid for roller | | |
| | margin. | | | |
| 4 | Watering; | | | |
| | Generally soil in the borrow area will be in moist condition. In the beginn | ning of the seas | on no | |
| | watering may be necessary and in summer months about 8 to 10 perce | ent watering may | y be | |
| | needed to maintain soil moisture within OMC plus or minus 3 percent lin | mit. Assuming s | easonal | |
| | average of 5 % watering by weight, the daily requirement of water for 39 | 94 cum of emba | nkment | |

average of 5 % watering by weight, the daily requirement of water for 394 cum of embankment will be about 4 tanker loads of 8000 ltrs each.

Deploy 8000 ltr capacity water tanker for 4 hours daily for watering before rolling. Consider 2 mazdoors for spraying water.

5 Compaction:

> Since dozer is not considered for spreading soil about 25 percent extra roller passes needed. Generally about 10 to 12 passes of diesel road roller is adequate for achieving 98 percent density control for 25 cm thick loose layer.

Effective length of roller drum 1.50 m Speed of roller per hour 3.00 km Thickness of layer 0.15 m Number of roller passes to achieve specified density control 12 Nos

Output of roller / hr with 50 min /hr working and 75 % effenciancy

50 / 60 (1.5 x 3000 x 0.15 x 0.75 / 12) 35.15625 say: 35.15 cum/hour Time for rolling 394 cum spread soil 11.2091 say: 11.5 hours

Sorting out/ sectioning etc: Assume 4 mazdoors for sorting out.

No extra labour required for sectioning as trimming roller margin forms part of the soil collection for bed lining. However 5 mazdoors considered for finishing to required slopes.

DATA: RATE ANALYSIS UNIT: 394.00 cum

A. MATERIALS:

| SI No | particulars | Unit | Quantity | Rate | Amount |
|-------|-------------------------|------|----------|--------|--------|
| | | | | in Rs. | in Rs. |
| 1 | Nil | | 0.00 | 0.00 | 0.00 |
| | | | 0.00 | 0.00 | 0.00 |
| | Total cost of Materials | | | Rs: | 0.00 |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|---------------------------------|------|----------|---------|----------|
| | | | | in Rs. | in Rs. |
| 1 | Shovel 0.5 cum | Hour | 8.00 | 1003.10 | 8024.80 |
| | Fuel / Energy charges | Hour | 8.00 | 487.60 | 3900.80 |
| 2 | Angle dozer 90 hp | Hour | 3.00 | 1715.50 | 5146.50 |
| | Fuel / Energy charges | Hour | 3.00 | 625.30 | 1875.90 |
| 3 | Tipper 5 cum | Hour | 24.00 | 446.70 | 10720.80 |
| | Fuel / Energy charges | Hour | 24.00 | 307.20 | 7372.80 |
| 4 | Pump 5 hp (diesel) | Hour | 4.00 | 10.20 | 40.80 |
| | Fuel / Energy charges | Hour | 4.00 | 81.30 | 325.20 |
| 5 | Water tanker 8000 ltr | Hour | 4.00 | 402.50 | 1610.00 |
| | Fuel / Energy charges | Hour | 4.00 | 307.20 | 1228.80 |
| 6 | Diesel road roller 8-10 tonne | Hour | 11.50 | 197.20 | 2267.80 |
| | Fuel / Energy charges | Hour | 11.50 | 731.40 | 8411.10 |
| 7 | Sundries | LS | 5.00 | 20.00 | 100.00 |
| | Total hire charges of Machinery | | | | 51025.30 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|-----------------------|------|----------|--------|----------|
| | | | | in Rs. | in Rs. |
| 1 | Crew for Shovel | Hour | 8.00 | 221.00 | 1768.00 |
| 2 | Crew for Dozer | Hour | 3.00 | 221.00 | 663.00 |
| 3 | Crew for Tipper | Hour | 24.00 | 165.80 | 3979.20 |
| 4 | Crew for Pump | Hour | 4.00 | 103.60 | 414.40 |
| 5 | Crew for Water tanker | Hour | 4.00 | 165.80 | 663.20 |
| 6 | Crew for Road roller | Hour | 11.50 | 195.90 | 2252.85 |
| 7 | work inspector | Day | 2.00 | 400.00 | 800.00 |
| 8 | mazdoor | Day | 38.00 | 310.00 | 11780.00 |
| | Total cost of Labour | | | | 22320.65 |

labour component/unit qty 56.70
Add contractor's profit and overhead charges 13.615% 7.70
labour component/unit qty (including contractor's profit) 64.40

ABSTRACT:

 A. Cost of Materials
 Rs: 0.00

 B. Hire charges of Machinery
 Rs: 51025.30

 C. Cost of Labour
 Rs: 22320.65

 Total
 Rs: 73345.95

 D. Add for contractor's profit and overheads on (A+B+C)
 13.615%
 Rs:
 9986.05

 Total cost for
 394.00 cum
 Rs:
 83332.00

 Rate per
 cum
 (A+B+C+D)/394.0
 Rs.
 211.50

IRR-CAW-7-2 Providing cohesive non-swelling (CNS) soil lining to canals using soil from approved borrow area including spreading soil in layers of thickness not more than 15 cm, breaking clods, watering, compacting to density control of not less than 95 percent or as stipulated, dressing to required profile etc., complete with initial lead upto 1 km and all lifts.

DATA: RATE ANALYSIS UNIT: 394.00 cum

A MATERIALS:

| A. WAILNIALS | J. | | | | |
|--------------|-------------------------|------|----------|--------|--------|
| SI No | particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Nil | | 0.00 | 0.00 | 0.00 |
| | | | 0.00 | 0.00 | 0.00 |
| | Total cost of Materials | • | | Rs: | 0.00 |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|---------------------------------|------|----------|---------|----------|
| | | | | in Rs. | in Rs. |
| 1 | Shovel 0.5 cum | Hour | 8.00 | 1003.10 | 8024.80 |
| | Fuel / Energy charges | Hour | 8.00 | 487.60 | 3900.80 |
| 2 | Angle dozer 90 hp | Hour | 3.00 | 1715.50 | 5146.50 |
| | Fuel / Energy charges | Hour | 3.00 | 625.30 | 1875.90 |
| 3 | Tippers 5 cum | Hour | 24.00 | 446.70 | 10720.80 |
| | Fuel / Energy charges | Hour | 24.00 | 307.20 | 7372.80 |
| 4 | Pump 5 hp (diesel) | Hour | 4.00 | 10.20 | 40.80 |
| | Fuel / Energy charges | Hour | 4.00 | 81.30 | 325.20 |
| 5 | Water tanker 8000 ltr | Hour | 4.00 | 402.50 | 1610.00 |
| | Fuel / Energy charges | Hour | 4.00 | 307.20 | 1228.80 |
| 6 | Diesel road roller 8-10 tonnes | Hour | 10.00 | 197.20 | 1972.00 |
| | Fuel / Energy charges | Hour | 10.00 | 731.40 | 7314.00 |
| 7 | Sundries | LS | 5.00 | 20.00 | 100.00 |
| | Total hire charges of Machinery | | | Rs: | 49632.40 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|----------------------|-----------------------|------|----------|--------|----------|
| | | | | in Rs. | in Rs. |
| 1 | Crew for Shovel | Hour | 8.00 | 221.00 | 1768.00 |
| 2 | Crew for Dozer | Hour | 3.00 | 221.00 | 663.00 |
| 3 | Crew for Tipper | Hour | 24.00 | 165.80 | 3979.20 |
| 4 | Crew for Pump | Hour | 4.00 | 103.60 | 414.40 |
| 5 | Crew for Water tanker | Hour | 4.00 | 165.80 | 663.20 |
| 6 | Crew for Road roller | Hour | 10.00 | 195.90 | 1959.00 |
| 7 | work inspector | Day | 2.00 | 400.00 | 800.00 |
| 8 | mazdoor | Day | 38.00 | 310.00 | 11780.00 |
| Total cost of Labour | | | | | 22026.80 |

labour component/unit qty
Add contractor's profit and overhead charges

55.90

labour component/unit qty (including contractor's profit)

13.615% <u>7.60</u> fit) **63.50**

ABSTRACT:

 A. Cost of Materials
 Rs: 0.00

 B. Hire charges of Machinery
 Rs: 49632.40

 C. Cost of Labour
 Rs: 22026.80

 Total
 Rs: 71659.20

D. Add for contractor's profit and overheads on (A+B+C) 13.615% Rs: 9756.4

Total cost for 394.00 cum Rs: 81415.60

Rate per cum (A+B+C+D)/394.0 Rs. 206.60

IRR-CAW-7-3

Providing cohesive non-swelling (CNS) soil lining to canal using soil collected in heaps along the edge of canal requiring CNS soil lining as part of the disposal of excavated soil from canal excavation in CNS soil reach including spreading in layers of thickness not more than 15 cm, breaking clods, watering, compacting to density control of not less than 95 percent or as stipulated, dressing to required profile etc., complete with lead upto upto 50 m and all lifts.

DATA:

| | RATE ANALYSIS | | UNIT: | 394.00 | cum |
|-------------|-------------------------|------|----------|--------|--------|
| A. MATERIAL | .S: | | | | |
| SI No | particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Nil | | 0.00 | 0.00 | 0.00 |
| | | | 0.00 | 0.00 | 0.00 |
| | Total cost of Materials | | | | 0.00 |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|-----------------------|------|----------|---------|---------|
| | | | | in Rs. | in Rs. |
| 1 | Angle Dozer 90 hp | Hour | 1.50 | 1715.50 | 2573.25 |
| | Fuel / Energy charges | Hour | 1.50 | 625.30 | 937.95 |
| 2 | Pump 5 hp (diesel) | Hour | 5.00 | 10.20 | 51.00 |
| | Fuel / Energy charges | Hour | 5.00 | 81.30 | 406.50 |

| 3 | Water tanker 8000 ltr | Hour | 5.00 | 402.50 | 2012.50 |
|---|---------------------------------|------|-------|--------|----------|
| | Fuel / Energy charges | Hour | 5.00 | 307.20 | 1536.00 |
| 4 | Diesel road roller 8-10 tonne | Hour | 13.00 | 197.20 | 2563.60 |
| | Fuel / Energy charges | Hour | 13.00 | 731.40 | 9508.20 |
| 5 | Sundries | LS | 5.00 | 20.00 | 100.00 |
| | Total hire charges of Machinery | | | | 19689.00 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|-----------------------|------|----------|--------|----------|
| | | | | in Rs. | in Rs. |
| 1 | Crew for Dozer | Hour | 1.50 | 221.00 | 331.50 |
| 2 | Crew for Pump | Hour | 5.00 | 103.60 | 518.00 |
| 3 | Crew for Water tanker | Hour | 5.00 | 165.80 | 829.00 |
| 4 | Crew for Road roller | Hour | 13.00 | 195.90 | 2546.70 |
| 5 | work inspector | Day | 2.00 | 400.00 | 800.00 |
| 6 | mazdoor | Day | 38.00 | 310.00 | 11780.00 |
| | Total cost of Labour | | | Rs: | 16805.20 |

labour component/unit qty 42.70
Add contractor's profit and overhead charges 13.615% 5.80
labour component/unit qty (including contractor's profit) 48.50

ABSTRACT:

 A. Cost of Materials
 Rs: 0.00

 B. Hire charges of Machinery
 Rs: 19689.00

 C. Cost of Labour
 Rs: 16805.20

 Total
 Rs: 36494.20

D. Add for contractor's profit and overheads on (A+B+C) 13.615% Rs: 4968.69
Total cost for 394.00 cum Rs: 41462.89
Rate per cum (A+B+C+D)/394.0 Rs. 105.20

IRR-CAW-7-4 Providing and fixing 20 x 20 x 75 cm size top surface neatly dressed canal bed level stones including cost of all materials, labour, excavation, fixing in position to correct level etc., complete with lead upto 50 m and all lifts.

DATA RATE ANALYSIS UNIT: 32 Nos.

A. MATERIALS:

| A. WATERIAL | -0. | | | | |
|-------------|-------------------------|------|----------|--------|--------|
| SI No | particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Rough stone 20x20x75 cm | Each | 32.00 | 23.00 | 736.00 |
| | | | 0.00 | 0.00 | 0.00 |
| | Total cost of Materials | | | Rs: | 736.00 |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate in Rs. | Amount in Rs. |
|-------|---------------------------------|------|----------|----------------|---------------|
| | | | | III I\3. | 111 175. |
| 1 | Nil | | 0.00 | 0.00 | |
| | | | 0.00 | 0.00 | |
| | Total hire charges of Machinery | | - | Rs: | 0.00 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|-----------------------|------|----------|--------|---------|
| | | | | in Rs. | in Rs. |
| 1 | work inspector | Day | 1.00 | 400.00 | 400.00 |
| 2 | Stone chiseller Cl- I | Day | 2.00 | 415.00 | 830.00 |
| 3 | mazdoor | Day | 2.00 | 310.00 | 620.00 |
| | Total cost of Labour | | | Rs: | 1850.00 |

labour component/unit qty 57.80
Add contractor's profit and overhead charges 13.615% 7.90
labour component/unit qty (including contractor's profit) 65.70

ABSTRACT:

 A. Cost of Materials
 Rs: 736.00

 B. Hire charges of Machinery
 Rs: 0.00

 C. Cost of Labour
 Rs: 1850.00

Total Rs: 2586.00

 D. Add for contractor's profit and overheads on (A+B+C)
 13.615%
 Rs:
 352.08

 Total cost for
 32.00 Nos.
 Rs:
 2938.08

 Rate per
 each
 (A+B+C+D)/32.0
 Rs.
 91.80

IRR-CAW-7-5 Providing, fabricating and placing in position reinforcement steel bars for RCC works including cleaning, straightening, cutting, bending, hooking, lapping, tying with 1.25 mm dia. soft annealed steel wire, welding wherever required including cost of all materials, machinery, labour etc., complete with initial lead upto 50 and all lifts.

DATA RATE ANALYSIS UNIT: 1000.00 kg

A. MATERIALS:

| 7 to 1017 to = 1 to 7 to | 20. | | | | |
|--------------------------|-----------------------------------|------|----------|--------|----------|
| SI No | particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Rein.Steel with 5 % wastage | kg | 1050.00 | 40.00 | 42000.00 |
| 2 | Binding wire 1.25 mm dia | kg | 8.00 | 70.00 | 560.00 |
| 3 | Sundries (chairs / spacers etc) | LS | 10.00 | 20.00 | 200.00 |
| | Total cost of Materials | | | | |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|---------------------------------|------|----------|--------|--------|
| | | | | in Rs. | in Rs. |
| 1 | Nil | | 0.00 | 0.00 | 0.00 |
| | | | 0.00 | 0.00 | 0.00 |
| | Total hire charges of Machinery | | | | |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|----------------------|------|----------|--------|---------|
| | | | | in Rs. | in Rs. |
| 1 | Bar bender | Day | 6.00 | 490.00 | 2940.00 |
| 2 | mazdoor | Day | 11.00 | 310.00 | 3410.00 |
| | Total cost of Labour | | | | |

labour component/unit qty

Add contractor's profit and overhead charges
13.615% 0.90
labour component/unit qty (including contractor's profit)
7.30

ABSTRACT:

 A. Cost of Materials
 Rs: 42760.00

 B. Hire charges of Machinery
 Rs: 0.00

 C. Cost of Labour
 Rs: 6350.00

 Total
 Rs: 49110.00

D. Add for contractor's profit and overheads on (A+B+C) 13.615% Rs: 6686.33

Total cost for 1000.00 kg Rs: **55796.33**Rate per kg (A+B+C+D)/1000.0 Rs. **55.80**

IRR-CAW-7-6 Providing and laying 75 mm thick in-situ M-15 (28 days cube compressive strength not less than 15 N / sqmm) grade cement concrete with 20 mm down size approved, clean, hard, graded aggregates for canal lining using vibrating cylinder type mechanical paver including cost of all materials, machinery, labour, cleaning, batching, mixing, placing in position,

finishing, forming contraction joints, fixing PVC joint sealing strips, curing, shifting of paver from one side to other side of canal etc., complete with initial lead upto 1 km and all lifts. (43 Gr Cement content: 300 kg/cum (22.5 kg/ sqm) for

use of super plasticiser(0.4% by wt. of cement),CA: 0.80cum, Blending Ratio of CA--65:35, FA: 0.45 cum equivalent concrete volume:79.2 cum including the extra quantity of concrete for curvatures and bends etc.,)

DATA: RATE ANALYSIS UNIT: 960 sqm

| ŀ | . MATERIALS | S: | | | | |
|---|-------------|---------------------------|------|----------|---------|-----------|
| | SI No | particulars | Unit | Quantity | Rate | Amount |
| | | | | | in Rs. | in Rs. |
| | 1 | Cement 43 Gr | kg | 23760.00 | 6.30 | 149688.00 |
| | 2 | Coarse aggregate 20-10 mm | cum | 41.18 | 1210.00 | 49832.64 |

| | Coarse aggregate 10-4.75 mm | cum | 22.18 | 875.00 | 19404.00 |
|---|------------------------------|-----|--------|--------|-----------|
| 3 | Fine aggregate (Un-Screened) | cum | 35.64 | 560.00 | 19958.40 |
| 4 | Super plasticiser | kg | 95.04 | 95.00 | 9028.80 |
| 5 | PVC sealing strip | Rm | 640.00 | 47.00 | 30080.00 |
| 6 | Use rate of paving cylinder | sqm | 960.00 | 0.88 | 842.40 |
| 7 | Sundries | LS | 5.00 | 20.00 | 100.00 |
| | Total cost of Materials | | | Rs: | 278934.24 |

| B. MACHIN | ERY: | | | | |
|-----------|-------------------------------------|------|----------|---------|----------|
| SI No | Description | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Batching plant | Hour | 8.00 | 405.40 | 3243.20 |
| | Lubricants etc @ 5 % | Hour | 8.00 | 20.27 | 162.16 |
| 2 | Transit mixer 3 Nos | Hour | 24.00 | 758.40 | 18201.60 |
| | Fuel / Energy charges | Hour | 24.00 | 893.90 | 21453.60 |
| 3 | Mechanical paver | Hour | 8.00 | 356.50 | 2852.00 |
| | Lubricants etc @ 5 % | Hour | 8.00 | 17.83 | 142.60 |
| 4 | DG set for batching plant 50 KVA | Hour | 8.00 | 85.10 | 680.80 |
| | Fuel / Energy charges | Hour | 8.00 | 975.20 | 7801.60 |
| 5 | DG set for paver 30 KVA | Hour | 8.00 | 65.80 | 526.40 |
| | Fuel / Energy charges | Hour | 8.00 | 650.10 | 5200.80 |
| 6 | Shovel 0.5 cum / Loader | Hour | 2.00 | 1003.10 | 2006.20 |
| | Fuel / Energy charges | Hour | 2.00 | 487.60 | 975.20 |
| 7 | Water tanker | Hour | 8.00 | 402.50 | 3220.00 |
| | Fuel / Energy charges | Hour | 8.00 | 307.20 | 2457.60 |
| 8 | Pump 5 hp(diesel) 2 Nos. 4 hrs each | Hour | 8.00 | 10.20 | 81.60 |
| | Fuel / Energy charges | Hour | 8.00 | 81.30 | 650.40 |
| 9 | Sundries (power line etc) | LS | 5.00 | 20.00 | 100.00 |
| | Total hire charges of Machinery | | | Rs: | 69755.76 |

| C. LABOUR: | | | | | |
|------------|-------------------------|------|----------|--------|----------|
| SI No | Description | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Crew for Batching plant | Hour | 8.00 | 318.20 | 2545.60 |
| 2 | Crew for Transit mixer | Hour | 24.00 | 265.20 | 6364.80 |
| 3 | Crew for Concrete paver | Hour | 8.00 | 391.90 | 3135.20 |
| 4 | Crew for DG set | Hour | 16.00 | 122.50 | 1960.00 |
| 5 | Crew for Shovel | Hour | 2.00 | 221.00 | 442.00 |
| 6 | Crew for Water tanker | Hour | 8.00 | 165.80 | 1326.40 |
| 7 | Crew for Pump | Hour | 16 | 103.60 | 1657.60 |
| 8 | Mason Class I | Day | 2 | 415.00 | 830.00 |
| 9 | Mechanic | Day | 1 | 415.00 | 415.00 |
| 10 | Fitter | Day | 1 | 415.00 | 415.00 |
| 11 | Electrician | Day | 1 | 480.00 | 480.00 |
| 12 | work inspector | Day | 2 | 400.00 | 800.00 |
| 13 | mazdoor (BP site) | Day | 5 | 310.00 | 1550.00 |
| 14 | mazdoor (Paver site) | Day | 10 | 310.00 | 3100.00 |
| | Total cost of Labour | | | Rs: | 25021.60 |

labour component/unit qty 26.10
Add contractor's profit and overhead charges 13.615% 3.60
labour component/unit qty (including contractor's profit) 29.70

ABSTRACT:

| A. Cost of Materials | | | Rs: | | 278934.24 |
|--|------------|---------|--------|------|-----------|
| B. Hire charges of Machinery | | | Rs: | | 69755.76 |
| C. Cost of Labour | | | Rs: | _ | 25021.6 |
| | | | Total | I | 373711.6 |
| Add for shifting & re-erection of BP @ | 2% | | Rs: | | 7474.232 |
| Add for LH / RH shifting & erection of Paver @ | 0.5% | | Rs: | | 1868.558 |
| Add for ledge cutting / erection of tracks etc @ | 1% | | Rs: | _ | 3737.116 |
| | | To | tal F | Rs: | 386791.51 |
| D. Add for contractor's profit and overheads on (A | +B+C+other | 13.615% | F | Rs: | 52661.66 |
| Lead Charges for 1 Km for FA | 35.64 | cum @ | 31.3 F | Rs./ | 1115.532 |
| Lead Charges for 1 Km for CA | 63.36 | cum @ | 30.2 F | Rs./ | 1913.47 |
| Lead Charges for 1Km for Cement (including | | | | | |
| Loading and Unloading Charges) | 23.76 | tonne @ | 129.7 | Rs. | 3081.672 |

Total cost for 960.00 sqm Rs: **445563.84 Rate per sqm** (A+B+C+D)/960.0 Rs. **464.10**

IRR-CAW-7-7

Providing and laying 80 mm thick in-situ M-15 (28 days cube compressive strength not less than 15 N / sqmm) grade cement concrete with 20 mm down size approved, clean, hard, graded aggregates for canal lining using vibrating cylinder type mechanical paver including cost of all materials, machinery, labour, cleaning, batching, mixing, placing in position, finishing, forming contraction joints, fixing PVC joint sealing strips, curing, shifting of paver from one side to other side of canal etc., complete with initial lead upto 1 km and all lifts. (43 Gr Cement content: 300 kg /cum (24 kg/ sqm) for use of super plasticiser(0.4% by wt. of cement),CA: 0.80cum, Blending Ratio of CA--65:35, FA: 0.45 cum equivalent concrete volume:84.48 cum including the extra quantity of concrete for curvatures and bends etc.,)

DATA:

| | | RATE ANALYSIS | | UNIT: | 960 | sqm |
|---|------------|------------------------------|------|----------|---------|-----------|
| A | . MATERIAL | . S: | | | | |
| | SI No | particulars | Unit | Quantity | Rate | Amount |
| | | | | | in Rs. | in Rs. |
| | 1 | Cement 43 Gr | kg | 25344.00 | 6.30 | 159667.20 |
| | 2 | Coarse aggregate 20-10 mm | cum | 43.93 | 1210.00 | 53154.82 |
| | | Coarse aggregate 10-4.75 mm | cum | 23.65 | 875.00 | 20697.60 |
| | 3 | Fine aggregate (Un-Screened) | cum | 38.02 | 560.00 | 21288.96 |
| | 4 | Super plasticiser | kg | 101.38 | 95.00 | 9630.72 |
| | 5 | PVC sealing strip | Rm | 640.00 | 47.00 | 30080.00 |
| | 6 | Use rate of paving cylinder | sqm | 960.00 | 0.88 | 842.40 |
| | 7 | Sundries | LS | 5.00 | 20.00 | 100.00 |
| | | Total cost of Materials | | | Rs: | 295461.70 |

| B. MACHINI | ERY: | | | | |
|------------|-------------------------------------|------|----------|---------|----------|
| SI No | Description | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Batching plant | Hour | 8.00 | 405.40 | 3243.20 |
| | Lubricants etc @ 5 % | Hour | 8.00 | 20.27 | 162.16 |
| 2 | Transit mixer 3 Nos | Hour | 24.00 | 758.40 | 18201.60 |
| | Fuel / Energy charges | Hour | 24.00 | 893.90 | 21453.60 |
| 3 | Mechanical paver | Hour | 8.00 | 356.50 | 2852.00 |
| | Lubricants etc @ 5 % | Hour | 8.00 | 17.83 | 142.60 |
| 4 | DG set for batching plant 50 KVA | Hour | 8.00 | 85.10 | 680.80 |
| | Fuel / Energy charges | Hour | 8.00 | 975.20 | 7801.60 |
| 5 | DG set for paver 30 KVA | Hour | 8.00 | 65.80 | 526.40 |
| | Fuel / Energy charges | Hour | 8.00 | 650.10 | 5200.80 |
| 6 | Shovel 0.5 cum / Loader | Hour | 2.00 | 1003.10 | 2006.20 |
| | Fuel / Energy charges | Hour | 2.00 | 487.60 | 975.20 |
| 7 | Water tanker | Hour | 8.00 | 402.50 | 3220.00 |
| | Fuel / Energy charges | Hour | 8.00 | 307.20 | 2457.60 |
| 8 | Pump 5 hp(diesel) 2 Nos. 4 hrs each | Hour | 8.00 | 10.20 | 81.60 |
| | Fuel / Energy charges | Hour | 8.00 | 81.30 | 650.40 |
| 9 | Sundries (power line etc) | LS | 5.00 | 20.00 | 100.00 |
| | Total hire charges of Machinery | | | Rs: | 69755.76 |

| C. LABOUR: | | | | | |
|------------|-------------------------|------|----------|--------|---------|
| SI No | Description | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Crew for Batching plant | Hour | 8.00 | 318.20 | 2545.60 |
| 2 | Crew for Transit mixer | Hour | 24.00 | 265.20 | 6364.80 |
| 3 | Crew for Concrete paver | Hour | 8.00 | 391.90 | 3135.20 |
| 4 | Crew for DG set | Hour | 16.00 | 122.50 | 1960.00 |
| 5 | Crew for Shovel | Hour | 2.00 | 221.00 | 442.00 |
| 6 | Crew for Water tanker | Hour | 8.00 | 165.80 | 1326.40 |
| 7 | Crew for Pump | Hour | 16 | 103.60 | 1657.60 |
| 8 | Mason Class I | Day | 2 | 415.00 | 830.00 |
| 9 | Mechanic | Day | 1 | 415.00 | 415.00 |
| 10 | Fitter | Day | 1 | 415.00 | 415.00 |
| 11 | Electrician | Day | 1 | 480.00 | 480.00 |

| | Total cost of Labour | | | Rs: | 25021.60 |
|----|------------------------|-----|----|--------|----------|
| 14 | mazdoor (Paver site) | Day | 10 | 310.00 | 3100.00 |
| 13 | mazdoor (BP site) | Day | 5 | 310.00 | 1550.00 |
| 12 | work inspector | Day | 2 | 400.00 | 800.00 |

labour component/unit qty

26.10 13.615% 3.60

Add contractor's profit and overhead charges 13 labour component/unit qty (including contractor's profit)

29.70

ABSTRACT:

| ABSTRACT: | | | | |
|---|-----------|---------|-----------|-----------|
| A. Cost of Materials | | | Rs: | 295461.70 |
| B. Hire charges of Machinery | | | Rs: | 69755.76 |
| C. Cost of Labour | | | Rs: | 25021.6 |
| | | | Total I | 390239.06 |
| Add for shifting & re-erection of BP @ | 2% | | Rs: | 7804.7811 |
| Add for LH / RH shifting & erection of Paver @ | 0.5% | | Rs: | 1951.1953 |
| Add for ledge cutting / erection of tracks etc @ | 1% | | Rs: | 3902.3906 |
| | | To | tal Rs: | 403897.42 |
| D. Add for contractor's profit and overheads on (A+ | B+C+other | 13.615% | Rs: | 54990.63 |
| Lead Charges for 1 Km for FA | 38.02 | cum @ | 31.3 Rs./ | 1189.9008 |
| Lead Charges for 1 Km for CA | 67.58 | cum @ | 30.2 Rs./ | 2041.04 |
| Lead Charges for 1Km for Cement (including | | | | |
| Loading and Unloading Charges) | 25.34 | tonne @ | 129.7 Rs. | 3287.1168 |
| Total cost for | 960.00 | sqm | Rs: | 465406.11 |
| Rate per sqm | (A+B+C+D |)/960.0 | Rs. | 484.80 |
| | | | | |

IRR-CAW-7-8

Providing and laying 100 mm thick in situ M-15 (28 days cube compressive strength not less than 15 N /Sqmm) grade cement concrete with 20 mm down size approved, clean, hard, graded aggregates for canal lining using, vibrating, cylinder type mechanical paver including cost of all materials, machinery, labour, cleaning, batching, mixing, placing in position, finishing, forming contraction joints, fixing PVC joint sealing strips, curing, shifting of paver from one side to othere side of canal etc., complete with initial lead upto 1 Km and all lifts.

(43 Gr Cement content: 300 kg /cum (30 kg/ sqm) for

use of super plasticiser(0.4% by wt. of cement),CA: 0.80cum, Blending Ratio of CA--65:35, FA: 0.45 cum equivalent concrete volume:88 cum including the extra quantity of concrete for curvatures and bends etc.,)

DATA:

| _ | RATE ANALYSIS | UNIT | : | 800 | Sqm |
|---------------|------------------------------|------|-------|-----------|-----------|
| A. MATERIALS: | | | | | |
| SI.No | Particulars | Unit | Qty | Rate in R | Amount |
| 1 | Cement 43 Gr | Kg | 26400 | 6.30 | 166320.00 |
| 2 | Coarse aggregate 20-10 mm | cum | 45.76 | 1210.00 | 55369.60 |
| | Coarse aggregate 10-4.75 mm | cum | 24.64 | 875.00 | 21560.00 |
| 3 | Fine aggregate (Un-Screened) | cum | 39.6 | 560.00 | 22176.00 |
| 4 | Super plasticiser | kg | 105.6 | 95.00 | 10032.00 |
| 5 | PVC sealing strip | Rm | 533 | 47.00 | 25051.00 |
| 6 | Use rate of paving cylinder | sqm | 800 | 0.8775 | 702.00 |
| | Total cost of Materials | | | Rs. | 301210.6 |

B. MACHINERY:

| SI.No | Particulars | Unit | Qty | Rate in R | Amount |
|-------|----------------------------------|------|------|-----------|----------|
| 1 | Batching plant | Hour | 8 | 405.40 | 3243.20 |
| 2 | Transit mixer 3 Nos | Hour | 24 | 758.40 | 18201.60 |
| | Fuel / Energy charges | Hour | 24 | 893.90 | 21453.60 |
| 3 | Mechanical paver | Hour | 8 | 356.50 | 2852.00 |
| | lubricants etc @ 5% | Hour | 8 | 17.83 | 142.60 |
| 4 | DG set for batching plant 50 KVA | Hour | 8 | 85.10 | 680.80 |
| | Fuel / Energy charges | Hour | 8 | 975.20 | 7801.60 |
| 5 | DG set for paver 30 KVA | Hour | 8 | 65.80 | 526.40 |
| | Fuel / Energy charges | Hour | 8 | 650.10 | 5200.80 |
| 6 | Shovel 0.5 cum / Loader | Hour | 2.00 | 1003.10 | 2006.20 |
| | Fuel / Energy charges | Hour | 2.00 | 487.60 | 975.20 |
| 7 | Water tanker | Hour | 8 | 402.50 | 3220.00 |
| | Fuel / Energy charges | Hour | 8 | 307.20 | 2457.60 |
| | Pump 5 hp (diesel) 2 Nos. 4 hrs | | | | |
| 8 | each | Hour | 8 | 10.20 | 81.60 |

| Fuel / Energy charges | 8 | 81.30 | 650.40 |
|---------------------------------|---|-------|---------|
| Total hire charges of Machinery | | Rs. | 69493.6 |

| C. LABOUR: | | | | | |
|------------|-------------------------|------|----------|--------|----------|
| SI No | Description | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Crew for Batching plant | Hour | 8.00 | 318.20 | 2545.60 |
| 2 | Crew for Transit mixer | Hour | 24.00 | 265.20 | 6364.80 |
| 3 | Crew for Concrete paver | Hour | 8.00 | 391.90 | 3135.20 |
| 4 | Crew for DG set | Hour | 16.00 | 122.50 | 1960.00 |
| 5 | Crew for Shovel | Hour | 2.00 | 221.00 | 442.00 |
| 6 | Crew for Water tanker | Hour | 8 | 165.80 | 1326.40 |
| 7 | Crew for Pump | Hour | 8 | 103.60 | 828.80 |
| 8 | Mason Class I | Day | 2 | 415.00 | 830.00 |
| 9 | Mechanic | Day | 1 | 415.00 | 415.00 |
| 10 | Fitter | Day | 1 | 415.00 | 415.00 |
| 11 | Electrician | Day | 1 | 480.00 | 480.00 |
| 12 | work inspector | Day | 2 | 400.00 | 800.00 |
| 13 | mazdoor (BP site) | Day | 5 | 310.00 | 1550.00 |
| 14 | mazdoor (Paver site) | Day | 10 | 310.00 | 3100.00 |
| | Total cost of Labour | | | Rs: | 24192.80 |

labour component/unit qty 30.20
Add contractor's profit and overhead charges 13.615% 4.10
labour component/unit qty (including contractor's profit) 34.30

ABSTRACT

| ABOTTAOT | | | | |
|---|------------|----------|-----------|-----------|
| A. Cost of Materials | | | Rs. | 301210.6 |
| B. Hire charges of Machinery | | | Rs. | 69493.6 |
| C. Cost of Labour | | | Rs. | 24192.80 |
| | | | TOTAL R | 394897 |
| Add for shifting & re-erection of BP @ | | 2% | Rs. | 7897.94 |
| Add for LH / RH shifting & erection of Paver @ | | 0.5% | Rs. | 1974.485 |
| Add for ledge cutting / erection of tracks etc @ | | 1% | Rs. | 3948.97 |
| | | To | tal Rs: | 408718.40 |
| D. Add for contractor's profit and overheads on (A+ | -B+C+other | 13.615% | Rs: | 55647.01 |
| Lead Charges for 1 Km for FA | 39.60 | cum @ | 31.3 Rs./ | 1239.48 |
| Lead Charges for 1 Km for CA | 70.40 | cum @ | 30.2 Rs./ | 2126.08 |
| Lead Charges for 1Km for Cement (including | | | | |
| Loading and Unloading Charges) | 26.40 | tonne @ | 129.7 Rs | 3424.08 |
| Total cost for | 800.00 | Sqm | Rs: | 471155.05 |
| Rate per Sqm | (A+B+C+l | D)/800.0 | Rs. | 588.90 |
| | | | | |

IRR-CAW-7-9 Dismantling, shifting and re-erecting mechanical concrete paver and DG set with all accessories across canal CD work or other locations wherever shifting and re-erecting is necessary including aligning paver correctly for continuing canal lining work, cost of all materials, machinery, labour etc., complete with all leads and lifts.

Note: Local shifting and re-erection of paver for LH and RH side lining included in concrete lining rates under items IRR-CAW-7-7 and IRR-CAW-7-8 and saperate rate for shifting shall not be allowed.

DATA: RATE ANALYSIS UNIT: 1.00 Shifting

| A. MATERIA | LS: | | | | |
|-------------------------|-------------|------|----------|--------|--------|
| SI No | particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | NIL | | 0.00 | 0.00 | |
| | | | | | |
| Total cost of Materials | | | | Rs: | 0.00 |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|------------------------------|------|----------|--------|--------|
| | | | | in Rs. | in Rs. |
| 1 | Tipper | Hour | 4.00 | 446.70 | 1786.8 |
| | Fuel / Energy charges | Hour | 1.00 | 307.20 | 307.2 |
| 2 | Sundries (ropes / rails etc) | LS | 1.00 | 20.00 | 20 |

| Total hire charges of Machinery | Rs: | 2114.00 |
|-------------------------------------|-----|---------|
| rotar fill o orlanged or madrillory | | |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|----------------------|-----------------|------|----------|---------|--------|
| | | | | in Rs. | in Rs. |
| 1 | Crew for Tipper | Hour | 4.00 | 165.80 | 663.2 |
| 2 | Crew for Paver | Hour | 8.00 | 391.90 | 3135.2 |
| 3 | mazdoor | Day | 6.00 | 310.00 | 1860 |
| Total cost of Labour | | | Rs: | 5658.40 | |

labour component/unit gty 5658.40 Add contractor's profit and overhead charges 13.615% 770.40 6428.80

labour component/unit qty (including contractor's profit)


ABSTRACT:

| A. Cost of Materials | | Rs: | 0.00 |
|------------------------------|-------|-----|---------|
| B. Hire charges of Machinery | | Rs: | 2114.00 |
| C. Cost of Labour | | Rs: | 5658.40 |
| | Total | Rs: | 7772.40 |
| | | | |

D. Add for contractor's profit and overheads on (A+B+C) 13.615% Rs: 1058.21 Total cost for 1.00 Shifting Rs: 8830.61 Rate per Shifting (A+B+C+D)/1.0 Rs. 8830.60

IRR-CAW-7-10 Providing and laying insitu vibrated M-10 (28 days cube compressive strength not less than 10 N/sq mm) grade cement concrete using 40 mm down size approved, clean, hard, graded aggregates for bed and side lining of canal (150mm thick) including finishing the junction of bed and sides to required curveture, cost of all materials, machinery, labour, formwork including supports, cleaning, batching, mixing, placing in position, levelling, vibrating, finishing, curing etc., complete with initial lead upto 50 m and all lifts. (Cement content : 250 kg / cum) (43 Gr Cement content: 250 kg / cum for use of super plasticiser(0.4% by wt. of cement),

CA: 0.90cum, Blending Ratio of CA--50:30:20, FA: 0.40 cum)



RATE ANALYSIS DATA UNIT: 28.17 cum

| A. MAIERIA | ALS: | | | | |
|------------|-------------------------------------|------|----------|---------|-----------|
| SI No | particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Cement for mix | kg | 7042.5 | 6.30 | 44367.75 |
| | | | | | |
| | Cement for incidentals @ 5 kg / cum | kg | 140.85 | 6.30 | 887.355 |
| 2 | Coarse aggregate 40-20 mm | cum | 12.68 | 1145.00 | 14514.593 |
| | Coarse aggregate 20-10 mm | cum | 7.61 | 1210.00 | 9203.139 |
| | Coarse aggregate 10 mm below | cum | 5.07 | 875.00 | 4436.775 |
| 3 | Fine aggregate (Un-Screened) | cum | 11.27 | 560.00 | 6310.08 |
| 4 | Super Plasticizer | kg | 28.17 | 95.00 | 2676.15 |
| 6 | Use rate of manual paver | sqm | 180 | 27.37 | 4925.94 |
| 7 | Sundries | LS | 2 | 20.00 | 40 |
| | Total cost of Materials | | | Rs: | 87361.78 |

| B. MACHINERY: | | | |
|---------------|----|----------------|-------|
| | ъ | | HEDV. |
| | В. | IVI A C. H I I | VERY: |

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|-------------|------|----------|--------|--------|
| | | | | in Rs. | in Rs. |

| 1 | Concrete mixer 600/400 ltr (diesel) | Hour | 16.00 | 92.70 | 1483.2 |
|---------------------------------|---------------------------------------|------|-------|--------|---------|
| | Fuel / Energy charges | Hour | 16.00 | 162.50 | 2600 |
| 2 | 5 hp pump (diesel) | Hour | 0.50 | 10.20 | 5.1 |
| | Fuel / Energy charges | Hour | 0.50 | 81.30 | 40.65 |
| 3 | Water tanker 8000 ltr | Hour | 1.00 | 402.50 | 402.5 |
| | Fuel / Energy charges | Hour | 1.00 | 307.20 | 307.2 |
| | | | | | |
| 4 | Needle vibrator 40 mm dia (petrol) | Hour | 16.00 | 7.60 | 121.6 |
| | Fuel / Energy charges | Hour | 16.00 | 20.60 | 329.6 |
| Total hire charges of Machinery | | | | Rs: | 5289.85 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|----------------------|-------------------------------|------|----------|--------|----------|
| | | | | in Rs. | in Rs. |
| 1 | Crew for Concrete mixer | Hour | 16.00 | 204.10 | 3265.6 |
| 2 | Crew for Pump | Hour | 0.50 | 103.60 | 51.8 |
| 3 | Crew for Water tanker | Hour | 1.00 | 165.80 | 165.8 |
| 4 | Crew for Needle vibrator | Hour | 16.00 | 146.90 | 2350.4 |
| 5 | work inspector | Day | 1.00 | 400.00 | 400 |
| 6 | Mason Class-I | Day | 2.00 | 415.00 | 830 |
| 7 | Fitter | Day | 1.00 | 415.00 | 415 |
| 8 | mazdoor | | | | |
| | for batching materials | Day | 22.00 | 310.00 | 6820 |
| | for loading mortar pans | Day | 8.00 | 310.00 | 2480 |
| | for laying and moving paver | Day | 6.00 | 310.00 | 1860 |
| | for conveying concrete | Day | 28.17 | 310.00 | 8732.7 |
| | for cleaning/ washing/ curing | Day | 2.00 | 310.00 | 620 |
| Total cost of Labour | | | | Rs: | 27991.30 |

labour component/unit qty

993.70

Add contractor's profit and overhead charges 13 labour component/unit qty (including contractor's profit)

13.615% <u>135.30</u>

1129.00

ABSTRACT:

 A. Cost of Materials
 Rs:
 87361.78

 B. Hire charges of Machinery
 Rs:
 5289.85

 C. Cost of Labour
 Rs:
 27991.30

 Total
 Rs:
 120642.93

D. Add for contractor's profit and overheads on (A+B+C) 13.615% Rs: 16425.54

Total cost for 28.17 cum Rs: 137068.47

Rate per cum (A+B+C+D)/28.17 Rs. 4865.80

IRR-CAW-7-11 Providing and laying insitu vibrated M-10 (28 days cube compressive strength not less than 10 N/sqm) grade cement concrete using 40 mm down size approved, clean, hard, graded aggregade for bed and side lining of canal(100 mm thick) including, finishing the junction of bed and sides to required curvature, cost of all materials, machinery, labour, formwork including supports cleaning, batching, mixing, placing in position, levelling, vibrating, finishing, curing etc., complete with initial lead up to 50 m and all lifts (Cement content: 250 kg/cum)

(43 Gr Cement content: 250 kg / cum for use of super plasticiser(0.4% by wt. of cement), CA: 0.90cum, Blending Ratio of CA--50:30:20, FA: 0.40 cum)

DATA RATE ANALYSIS UNIT: 27 cum

A. MATERIALS:

| SI.No | Particulars | Unit | Qty | Rate in Rs | Amount |
|-------|-------------------------------------|------|-------|------------|----------|
| 1 | Cement for mix | kg | 6750 | 6.30 | 42525.00 |
| | | | | | |
| | Cement for incidentals @ 5 Kg / cum | kg | 135 | 6.30 | 850.50 |
| 2 | Coarse aggregate 40mm | cum | 12.15 | 1145.00 | 13911.75 |
| | Coarse aggregate 20 mm. | cum | 7.29 | 1210.00 | 8820.90 |
| | Coarse aggregate 10 mm. | cum | 4.86 | 875.00 | 4252.50 |
| 3 | Fine aggregate (Un-Screened) | cum | 10.8 | 560.00 | 6048.00 |
| 4 | Super Plasticizer | kg | 27 | 95.00 | 2565.00 |

| 5 | Use rate of manual paver | sqm | 270 27.37 | 7388.91 |
|---|--------------------------|-----|-----------|----------|
| | | | Total Rs. | 86362.56 |
| | Total cost of Materials | | Rs. | 86362.56 |

B. MACHINERY:

| SI.No | Particulars | Unit | Qty | Rate in Rs | Amount |
|-------|--|------|-------|------------|---------|
| | | | | | |
| 1 | Concrete mixer 600/400 ltr (diesel) | Hour | 16.00 | 92.70 | 1483.20 |
| | Fuel / Energy charges | Hour | 16.00 | 162.50 | 2600.00 |
| 2 | 5 hp pump (diesl) | Hour | 0.50 | 10.20 | 5.10 |
| | Fuel / Energy charges | Hour | 0.50 | 81.30 | 40.65 |
| 3 | Water tanker 8000 ltr | Hour | 1.00 | 402.50 | 402.50 |
| | Fuel / Energy charges | Hour | 1.00 | 307.20 | 307.20 |
| | No selle vileneten 40 man die (netral) | | 4.00 | 7.00 | 00.40 |
| 4 | Needle vibrator 40 mm die (petrol) | Hour | 4.00 | | 30.40 |
| | Fuel / Energy charges | Hour | 4.00 | 20.60 | 82.40 |
| | Total hire charges of Machinery | | • | Rs. | 4951.45 |

C. LABOUR:

| O. LABOUR. | _ | , | | , | |
|----------------------|-------------------------------|------|----------|--------|----------|
| SI No | Description | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Crew for Concrete mixer | Hour | 16.00 | 204.10 | 3265.6 |
| 2 | Crew for Pump | Hour | 0.50 | 103.60 | 51.8 |
| 3 | Crew for Water tanker | Hour | 1.00 | 165.80 | 165.8 |
| 4 | Crew for Needle vibrator | Hour | 16.00 | 146.90 | 2350.4 |
| 5 | work inspector | Day | 1.00 | 400.00 | 400 |
| 6 | Mason Class-I | Day | 2.00 | 415.00 | 830 |
| 7 | Fitter | Day | 1.00 | 415.00 | 415 |
| 8 | mazdoor | | | | |
| | for batching materials | Day | 22.00 | 310.00 | 6820 |
| | for loading mortar pans | Day | 8.00 | 310.00 | 2480 |
| | for laying and moving paver | Day | 6.00 | 310.00 | 1860 |
| | for conveying concrete | Day | 27.00 | 310.00 | 8370 |
| | for cleaning/ washing/ curing | Day | 2.00 | 310.00 | 620 |
| Total cost of Labour | | | | Rs: | 27628.60 |

labour component/unit qty 1023.30
Add contractor's profit and overhead charges 13.615% 139.30
labour component/unit qty (including contractor's profit) 1162.60

ABSTRACT:

| A. Cost of Materials including royalty charges | Rs. | 86362.56 |
|--|----------|-----------|
| B. Hire charges of Machinery | Rs. | 4951.45 |
| C. Cost of Labour | Rs. | 27628.60 |
| | Total Rs | 118942 61 |

D. Add for contractor's profit and overheads on (A+B+C) 13.615% Rs: 16194.04

Total cost for 27.00 cum Rs: 135136.65

Rate per cum (A+B+C+D)/27.0 Rs. 5005.10

IRR-CAW-7-12 Providing and laying100mm thick insitu vibrated M-10 (28 days cube compressive strength-not less than 10.00 N / sq mm) grade cement concrete using 40 mm down size approved, clean, hard, graded aggregates for bed and side lining of canal lining using vibrating cylindertype mechanical paver including cost of all materials mechinery labour batching mixing placing in position forming contraction joints fixing pvc joint seiling strips shifting of paver from one side of canal to other side etc.complete with 1 km lead & all lifts.

(Cement content: 250 kg / cum for use of super plasticiser(0.4% by wt. of cement), CA : 0.90cum, Blending Ratio of CA--50:30:20, FA : 0.40 cum)

DATA: RATE ANALYSIS UNIT : 800 Sqm

A. MATERIALS:

| SI.No | Particulars | Unit | Qty | Rate in Rs | Amount |
|-------|------------------------|------|----------|------------|---------|
| 1 | Cement 43 Gr | Kg | 22000.00 | 6.30 | 138600 |
| 2 | Coarse aggregate 40 mm | cum | 39.60 | 1145.00 | 45342 |
| | Coarse aggregate 20 mm | cum | 23.76 | 1210.00 | 28749.6 |

| | Coarse aggregate 10 mm | cum | 15.84 | 875.00 | 13860 |
|---|------------------------------|-----|--------|--------|-----------|
| 3 | Fine aggregate (Un-Screened) | cum | 35.20 | 560.00 | 19712 |
| 4 | Super plasticiser | kg | 88.00 | 95.00 | 8360 |
| 5 | PVC sealing strip | Rm | 533.00 | 47.00 | 25051 |
| 6 | Use rate of paving cylinder | sqm | 800.00 | 0.878 | 702 |
| | Total cost of Materials | | | Rs. | 280376.60 |

B. MACHINERY:

| SI.No | Particulars | Unit | Qty | Rate in Rs | Amount |
|-------|----------------------------------|------|-------|------------|----------|
| 1 | Batching plant | Hour | 8.00 | 405.40 | 3243.2 |
| 2 | Transit mixer 3 Nos | Hour | 24.00 | 758.40 | 18201.6 |
| | Fuel / Energy charges | Hour | 24.00 | 893.90 | 21453.6 |
| 3 | Mechanical paver | Hour | 5.00 | 356.50 | 1782.5 |
| | lubricants etc @ 5% | Hour | 5.00 | 17.83 | 89.125 |
| 4 | DG set for batching plant 50 KVA | Hour | 8.00 | 85.10 | 680.8 |
| | Fuel / Energy charges | Hour | 8.00 | 975.20 | 7801.6 |
| 5 | DG set for paver 30 KVA | Hour | 8.00 | 65.80 | 526.4 |
| | Fuel / Energy charges | Hour | 8.00 | 650.10 | 5200.8 |
| 6 | Shovel 0.5 cum / Loader | Hour | 2.00 | 1003.10 | 2006.20 |
| | Fuel / Energy charges | Hour | 2.00 | 487.60 | 975.20 |
| 7 | Water tanker | Hour | 8.00 | 402.50 | 3220 |
| | Fuel / Energy charges | Hour | 8.00 | 307.20 | 2457.6 |
| | Pump 5 hp (diesel) 2 Nos. 4 hrs | | | | |
| 8 | each | Hour | 8.00 | 10.20 | 81.6 |
| | Fuel / Energy charges | Hour | 8.00 | 81.30 | 650.4 |
| | Total hire charges of Machinery | | | Rs. | 68370.63 |

| C. LABOUR: | | | | | |
|------------|-------------------------|------|----------|--------|----------|
| SI No | Description | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Crew for Batching plant | Hour | 8.00 | 318.20 | 2545.60 |
| 2 | Crew for Transit mixer | Hour | 24.00 | 265.20 | 6364.80 |
| 3 | Crew for Concrete paver | Hour | 8.00 | 391.90 | 3135.20 |
| 4 | Crew for DG set | Hour | 16.00 | 122.50 | 1960.00 |
| 5 | Crew for Shovel | Hour | 2.00 | 221.00 | 442.00 |
| 6 | Crew for Water tanker | Hour | 8 | 165.80 | 1326.40 |
| 7 | Crew for Pump | Hour | 8 | 103.60 | 828.80 |
| 8 | Mason Class I | Day | 2 | 415.00 | 830.00 |
| 9 | Mechanic | Day | 1 | 415.00 | 415.00 |
| 10 | Fitter | Day | 1 | 415.00 | 415.00 |
| 11 | Electrician | Day | 1 | 480.00 | 480.00 |
| 12 | work inspector | Day | 2 | 400.00 | 800.00 |
| 13 | mazdoor (BP site) | Day | 5 | 310.00 | 1550.00 |
| 14 | mazdoor (Paver site) | Day | 10 | 310.00 | 3100.00 |
| | Total cost of Labour | • | • | Rs: | 24192.80 |

Total cost of Labour

labour component/unit qty 30.20

Add contractor's profit and overhead charges 13.615% 4.10

labour component/unit qty (including contractor's profit) 34.30

ABSTRACT:

| A. Cost of Materials | | | Rs. | | 280376.60 |
|---|-----------|----------|--------|------|-----------|
| B. Hire charges of Machinery | | | Rs. | | 68370.63 |
| C. Cost of Labour | | | Rs. | _ | 24192.80 |
| | | | TOTA | LR_ | 372940.03 |
| Add for shifting & re-erection of BP @ | | 2% | Rs. | | 7458.8 |
| Add for LH / RH shifting & erection of Paver @ | | 0.5% | Rs. | | 1864.7 |
| Add for ledge cutting / erection of tracks etc @ | | 1% | Rs. | _ | 3729.4 |
| | | To | tal F | Rs: | 385992.93 |
| D. Add for contractor's profit and overheads on (A+ | B+C+other | 13.615% | F | Rs: | 52552.94 |
| Lead Charges for 1 Km for FA | 35.20 | cum @ | 31.3 F | Rs./ | 1101.76 |
| Lead Charges for 1 Km for CA | 79.20 | cum @ | 30.2 F | Rs./ | 2391.84 |
| Lead Charges for 1Km for Cement (including | | | | | |
| Loading and Unloading Charges) | 22.00 | tonne @ | 129.7 | Rs. | 2853.4 |
| Total cost for | 800.00 | Sqm | F | Rs: | 444892.87 |
| Rate per Sqm | (A+B+C+l | D)/800.0 | F | Rs. | 556.10 |

IRR-CAW-7-13 Providing and laying insitu vibrated M-10 (28 days cube compressive strength not less than 10 N /sq mm) grade cement concrete using 20 mm down size approved, clean, hard, graded aggregates for bed and side lining of canal including finishing the junction of bed and sides to required curveture, cost of all materials, machinery, labour, formwork including supports, cleaning, batching, mixing, placing in position, levelling, vibrating, finishing, curing etc., complete with initial lead upto 50 m and all lifts. (Cement content: 250 kg / cum)

(Cement content: 250 kg / cum for use of super plasticiser(0.4% by wt. of cement), CA: 0.80cum, Blending Ratio of CA--65:35, FA: 0.45 cum)

DATA RATE ANALYSIS UNIT: 27.00 cum

| A. WAIEKIAI | ∟ 5: | | | | |
|-------------|-------------------------------------|------|----------|---------|---------|
| SI No | particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Cement for mix | kg | 6750 | 6.30 | 42525 |
| | Cement for incidentals @ 5 kg / cum | kg | 135 | 6.30 | 850.5 |
| 2 | Coarse aggregate 20-10 mm | cum | 14.04 | 1210.00 | 16988.4 |
| | Coarse aggregate 10 mm below | cum | 7.56 | 875.00 | 6615 |
| 3 | Fine aggregate (Un-Screened) | cum | 12.15 | 560.00 | 6804 |
| 4 | Super Plasticizer | ka | 27 | 95.00 | 2565 |

sqm

LS

27.37

20.00

Rs:

7388.91

83776.81

40

Total cost of Materials

Use rate of manual paver

Sundries

| B. MACHINE | RY: | | | | |
|------------|---------------------------------------|------|----------|--------|---------|
| SI No | Description | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| | | | | | |
| 1 | Concrete mixer 600/400 ltr (diesel) | Hour | 16.00 | 92.70 | 1483.2 |
| | Fuel / Energy charges | Hour | 16.00 | 162.50 | 2600 |
| 2 | 5 hp pump (diesel) | Hour | 0.50 | 10.20 | 5.1 |
| | Fuel / Energy charges | Hour | 0.50 | 81.30 | 40.65 |
| 3 | Water tanker 8000 ltr | Hour | 1.00 | 402.50 | 402.5 |
| | Fuel / Energy charges | Hour | 1.00 | 307.20 | 307.2 |
| 4 | Needle vibrator 40 mm dia (petrol) | Hour | 16.00 | 7.60 | 121.6 |
| | Fuel / Energy charges | Hour | 16.00 | 20.60 | 329.6 |
| | Total hire charges of Machinery | | | Rs: | 5289.85 |

C. LABOUR:

5

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|-------------------------------|------|----------|--------|----------|
| | | | | in Rs. | in Rs. |
| 1 | Crew for Concrete mixer | Hour | 16.00 | 204.10 | 3265.6 |
| 2 | Crew for Pump | Hour | 0.50 | 103.60 | 51.8 |
| 3 | Crew for Water tanker | Hour | 1.00 | 165.80 | 165.8 |
| 4 | Crew for Vibrator | Hour | 16.00 | 146.90 | 2350.40 |
| 5 | Mason Class-I | Day | 2.00 | 415.00 | 830 |
| 6 | work inspector | Day | 1.00 | 400.00 | 400 |
| 7 | Fitter | Day | 1.00 | 415.00 | 415 |
| 8 | mazdoor | | | | |
| | for batching materials | Day | 22.00 | 310.00 | 6820 |
| | for loading mortar pans | Day | 8.00 | 310.00 | 2480 |
| | for laying and moving paver | Day | 6.00 | 310.00 | 1860 |
| | for conveying concrete | Day | 27.00 | 310.00 | 8370 |
| | for cleaning/ washing/ curing | Day | 2.00 | 310.00 | 620 |
| | Total cost of Labour | | | Rs: | 27628.60 |

labour component/unit qty

1023.30

Add contractor's profit and overhead charges

13.615% <u>139.30</u>

labour component/unit qty (including contractor's profit)

1162.60

ABSTRACT:

A. Cost of Materials Rs: 83776.81
B. Hire charges of Machinery Rs: 5289.85
C. Cost of Labour Rs: 27628.60

Total Rs: 116695.26

D. Add for contractor's profit and overheads on (A+B+C) 13.615% Rs: 15888.06
Total cost for 27.00 cum Rs: 132583.32
Rate per cum (A+B+C+D)/27.0 Rs. 4910.50

IRR-CAW-7-14 Providing and laying insitu vibrated M-15 (28 days cube compressive strength not less than 15 N /sq mm) grade cement concrete using 40 mm down size approved, clean, hard, graded aggregates for bed and side lining of canal(150 mm thick) including finishing the junction of bed and sides to required curveture, cost of all materials, machinery, labour, formwork including supports, cleaning, batching, mixing, placing in position, levelling, vibrating, finishing, curing etc., complete with initial lead upto 50 m and all lifts.

(Cement content: 290 kg / cum for use of super plasticiser(0.4% by wt. of cement), CA: 0.90cum, Blending Ratio of CA--50:30:20, FA: 0.40 cum)

DATA RATE ANALYSIS UNIT: 24.92 cum

A. MATERIALS:

| SI No | particulars | Unit | Quantity | Rate | Amount |
|-------|-------------------------------------|------|----------|---------|----------|
| | | | | in Rs. | in Rs. |
| 1 | Cement for mix | kg | 7226.8 | 6.30 | 45528.84 |
| | | | | | |
| | Cement for incidentals @ 5 kg / cum | kg | 124.6 | 6.30 | 784.98 |
| 2 | Coarse aggregate 40-20 mm | cum | 11.21 | 1145.00 | 12840.03 |
| | Coarse aggregate 20-10 mm | cum | 6.73 | 1210.00 | 8141.364 |
| | Coarse aggregate 10 mm below | cum | 4.49 | 875.00 | 3924.90 |
| 3 | Fine aggregate (Un-Screened) | cum | 9.97 | 560.00 | 5582.08 |
| 4 | Super Plasticizer | kg | 28.91 | 95.00 | 2746.18 |
| 5 | Use rate of manual paver | sqm | 166.14 | 27.37 | 4546.64 |
| 6 | Sundries | LS | 2 | 20.00 | 40.00 |
| | Total cost of Materials | | | | 84135.02 |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|---------------------------------------|------|----------|--------|---------|
| | | | | in Rs. | in Rs. |
| | | | | | |
| 1 | Concrete mixer 600/400 ltr (diesel) | Hour | 16.00 | 92.70 | 1483.20 |
| | Fuel / Energy charges | Hour | 16.00 | 162.50 | 2600.00 |
| 2 | 5 hp pump (diesel) | Hour | 0.50 | 10.20 | 5.10 |
| | Fuel / Energy charges | Hour | 0.50 | 81.30 | 40.65 |
| 3 | Water tanker 8000 ltr | Hour | 1.00 | 402.50 | 402.50 |
| | Fuel / Energy charges | Hour | 1.00 | 307.20 | 307.20 |
| 4 | Needle vibrator 40 mm dia (petrol) | Hour | 16.00 | 7.60 | 121.60 |
| | Fuel / Energy charges | Hour | 16.00 | 20.60 | 329.60 |
| | Total hire charges of Machinery | | 1 | Rs: | 5289.85 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|-------------------------------|------|----------|--------|---------|
| | | | | in Rs. | in Rs. |
| 1 | Crew for Concrete mixer | Hour | 16.00 | 204.10 | 3265.6 |
| 2 | Crew for Pump | Hour | 0.50 | 103.60 | 51.80 |
| 3 | Crew for Water tanker | Hour | 1.00 | 165.80 | 165.8 |
| 4 | Crew for Vibrator | Hour | 16.00 | 146.90 | 2350.40 |
| 5 | Mason Class-I | Day | 2.00 | 415.00 | 830 |
| 6 | work inspector | Day | 1.00 | 400.00 | 400 |
| 7 | Fitter | Day | 1.00 | 415.00 | 415 |
| 8 | mazdoor | - | | | |
| | for batching materials | Day | 22.00 | 310.00 | 6820 |
| | for loading mortar pans | Day | 8.00 | 310.00 | 2480 |
| | for laying | Day | 6.00 | 310.00 | 1860 |
| | for conveying concrete | Day | 24.92 | 310.00 | 7725.2 |
| | for cleaning/ washing/ curing | Day | 2.00 | 310.00 | 620 |
| | Total cost of Labour | | | | |

labour component/unit qty

1082.80

Add contractor's profit and overhead charges 13.615% 147.40 labour component/unit qty (including contractor's profit) 1230.20

ABSTRACT:

 A. Cost of Materials
 Rs: 84135.02

 B. Hire charges of Machinery
 Rs: 5289.85

 C. Cost of Labour
 Rs: 26983.80

Total Rs: 116408.67

D. Add for contractor's profit and overheads on (A+B+C) 13.615% Rs: 15849.04
Total cost for 24.92 cum Rs: 132257.71
Rate per cum (A+B+C+D)/24.92 Rs. 5307.30

IRR-CAW-7-15 Providing and laying insitu vibrated M-15 (28 days cube compressive strength not less than 15 N /sq mm) grade cement concrete using 20 mm down size approved, clean, hard, graded aggregates for bed and side lining of canal(100 mm thick) including finishing the junction of bed and sides to required curveture, cost of all materials, machinery, labour, formwork including supports, cleaning, batching, mixing, placing in position, levelling, vibrating, finishing, curing etc., complete with initial lead upto 50 m and all lifts.

(Cement content: 300 kg / cum for use of super plasticiser(0.4% by wt. of cement), CA: 0.80 cum, Blending Ratio of CA--65:35, FA: 0.45 cum)

DATA RATE ANALYSIS UNIT: 23.10 cum

A. MATERIALS:

| A. WAIERIA | A. WATERIALS: | | | | | | | | |
|------------|-------------------------------------|------|----------|---------|----------|--|--|--|--|
| SI No | particulars | Unit | Quantity | Rate | Amount | | | | |
| | | | | in Rs. | in Rs. | | | | |
| 1 | Cement for mix | kg | 6930 | 6.30 | 43659 | | | | |
| | | | | | | | | | |
| | Cement for incidentals @ 5 kg / cum | kg | 115.5 | 6.30 | 727.65 | | | | |
| 2 | Coarse aggregate 20-10 mm | cum | 12.01 | 1210.00 | 14534.52 | | | | |
| | Coarse aggregate 10 mm below | cum | 6.47 | 875.00 | 5659.5 | | | | |
| 3 | Fine aggregate (Un-Screened) | cum | 10.40 | 560.00 | 5821.2 | | | | |
| 4 | Super Plasticizer | kg | 27.72 | 95.00 | 2633.40 | | | | |
| 6 | Use rate of manual paver | sqm | 231 | 27.37 | 6321.62 | | | | |
| 7 | Sundries | LS | 2 | 20.00 | 40 | | | | |
| | Total cost of Materials | | | | 79396.89 | | | | |

B. MACHINERY:

| D. MACITIN | =111. | | | | |
|------------|---------------------------------------|------|----------|--------|---------|
| SI No | Description | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| | | | | | |
| 1 | Concrete mixer 600/400 ltr (diesel) | Hour | 16.00 | 92.70 | 1483.2 |
| | Fuel / Energy charges | Hour | 16.00 | 162.50 | 2600 |
| 2 | 5 hp pump (diesel) | Hour | 0.50 | 10.20 | 5.1 |
| | Fuel / Energy charges | Hour | 0.50 | 81.30 | 40.65 |
| 3 | Water tanker 8000 ltr | Hour | 1.00 | 402.50 | 402.5 |
| | Fuel / Energy charges | Hour | 1.00 | 307.20 | 307.2 |
| | | | | | |
| 4 | Needle vibrator 40 mm dia (petrol) | Hour | 16.00 | 7.60 | 121.6 |
| | Fuel / Energy charges | Hour | 16.00 | 20.60 | 329.6 |
| | Total hire charges of Machinery | | | | 5289.85 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|-------------------------|------|----------|--------|--------|
| | | | | in Rs. | in Rs. |
| 1 | Crew for Concrete mixer | Hour | 16.00 | 204.10 | 3265.6 |
| 2 | Crew for Pump | Hour | 0.50 | 103.60 | 51.8 |
| 3 | Crew for Water tanker | Hour | 1.00 | 165.80 | 165.8 |
| 4 | Crew for Vibrator | Hour | 16.00 | 146.90 | 2350.4 |
| 5 | Mason Class-I | Day | 2.00 | 415.00 | 830 |
| 6 | work inspector | Day | 1.00 | 400.00 | 400 |
| 7 | Fitter | Day | 1.00 | 415.00 | 415 |
| 8 | mazdoor | | | | |
| | for batching materials | Day | 22.00 | 310.00 | 6820 |

| for loading mortar pans | Day | 8.00 | 310.00 | 2480 |
|-------------------------------|-----|-------|--------|----------|
| for laying and moving paver | Day | 6.00 | 310.00 | 1860 |
| for conveying concrete | Day | 23.10 | 310.00 | 7161 |
| for cleaning/ washing/ curing | Day | 2.00 | 310.00 | 620 |
| Total cost of Labour | | | Rs: | 26419.60 |

labour component/unit qty

1143.70

Add contractor's profit and overhead charges
labour component/unit qty (including contractor's profit)

13.615% <u>155.70</u>

ofit) 1299.40

ABSTRACT:

 A. Cost of Materials
 Rs: 79396.89

 B. Hire charges of Machinery
 Rs: 5289.85

 C. Cost of Labour
 Rs: 26419.60

Total Rs: 111106.34

D. Add for contractor's profit and overheads on (A+B+C) 13.615% Rs: 15127.13

Total cost for 23.10 cum Rs: 126233.47

Rate per cum (A+B+C+D)/23.10 Rs. 5464.70

IRR-CAW-7-16 Providing and laying150mm thick insitu vibrated M-15 (28 days cube compressive strength-not less than 15.00 N / sq mm) grade cement concrete using 20 mm down size approved, clean, hard, graded aggregates for bed and side lining of canal lining using vibrating cylindertype mechanical paver including cost of all materials mechinery labour batching mixing placing in position forming contractiom joints fixing pvc joint seiling strips shifting of paver from one side of canal to other side etc.complete with 1km lead & all lifts.

(43 Gr Cement content: 300 kg /cum (45 kg/ sqm) for

use of super plasticiser(0.4% by wt. of cement),CA: 0.80cum, Blending Ratio of CA--65:35, FA: 0.44 cum equivalent concrete volume:132 cum including the extra quantity of concrete for curvatures and bends etc.,)

DATA:

RATE ANALYSIS UNIT : 800 Sqm

A. MATERIALS:

| SI.No | Particulars | Unit | Qty | Rate in Rs | Amount |
|-------|------------------------------|------|----------|------------|-----------|
| 1 | Cement 43 Gr | Kg | 39600.00 | 6.30 | 249480 |
| 2 | Coarse aggregate 20 mm | cum | 68.64 | 1210.00 | 83054.4 |
| | Coarse aggregate 10 mm | cum | 36.96 | 875.00 | 32340 |
| 3 | Fine aggregate (Un-Screened) | cum | 58.08 | 560.00 | 32524.8 |
| 4 | Super plasticiser | kg | 158.40 | 95.00 | 15048 |
| 5 | PVC sealing strip | Rm | 533.00 | 47.00 | 25051 |
| 6 | Use rate of paving cylinder | sqm | 800.00 | 0.878 | 702 |
| | Total cost of Materials | | | Rs. | 438200.20 |

B. MACHINERY:

| SI.No | Particulars | Unit | Qty | Rate in Rs | Amount | |
|-------|-------------------------------------|------|-------|------------|---------|--|
| 1 | Batching plant | Hour | 8.00 | 405.40 | 3243.2 | |
| 2 | Transit mixer 3 Nos | Hour | 24.00 | 758.40 | 18201.6 | |
| | Fuel / Energy charges | Hour | 24.00 | 893.90 | 21453.6 | |
| 3 | Mechanical paver | Hour | 5.00 | 356.50 | 1782.5 | |
| | lubricants etc @ 5% | Hour | 5.00 | 17.83 | 89.125 | |
| 4 | DG set for batching plant 50 KVA | Hour | 8.00 | 85.10 | 680.8 | |
| | Fuel / Energy charges | Hour | 8.00 | 975.20 | 7801.6 | |
| 5 | DG set for paver 30 KVA | Hour | 8.00 | 65.80 | 526.4 | |
| | Fuel / Energy charges | Hour | 8.00 | 650.10 | 5200.8 | |
| 6 | Shovel 0.5 cum / Loader | Hour | 2.00 | 1003.10 | 2006.20 | |
| | Fuel / Energy charges | Hour | 2.00 | 487.60 | 975.20 | |
| 7 | Water tanker | Hour | 8.00 | 402.50 | 3220 | |
| | Fuel / Energy charges | Hour | 8.00 | 307.20 | 2457.6 | |
| | Pump 5 hp (diesel) 2 Nos. 4 hrs | | | | | |
| 8 | each | Hour | 8.00 | 10.20 | 81.6 | |
| | Fuel / Energy charges | Hour | 8.00 | 81.30 | 650.4 | |
| | Total hire charges of Machinery Rs. | | | | | |

| C. LABOUR: | | | | | | |
|------------|--|--|--|--|--|--|
|------------|--|--|--|--|--|--|


| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|-------------------------|------|----------|--------|----------|
| | | | | in Rs. | in Rs. |
| 1 | Crew for Batching plant | Hour | 8.00 | 318.20 | 2545.60 |
| 2 | Crew for Transit mixer | Hour | 24.00 | 265.20 | 6364.80 |
| 3 | Crew for Concrete paver | Hour | 8.00 | 391.90 | 3135.20 |
| 4 | Crew for DG set | Hour | 16.00 | 122.50 | 1960.00 |
| 5 | Crew for Shovel | Hour | 2.00 | 221.00 | 442.00 |
| 6 | Crew for Water tanker | Hour | 8 | 165.80 | 1326.40 |
| 7 | Crew for Pump | Hour | 8 | 103.60 | 828.80 |
| 8 | Mason Class I | Day | 2 | 415.00 | 830.00 |
| 9 | Mechanic | Day | 1 | 415.00 | 415.00 |
| 10 | Fitter | Day | 1 | 415.00 | 415.00 |
| 11 | Electrician | Day | 1 | 480.00 | 480.00 |
| 12 | work inspector | Day | 2 | 400.00 | 800.00 |
| 13 | mazdoor (BP site) | Day | 5 | 310.00 | 1550.00 |
| 14 | mazdoor (Paver site) | Day | 10 | 310.00 | 3100.00 |
| | Total cost of Labour | | | Rs: | 24192.80 |

labour component/unit qty 30.20 Add contractor's profit and overhead charges 13.615% 4.10 labour component/unit qty (including contractor's profit) 34.30

| ΑГ | ا O כ | K | AC | , 1 |
|----|--------------|----|----|-----|
| Δ | C_{α} | ct | Ωf | NΛ |

| Rate per Sqm | (A+B+C+[| 0)/800.0 | Rs. | 792.80 |
|---|-----------|----------|-----------|-----------|
| Total cost for | 800.00 | Sqm | Rs: | 634276.19 |
| Loading and Unloading Charges) | 39.60 | tonne @ | 129.7 Rs. | 5136.12 |
| Lead Charges for 1Km for Cement (including | | | | |
| Lead Charges for 1 Km for CA | 105.60 | cum @ | 30.2 Rs./ | 3189.12 |
| Lead Charges for 1 Km for FA | 58.08 | cum @ | 31.3 Rs./ | 1817.904 |
| D. Add for contractor's profit and overheads on (A+ | B+C+other | 13.615% | Rs: | 74792.69 |
| | | To | tal Rs: | 549340.36 |
| Add for ledge cutting / erection of tracks etc @ | | 1% | Rs. | 5307.64 |
| Add for LH / RH shifting & erection of Paver @ | | 0.5% | Rs. | 2653.82 |
| Add for shifting & re-erection of BP @ | | 2% | Rs. | 10615.27 |
| | | | TOTAL R | 530763.63 |
| C. Cost of Labour | | | Rs. | 24192.80 |
| B. Hire charges of Machinery | | | Rs. | 68370.63 |
| A. Cost of Materials | | | Rs. | 438200.20 |
| ABOTTATO | | | | |

IRR-CAW-7-17 Providing and fixing pre-cast RCC template walls consisting of 0.05 cum M-15 grade concrete using 20 mm down size coarse aggregates and 10 kg reinforcement steel moulded as per specifications and drawing in CM 1:4 proportion including cost of all materials, machinery, labour, formwork, fabricating and placing reinforcement steel, mixing, laying, conveying and fixing in position including necessary excavation for seating, finishing joints in CM 1:4, curing etc., complete with initial lead upto 1 km and all lifts.



DATA **RATE ANALYSIS** UNIT: 20.00 templete

| A. MATERIAL | .S: | | | | |
|-------------|-----------------------------|------|----------|---------|--------|
| SI No | particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Cement 43 Gr | kg | 310.00 | 6.30 | 1953 |
| 2 | Sand (Un-Screened) | cum | 0.50 | 560.00 | 280 |
| 3 | Coarse aggregate 20-10 mm | cum | 0.50 | 1210.00 | 605 |
| | Coarse aggregate 10-4.75 mm | cum | 0.30 | 875.00 | 262.5 |
| 4 | Reinforcement steel | kg | 200.00 | 40.00 | 8000 |
| 5 | Binding wire | kg | 3.00 | 70.00 | 210 |

| 6 | Use rate of mould | set | 20.00 | 57.09 | 1141.7956 |
|---|-----------------------------------|-----|-------|-------|-----------|
| 7 | Sundries(water charges & misc.) | LS | 1.00 | 20.00 | 20 |
| | Total cost of Materials | | | Rs: | 12472.30 |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|---------------------------------|------|----------|--------|--------|
| | | | | in Rs. | in Rs. |
| 1 | Hand mixer | Hour | 8.00 | 5.50 | 44 |
| | | | 8.00 | 0.00 | 0 |
| | Total hire charges of Machinery | | - | Rs: | 44.00 |

C. LABOUR:

| O. LADOUN | | | | | |
|-----------|----------------------------|------|----------|--------|---------|
| SI No | Description | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | work inspector | Day | 1.00 | 400.00 | 400 |
| 2 | Mason Class I for fixing | Day | 1.00 | 415.00 | 415 |
| 3 | Mason Class II for casting | Day | 2.00 | 370.00 | 740 |
| 4 | Bar bender | Day | 1.00 | 490.00 | 490 |
| 5 | mazdoor (casting yard) | Day | 4.00 | 310.00 | 1240 |
| | mazdoor (for fixing) | Day | 2.00 | 310.00 | 620 |
| | mazdoor for conveying | Day | 2.00 | 310.00 | 620 |
| | Total cost of Labour | | | Rs: | 4525.00 |

labour component/unit qty
Add contractor's profit and overhead charges 13.6

13.615% 30.80

labour component/unit qty (including contractor's profit)

226.30 30.80 **257.10**

ABSTRACT:

| ADOTTACT. | | | | | | |
|----------------|--|--------|-------------|---------|-----|----------|
| A. Cost of Ma | terials including serignorage charges | | | R | ls: | 12472.30 |
| B. Hire charge | es of Machinery | | | R | ls: | 44.00 |
| C. Cost of Lal | oour | | | R | cs: | 4525.00 |
| | | | To | tal R | ls: | 17041.30 |
| D. Add for cor | ntractor's profit and overheads on (A+ | ·B+C) | 13.615% | R | Rs: | 2320.17 |
| Lead Charges | s for 1 Km for FA | 0.50 | cum @ | 31.3 R | s./ | 15.65 |
| Lead Charges | s for 1 Km for CA | 0.80 | cum @ | 30.2 R | s./ | 24.16 |
| Lead Charges | s for 1Km for Cement (including | | | | | |
| Loading and I | Jnloading Charges) | 0.31 | tonne @ | 129.7 F | Rs. | 40.207 |
| Lead Charges | s for 1Km for Steel (including Loading | | | | | |
| and Unloading | g Charges) | 0.20 | tonne @ | 151.5 F | Rs. | 30.3 |
| Total cost for | | 20. | 00 templete | R | cs: | 19471.78 |
| Rate per | templete | (A+B+C | C+D)/20.0 | R | ls. | 973.60 |
| | | | | | | |

IRR-CAW-7-18 Providing and fixing 50 mm dia perforated GI pressure relief pipes 12.50 cm long with one end closed with perforated GI plate and other end provided with alluminium lid hinged to pipe including cost of all materials, labour, drilling 8 mm dia holes etc., complete with all leads and lifts.

DATA RATE ANALYSIS UNIT: 10 Nos.

A. MATERIALS:

| A. MAILINAL | -0. | | | | |
|-------------------------|--------------------------------------|------|----------|--------|--------|
| SI No | particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | GI pipe 50 mm dia 10 Nos | Rm | 1.25 | 320.00 | 400 |
| 2 | GI plate & Alluminium lid (hinged) | LS | 10.00 | 20.00 | 200 |
| Total cost of Materials | | | | | 600.00 |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|---------------------------------|-------------------------|------|----------|--------|--------|
| | | | | in Rs. | in Rs. |
| 1 | Drilling 8 mm dia holes | LS | 0.50 | 20.00 | 10 |
| | | | 0.00 | | |
| Total hire charges of Machinery | | | | Rs: | 10.00 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|----------------------|-------------|------|----------|--------|--------|
| | | | | in Rs. | in Rs. |
| 1 | Pipe fitter | Day | 0.50 | 480.00 | 240 |
| | mazdoor | Day | 0.50 | 310.00 | 155 |
| Total cost of Labour | | | Rs: | 395.00 | |

labour component/unit qty

39.50

Add contractor's profit and overhead charges

13.615% 5.40

labour component/unit qty (including contractor's profit)

44.90

ABSTRACT:

| A. Cost of Materials | Rs: | 600.00 |
|------------------------------|--------|---------|
| B. Hire charges of Machinery | Rs: | 10.00 |
| C. Cost of Labour | Rs: | 395.00 |
| To | tal Da | 1005.00 |

1005.00

D. Add for contractor's profit and overheads on (A+B+C) 13.615% Rs: 136.83 10.00 Nos. Total cost for Rs: 1141.83 Rate per (A+B+C+D)/10.0 Rs. 114.20 each

IRR-CAW-7-19 Providing and fixing 50 mm dia perforated GI pressure relief pipes 22.50 cm long with

one end closed with perforated GI plate and other end provided with alluminium lid hinged to pipe including cost of all materials, labour, drilling 8 mm dia holes etc., complete with all leads and lifts.

DATA

RATE ANALYSIS

UNIT:

10 Nos.

| A. MATERIAI | _S: | | | | |
|-------------------------|--------------------------------------|------|----------|--------|--------|
| SI No | particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | GI pipe 50 mm dia 10 Nos | Rm | 2.25 | 320.00 | 720 |
| 2 | GI plate & Alluminium lid (hinged) | LS | 10.00 | 20.00 | 200 |
| Total cost of Materials | | | Rs: | 920.00 | |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|---------------------------------|-------------------------|------|----------|--------|--------|
| | | | | in Rs. | in Rs. |
| 1 | Drilling 8 mm dia holes | LS | 5.00 | 20.00 | 100 |
| | | | 0.00 | | |
| Total hire charges of Machinery | | | Rs: | 100.00 | |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|----------------------|-------------|------|----------|--------|--------|
| | | | | in Rs. | in Rs. |
| 1 | Pipe fitter | Day | 0.50 | 480.00 | 240 |
| | mazdoor | Day | 0.50 | 310.00 | 155 |
| Total cost of Labour | | | | Rs: | 395.00 |

labour component/unit qty

39.50

Add contractor's profit and overhead charges

13.615% 5.40

labour component/unit qty (including contractor's profit)

ABSTRACT:

| A. Cost of Materials | | Rs: | 920.00 |
|------------------------------|-------|-----|---------|
| B. Hire charges of Machinery | | Rs: | 100.00 |
| C. Cost of Labour | | Rs: | 395.00 |
| | Total | Do: | 1415.00 |

| D. Add for contractor's profit and overheads on (A+B+C) | | +C) 13.615% | Rs: | 192.65 |
|---|-----|----------------|-----|---------|
| Total cost for | | 10.00 Nos. | Rs: | 1607.65 |
| Rate per | No. | (A+B+C+D)/10.0 | Rs. | 160.80 |

IRR-CAW-7-20 Providing and fixing 50 mm dia perforated GI pressure relief pipes 30 cm long with one end closed with perforated GI plate and other end provided with alluminium lid hinged

to pipe including cost of all materials, labour, drilling 8 mm dia holes etc., complete with all leads and lifts.

DATA

| RATE ANALYSIS | JNIT: 1 | O Nos. |
|---------------|---------|--------|
|---------------|---------|--------|

| Α. | MA | TER | ΙΑΙ | LS: |
|----|----|-----|-----|-----|
| | | | | |

| A. MATERIALO: | | | | | | |
|---------------|--------------------------------------|------|----------|--------|---------|--|
| SI No | particulars | Unit | Quantity | Rate | Amount | |
| | | | | in Rs. | in Rs. | |
| 1 | GI pipe 50 mm dia 10 Nos | Rm | 3.00 | 320.00 | 960.00 | |
| 2 | GI plate & Alluminium lid (hinged) | LS | 10.00 | 20.00 | 200.00 | |
| | Total cost of Materials | | | Rs: | 1160.00 | |

B. MACHINERY:

| DI 1017 (O111111E | | | | | |
|---------------------------------|-------------------------|------|----------|--------|--------|
| SI No | Description | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Drilling 8 mm dia holes | LS | 7.00 | 20.00 | 140.00 |
| | | | 0.00 | | |
| Total hire charges of Machinery | | | Rs: | 140.00 | |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|----------------------|-------------|------|----------|--------|--------|
| | | | | in Rs. | in Rs. |
| 1 | Pipe fitter | Day | 0.50 | 480.00 | 240.00 |
| | mazdoor | Day | 0.50 | 310.00 | 155.00 |
| Total cost of Labour | | | Rs: | 395.00 | |

labour component/unit qty

39.50

Add contractor's profit and overhead charges

13.615% 5.40

labour component/unit qty (including contractor's profit)

44.90

ABSTRACT:

| A. Cost of Materials | | Rs: | 1160.00 |
|------------------------------|-------|-----|---------|
| B. Hire charges of Machinery | | Rs: | 140.00 |
| C. Cost of Labour | | Rs: | 395.00 |
| | Total | Rs: | 1695.00 |

D. Add for contractor's profit and overheads on (A+B+C) 13.615% Rs: 230.77 Total cost for 10.00 Nos. Rs: 1925.77 Rate per No. (A+B+C+D)/10.0 Rs. 192.60

IRR-CAW-7-21 Providing and fixing 50 mm dia perforated GI pressure relief pipes 45 cm long with one end closed with perforated GI plate and other end provided with alluminium lid hinged to pipe including cost of all materials, labour, drilling 8 mm dia holes etc., complete with all leads and lifts.

DATA

| | RATE ANALYSIS | | UNIT: | 10 | Nos. |
|-------------|--------------------------------------|------|----------|--------|---------|
| A. MATERIAL | _S: | | | | |
| SI No | particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | GI pipe 50 mm dia 10 Nos | Rm | 4.50 | 320.00 | 1440.00 |
| 2 | GI plate & Alluminium lid (hinged) | LS | 10.00 | 20.00 | 200.00 |
| | Total cost of Materials | | | Rs: | 1640.00 |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|---------------------------------|-------------------------|------|----------|--------|--------|
| | | | | in Rs. | in Rs. |
| 1 | Drilling 8 mm dia holes | LS | 10.00 | 20.00 | 200.00 |
| | | | 0.00 | | |
| Total hire charges of Machinery | | | Rs: | 200.00 | |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|-------------|------|----------|-------|--------|
| | | | | in Rs | in Rs |

| 1 | Pipe fitter mazdoor | Day Dav | 0.50 0.50 | | 240.00 155.00 |
|---|------------------------|------------|--------------|--------|------------------|
| | IIIazuooi | Day | 0.50 | 310.00 | 133.00 |
| | Total cost of Labour | | | Rs: | 395.00 |

labour component/unit qty

39.50

Add contractor's profit and overhead charges

13.615% 5.40

labour component/unit qty (including contractor's profit)

44.90

ABSTRACT:

| A. Cost of Materials | | Rs: | 1640.00 |
|------------------------------|-------|-----|---------|
| B. Hire charges of Machinery | | Rs: | 200.00 |
| C. Cost of Labour | | Rs: | 395.00 |
| | Total | Re- | 2235 00 |

2235.00

D. Add for contractor's profit and overheads on (A+B+C) 13.615% Rs: 304.3 10.00 Nos. Total cost for Rs: 2539.30 (A+B+C+D)/10.0 Rate per Rs. 253.90

IRR-CAW-7-22 Providing and fixing 50 mm dia perforated GI pressure relief pipes 75 cm long with

one end closed with perforated GI plate and other end provided with alluminium lid hinged to pipe including cost of all materials, labour, drilling 8 mm dia holes etc., complete with all leads and lifts.

DATA

RATE ANALYSIS UNIT: 10 Nos.

| Α. | MATERIALS: | |
|----|------------|--|
| | SI No | |

| SI No | particulars | Unit | Quantity | Rate | Amount |
|-------------------------|--------------------------------------|------|----------|---------|---------|
| | | | | in Rs. | in Rs. |
| 1 | GI pipe 50 mm dia | Rm | 7.50 | 320.00 | 2400.00 |
| 2 | GI plate & Alluminium lid (hinged) | LS | 10.00 | 20.00 | 200.00 |
| Total cost of Materials | | | Rs: | 2600.00 | |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|---------------------------------|------|----------|--------|--------|
| | | | | in Rs. | in Rs. |
| 1 | Drilling 8 mm dia holes | LS | 15.00 | 20.00 | 300.00 |
| | | | 0.00 | | |
| | Total hire charges of Machinery | | • | Rs: | 300.00 |

C. LABOUR:

| <u> </u> | | | | | |
|----------|----------------------|------|----------|--------|--------|
| SI No | Description | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Pipe fitter | Day | 0.50 | 480.00 | 240.00 |
| 2 | mazdoor | Day | 0.50 | 310.00 | 155.00 |
| | Total cost of Labour | | | Rs: | 395.00 |

labour component/unit qty

39.50

Add contractor's profit and overhead charges

13.615% 5.40

labour component/unit qty (including contractor's profit) 44.90

ABSTRACT:

| A. Cost of Materials | | Rs: | 2600.00 |
|------------------------------|-------|-----|---------|
| B. Hire charges of Machinery | | Rs: | 300.00 |
| C. Cost of Labour | | Rs: | 395.00 |
| | Total | Rs: | 3295.00 |

D. Add for contractor's profit and overheads on (A+B+C) 13.615% Rs: 448.61 10.00 Nos. Total cost for Rs: 3743.61 (A+B+C+D)/10.0 Rate per Rs. 374.40 No.

IRR-CAW-7-23 Providing and fixing 100 mm dia perforated PVC pipes 40 cm long for Weep holes including cost of all materials, labour, drilling 8 mm dia holes etc. complete with all leads and lifts.

DATA

RATE ANALYSIS UNIT: 10 Nos.

A. MATERIALS:

| A. WALLINA | -0. | | | | |
|-------------------------|----------------------------|------|-------|---------|-----------|
| | | | | Rate in | Amount in |
| SI.No | Particulars | Unit | Qty | Rs | Rs. |
| 1 | PVC pipe 100 mm dia 10 Nos | Rm | 10.00 | 175.00 | 1750.00 |
| Total cost of Materials | | | | Rs. | 1750.00 |

B. MACHINERY

| SI.No | Description | Unit | Quantity | Rate in Rs. | Amount in Rs. |
|-------|--------------------------------|------|----------|-------------|---------------|
| 1 | Nill | | 0.00 | 0.00 | |
| | | | 0.00 | 0.00 | |
| | Total hire chargs of Machinery | | | Rs. | 0.00 |

C. LABOUR

| | | | | Rate in | Amount in |
|-------|------------------------|------|------|---------|-----------|
| SI.No | Particulars | Unit | Qty | Rs | Rs. |
| 1 | Pipe fitter | Day | 0.25 | 480.00 | 120.00 |
| 2 | Mazdoor | Day | 0.25 | 310.00 | 77.50 |
| | Total cost of Labour R | | | | |

labour component/unit qty

19.80

Add contractor's profit and overhead charges

13.615% 2.70

labour component/unit qty (including contractor's profit)

22.50

10 Nos.

ABSTRACT

| A. Cost of Materials | Rs. | 1750.00 |
|------------------------------|-----------|---------|
| B. Hire charges of Machinery | Rs. | 0.00 |
| C. Cost of Labour | Rs. | 197.50 |
| | Total Rs: | 1947.50 |

D. Add for contractor's profit and overheads on (A+B+C) 13.615% Rs: 265.15

Total cost for 10.00 Nos. Rs: 2212.65

Rate per No. (A+B+C+D)/10.0 Rs. 221.30

IRR-CAW-7-24 **Drilling 32 mm dia pressure relief hole below pressure relief pipe** for bed and side lining of canal laid on rock including cost of all materials, machinery, labour etc., complete with all **leads and lifts.**

DATA:

RATE ANALYSIS UNIT:

| A. MATERIA | L S : | | | | |
|------------|----------------------------------|------|----------|--------|--------|
| SI No | particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Use rate of drill rod 1.6 m long | Rm | 10.00 | 27.67 | 276.67 |
| | Reconditioning charges @ | | 10% | | 27.67 |
| 2 | Use rate of air hose 2 Nos. | Hour | 2.00 | 11.56 | 23.13 |
| | Total cost of Materials | | | | |

B. MACHINERY:

| D. MACHINA | =101. | | | | |
|------------|---------------------------------|------|----------|--------|--------|
| SI No | Description | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Air compressor 8.5 cmm diesel | Hour | 1.00 | 275.60 | 275.60 |
| | Fuel / Energy charges | Hour | 1.00 | 914.20 | 914.20 |
| 2 | Jack hammer 2 Nos. | Hour | 2.00 | 19.80 | 39.60 |
| | Fuel / Energy charges | Hour | 2.00 | 0.00 | 0.00 |
| | Total hire charges of Machinery | | | | |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|----------------------|-------------------------|------|----------|--------|--------|
| | | | | in Rs. | in Rs. |
| 1 | Crew for Air compressor | Hour | 1.00 | 195.90 | 195.90 |
| 2 | Crew for Jack hammer | Hour | 2.00 | 306.20 | 612.40 |
| Total cost of Labour | | | | | 808 30 |

labour component/unit qty

80.80

Add contractor's profit and overhead charges 13.615% 11.00 labour component/unit qty (including contractor's profit) 91.80

ABSTRACT:

A. Cost of Materials Rs: 327.46 B. Hire charges of Machinery 1229.40 Rs: C. Cost of Labour 808.30 Rs:

Total Rs: 2365.16

D. Add for contractor's profit and overheads on (A+B+C) 322.02 13.615% Rs: 10.00 Nos. Rs: 2687.18 Rate per No. (A+B+C+D)/10.0 Rs. 268.70

IRR-CAW-7-25 Providing and forming 35 x 35 x 40 cm deep filter drain consisting of 75 mm thick 10 mm down coarse aggregate around pressure relief pipe and 75 mm thick sand around coarse aggregate filter including cost of all materials, labour, excavation of pit etc., complete with lead upto 50 m and all lifts.

DATA **RATE ANALYSIS** UNIT: 10 Nos.

A MATERIALS.

| A. WATERIAL | .J. | | | | |
|-------------------------|-----------------------------|------|----------|--------|--------|
| SI No | particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Coarse aggregate 10-4.75 mm | cum | 0.15 | 875.00 | 131.25 |
| 2 | Sand (Un-Screened) | cum | 0.35 | 560.00 | 196.00 |
| Total cost of Materials | | | | | 327.25 |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount | |
|-------|---------------------------------|------|----------|--------|--------|--|
| | | | | in Rs. | in Rs. | |
| 1 | Nil | | 0.00 | 0.00 | | |
| | | | | | | |
| | Total hire charges of Machinery | | | | | |

C. LABOUR:

| 0, 0 | • | | | | |
|-------|----------------------|------|----------|--------|--------|
| SI No | Description | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Mason CI- II | Day | 0.10 | 370.00 | 37.00 |
| 2 | mazdoor | Day | 0.10 | 310.00 | 31.00 |
| | Total cost of Labour | | | | |

labour component/unit qty 6.80 Add contractor's profit and overhead charges 13.615% 0.90

labour component/unit qty (including contractor's profit) 7.70

ABSTRACT:

| A. Cost of Materials | | Rs: | 327.25 |
|------------------------------|-------|-----|--------|
| B. Hire charges of Machinery | | Rs: | 0.00 |
| C. Cost of Labour | | Rs: | 68.00 |
| | Total | Rs: | 395.25 |

D. Add for contractor's profit and overheads on (A+B+C) 13.615% 53.81 Rs: 10.00 Nos. Total cost for Rs: 449.06 Rate per No. (A+B+C+D)/10.0 Rs. 44.90

IRR-CAW-7-26 Providing and fixing 25 to 40 mm thick Shahabad / Talikota / other similar stone slabs with pointing and finishing joints neatly in CM 1:3 proportion for canal / field channel lining including cutting slabs to required size, mixing mortar, finishing joints neatly, curing etc., complete with lead upto 50 m and all lifts.

DATA: **RATE ANALYSIS** UNIT: 100.00 sqm

| / | A. MATERIAL | .S: | | | | |
|---|-------------|-------------|------|----------|------|--------|
| | SI No | particulars | Unit | Quantity | Rate | Amount |

| | | | | in Rs. | in Rs. |
|-------------------------|----------------------|-----|--------|--------|----------|
| 1 | Shahabad Stone slabs | sqm | 105.00 | 240.00 | 25200.00 |
| 2 | Cement 43 Gr | kg | 200.00 | 6.30 | 1260.00 |
| 3 | Sand (Screened) | cum | 0.40 | 760.00 | 304.00 |
| Total cost of Materials | | | | | 26764.00 |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount | |
|-------|---------------------------------|------|----------|--------|--------|--|
| | | | | in Rs. | in Rs. | |
| 1 | 5 hp pump (diesel) | Hour | 2.00 | 10.20 | 20.40 | |
| | Fuel / Energy charges | Hour | 2.00 | 81.30 | 162.60 | |
| | Total hire charges of Machinery | | | | | |

C. LABOUR:

| O: =; := O O: :: | • | | | | | |
|------------------|--------------------------------------|------|----------|--------|---------|--|
| SI No | Description | Unit | Quantity | Rate | Amount | |
| | | | | in Rs. | in Rs. | |
| 1 | Operator pump | Hour | 2.00 | 103.60 | 207.20 | |
| 2 | work inspector | Day | 1.00 | 400.00 | 400.00 | |
| 3 | Mason Class I | Day | 4.00 | 415.00 | 1660.00 | |
| 4 | Mason Class II | Day | 2.00 | 370.00 | 740.00 | |
| 5 | mazdoor | Day | 8.00 | 310.00 | 2480.00 | |
| | Cartman with Double Bullock cart for | | | | | |
| 6 | water | Day | 1.00 | 425.00 | 425.00 | |
| | Total cost of Labour | | | | | |

labour component/unit qty

59.10

Add contractor's profit and overhead charges

13.615% 8.00

labour component/unit qty (including contractor's profit)

<u>67.10</u>

ABSTRACT:

 A. Cost of Materials
 Rs: 26764.00

 B. Hire charges of Machinery
 Rs: 183.00

 C. Cost of Labour
 Rs: 5912.20

 Total
 Rs: 32859.20

D. Add for contractor's profit and overheads on (A+B+C) 13.615% Rs: 4473.78
Total cost for 100.00 sqm Rs: **37332.98 Rate per sqm** (A+B+C+D)/100.0 Rs. **373.30**

IRR-CAW-7-27 **Fixing PCC slabs** of various sizes in **CM 1 : 3** proportion to the side slopes of canal including preparing bed, flush pointing joints in CM 1 : 3 propn, cost of all materials (excluding PCC slabs), labour, finishing, curing etc., complete **with initial lead upto 50 m and all lifts.**

DATA: RATE ANALYSIS UNIT: 100.00 sqm

A MATERIALS.

| A. WATERIAL | A. WATERIALS. | | | | | | | | | | |
|-------------|-------------------------|------|----------|--------|---------|--|--|--|--|--|--|
| SI No | particulars | Unit | Quantity | Rate | Amount | | | | | | |
| | | | | in Rs. | in Rs. | | | | | | |
| 1 | Cement 43 Gr | kg | 240.00 | 6.30 | 1512.00 | | | | | | |
| 2 | Sand (Screened) | cum | 0.50 | 760.00 | 380.00 | | | | | | |
| | Total cost of Materials | | | | | | | | | | |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount | |
|-------|---------------------------------|------|----------|--------|--------|--|
| | | | | in Rs. | in Rs. | |
| 1 | 5 hp pump (diesel) | Hour | 2.00 | 10.20 | 20.40 | |
| | Fuel / Energy charges Hour 2.00 | | | | | |
| | Total hire charges of Machinery | | | | | |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|----------------|------|----------|--------|---------|
| | | | | in Rs. | in Rs. |
| 1 | Operator pump | Hour | 2.00 | 103.60 | 207.20 |
| 2 | work inspector | Day | 1.00 | 400.00 | 400.00 |
| 3 | Mason Class I | Day | 4.00 | 415.00 | 1660.00 |
| 4 | mazdoor | Day | 9.00 | 310.00 | 2790.00 |

| | Cartman with Double Bullock cart for | | | 1 | | |
|---|--------------------------------------|-----|------|--------|---------|--|
| 5 | water | Day | 1.00 | 425.00 | 425.00 | |
| | Total cost of Labour | | | Rs: | 5482.20 | |

labour component/unit qty

54.80

Add contractor's profit and overhead charges

13.615% 7.50

labour component/unit qty (including contractor's profit)

62.30

ABSTRACT:

A. Cost of Materials Rs: 1892.00 B. Hire charges of Machinery Rs: 183.00 C. Cost of Labour Rs: 5482.20

7557.20 Total Rs:

D. Add for contractor's profit and overheads on (A+B+C) 13.615% Rs: 1028.91 Total cost for 100.00 sqm 8586.11 Rs: Rate per sqm (A+B+C+D)/100.0 Rs. 85.90

IRR-CAW-7-28 Fixing PCC lug slabs of various sizes in CM 1:3 proportion for supporting PCC slab lining including necessary excavation, refilling, flush pointing joints in CM 1:3 propn, cost of all materials (excluding PCC lug slabs), labour, finishing, curing etc., complete with initial lead upto 50 m and all lifts.

DATA:

RATE ANALYSIS

UNIT: 100.00 Rm

| A. MATERIA | A. MATERIALS: | | | | | | | | | |
|------------|-------------------------|------|----------|--------|--------|--|--|--|--|--|
| SI No | particulars | Unit | Quantity | Rate | Amount | | | | | |
| | | | | in Rs. | in Rs. | | | | | |
| 1 | Cement 43 Gr | kg | 58.00 | 6.30 | 365.40 | | | | | |
| 2 | Sand (Screened) | cum | 0.12 | 760.00 | 91.20 | | | | | |
| | Total cost of Materials | • | | Rs: | 456.60 | | | | | |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount | |
|-------|---------------------------------|------|----------|--------|--------|--|
| | | | | in Rs. | in Rs. | |
| 1 | 5 hp pump (diesel) | Hour | 1.00 | 10.20 | 10.20 | |
| | Fuel / Energy charges | Hour | 1.00 | 81.30 | 81.30 | |
| | Total hire charges of Machinery | | | | | |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount | |
|-------|--------------------------------------|------|----------|--------|---------|--|
| | | | | in Rs. | in Rs. | |
| 1 | Operator pump | Hour | 1.00 | 103.60 | 103.60 | |
| 2 | work inspector | Day | 1.00 | 400.00 | 400.00 | |
| 3 | Mason Class I | Day | 2.00 | 415.00 | 830.00 | |
| 4 | Mason Class II | Day | 1.00 | 370.00 | 370.00 | |
| 5 | mazdoor | Day | 5.00 | 310.00 | 1550.00 | |
| | Cartman with Double Bullock cart for | | | | | |
| 6 | water | Day | 1.00 | 425.00 | 425.00 | |
| | Total cost of Labour | | | | | |

labour component/unit qty

36.80

Add contractor's profit and overhead charges

13.615% 5.00

labour component/unit qty (including contractor's profit)

41.80

ABSTRACT:

| A. Cost of Materials | | Rs: | 456.60 |
|------------------------------|-------|-----|---------|
| B. Hire charges of Machinery | | Rs: | 91.50 |
| C. Cost of Labour | | Rs: | 3678.60 |
| | Total | Rs: | 4226.70 |

D. Add for contractor's profit and overheads on (A+B+C) 13.615% Rs: 575.47 Total cost for 100.00 Rm Rs: 4802.17 Rate per Rm (A+B+C+D)/100.0 Rs. 48.00

IRR-CAW-7-29 Fixing 30 cm height pre-cast drops for field channels as directed including excavation, etc., complete with all leads and lifts.

DATA: RATE ANALYSIS UNIT: 7 Nos.

| A. MATERIAL | S: | | | | |
|-------------|------------------------|------|----------|--------|--------|
| SI No | particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Nill | | 0.00 | 0.00 | |
| | | | 0.00 | 0.00 | |
| | Total cost of Material | S | | Rs: | 0.00 |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|---------------------------------|-------------|------|----------|--------|--------|
| | | | | in Rs. | in Rs. |
| 1 | Nill | | 0.00 | 0.00 | |
| | | | 0.00 | 0.00 | |
| Total hire charges of Machinery | | | Rs: | 0.00 | |

C. LABOUR:

| 0.2.200 | | | | | |
|----------------------|----------------|------|----------|---------|--------|
| SI No | Description | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | work inspector | Day | 1.00 | 400.00 | 400.00 |
| 2 | Mason CI- II | Day | 1.00 | 370.00 | 370.00 |
| 3 | mazdoor | Day | 1.00 | 310.00 | 310.00 |
| Total cost of Labour | | | Rs: | 1080.00 | |

labour component/unit qty 154.30
Add contractor's profit and overhead charges 13.615% 21.00
labour component/unit qty (including contractor's profit) 175.30

ABSTRACT:

Rate per

| A. Cost of Materials | | Rs: | 0.00 |
|---|----------|-----|---------|
| B. Hire charges of Machinery | | Rs: | 0.00 |
| C. Cost of Labour | | Rs: | 1080.00 |
| | Total | Rs: | 1080.00 |
| | | | _ |
| D. Add for contractor's profit and overheads on (A+B+C) | 13.615% | Rs: | 147.04 |
| Total cost for | 7.00 Nos | Rs. | 1227 04 |

(A+B+C+D)/7.00


175.30

Rs.

IRR-CAW-7-30 Providing and **fixing LDPE** sheet for bed and sides of canal including cost of all materials, labour, laying, joining etc., complete with all leads and lifts.

a. Using 500 micron thick LDPE sheet.

No.



DATA: RATE ANALYSIS UNIT: 250.00 sqm

| A. MATERIAL | S: | | | | | |
|-----------------|-------------|------|----------|------|--------|--|
| SI No | particulars | Unit | Quantity | Rate | Amount | |

| | | | | in Rs. | in Rs. |
|---|---------------------------------|-----|--------|--------|----------|
| 1 | LDPE sheet 500 micron thick | sqm | 275.00 | 97.00 | 26675.00 |
| 2 | Bitumen 85 / 25 and 80 / 100 Gr | kg | 4.00 | 4.00 | 16.00 |
| | Total cost of Materials | | | Rs: | 26691.00 |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|---------------------------------|------|----------|--------|--------|
| | | | | in Rs. | in Rs. |
| 1 | Nill | | 0.00 | 0.00 | 0.00 |
| | | | 0.00 | 0.00 | 0.00 |
| | Total hire charges of Machinery | | | Rs: | 0.00 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate in Rs. | Amount in Rs. |
|-------|----------------------------------|------|----------|-------------|---------------|
| | Joining & laying @ 10 % of sheet | | | | |
| 1 | cost | sqm | 250.00 | 9.70 | 2425.00 |
| 2 | mazdoor | Day | 1.00 | 310.00 | 310.00 |
| | Total cost of Labour | | | Rs: | 2735.00 |

labour component/unit qty 10.90
Add contractor's profit and overhead charges 13.615% 1.50
labour component/unit qty (including contractor's profit) 12.40

ABSTRACT:

A. Cost of Materials Rs: 26691.00 B. Hire charges of Machinery Rs: 0.00 C. Cost of Labour Rs: 2735.00 29426.00 Total Rs: D. Add for contractor's profit and overheads on (A+B+C) 13.615% 4006.35 Rs: Total cost for 250.00 sqm 33432.35 Rs: Rate per (A+B+C+D)/250.0 133.70 sqm Rs.

Note : $\,$ i) If the surface on which the LDPE sheet is to be laid is too rough and undulating provide

average 75 mm thick sand backing to LDPE sheet.

For providing average 75 mm thick sand backing :

DATA: Quantity of sand (unscreened) (250 x 0.075)

2 mazdoors for laying 6 cum per day.

RATE ANALYSIS UNIT: 250.00 sqm

18.75 cum

A. MATERIALS:

| 7 (1 1017 (1 E 1 (1) (1 | | | | | |
|----------------------------|-------------------------|------|----------|--------|----------|
| SI No | particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Sand for filling | cum | 18.75 | 560.00 | 10500.00 |
| | | | 0.00 | 0.00 | |
| | Total cost of Materials | | | Rs: | 10500.00 |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|---------------------------------|-------------|------|----------|--------|--------|
| | | | | in Rs. | in Rs. |
| 1 | Nill | | 0.00 | 0.00 | 0.00 |
| | | | 0.00 | 0.00 | 0.00 |
| Total hire charges of Machinery | | | Rs: | 0.00 | |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate in Rs. | Amount in Rs. |
|-------|----------------------|------|----------|-------------|---------------|
| 1 | mazdoor | Day | 6.00 | 310.00 | 1860.00 |
| | Total cost of Labour | | | Rs: | 1860.00 |

labour component/unit qty 7.40

Add contractor's profit and overhead charges 13.615% 1.00 labour component/unit qty (including contractor's profit) 8.40

ABSTRACT:

A. Cost of Materials Rs: 10500.00
B. Hire charges of Machinery Rs: 0.00

C. Cost of Labour Rs:

12360.00 Total Rs:

1860.00

Rs: D. Add for contractor's profit and overheads on (A+B+C) 13.615% 1682.81 Total cost for 250.00 sqm 14042.81 Rs: (A+B+C+D)/250.0 Rate per sqm Rs. 56.20

IRR-CAW-7-31 Providing and fixing LDPE sheet for bed and sides of canal including cost of all materials, labour, laying, joining etc., complete with all leads and lifts.

b. Using 750 micron thick LDPE sheet.

DATA: **RATE ANALYSIS** UNIT: 250.00 sqm

| A. MATERIA | LS: | | | | |
|------------|---------------------------------|------|----------|--------|----------|
| SI No | particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | LDPE sheet 750 micron thick | | 275.00 | 137.00 | 37675.00 |
| 2 | Bitumen 85 / 25 and 80 / 100 Gr | | 4.00 | 4.00 | 16.00 |
| | Total cost of Materials | | | Rs: | 37691.00 |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|---------------------------------|------|----------|--------|--------|
| | | | | in Rs. | in Rs. |
| 1 | Nill | | 0.00 | 0.00 | |
| | | | 0.00 | 0.00 | |
| | Total hire charges of Machinery | | | Rs: | 0.00 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|----------------------------------|------|----------|--------|---------|
| | | | | in Rs. | in Rs. |
| | Joining & laying @ 10 % of sheet | | | | |
| 1 | cost | sqm | 250.00 | 13.70 | 3425.00 |
| 2 | mazdoor | Day | 1.00 | 310.00 | 310.00 |
| | Total cost of Labour | | | Rs: | 3735.00 |

labour component/unit qty 14.90 13.615% 2.00 Add contractor's profit and overhead charges

labour component/unit qty (including contractor's profit) 16.90

ABSTRACT:

A. Cost of Materials Rs: 37691.00 B. Hire charges of Machinery Rs: 0.00 C. Cost of Labour 3735.00 Rs: Total 41426.00 Rs:

D. Add for contractor's profit and overheads on (A+B+C) Rs: 5640.15 13.615% 250.00 sqm Total cost for 47066.15 Rs: Rate per (A+B+C+D)/250.0 188.30 sqm Rs.

Note: i) If the surface on which the LDPE sheet is to be laid is too rough and undulating provide

average 75 mm thick unscreened sand backing to LDPE sheet.

For providing average 75 mm thick sand backing per sqm Rs: 56.20

IRR-CAW-7-32 Providing and fixing LDPE sheet for bed and sides of canal including cost of all materials, labour, laying, joining etc., complete with all leads and lifts.

c. Using 1000 micron thick LDPE sheet.

DATA: RATE ANALYSIS UNIT: 250.00 sqm

| A. MATERIAL | _S: | | | | |
|-------------|---------------------------------|------|----------|--------|----------|
| SI No | particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | LDPE sheet 1000 micron thick | | 275.00 | 189.00 | 51975.00 |
| 2 | Bitumen 85 / 25 and 80 / 100 Gr | | 4.00 | 4.00 | 16.00 |

| Total cost of Materials | Rs: | 51991.00 |
|-------------------------|-----|----------|

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|---------------------------------|------|----------|--------|--------|
| | | | | in Rs. | in Rs. |
| 1 | Nill | | 0.00 | 0.00 | 0.00 |
| | | | 0.00 | 0.00 | 0.00 |
| | Total hire charges of Machinery | | | Rs: | 0.00 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|----------------------------------|------|----------|--------|---------|
| | | | | in Rs. | in Rs. |
| | Joining & laying @ 10 % of sheet | | | | |
| 1 | cost | sqm | 250.00 | 18.90 | 4725.00 |
| 2 | mazdoor | Day | 1.00 | 310.00 | 310.00 |
| | Total cost of Labour | | | Rs: | 5035.00 |

labour component/unit qty 20.10 Add contractor's profit and overhead charges 13.615% 2.70 labour component/unit qty (including contractor's profit) 22.80

ABSTRACT:

51991.00 A. Cost of Materials Rs: B. Hire charges of Machinery Rs: 0.00 C. Cost of Labour Rs: 5035.00 Total Rs: 57026.00

D. Add for contractor's profit and overheads on (A+B+C) 13.615% Rs: 7764.09 Total cost for 250.00 sqm Rs: 64790.09 Rate per (A+B+C+D)/250.0 259.20 sqm Rs.

i) If the surface on which the LDPE sheet is to be laid is too rough and undulating provide Note:

average 75 mm thick unscreened sand backing to LDPE sheet.

For providing average 75 mm thick sand backing per sqm Rs: 56.20

IRR-CAW-7-33 Providing and fixing 12 mm thick 380 mm depth tarfelt expansion joint filler boards for stone masonry lining of canal including cost of all materials, labour etc., complete with all leads and lifts.

RATE ANALYSIS DATA UNIT: 100.00 Rm

| A. MATERIAI | LS: | | | | |
|-------------|--|------|----------|--------|----------|
| SI No | particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| | | | | | |
| 1 | Tarfelt joint filler board 12 mm thick | sqm | 38.75 | 420.00 | 16275.00 |
| | | | 0.00 | 0.00 | |
| | Total cost of Materials | | | | 16275.00 |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|---------------------------------|------|----------|--------|--------|
| | | | | in Rs. | in Rs. |
| 1 | Nill | | 0.00 | 0.00 | |
| | | | 0.00 | 0.00 | |
| | Total hire charges of Machinery | | | Rs: | 0.00 |

. LABOUR:

| C. LABOUN. | | | | | |
|----------------------|------------------|------|----------|--------|--------|
| SI No | Description | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Carpenter CI- II | Day | 1.00 | 370.00 | 370.00 |
| 2 | mazdoor | Day | 1.00 | 310.00 | 310.00 |
| Total cost of Labour | | | | Rs: | 680.00 |

6.80

labour component/unit qty Add contractor's profit and overhead charges 13.615% 0.90

labour component/unit qty (including contractor's profit) 7.70

 A. Cost of Materials
 Rs: 16275.00

 B. Hire charges of Machinery
 Rs: 0.00

 C. Cost of Labour
 Rs: 680.00

Total Rs: <u>16955.00</u>

D. Add for contractor's profit and overheads on (A+B+C) 13.615% Rs: 2308.42
Total cost for 100.00 Rm Rs: 19263.42
Rate per Rm (A+B+C+D)/100.00 Rs. 192.60

IRR-CAW-7-34 Providing and fixing 20 mm thick 100 mm depth tarfelt expansion joint filler boards for cement concrete lining of canal including cost of all materials, labour etc., complete with all leads and lifts.

DATA RATE ANALYSIS UNIT: 100.00 Rm

| A. MATERIALS: | | | | | | | |
|---------------|--|------|----------|--------|---------|--|--|
| SI No | particulars | Unit | Quantity | Rate | Amount | | |
| | | | | in Rs. | in Rs. | | |
| | | | | | 6500.00 | | |
| 1 | Tarfelt joint filler hoard 20 mm thick | sam | 10.00 | 650.00 | | | |

| 0.00 0.00 0.00 | Total cost of Materials | Rs: **6500.00**

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|---------------------------------|-------------|------|----------|--------|--------|
| | | | | in Rs. | in Rs. |
| 1 | Nill | | 0.00 | 0.00 | 0.00 |
| | | | 0.00 | 0.00 | 0.00 |
| Total hire charges of Machinery | | | Rs: | 0.00 | |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|----------------------|------------------|------|----------|--------|--------|
| | | | | in Rs. | in Rs. |
| 1 | Carpenter CI- II | Day | 1.00 | 370.00 | 370.00 |
| 2 | mazdoor | Day | 1.00 | 310.00 | 310.00 |
| Total cost of Labour | | | | Rs: | 680.00 |

labour component/unit qty 6.80 Add contractor's profit and overhead charges 13.615% 0.90

labour component/unit qty (including contractor's profit) 7.70

ABSTRACT:

 A. Cost of Materials
 Rs:
 6500.00

 B. Hire charges of Machinery
 Rs:
 0.00

 C. Cost of Labour
 Rs:
 680.00

 Total
 Rs:
 7180.00

D. Add for contractor's profit and overheads on (A+B+C) 13.615% Rs: 977.56
Total cost for 100.00 Rm Rs: 8157.56
Rate per Rm (A+B+C+D)/100.00 Rs. 81.60

IRR-CAW-7-35 Providing and fixing 20 mm thick 150 mm depth tarfelt expansion joint filler boards for cement concrete lining of canal including cost of all materials, labour etc., complete with all leads and lifts.

DATA: RATE ANALYSIS UNIT: 100.00 Rm

| ERIAL | .S: | | | | |
|-------|--|--|---------------------|--|---|
| No | particulars | Unit | Quantity | Rate | Amount |
| | · | | - | in Rs. | in Rs. |
| | | | | | 9945.00 |
| | Tarfelt joint filler board 20 mm thick | sqm | 15.30 | 650.00 | |
| | | | 0.00 | 0.00 | |
| | No | ERIALS: No particulars Tarfelt joint filler board 20 mm thick | No particulars Unit | No particulars Unit Quantity Tarfelt joint filler board 20 mm thick sqm 15.30 | No particulars Unit Quantity Rate in Rs. Tarfelt joint filler board 20 mm thick sqm 15.30 650.00 |

| Total cost of Materials | Rs: | 9945.00 |
|-------------------------|-----|---------|

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|---------------------------------|------|----------|--------|--------|
| | | | | in Rs. | in Rs. |
| 1 | Nill | | 0.00 | 0.00 | |
| | | | 0.00 | 0.00 | |
| | Total hire charges of Machinery | | | | 0.00 |

C. LABOUR:

| 0, 0 | =' | | | | |
|-------|----------------------|------|----------|--------|--------|
| SI No | Description | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Carpenter Cl- II | Day | 1.00 | 370.00 | 370.00 |
| 2 | mazdoor | Day | 1.00 | 310.00 | 310.00 |
| | Total cost of Labour | | | Rs: | 680.00 |

labour component/unit qty 6.80
Add contractor's profit and overhead charges 13.615% 0.90
labour component/unit qty (including contractor's profit) 7.70

ABSTRACT:

 A. Cost of Materials
 Rs:
 9945.00

 B. Hire charges of Machinery
 Rs:
 0.00

 C. Cost of Labour
 Rs:
 680.00

 Total
 Rs:
 10625.00

D. Add for contractor's profit and overheads on (A+B+C) 13.615% Rs: 1446.59
Total cost for 100.00 Rm Rs: 12071.59
Rate per Rm (A+B+C+D)/100.00 Rs. 120.70

IRR-CAW-7-36 Providing and forming 35 mm wide and 10 mm thick construction / contraction joints for concrete lining by mastic filler including cost of all materials, labour etc., complete with all leads and lifts.

DATA: RATE ANALYSIS UNIT: 100.00 Rm

A. MATERIALS:

| SI No | particulars | Unit | Quantity | Rate | Amount |
|-------|-------------------------|------|----------|--------|--------|
| | | | | in Rs. | in Rs. |
| 1 | Asphalt 80/100 Gr | kg | 35.00 | 4.00 | 140.00 |
| | Sand (Screened) | cum | 0.04 | 760.00 | 30.40 |
| | Total cost of Materials | | | | 170.40 |

B. MACHINERY:

| D. WACI IIIVLI | NI: | | | | |
|----------------|---------------------------------|------|----------|--------|--------|
| SI No | Description | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Nill | | 0.00 | 0.00 | 0.00 |
| | | | 0.00 | 0.00 | 0.00 |
| | Total hire charges of Machinery | | • | Rs: | 0.00 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|----------------------|--------------|------|----------|--------|--------|
| | | | | in Rs. | in Rs. |
| 1 | Mason CI- II | Day | 0.50 | 370.00 | 185.00 |
| 2 | mazdoor | Day | 1.00 | 310.00 | 310.00 |
| Total cost of Labour | | | Rs: | 495.00 | |

labour component/unit qty 5.00
Add contractor's profit and overhead charges 13.615% 0.70
labour component/unit qty (including contractor's profit) 5.70

ABSTRACT:

| B. Hire charges of Machinery C. Cost of Labour | | Rs: Rs: | 0.00 495.00 |
|--|-------|------------|----------------|
| C. Cost of Labour | Total | Rs: | 665.40 |

D. Add for contractor's profit and overheads on (A+B+C) 13.615% Rs: 90.59
Total cost for 100.00 Rm Rs: **755.99**Rate per Rm (A+B+C+D)/100.00 Rs. **7.60**

IRR-CAW-7-37 **Manufacturing 550 x 550 x 55 mm size PCC lining slabs in M-15** grade (28 days cube compressive strength not less than 15 N /sqmm) cement concrete using **20 mm down graded** coarse aggregate including cost of all materials, machinery, labour, batching, mixing, laying, compacting, formwork, finishing, curing etc.,complete **with initial lead upto 50 m and all lifts.**

(Cement content : 300 kg / cum with super plastcizer (0.4% by wt. of cement),

 $\mbox{CA}: \mbox{0.80}$ cum, Blending Ratio of $\mbox{CA}: \mbox{65:35}, \mbox{FA}: \mbox{0.45cum}$

equivalent concrete volume: 3.74 cum)

DATA: RATE ANALYSIS UNIT: 225 Nos.

| Α. | MAT | ERI | ALS: |
|----|-----|-----|------|
| | | | |

| A. IVIA I ENIA | ALJ. | | | | |
|----------------|--------------------------------------|------|----------|---------|----------|
| SI No | particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Cement for mix | kg | 1122.00 | 6.30 | 7068.60 |
| | | | | | 1417.50 |
| | Cement for incidentals @ 1 kg / slab | kg | 225.00 | 6.30 | |
| 2 | Coarse aggregate 20-10 mm | cum | 1.94 | 1210.00 | 2353.21 |
| | Coarse aggregate 10 mm below | cum | 1.05 | 875.00 | 916.30 |
| 3 | Fine aggregate (Un-Screened) | cum | 1.68 | 560.00 | 942.48 |
| 4 | Super Plasticizer | kg | 4.49 | 95.00 | 426.36 |
| 5 | Use rate of moulds for 500 uses | No. | 225.00 | 5.19 | 1167.34 |
| | Total cost of Materials | | | Rs: | 14291.78 |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|--------------------------------------|------|----------|--------|---------|
| | · | | | in Rs. | in Rs. |
| | | | | | 428.00 |
| 1 | Concrete mixer 300/200 ltr (diesel) | Hour | 8.00 | 53.50 | |
| | Fuel / Energy charges | Hour | 8.00 | 81.30 | 650.40 |
| 2 | 5 hp pump (diesel) | Hour | 0.10 | 10.20 | 1.02 |
| | Fuel / Energy charges | Hour | 0.10 | 81.30 | 8.13 |
| 3 | Water tanker 8000 ltr | Hour | 0.20 | 402.50 | 80.50 |
| | Fuel / Energy charges | Hour | 0.20 | 307.20 | 61.44 |
| | Total hire charges of Machinery | | | Rs: | 1229.49 |
| | Aportioned hire charges of | | | | • |
| | machinery for lining slab | | 90% | Rs: | 1106.54 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|--------------------------------------|------|----------|--------|---------|
| | | | | in Rs. | in Rs. |
| 1 | Crew for Concrete mixer | Hour | 8.00 | 204.10 | 1632.80 |
| 2 | Crew for Pump | Hour | 0.10 | 103.60 | 10.36 |
| 3 | Crew for Water tanker | Hour | 0.20 | 165.80 | 33.16 |
| 4 | Mason Class-I | Day | 2.00 | 415.00 | 830.00 |
| 5 | work inspector | Day | 1.00 | 400.00 | 400.00 |
| 6 | mazdoor | | | | |
| | for batching materials / laying CC | Day | 3.00 | 310.00 | 930.00 |
| | for demoulding / oiling / laying | Day | 2.00 | 310.00 | 620.00 |
| | for shifting slabs to curing pond | Day | 1.00 | 310.00 | 310.00 |
| | for stacking after curing | Day | 1.00 | 310.00 | 310.00 |
| | for cleaning & miscellaneous | Day | 1.00 | 310.00 | 310.00 |
| | Total cost of Labour | • | | Rs: | 5386.32 |
| | Aportioned cost of labour for lining | | | | |
| | slabs | | 90% | Rs: | 4847.69 |

labour component/unit qty

21.50

Add contractor's profit and overhead charges

13.615% 2.90

labour component/unit qty (including contractor's profit)

24.40

ABSTRACT:

A. Cost of Materials Rs: 14291.78

B. Hire charges of Machinery Rs: 1106.54 4847.69 C. Cost of Labour Rs: 20246.01

Total Rs:

D. Add for contractor's profit and overheads on (A+B+C) 13.615% Rs: 2756.49 225.00 Nos. Total cost for Rs: 23002.50 Rate per (A+B+C+D)/225.0 102.20 each Rs.

IRR-CAW-7-38 Manufacturing 550 x 300 x 55 mm size PCC lug slabs in M-15 grade (28 days cube compressive strength not less than 15 N / sqmm) cement concrete using ${\bf 20}$ mm ${\bf down}$ graded coarse aggregate including cost of all materials, machinery, labour, batching, mixing, laying, compacting, formwork, finishing, curing etc., complete with initial lead upto 50 m and all lifts.

(Cement content : 300 kg / cum with super plastcizer (0.4% by wt. of cement), CA: 0.80 cum, Blending Ratio of CA: 65:35, FA: 0.45cum,

equivalent concrete volume: 0.23 cum)

DATA: **RATE ANALYSIS** UNIT: **25** Nos.

Total cost of Materials

Use rate of moulds for 500 uses

| A. MATERIALS: | | | | | | |
|---------------|--------------------------------------|------|----------|---------|--------|--|
| SI No | particulars | Unit | Quantity | Rate | Amount | |
| | | | | in Rs. | in Rs. | |
| 1 | Cement for mix | kg | 69.00 | 6.30 | 434.70 | |
| | | | | | 78.75 | |
| | Cement for incidentals @ 0.5 kg/slab | kg | 12.50 | 6.30 | | |
| 2 | Coarse aggregate 20-10 mm | cum | 0.12 | 1210.00 | 144.72 | |
| | Coarse aggregate 10 mm below | cum | 0.06 | 875.00 | 56.35 | |
| 3 | Fine aggregate (Un-Screened) | cum | 0.10 | 560.00 | 57.96 | |
| 4 | Super Plasticizer | kg | 0.28 | 95.00 | 26.22 | |

No.

25.00

3.23

Rs:

80.79

879.49

| B. MACHINE | ERY: | | | | |
|------------|--------------------------------------|------|----------|--------|---------|
| SI No | Description | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| | | | | | 428.00 |
| 1 | Concrete mixer 300/200 ltr (diesel) | Hour | 8.00 | 53.50 | |
| | Fuel / Energy charges | Hour | 8.00 | 81.30 | 650.40 |
| 2 | 5 hp pump (diesel) | Hour | 0.10 | 10.20 | 1.02 |
| | Fuel / Energy charges | Hour | 0.10 | 81.30 | 8.13 |
| 3 | Water tanker 8000 ltr | Hour | 0.20 | 402.50 | 80.50 |
| | Fuel / Energy charges | Hour | 0.20 | 307.20 | 61.44 |
| | Total hire charges of Machinery | | | Rs: | 1229.49 |
| | Aportioned hire charges of | | · | | |
| | machinery for lug slabs | | 10% | Rs: | 122.95 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|---------------------------------------|------|----------|--------|---------|
| | | | | in Rs. | in Rs. |
| 1 | Crew for Concrete mixer | Hour | 8.00 | 204.10 | 1632.80 |
| 2 | Crew for Pump | Hour | 0.10 | 103.60 | 10.36 |
| 3 | Crew for Water tanker | Hour | 0.20 | 165.80 | 33.16 |
| 4 | Mason Class-I | Day | 2.00 | 415.00 | 830.00 |
| 5 | work inspector | Day | 1.00 | 400.00 | 400.00 |
| 6 | mazdoor | | | | |
| | for batching materials / laying CC | Day | 3.00 | 310.00 | 930.00 |
| | for demoulding / oiling / laying | | 2.00 | 310.00 | 620.00 |
| | for shifting slabs to curing pond | | 1.00 | 310.00 | 310.00 |
| | for stacking after curing | Day | 1.00 | 310.00 | 310.00 |
| | for cleaning & miscellaneous | Day | 1.00 | 310.00 | 310.00 |
| | Total cost of Labour | | | Rs: | 5386.32 |
| | Aportioned cost of labourfor lug | | | | • |
| | · · · · · · · · · · · · · · · · · · · | | | | 538.63 |

labour component/unit qty

21.50

Add contractor's profit and overhead charges 13.615% 2.90 labour component/unit qty (including contractor's profit) 24.40

204

Rate per

| A. Cost of Materials | | Rs: | 879.49 |
|--|----------------|-----|---------|
| B. Hire charges of Machinery | | Rs: | 122.95 |
| C. Cost of Labour | | Rs: | 538.63 |
| | Total | Rs: | 1541.07 |
| | | | |
| D. Add for contractor's profit and overheads on (A | A+B+C) 13.615% | Rs: | 209.82 |
| Total cost for | 25.00 Nos. | Rs: | 1750.89 |

(A+B+C+D)/25.0

Rs.

70.00

IRR-CAW-7-39 Manufacturing 450 x 300 x 30 mm size PCC lining slabs in M-15 grade (28 days cube compressive strength not less than 15 N / sqmm) cement concrete using 10 mm down graded coarse aggregate including cost of all materials, machinery, labour, batching, mixing, laying, compacting, formwork, finishing, curing etc.,complete with initial lead upto 50 m and all lifts. (Cement content : 300 kg / cum with super plastcizer (0.4% by wt. of cement),

CA: 0.68 cum, FA: 0.43cum)

each

DATA: RATE ANALYSIS UNIT: 225 Nos.

| Α. | MA | TER | IALS: |
|----|----|-----|-------|
|----|----|-----|-------|

| A. IVIA I LIVIA | ALO. | | | | |
|-----------------|--------------------------------------|------|----------|--------|---------|
| SI No | particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Cement for mix | kg | 270.00 | 6.30 | 1701.00 |
| | | | | | 708.75 |
| | Cement for incidentals @ 0.5 kg/slab | kg | 112.50 | 6.30 | |
| 2 | Coarse aggregate 10 mm below | cum | 0.61 | 875.00 | 535.50 |
| 3 | Fine aggregate (Un-Screened) | cum | 0.39 | 560.00 | 216.72 |
| 4 | Super Plasticizer | kg | 1.08 | 95.00 | 102.60 |
| 5 | Use rate of moulds for 250 uses | No. | 225.00 | 2.15 | 483.83 |
| | Total cost of Materials | | | Rs: | 3748.40 |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|---------------------------------|----------------------------|------|----------|--------|--------|
| | | | | in Rs. | in Rs. |
| 1 | Hand mixer 45 / 30 ltr | Hour | 8.00 | 5.50 | 44.00 |
| | Fuel / Energy charges | Hour | 8.00 | 0.00 | 0.00 |
| 2 | 5 hp pump (diesel) | Hour | 0.10 | 10.20 | 1.02 |
| | Fuel / Energy charges | Hour | 0.10 | 81.30 | 8.13 |
| 3 | Water tanker 8000 ltr | Hour | 0.20 | 402.50 | 80.50 |
| | Fuel / Energy charges | Hour | 0.20 | 307.20 | 61.44 |
| Total hire charges of Machinery | | | | Rs: | 195.09 |
| | Aportioned hire charges of | | | | |
| | machinery for lining slab | | 90% | Rs: | 175.58 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|----------------------|--------------------------------------|------|----------|--------|---------|
| | | | | in Rs. | in Rs. |
| 1 | Crew for Pump | Hour | 0.10 | 103.60 | 10.36 |
| 2 | Crew for Water tanker | Hour | 0.20 | 165.80 | 33.16 |
| 3 | Mason Class-I | Day | 2.00 | 415.00 | 830.00 |
| 4 | work inspector | Day | 1.00 | 400.00 | 400.00 |
| 5 | mazdoor | | | | |
| | for batching / mixing / laying | Day | 2.00 | 310.00 | 620.00 |
| | for demoulding / cleaning / oiling | Day | 2.00 | 310.00 | 620.00 |
| | for shifting slabs to curing pond | Day | 1.00 | 310.00 | 310.00 |
| | for stacking after curing | Day | 1.00 | 310.00 | 310.00 |
| | for cleaning & miscellaneous | Day | 1.00 | 310.00 | 310.00 |
| Total cost of Labour | | Rs: | 3443.52 | | |
| | Aportioned cost of labour for lining | | | | |
| | slabs | | 90% | Rs: | 3099.17 |
| | | | | | |

labour component/unit qty

13.80

Add contractor's profit and overhead charges

13.615% 1.90

labour component/unit qty (including contractor's profit)

15.70

| A. Cost of Materials | | Rs: | 3748.40 |
|---|---------|-----|---------|
| B. Hire charges of Machinery | | Rs: | 175.58 |
| C. Cost of Labour | | Rs: | 3099.17 |
| | Total | Rs: | 7023.14 |
| | | | |
| D. Add for contractor's profit and overheads on (A+B+C) | 13.615% | Rs: | 956.2 |

D. Add for contractor's profit and overheads on (A+B+C) 13.615% Rs: 956.2

Total cost for 225.00 Nos. Rs: **7979.34 Rate per each** (A+B+C+D)/225.0 Rs. **35.50**

IRR-CAW-7-40 Manucturing 450 x 150 x 30 mm size PCC lug slabs in M-15 grade (28 days cube compressive strength not less than 15 N / sqmm) cement concrete using 10 mm down graded coarse aggregate including cost of all materials, machinery, labour, batching, mixing, laying, compacting, formwork, finishing, curing etc.,complete with initial lead upto 50 m and all lifts. (Cement content: 300 kg / cum with super plastcizer (0.4% by wt. of cement),

CA: 0.68 cum, FA: 0.43cum)

DATA: RATE ANALYSIS UNIT: 25 Nos.

A. MATERIALS:

| A. WALLINA | LU. | | | | |
|------------|--------------------------------------|------|----------|--------|--------|
| SI No | particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Cement for mix | kg | 15.00 | 6.30 | 94.50 |
| | | | | | 47.25 |
| | Cement for incidentals @ 0.3 kg/slab | kg | 7.50 | 6.30 | |
| 2 | Coarse aggregate 10 mm below | cum | 0.03 | 875.00 | 29.75 |
| 3 | Fine aggregate (Un-Screened) | cum | 0.02 | 560.00 | 12.04 |
| 4 | Super Plasticizer | kg | 0.06 | 95.00 | 5.70 |
| 5 | Use rate of moulds for 250 uses | No. | 25.00 | 1.18 | 29.54 |
| | Total cost of Materials | | | | 218.78 |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|---------------------------------|-------------------------|------|----------|--------|--------|
| | | | | in Rs. | in Rs. |
| 1 | Hand mixer 45 / 30 ltr | Hour | 8.00 | 5.50 | 44.00 |
| | Fuel / Energy charges | Hour | 8.00 | 0.00 | 0.00 |
| 2 | 5 hp pump (diesel) | Hour | 0.10 | 10.20 | 1.02 |
| | Fuel / Energy charges | Hour | 0.10 | 81.30 | 8.13 |
| 3 | Water tanker 8000 ltr | Hour | 0.20 | 402.50 | 80.50 |
| | Fuel / Energy charges | Hour | 0.20 | 307.20 | 61.44 |
| Total hire charges of Machinery | | | | Rs: | 195.09 |
| Aportioned hire charges of | | | | | |
| | machinery for lug slabs | | 10% | Rs: | 19.51 |

C. LABOUR:

| C. LABOUR. | | | | | |
|------------|------------------------------------|------|----------|--------|---------|
| SI No | Description | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Crew for Pump | Hour | 0.10 | 103.60 | 10.36 |
| 2 | Crew for Water tanker | Hour | 0.20 | 165.80 | 33.16 |
| 3 | Mason Class-I | Day | 2.00 | 415.00 | 830.00 |
| 4 | work inspector | Day | 1.00 | 400.00 | 400.00 |
| 5 | mazdoor | | | | |
| | for batching / mixing / laying | Day | 2.00 | 310.00 | 620.00 |
| | for demoulding / cleaning / oiling | Day | 2.00 | 310.00 | 620.00 |
| | for shifting slabs to curing pond | Day | 1.00 | 310.00 | 310.00 |
| | for stacking after curing | Day | 1.00 | 310.00 | 310.00 |
| | for cleaning & miscellaneous | Day | 1.00 | 310.00 | 310.00 |
| | Total cost of Labour | | | Rs: | 3443.52 |
| | Aportioned cost of labour for lug | | | | |
| | slabs | | 10% | Rs: | 344.35 |

labour component/unit qty

13.80

Add contractor's profit and overhead charges

13.615% 1.90

labour component/unit qty (including contractor's profit)

15.70

| A. Cost of Materials | | Rs: | 218.78 |
|--|----------------|-----|--------|
| B. Hire charges of Machinery | | Rs: | 19.51 |
| C. Cost of Labour | | Rs: | 344.35 |
| | Total | Rs: | 582.64 |
| | | | |
| D. Add for contractor's profit and overheads on (A | A+B+C) 13.615% | Rs: | 79.33 |
| Total cost for | 25.00 Nos. | Rs: | 661.97 |
| Rate per each | (A+B+C+D)/25.0 | Rs. | 26.50 |

IRR-CAW-7-41 Manufacturing 600 x 300 x 100mm size PCC lining slabs in M-15 grade (28 days cube compressive strength not less than 15 N/Sqmm) cement concrete using 20mm down grades coarse aggregate including cost of all materials, machinery, labour, batching, mixing, laying, compacting, formwork, finishing, curing etc., complete with initial lead upto 50 m and all lifts.

(Cement content : 300 kg / cum with super plastcizer (0.4% by wt. of cement), CA : 0.80 cum, FA : 0.45cum, Blending Ratio of CA--65:35)

DATA: RATE ANALYSIS UNIT: 225 Nos.

A. MATERIALS:

| SI. No | Particulars | Unit | Quantity | Rate | Amount in |
|-----------------------------|-------------------------------------|------|----------|---------|-----------|
| | | | | in Rs. | Rs. |
| 1 | Cement for mix | Kg | 1215 | 6.30 | 7654.50 |
| 2 | | Kg | 112.5 | | 708.75 |
| | Cement for incidentals @ 0.5kg/slab | | | 6.30 | |
| 3 | Coarse aggregate 20 mm below | Cum | 2.11 | 1210.00 | 2548.26 |
| 4 | Coarse aggregate 10 mm below | Cum | 1.13 | 875.00 | 992.25 |
| 5 | Fine aggregate (Un-Screened) | Cum | 1.82 | 560.00 | 1020.60 |
| 6 | Super Plasticizer | kg | 4.86 | 95.00 | 461.70 |
| 7 | Use rate of moulds for 250 uses | No. | 225 | 1.23 | 276.75 |
| Total Cost of Materials Rs. | | | | | 13662.81 |

B. MACHINERY:

| SI. No | Particulars | Unit | Quantity | Rate | Amount in | |
|--------|-------------------------------------|------|----------|--------|-----------|--|
| | | | | in Rs. | Rs. | |
| 1 | Diesel mixer 300/200 | Hour | 8 | 53.50 | 428.00 | |
| | Fuel/Energy charges | Hour | 8 | 81.30 | 650.40 | |
| 2 | 5 hp pump (diesel) | Hour | 0.1 | 10.20 | 1.02 | |
| | Fuel/Energy charges | Hour | 0.1 | 81.30 | 8.13 | |
| 3 | Water tanker 8000 ltr | Hour | 0.2 | 402.50 | 80.50 | |
| | Fuel/Energy charges | Hour | 0.2 | 307.20 | 61.44 | |
| | Total hire charges of Machinery Rs. | | | | | |
| | Aportioned hire charges of | | 90% | | 1106.54 | |
| | machinery @ 90% for lining slab | | | | | |
| | Rs. | | | | | |

C. LABOUR:

| SI. No | Particulars | Unit | Quantity | Rate | Amount in |
|--------|-----------------------------------|------|----------|--------|-----------|
| | | | | in Rs. | Rs. |
| 1 | Crew for Pump | Hour | 0.1 | 103.60 | 10.36 |
| 2 | Crew for water tanker | Hour | 0.2 | 165.80 | 33.16 |
| 3 | Mason Class-I | Day | 2 | 415.00 | 830.00 |
| 4 | Class II Mason | Day | 1 | 370.00 | 370.00 |
| 5 | Mazdoor | | | | |
| | For batching materials/laying | Day | 2 | 310.00 | 620.00 |
| | For demoulding/cleaning/oiling | | 2 | 310.00 | 620.00 |
| | For shifting slabs to curing pond | | 1 | 310.00 | 310.00 |
| | For stacking after curing | | 1 | 310.00 | 310.00 |
| | For cleaning & miscellaneous | Day | 1 | 310.00 | 310.00 |

| Total Cost of Labour | Rs. | 3413.52 |
|--------------------------------------|-----|---------|
| Aportioned cost of labour for lining | 90% | 3072.17 |
| slabs Rs. | | |

labour component/unit qty

13.70

Add contractor's profit and overhead charges

13.615% 1.90

labour component/unit qty (including contractor's profit)

15.60

ABSTRACT:

| A. Cost of Materials | | Rs. | 13662.81 |
|------------------------------|-------|-----|----------|
| B. Hire Charges of machinery | | Rs. | 1106.54 |
| C. Cost of Labour | | Rs. | 3072.17 |
| | Total | Rs: | 17841.52 |

 D. Add for contractor's profit and overheads on (A+B+C)
 13.615%
 Rs: 2429.12

 Total cost for
 225.00 Nos.
 Rs: 20270.64

 Rate per each
 (A+B+C+D)/225.0
 Rs. 90.10

IRR-CAW-7-42 Manucturing 400 x 400 x 30 mm size PCC lining slabs in M-15 grade (28 days cube compressive strength not less than 15 N / sqmm)cement concrete using 10 mm down graded coarse aggregate including cost of all materials, machinery, labour, batching, mixing, laying, compacting, formwork, finishing, curing etc.,complete with initial lead upto 50 m and all lifts. (Cement content: 300 kg / cum with super plastcizer (0.4% by wt. of cement), CA: 0.68 cum, FA: 0.43cum)

DATA: RATE ANALYSIS UNIT: 225 Nos.

A. MATERIALS:

| A. WATERIA | | | | | |
|------------|--------------------------------------|------|----------|--------|---------|
| SI No | particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Cement for mix | kg | 324.00 | 6.30 | 2041.20 |
| | | | | | 708.75 |
| | Cement for incidentals @ 0.5 kg/slab | kg | 112.50 | 6.30 | |
| 2 | Coarse aggregate 10 mm below | cum | 0.73 | 875.00 | 642.60 |
| 3 | Fine aggregate (Un-Screened) | cum | 0.46 | 560.00 | 260.06 |
| 4 | Super Plasticizer | kg | 1.30 | 95.00 | 123.12 |
| 5 | Use rate of moulds for 250 uses | No. | 225.00 | 2.18 | 489.46 |
| | Total cost of Materials | | | Rs: | 4265.19 |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|---------------------------------|------|----------|--------|--------|
| | | | | in Rs. | in Rs. |
| 1 | Hand mixer 45 / 30 ltr | Hour | 8.00 | 5.50 | 44.00 |
| | Fuel / Energy charges | Hour | 8.00 | 0.00 | 0.00 |
| 2 | 5 hp pump (diesel) | Hour | 0.10 | 10.20 | 1.02 |
| | Fuel / Energy charges | Hour | 0.10 | 81.30 | 8.13 |
| 3 | Water tanker 8000 ltr | Hour | 0.20 | 402.50 | 80.50 |
| | Fuel / Energy charges | Hour | 0.20 | 307.20 | 61.44 |
| | Total hire charges of Machinery | | | Rs: | 195.09 |
| | Aportioned hire charges of | | | | |
| | machinery for lining slab | | 90% | Rs: | 175.58 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|------------------------------------|------|----------|--------|--------|
| | | | | in Rs. | in Rs. |
| 1 | Crew for Pump | Hour | 0.10 | 103.60 | 10.36 |
| 2 | Crew for Water tanker | Hour | 0.20 | 165.80 | 33.16 |
| 3 | Mason Class-I | Day | 2.00 | 415.00 | 830.00 |
| 4 | work inspector | Day | 1.00 | 400.00 | 400.00 |
| 5 | mazdoor | | | | |
| | for batching / mixing / laying | Day | 2.00 | 310.00 | 620.00 |
| | for demoulding / cleaning / oiling | Day | 2.00 | 310.00 | 620.00 |
| | for shifting slabs to curing pond | Day | 1.00 | 310.00 | 310.00 |
| | for stacking after curing | Day | 1.00 | 310.00 | 310.00 |
| | for cleaning & miscellaneous | Day | 1.00 | 310.00 | 310.00 |

| Total cost of Labour | Rs: | 3443.52 |
|--------------------------------------|-----|---------|
| Aportioned cost of labour for lining | | |
| slabs 90% | Rs: | 3099.17 |

13.80

labour component/unit qty

Add contractor's profit and overhead charges 13.615% 1.90 labour component/unit qty (including contractor's profit) 15.70

ARCTD ACT.

| ABSTRACT: | | | |
|---|-----------------|-----|---------|
| A. Cost of Materials | | Rs: | 4265.19 |
| B. Hire charges of Machinery | | Rs: | 175.58 |
| C. Cost of Labour | | Rs: | 3099.17 |
| | Total | Rs: | 7539.94 |
| | | | |
| D. Add for contractor's profit and overheads on | (A+B+C) 13.615% | Rs: | 1026.56 |
| Total cost for | 225.00 Nos. | Rs: | 8566.50 |
| Rate per each | (A+B+C+D)/225.0 | Rs. | 38.10 |

IRR-CAW-7-43 Manufacturing 400 x 150 x 30 mm size PCC lug slabs in M-15 grade (28 days cube compressive strength not less than 15 N /sqmm) cement concrete using 10 mm down graded coarse aggregate including cost of all materials, machinery, labour, batching, mixing, laying, compacting, formwork, finishing, curing etc., complete with initial lead upto 50 m and all lifts. (Cement content : 300 kg / cum with super plastcizer (0.4% by wt. of cement),

CA: 0.68 cum, FA: 0.43cum)

DATA:

| RATE ANALYSIS | UNIT : | 25 Nos. |
|---------------|--------|----------------|
| | | |

| A. MATERIAI | LS: | | | | |
|-------------|--------------------------------------|------|----------|--------|--------|
| SI No | particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Cement for mix | kg | 13.50 | 6.30 | 85.05 |
| | | | | | 47.25 |
| | Cement for incidentals @ 0.3 kg/slab | kg | 7.50 | 6.30 | |
| 2 | Coarse aggregate 10 mm below | cum | 0.03 | 875.00 | 26.78 |
| 3 | Fine aggregate (Un-Screened) | cum | 0.02 | 560.00 | 10.84 |
| 4 | Super Plasticizer | kg | 0.05 | 95.00 | 5.13 |
| 5 | Use rate of moulds for 250 uses | No. | 25.00 | 1.15 | 28.76 |
| | Total cost of Materials | | | Rs: | 203.80 |

B. MACHINERY:

| D. MACHINE | | | | | |
|------------|---------------------------------|------|----------|--------|--------|
| SI No | Description | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Hand mixer 45 / 30 ltr | Hour | 8.00 | 5.50 | 44.00 |
| | Fuel / Energy charges | Hour | 8.00 | 0.00 | 0.00 |
| 2 | 5 hp pump (diesel) | Hour | 0.10 | 10.20 | 1.02 |
| | Fuel / Energy charges | Hour | 0.10 | 81.30 | 8.13 |
| 3 | Water tanker 8000 ltr | Hour | 0.20 | 402.50 | 80.50 |
| | Fuel / Energy charges | Hour | 0.20 | 307.20 | 61.44 |
| | Total hire charges of Machinery | | | Rs: | 195.09 |
| | Aportioned hire charges of | · | | | |
| | machinery for lug slabs | | 10% | Rs: | 19.51 |

C. LABOUR:

| | • | | | | |
|-------|------------------------------------|------|----------|--------|--------|
| SI No | Description | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Crew for Pump | Hour | 0.10 | 103.60 | 10.36 |
| 2 | Crew for Water tanker | Hour | 0.20 | 165.80 | 33.16 |
| 3 | Mason Class-I | Day | 2.00 | 415.00 | 830.00 |
| 4 | work inspector | Day | 1.00 | 400.00 | 400.00 |
| 5 | mazdoor | | | | |
| | for batching / mixing / laying | Day | 2.00 | 310.00 | 620.00 |
| | for demoulding / cleaning / oiling | Day | 2.00 | 310.00 | 620.00 |
| | for shifting slabs to curing pond | Day | 1.00 | 310.00 | 310.00 |
| | for stacking after curing | Day | 1.00 | 310.00 | 310.00 |
| | for cleaning & miscellaneous | Day | 1.00 | 310.00 | 310.00 |

| Total cost of Labour | Rs: | 3443.52 |
|-----------------------------------|-----|---------|
| Aportioned cost of labour for lug | | |
| slabs 10% | Rs: | 344.35 |

labour component/unit qty

13.80

Add contractor's profit and overhead charges labour component/unit qty (including contractor's profit)

13.615% 1.90 15.70

ABSTRACT:

| 7.5011.7.011 | | | |
|--|------------|-----|--------|
| A. Cost of Materials | | Rs: | 203.80 |
| B. Hire charges of Machinery | | Rs: | 19.51 |
| C. Cost of Labour | | Rs: | 344.35 |
| | Total | Rs: | 567.66 |
| | | | |
| D. Add for contractor's profit and overheads on (A+B+C | 2) 13.615% | Rs: | 77.29 |
| Total cost for | 25.00 Nos. | Rs: | 644.95 |
| | | | |

9 (A+B+C+D)/25.0 Rs. 25.80 Rate per each

IRR-CAW-7-44 Providing and laying uncoursed rubble stone masonry in CM 1:5 proportion for canal side

lining using stones and chips from approved quarry including cost of all materials,

machinery, labour, forming weep holes at specified intervals, finishing, curing etc., complete with initial lead upto 50 m and all lifts.

(Thickness of the masonry assumed: 0.3 m, rubble stones: 0.96 cum, Stone Chips: 0.15cum, Through Stones 20 x 20 x 30cm : 1/sqm)

DATA:

RATE ANALYSIS UNIT: 10.00 cum

| A. MATERIALS: | | | | | | |
|-------------------------|-----------------------------------|------|----------|----------|---------|--|
| SI No | particulars | Unit | Quantity | Rate | Amount | |
| | | | | in Rs. | in Rs. | |
| 1 | Cement 43 Gr | kg | 1152.00 | 6.30 | 7257.60 | |
| 2 | Sand (Screened) | cum | 4.00 | 760.00 | 3040.00 | |
| | | | | | 3168.00 | |
| 3 | Uncoursed rubble stones at quarry | cum | 9.60 | 330.00 | | |
| 4 | Through stones 20x20x30 cm | Nos | 32.00 | 23.00 | 736.00 | |
| 5 | Stone chips at quarry | cum | 1.50 | 360.00 | 540.00 | |
| Total cost of Materials | | | Rs: | 14741.60 | | |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|---------------------------------|-----------------------|------|----------|--------|--------|
| | | | | in Rs. | in Rs. |
| 1 | 5 hp pump (diesel) | Hour | 4.00 | 10.20 | 40.80 |
| | Fuel / Energy charges | Hour | 4.00 | 81.30 | 325.20 |
| Total hire charges of Machinery | | | Rs: | 366.00 | |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|----------------------|--------------------------------------|------|----------|--------|---------|
| | | | | in Rs. | in Rs. |
| 1 | Operator pump | Hour | 4.00 | 103.60 | 414.40 |
| 2 | work inspector | Day | 1.00 | 400.00 | 400.00 |
| 3 | Mason Class I | Day | 2.00 | 415.00 | 830.00 |
| 4 | Mason Class II | Day | 2.00 | 370.00 | 740.00 |
| 5 | mazdoor | Day | 8.00 | 310.00 | 2480.00 |
| | Cartman with Double Bullock cart for | | | | 425.00 |
| 6 | water | Day | 1.00 | 425.00 | |
| Total cost of Labour | | | | Rs: | 5289.40 |

labour component/unit qty

528.90

Add contractor's profit and overhead charges

13.615% 72.00

labour component/unit qty (including contractor's profit) 600.90

ABSTRACT:

| A. Cost of Materials | | Rs: | 14741.60 |
|------------------------------|-------|-----|----------|
| B. Hire charges of Machinery | | Rs: | 366.00 |
| C. Cost of Labour | | Rs: | 5289.40 |
| | Total | Rs: | 20397.00 |

D. Add for contractor's profit and overheads on (A+B+C) 13.615% Rs: 2777.05

Total cost for 10.00 cum Rs: 23174.05

Rate per cum (A+B+C+D)/10.0 Rs. 2317.40

IRR-CAW-7-45 Providing and laying uncoursed rubble stone masonry in CM 1:5 proportion for canal side lining using stones from approved quarry including cost of all materials, machinery, labour, forming weep holes at specified intervals, finishing, curing etc., complete with initial lead upto 50m and all lifts.(without pin headers): 1.1 cum)

(Thickness of the Masonry assumed: 0.3 m, rubble stones

DATA: RATE ANALYSIS UNIT: 10 Cum

A. MATERIALS

:

| SI. No | Particulars | Unit | Quantity | Rate | Amount in |
|-----------------------------|-----------------------------------|------|----------|--------|-----------|
| | | | | in Rs. | Rs. |
| 1 | Cement 43 Gr | Kg | 979.2 | 6.30 | 6168.96 |
| 2 | Sand (Screened) | Cum | 3.4 | 760.00 | 2584.00 |
| 3 | Uncoursed rubble stones at quarry | Cum | 11 | | 3630.00 |
| | | | | 330.00 | |
| Total Cost of Materials Rs. | | | | | 12382.96 |

B. MACHINERY:

| SI. No | Particulars | Unit | Quantity | Rate | Amount in |
|-------------------------------------|-----------------------|------|----------|--------|-----------|
| | | | | in Rs. | Rs. |
| 1 | Hand Mixing Charges | Hour | 8 | 5.50 | 44.00 |
| 2 | 5 hp pump (diesel) | Hour | 4 | 10.20 | 40.80 |
| | Fuel / Energy charges | Hour | 5 | 81.30 | 406.50 |
| Total hire charges of Machinery Rs. | | | | | 491.30 |

C. LABOUR:

| SI. No | Particulars | Unit | Quantity | Rate | Amount in |
|--------------------------|--------------------------------------|------|----------|--------|-----------|
| | | | | in Rs. | Rs. |
| 1 | Operator pump | Hour | 4 | 103.60 | 414.40 |
| 2 | Mason Class I | Day | 13 | 415.00 | 5395.00 |
| 3 | Mason Class II | Day | 6 | 370.00 | 2220.00 |
| 4 | Mazdoor | Day | 29 | 310.00 | 8990.00 |
| 5 | Cartman with Double Bullock cart for | Day | 1 | | 425.00 |
| | water | - | | 425.00 | |
| Total Cost of Labour Rs. | | | | | 17444.40 |

labour component/unit qty
Add contractor's profit and overhead charges 13.615% 237.50
labour component/unit qty (including contractor's profit) 1981.90

ABSTRACT:

12382.96 A. Cost of Materials Rs. B. Hire Charges of Machinery Rs. 491.3 17444.40 C. Cost of Labour Rs. Total 30318.66 Rs: D. Add for contractor's profit and overheads on (A+B+C) 4127.89 13.615% Rs: 10.00 Cum Total cost for Rs: 34446.55 (A+B+C+D)/10.0 3444.70 Rate per Cum Rs.

IRR-CAW-7-46 Providing and laying uncoursed rubble stone masonry in CM 1:5 proportion for canal side lining using stones and chips from canal excavation including cost of all materials,

machinery, labour, forming weep holes at specified interval, finishing, curing etc., complete with initial lead upto 50 m and all lifts.

(rubble stones : 0.96 cum, Stone Chips : 0.15cum, Through Stones 20 x 20 x 30cm : 1/sqm)

Stones and chips will be issued from dump yard at specified issue rate.

DATA:

| RATE ANALYSIS | UNIT: | 10.00 cum |
|---------------|-------|-----------|
|---------------|-------|-----------|

| A. MATERIAL | S: |
|-------------|----|
| SI No | |

| , til 1017 til = 1117 | 74 110 (1 21 (1) (2 9) | | | | | | |
|------------------------------|-------------------------------|------|----------|--------|----------|--|--|
| SI No | particulars | Unit | Quantity | Rate | Amount | | |
| | | | | in Rs. | in Rs. | | |
| 1 | Cement 43 Gr | kg | 1144.00 | 6.30 | 7207.20 | | |
| 2 | Sand (Screened) | cum | 4.00 | 760.00 | 3040.00 | | |
| 3 | Uncoursed rubble at dump yard | cum | 9.60 | 165.00 | 1584.00 | | |
| 4 | Through stones 20x20x30 cm | Nos | 32.00 | 23.00 | 736.00 | | |
| 5 | Stone chips at dump yard | cum | 1.50 | 185.00 | 277.50 | | |
| | Total cost of Materials | | | Rs: | 12844.70 | | |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|---------------------------------|------|----------|--------|--------|
| | | | | in Rs. | in Rs. |
| 1 | 5 hp pump (diesel) | Hour | 4.00 | 10.20 | 40.80 |
| | Fuel / Energy charges | Hour | 4.00 | 81.30 | 325.20 |
| | Total hire charges of Machinery | | - | Rs: | 366.00 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|----------------------|--------------------------------------|------|----------|---------|---------|
| | | | | in Rs. | in Rs. |
| 1 | Operator pump | Hour | 4.00 | 103.60 | 414.40 |
| 2 | work inspector | Day | 1.00 | 400.00 | 400.00 |
| 3 | Mason Class I | Day | 2.00 | 415.00 | 830.00 |
| 4 | Mason Class II | Day | 2.00 | 370.00 | 740.00 |
| 5 | Crowbarman | Day | 1.00 | 370.00 | 370.00 |
| 6 | mazdoor | Day | 9.00 | 310.00 | 2790.00 |
| | Cartman with Double Bullock cart for | | | | 425.00 |
| 7 | water | Day | 1.00 | 425.00 | |
| Total cost of Labour | | | Rs: | 5969.40 | |

labour component/unit qty 596.90

Add contractor's profit and overhead charges 13.615% 81.30 labour component/unit qty (including contractor's profit) 678.20

ABSTRACT:

| A. Cost of Materials | | Rs: | 12844.70 |
|---|----------------|-----|----------|
| B. Hire charges of Machinery | | Rs: | 366.00 |
| C. Cost of Labour | | Rs: | 5969.40 |
| | Total | Rs: | 19180.10 |
| | | | _ |
| D. Add for contractor's profit and overheads on (A- | +B+C) 13.615% | Rs: | 2611.37 |
| Total cost for | 10.00 cum | Rs: | 21791.47 |
| Rate per cum | (A+B+C+D)/10.0 | Rs. | 2179.10 |

IRR-CAW-7-47 Providing and laying uncoursed rubble stone masonry in CM 1:5 proportion for canal side lining using stones from canal excavation including cost of all materials, machinery, labour, forming weep holes at specified intervals, finishing, curing etc., complete with initial lead upto 50m and all lifts. (rubble stones: 1.1cum, cement: 98kg, sand 0.34 cum)

DATA: **RATE ANALYSIS** UNIT: 10 Cum

MATERIALS

| SI. No | Particulars | Unit | Quantity | Rate | Amount in |
|--------|-----------------|------|----------|--------|-----------|
| | | | | in Rs. | Rs. |
| 1 | Cement 43 Gr | Kg | 980 | 6.30 | 6174.00 |
| 2 | Sand (Screened) | Cum | 3.4 | 760.00 | 2584.00 |

| 3 | Uncoursed rubble at dump yard | Cum | 11 | 165.00 | 1815.00 |
|---|-------------------------------|--------------|----|--------|---------|
| | Total Cost of M | aterials Rs. | | | 10573 |

B. MACHINERY:

| SI. No | Particulars | Unit | Quantity | Rate | Amount in | |
|--------|-------------------------------------|------|----------|--------|-----------|--|
| | | | | in Rs. | Rs. | |
| 1 | Hand Mixing Charges | Hour | 8 | 5.50 | 44.00 | |
| 2 | 5 hp pump (diesel) | Hour | 4 | 10.20 | 40.80 | |
| | Fuel / Energy charges | Hour | 5 | 81.30 | 406.50 | |
| | Total hire charges of Machinery Rs. | | | | | |

C. LABOUR:

| SI. No | Particulars | Unit | Quantity | Rate | Amount in | |
|--------|----------------------------------|------|----------|--------|-----------|--|
| | | | | in Rs. | Rs. | |
| 1 | Operator pump | Hour | 4 | 103.60 | 414.40 | |
| 2 | Mason Class I | Day | 13 | 415.00 | 5395.00 | |
| 3 | Mason Class II | Day | 6 | 370.00 | 2220.00 | |
| 4 | Mazdoor | Day | 29 | 310.00 | 8990.00 | |
| 5 | Cartman with double bullock cart | Day | 1 | 425.00 | 425.00 | |
| | Total Cost of Labour Rs. | | | | | |

labour component/unit qty
Add contractor's profit and overhead charges
13.615%
237.50
labour component/unit qty (including contractor's profit)
1981.90

ABSTRACT:

10573 A. Cost of Materials Rs. B. Hire Charges of Machinery 491.3 Rs. C. Cost of Labour Rs. 17444.40 Total Rs: 28508.70 D. Add for contractor's profit and overheads on (A+B+C) 13.615% Rs: 3881.46 10.00 Cum Total cost for Rs: 32390.16 Rate per (A+B+C+D)/10.0 Rs. 3239.00 Cum

IRR-CAW-8 ROCK PITCHING:

IRR-CAW-8-1 Providing and constructing 25 cm thick dry rubble stone pitching with pin headers at 2 per sqm including cost of all materials, labour, hand packing, finishing etc., complete with initial lead upto 50 m and all lifts.

(rubble stones : 0.23 cum/sqm, Stone Chips : 0.0375cum/sqm, Pin Headers 30cm : 2/sqm)

DATA: RATE ANALYSIS UNIT: 100.00 sqm

| Λ. | DAY. | TER | 1 / 1 | c. |
|----|------|-----|-------|----|
| Α. | IVIA | | ᄔ | |

| SI No | particulars | Unit | Quantity | Rate | Amount |
|-------------------------|-----------------------------------|------|----------|--------|----------|
| | | | | in Rs. | in Rs. |
| | | | | | 7590.00 |
| 1 | Uncoursed rubble stones at quarry | cum | 23.00 | 330.00 | |
| | | | | | 4600.00 |
| 2 | Pin header (Through stone) 30 cm | Nos | 200.00 | 23.00 | |
| 3 | Stone chips at quarry | cum | 3.75 | 360.00 | 1350.00 |
| Total cost of Materials | | | | | 13540.00 |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|---------------------------------|------|----------|--------|--------|
| | | | | in Rs. | in Rs. |
| 1 | Nill | | 0.00 | 0.00 | 0.00 |
| | | | 0.00 | 0.00 | 0.00 |
| | Total hire charges of Machinery | | •' | Rs: | 0.00 |

| | C. | LABOU | R |
|--|----|--------------|---|
|--|----|--------------|---|

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|-------------|------|----------|--------|--------|
| | | | | in Rs. | in Rs. |

| 1 | work inspector | Day | 1.00 | 400.00 | 400.00 |
|---|----------------|-----------|------|--------|---------|
| 2 | Mason Class II | Day | 5.00 | 370.00 | 1850.00 |
| 3 | mazdoor | Day | 6.00 | 310.00 | 1860.00 |
| | Total cost | of Labour | | Rs: | 4110.00 |

labour component/unit qty

41.10

Add contractor's profit and overhead charges labour component/unit qty (including contractor's profit)

13.615% 5.60 46.70

ABSTRACT:

A. Cost of Materials Rs: 13540.00 B. Hire charges of Machinery Rs: 0.00 C. Cost of Labour 4110.00 Rs:

17650.00 Total Rs:

D. Add for contractor's profit and overheads on (A+B+C) 13.615% Rs: 2403.05 Total cost for 100.00 sqm Rs: 20053.05 (A+B+C+D)/100.0 Rate per 200.50 sqm Rs.

Note: If 15 cm thick murum bed is to be provided below pitching

(Murum: 0.18 cum/sqm)

DATA:

12)

RATE ANALYSIS

UNIT: 100.00 sqm

| SI No | particulars | Unit | Quantity | Rate | Amount |
|-------|-------------------------|------|----------|--------|---------|
| | | | | in Rs. | in Rs. |
| 1 | Murum | cum | 18.00 | 115.00 | 2070.00 |
| | | | 0.00 | 0.00 | 0.00 |
| | Total cost of Materials | | | | |

B. MACHINERY:

A. MATERIALS:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|---------------------------------|------|----------|--------|--------|
| | | | | in Rs. | in Rs. |
| 1 | Nill | | 0.00 | 0.00 | 0.00 |
| | | | 0.00 | 0.00 | 0.00 |
| | Total hire charges of Machinery | | -" | Rs: | 0.00 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|----------------------|------|----------|--------|---------|
| | | | | in Rs. | in Rs. |
| 1 | mazdoor | Day | 4.00 | 310.00 | 1240.00 |
| | Total cost of Labour | | | Rs: | 1240.00 |

labour component/unit gty 12.40

Add contractor's profit and overhead charges 13.615% 1.70 labour component/unit qty (including contractor's profit) 14.10

ABSTRACT:

A. Cost of Materials Rs: 2070.00 B. Hire charges of Machinery Rs: 0.00 C. Cost of Labour Rs: 1240.00 3310.00 Total Rs:

D. Add for contractor's profit and overheads on (A+B+C) 13.615% Rs: 450.66 100.00 sqm Total cost for Rs: 3760.66 Rate per (A+B+C+D)/100.0 Rs. 37.60 sqm

IRR-CAW-8-1-A Providing and constructing 22.5 cm thick dry rubble stone pitching with pin headers at 2 per (New Item4 - 2011-

sqm including cost of all materials, labour, hand packing, finishing etc., complete with initial

lead upto 50 m and all lifts.

(rubble stones: 0.207 cum/sqm, Stone Chips: 0.03375cum/sqm, Pin Headers 30cm: 2/sqm) (For Maintenance works)

DATA: **RATE ANALYSIS** UNIT: 100.00 sqm MATERIALS

| A. WATERIAL | .5: | | | | | |
|-------------|-------------|------|----------|------|--------|---|
| SI No | particulars | Unit | Quantity | Rate | Amount | 1 |

| | | | | in Rs. | in Rs. |
|---|-----------------------------------|-----|--------|--------|----------|
| | | | | | 6831.00 |
| 1 | Uncoursed rubble stones at quarry | cum | 20.70 | 330.00 | |
| | | | | | 4600.00 |
| 2 | Pin header (Through stone) 30 cm | Nos | 200.00 | 23.00 | |
| 3 | Stone chips at quarry | cum | 3.375 | 360.00 | 1215.00 |
| | Total cost of Materials | | | Rs: | 12646.00 |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|---------------------------------|------|----------|--------|--------|
| | | | | in Rs. | in Rs. |
| 1 | Nill | | 0.00 | 0.00 | 0.00 |
| | | | 0.00 | 0.00 | 0.00 |
| | Total hire charges of Machinery | | | | 0.00 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|----------------------|------|----------|--------|---------|
| | | | | in Rs. | in Rs. |
| 1 | work inspector | Day | 1.00 | 400.00 | 400.00 |
| 2 | Mason Class II | Day | 5.00 | 370.00 | 1850.00 |
| 3 | mazdoor | Day | 6.00 | 310.00 | 1860.00 |
| | Total cost of Labour | | | | 4110.00 |

labour component/unit qty

Add contractor's profit and overhead charges

41.10 13.615% 5.60

labour component/unit qty (including contractor's profit)

46.70

ABSTRACT:

| A. Cost of Materials | | Rs: | 12646.00 |
|------------------------------|-------|-----|----------|
| B. Hire charges of Machinery | | Rs: | 0.00 |
| C. Cost of Labour | | Rs: | 4110.00 |
| | Total | Rs: | 16756.00 |

D. Add for contractor's profit and overheads on (A+B+C) 13.615% Rs: 2281.33
Total cost for 100.00 sqm Rs: 19037.33
Rate per sqm (A+B+C+D)/100.0 Rs. 190.40

IRR-CAW-8-2 Providing and **constructing 25 cm thick dry rubble stone pitching** including cost of all materials, labour, hand packing, finishing etc., complete

(rubble stones : 0.275 cum/sqm)

DATA: RATE ANALYSIS UNIT: 100 Sqm.

A. MATERIALS :

| SI. No | Particulars | Unit | Quantity | Rate | Amount in |
|--------|-----------------------------------|-------------|----------|--------|-----------|
| | | | | in Rs. | Rs. |
| 1 | Uncoursed rubble stones at quarry | Cum | 27.50 | | 9075.00 |
| | | | | 330.00 | |
| | Total Cost of Ma | terials Rs. | | | 9075 |

B. MACHINERY:

| SI. No | Particulars | Unit | Quantity | Rate | Amount in |
|--------|-------------------------------------|------|----------|--------|-----------|
| | | | | in Rs. | Rs. |
| 1 | Nil | | 0 | 0 | |
| | | | 0 | 0 | |
| | Total hire charges of Machinery Rs. | | | | |

C. LABOUR:

| SI. No | Particulars | Unit | Quantity | Rate | Amount in |
|-------------------------|----------------|------|----------|--------|-----------|
| | | | | in Rs. | Rs. |
| 1 | Mason Class II | Day | 5.50 | 370.00 | 2035.00 |
| 2 | Mazdoor | Day | 24.75 | 310.00 | 7672.50 |
| Total Cost of Labour Rs | | | | | |

labour component/unit qty

97.10

Add contractor's profit and overhead charges 13.615% 13.20 labour component/unit qty (including contractor's profit) 110.30

ABSTRACT:

A. Cost of Materials Rs. 9075
B. Hire Charges of Machinery Rs. 0
C. Cost of Labour Rs. 9707.50
Total Rs: 18782.50

D. Add for contractor's profit and overheads on (A+B+C) 13.615% Rs: 2557.24

Total cost for 100.00 Sqm. Rs: 21339.74

Rate per Sqm. (A+B+C+D)/100.0 Rs. 213.40

If 15 cm thick murum bed is to be

NOTE: provided below pitching add in Rs. 37.60

(As per rate analysis under item IRR-CAW-8-1- Note)

IRR-CAW-8-2-A Providing and constructing 225 mm thick dry rubble stone pitching including cost of all materials, labour,

(New Item5 - 2011-

12)

hand packing, finishing etc., complete

(rubble stones: 0.2475 cum/sqm) (For Maintenance Works)

DATA: RATE ANALYSIS UNIT: 100 Sqm.

A. MATERIALS:

| SI. No | Particulars | Unit | Quantity | Rate | Amount in |
|--------|-----------------------------|------|----------|--------|-----------|
| | | | | in Rs. | Rs. |
| 1 | Rough Stone for Revetment | Cum | 24.75 | 144.00 | 3564.00 |
| 2 | Stone Chips at Quarry | Cum | 3.40 | 360.00 | 1224.00 |
| | Total Cost of Materials Rs. | | | | |

B. MACHINERY:

| SI. No | Particulars | Unit | Quantity | Rate | Amount in | |
|-------------------------------------|-------------|------|----------|--------|-----------|--|
| | | | | in Rs. | Rs. | |
| 1 | Nil | | 0 | 0 | | |
| | | | 0 | 0 | | |
| Total hire charges of Machinery Rs. | | | | | | |

C. LABOUR:

| SI. No | Particulars | Unit | Quantity | Rate | Amount in |
|--------------------------|----------------|------|----------|---------|-----------|
| | | | | in Rs. | Rs. |
| 1 | Mason Class II | Day | 4.95 | 370.00 | 1831.50 |
| 2 | Mazdoor | Day | 22.28 | 310.00 | 6905.25 |
| Total Cost of Labour Rs. | | | | 8736.75 | |

labour component/unit qty

Add contractor's profit and overhead charges

13.615% 11.90 13.00 13.

ABSTRACT:

Rate per

Sqm.

A. Cost of Materials Rs. 4788 B. Hire Charges of Machinery Rs. 0 C. Cost of Labour Rs. 8736.75 Total 13524.75 Rs: D. Add for contractor's profit and overheads on (A+B+C) 13.615% Rs: 1841.39 Total cost for 100.00 Sqm. 15366.14 Rs:

(A+B+C+D)/100.0

Rs.

153.70

IRR-CAW-8-3 Providing and constructing 30 cm thick dry rubble stone pitching with pin headers at 2 per sqm including cost of all materials, labour, hand packing, finishing etc., complete with initial lead upto 50 m and all lifts.

(rubble stones : 0.275 cum/sqm, Stone Chips : 0.045cum/sqm, Pin Headers 30cm : 2/sqm)

DATA: **RATE ANALYSIS** UNIT: 100.00 sqm

| Α. | MAT | ΓERI | IAI | LS: |
|----|-----|------|-----|-----|
|----|-----|------|-----|-----|

| A. WATENIALS. | | | | | | | |
|---------------|-----------------------------------|------|----------|--------|----------|--|--|
| SI No | particulars | Unit | Quantity | Rate | Amount | | |
| | | | | in Rs. | in Rs. | | |
| | | | | | 9075.00 | | |
| 1 | Uncoursed rubble stones at quarry | cum | 27.50 | 330.00 | | | |
| | | | | | 4600.00 | | |
| 2 | Pin header (Through stone) 30 cm | Nos | 200.00 | 23.00 | | | |
| 3 | Stone chips at quarry | cum | 4.50 | 360.00 | 1620.00 | | |
| | Total cost of Materials | | | | 15295.00 | | |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|---------------------------------|-------------|------|----------|--------|--------|
| | | | | in Rs. | in Rs. |
| 1 | Nill | | 0.00 | 0.00 | |
| | | | 0.00 | 0.00 | |
| Total hire charges of Machinery | | | Rs: | 0.00 | |

C. LABOUR:

| 0, 0 0 | - | | | | |
|--------|----------------------|------|----------|--------|---------|
| SI No | Description | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | work inspector | Day | 1.00 | 400.00 | 400.00 |
| 2 | Mason Class II | Day | 5.00 | 370.00 | 1850.00 |
| 3 | mazdoor | Day | 6.00 | 310.00 | 1860.00 |
| | Total cost of Labour | | | Rs: | 4110.00 |

labour component/unit qty Add contractor's profit and overhead charges

41.10 13.615% 5.60

labour component/unit qty (including contractor's profit)

46.70

37.60

ABSTRACT:

| A. Cost of Materials | | Rs: | 15295.00 |
|------------------------------|-------|-----|----------|
| B. Hire charges of Machinery | | Rs: | 0.00 |
| C. Cost of Labour | | Rs: | 4110.00 |
| | Total | Rs: | 19405.00 |

D. Add for contractor's profit and overheads on (A+B+C) 13.615% Rs: 2641.99 Total cost for 100.00 sqm 22046.99 Rs:

Rate per (A+B+C+D)/100.0 Rs. 220.50

If 15 cm thick murum bed is to be NOTE: provided below pitching add

(As per rate analysis under item

IRR-CAW-8-1- Note)

IRR-CAW-8-4 Providing and Constructing 30 cm thick dry rubble stone pitching

including cost of all materials, labour, hand packing, finishing etc., complete

(rubble stones: 0.33 cum/sqm)

DATA:

| RATE ANALYSIS | UNIT : | 100.00 sqm |
|---------------|--------|------------|
|---------------|--------|------------|

| A. WATERIALS. | | | | | |
|---------------|--|--|--|--|--|
| OLNI- | | | | | |
| 21 170 | | | | | |

| SI No | Particulars | Unit | Quantity | Rate in Rs | Amount in Rs |
|-----------------------------|-----------------------------------|------|----------|---------------|--------------|
| | | | | | |
| 1 | Uncoursed rubble stones at Quarry | Cum | 33.00 | 330.00 | 10890.00 |
| (Included in material Rate) | | | | | |
| | Total Cost of materials Rs: | | | | 10890.00 |

B.MACHINERY:

| SI No | Description | Unit | Quantity | Rate in Rs | Amount in Rs |
|-------|-------------|------|----------|---------------|-----------------|
| | | | | | |

| 1 | Nill | 0.00 0.00 | 0.00 0.00 | |
|---|-------------------------------------|--------------|--------------|------|
| | Total hire charges of machinery Rs: | | | 0.00 |

C.LABOUR:

| SI No | Description | Unit | Quantity | Rate in Rs | Amount in Rs |
|-------|-----------------------------|------|----------|---------------|--------------|
| | | | | _ | |
| 1 | Mason Class II | Day | 6.60 | 370.00 | 2442.00 |
| 2 | Mazdoor | Day | 29.70 | 310.00 | 9207.00 |
| | Total cost of labour Rs: | | | | 11649.00 |

labour component/unit qty 116.50 Add contractor's profit and overhead charges 13.615% 15.90 labour component/unit qty (including contractor's profit) 132.40

ABSTRACT

| | erials including ryolty charges es of Machinery our | | | Rs: Rs: Rs: | 10890.00 0.00 11649.00 |
|----------------|---|----------|---------|-------------------|------------------------------|
| | | | Total | Rs: | 22539.00 |
| | | | | | |
| D. Add for cor | ntractor's profit and overheads on (A+B- | +C) | 13.615% | Rs: | 3068.68 |
| Total cost for | | 100.00 s | qm | Rs: | 25607.68 |
| Rate per | sqm (| A+B+C+D) | /100.0 | Rs. | 256.10 |
| | If 15 cm thick murum bed is to be | | | | |
| NOTE: | provided below pitching | | | Rs | 37.60 |
| | Add (As per rate analysis under | | | | |
| | item IRR-CAW-8-1 - Note) | | | | |

IRR-CAW-8-5 Providing and constructing 45 cm thick dry rubble stone pitching with pin headers at 2 per sqm including cost of all materials, labour, hand packing, finishing etc., complete with initial lead upto 50 m and all lifts.

RATE ANALYSIS

(rubble stones: 0.40 cum/sqm, Stone Chips: 0.0675cum/sqm, Pin Headers 45cm: 2/sqm)

DATA:

MATERIAL C.

| A. MATERIA | L5: | | | | |
|------------|-----------------------------------|------|----------|--------|----------|
| SI No | particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| | | | | | 13200.00 |
| 1 | Uncoursed rubble stones at quarry | cum | 40.00 | 330.00 | |
| | | | | | 7800.00 |
| 2 | Pin header (Through stone) 45 cm | Nos | 200.00 | 39.00 | |
| 3 | Stone chips at quarry | cum | 6.75 | 360.00 | 2430.00 |
| | Total cost of Materials | • | | Rs: | 23430.00 |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|---------------------------------|------|----------|--------|--------|
| | | | | in Rs. | in Rs. |
| 1 | Nill | | 0.00 | 0.00 | |
| | | | 0.00 | 0.00 | |
| | Total hire charges of Machinery | | • | Rs: | 0.00 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|----------------------|------|----------|--------|---------|
| | | | | in Rs. | in Rs. |
| 1 | work inspector | Day | 1.00 | 400.00 | 400.00 |
| 2 | Mason Class II | Day | 7.00 | 370.00 | 2590.00 |
| 3 | mazdoor | Day | 9.00 | 310.00 | 2790.00 |
| | Total cost of Labour | | | Rs: | 5780.00 |

labour component/unit qty

57.80

UNIT: 100.00 sqm

Add contractor's profit and overhead charges labour component/unit qty (including contractor's profit)

13.615% 7.90

65.70

23430.00 A. Cost of Materials Rs: B. Hire charges of Machinery Rs: 0.00 C. Cost of Labour Rs: 5780.00 Total

29210.00 Rs:

D. Add for contractor's profit and overheads on (A+B+C) 13.615% Rs: 3976.94 Total cost for 100.00 sqm Rs: 33186.94 Rate per (A+B+C+D)/100.0 331.90 Rs.

If 15 cm thick murum bed is to be

NOTE: provided below pitching add 37.60

(As per rate analysis under item

IRR-CAW-8-1 - Note)

IRR-CAW-8-6 Providing and Constructing 45 cm thick dry rubble stone pitching

including cost of all materials, labour, hand packing, finishing etc., complete

(rubble stones: 0.495 cum/sqm)

DATA:

RATE ANALYSIS A MATERIALS

UNIT: 100.00 sqm

| 01.11 | B # 1 | 11.2 | 0 " | Rate | Amount |
|-------|-----------------------------------|------------|----------|--------|----------|
| SI No | Particulars | Unit | Quantity | in Rs | in Rs |
| | | | | | |
| 1 | Uncoursed rubble stones at Quarry | Cum | 49.50 | 330.00 | 16335.00 |
| | (Included in material Rate) | - ' | | | |
| | Total Cost of materials Rs: | -' | | | 16335.00 |

B.MACHINERY:

| SI No | Description | Unit | Quantity | Rate in Rs | Amount in Rs |
|-------|---------------------------------|------|----------|---------------|--------------|
| | | | | | |
| 1 | Nill | | 0.00 | 0.00 | 0.00 |
| | | | 0.00 | 0.00 | 0.00 |
| | | | | | |
| | Total hire charges of machinery | | | | 0.00 |
| | Rs: | | | | 0.00 |

C.LABOUR:

| SI No | Description | Unit | Quantity | Rate in Rs | Amount in Rs |
|-------|----------------------|------|----------|---------------|--------------|
| | | | | | |
| 1 | Mason Class II | Day | 9.90 | 370.00 | 3663.00 |
| 2 | Mazdoor | Day | 44.55 | 310.00 | 13810.50 |
| | Total cost of labour | | | | 17473.50 |
| | Rs: | | | | 17473.50 |

labour component/unit qty 174.70 Add contractor's profit and overhead charges 13.615% 23.80

labour component/unit qty (including contractor's profit) 198.50

ABSTRACT

A.Cost of Materials including ryolty charges 16335.00 Rs: B. Hire charges of Machinery Rs: 0.00 C.Cost of Labour Rs: 17473.50 Total 33808.50 Rs:

D. Add for contractor's profit and overheads on (A+B+C) 13.615% Rs: 4603.03 100.00 sqm 38411.53 Total cost for Rs: Rate per (A+B+C+D)/100.0 384.10 Rs.

If 15 cm thick murum bed is to be NOTE: provided below pitching Rs 37.60

Add (As per rate analysis under

item IRR-CAW-8-1 - Note)

IRR-CAW-8-7 Providing and constructing 30 cm thick rubble stone pitching set in CM 1: 5 proportion with pin headers at 2 per sqm in including cost of all materials, labour, packing chips and mortar, finishing, curing etc., complete with initial lead upto 50 m and all lifts.

(rubble stones: 0.275 cum/sqm, Stone Chips: 0.045cum/sqm, Pin Headers 30cm: 2/sqm)

DATA: RATE ANALYSIS UNIT: 100.00 sqm

A. MATERIALS:

| SI No | particulars | Unit | Quantity | Rate | Amount |
|-------|-----------------------------------|------|----------|--------|----------|
| | | | | in Rs. | in Rs. |
| | | | | | 9075.00 |
| 1 | Uncoursed rubble stones at quarry | cum | 27.50 | 330.00 | |
| | | | | | 4600.00 |
| 2 | Pin header (Through stone) 30 cm | Nos | 200.00 | 23.00 | |
| 3 | Stone chips @ 15 % at quarry | cum | 4.50 | 360.00 | 1620.00 |
| 4 | Cement | kg | 3000.00 | 6.30 | 18900.00 |
| 5 | Sand (Screened) | cum | 10.50 | 760.00 | 7980.00 |
| | Total cost of Materials | | | Rs: | 42175.00 |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|---------------------------------|------|----------|--------|--------|
| | | | | in Rs. | in Rs. |
| 1 | 5 hp pump (diesel) | | 2.00 | 10.20 | 20.40 |
| | Fuel / Energy charges | | 2.00 | 81.30 | 162.60 |
| | Total hire charges of Machinery | | | Rs: | 183.00 |

C. LABOUR:

| <u> </u> | , = = = = = = = = = = = = = = = = = = = | | | | | | |
|----------|---|------|----------|--------|---------|--|--|
| SI No | Description | Unit | Quantity | Rate | Amount | | |
| | | | | in Rs. | in Rs. | | |
| 1 | Crew for Pump | Hour | 2.00 | 103.60 | 207.20 | | |
| 2 | work inspector | Day | 1.00 | 400.00 | 400.00 | | |
| 3 | Mason Class II | Day | 5.00 | 370.00 | 1850.00 | | |
| 4 | mazdoor | Day | 12.00 | 310.00 | 3720.00 | | |
| 5 | Catrman with double bullock cart | Day | 2.00 | 425.00 | 850.00 | | |
| | Total cost of Labou | r | • | Rs: | 7027.20 | | |

labour component/unit qty 70.30

Add contractor's profit and overhead charges 13.615% 9.60

labour component/unit qty (including contractor's profit) 79.90

ABSTRACT:

| A. Cost of Materials | | Rs: | 42175.00 |
|------------------------------|-------|-----|----------|
| B. Hire charges of Machinery | | Rs: | 183.00 |
| C. Cost of Labour | | Rs: | 7027.20 |
| | Total | Rs: | 49385.20 |

D. Add for contractor's profit and overheads on (A+B+C) 13.615% Rs: 6723.79

Total cost for 100.00 sqm Rs: 56108.99

Rate per sqm (A+B+C+D)/100.0 Rs. 561.10

If 15 cm thick murum bed is to be provided below pitching add 37.60

(As per rate analysis under item

IRR-CAW-8-1 - Note)

IRR-CAW-8-8 Providing and Constructing 30 cm thick rubble stone pitching set in CM 1:5 Proportion including cost of all materials,labour, packing chips and mortar ,finishing etc.,complete (rubble stones: 0.33 cum/sqm)

DATA: RATE ANALYSIS UNIT: 100.00 Sqm

A. MATERIALS :

NOTE:

| A. WALLINAL | .0 . | | | | |
|-------------|-----------------------------------|------|----------|---------------|--------------|
| SI No | Particulars | Unit | Quantity | Rate in Rs | Amount in Rs |
| | | | | | |
| 1 | Uncoursed rubble stones at Quarry | Cum | 33.00 | 330.00 | 10890.00 |

| 2 | Cement | | Kg | 3232.00 | 6.30 | 20361.60 | Ì |
|---|-------------------------|-----|-----|---------|--------|----------|---|
| 3 | Sand (Screened) | | Cum | 11.22 | 760.00 | 8527.20 | l |
| | Total Cost of materials | Rs: | | | | 39778.80 | l |

B.MACHINERY:

| SI No | Description | Unit | Quantity | Rate in Rs | Amount in Rs |
|-------|---------------------------------|------|----------|---------------|--------------|
| | | | | | |
| 1 | Nill | | 0.00 | 0.00 | 0.00 |
| | | | | | |
| | Total hire charges of machinery | | | | 0.00 |
| | Rs: | | | | 0.00 |

C.LABOUR:

| SI No | Description | Unit | Quantity | Rate in Rs | Amount in Rs |
|-------|----------------------|------|----------|---------------|-----------------|
| | | | | | |
| 1 | Mason Class I | Day | 0.54 | 415.00 | 224.10 |
| 2 | Mason Class II | Day | 1.26 | 370.00 | 466.20 |
| 3 | Mazdoor | Day | 2.80 | 310.00 | 868.00 |
| | Total cost of labour | | | | 4550.20 |
| | Rs: | | | | 1558.30 |

labour component/unit qty 15.60 Add contractor's profit and overhead charges 13.615% 2.10 labour component/unit qty (including contractor's profit) 17.70

ABSTRACT

NOTE:

A.Cost of Materials Rs: 39778.80 B. Hire charges of Machinery Rs: 0.00 C.Cost of Labour Rs: 1558.30 Total Rs: 41337.10 D. Add for contractor's profit and overheads on (A+B+C) 13.615% Rs: 5628.05 100.00 Sqm Total cost for Rs: 46965.15 Rate per (A+B+C+D)/100.0 469.70 Sqm Rs. If 15 cm thick murum bed is to be

Rs

37.60

Add (As per rate analysis under item IRR-CAW-8-1 - Note)

provided below pitching

Providing and constructing 30 cm thick dry khandki stone pitching using 20 to 25 cm size IRR-CAW-8-9 khandki stones with pin headers at 2 per sqm including cost of all materials, labour, hand packing, finishing etc., complete with initial lead upto 50 m and all lifts. (Khandki stones 20- 25 cm height: 1200 Nos/sqm, Stone Chips: 0.045cum/sqm,

Pin Headers 30cm : 2/sqm)

DATA:

RATE ANALYSIS UNIT: 100.00 sqm MATERIALO

| Α. | MATERIALS | <u>5:</u> |
|----|-----------|-----------|
| | SI No | |

| SI No | particulars | Unit | Quantity | Rate | Amount |
|-------|----------------------------------|------|----------|--------|----------|
| | | | | in Rs. | in Rs. |
| 1 | Khandki stones 20-25 cm height | Nos | 1200.00 | 13.00 | 15600.00 |
| | | | | | 4600.00 |
| 2 | Pin header (Through stone) 30 cm | Nos | 200.00 | 23.00 | |
| 3 | Stone chips | cum | 4.50 | 360.00 | 1620.00 |
| | Total cost of Materials | | | | |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount | |
|-------|---------------------------------|------|----------|--------|--------|--|
| | | | | in Rs. | in Rs. | |
| 1 | Nil | | 0.00 | 0.00 | 0.00 | |
| | | | 0.00 | 0.00 | 0.00 | |
| | Total hire charges of Machinery | | | | | |

| C. | | A D | \sim | ID |
|----|---------|-----|--------|----|
| L. | \perp | 40 | w | JK |

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|-------------|------|----------|--------|--------|
| | | | | in Rs. | in Rs. |

| 3 | mazdoor | Day | 6.00 | 310.00 | 1860.00 |
|---|----------------|-----|------|--------|---------|
| 2 | Mason Class II | Day | 5.00 | 370.00 | 1850.00 |
| 1 | work inspector | Day | 1.00 | 400.00 | 400.00 |

labour component/unit qty

41.10

Add contractor's profit and overhead charges

13.615% 5.60

labour component/unit qty (including contractor's profit)

46.70

ABSTRACT:

A. Cost of Materials Rs: 21820.00 B. Hire charges of Machinery Rs: 0.00 C. Cost of Labour Rs: 4110.00

Total 25930.00 Rs:

D. Add for contractor's profit and overheads on (A+B+C) 13.615% 3530.37 Rs: 100.00 sqm 29460.37 Total cost for Rs: Rate per (A+B+C+D)/100.0 Rs. 294.60 sqm

If 15 cm thick murum bed is to be

NOTE: provided below pitching add 37.60

(As per rate analysis under item

IRR-CAW-8-1 - Note)

IRR-CAW-8-10 Providing and constructing 45 cm thick dry khandki stone pitching using 25 to 30 cm size

khandki stones with pin headers at 2 per sqm including cost of all materials, labour, hand packing, finishing etc., complete with initial lead upto 50 m and all lifts.

(Khandki stones 25-30 cm height: 1200 Nos/sqm, Stone Chips: 0.0675cum/sqm,

Pin Headers 45cm: 2/sqm)

DATA:

RATE ANALYSIS

UNIT: 100.00 sqm

| A. MATERIAL | _S: | | | | • |
|-------------|--------------------------------|------|----------|--------|----------|
| SI No | particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Khandki stones 25-30 cm height | Nos | 730.00 | 16.00 | 11680.00 |

00 2 Pin headers 45 cm 200.00 39.00 7800.00 Nos Stone chips 360.00 2430.00 3 cum 6.75 Total cost of Materials Rs 21910.00

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount | |
|-------|---------------------------------|------|----------|--------|--------|--|
| | | | | in Rs. | in Rs. | |
| 1 | Nil | | 0.00 | 0.00 | 0.00 | |
| | | | 0.00 | 0.00 | 0.00 | |
| | Total hire charges of Machinery | | | | | |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount | |
|-------|----------------------|------|----------|--------|---------|--|
| | | | | in Rs. | in Rs. | |
| 1 | work inspector | Day | 1.00 | 400.00 | 400.00 | |
| 2 | Mason Class II | Day | 7.00 | 370.00 | 2590.00 | |
| 3 | mazdoor | Day | 9.00 | 310.00 | 2790.00 | |
| | Total cost of Labour | | | | | |

labour component/unit qty

57.80

Add contractor's profit and overhead charges

13.615% 7.90

labour component/unit qty (including contractor's profit)

65.70

ABSTRACT:

A. Cost of Materials 21910.00 Rs: B. Hire charges of Machinery Rs: 0.00 C. Cost of Labour Rs: 5780.00 Total Rs: 27690.00

D. Add for contractor's profit and overheads on (A+B+C) 13.615% Rs: 3769.99 Total cost for 100.00 sqm 31459.99 Rs: Rate per (A+B+C+D)/100.0 Rs. 314.60 sqm

37.60

If 15 cm thick murum bed is to be NOTE: provided below pitching add

(As per rate analysis under item

IRR-CAW-8-1 - Note)

IRR-CAW-8-11 Providing and constructing 30 cm thick khandki stone pitching using 20 to 25 cm size khandki stones with pin headers at 2 per sqm set in CM 1:5 proportion with pointing joints in CM 1:3 proportion including cost of all materials, labour, packing chips and mortar, finishing, curing etc.complete with initial lead upto 50 m and all lifts.

(Khandki stones 20- 25 cm height: 1200 Nos/sqm, Stone Chips: 0.045cum/sqm,

Pin Headers 30cm : 2/sqm)

RATE ANALYSIS DATA:

| RATE ANALYSIS | | UNIT : | 100.00 | sqm |
|---------------|------|----------|--------|-----|
| articulars | Unit | Quantity | Rate | Am |

| SI | No | particulars | Unit | Quantity | Rate | Amount |
|----|----|--------------------------------|------|----------|--------|----------|
| | | | | | in Rs. | in Rs. |
| 1 | | Khandki stones 20-25 cm height | Nos | 1200.00 | 13.00 | 15600.00 |
| 2 | 2 | Pin headers 30 cm long | Nos | 200.00 | 23.00 | 4600.00 |
| 3 | 3 | Stone chips @ 15 % at quarry | cum | 4.50 | 360.00 | 1620.00 |
| 4 | ļ | Cement | kg | 2902.00 | 6.30 | 18282.60 |
| 5 | 5 | Sand (Screened) | cum | 9.67 | 760.00 | 7349.20 |
| | | Total cost of Materials | | | Rs: | 47451.80 |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|---------------------------------|------|----------|--------|--------|
| | | | | in Rs. | in Rs. |
| 1 | 5 hp diesel pump | Hour | 2.00 | 10.20 | 20.40 |
| | Fuel / Energy charges | Hour | 2.00 | 81.30 | 162.60 |
| | Total hire charges of Machinery | | | | |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|----------------------------------|------|----------|--------|---------|
| | | | | in Rs. | in Rs. |
| 1 | Crew for Pump | Hour | 2.00 | 103.60 | 207.20 |
| 2 | work inspector | Day | 1.00 | 400.00 | 400.00 |
| 3 | Cartman with double bullock cart | Day | 2.00 | 425.00 | 850.00 |
| 4 | Mason Class II | Day | 5.00 | 370.00 | 1850.00 |
| 5 | mazdoor | Day | 11.00 | 310.00 | 3410.00 |
| | Total cost of Labour | • | | Rs: | 6717.20 |

labour component/unit qty 67.20 Add contractor's profit and overhead charges 13.615% 9.10 labour component/unit qty (including contractor's profit) 76.30

| ABSTRACT | : | | | | |
|----------------|---|----------|---------|-----|----------|
| A. Cost of N | Materials | | | Rs: | 47451.80 |
| B. Hire char | ges of Machinery | | | Rs: | 183.00 |
| C. Cost of L | abour | | | Rs: | 6717.20 |
| | | | Total | Rs: | 54352.00 |
| D. Add for o | contractor's profit and overheads on (A+E | 3+C) | 13.615% | Rs: | 7400.02 |
| Total cost for | | 100.00 | | Rs: | 61752.02 |
| Rate per | sqm | (A+B+C+[| • | Rs. | 617.50 |
| • | If 15 cm thick murum bed is to be | | | | |
| NOTE: | provided below pitching add | | | | 37.60 |
| | | | | | |

(As per rate analysis under item

IRR-CAW-8-1 - Note)

IRR-CAW-8-12 Providing and constructing 45 cm thick khandki stone pitching using 25 to 30 cm stones with pin headers at 2 per sqm set in CM 1:5 proportion with pointing joints in CM 1:3 proportion including cost of all materials, labour, packing chips and mortar, finishing, curing etc., complete with initial lead upto 50 m and all lifts.

(Khandki stones 25- 30 cm height: 730 Nos/sqm, Stone Chips: 0.0675cum/sqm,

Pin Headers 45cm: 2/sqm)

DATA: RATE ANALYSIS UNIT: 100.00 sqm

A. MATERIALS:

| A. IVIA I LIVIA | A. WATERIALS. | | | | | | | | |
|-----------------|--------------------------------|------|----------|--------|----------|--|--|--|--|
| SI No | particulars | Unit | Quantity | Rate | Amount | | | | |
| | | | | in Rs. | in Rs. | | | | |
| 1 | Khandki stones 25-30 cm height | Nos | 730.00 | 16.00 | 11680.00 | | | | |
| 2 | Pin headers 45 cm | Nos | 200.00 | 39.00 | 7800.00 | | | | |
| 3 | Stone chips @ 15 % at quarry | cum | 6.75 | 360.00 | 2430.00 | | | | |
| 4 | Cement | kg | 4050.00 | 6.30 | 25515.00 | | | | |
| 5 | Sand (Screened) | cum | 13.99 | 760.00 | 10632.40 | | | | |
| | Total cost of Materials | | | Rs: | 58057.40 | | | | |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|---------------------------------|------|----------|--------|--------|
| | | | | in Rs. | in Rs. |
| 1 | 5 hp diesel pump | Hour | 4.00 | 10.20 | 40.80 |
| | Fuel / Energy charges | Hour | 4.00 | 81.30 | 325.20 |
| | Total hire charges of Machinery | | | | |

C. LABOUR:

| <u>01 </u> | · · | | | | |
|---|----------------------------------|------|----------|--------|---------|
| SI No | Description | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Crew for Pump | Hour | 4.00 | 103.60 | 414.40 |
| 2 | work inspector | Day | 1.00 | 400.00 | 400.00 |
| 3 | Cartman with double bullock cart | Day | 2.00 | 425.00 | 850.00 |
| 4 | Mason Class II | Day | 7.00 | 370.00 | 2590.00 |
| 5 | mazdoor | Day | 16.00 | 310.00 | 4960.00 |
| | Total cost of Labour | - | • | Rs: | 9214.40 |

labour component/unit qty

92.10

Add contractor's profit and overhead charges

13.615% 12.50

labour component/unit qty (including contractor's profit)

104.60

37.60

ABSTRACT:

 A. Cost of Materials
 Rs: 58057.40

 B. Hire charges of Machinery
 Rs: 366.00

 C. Cost of Labour
 Rs: 9214.40

 Total
 Rs: 67637.80

D. Add for contractor's profit and overheads on (A+B+C) 13.615% Rs: 9208.89
Total cost for 100.00 sqm Rs: **76846.69 Rate per sqm** (A+B+C+D)/100.0 Rs. **768.50**

e per sqm (A+B+C+D)/100.0 Rs. **768.**5

If 15 cm thick murum bed is to be

NOTE: provided below pitching add

(As per rate analysis under item

IRR-CAW-8-1 - Note)

IRR-CAW-8-13 **Providing 10 cm thick approved type grass turfing** to the side slopes of canal including cost of all materials, labour, watering for minimum 15 days etc.,complete **with lead 50 m and all lifts. (FA : 2 cum/sqm)**

DATA: RATE ANALYSIS UNIT: 100.00 sqm

A. MATERIALS:

| A. WAILINA | -0. | | | | |
|------------|-------------------------|------|----------|--------|---------|
| SI No | particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Turfing sods | sqm | 100.00 | 28.00 | 2800.00 |
| 2 | Sand for filling | cum | 2.00 | 560.00 | 1120.00 |
| | Total cost of Materials | | | Rs: | 3920.00 |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|-------------|------|----------|--------|--------|
| | | | | in Rs. | in Rs. |
| 1 | Nill | | 0.00 | 0.00 | 0.00 |

| | 0.00 | 0.00 | 0.00 |
|---------------------------------|------|------|------|
| Total hire charges of Machinery | | Rs: | 0.00 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|----------------------------------|------|----------|--------|---------|
| | | | | in Rs. | in Rs. |
| 1 | work inspector | Day | 0.10 | 400.00 | 40.00 |
| 2 | Cartman with double bullock cart | Day | 2.00 | 425.00 | 850.00 |
| 3 | mazdoor | Day | 14.00 | 310.00 | 4340.00 |
| | Total cost of Labour | • | | Rs: | 5230.00 |

labour component/unit qty

52.30

Add contractor's profit and overhead charges

13.615% 7.10

labour component/unit qty (including contractor's profit)

59.40

ABSTRACT:

| A. Cost of Materials | | Rs: | 3920.00 |
|------------------------------|-------|-----|---------|
| B. Hire charges of Machinery | | Rs: | 0.00 |
| C. Cost of Labour | | Rs: | 5230.00 |
| | Total | Rs: | 9150.00 |

D. Add for contractor's profit and overheads on (A+B+C) 1245.77 13.615% Rs: 100.00 sqm 10395.77 Total cost for Rs: Rate per (A+B+C+D)/100.0 104.00 Rs. sqm

IRR-CAW-8-14 Providing 10 cm Thick approved type gross turfing to the side slopes of canal including cost of all materials ,labour,watering for minimum 15 days etc.,,complete. with initial lead upto 50 m and all lifts (WITHOUT USING SAND)

DATA:

RATE ANALYSIS

UNIT: 100.00 Sqm

| _ | <u>A. MATERIAL</u> | .S : | | | | |
|---|--------------------|------------------------------|------|----------|---------------|--------------|
| | SI No | Particulars | Unit | Quantity | Rate in Rs | Amount in Rs |
| | | | | | | |
| Ī | 1 | Turfing Sods | Sqm | 100.00 | 28.00 | 2800.00 |
| ſ | | Total Cost of materials Rs : | | | | 2800 00 |

B.MACHINERY:

| SI No | Description | Unit | Quantity | Rate in Rs | Amount in Rs |
|-------|-------------------------------------|------|----------|---------------|--------------|
| | | | | | |
| 1 | Nill | | 0.00 | 0.00 | 0.00 |
| | | | 0.00 | 0.00 | 0.00 |
| | Total hire charges of machinery Rs: | | | | 0.00 |

C.LABOUR:

| SI No | Description | Unit | Quantity | Rate in Rs | Amount in Rs |
|-------|-----------------------------------|------|----------|---------------|--------------|
| | | | | | |
| 1 | Mazdoor | Day | 7.00 | 310.00 | 2170.00 |
| 2 | Cart men with double bullock cart | Day | 2.00 | 425.00 | 850.00 |
| | Total cost of labour | | | | 3020.00 |
| | Rs: | | | | 3020.00 |

labour component/unit qty Add contractor's profit and overhead charges 30.20

13.615% 4.10

labour component/unit qty (including contractor's profit)

34.30

ABSTRACT

| ABOTTAOT | | | |
|--|-------|-----|---------|
| A.Cost of Materials including ryolty charges | | Rs: | 2800.00 |
| B. Hire charges of Machinery | | Rs: | 0.00 |
| C.Cost of Labour | | Rs: | 3020.00 |
| | Total | Rs: | 5820.00 |
| | | | |

D. Add for contractor's profit and overheads on (A+B+C) 13.615% Rs:

792.39

Total cost for 100.00 Sqm Rs: **6612.39 Rate per Sqm** (A+B+C+D)/100.0 Rs. **66.10**

CHAPTER-IV

CANAL CROSS DRAINAGE WORKS - Standard Data

(WLL BE WITH E-N-C & TO INCORPORATE CHANGES YEARLY/ AS NEEDED)

FOR THE YEAR :2015-16

Index- code IRR-CCDW

CANAL CROSS DRAINAGE WORKS - DATA RATES

Directions to add Seigniorage Charges and Additional Lead Charges

Seigniorage Charges:

- 1. The unit rate for work item in the Standard Data is exclusive of Seigniorage Charges wherever applicable.
- 2. The appropriate Seigniorage Charges for relevant materials are to be added to the Unit rate of work item while preparing the estimate. (i.e., to the data itself)
- 3. The Provision towards Contractor's Profit and Overhead charges **should not be operated on** the Seigniorage Charges while adding Seigniorage Charges to the data in the estimate

Additional Lead and Lift Charges:

- 1. Unless otherwise specified the basic rates are inclusive of all lifts.
- 2. For concrete, masonry and reinforcement items **wherever** initial lead of 1km is considered in the basic rate, the additional lead as follows:

Additional lead charges for Cement, Steel, sand, coarse aggregate, stones and stone chips shall be worked out for total lead involved and 1 km lead charges included in basic rate shall be deducted from total lead charges. No loading and unloading charges shall be allowed for any item.

In case of Cement and Steel, Loading and unloading charges are already added in the work item while arriving the unit rate and hence should not be added again

Example:

| Total lead for sand from approved sand quarry: | | 15 Km |
|--|----------------------------------|-----------|
| Initial lead included in the basic rate in the SR: | | 1 Km |
| Additional lead charges : | Lead charges fc Rs. | 83.60 |
| | Lead charges for next 10 k Rs. | 125 |
| | Total lead charges for 15 k Rs. | 208.60 |
| | Less 1 km initial lead charç Rs. | 31.30 (-) |
| | Net additional lead charges Rs. | 177.30 |

- 3. The Leads for Steel and Cement shall be from the nearest market place to the Project area
- 4. For earth/rockfill embankments **wherever** initial lead of 1km is considered in the basic rate, the additional lead charges are to be added as follows:

Additional lead charges for Earth, Murrum etc., shall be worked out for total lead involved and 1 km lead charges included in basic rate shall be deducted from total lead charges. No loading and unloading charges shall be allowed for any item. (same as above)

Example:

| Total lead for earth from approved borrow area: | | 15 Km |
|--|----------------------------------|-----------|
| Initial lead included in the basic rate in the SR: | | 1 Km |
| Additional lead charges : | Lead charges fc Rs. | 83.60 |
| | Lead charges for next 10 k Rs. | 125 |
| | Total lead charges for 15 k Rs. | 208.60 |
| | Less 1 km initial lead charc Rs. | 31.30 (-) |
| | Net additional lead charges Rs. | 177.30 |

5. The initial lead up to 50 m as mentioned in some standard data items is meant for manual lead within the working area. For conveyance of materials, the lead required from quarry/Borrow area/ Dump Area to worksite shall be added to the data without deducting the 50 m initial lead charges

CCDW - Work Items

IRR-CCDW-1 EXCAVATION & FOUNDATION TREATMENT WORKS:

IRR-CCDW-1-1 Excavation **in all kinds of soil** including boulders **upto 0.30 m dia.** for foundations of canal cross drainage and other appurtenant structures and placing the excavated stuff neatly in specified dump area or disposing off the same as directed etc., complete with initial lead upto

50 m and initial lift upto 3 m.

DATA: RATE ANALYSIS UNIT: 10.00 cum

A. MATERIALS:

| SI No | Particulars | Unit | Quantity | Rate | Amount |
|-------|-------------------------|------|----------|--------|--------|
| | | | | in Rs. | in Rs. |
| 1 | NIL | | 0.00 | 0.00 | 0.00 |
| | | | 0.00 | 0.00 | 0.00 |
| | Total cost of Materials | | | Rs: | 0.00 |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|---------------------------------|------|----------|--------|--------|
| | | | | in Rs. | in Rs. |
| 1 | NIL | | 0.00 | 0.00 | 0.00 |
| | | | 0.00 | 0.00 | 0.00 |
| | Total hire charges of Machinery | | | Rs: | 0.00 |

C. LABOUR:

| O. LADO | o. Labour. | | | | | |
|---------|----------------------|------|----------|--------|---------|--|
| SI No | Description | Unit | Quantity | Rate | Amount | |
| | | | | in Rs. | in Rs. | |
| 1 | work inspector | Day | 0.25 | 400.00 | 100.00 | |
| 2 | mazdoor | Day | 6.00 | 310.00 | 1860.00 | |
| _ | Total cost of Labour | | | Rs: | 1960.00 | |

labour component/unit qty 196.00
Add contractor's profit and overhead charges 13.615% 26.70
labour component/unit qty (including contractor's profit) 222.70

ABSTRACT:

A. Cost of Materials Rs: 0.00 B. Hire charges of Machinery Rs: 0.00 C. Cost of Labour Rs: 1960.00 Total Rs: 1960.00 D. Add for contractor's profit and overheads on (A+B+C) 13.615% Rs: 266.85 Total cost for 10.00 cum Rs: 2226.85 Rate per cum (A+B+C+D)/10.0 Rs. 222.70

IRR-CCDW-1-2 Excavation for Structures- Mechanical Means (Data adopted from MORTH)

Earth work in excavation **in all kinds of soils** of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and backfilling with approved material.

Depth upto 3 m

Unit = cum

DATA: Taking output = 240 cum

| i aking ou | tput = 240 cum | Unit | 240.00 | cum | |
|------------|----------------|------|----------|--------|--------|
| A. Materi | als: | | | | |
| SI No | Description | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| | NIL | | 0.00 | 0.00 | 0.00 |

B. Machinery:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|---|------|----------|---------|----------|
| | | | | in Rs. | in Rs. |
| 1 | Hydraulic excavator 1.0 cum bucket capacity | hour | 6.00 | 1706.60 | 10239.60 |
| | Fuel/ Energy charges | hour | 6.00 | 893.90 | 5363.40 |
| | Total in Rs. | | | | 15603.00 |

C. Labour:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|--------------------|------|----------|--------|---------|
| | | | | in Rs. | in Rs. |
| 1 | work inspector | day | 0.32 | 400.00 | 128.00 |
| 2 | Mazdoor | day | 8.00 | 310.00 | 2480.00 |
| 3 | crew for excavator | hour | 6.00 | 221.00 | 1326.00 |
| | Total in Rs. | | | | 3934.00 |

labour component/unit qty 16.40
Add contractor's profit and overhead charges 13.615% 2.20
labour component/unit qty (including contractor's profit) 18.60

Abstract

| , mon ave | | |
|--------------|-----|----------|
| a) Material | Rs | 0.00 |
| b) Machinery | Rs | 15603.00 |
| c) Labour | Rs_ | 3934.00 |
| Total | Rs | 19537.00 |

D. Add for contractor's profit and overheads on (A+B+C) 13.615% Rs: 2659.96

Total cost for 240.00 cum Rs: 22196.96

Rate per cum (A+B+C+D)/240.0 Rs. 92.50

IRR-CCDW-1-3 Excavation in ordnary rock (including HDR) without blasting including boulders above 0.3 m upto 0.60 m dia.

for foundations of canal cross drainage and other appurtenant structures and placing the excavated stuff neatly in specified dump area or disposing off the same as directed etc.,

complete with initial lead upto 50 m and initial lift upto 3 m.

DATA: RATE ANALYSIS UNIT: 10.00 cum

| Δ | M | ΔТ | FR | IΔ | LS: |
|---|---|----|----|----|-----|
| | | | | | |

| ,, — . | 74 III) (1 E1(I) (E0) | | | | | | |
|---------------|-------------------------|------|----------|--------|--------|--|--|
| SI No | Particulars | Unit | Quantity | Rate | Amount | | |
| | | | | in Rs. | in Rs. | | |
| 1 | NIL | | 0.00 | 0.00 | 0.00 | | |
| | | | 0.00 | 0.00 | 0.00 | | |
| | Total cost of Materials | • | | Rs: | 0.00 | | |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|---------------------------------|------|----------|--------|--------|
| | | | | in Rs. | in Rs. |
| 1 | NIL | | 0.00 | 0.00 | 0.00 |
| | | | 0.00 | 0.00 | 0.00 |
| | Total hire charges of Machinery | | | Rs: | 0.00 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|----------------------|------|----------|--------|---------|
| | | | | in Rs. | in Rs. |
| 1 | Crowbarman | Day | 1.25 | 370.00 | 462.50 |
| 2 | Stone breaker | Day | 1.25 | 370.00 | 462.50 |
| 3 | work inspector | Day | 0.25 | 400.00 | 100.00 |
| 4 | mazdoor | Day | 6.00 | 310.00 | 1860.00 |
| | Total cost of Labour | | | Rs: | 2885.00 |

labour component/unit qty288.50Add contractor's profit and overhead charges13.615% 39.30labour component/unit qty (including contractor's profit)327.80

ABSTRACT:

| A. Cost of Materials | | | Rs: | 0.00 |
|---|----------------|-------------|-----|---------|
| B. Hire charges of Machinery | | | Rs: | 0.00 |
| C. Cost of Labour | | | Rs: | 2885.00 |
| | | Total | Rs: | 2885.00 |
| D. Add for contractor's profit and overheads on (A+B+C) | | 13.615% Rs: | | 392.79 |
| Total cost for | 10.00 cum | Rs: | | 3277.79 |
| Rate per cum | (A+B+C+D)/10.0 | Rs. | | 327.80 |

$IRR\text{-}CCDW\text{-}1\text{-}4 \hspace{0.5cm} Excavation in \textbf{ ordnary rock without blasting } for foundations \ of canal \ cross \ drainage$

and other appurtenant structures and placing the excavated stuff neatly in specified dump area or disposing off the same as directed etc., complete with initial

lead upto 50 m and initial lift upto 3 m.

(Data adopted from MORTH)

Mechanical Means

Unit = cum

DATA: Taking output = 180 cum Unit: **180.00** cum

A. Materials:

| A. Wat | eriais. | | | | |
|--------|-------------|------|----------|--------|--------|
| SI No | Description | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| | NIL | | 0.00 | 0.00 | 0.00 |

B. Machinery:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|---|------|----------|---------|----------|
| | | | | in Rs. | in Rs. |
| 1.0 | Hydraulic excavator 1.0 cum bucket capacity | hour | 6.00 | 1706.60 | 10239.60 |
| | Fuel/ Energy charges | hour | 6.00 | 893.90 | 5363.40 |
| _ | Total in Rs. | | | | 15603.00 |

| C. | Labour: | |
|----|---------|--|
| | | |

| SI No Description | Unit | Quantity | Rate | Amount | |
|-------------------|------|----------|------|--------|--|
|-------------------|------|----------|------|--------|--|

| | | | | in Rs. | in Rs. |
|---|--------------------|------|------|--------|---------|
| 1 | work inspector | day | 0.24 | 400.00 | 96.00 |
| 2 | Mazdoor | day | 6.00 | 310.00 | 1860.00 |
| 3 | crew for excavator | hour | 6.00 | 221.00 | 1326.00 |
| | Total in Rs. | | | | 3282.00 |
| | | | | | |

labour component/unit qty

18.20

Add contractor's profit and overhead charges

13.615% 2.50

labour component/unit qty (including contractor's profit)

20.70

Abstract

a) Material Rs 0.00 15603.00 b) Machinery Rs 3282.00 c) Labour Rs Total 18885.00 Rs

D. Add for contractor's profit and overheads on (A+B+C) 13.615% Rs: 2571.19 180.00 cum 21456.19 Total cost for Rs: Rate per cum (A+B+C+D)/180.0 Rs. 119.20

IRR-CCDW-1-5

Excavation in hard rock requiring blasting including boulders above 0.6 m upto 1.2 m dia. for foundations of canal cross drainage and other appurtenant structures and placing the excavated stuff neatly in specified dump area or disposing off the same as directed etc., complete with initial lead upto 50 m and initial lift upto 3 m.

DATA:

RATE ANALYSIS

UNIT:

100 cum

|--|

| V. 141V I | LINIALS. | | | | |
|-----------|------------------------------------|------|----------|--------|---------|
| SI No | Particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Use rate of drill rod 1.6 m length | Rm | 43.50 | 20.75 | 902.63 |
| | Reconditioning charges @ | 10% | | | 90.26 |
| 2 | Use rate of air hose 2 Nos. | Hour | 6.00 | 0.23 | 1.39 |
| 3 | Explosive small dia (Kelvex-220) | kg | 20.00 | 70.00 | 1400.00 |
| 4 | Electric detonators | Nos | 29.00 | 13.00 | 377.00 |
| 5 | Detonating fuse coil | Rm | 70.00 | 11.00 | 770.00 |
| 6 | Sundries | LS | 0.50 | 20.00 | 10.00 |
| | Total cost of Materials | | | Rs: | 3551.28 |

B. MACHINERY:

| D. IVIA | ZIMALICI. | | | | |
|---------------------------------|-----------------------------------|------|----------|--------|---------|
| SI No | Description | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Air compressor 8.5 cmm (diesel) | Hour | 3.00 | 275.60 | 826.80 |
| | Fuel / Energy charges | Hour | 3.00 | 914.20 | 2742.60 |
| 2 | Jack hammers 2 Nos. | Hour | 6.00 | 19.80 | 118.80 |
| | Fuel / Energy charges | Hour | 6.00 | 0.00 | 0.00 |
| Total hire charges of Machinery | | | | | 3688.20 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|-------------------------|------|----------|--------|----------|
| | | | | in Rs. | in Rs. |
| 1 | Crew for Air compressor | Hour | 3.00 | 195.90 | 587.70 |
| 2 | Crew for Jack hammer | Hour | 6.00 | 306.20 | 1837.20 |
| 3 | work inspector | Day | 1.00 | 400.00 | 400.00 |
| 4 | Blaster | Day | 0.50 | 480.00 | 240.00 |
| 5 | Helper blaster | Day | 0.50 | 370.00 | 185.00 |
| 6 | Crowbarman | Day | 6.00 | 370.00 | 2220.00 |
| 7 | Stone breaker | Day | 3.00 | 370.00 | 1110.00 |
| 8 | mazdoor | Day | 51.00 | 310.00 | 15810.00 |
| | Total cost of Labour | | | Rs: | 22389.90 |

labour component/unit qty

223.90

Add contractor's profit and overhead charges labour component/unit qty (including contractor's profit) 13.615% 30.50

254.40

ABSTRACT:

A. Cost of Materials Rs: 3551.28 B. Hire charges of Machinery Rs: 3688.20 C. Cost of Labour 22389.90 Rs: Total 29629.38 Rs: 13.615% Rs: 4034.04

D. Add for contractor's profit and overheads on (A+B+C)

Total cost for 100.00 cum Rs: 33663.415
Rate per cum (A+B+C+D)/100.0 Rs. 336.60

IRR-CCDW-1-6

Excavation in hard rock of all toughness by blasting including boulders above 1.2 m dia. for foundations of canal cross drainage and other appurtenant structures and placing the excavated rock neatly in specified dump area or stack yard as directed etc., complete with initial lead upto 50 m and initial lift upto 3 m.

DATA:

RATE ANALYSIS UNIT: 100.00 cum

A. MATERIALS:

| SI No | Particulars | Unit | Quantity | Rate | Amount |
|-------|------------------------------------|------|----------|--------|---------|
| | | | | in Rs. | in Rs. |
| 1 | Explosive small dia (Kelvex-220) | kg | 32.00 | 70.00 | 2240.00 |
| 2 | Ordinary detonator | No. | 8.00 | 7.00 | 56.00 |
| 3 | Electric detonator | No. | 104.00 | 13.00 | 1352.00 |
| 4 | Detonating fuse coil | Rm | 150.00 | 11.00 | 1650.00 |
| 5 | Use rate of air hose 2 Nos. | Hour | 16.00 | 11.56 | 185.00 |
| 6 | Use rate of drill rod | Rm | 98.30 | 27.67 | 2719.63 |
| | Reconditioning charges @ | 10% | | | 271.96 |
| | Total cost of Materials | | | Rs: | 8474.60 |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|-----------------------------------|------|----------|--------|---------|
| | | | | in Rs. | in Rs. |
| 1 | Air compressor 8.5 cmm (diesel) | Hour | 8.00 | 275.60 | 2204.80 |
| | Fuel / Energy charges | Hour | 8.00 | 914.20 | 7313.60 |
| 2 | Jack hammer 2 Nos | Hour | 16.00 | 19.80 | 316.80 |
| | Fuel / Energy charges | Hour | 16.00 | 0.00 | 0.00 |
| | Total hire charges of Machinery | | | Rs: | 9835.20 |

C. LABOUR:

| SI No | Description | Unit Quantity | | Rate | Amount |
|-------|-------------------------|---------------|-------|--------|----------|
| | | | | in Rs. | in Rs. |
| 1 | Crew for Air compressor | Hour | 8.00 | 195.90 | 1567.20 |
| 2 | Crew for Jack hammer | Hour | 16.00 | 306.20 | 4899.20 |
| 3 | Blaster licensed | Day | 1.00 | 480.00 | 480.00 |
| 4 | Helper blasting | Day | 1.00 | 370.00 | 370.00 |
| 5 | work inspector | Day | 1.00 | 400.00 | 400.00 |
| 6 | Crowbarman | Day | 6.00 | 370.00 | 2220.00 |
| 7 | Stone breaker | Day | 6.00 | 370.00 | 2220.00 |
| 8 | mazdoor | Day | 51.00 | 310.00 | 15810.00 |
| | Total cost of Labour | | | Rs: | 27966.40 |

labour component/unit qty 279.70
Add contractor's profit and overhead charges 13.615% 38.10
labour component/unit qty (including contractor's profit) 317.80

ABSTRACT:

 A. Cost of Materials
 Rs: 8474.60

 B. Hire charges of Machinery
 Rs: 9835.20

 C. Cost of Labour
 Rs: 27966.40

 Total
 Rs: 46276.20

 D. Add for contractor's profit and overheads on (A+B+C)
 13.615% Rs: 6300.5

D. Add for contractor's profit and overneads on (A+B+C) 13.615% Rs: 6300.5

Total cost for 100.00 cum Rs: 52576.70

Rate per cum (A+B+C+D)/100.0 Rs. 525.80

IRR-CCDW-1-7

Excavation in hard rock with blasting prohibited for foundations of canal cross drainage

and other appurtenant structures and placing the excavated rock neatly in

or stack yard as directed etc., complete with specified dump area initial lead upto 50 m and

initial lift upto 3 m.

Hard Rock (blasting prohibited) (Data adopted from MORTH)

Unit = cum

DATA: Taking output = 10 cum

Mechanical Means 10.00 cum

A.Materials:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|-------------|------|----------|--------|--------|
| | | | | in Rs. | in Rs. |

| NIL | 0.00 | 0.00 | 0.00 |
|-----|------|------|------|

b) Machinery

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|--|------|----------|--------|---------|
| | | | | in Rs. | in Rs. |
| 1.0 | Air Compressor 250 cft with 2 leads of pneumatic breaker | hour | 6.00 | 241.30 | 1447.80 |
| | Fuel/ Energy charges | hour | 6.00 | 731.40 | 4388.40 |
| | Total in Rs. | | | | 5836.20 |

c) Labour

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|---------------------|------|----------|--------|---------|
| | | | | in Rs. | in Rs. |
| 1 | work inspector | day | 0.20 | 400.00 | 80.00 |
| 2 | Mazdoor | day | 5.00 | 310.00 | 1550.00 |
| 3 | crew for compressor | hour | 6.00 | 195.90 | 1175.40 |
| | Total in Rs. | | | | 2805.40 |

labour component/unit qty

280.50

Add contractor's profit and overhead charges

13.615% 38.20

labour component/unit qty (including contractor's profit)

318.70

Abstract

| a) Material | | | Rs | 0.00 |
|---|----------------|-------------|----|---------|
| b) Machinery | | | Rs | 5836.20 |
| c) Labour | | | Rs | 2805.40 |
| Total | | | Rs | 8641.60 |
| D. Add for contractor's profit and overheads on (A+B+C) | | 13.615% Rs: | | 1176.55 |
| Total cost for | 10.00 cum | Rs: | | 9818.15 |
| Rate per cum | (A+B+C+D)/10.0 | Rs. | | 981.80 |

IRR-CCDW-1-8 Providing and fixing 25 mm dia 2.50 m long cold twisted deformed steel anchor rods with

1.25 m length driven into 32 mm dia hole drilled in bed rock and remaining length embedded in concrete / masonry including cost of all materials, machinery, labour, drilling and cleaning hole, driving anchor rod, grouting hole with thick cement slurry etc., complete with initial lead upto 50 m and all lifts.

DATA:

RATE ANALYSIS A. MATERIALS:

UNIT :

10.00 Nos.

| SI No | Particulars | Unit | Quantity | Rate | Amount |
|-------------------------|---------------------------------|------|----------|--------|---------|
| | | | | in Rs. | in Rs. |
| 1 | Cement for grouting | kg | 5.00 | 6.30 | 31.50 |
| 2 | 25 mm dia steel | kg | 101.00 | 40.00 | 4040.00 |
| 3 | Use rate of 32 mm dia drill rod | Rm | 12.50 | 27.67 | 345.83 |
| | Reconditioning charges @ | 10% | | | 34.58 |
| 4 | Use rate of air hose | Hour | 2.00 | 11.56 | 23.13 |
| Total cost of Materials | | | | Rs: | 4475.04 |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|---------------------------------|-----------------------------------|------|----------|--------|---------|
| | | | | in Rs. | in Rs. |
| 1 | Air compressor 8.5 cmm (diesel) | Hour | 1.00 | 275.60 | 275.60 |
| | Fuel / Energy charges | Hour | 1.00 | 914.20 | 914.20 |
| 2 | Jack hammer 2 Nos | Hour | 2.00 | 19.80 | 39.60 |
| | Fuel / Energy charges | Hour | 2.00 | 0.00 | 0.00 |
| Total hire charges of Machinery | | | | | 1229.40 |

C. LABOUR:

| O. LABOUR. | | | | | |
|----------------------|-------------------------|------|----------|--------|---------|
| SI No | Description | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Crew for Air compressor | Hour | 1.00 | 195.90 | 195.90 |
| 2 | Crew for Jack hammer | Hour | 2.00 | 306.20 | 612.40 |
| 3 | Mason Class-II | Day | 0.50 | 370.00 | 185.00 |
| 4 | Bar bender | Day | 0.50 | 490.00 | 245.00 |
| 5 | work inspector | Day | 0.50 | 400.00 | 200.00 |
| 6 | mazdoor | Day | 1.00 | 310.00 | 310.00 |
| Total cost of Labour | | | | Rs: | 1748.30 |

labour component/unit qty

174.80

Add contractor's profit and overhead charges

13.615% 23.80

labour component/unit qty (including contractor's profit) 198.60

ABSTRACT:

Rs: 4475.04 A. Cost of Materials B. Hire charges of Machinery Rs: 1229.40 C. Cost of Labour Rs: 1748.30 Total Rs: 7452.74 13.615% Rs: 1014.69 D. Add for contractor's profit and overheads on (A+B+C)

Total cost for 10.00 Nos. 8467.43 Rs: 846.70 Rate per each (A+B+C+D)/10.0 Rs.

IRR-CCDW-2 STEEL AND CEMENT CONCRETE WORKS:

IRR-CCDW-2-1 Providing, fabricating and placing in position reinforcement steel bars for RCC works including

cleaning, straightening, cutting, bending, hooking, lapping, welding wherever required, tying with 1.25 mm dia soft annealed steel wire, including cost of all materials, machinery, labour etc.,

complete with initial lead upto 50 and all lifts.

DATA: **RATE ANALYSIS** UNIT: 1000.00 kg

MATERIALS:

| A. WAI ENIALO. | | | | | | |
|----------------|-----------------------------------|------|----------|--------|----------|--|
| SI No | Particulars | Unit | Quantity | Rate | Amount | |
| | | | | in Rs. | in Rs. | |
| 1 | Rein.Steel with 5 % wastage | kg | 1050.00 | 40.00 | 42000.00 | |
| 2 | Binding wire 1.25 mm dia | kg | 8.00 | 70.00 | 560.00 | |
| 3 | Sundries (chairs / spacers etc) | LS | 3.00 | 20.00 | 60.00 | |
| | Total cost of Materials | | | Rs: | 42620.00 | |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|---------------------------------|------|----------|--------|--------|
| | | | | in Rs. | in Rs. |
| 1 | Nil | | 0.00 | 0.00 | 0.00 |
| | | | 0.00 | 0.00 | 0.00 |
| | Total hire charges of Machinery | • | • | Rs: | 0.00 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|----------------------|----------------|------|----------|--------|---------|
| | | | | in Rs. | in Rs. |
| 1 | work inspector | Day | 1.00 | 400.00 | 400.00 |
| 2 | Bar bender | Day | 6.00 | 490.00 | 2940.00 |
| 3 | mazdoor | Day | 11.00 | 310.00 | 3410.00 |
| Total cost of Labour | | | | Rs: | 6750.00 |

labour component/unit qty 6.80 Add contractor's profit and overhead charges 13.615% 0.90 labour component/unit qty (including contractor's profit) 7.70


ABSTRACT:

A. Cost of Materials Rs: 42620.00 B. Hire charges of Machinery Rs: 0.00 C. Cost of Labour 6750.00 Rs: Total Rs: 49370.00 D. Add for contractor's profit and overheads on (A+B+C) 13.615% Rs: 6721.73

1000.00 kg 56091.73 Total cost for Rs: Rate per kg (A+B+C+D)/1000.0 Rs. 56.10

Providing, fabricating and fixing in position structural steel cutting edge consisting of 100 x IRR-CCDW-2-2 100 x 10 mm angle and 250 x 12 mm plate for sinking for sinking 4.50 m outer diameter

foundation wells foundation wells including cost of all materials, machinery, labour, bending, welding, providing anchors etc., complete with initial lead upto 50 m and all lifts.



DETAILS OF FOUNDATION WELL CUTTING EDGE

DATA: RATE ANALYSIS UNIT: 615.00 kg

A. MATERIALS:

| SI No | Particulars | Unit | Quantity | Rate | Amount |
|-------|------------------------------------|------|----------|--------|----------|
| | | | | in Rs. | in Rs. |
| 1 | Str.Steel angle with 2.5 % wastage | kg | 216.10 | 40.00 | 8644.00 |
| 2 | Str.Steel plate with 2.5 % wastage | kg | 342.30 | 40.00 | 13692.00 |
| 3 | Steel for anchors | kg | 56.60 | 40.00 | 2264.00 |
| 4 | Acetyline gas | cum | 0.50 | 330.00 | 165.00 |
| 5 | Oxygen gas | cum | 1.50 | 45.00 | 67.50 |
| 6 | Welding electrodes | Nos | 300.00 | 11.00 | 3300.00 |
| 7 | Sundries | LS | 5.00 | 20.00 | 100.00 |
| | Total cost of Materials | | | Rs: | 28232.50 |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|---------------------------------|------|----------|--------|---------|
| | | | | in Rs. | in Rs. |
| 1 | Bending machine | Hour | 8.00 | 42.60 | 340.80 |
| | Fuel / Energy charges | Hour | 8.00 | 115.50 | 924.00 |
| 2 | Welding set | Hour | 30.00 | 16.00 | 480.00 |
| | Fuel / Energy charges | Hour | 30.00 | 92.40 | 2772.00 |
| 3 | Sundries | LS | 10.00 | 20.00 | 200.00 |
| | Total hire charges of Machinery | | | Rs: | 4716.80 |

C. LABOUR:

| <u> </u> | ··· | | | | |
|----------|-----------------------|------|----------|--------|---------|
| SI No | Description | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Str. Steel fabricator | Day | 2.00 | 480.00 | 960.00 |
| 2 | Welder / Gas cutter | Day | 5.00 | 415.00 | 2075.00 |
| 3 | work inspector | Day | 1.00 | 400.00 | 400.00 |
| 4 | mazdoor | Day | 5.00 | 310.00 | 1550.00 |
| | Total cost of Labour | | | Rs: | 4985.00 |

labour component/unit qty

Add contractor's profit and overhead charges

13.615% 1.10

labour component/unit qty (including contractor's profit)

9.20

ABSTRACT:

A. Cost of Materials Rs: 28232.50 B. Hire charges of Machinery 4716.80 Rs: C. Cost of Labour 4985.00 Rs: Total Rs: 37934.30 D. Add for contractor's profit and overheads on (A+B+C) 13.615% Rs: 5164.75 615.00 kg Rs: 43099.05 Total cost for Rate per kg (A+B+C+D)/615.0 Rs. 70.10

IRR-CCDW-2-3 Providing and **laying insitu vibrated M-15** (28 days cube compressive strength not less than 15 N /sq mm) grade cement concrete using **40 mm down size** approved, clean, hard, graded aggregates for foundation filling including cost of all materials, machinery, labour, formwork, cleaning, batching, mixing, placing in position, levelling, vibrating, finishing, curing etc., **complete with initial lead upto 50 m and all lifts.**

(Cement content: 260 kg / cum with use of super plasticiser(0.4% by wt. of cement), CA: 0.90cum, Blending Ratio of CA--50:30:20, FA: 0.40 cum)

Data RATE ANALYSIS UNIT: 15.38 cum

| A. MATER | RIALS: | | | | |
|----------|-------------------------------------|------|----------|---------|----------|
| SI No | Particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Cement for mix | kg | 3998.80 | 6.30 | 25192.44 |
| | Cement for incidentals @ 3 kg / cum | kg | 46.14 | 6.30 | 290.68 |
| 2 | Coarse aggregate 40-20 mm | cum | 6.92 | 1145.00 | 7924.55 |
| | Coarse aggregate 20-10 mm | cum | 4.15 | 1210.00 | 5024.65 |
| | Coarse aggregate 10 mm below | cum | 2.77 | 875.00 | 2422.35 |
| 3 | Fine aggregate (Un-Screened) | cum | 6.15 | 560.00 | 3445.12 |
| 4 | Super Plasticizer | kg | 16.00 | 95.00 | 1519.54 |
| 5 | Use rate of shuttering for 40 uses | sqm | 15.38 | 225.53 | 3468.64 |

| | Total cost of Materials | | | Rs: | 49644.83 | |
|---|-----------------------------|-----|------|-------|----------|--|
| 6 | Sundries | LS | 0.50 | 20.00 | 10.00 | |
| | Scaffolding @ of shuttering | 10% | | | 346.86 | |

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|---------------------------------------|------|----------|--------|---------|
| | | | | in Rs. | in Rs. |
| 1 | Concrete mixer 300/200 ltr (diesel) | Hour | 8.00 | 53.50 | 428.00 |
| | Fuel / Energy charges | Hour | 8.00 | 81.30 | 650.40 |
| 2 | 5 hp pump (diesel) | Hour | 0.50 | 10.20 | 5.10 |
| | Fuel / Energy charges | Hour | 0.50 | 81.30 | 40.65 |
| 3 | Water tanker 8000 ltr | Hour | 1.00 | 402.50 | 402.50 |
| | Fuel / Energy charges | Hour | 1.00 | 307.20 | 307.20 |
| 4 | Needle vibrator 40 mm dia (petrol) | Hour | 8.00 | 7.60 | 60.80 |
| | Fuel / Energy charges | Hour | 8.00 | 20.60 | 164.80 |
| | Total hire charges of Machinery | | | Rs: | 2059.45 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|-------------------------------|------|----------|--------|----------|
| | | | | in Rs. | in Rs. |
| 1 | Crew for Concrete mixer | Hour | 8.00 | 204.10 | 1632.80 |
| 2 | Crew for Pump | Hour | 0.50 | 103.60 | 51.80 |
| 3 | Crew for Water tanker | Hour | 1.00 | 165.80 | 165.80 |
| 4 | Crew for Needle vibrator | Hour | 8.00 | 146.90 | 1175.20 |
| 5 | work inspector | Day | 1.00 | 400.00 | 400.00 |
| 6 | Mason Class-I | Day | 1.00 | 415.00 | 415.00 |
| 7 | mazdoor | | | | |
| | for batching materials | Day | 11.00 | 310.00 | 3410.00 |
| | for loading mortar pans | Day | 4.00 | 310.00 | 1240.00 |
| | for laying | Day | 3.00 | 310.00 | 930.00 |
| | for conveying concrete | Day | 15.38 | 310.00 | 4767.80 |
| | for cleaning/ washing/ curing | Day | 1.00 | 310.00 | 310.00 |
| 8 | Labour cost for shuttering | sqm | 15.38 | 79.80 | 1227.32 |
| | Labour cost for scaffolding @ | 10% | | | 122.73 |
| | Total cost of Labour | | | Rs: | 15848.46 |

labour component/unit qty 1030.50
Add contractor's profit and overhead charges 13.615% 140.30
labour component/unit qty (including contractor's profit) 1170.80

ABSTRACT:

A. Cost of Materials 49644.83 Rs: B. Hire charges of Machinery 2059.45 Rs: C. Cost of Labour 15848.46 Rs: Total Rs: 67552.73 D. Add for contractor's profit and overheads on (A+B+C) 13.615% Rs: 9197.3 15.38 cum 76750.03 Total cost for Rs: Rate per cum (A+B+C+D)/15.38 Rs. 4990.20

IRR-CCDW-2-4 Providing and **laying insitu vibrated M-15** (28 days cube compressive strength not less than 15 N / sq mm) grade cement concrete using **80 mm down size** approved, clean, hard, graded aggregates for foundation filling including cost of all materials, machinery, labour, formwork, cleaning, batching, mixing, placing in position, levelling, vibrating, finishing, curing etc., **complete with initial lead upto 50 m and all lifts.**

(Cement content: 250 kg / cum with use of super plasticiser(0.4% by wt. of cement), CA: 0.98cum, Blending Ratio of CA--35:30:20:15, FA: 0.35 cum)

DATA:

| | RATE ANALYSIS | | UNIT : | 14.40 | cum |
|----------|---------------|------|----------|--------|------|
| A. MATER | | | | | |
| SI No | Particulars | Unit | Quantity | Rate | Amo |
| | | | | in Rs. | in l |

| SI No | Particulars | Unit | Quantity | Rate | Amount | |
|-------|-------------------------------------|------|----------|---------|----------|--|
| | | | | in Rs. | in Rs. | |
| 1 | Cement for mix | kg | 3600.00 | 6.30 | 22680.00 | |
| | Cement for incidentals @ 3 kg / cum | kg | 43.20 | 6.30 | 272.16 | |
| 2 | Coarse aggregate 80-40 mm | cum | 4.94 | 635.00 | 3136.39 | |
| | Coarse aggregate 40-20 mm | cum | 4.23 | 1145.00 | 4847.47 | |
| | Coarse aggregate 20-10 mm | cum | 2.82 | 1210.00 | 3415.10 | |
| | Coarse aggregate 10 mm below | cum | 2.12 | 875.00 | 1852.20 | |
| 3 | Fine aggregate (Un-Screened) | cum | 5.04 | 560.00 | 2822.40 | |
| 4 | Super Plasticizer | kg | 14.40 | 95.00 | 1368.00 | |

| 5 | Use rate of shuttering for 40 uses | sqm | 14.40 | 225.53 | 3247.62 |
|---|------------------------------------|-----|-------|--------|----------|
| | Scaffolding @ of shuttering | 10% | | | 324.76 |
| 6 | Sundries | LS | 0.50 | 20.00 | 10.00 |
| | Total cost of Materials | | | Rs: | 43976.11 |

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|--------------------------------------|------|----------|--------|---------|
| | · | | - | in Rs. | in Rs. |
| 1 | Concrete mixer 600/400 ltr (diesel) | Hour | 8.00 | 92.70 | 741.60 |
| | Fuel / Energy charges | Hour | 8.00 | 162.50 | 1300.00 |
| 2 | 5 hp pump (diesel) | Hour | 0.50 | 10.20 | 5.10 |
| | Fuel / Energy charges | Hour | 0.50 | 81.30 | 40.65 |
| 3 | Water tanker 8000 ltr | Hour | 1.00 | 402.50 | 402.50 |
| | Fuel / Energy charges | Hour | 1.00 | 307.20 | 307.20 |
| 4 | Needle vibrator 60 mm dia (petrol) | Hour | 8.00 | 8.20 | 65.60 |
| | Fuel / Energy charges | Hour | 8.00 | 30.80 | 246.40 |
| | Total hire charges of Machinery | | | Rs: | 3109.05 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|-------------------------------|------|----------|--------|---------|
| | · | | - | in Rs. | in Rs. |
| 1 | Crew for Concrete mixer | Hour | 8.00 | 204.10 | 1632.80 |
| 2 | Crew for Pump | Hour | 0.50 | 103.60 | 51.80 |
| 3 | Crew for Water tanker | Hour | 1.00 | 165.80 | 165.80 |
| 4 | Crew for Needle vibrator | Hour | 8.00 | 146.90 | 1175.20 |
| 5 | Mason Class-I | Day | 1.00 | 415.00 | 415.00 |
| 6 | work inspector | Day | 1.00 | 400.00 | 400.00 |
| 7 | mazdoor | | | | |
| | for batching materials | Day | 11.00 | 310.00 | 3410.00 |
| | for loading mortar pans | Day | 4.00 | 310.00 | 1240.00 |
| | for laying | Day | 3.00 | 310.00 | 930.00 |
| | for conveying concrete | Day | 14.40 | 310.00 | 4464.00 |
| | for cleaning/ washing/ curing | Day | 1.00 | 310.00 | 310.00 |
| 8 | Labour cost for shuttering | sqm | 14.40 | 79.80 | 1149.12 |
| | Labour cost for scaffolding @ | 10% | | | 114.91 |
| | Total cost of Labour | Rs: | 15458.63 | | |

labour component/unit qty 1073.50
Add contractor's profit and overhead charges 13.615% 146.20
labour component/unit qty (including contractor's profit) 1219.70

ABSTRACT:

43976.11 A. Cost of Materials Rs: B. Hire charges of Machinery 3109.05 Rs: C. Cost of Labour Rs: 15458.63 Total Rs: 62543.79 13.615% Rs: D. Add for contractor's profit and overheads on (A+B+C) 8515.34 Total cost for 14.40 cum Rs: 71059.13 Rate per cum (A+B+C+D)/14.40 Rs. 4934.70

IRR-CCDW-2-5 Providing and **laying insitu vibrated M-10** (28 days cube compressive strength not less than 10 N / sq mm) grade cement concrete using **40 mm down size** approved, clean, hard, graded aggregates for foundation filling including cost of all materials, machinery, labour, formwork, cleaning, batching, mixing, placing in position, levelling, vibrating, finishing, curing etc., **complete with initial lead upto 50 m and all lifts.**

(Cement content: 220 kg / cum with use of super plasticiser(0.4% by wt. of cement), CA: 0.90cum, Blending Ratio of CA--50:30:20, FA: 0.40 cum)

RATE ANALYSIS

DATA:

| A. MATERIALS: | | | | | | | |
|---------------|-------------------------------------|------|----------|---------|----------|--|--|
| SI No | Particulars | Unit | Quantity | Rate | Amount | | |
| | | | - | in Rs. | in Rs. | | |
| 1 | Cement for mix | kg | 3599.20 | 6.30 | 22674.96 | | |
| | Cement for incidentals @ 3 kg / cum | kg | 49.08 | 6.30 | 309.20 | | |
| 2 | Coarse aggregate 40-20 mm | cum | 7.36 | 1145.00 | 8429.49 | | |
| | Coarse aggregate 20-10 mm | cum | 4.42 | 1210.00 | 5344.81 | | |
| | Coarse aggregate 10 mm below | cum | 2.94 | 875.00 | 2576.70 | | |
| 3 | Fine aggregate (Un-Screened) | cum | 6.54 | 560.00 | 3664.64 | | |
| 4 | Super Plasticizer | kg | 14.40 | 95.00 | 1367.70 | | |

UNIT:

16.36 cum

| 5 | Use rate of shuttering for 40 uses | sqm | 16.36 | 225.53 | 3689.65 |
|---|------------------------------------|-----|-------|--------|----------|
| | Scaffolding @ of shuttering | 10% | | | 368.97 |
| 6 | Sundries | LS | 0.50 | 20.00 | 10.00 |
| | Total cost of Materia | als | | Rs: | 48436.12 |

| D. MIACIT | IIILIII. | | | | | |
|-----------|---------------------------------------|------|----------|--------|--------|--|
| SI No | Description | Unit | Quantity | Rate | Amount | |
| | | | | in Rs. | in Rs. | |
| 1 | Concrete mixer 300/200 ltr (diesel) | Hour | 8.00 | 53.50 | 428.00 | |
| | Fuel / Energy charges | Hour | 8.00 | 81.30 | 650.40 | |
| 2 | 5 hp pump (diesel) | Hour | 0.50 | 10.20 | 5.10 | |
| | Fuel / Energy charges | Hour | 0.50 | 81.30 | 40.65 | |
| 3 | Water tanker 8000 ltr | Hour | 1.00 | 402.50 | 402.50 | |
| | Fuel / Energy charges | Hour | 1.00 | 307.20 | 307.20 | |
| 4 | Needle vibrator 40 mm dia (petrol) | Hour | 8.00 | 7.60 | 60.80 | |
| | Fuel / Energy charges | Hour | 8.00 | 20.60 | 164.80 | |
| | Total hire charges of Machinery | | | | | |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|-------------------------------|-------|----------|--------|---------|
| 31110 | Description | Offic | Quantity | | |
| | | | | in Rs. | in Rs. |
| 1 | Crew for Concrete mixer | Hour | 8.00 | 204.10 | 1632.80 |
| 2 | Crew for Pump | Hour | 0.50 | 103.60 | 51.80 |
| 3 | Crew for Water tanker | Hour | 1.00 | 165.80 | 165.80 |
| 4 | Crew for Vibrator | Hour | 8.00 | 146.90 | 1175.20 |
| 5 | Mason Class-I | Day | 1.00 | 415.00 | 415.00 |
| 6 | work inspector | Day | 1.00 | 400.00 | 400.00 |
| 7 | mazdoor | | | | |
| | for batching materials | Day | 11.00 | 310.00 | 3410.00 |
| | for loading mortar pans | Day | 4.00 | 310.00 | 1240.00 |
| | for laying | Day | 3.00 | 310.00 | 930.00 |
| | for conveying concrete | Day | 16.36 | 310.00 | 5071.60 |
| 8 | for cleaning/ washing/ curing | Day | 1.00 | 310.00 | 310.00 |
| 9 | Labour cost for shuttering | sqm | 16.36 | 79.80 | 1305.53 |
| | Total cost of Labour | Rs: | 16107.73 | | |

labour component/unit qty 984.60
Add contractor's profit and overhead charges 13.615% 134.10
labour component/unit qty (including contractor's profit) 1118.70

ABSTRACT:

A. Cost of Materials 48436.12 Rs: B. Hire charges of Machinery 2059.45 Rs: 16107.73 C. Cost of Labour Rs: Total Rs: 66603.30 D. Add for contractor's profit and overheads on (A+B+C) 13.615% Rs: 9068.04 16.36 cum 75671.34 Total cost for Rs: Rate per cum (A+B+C+D)/16.36 Rs. 4625.40

IRR-CCDW-2-6 Providing and laying **insitu vibrated M-10** (28 days cube compressive strength not less than 10 N / sq mm) grade cement concrete using **80 mm down size** approved, clean, hard, graded aggregates for foundation filling including cost of all materials, machinery, labour, formwork, cleaning, batching, mixing, placing in position, levelling, vibrating, finishing, curing etc., **complete with initial lead upto 50 m and all lifts.**

(Cement content: 220 kg / cum with use of super plasticiser(0.4% by wt. of cement), CA: 0.98cum, Blending Ratio of CA--35:30:20:15, FA: 0.35 cum)

DATA:

RATE ANALYSIS UNIT: 14.55 cum

| A. MATER | A. MATERIALS: | | | | | | | | | |
|----------|-------------------------------------|------|----------|---------|----------|--|--|--|--|--|
| SI No | Particulars | Unit | Quantity | Rate | Amount | | | | | |
| | | | | in Rs. | in Rs. | | | | | |
| 1 | Cement for mix | kg | 3201.00 | 6.30 | 20166.30 | | | | | |
| | Cement for incidentals @ 3 kg / cum | kg | 43.65 | 6.30 | 275.00 | | | | | |
| 2 | Coarse aggregate 80-40 mm | cum | 4.99 | 635.00 | 3169.06 | | | | | |
| | Coarse aggregate 40-20 mm | cum | 4.28 | 1145.00 | 4897.97 | | | | | |
| | Coarse aggregate 20-10 mm | cum | 2.85 | 1210.00 | 3450.68 | | | | | |
| | Coarse aggregate 10 mm below | cum | 2.14 | 875.00 | 1871.49 | | | | | |
| 3 | Fine aggregate (Un-Screened) | cum | 5.09 | 560.00 | 2851.80 | | | | | |
| 4 | Super Plasticizer | kg | 12.80 | 95.00 | 1216.38 | | | | | |

| ŀ | - 0 | Total cost of Materials | LO | 0.30 | 20.00 Rs: | 41518.27 |
|---|-----|------------------------------------|-----|-------|--------------|----------|
| | 6 | Sundries | 10 | 0.50 | 20.00 | 10.00 |
| | | Scaffolding @ of shuttering | 10% | | | 328.14 |
| | 5 | Use rate of shuttering for 40 uses | sqm | 14.55 | 225.53 | 3281.45 |

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|---------------------------------------|------|----------|--------|---------|
| | | | | in Rs. | in Rs. |
| 1 | Concrete mixer 600/400 ltr (diesel) | Hour | 8.00 | 92.70 | 741.60 |
| | Fuel / Energy charges | Hour | 8.00 | 162.50 | 1300.00 |
| 2 | 5 hp pump (diesel) | Hour | 0.50 | 10.20 | 5.10 |
| | Fuel / Energy charges | Hour | 0.50 | 81.30 | 40.65 |
| 3 | Water tanker 8000 ltr | Hour | 1.00 | 402.50 | 402.50 |
| | Fuel / Energy charges | Hour | 1.00 | 307.20 | 307.20 |
| 4 | Needle vibrator 60 mm dia (petrol) | Hour | 8.00 | 8.20 | 65.60 |
| | Fuel / Energy charges | Hour | 8.00 | 30.80 | 246.40 |
| | Total hire charges of Machinery | | | | |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|-------------------------------|------|----------|--------|---------|
| | | | | in Rs. | in Rs. |
| 1 | Crew for Concrete mixer | Hour | 8.00 | 204.10 | 1632.80 |
| 2 | Crew for Pump | Hour | 0.50 | 103.60 | 51.80 |
| 3 | Crew for Water tanker | Hour | 1.00 | 165.80 | 165.80 |
| 4 | Crew for Vibrator | Hour | 8.00 | 146.90 | 1175.20 |
| 5 | Mason Class-I | Day | 1.00 | 415.00 | 415.00 |
| 6 | work inspector | Day | 1.00 | 400.00 | 400.00 |
| 7 | mazdoor | | | | |
| | for batching materials | Day | 11.00 | 310.00 | 3410.00 |
| | for loading mortar pans | Day | 4.00 | 310.00 | 1240.00 |
| | for laying | Day | 3.00 | 310.00 | 930.00 |
| | for conveying concrete | Day | 14.55 | 310.00 | 4510.50 |
| | for cleaning/ washing/ curing | Day | 1.00 | 310.00 | 310.00 |
| 8 | Labour cost for shuttering | sqm | 14.55 | 79.80 | 1161.09 |
| | Labour cost for scaffolding @ | 10% | | | 116.11 |
| | Total cost of Labour | Rs: | 15518.30 | | |

labour component/unit qty 1066.50
Add contractor's profit and overhead charges 13.615% 145.20
labour component/unit qty (including contractor's profit) 1211.70

ABSTRACT:

A. Cost of Materials Rs: 41518.27 B. Hire charges of Machinery 3109.05 Rs: C. Cost of Labour Rs: 15518.30 Rs: 60145.62 Total 13.615% Rs: D. Add for contractor's profit and overheads on (A+B+C) 8188.83 Total cost for 14.55 cum Rs: 68334.45 4696.50 Rate per cum (A+B+C+D)/14.55 Rs.

IRR-CCDW-2-7 Providing and laying insitu vibrated M-20 (28 days cube compressive strength not less than 20 N / sq mm) grade cement concrete using 40 mm down size approved, clean, hard, graded aggregates for foundation filling including cost of all materials, machinery, labour, formwork, cleaning, batching, mixing, placing in position, levelling, vibrating, finishing, curing etc., complete with initial lead upto 50 m and all lifts. (Cement content: 220 kg / cum) (Cement content: 310 kg / cum with use of super plasticiser(0.4% by wt. of cement), CA: 0.90cum, Blending Ratio of CA--50:30:20, FA: 0.40 cum)

DATA: RATE ANALYSIS UNIT: 14.19 cum

| A. MATERIALS: | | | | | | | |
|---------------|-------------------------------------|------|----------|---------|----------|--|--|
| SI No | Particulars | Unit | Quantity | Rate | Amount | | |
| | | | | in Rs. | in Rs. | | |
| 1 | Cement for mix | kg | 4398.90 | 6.30 | 27713.07 | | |
| | Cement for incidentals @ 3 kg / cum | kg | 42.57 | 6.30 | 268.19 | | |
| 2 | Coarse aggregate 40-20 mm | cum | 6.39 | 1145.00 | 7311.40 | | |
| | Coarse aggregate 20-10 mm | cum | 3.83 | 1210.00 | 4635.87 | | |
| | Coarse aggregate 10 mm below | cum | 2.55 | 875.00 | 2234.93 | | |
| 3 | Fine aggregate (Un-Screened) | cum | 5.68 | 560.00 | 3178.56 | | |
| 4 | Super Plasticizer | kg | 17.60 | 95.00 | 1671.58 | | |

| Ī | | Total cost of Materials | | | Rs: | 50543.88 |
|---|---|------------------------------------|-----|-------|--------|----------|
| | 6 | Sundries | LS | 0.50 | 20.00 | 10.00 |
| | | Scaffolding @ of shuttering | 10% | | | 320.03 |
| 1 | 5 | Use rate of shuttering for 40 uses | sqm | 14.19 | 225.53 | 3200.26 |

| SI No | Description | Unit | Quantity | Rate | Amount | |
|-------|---------------------------------------|------|----------|--------|--------|--|
| | · | | | in Rs. | in Rs. | |
| 1 | Concrete mixer 300/200 ltr (diesel) | Hour | 8.00 | 53.50 | 428.00 | |
| | Fuel / Energy charges | Hour | 8.00 | 81.30 | 650.40 | |
| 2 | 5 hp pump (diesel) | Hour | 0.50 | 10.20 | 5.10 | |
| | Fuel / Energy charges | Hour | 0.50 | 81.30 | 40.65 | |
| 3 | Water tanker 8000 ltr | Hour | 1.00 | 402.50 | 402.50 | |
| | Fuel / Energy charges | Hour | 1.00 | 307.20 | 307.20 | |
| 4 | Needle vibrator 40 mm dia (petrol) | Hour | 8.00 | 7.60 | 60.80 | |
| | Fuel / Energy charges | Hour | 8.00 | 20.60 | 164.80 | |
| | Total hire charges of Machinery | | | | | |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|-------------------------------|------|----------|--------|---------|
| | | | | in Rs. | in Rs. |
| 1 | Crew for Concrete mixer | Hour | 8.00 | 204.10 | 1632.80 |
| 2 | Crew for Pump | Hour | 0.50 | 103.60 | 51.80 |
| 3 | Crew for Water tanker | Hour | 1.00 | 165.80 | 165.80 |
| 4 | Crew for Vibrator | Hour | 8.00 | 146.90 | 1175.20 |
| 5 | Mason Class-I | Day | 1.00 | 415.00 | 415.00 |
| 6 | work inspector | Day | 1.00 | 400.00 | 400.00 |
| 7 | mazdoor | | | | |
| | for batching materials | Day | 11.00 | 310.00 | 3410.00 |
| | for loading mortar pans | Day | 4.00 | 310.00 | 1240.00 |
| | for laying | Day | 3.00 | 310.00 | 930.00 |
| | for conveying concrete | Day | 14.19 | 310.00 | 4398.90 |
| | for cleaning/ washing/ curing | Day | 1.00 | 310.00 | 310.00 |
| 8 | Labour cost for shuttering | sqm | 14.19 | 79.80 | 1132.36 |
| | Labour cost for scaffolding @ | 10% | | | 113.24 |
| | Total cost of Labour | Rs: | 15375.10 | | |

labour component/unit qty 1083.50
Add contractor's profit and overhead charges 13.615% 147.50
labour component/unit qty (including contractor's profit) 1231.00

ABSTRACT:

50543.88 A. Cost of Materials Rs: B. Hire charges of Machinery 2059.45 Rs: C. Cost of Labour Rs: 15375.10 Total Rs: 67978.43 13.615% Rs: D. Add for contractor's profit and overheads on (A+B+C) 9255.26 Total cost for 14.19 cum Rs: 77233.69 Rate per cum (A+B+C+D)/14.19 Rs. 5442.80

IRR-CCDW-2-8 Providing and laying insitu vibrated M-20 (28 days cube compressive strength not less than 20 N / sq mm) grade cement concrete using 40 mm down size approved, clean, hard, graded aggregates for sub-structure / super- structure works including cost of all materials, machinery, labour, formwork, scaffolding, cleaning, batching, mixing, placing in position, levelling, vibrating, finishing, curing etc., complete with initial lead upto 50 m and all lifts.

(Cement content: 320 kg / cum with use of super plasticiser(0.4% by wt. of cement), CA: 0.90cum, Blending Ratio of CA--50:30:20, FA: 0.40 cum)

DATA: RATE ANALYSIS UNIT: 15.00 cum

| A. MATERIALS: | | | | | | | | |
|---------------|-------------------------------------|------|----------|---------|----------|--|--|--|
| SI No | Particulars | Unit | Quantity | Rate | Amount | | | |
| | | | - | in Rs. | in Rs. | | | |
| 1 | Cement for mix | kg | 4800.00 | 6.30 | 30240.00 | | | |
| | Cement for incidentals @ 5 kg / cum | kg | 75.00 | 6.30 | 472.50 | | | |
| 2 | Coarse aggregate 40-20 mm | cum | 6.75 | 1145.00 | 7728.75 | | | |
| | Coarse aggregate 20-10 mm | cum | 4.05 | 1210.00 | 4900.50 | | | |
| | Coarse aggregate 10 mm below | cum | 2.70 | 875.00 | 2362.50 | | | |
| 3 | Fine aggregate (Un-Screened) | cum | 6.00 | 560.00 | 3360.00 | | | |
| 4 | Super Plasticizer | kg | 19.20 | 95.00 | 1824.00 | | | |

| | Total cost of Materials | | | Rs: | 59355.59 |
|---|-----------------------------|-----|-------|--------|----------|
| 6 | Sundries | LS | 0.50 | 20.00 | 10.00 |
| | Scaffolding @ of shuttering | 25% | | | 1691.47 |
| 5 | Use rate of shuttering | sqm | 30.00 | 225.53 | 6765.87 |

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|---------------------------------------|------|----------|--------|---------|
| | · | | | in Rs. | in Rs. |
| 1 | Concrete mixer 300/200 ltr (diesel) | Hour | 8.00 | 53.50 | 428.00 |
| | Fuel / Energy charges | Hour | 8.00 | 81.30 | 650.40 |
| 2 | 5 hp pump (diesel) | Hour | 0.50 | 10.20 | 5.10 |
| | Fuel / Energy charges | Hour | 0.50 | 81.30 | 40.65 |
| 3 | Water tanker 8000 ltr | Hour | 1.00 | 402.50 | 402.50 |
| | Fuel / Energy charges | Hour | 1.00 | 307.20 | 307.20 |
| 4 | Needle vibrator 40 mm dia (petrol) | Hour | 8.00 | 7.60 | 60.80 |
| | Fuel / Energy charges | Hour | 8.00 | 20.60 | 164.80 |
| | Total hire charges of Machine | ry | | Rs: | 2059.45 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|-------------------------------|------|----------|--------|---------|
| | | | | in Rs. | in Rs. |
| 1 | Crew for Concrete mixer | Hour | 8.00 | 204.10 | 1632.80 |
| 2 | Crew for Pump | Hour | 0.50 | 103.60 | 51.80 |
| 3 | Crew for Water tanker | Hour | 1.00 | 165.80 | 165.80 |
| 4 | Crew for Vibrator | Hour | 8.00 | 146.90 | 1175.20 |
| 5 | Mason Class-I | Day | 1.00 | 415.00 | 415.00 |
| 6 | work inspector | Day | 1.00 | 400.00 | 400.00 |
| 7 | mazdoor | | | | |
| | for batching materials | Day | 11.00 | 310.00 | 3410.00 |
| | for loading mortar pans | Day | 4.00 | 310.00 | 1240.00 |
| | for laying including lifting | Day | 4.00 | 310.00 | 1240.00 |
| | for conveying concrete | Day | 15.00 | 310.00 | 4650.00 |
| | for cleaning/ washing/ curing | Day | 1.00 | 310.00 | 310.00 |
| 8 | Labour cost for shuttering | sqm | 15.00 | 79.80 | 1197.00 |
| | Labour cost for scaffolding @ | 25% | | | 299.25 |
| | Total cost of Labour | Rs: | 16186.85 | | |

labour component/unit qty 1079.10
Add contractor's profit and overhead charges 13.615% 146.90
labour component/unit qty (including contractor's profit) 1226.00

ABSTRACT:

59355.59 A. Cost of Materials Rs: B. Hire charges of Machinery 2059.45 Rs: C. Cost of Labour Rs: 16186.85 Total Rs: 77601.89 13.615% Rs: D. Add for contractor's profit and overheads on (A+B+C) 10565.5 Total cost for 15.00 cum Rs: 88167.39 Rate per cum (A+B+C+D)/15.0 Rs. 5877.80

IRR-CCDW-2-9 Providing and laying insitu vibrated M-20 (28 days cube compressive strength not less than 20 N / sq mm) grade cement concrete using 20 mm down size approved, clean, hard, graded aggregates for sub-structure / super- structure works including cost of all materials, machinery, labour, formwork, scaffolding, cleaning, batching, mixing, placing in position, levelling, vibrating, finishing, curing etc., complete with initial lead upto 50 m and all lifts.

(Cement content: 330 kg / cum with use of super plasticiser(0.4% by wt. of cement), CA: 0.80cum, Blending Ratio of CA--65:35, FA: 0.45 cum)

DATA: RATE ANALYSIS UNIT: 15.76 cum

| A. MATERIALS: | | | | | | | |
|---------------|-------------------------------------|------|----------|---------|----------|--|--|
| SI No | Particulars | Unit | Quantity | Rate | Amount | | |
| | | | | in Rs. | in Rs. | | |
| 1 | Cement for mix | kg | 5200.80 | 6.30 | 32765.04 | | |
| | Cement for incidentals @ 5 kg / cum | kg | 78.80 | 6.30 | 496.44 | | |
| 2 | Coarse aggregate 20-10 mm | cum | 8.20 | 1210.00 | 9916.19 | | |
| | Coarse aggregate 10 mm below | cum | 4.41 | 875.00 | 3861.20 | | |
| 3 | Fine aggregate (Un-Screened) | cum | 7.09 | 560.00 | 3971.52 | | |
| 4 | Super Plasticizer | kg | 20.80 | 95.00 | 1976.30 | | |
| 5 | Use rate of shuttering | sqm | 31.52 | 225.53 | 7108.67 | | |

| | Total cost of Materials | _ | | Rs: | 61882.54 |
|---|-----------------------------|-----|------|-------|----------|
| 6 | Sundries | LS | 0.50 | 20.00 | 10.00 |
| | Scaffolding @ of shuttering | 25% | | | 1777.17 |

| SI No | Description | Unit | Quantity | Rate | Amount | |
|-------|---------------------------------------|------|----------|--------|--------|--|
| | | | | in Rs. | in Rs. | |
| 1 | Concrete mixer 300/200 ltr (diesel) | Hour | 8.00 | 53.50 | 428.00 | |
| | Fuel / Energy charges | Hour | 8.00 | 81.30 | 650.40 | |
| 2 | 5 hp pump (diesel) | Hour | 0.50 | 10.20 | 5.10 | |
| | Fuel / Energy charges | Hour | 0.50 | 81.30 | 40.65 | |
| 3 | Water tanker 8000 ltr | Hour | 1.00 | 402.50 | 402.50 | |
| | Fuel / Energy charges | Hour | 1.00 | 307.20 | 307.20 | |
| 4 | Needle vibrator 40 mm dia (petrol) | Hour | 8.00 | 7.60 | 60.80 | |
| | Fuel / Energy charges | Hour | 8.00 | 20.60 | 164.80 | |
| | Total hire charges of Machinery | | | | | |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|-------------------------------|------|----------|--------|----------|
| | | | | in Rs. | in Rs. |
| 1 | Crew for Concrete mixer | Hour | 8.00 | 204.10 | 1632.80 |
| 2 | Crew for Pump | Hour | 0.50 | 103.60 | 51.80 |
| 3 | Crew for Water tanker | Hour | 1.00 | 165.80 | 165.80 |
| 4 | Crew for Vibrator | Hour | 8.00 | 146.90 | 1175.20 |
| 5 | Mason Class-I | Day | 1.00 | 415.00 | 415.00 |
| 6 | work inspector | Day | 1.00 | 400.00 | 400.00 |
| 7 | mazdoor | | | | |
| | for batching materials | Day | 11.00 | 310.00 | 3410.00 |
| | for loading mortar pans | Day | 4.00 | 310.00 | 1240.00 |
| | for laying | Day | 4.00 | 310.00 | 1240.00 |
| | for conveying concrete | Day | 15.76 | 310.00 | 4885.60 |
| | for cleaning/ washing/ curing | Day | 1.00 | 310.00 | 310.00 |
| 8 | Labour cost for shuttering | sqm | 31.52 | 79.80 | 2515.30 |
| | Labour cost for scaffolding @ | 25% | | | 628.82 |
| | Total cost of Labour | | _ | Rs: | 18070.32 |

labour component/unit qty 1146.60
Add contractor's profit and overhead charges 13.615% 156.10
labour component/unit qty (including contractor's profit) 1302.70

ABSTRACT:

A. Cost of Materials 61882.54 Rs: B. Hire charges of Machinery 2059.45 Rs: C. Cost of Labour 18070.32 Rs: Total Rs: 82012.31 D. Add for contractor's profit and overheads on (A+B+C) 13.615% Rs: 11165.98 15.76 cum 93178.289 Total cost for Rs: Rate per cum (A+B+C+D)/15.76 Rs. 5912.30

IRR-CCDW-2-10 Providing and laying insitu vibrated M-15 (28 days cube compressive strength not less than 15 N / sq mm) grade cement concrete using 20 mm down size approved, clean, hard, graded aggregates for sub-structure / super- structure works including cost of all materials, machinery, labour, formwork, scaffolding, cleaning, batching, mixing, placing in position, levelling, vibrating, finishing, curing etc., complete with initial lead upto 50 m and all lifts.

(Cement content: 280 kg / cum with use of super plasticiser(0.4% by wt. of cement), CA: 0.80cum, Blending Ratio of CA--65:35, FA: 0.45 cum)

DATA: RATE ANALYSIS UNIT: 15.71 cum

| . MATE | RIALS: | | | | |
|--------|-------------------------------------|------|----------|---------|----------|
| SI No | Particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Cement for mix | kg | 4398.80 | 6.30 | 27712.44 |
| | Cement for incidentals @ 5 kg / cum | kg | 78.55 | 6.30 | 494.87 |
| 2 | Coarse aggregate 20-10 mm | cum | 8.17 | 1210.00 | 9884.73 |
| | Coarse aggregate 10 mm below | cum | 4.40 | 875.00 | 3848.95 |
| 3 | Fine aggregate (Un-Screened) | cum | 7.07 | 560.00 | 3958.92 |
| 4 | Super Plasticizer | kg | 17.60 | 95.00 | 1671.54 |
| 5 | Use rate of shuttering for 40 uses | sqm | 31.42 | 225.53 | 7086.12 |
| | Scaffolding @ of shuttering | 25% | | | 1771.53 |

| 6 | Sundries | LS | 0.50 | 20.00 | 10.00 |
|---|----------|------------------|------|-------|----------|
| | Total co | ost of Materials | | Rs: | 56439.10 |

| SI No | Description | Unit | Quantity | Rate | Amount | | |
|-------|---------------------------------------|---------------------------------|----------|--------|--------|--|--|
| | | | | in Rs. | in Rs. | | |
| 1 | Concrete mixer 300/200 ltr (diesel) | Hour | 8.00 | 53.50 | 428.00 | | |
| | Fuel / Energy charges | Hour | 8.00 | 81.30 | 650.40 | | |
| 2 | 5 hp pump (diesel) | Hour | 0.50 | 10.20 | 5.10 | | |
| | Fuel / Energy charges | Hour | 0.50 | 81.30 | 40.65 | | |
| 3 | Water tanker 8000 ltr | Hour | 1.00 | 402.50 | 402.50 | | |
| | Fuel / Energy charges | Hour | 1.00 | 307.20 | 307.20 | | |
| 4 | Needle vibrator 40 mm dia (petrol) | Hour | 8.00 | 7.60 | 60.80 | | |
| | Fuel / Energy charges | Hour | 8.00 | 20.60 | 164.80 | | |
| | Total hire charges of Machinery | Total hire charges of Machinery | | | | | |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|-------------------------------|------|----------|--------|----------|
| | | | | in Rs. | in Rs. |
| 1 | Crew for Concrete mixer | Hour | 8.00 | 204.10 | 1632.80 |
| 2 | Crew for Pump | Hour | 0.50 | 103.60 | 51.80 |
| 3 | Crew for Water tanker | Hour | 1.00 | 165.80 | 165.80 |
| 4 | Crew for Vibrator | Hour | 8.00 | 146.90 | 1175.20 |
| 5 | Mason Class-I | Day | 1.00 | 415.00 | 415.00 |
| 6 | work inspector | Day | 1.00 | 400.00 | 400.00 |
| 7 | mazdoor | | | | |
| | for batching materials | Day | 11.00 | 310.00 | 3410.00 |
| | for loading mortar pans | Day | 4.00 | 310.00 | 1240.00 |
| | for laying | Day | 4.00 | 310.00 | 1240.00 |
| | for conveying concrete | Day | 15.71 | 310.00 | 4870.10 |
| | for cleaning/ washing/ curing | Day | 1.00 | 310.00 | 310.00 |
| 8 | Labour cost for shuttering | sqm | 31.42 | 79.80 | 2507.32 |
| | Labour cost for scaffolding @ | 25% | | | 626.83 |
| | Total cost of Labour | | | Rs: | 18044.85 |

labour component/unit qty 1148.60 Add contractor's profit and overhead charges 13.615% <u>156.40</u> labour component/unit qty (including contractor's profit) 1305.00

ABSTRACT:

A. Cost of Materials Rs: 56439.10 B. Hire charges of Machinery Rs: 2059.45 C. Cost of Labour 18044.85 Rs: Total Rs: 76543.40 D. Add for contractor's profit and overheads on (A+B+C) 13.615% Rs: 10421.38 Total cost for 15.71 cum Rs: 86964.777 5535.60 Rate per cum (A+B+C+D)/15.71 Rs.

IRR-CCDW-2-11 Providing and laying insitu vibrated M-10 (28 days cube compressive strength not less than 10 N / sq mm) grade cement concrete using 20 mm down size approved, clean, hard, graded aggregates for sub-structure / super- structure works including cost of all materials. machinery, labour, formwork, scaffolding, cleaning, batching, mixing, placing in position, levelling, vibrating, finishing, curing etc., complete with initial lead upto 50 m and all lifts. (Cement content: 220 kg / cum with use of super plasticiser(0.4% by wt. of cement), CA: 0.80cum, Blending Ratio of CA--65:35, FA: 0.45 cum)

DATA:

RATE ANALYSIS UNIT: 18.00 cum MATERIAL C.

| A. MATER | RIALS: | | | | |
|----------|-------------------------------------|------|----------|---------|----------|
| SI No | Particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Cement for mix | kg | 3960.00 | 6.30 | 24948.00 |
| | Cement for incidentals @ 5 kg / cum | kg | 90.00 | 6.30 | 567.00 |
| 2 | Coarse aggregate 20-10 mm | cum | 9.36 | 1210.00 | 11325.60 |
| | Coarse aggregate 10 mm below | cum | 5.04 | 875.00 | 4410.00 |
| 3 | Fine aggregate (Un-Screened) | cum | 8.10 | 560.00 | 4536.00 |
| 4 | Super Plasticizer | kg | 15.84 | 95.00 | 1504.80 |
| 5 | Use rate of shuttering for 40 uses | sqm | 36.00 | 225.53 | 8119.04 |
| | Scaffolding @ of shuttering | 25% | | | 2029.76 |
| 6 | Sundries | LS | 0.50 | 20.00 | 10.00 |

| Total cost of Materials | Rs: | 57450.21 |
|-------------------------|-----|----------|

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|---------------------------------------|------|----------|--------|---------|
| | | | | in Rs. | in Rs. |
| 1 | Concrete mixer 300/200 ltr (diesel) | Hour | 8.00 | 53.50 | 428.00 |
| | Fuel / Energy charges | Hour | 8.00 | 81.30 | 650.40 |
| 2 | 5 hp pump (diesel) | Hour | 0.50 | 10.20 | 5.10 |
| | Fuel / Energy charges | Hour | 0.50 | 81.30 | 40.65 |
| 3 | Water tanker 8000 ltr | Hour | 1.00 | 402.50 | 402.50 |
| | Fuel / Energy charges | Hour | 1.00 | 307.20 | 307.20 |
| 4 | Needle vibrator 40 mm dia (petrol) | Hour | 8.00 | 7.60 | 60.80 |
| | Fuel / Energy charges | Hour | 8.00 | 20.60 | 164.80 |
| | Total hire charges of Machinery | | | Rs: | 2059.45 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|-------------------------------|------|----------|--------|----------|
| | | | - | in Rs. | in Rs. |
| 1 | Crew for Concrete mixer | Hour | 8.00 | 204.10 | 1632.80 |
| 2 | Crew for Pump | Hour | 0.50 | 103.60 | 51.80 |
| 3 | Crew for Water tanker | Hour | 1.00 | 165.80 | 165.80 |
| 4 | Crew for Vibrator | Hour | 8.00 | 146.90 | 1175.20 |
| 5 | Mason Class-I | Day | 1.00 | 415.00 | 415.00 |
| 6 | work inspector | Day | 1.00 | 400.00 | 400.00 |
| 7 | mazdoor | | | | |
| | for batching materials | Day | 11.00 | 310.00 | 3410.00 |
| | for loading mortar pans | Day | 4.00 | 310.00 | 1240.00 |
| | for laying | Day | 4.00 | 310.00 | 1240.00 |
| | for conveying concrete | Day | 18.00 | 310.00 | 5580.00 |
| | for cleaning/ washing/ curing | Day | 1.00 | 310.00 | 310.00 |
| 8 | Labour cost for shuttering | sqm | 36.00 | 79.80 | 2872.80 |
| | Labour cost for scaffolding @ | 25% | | | 718.20 |
| | Total cost of Labour | | · | Rs: | 19211.60 |

labour component/unit qty 1067.30
Add contractor's profit and overhead charges 13.615% 145.30
labour component/unit qty (including contractor's profit) 1212.60

ABSTRACT:

A. Cost of Materials 57450.21 Rs: B. Hire charges of Machinery Rs: 2059.45 C. Cost of Labour Rs: 19211.60 78721.26 Total Rs: D. Add for contractor's profit and overheads on (A+B+C) 13.615% Rs: 10717.9 Total cost for 18.00 cum Rs: 89439.155 4968.80 Rate per cum (A+B+C+D)/18.0 Rs.

IRR-CCDW-2-12 Providing and laying insitu vibrated M-20 (28 days cube compressive strength not less than 20 N / sq mm) grade cement concrete using 20 mm down size approved, clean, hard, graded aggregates for well kerb including cost of all materials, machinery, labour, formwork, scaffolding, cleaning, batching, mixing, placing in position, levelling, vibrating, finishing, curing etc., complete with initial lead upto 50 m and all lifts.

Note: If water is to be brought from other place add only lead charges @ 500 ltr / cum. (Cement content: 350 kg / cum with use of super plasticiser(0.4% by wt. of cement), CA: 0.80cum, Blending Ratio of CA--65:35, FA: 0.45 cum)

DATA: RATE ANALYSIS UNIT: 15.00 cum

| A. MATER | A. MATERIALS: | | | | | | | |
|----------|--------------------------------------|------|----------|---------|----------|--|--|--|
| SI No | Particulars | Unit | Quantity | Rate | Amount | | | |
| | | | - | in Rs. | in Rs. | | | |
| 1 | Cement for mix | kg | 5250.00 | 6.30 | 33075.00 | | | |
| 2 | Coarse aggregate 20-10 mm | cum | 7.80 | 1210.00 | 9438.00 | | | |
| | Coarse aggregate 10 mm below | cum | 4.20 | 875.00 | 3675.00 | | | |
| 3 | Fine aggregate (Un-Screened) | cum | 6.75 | 560.00 | 3780.00 | | | |
| 4 | Super Plasticizer | kg | 21.00 | 95.00 | 1995.00 | | | |
| 5 | Use rate of curved shutter (40 uses) | sqm | 82.50 | 248.08 | 20466.76 | | | |
| 6 | Sundries | LS | 0.50 | 20.00 | 10.00 | | | |
| | Total cost of Materi | als | | Rs: | 72439.76 | | | |

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|---------------------------------------|------|----------|--------|---------|
| | | | | in Rs. | in Rs. |
| 1 | Concrete mixer 300/200 ltr (diesel) | Hour | 8.00 | 53.50 | 428.00 |
| | Fuel / Energy charges | Hour | 8.00 | 81.30 | 650.40 |
| 2 | 5 hp pump (diesel) | Hour | 0.50 | 10.20 | 5.10 |
| | Fuel / Energy charges | Hour | 0.50 | 81.30 | 40.65 |
| 3 | Needle vibrator 40 mm dia (petrol) | Hour | 8.00 | 7.60 | 60.80 |
| | Fuel / Energy charges | Hour | 8.00 | 20.60 | 164.80 |
| | Total hire charges of Machinery | • | | Rs: | 1349.75 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|-------------------------------|------|----------|--------|----------|
| | · | | | in Rs. | in Rs. |
| 1 | Crew for Concrete mixer | Hour | 8.00 | 204.10 | 1632.80 |
| 2 | Crew for Pump | Hour | 0.50 | 103.60 | 51.80 |
| 3 | Crew for Vibrator | Hour | 8.00 | 146.90 | 1175.20 |
| 4 | Mason Class-I | Day | 1.00 | 415.00 | 415.00 |
| 5 | work inspector | Day | 1.00 | 400.00 | 400.00 |
| 6 | mazdoor | | | | |
| | for batching materials | Day | 11.00 | 310.00 | 3410.00 |
| | for loading mortar pans | Day | 4.00 | 310.00 | 1240.00 |
| | for laying | Day | 3.00 | 310.00 | 930.00 |
| | for conveying concrete | Day | 15.00 | 310.00 | 4650.00 |
| | for cleaning/ washing/ curing | Day | 1.00 | 310.00 | 310.00 |
| 7 | Labour cost for shuttering | sqm | 82.50 | 79.80 | 6583.50 |
| | Total cost of Labour | | | Rs: | 20798.30 |

labour component/unit qty 1386.60
Add contractor's profit and overhead charges 13.615% 188.80
labour component/unit qty (including contractor's profit) 1575.40

ABSTRACT:

A. Cost of Materials Rs: 72439.76 B. Hire charges of Machinery Rs: 1349.75 20798.30 C. Cost of Labour Rs: 94587.81 Total Rs: D. Add for contractor's profit and overheads on (A+B+C) 13.615% Rs: 12878.13 Total cost for 15.00 cum Rs: 107465.94 Rate per cum (A+B+C+D)/15.0 Rs. 7164.40

IRR-CCDW-2-13 Providing and **laying insitu vibrated M-20** (28 days cube compressive strength not less than 20 N / sq mm) grade cement concrete using **40 mm down size** approved, clean, hard, graded aggregates **for well steining** including cost of all materials, machinery, labour, formwork, scaffolding, cleaning, batching, mixing, placing in position, levelling, vibrating, finishing, curing

etc., complete with initial lead upto 50 m and all lifts.

If water is to be brought from other place add only lead charges @ 500 ltr / cum. (Cement content: 320 kg / cum with use of super plasticiser(0.4% by wt. of cement), CA: 0.90cum, Blending Ratio of CA--50:30:20, FA: 0.40 cum)

DATA: RATE ANALYSIS UNIT: 15.00 cum

A. MATERIALS:

Note:

| A. WAIER | MALO. | | | | |
|----------|--------------------------------------|------|----------|---------|----------|
| SI No | Particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Cement for mix | kg | 4800.00 | 6.30 | 30240.00 |
| | Cement for incidentals @ 2 kg / cum | kg | 30.00 | 6.30 | 189.00 |
| 2 | Coarse aggregate 40-20 mm | cum | 6.75 | 1145.00 | 7728.75 |
| | Coarse aggregate 20-10 mm | cum | 4.05 | 1210.00 | 4900.50 |
| | Coarse aggregate 10 mm below | cum | 2.70 | 875.00 | 2362.50 |
| 3 | Fine aggregate (Un-Screened) | cum | 6.00 | 560.00 | 3360.00 |
| 4 | Super Plasticizer | kg | 19.20 | 95.00 | 1824.00 |
| 5 | Use rate of curved shutter (40 uses) | sqm | 60.00 | 248.08 | 14884.91 |
| 6 | Sundries | LS | 0.50 | 20.00 | 10.00 |
| | Total cost of Materials | 3 | | Rs: | 65499.66 |

B. MACHINERY:

| ſ | SI No | Description | Unit | Quantity | Rate | Amount |
|---|-------|---------------------------------------|------|----------|--------|--------|
| ı | | | | | in Rs. | in Rs. |
| ſ | 1 | Concrete mixer 300/200 ltr (diesel) | Hour | 8.00 | 53.50 | 428.00 |

| | Fuel / Energy charges | Hour | 8.00 | 81.30 | 650.40 |
|---|--------------------------------------|-------|------|-------|---------|
| 2 | 5 hp pump (diesel) | Hour | 0.50 | 10.20 | 5.10 |
| | Fuel / Energy charges | Hour | 0.50 | 81.30 | 40.65 |
| 3 | Needle vibrator 40 mm dia (petrol) | Hour | 8.00 | 7.60 | 60.80 |
| | Fuel / Energy charges | Hour | 8.00 | 20.60 | 164.80 |
| | Total hire charges of Machi | inery | | Rs: | 1349.75 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|-------------------------------|------|----------|--------|----------|
| | | | | in Rs. | in Rs. |
| 1 | Crew for Concrete mixer | Hour | 8.00 | 204.10 | 1632.80 |
| 2 | Crew for Pump | Hour | 0.50 | 103.60 | 51.80 |
| 3 | Crew for Vibrator | Hour | 8.00 | 146.90 | 1175.20 |
| 4 | Mason Class-I | Day | 1.00 | 415.00 | 415.00 |
| 5 | work inspector | Day | 1.00 | 400.00 | 400.00 |
| 6 | mazdoor | | | | |
| | for batching materials | Day | 11.00 | 310.00 | 3410.00 |
| | for loading mortar pans | Day | 4.00 | 310.00 | 1240.00 |
| | for laying | Day | 3.00 | 310.00 | 930.00 |
| | for conveying concrete | Day | 15.00 | 310.00 | 4650.00 |
| | for cleaning/ washing/ curing | Day | 1.00 | 310.00 | 310.00 |
| 7 | Labour cost for shuttering | sqm | 60.00 | 79.80 | 4788.00 |
| | Total cost of Labour | | | Rs: | 19002.80 |

labour component/unit qty 1266.90
Add contractor's profit and overhead charges 13.615% 172.50
labour component/unit qty (including contractor's profit) 1439.40

ABSTRACT:

Rs: 65499.66 A. Cost of Materials B. Hire charges of Machinery Rs: 1349.75 C. Cost of Labour Rs: 19002.80 Total Rs: 85852.21 D. Add for contractor's profit and overheads on (A+B+C) 13.615% Rs: 11688.78 Total cost for 15.00 cum Rs: 97540.99 6502.70 Rate per cum (A+B+C+D)/15.0 Rs.

IRR-CCDW-2-14 Providing and laying insitu M-15 (28 days cube compressive strength not less than 15 N / sq mm) grade cement concrete using 20 mm down size approved, clean, hard, graded aggregates for well bottom plug by tremie or skip box method including cost of all materials, machinery, labour, batching, mixing, placing in position as per detailed specifications etc., complete with initial lead upto 50 m and all lifts. (Cement content : 350 kg / cum) (Cement content: 350 kg / cum with use of super plasticiser(0.4% by wt. of cement), CA: 0.80cum, Blending Ratio of CA--65:35, FA: 0.45 cum)

DATA: RATE ANALYSIS UNIT: 14.00 cum

A. MATERIALS:

| A. MAIER | (IAL5: | | | | | |
|----------|------------------------------|------|----------|---------|----------|--|
| SI No | Particulars | Unit | Quantity | Rate | Amount | |
| | | | | in Rs. | in Rs. | |
| 1 | Cement for mix | kg | 4900.00 | 6.30 | 30870.00 | |
| 2 | Coarse aggregate 20-10 mm | cum | 7.28 | 1210.00 | 8808.80 | |
| | Coarse aggregate 10 mm below | cum | 3.92 | 875.00 | 3430.00 | |
| 3 | Fine aggregate (Un-Screened) | cum | 6.30 | 560.00 | 3528.00 | |
| 4 | Super Plasticizer | kg | 19.60 | 95.00 | 1862.00 | |
| | TOTAL | | | | | |
| | Add for tremie arrangement @ | | 1% | Rs: | 484.99 | |
| | Total cost of Materials | | | Rs: | 48983.79 | |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|---------------------------------------|------|----------|--------|---------|
| | | | | in Rs. | in Rs. |
| 1 | Concrete mixer 300/200 ltr (diesel) | Hour | 8.00 | 53.50 | 428.00 |
| | Fuel / Energy charges | Hour | 8.00 | 81.30 | 650.40 |
| 2 | 5 hp pump (diesel) | Hour | 0.50 | 10.20 | 5.10 |
| | Fuel / Energy charges | Hour | 0.50 | 81.30 | 40.65 |
| 3 | Sundries(Hopper etc.) | LS | 5.00 | 20.00 | 100.00 |
| | Total hire charges of Machinery | | | Rs: | 1224.15 |

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|----------------------------------|------|----------|--------|---------|
| | | | | in Rs. | in Rs. |
| 1 | Crew for Concrete mixer | Hour | 8.00 | 204.10 | 1632.80 |
| 2 | Crew for Pump | Hour | 0.50 | 103.60 | 51.80 |
| 3 | Fitter shuttering | Day | 1.00 | 370.00 | 370.00 |
| 4 | work inspector | Day | 1.00 | 400.00 | 400.00 |
| 5 | mazdoor | | | | |
| | for erecting/ dismantling tremie | Day | 4.00 | 310.00 | 1240.00 |
| | for batching materials | Day | 11.00 | 310.00 | 3410.00 |
| | for loading mortar pans | Day | 4.00 | 310.00 | 1240.00 |
| | for feeding tremie hopper | Day | 2.00 | 310.00 | 620.00 |
| | for conveying concrete | Day | 16.00 | 310.00 | 4960.00 |
| | Total cost of Labour | | | | |

labour component/unit qty

994.60

Add contractor's profit and overhead charges labour component/unit qty (including contractor's profit)

13.615% <u>135.40</u>

(A+B+C+D)/14.0

1130.00

ABSTRACT:

Rate per cum

A. Cost of Materials Rs: 48983.79 1224.15 B. Hire charges of Machinery Rs: C. Cost of Labour Rs:_ 13924.60 Total Rs: 64132.54 D. Add for contractor's profit and overheads on (A+B+C) 13.615% Rs: 8731.65 72864.19 Total cost for 14.00 cum Rs:

IRR-CCDW-2-15 Providing and **laying insitu vibrated M-15** (28 days cube compressive strength not less than 15 N / sq mm) grade cement concrete using **40 mm down size** approved, clean, hard, graded aggregates **for well top plug** including cost of all materials, machinery, labour, cleaning, batching, mixing, placing in position, levelling, vibrating, finishing, curing etc., complete with **initial lead upto 50 m and all lifts.**

Note:

If water is to be brought from other place add only lead charges @ 500 ltr / cum. (Cement content: 280 kg / cum with use of super plasticiser(0.4% by wt. of cement), CA: 0.90cum, Blending Ratio of CA--50:30:20, FA: 0.40 cum)

DATA:

RATE ANALYSIS

UNIT:

Rs.

14.29 cum

5204.60

| A. WAIE | MALS: | | | | |
|---------|------------------------------|------|----------|---------|----------|
| SI No | Particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Cement for mix | kg | 4001.20 | 6.30 | 25207.56 |
| 2 | Coarse aggregate 40-20 mm | cum | 6.43 | 1145.00 | 7362.92 |
| | Coarse aggregate 20-10 mm | cum | 3.86 | 1210.00 | 4668.54 |
| | Coarse aggregate 10 mm below | cum | 2.57 | 875.00 | 2250.68 |
| 3 | Fine aggregate (Un-Screened) | cum | 5.72 | 560.00 | 3200.96 |
| 4 | Super Plasticizer | kg | 16.00 | 95.00 | 1520.46 |
| | Total cost of Materials | | | Rs: | 44211.12 |

B. MACHINERY:

A MATERIALS.

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|---------------------------------------|------|----------|--------|---------|
| | · | | | in Rs. | in Rs. |
| 1 | Concrete mixer 300/200 ltr (diesel) | Hour | 8.00 | 53.50 | 428.00 |
| | Fuel / Energy charges | Hour | 8.00 | 81.30 | 650.40 |
| 2 | 5 hp pump (diesel) | Hour | 0.50 | 10.20 | 5.10 |
| | Fuel / Energy charges | Hour | 0.50 | 81.30 | 40.65 |
| 3 | Needle vibrator 40 mm dia (petrol) | Hour | 8.00 | 7.60 | 60.80 |
| | Fuel / Energy charges | Hour | 8.00 | 20.60 | 164.80 |
| | Total hire charges of Machinery | _ | | Rs: | 1349.75 |

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|--------------------------|------|----------|--------|---------|
| | | | | in Rs. | in Rs. |
| 1 | Crew for Concrete mixer | Hour | 8.00 | 204.10 | 1632.80 |
| 2 | Crew for Pump | Hour | 0.50 | 103.60 | 51.80 |
| 3 | Crew for Needle vibrator | Hour | 8.00 | 146.90 | 1175.20 |
| 4 | Mason Class-I | Day | 1.00 | 415.00 | 415.00 |
| 5 | work inspector | Day | 1.00 | 400.00 | 400.00 |
| 6 | mazdoor | | | | |
| | for batching materials | Day | 11.00 | 310.00 | 3410.00 |

| for loading mortar pans | Day | 4.00 | 310.00 | 1240.00 |
|-------------------------------|-----|-------|--------|----------|
| for laying | Day | 3.00 | 310.00 | 930.00 |
| for conveying concrete | Day | 14.29 | 310.00 | 4429.90 |
| for cleaning/ washing/ curing | Day | 1.00 | 310.00 | 310.00 |
| Total cost of Labour | · | | Rs: | 13994.70 |

labour component/unit qty

Add contractor's profit and overhead charges labour component/unit qty (including contractor's profit)

. (0)

979.30 13.615% <u>133.30</u> **1112.60**

14.29 cum

(A+B+C+D)/14.29

ABSTRACT:

Rate per cum

A. Cost of Materials
B. Hire charges of Machinery
C. Cost of Labour

Rs: 1349.75 Rs: 13994.70 Rs: 59555.57

44211.12

4735.10

D. Add for contractor's profit and overheads on (A+B+C) Total cost for

13.615% Rs: 8108.49 Rs: **67664.06**

Total

Rs.

Rs:

IRR-CCDW-2-16 Providing and laying insitu vibrated M-20 (28 days cube compressive strength not less than

20 N / sq mm) grade cement concrete using **20 mm down size** approved, clean, hard, graded aggregates **for well cap** including cost of all materials, machinery, labour, formwork, scaffolding, cleaning, batching, mixing, placing in position, levelling, vibrating, finishing, curing

etc., complete with initial lead upto 50 m and all lifts.

Note: If water is to be brought from other place add only lead charges @ 500 ltr / cum.

(Cement content: 330 kg / cum with use of super plasticiser(0.4% by wt. of cement),

CA: 0.80cum, Blending Ratio of CA--65:35, FA: 0.45 cum)

DATA:

A. MATERIALS:

RATE ANALYSIS

UNIT: 15.76 cum

| 7. M7. L | NIAEO: | | | | |
|----------|--------------------------------------|--------|----------|---------|----------|
| SI No | Particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Cement for mix | kg | 5200.80 | 6.30 | 32765.04 |
| | Cement for incidentals @ 5 kg / cum | kg | 78.80 | 6.30 | 496.44 |
| 2 | Coarse aggregate 20-10 mm | cum | 8.20 | 1210.00 | 9916.19 |
| | Coarse aggregate 10 mm below | cum | 4.41 | 875.00 | 3861.20 |
| 3 | Fine aggregate (Un-Screened) | cum | 7.09 | 560.00 | 3971.52 |
| 4 | Super Plasticizer | kg | 20.80 | 95.00 | 1976.30 |
| 5 | Use rate of curved shutter (40 uses) | sqm | 15.76 | 225.53 | 3554.34 |
| 6 | Sundries | LS | 0.50 | 20.00 | 10.00 |
| | Total cost of Mate | erials | | Rs: | 56551.03 |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|---------------------------------------|------|----------|--------|---------|
| | | | | in Rs. | in Rs. |
| 1 | Concrete mixer 300/200 ltr (diesel) | Hour | 8.00 | 53.50 | 428.00 |
| | Fuel / Energy charges | Hour | 8.00 | 81.30 | 650.40 |
| 2 | 5 hp pump (diesel) | Hour | 0.50 | 10.20 | 5.10 |
| | Fuel / Energy charges | Hour | 0.50 | 81.30 | 40.65 |
| 3 | Needle vibrator 40 mm dia (petrol) | Hour | 8.00 | 7.60 | 60.80 |
| | Fuel / Energy charges | Hour | 8.00 | 20.60 | 164.80 |
| | Total hire charges of Machinery | | | Rs: | 1349.75 |

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|-------------------------------|------|----------|--------|----------|
| | · | | , | in Rs. | in Rs. |
| 1 | Crew for Concrete mixer | Hour | 8.00 | 204.10 | 1632.80 |
| 2 | Crew for Pump | Hour | 0.50 | 103.60 | 51.80 |
| 3 | Crew for Needle vibrator | Hour | 8.00 | 146.90 | 1175.20 |
| 4 | Mason Class-I | Day | 1.00 | 415.00 | 415.00 |
| 5 | work inspector | Day | 1.00 | 400.00 | 400.00 |
| 6 | mazdoor | | | | |
| | for batching materials | Day | 11.00 | 310.00 | 3410.00 |
| | for loading mortar pans | Day | 4.00 | 310.00 | 1240.00 |
| | for laying | Day | 3.00 | 310.00 | 930.00 |
| | for conveying concrete | Day | 15.76 | 310.00 | 4885.60 |
| | for cleaning/ washing/ curing | Day | 1.00 | 310.00 | 310.00 |
| 7 | Labour cost for shuttering | sqm | 15.76 | 79.80 | 1257.65 |
| | Total cost of Labour | | | | 15708.05 |

labour component/unit qty 996.70
Add contractor's profit and overhead charges 13.615% 135.70
labour component/unit qty (including contractor's profit) 1132.40

ABSTRACT:

 A. Cost of Materials
 Rs:
 56551.03

 B. Hire charges of Machinery
 Rs:
 1349.75

 C. Cost of Labour
 Rs:
 15708.05

 Total
 Rs:
 73608.83

D. Add for contractor's profit and overheads on (A+B+C) 13.615% Rs: 10021.84

Total cost for Rste per cum 15.76 cum Rs: 83630.67

Rate per cum (A+B+C+D)/15.76 Rs. 5306.50

IRR-CCDW-2-17 Providing and laying insitu vibrated M-15 (28 days cube compressive strength not less than

15 N / sq mm) grade cement concrete using **80 mm down size** approved, clean, hard, graded aggregates **for piers and abutments** including cost of all materials, labour, machinery, formwork, cleaning, batching, mixing, placing in position, levelling, vibrating, finishing, curing etc., complete **with initial lead upto 50 m and all lifts.**

Note: If water is to be brought from other place add only lead charges @ 500 ltr / cum.

(Cement content: 250 kg / cum with use of super plasticiser(0.4% by wt. of cement),

CA: 0.98cum, Blending Ratio of CA--35:30:20:15, FA: 0.35 cum)

DATA: RATE ANALYSIS UNIT: 14.40 cum

A. MATERIALS:

| SI No | Particulars | Unit | Quantity | Rate | Amount |
|-------|-------------------------------------|------|----------|---------|----------|
| 01110 | 1 articulare | O m | Quartity | in Rs. | in Rs. |
| 1 | Cement for mix | kg | 3600.00 | 6.30 | 22680.00 |
| | Cement for incidentals @ 5 kg / cum | kg | 72.00 | 6.30 | 453.60 |
| 2 | Coarse aggregate 80-40 mm | cum | 4.94 | 635.00 | 3136.39 |
| | Coarse aggregate 40-20 mm | cum | 4.23 | 1145.00 | 4847.47 |
| | Coarse aggregate 20-10 mm | cum | 2.82 | 1210.00 | 3415.10 |
| | Coarse aggregate 10 mm below | cum | 2.12 | 875.00 | 1852.20 |
| 3 | Fine aggregate (Un-Screened) | cum | 5.04 | 560.00 | 2822.40 |
| 4 | Super Plasticizer | kg | 14.40 | 95.00 | 1368.00 |
| 5 | Use rate of shuttering for 40 uses | sqm | 39.60 | 236.81 | 9377.50 |
| 6 | Scaffolding @ of shuttering | 30% | | | 2813.25 |
| · | Total cost of Materials | Rs: | 52765.91 | | |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|---------------------------------------|------|----------|--------|---------|
| | | | | in Rs. | in Rs. |
| 1 | Concrete mixer 600/400 ltr (diesel) | Hour | 8.00 | 92.70 | 741.60 |
| | Fuel / Energy charges | Hour | 8.00 | 162.50 | 1300.00 |
| 2 | 5 hp pump (diesel) | Hour | 0.50 | 10.20 | 5.10 |
| | Fuel / Energy charges | Hour | 0.50 | 81.30 | 40.65 |
| 3 | Needle vibrator 60 mm dia (petrol) | Hour | 8.00 | 8.20 | 65.60 |
| | Fuel / Energy charges | Hour | 8.00 | 30.80 | 246.40 |
| | Total hire charges of Machinery | - | | Rs: | 2399.35 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|-------------------------------|------|----------|--------|---------|
| | | | | in Rs. | in Rs. |
| 1 | Crew for Concrete mixer | Hour | 8.00 | 204.10 | 1632.80 |
| 2 | Crew for Pump | Hour | 0.50 | 103.60 | 51.80 |
| 3 | Crew for Needle vibrator | Hour | 8.00 | 146.90 | 1175.20 |
| 4 | Mason Class-I | Day | 1.00 | 415.00 | 415.00 |
| 5 | work inspector | Day | 1.00 | 400.00 | 400.00 |
| 6 | mazdoor | | | | |
| | for batching materials | Day | 11.00 | 310.00 | 3410.00 |
| | for loading mortar pans | Day | 4.00 | 310.00 | 1240.00 |
| | for laying | Day | 6.00 | 310.00 | 1860.00 |
| | for conveying concrete | Day | 14.40 | 310.00 | 4464.00 |
| | for cleaning/ washing/ curing | Day | 1.00 | 310.00 | 310.00 |
| 7 | Labour cost for shuttering | sqm | 39.60 | 79.80 | 3160.08 |
| | Labour cost for scaffolding @ | 30% | | | 948.02 |
| | Total cost of | Rs: | 19066.90 | | |

labour component/unit qty
Add contractor's profit and overhead charges

1324.10 13.615% 180.30 labour component/unit qty (including contractor's profit)

1504.40

ABSTRACT:

A. Cost of Materials

B. Hire charges of Machinery

C. Cost of Labour

Rs: 2399.35

Rs: 19066.90

Total

Rs: 74232.17

D. Add for contractor's profit and overheads on (A+B+C) 13.615% Rs: 10106.71

Total cost for 14.40 cum Rs: 84338.877

Rate per cum (A+B+C+D)/14.40 Rs. 5856.90

IRR-CCDW-2-18 Providing and laying insitu vibrated M-10 (28 days cube compressive strength not less than

10 N / sq mm) grade cement concrete using **80 mm down size** approved, clean, hard, graded aggregates **for piers and abutments** including cost of all materials, labour, machinery, formwork, cleaning, batching, mixing, placing in position, levelling, vibrating, finishing, curing

etc., complete with initial lead upto 50 m and all lifts.

Note: If water is to be brought from other place add only lead charges @ 500 ltr / cum.

(Cement content: 220 kg / cum with use of super plasticiser(0.4% by wt. of cement),

CA: 0.98cum, Blending Ratio of CA--35:30:20:15, FA: 0.35 cum)

DATA: RATE ANALYSIS UNIT: 14.55 cum

A. MATERIALS:

| SI No | Particulars | Unit | Quantity | Rate | Amount |
|-------|-------------------------------------|------|----------|---------|----------|
| | | | | in Rs. | in Rs. |
| 1 | Cement for mix | kg | 3201.00 | 6.30 | 20166.30 |
| | Cement for incidentals @ 5 kg / cum | kg | 72.75 | 6.30 | 458.33 |
| 2 | Coarse aggregate 80-40 mm | cum | 4.99 | 635.00 | 3169.06 |
| | Coarse aggregate 40-20 mm | cum | 4.28 | 1145.00 | 4897.97 |
| | Coarse aggregate 20-10 mm | cum | 2.85 | 1210.00 | 3450.68 |
| | Coarse aggregate 10 mm below | cum | 2.14 | 875.00 | 1871.49 |
| 3 | Fine aggregate (Un-Screened) | cum | 5.09 | 560.00 | 2851.80 |
| 4 | Super Plasticizer | kg | 12.80 | 95.00 | 1216.38 |
| 5 | Use rate ofshuttering for 40 uses | sqm | 40.01 | 236.81 | 9475.18 |
| 6 | Scaffolding @ of shuttering | 30% | | | 2842.55 |
| | Total cost of Materials | | | | |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|---------------------------------------|------|----------|--------|---------|
| | | | | in Rs. | in Rs. |
| 1 | Concrete mixer 600/400 ltr (diesel) | Hour | 8.00 | 92.70 | 741.60 |
| | Fuel / Energy charges | Hour | 8.00 | 162.50 | 1300.00 |
| 2 | 5 hp pump (diesel) | Hour | 0.50 | 10.20 | 5.10 |
| | Fuel / Energy charges | Hour | 0.50 | 81.30 | 40.65 |
| 3 | Needle vibrator 60 mm dia (petrol) | Hour | 8.00 | 8.20 | 65.60 |
| | Fuel / Energy charges | Hour | 8.00 | 30.80 | 246.40 |
| | Total hire charges of Machinery | Rs: | 2399.35 | | |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|-------------------------------|------|----------|--------|----------|
| | | | | in Rs. | in Rs. |
| 1 | Crew for Concrete mixer | Hour | 8.00 | 204.10 | 1632.80 |
| 2 | Crew for Pump | Hour | 0.50 | 103.60 | 51.80 |
| 3 | Crew for Needle vibrator | Hour | 8.00 | 146.90 | 1175.20 |
| 4 | Mason Class-I | Day | 1.00 | 415.00 | 415.00 |
| 5 | work inspector | Day | 1.00 | 400.00 | 400.00 |
| 6 | mazdoor | | | | |
| | for batching materials | Day | 11.00 | 310.00 | 3410.00 |
| | for loading mortar pans | Day | 4.00 | 310.00 | 1240.00 |
| | for laying | Day | 6.00 | 310.00 | 1860.00 |
| | for conveying concrete | Day | 14.55 | 310.00 | 4510.50 |
| | for cleaning/ washing/ curing | Day | 1.00 | 310.00 | 310.00 |
| 7 | Labour cost for shuttering | sqm | 40.01 | 79.80 | 3193.00 |
| | Labour cost for scaffolding @ | 30% | | | 957.90 |
| | Total cost of Labour | | | | 19156.20 |

labour component/unit qty

Add contractor's profit and overhead charges labour component/unit qty (including contractor's profit)

1316.60 13.615% <u>179.30</u>

1495.90

ABSTRACT:

A. Cost of Materials Rs: 50399.74 B. Hire charges of Machinery Rs: 2399.35 C. Cost of Labour Rs: 19156.20 71955.28 Total Rs:

D. Add for contractor's profit and overheads on (A+B+C) 13.615% Rs: 9796.71 Total cost for 14.55 cum 81751.99 Rs: Rate per cum (A+B+C+D)/14.55 5618.70 Rs.

IRR-CCDW-2-19 Providing and laying insitu vibrated M-10 (28 days cube compressive strength not less than

10 N / sq mm) grade cement concrete using 40 mm down size approved, clean, hard, graded aggregates for piers and abutments including cost of all materials, labour, machinery, formwork, cleaning, batching, mixing, placing in position, levelling, vibrating, finishing, curing

etc., complete with initial lead upto 50 m and all lifts.

Note: If water is to be brought from other place add only lead charges @ 500 ltr / cum.

(Cement content: 220 kg / cum with use of super plasticiser(0.4% by wt. of cement),

CA: 0.90cum, Blending Ratio of CA--50:30:20, FA: 0.40 cum)

RATE ANALYSIS UNIT: DATA: 16.36 cum

MATERIALS:

| A. WATE | | | . | | |
|---------|-------------------------------------|------|----------|---------|----------|
| SI No | Particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Cement for mix | kg | 3599.20 | 6.30 | 22674.96 |
| | Cement for incidentals @ 5 kg / cum | kg | 81.80 | 6.30 | 515.34 |
| 2 | Coarse aggregate 40-20 mm | cum | 7.36 | 1145.00 | 8429.49 |
| | Coarse aggregate 20-10 mm | cum | 4.42 | 1210.00 | 5344.81 |
| | Coarse aggregate 10 mm below | cum | 2.94 | 875.00 | 2576.70 |
| 3 | Fine aggregate (Un-Screened) | cum | 6.54 | 560.00 | 3664.64 |
| 4 | Super Plasticizer | kg | 14.40 | 95.00 | 1367.70 |
| 5 | Use rate of shuttering for 40 uses | sqm | 44.99 | 236.81 | 10653.88 |
| 6 | Scaffolding @ of shuttering | 30% | | | 3196.16 |
| | Total cost of Materials | | | | |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount | |
|-------|---------------------------------------|------|----------|--------|--------|--|
| | | | | in Rs. | in Rs. | |
| 1 | Concrete mixer 300/200 ltr (diesel) | Hour | 8.00 | 53.50 | 428.00 | |
| | Fuel / Energy charges | Hour | 8.00 | 81.30 | 650.40 | |
| 2 | 5 hp pump (diesel) | Hour | 0.50 | 10.20 | 5.10 | |
| | Fuel / Energy charges | Hour | 0.50 | 81.30 | 40.65 | |
| 3 | Needle vibrator 40 mm dia (petrol) | Hour | 8.00 | 7.60 | 60.80 | |
| | Fuel / Energy charges | Hour | 8.00 | 20.60 | 164.80 | |
| | Total hire charges of Machinery | | | | | |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|-------------------------------|------|----------|--------|---------|
| | · | | - | in Rs. | in Rs. |
| 1 | Crew for Concrete mixer | Hour | 8.00 | 204.10 | 1632.80 |
| 2 | Crew for Pump | Hour | 0.50 | 103.60 | 51.80 |
| 3 | Crew for Needle vibrator | Hour | 8.00 | 146.90 | 1175.20 |
| 4 | Mason Class-I | Day | 1.00 | 415.00 | 415.00 |
| 5 | work inspector | Day | 1.00 | 400.00 | 400.00 |
| 6 | mazdoor | | | | |
| | for batching materials | Day | 11.00 | 310.00 | 3410.00 |
| | for loading mortar pans | Day | 4.00 | 310.00 | 1240.00 |
| | for laying | Day | 5.00 | 310.00 | 1550.00 |
| | for conveying concrete | Day | 16.36 | 310.00 | 5071.60 |
| | for cleaning/ washing/ curing | Day | 1.00 | 310.00 | 310.00 |
| 7 | Labour cost for shuttering | sqm | 44.99 | 79.80 | 3590.20 |
| | Labour cost for scaffolding @ | 30% | | | 1077.06 |
| | Total cost of I | Rs: | 19923.66 | | |

labour component/unit qty

1217.80

Add contractor's profit and overhead charges labour component/unit qty (including contractor's profit) 13.615% 165.80

1383.60

ABSTRACT:

Rs: 58423.68 A. Cost of Materials B. Hire charges of Machinery 1349.75 Rs:

C. Cost of Labour Rs: 19923.66

D. Add for contractor's profit and overheads on (A+B+C)
Total cost for Contractor's profit and overheads on (A+B+C)
Total cost for Contractor's profit and overheads on (A+B+C)
13.615% Rs: 10850.76
16.36 cum Rs: 90547.85
Rate per cum (A+B+C+D)/16.36 Rs. 5534.70

IRR-CCDW-2-20 Providing and laying insitu vibrated M-20 (28 days cube compressive strength not less than

20 N / sq mm) grade cement concrete using 40 mm down size approved, clean, hard, graded aggregates for cantiliver / counterfort retaining walls including cost of all materials, machinery, labour, formwork, scaffolding, cleaning, batching, mixing, placing in position, levelling, vibrating, finishing, curing etc., complete with initial lead upto 50 m and all lifts. (Cement content: 320 kg / cum with use of super plasticiser(0.4% by wt. of cement),

CA: 0.90cum, Blending Ratio of CA--50:30:20, FA: 0.40 cum)

Note: If water is to be brought from other place add only lead charges @ 500 ltr / cum.

DATA: RATE ANALYSIS UNIT: 16.25 cum

A. MATERIALS:

| SI No | Particulars | Unit | Quantity | Rate | Amount |
|-------|-------------------------------------|------|----------|---------|----------|
| | | | | in Rs. | in Rs. |
| 1 | Cement for mix | kg | 5200.00 | 6.30 | 32760.00 |
| | Cement for incidentals @ 5 kg / cum | kg | 81.25 | 6.30 | 511.88 |
| 2 | Coarse aggregate 40-20 mm | cum | 7.31 | 1145.00 | 8372.81 |
| | Coarse aggregate 20-10 mm | cum | 4.39 | 1210.00 | 5308.88 |
| | Coarse aggregate 10 mm below | cum | 2.93 | 875.00 | 2559.38 |
| 3 | Fine aggregate (Un-Screened) | cum | 6.50 | 560.00 | 3640.00 |
| 4 | Super Plasticizer | kg | 20.80 | 95.00 | 1976.00 |
| 5 | Use rate of shuttering for 40 uses | sqm | 52.81 | 225.53 | 11910.75 |
| | Scaffolding @ of shuttering | 25% | | | 2977.69 |
| 6 | Sundries | LS | 0.50 | 20.00 | 10.00 |
| | Total cost of Materials | | | | |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|---------------------------------------|------|----------|--------|---------|
| | , | | , | in Rs. | in Rs. |
| 1 | Concrete mixer 300/200 ltr (diesel) | Hour | 8.00 | 53.50 | 428.00 |
| | Fuel / Energy charges | Hour | 8.00 | 81.30 | 650.40 |
| 2 | 5 hp pump (diesel) | Hour | 0.50 | 10.20 | 5.10 |
| | Fuel / Energy charges | Hour | 0.50 | 81.30 | 40.65 |
| 3 | Needle vibrator 40 mm dia (petrol) | Hour | 8.00 | 7.60 | 60.80 |
| | Fuel / Energy charges | Hour | 8.00 | 20.60 | 164.80 |
| | Total hire charges of Machinery | , | | Rs: | 1349.75 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|-------------------------------|------|----------|--------|---------|
| | | | | in Rs. | in Rs. |
| 1 | Crew for Concrete mixer | Hour | 8.00 | 204.10 | 1632.80 |
| 2 | Crew for Pump | Hour | 0.50 | 103.60 | 51.80 |
| 3 | Crew for Needle vibrator | Hour | 8.00 | 146.90 | 1175.20 |
| 4 | Mason Class-I | Day | 1.00 | 415.00 | 415.00 |
| 5 | work inspector | Day | 1.00 | 400.00 | 400.00 |
| 6 | mazdoor | | | | |
| | for batching materials | Day | 11.00 | 310.00 | 3410.00 |
| | for loading mortar pans | Day | 4.00 | 310.00 | 1240.00 |
| | for laying | Day | 5.00 | 310.00 | 1550.00 |
| | for conveying concrete | Day | 16.25 | 310.00 | 5037.50 |
| | for cleaning/ washing/ curing | Day | 1.00 | 310.00 | 310.00 |
| 7 | Labour cost for shuttering | sqm | 52.81 | 79.80 | 4214.44 |
| | Labour cost for scaffolding @ | 25% | | | 1053.61 |
| · | Total cost of Labo | Rs: | 20490.35 | | |

labour component/unit qty

1260.90

Add contractor's profit and overhead charges labour component/unit qty (including contractor's profit)

13.615% <u>171.70</u> **1432.60**

ABSTRACT:

 A. Cost of Materials
 Rs:
 70027.38

 B. Hire charges of Machinery
 Rs:
 1349.75

 C. Cost of Labour
 Rs:
 20490.35

Total Rs: 91867.47 13.615% Rs: 12507.76

D. Add for contractor's profit and overheads on (A+B+C) 13.615% Rs: 12507.76

Total cost for 16.25 cum Rs: 104375.23

Rate per cum (A+B+C+D)/16.25 Rs. 6423.10

IRR-CCDW-2-21 Providing and laying insitu vibrated M-15 (28 days cube compressive strength not less than

15 N / sq mm) grade cement concrete using 40 mm down size approved, clean, hard, graded aggregates with placing and sinking plums of size 150 to 80 mm upto 15 percent for gravity type retaining walls / piers / abutments etc., including cost of all materials, machinery, labour, formwork, scaffolding, cleaning, batching, mixing, placing in position, levelling, vibrating,

finishing, curing etc.,complete with initial lead upto 50 m and all lifts.

Note: If water is to be brought from other place add only lead charges @ 500 ltr / cum.

(Cement content: 260 kg / cum with use of super plasticiser(0.4% by wt. of cement),

CA: 0.765cum, Blending Ratio of CA--50:30:20, FA: 0.34 cum,

plums of size 150 to 80 mm : 0.25cum)

DATA: RATE ANALYSIS UNIT: 18.09 cum

A. MATERIALS:

| SI No | Particulars | Unit | Quantity | Rate | Amount |
|-------|-------------------------------------|------|----------|---------|----------|
| | | | | in Rs. | in Rs. |
| 1 | Cement for mix | kg | 4703.40 | 6.30 | 29631.42 |
| | Cement for incidentals @ 4 kg / cum | kg | 72.36 | 6.30 | 455.87 |
| 2 | Coarse aggregate 40-20 mm | cum | 6.92 | 1145.00 | 7922.74 |
| | Coarse aggregate 20-10 mm | cum | 4.15 | 1210.00 | 5023.50 |
| | Coarse aggregate 10 mm below | cum | 2.77 | 875.00 | 2421.80 |
| 3 | Plums of size 150 to 80 mm | cum | 4.52 | 360.00 | 1628.10 |
| 4 | Fine aggregate (Un-Screened) | cum | 6.15 | 560.00 | 3444.34 |
| 5 | Super Plasticizer | kg | 18.81 | 95.00 | 1787.29 |
| | Use rate of shuttering for 40 uses | sqm | 49.75 | 225.53 | 11219.50 |
| 6 | Scaffolding @ of shuttering | 30% | | | 3365.85 |
| | Total cost of Materials | Rs: | 66900.41 | | |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount | |
|-------|---------------------------------------|------|----------|--------|--------|--|
| | | | | in Rs. | in Rs. | |
| 1 | Concrete mixer 300/200 ltr (diesel) | Hour | 8.00 | 53.50 | 428.00 | |
| | Fuel / Energy charges | Hour | 8.00 | 81.30 | 650.40 | |
| 2 | 5 hp pump (diesel) | Hour | 0.50 | 10.20 | 5.10 | |
| | Fuel / Energy charges | Hour | 0.50 | 81.30 | 40.65 | |
| 3 | Needle vibrator 60 mm dia (petrol) | Hour | 8.00 | 8.20 | 65.60 | |
| | Fuel / Energy charges | Hour | 8.00 | 30.80 | 246.40 | |
| | Total hire charges of Machinery | | | | | |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|-------------------------------|------|----------|--------|---------|
| | | | | in Rs. | in Rs. |
| 1 | Crew for Concrete mixer | Hour | 8.00 | 204.10 | 1632.80 |
| 2 | Crew for Pump | Hour | 0.50 | 103.60 | 51.80 |
| 3 | Crew for Needle vibrator | Hour | 8.00 | 146.90 | 1175.20 |
| 4 | Mason Class-I | Day | 1.00 | 415.00 | 415.00 |
| 5 | work inspector | Day | 1.00 | 400.00 | 400.00 |
| 6 | mazdoor | | | | |
| | for batching materials | Day | 11.00 | 310.00 | 3410.00 |
| | for loading mortar pans | Day | 4.00 | 310.00 | 1240.00 |
| | for laying | Day | 5.00 | 310.00 | 1550.00 |
| | for placing plums | Day | 2.00 | 310.00 | 620.00 |
| | for conveying concrete | Day | 15.38 | 310.00 | 4767.80 |
| | for conveying plums | Day | 2.00 | 310.00 | 620.00 |
| | for cleaning/ washing/ curing | Day | 1.00 | 310.00 | 310.00 |
| 7 | Labour for shuttering | sqm | 49.75 | 79.80 | 3969.85 |
| | Labour for scaffolding @ | 30% | | | 1190.96 |
| | Total cost of Labour | Rs: | 21353.41 | | |

labour component/unit qty

1180.40

Add contractor's profit and overhead charges

13.615% 160.70

labour component/unit qty (including contractor's profit)

1341.10

ABSTRACT:

A. Cost of Materials Rs: 66900.41

B. Hire charges of Machinery

C. Cost of Labour

Rs: 1436.15 Rs: 21353.41

Total Rs: 89689.97 D. Add for contractor's profit and overheads on (A+B+C) 13.615% Rs: 12211.29 18.09 cum Total cost for Rs: 101901.26 Rate per cum (A+B+C+D)/18.09 Rs. 5633.00

IRR-CCDW-2-22 Providing and laying insitu vibrated M-15 (28 days cube compressive strength not less than

15 N / sq mm) grade cement concrete using 40 mm down size approved, clean, hard,graded aggregates for cast in-situ pipes including cost of all materials, machinery, labour, cleaning, batching, mixing, placing in position, levelling, vibrating, finishing, curing etc., complete with

initial lead upto 50 m and all lifts.

Note: If water is to be brought from other place add only lead charges @ 500 ltr / cum.

(Cement content: 260 kg / cum with use of super plasticiser(0.4% by wt. of cement),

CA: 0.90cum, Blending Ratio of CA--50:30:20, FA: 0.40 cum)

DATA: **RATE ANALYSIS** UNIT: 15.38 cum

A. MATERIALS:

| SI No | Particulars | Unit | Quantity | Rate | Amount |
|-------|-------------------------------------|------|----------|---------|----------|
| | | | | in Rs. | in Rs. |
| 1 | Cement for mix | kg | 3998.80 | 6.30 | 25192.44 |
| | Cement for incidentals @ 5 kg / cum | kg | 76.90 | 6.30 | 484.47 |
| 2 | Coarse aggregate 40-20 mm | cum | 6.92 | 1145.00 | 7924.55 |
| | Coarse aggregate 20-10 mm | cum | 4.15 | 1210.00 | 5024.65 |
| | Coarse aggregate 10 mm below | cum | 2.77 | 875.00 | 2422.35 |
| 3 | Fine aggregate (Un-Screened) | cum | 6.15 | 560.00 | 3445.12 |
| 4 | Super Plasticizer | kg | 16.00 | 95.00 | 1519.54 |
| 5 | Use rate of shuttering for 40 uses | sqm | 30.76 | 236.81 | 7284.14 |
| | Scaffolding @ of shuttering | 15% | | | 1092.62 |
| 6 | Sundries | LS | 0.50 | 20.00 | 10.00 |
| | Total cost of Materials | | | Rs: | 54399.87 |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|---------------------------------------|------|----------|--------|---------|
| | | | | in Rs. | in Rs. |
| 1 | Concrete mixer 300/200 ltr (diesel) | Hour | 8.00 | 53.50 | 428.00 |
| | Fuel / Energy charges | Hour | 8.00 | 81.30 | 650.40 |
| 2 | 5 hp pump (diesel) | Hour | 0.50 | 10.20 | 5.10 |
| | Fuel / Energy charges | Hour | 0.50 | 81.30 | 40.65 |
| 3 | Needle vibrator 40 mm dia (petrol) | Hour | 8.00 | 7.60 | 60.80 |
| | Fuel / Energy charges | Hour | 8.00 | 20.60 | 164.80 |
| | Total hire charges of Machinery | - | | Rs: | 1349.75 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|-------------------------------|------|----------|--------|---------|
| | · | | - | in Rs. | in Rs. |
| 1 | Crew for Concrete mixer | Hour | 8.00 | 204.10 | 1632.80 |
| 2 | Crew for Pump | Hour | 0.50 | 103.60 | 51.80 |
| 3 | Crew for Needle vibrator | Hour | 8.00 | 146.90 | 1175.20 |
| 4 | Mason Class-I | Day | 1.00 | 415.00 | 415.00 |
| 5 | work inspector | Day | 1.00 | 400.00 | 400.00 |
| 6 | mazdoor | | | | |
| | for batching materials | Day | 11.00 | 310.00 | 3410.00 |
| | for loading mortar pans | Day | 4.00 | 310.00 | 1240.00 |
| | for laying | Day | 3.00 | 310.00 | 930.00 |
| | for conveying concrete | Day | 15.38 | 310.00 | 4767.80 |
| | for cleaning/ washing/ curing | Day | 1.00 | 310.00 | 310.00 |
| 7 | Labour for shuttering | sqm | 30.76 | 79.80 | 2454.65 |
| | Labour for scaffolding @ | 15% | | | 368.20 |
| | Total cost of Lab | Rs: | 17155.45 | | |

labour component/unit qty

1115.40

Add contractor's profit and overhead charges

13.615% 151.90

labour component/unit qty (including contractor's profit)

1267.30

ABSTRACT:

A. Cost of Materials Rs: 54399.87 B. Hire charges of Machinery Rs: 1349.75 C. Cost of Labour Rs: 17155.45

Total Rs: 72905.07 D. Add for contractor's profit and overheads on (A+B+C) 13.615% Rs: 9926.02 15.38 cum Rs: 82831.09

Total cost for 5385.60 Rate per cum (A+B+C+D)/15.38 Rs.

IRR-CCDW-2-23 Providing and laying insitu vibrated M-15 (28 days cube compressive strength not less than

 $15\ N\,/\,sq\ mm$) grade cement concrete using 80 mm down size approved, clean, hard, graded aggregates for cast in-situ pipes including cost of all materials, labour, machinery, formwork, cleaning, batching, mixing, placing in position, levelling, vibrating, finishing, curing etc.,

complete with initial lead upto 50 m and all lifts.

If water is to be brought from other place add only lead charges @ 500 ltr / cum. Note:

(Cement content: 250 kg / cum with use of super plasticiser(0.4% by wt. of cement),

CA: 0.98cum, Blending Ratio of CA--35:30:20:15, FA: 0.35 cum)

DATA: **RATE ANALYSIS** UNIT: 14.40 cum

A. MATERIALS:

| SI No | Particulars | Unit | Quantity | Rate | Amount |
|-------|-------------------------------------|------|----------|---------|----------|
| | | | | in Rs. | in Rs. |
| 1 | Cement for mix | kg | 3600.00 | 6.30 | 22680.00 |
| | Cement for incidentals @ 5 kg / cum | kg | 72.00 | 6.30 | 453.60 |
| 2 | Coarse aggregate 80-40 mm | cum | 4.94 | 635.00 | 3136.39 |
| | Coarse aggregate 40-20 mm | cum | 4.23 | 1145.00 | 4847.47 |
| | Coarse aggregate 20-10 mm | cum | 2.82 | 1210.00 | 3415.10 |
| | Coarse aggregate 10 mm below | cum | 2.12 | 875.00 | 1852.20 |
| 3 | Fine aggregate (Un-Screened) | cum | 5.04 | 560.00 | 2822.40 |
| 4 | Super Plasticizer | kg | 14.40 | 95.00 | 1368.00 |
| 5 | Use rate of shuttering for 40 uses | sqm | 28.80 | 236.81 | 6820.00 |
| 6 | Scaffolding @ of shuttering | 15% | | | 1023.00 |
| | Total cost of Materials | | | | 48418.16 |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|---------------------------------------|------|----------|--------|---------|
| | | | | in Rs. | in Rs. |
| 1 | Concrete mixer 600/400 ltr (diesel) | Hour | 8.00 | 92.70 | 741.60 |
| | Fuel / Energy charges | Hour | 8.00 | 162.50 | 1300.00 |
| 2 | 5 hp pump (diesel) | Hour | 0.50 | 10.20 | 5.10 |
| | Fuel / Energy charges | Hour | 0.50 | 81.30 | 40.65 |
| 3 | Needle vibrator 60 mm dia (petrol) | Hour | 8.00 | 8.20 | 65.60 |
| | Fuel / Energy charges | Hour | 8.00 | 30.80 | 246.40 |
| | Total hire charges of Machinery | | | Rs: | 2399.35 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|-------------------------------|------|----------|--------|---------|
| | · | | | in Rs. | in Rs. |
| 1 | Crew for Concrete mixer | Hour | 8.00 | 204.10 | 1632.80 |
| 2 | Crew for Pump | Hour | 0.50 | 103.60 | 51.80 |
| 3 | Crew for Needle vibrator | Hour | 8.00 | 146.90 | 1175.20 |
| 4 | Mason Class-I | Day | 1.00 | 415.00 | 415.00 |
| 5 | work inspector | Day | 1.00 | 400.00 | 400.00 |
| 6 | mazdoor | | | | |
| | for batching materials | Day | 11.00 | 310.00 | 3410.00 |
| | for loading mortar pans | Day | 4.00 | 310.00 | 1240.00 |
| | for laying | Day | 3.00 | 310.00 | 930.00 |
| | for conveying concrete | Day | 14.40 | 310.00 | 4464.00 |
| | for cleaning/ washing/ curing | Day | 1.00 | 310.00 | 310.00 |
| 7 | Labour cost for shuttering | sqm | 28.80 | 79.80 | 2298.24 |
| | Labour cost for scaffolding @ | 15% | | | 344.74 |
| | Total cost of Labour | Rs: | 16671.78 | | |

labour component/unit qty

1157.80

Add contractor's profit and overhead charges

13.615% 157.60

labour component/unit qty (including contractor's profit) 1315.40

ABSTRACT:

A. Cost of Materials Rs: 48418.16 B. Hire charges of Machinery Rs: 2399.35 C. Cost of Labour Rs: 16671.78 Total Rs: 67489.29 13.615% Rs: 9188.67

D. Add for contractor's profit and overheads on (A+B+C)

Total cost for 14.40 cum Rs: 76677.96 (A+B+C+D)/14.40 5324.90 Rate per cum Rs.

IRR-CCDW-2-24 Providing and laying insitu vibrated M-20 (28 days cube compressive strength not less than

20 N / sq mm) grade cement concrete using 20 mm down size approved, clean, hard, graded aggregates for deck slab & kerb including cost of all materials, machinery, labour, formwork, scaffolding, cleaning, batching, mixing, placing in position, levelling, vibrating, finishing, curing

etc., complete with initial lead upto 50 m and all lifts.

Note: If water is to be brought from other place add only lead charges @ 500 ltr / cum. (Cement content: 330 kg / cum with use of super plasticiser(0.4% by wt. of cement),

CA: 0.80cum, Blending Ratio of CA--65:35, FA: 0.45 cum)

DATA: **RATE ANALYSIS** UNIT: 15.76 cum

| Α. | M | ΑТ | ΈR | IΑ | LS: |
|----|---|----|----|----|-----|
|----|---|----|----|----|-----|

| SI No | Particulars | Unit | Quantity | Rate | Amount |
|-------|-------------------------------------|------|----------|---------|----------|
| | | | | in Rs. | in Rs. |
| 1 | Cement for mix | kg | 5200.80 | 6.30 | 32765.04 |
| | Cement for incidentals @ 5 kg / cum | kg | 78.80 | 6.30 | 496.44 |
| 2 | Coarse aggregate 20-10 mm | cum | 8.20 | 1210.00 | 9916.19 |
| | Coarse aggregate 10 mm below | cum | 4.41 | 875.00 | 3861.20 |
| 3 | Fine aggregate (Un-Screened) | cum | 7.09 | 560.00 | 3971.52 |
| 4 | Super Plasticizer | kg | 20.80 | 95.00 | 1976.30 |
| 5 | Use rate of shuttering for 30 uses | sqm | 39.40 | 274.37 | 10810.26 |
| | Scaffolding @ of shuttering | 250% | | | 27025.64 |
| 6 | Sundries | LS | 1.00 | 20.00 | 20.00 |
| | Total cost of Materials | | | Rs: | 90842.59 |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|---------------------------------------|------|----------|--------|---------|
| | | | | in Rs. | in Rs. |
| 1 | Concrete mixer 300/200 ltr (diesel) | Hour | 8.00 | 53.50 | 428.00 |
| | Fuel / Energy charges | Hour | 8.00 | 81.30 | 650.40 |
| 2 | 5 hp pump (diesel) | Hour | 0.50 | 10.20 | 5.10 |
| | Fuel / Energy charges | Hour | 0.50 | 81.30 | 40.65 |
| 3 | Needle vibrator 40 mm dia (petrol) | Hour | 8.00 | 7.60 | 60.80 |
| | Fuel / Energy charges | Hour | 8.00 | 20.60 | 164.80 |
| | Total hire charges of Machinery | - | | Rs: | 1349.75 |

C. I ABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|-------------------------------|------|----------|--------|---------|
| | | | | in Rs. | in Rs. |
| 1 | Crew for Concrete mixer | Hour | 8.00 | 204.10 | 1632.80 |
| 2 | Crew for Pump | Hour | 0.50 | 103.60 | 51.80 |
| 3 | Crew for Needle vibrator | Hour | 8.00 | 146.90 | 1175.20 |
| 4 | Mason Class-I | Day | 2.00 | 415.00 | 830.00 |
| 5 | work inspector | Day | 1.00 | 400.00 | 400.00 |
| 6 | mazdoor | | | | |
| | for batching materials | Day | 11.00 | 310.00 | 3410.00 |
| | for loading mortar pans | Day | 4.00 | 310.00 | 1240.00 |
| | for laying | Day | 4.00 | 310.00 | 1240.00 |
| | for conveying concrete | Day | 15.76 | 310.00 | 4885.60 |
| | for cleaning/ washing/ curing | Day | 1.00 | 310.00 | 310.00 |
| 7 | Labour cost for shuttering | sqm | 39.40 | 79.80 | 3144.12 |
| | Labour cost for scaffolding @ | 250% | | | 7860.30 |
| | Total cost of Labour | Rs: | 26179.82 | | |

labour component/unit qty 1661.20 Add contractor's profit and overhead charges 13.615% 226.20 1887.40

labour component/unit qty (including contractor's profit)

ABSTRACT:

Rs: A. Cost of Materials 90842.59 B. Hire charges of Machinery 1349.75 Rs: C. Cost of Labour Rs: 26179.82 Total Rs: 118372.16 D. Add for contractor's profit and overheads on (A+B+C) 13.615% Rs: 16116.37

Total cost for 15.76 cum Rs: 134488.53 8533.50 Rate per cum (A+B+C+D)/15.76 Rs.

IRR-CCDW-2-25 Providing and **laying insitu vibrated M-20** (28 days cube compressive strength not less than 20 N / sq mm) grade cement concrete using **20 mm down size** approved, clean, hard, graded aggregates **for columns and beams** including cost of all materials, labour, machinery, formwork, scaffolding, cleaning, batching, mixing, placing in position, levelling, vibrating, **finishing, curing etc.,complete with initial lead upto 50 m and all lifts.**

Note:

If water is to be brought from other place add only lead charges @ 500 ltr / cum. (Cement content: 330 kg / cum with use of super plasticiser(0.4% by wt. of cement), CA: 0.80cum, Blending Ratio of CA--65:35, FA: 0.45 cum)

RATE ANALYSIS

Total cost of Materials

DATA:

| A. MATER | IALS: | | | | |
|----------|-------------------------------------|------|----------|---------|----------|
| SI No | Particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Cement for mix | kg | 5200.80 | 6.30 | 32765.04 |
| | Cement for incidentals @ 5 kg / cum | kg | 78.80 | 6.30 | 496.44 |
| 2 | Coarse aggregate 20-10 mm | cum | 8.20 | 1210.00 | 9916.19 |
| | Coarse aggregate 10 mm below | cum | 4.41 | 875.00 | 3861.20 |
| 3 | Fine aggregate (Un-Screened) | cum | 7.09 | 560.00 | 3971.52 |
| 4 | Super Plasticizer | kg | 20.80 | 95.00 | 1976.30 |
| 5 | Use rate of shuttering | sqm | 78.80 | 225.53 | 17771.69 |
| | Scaffolding @ of shuttering | 50% | | | 8885.84 |

LS

UNIT:

1.00

15.76 cum

20.00

Rs

20.00

79664.22

B. MACHINERY:

Sundries

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|---------------------------------------|-------|----------|--------|---------|
| OFTIO | Description | Offic | Quantity | | |
| | | | | in Rs. | in Rs. |
| 1 | Concrete mixer 300/200 ltr (diesel) | Hour | 8.00 | 53.50 | 428.00 |
| | Fuel / Energy charges | Hour | 8.00 | 81.30 | 650.40 |
| 2 | 5 hp pump (diesel) | Hour | 0.50 | 10.20 | 5.10 |
| | Fuel / Energy charges | Hour | 0.50 | 81.30 | 40.65 |
| 3 | Needle vibrator 40 mm dia (petrol) | Hour | 8.00 | 7.60 | 60.80 |
| | Fuel / Energy charges | Hour | 8.00 | 20.60 | 164.80 |
| | Total hire charges of Machi | nery | | Rs: | 1349.75 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|-------------------------------|------|----------|--------|----------|
| | | | - | in Rs. | in Rs. |
| 1 | Crew for Concrete mixer | Hour | 8.00 | 204.10 | 1632.80 |
| 2 | Crew for Pump | Hour | 0.50 | 103.60 | 51.80 |
| 3 | Crew for Needle vibrator | Hour | 8.00 | 146.90 | 1175.20 |
| 4 | Mason Class-I | Day | 1.00 | 415.00 | 415.00 |
| 5 | work inspector | Day | 1.00 | 400.00 | 400.00 |
| 6 | mazdoor | | | | |
| | for batching materials | Day | 11.00 | 310.00 | 3410.00 |
| | for loading mortar pans | Day | 4.00 | 310.00 | 1240.00 |
| | for laying | Day | 3.00 | 310.00 | 930.00 |
| | for conveying concrete | Day | 15.76 | 310.00 | 4885.60 |
| | for cleaning/ washing/ curing | Day | 1.00 | 310.00 | 310.00 |
| 7 | Labour cost for shuttering | sqm | 78.80 | 79.80 | 6288.24 |
| | Labour cost for scaffolding @ | 50% | | | 3144.12 |
| | Total cost of Labour | | | | 23882.76 |

labour component/unit qty 1515.40
Add contractor's profit and overhead charges 13.615% 206.30
labour component/unit qty (including contractor's profit) 1721.70

ABSTRACT:

A. Cost of Materials Rs: 79664.22 B. Hire charges of Machinery Rs: 1349.75 238<u>82.76</u> C. Cost of Labour Rs: Total 104896.73 D. Add for contractor's profit and overheads on (A+B+C) 13.615% Rs: 14281.69 15.76 cum Rs: Total cost for 119178.42 Rate per cum (A+B+C+D)/15.76 Rs. 7562.10

sqmm) grade cement concrete using **20 mm down size** approved, clean, hard, graded aggregates **for wearing coat** including cost of all materials, machinery, labour, formwork, cleaning, batching, mixing, placing in position in alternate panels, levelling, compacting, finishing, curing, packing joints with asphalt mortar etc., complete **with initial lead upto 50 m and all lifts.**

Note:

If water is to be brought from other place add only lead charges @ 500 ltr / cum. to the data (Cement content: 330 kg / cum with use of super plasticiser(0.4% by wt. of cement), CA: 0.80cum, Blending Ratio of CA--65:35, FA: 0.45 cum)

DATA:

RATE ANALYSIS UNIT: 15.76 cum

| A. MATER | RIALS: | | | | |
|----------|-------------------------------------|------|----------|---------|----------|
| SI No | Particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Cement for mix | kg | 5200.80 | 6.30 | 32765.04 |
| | Cement for incidentals @ 5 kg / cum | kg | 78.80 | 6.30 | 496.44 |
| 2 | Coarse aggregate 20-10 mm | cum | 8.20 | 1210.00 | 9916.19 |
| | Coarse aggregate 10 mm below | cum | 4.41 | 875.00 | 3861.20 |
| 3 | Fine aggregate (Un-Screened) | cum | 7.09 | 560.00 | 3971.52 |
| 4 | Super Plasticizer | kg | 20.80 | 95.00 | 1976.30 |
| 5 | Use rate of shuttering | sqm | 7.88 | 225.53 | 1777.17 |
| 6 | Sundries (asphalt mortar etc) | LS | 5.00 | 20.00 | 100.00 |
| | Total cost of Materials | 3 | | Rs: | 54863.86 |

B. MACHINERY:

| D. IIIAUII | | | | | |
|------------|---------------------------------------|------|----------|--------|---------|
| SI No | Description | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Concrete mixer 300/200 ltr (diesel) | Hour | 8.00 | 53.50 | 428.00 |
| | Fuel / Energy charges | Hour | 8.00 | 81.30 | 650.40 |
| 2 | 5 hp pump (diesel) | Hour | 0.50 | 10.20 | 5.10 |
| | Fuel / Energy charges | Hour | 0.50 | 81.30 | 40.65 |
| 3 | Needle vibrator 40 mm dia (petrol) | Hour | 8.00 | 7.60 | 60.80 |
| | Fuel / Energy charges | Hour | 8.00 | 20.60 | 164.80 |
| | Total hire charges of Machinery | _ | | Rs: | 1349.75 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|-------------------------------|------|----------|--------|----------|
| | · | | | in Rs. | in Rs. |
| 1 | Crew for Concrete mixer | Hour | 8.00 | 204.10 | 1632.80 |
| 2 | Crew for Pump | Hour | 0.50 | 103.60 | 51.80 |
| 3 | Crew for Needle vibrator | Hour | 8.00 | 146.90 | 1175.20 |
| 4 | Mason Class-I | Day | 2.00 | 415.00 | 830.00 |
| 5 | work inspector | Day | 1.00 | 400.00 | 400.00 |
| 6 | mazdoor | | | | |
| | for batching materials | Day | 11.00 | 310.00 | 3410.00 |
| | for loading mortar pans | Day | 4.00 | 310.00 | 1240.00 |
| | for laying | Day | 4.00 | 310.00 | 1240.00 |
| | for conveying concrete | Day | 15.76 | 310.00 | 4885.60 |
| | for cleaning/ washing/ curing | Day | 2.00 | 310.00 | 620.00 |
| 7 | Labour cost for shuttering | sqm | 7.88 | 79.80 | 628.82 |
| · | Total cost of Labour | | | Rs: | 16114.22 |

labour component/unit qty
Add contractor's profit and overhead charges

1022.50 13.615% <u>139.20</u> **1161.70**

labour component/unit qty (including contractor's profit)

ABSTRACT:

54863.86 A. Cost of Materials Rs: B. Hire charges of Machinery Rs: 1349.75 C. Cost of Labour Rs: 16114.22 Total Rs: 72327.84 D. Add for contractor's profit and overheads on (A+B+C) 13.615% Rs: 9847.44 82175.28 Total cost for 15.76 cum Rs: Rate per cum (A+B+C+D)/15.76 Rs. 5214.20

IRR-CCDW-2-27 Providing and **laying insitu vibrated M-20** (28 days cube compressive strength not less than 20 N / sq mm) grade cement concrete using **20 mm down size** approved, clean, hard, graded aggregates **for troughs** including cost of all materials, machinery, labour, formwork, scaffolding, cleaning, batching, mixing, placing in position,levelling, vibrating, finishing, curing **etc.**, **complete with initial lead upto 50 m and all lifts.**

Note:

If water is to be brought from other place add only lead charges @ 500 ltr / cum. to the data (Cement content: 330 kg / cum with use of super plasticiser(0.4% by wt. of cement), CA: 0.80cum, Blending Ratio of CA--65:35, FA: 0.45 cum)

DATA: RATE ANALYSIS UNIT: 15.76 cum

A. MATERIALS:

| SI No | Particulars | Unit | Quantity | Rate | Amount |
|-------|-------------------------------------|------|----------|---------|----------|
| | | | | in Rs. | in Rs. |
| 1 | Cement for mix | kg | 5200.80 | 6.30 | 32765.04 |
| | Cement for incidentals @ 5 kg / cum | kg | 78.80 | 6.30 | 496.44 |
| 2 | Coarse aggregate 20-10 mm | cum | 8.20 | 1210.00 | 9916.19 |
| | Coarse aggregate 10 mm below | cum | 4.41 | 875.00 | 3861.20 |
| 3 | Fine aggregate (Un-Screened) | cum | 7.09 | 560.00 | 3971.52 |
| 4 | Super Plasticizer | kg | 20.80 | 95.00 | 1976.30 |
| 5 | Use rate of shuttering for 40 uses | sqm | 70.92 | 225.53 | 15994.52 |
| | Scaffolding @ of shuttering | 25% | | | 3998.63 |
| 6 | Sundries | LS | 0.50 | 20.00 | 10.00 |
| | Total cost of Materials | | | | 72989.84 |

B. MACHINERY:

| D. MIACII | INERT. | | | | |
|-----------|---------------------------------------|------|----------|--------|--------|
| SI No | Description | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Concrete mixer 300/200 ltr (diesel) | Hour | 8.00 | 53.50 | 428.00 |
| | Fuel / Energy charges | Hour | 8.00 | 81.30 | 650.40 |
| 2 | 5 hp pump (diesel) | Hour | 0.50 | 10.20 | 5.10 |
| | Fuel / Energy charges | Hour | 0.50 | 81.30 | 40.65 |
| 3 | Needle vibrator 40 mm dia (diesel) | Hour | 8.00 | 7.60 | 60.80 |
| | Fuel / Energy charges | Hour | 8.00 | 20.60 | 164.80 |
| | Total hire charges of Machiner | Rs: | 1349.75 | | |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|-------------------------------|------|----------|--------|----------|
| | | | | in Rs. | in Rs. |
| 1 | Crew for Concrete mixer | Hour | 8.00 | 204.10 | 1632.80 |
| 2 | Crew for Pump | Hour | 0.50 | 103.60 | 51.80 |
| 3 | Crew for Needle vibrator | Hour | 8.00 | 146.90 | 1175.20 |
| 4 | Mason Class-I | Day | 1.00 | 415.00 | 415.00 |
| 5 | work inspector | Day | 1.00 | 400.00 | 400.00 |
| 6 | mazdoor | | | | |
| | for batching materials | Day | 11.00 | 310.00 | 3410.00 |
| | for loading mortar pans | Day | 4.00 | 310.00 | 1240.00 |
| | for laying | Day | 5.00 | 310.00 | 1550.00 |
| | for conveying concrete | Day | 15.76 | 310.00 | 4885.60 |
| | for cleaning/ washing/ curing | Day | 1.00 | 310.00 | 310.00 |
| 7 | Labour cost for shuttering | sqm | 70.92 | 79.80 | 5659.42 |
| | Labour cost for scaffolding @ | 25% | | | 1414.85 |
| | Total cost of Labour | | | | 22144.67 |

labour component/unit qty 1405.10
Add contractor's profit and overhead charges 13.615% 191.30

labour component/unit qty (including contractor's profit) 1596.40

ABSTRACT:

A. Cost of Materials Rs: 72989.84 B. Hire charges of Machinery Rs: 1349.75 C. Cost of Labour 22144.67 Rs: Total 96484.26 13.615% Rs: D. Add for contractor's profit and overheads on (A+B+C) 13136.33 Total cost for 15.76 cum Rs: 109620.59 Rate per cum (A+B+C+D)/15.76 Rs. 6955.60

IRR-CCDW-3 FOUNDATION WELL SINKING WORKS:

IRR-CCDW-3-1 Sinking RCC wells vertically for foundation of piers and abutments in all kinds of soil,

DATA: Unit = Running meter Taking output = 1m

diameter of well = 6.00m Depth below bed level upto 3.0m

Rate of sinking = 0.50 m /hour

a) Labour

| | | M (/M | 070.00 | | 44.40 |
|-------|-------|--|-------------|---------|---------|
| | 0.12 | , | 370.00 day | | 44.40 |
| | 1.00 | ` , | 415.00 day | | 415.00 |
| | 2.00 | 3 1 1 (1 1 1 1) | 310.00 day | | 620.00 |
| | | sub total (a) | | | 1079.40 |
| b) M | achin | | | | |
| | 2.00 | Hire & running charges of crane with grab bucket of 0.75 cum capacity and accessories. | 519.70 hour | | 1039.40 |
| | | Fuel Charges | 307.20 hour | | 614.40 |
| | | Crew Charges | 165.80 hour | | 331.60 |
| | | Consumables in sinking @ 10% of machinery cha | arges | | 198.54 |
| | | sub total (b) | | | 2183.94 |
| | | sub total (a+b) | | | 3263.34 |
| | | c) Add for Contractor's profit and overhead | | | |
| | | charges on (A+B) | 13.615% | | 444.30 |
| | | Rate per metre = $(a+b+c)/1.0$ | | _ | 3707.64 |
| | | or say (Rate upto 3.0m for 6.0 m well sinking) | | _ | 3707.60 |
| | | labour component/unit qty | | 1411.00 | |
| | | Contractor's profit and overhead charges | 13.615% | 192.10 | |
| | | labour component/unit qty(including contractor's p | | 1603.10 | |
| | | | | | |
| (ii) | | Beyond 3m and upto 10m depth | | | |
| | | Rate of sinking = 0.33 m per hour. | | | |
| a) La | abour | | | | |
| | 0.15 | Mate (Mason CI- II) | 370.00 day | | 55.50 |
| | 1.25 | - ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' | 415.00 day | | 518.75 |
| | 2.50 | Sinking helper (Semi skilled) | 310.00 day | | 775.00 |
| | | sub total (a) | | | 1349.25 |
| b) M | achin | • | | | |
| | 3.00 | Hire & running charges of crane with grab bucket of 0.75 cum capacity and accessories. | 519.70 hour | | 1559.10 |
| | | Fuel Charges | 307.20 hour | | 921.60 |
| | | Crew Charges | 165.80 hour | | 497.40 |
| | | Consumables in sinking @ 10% of machinery cha | arges | | 297.81 |
| | | sub total (b) | | | 3275.91 |
| | | sub total (a+b) | | | 4625.16 |
| | | c) Add for Contractor's profit and overhead | | | |
| | | charges on (A+B) | 13.615% | | 629.72 |
| Rate | per i | metre = (a+b+c) | | - | 5254.88 |
| | | or say (Rate for 3.0m to 10m well sinking) | | 5254.90 | |
| | | | | | |
| | | labour component/unit qty | 10.0455 | 1846.70 | |
| | | Contractor's profit and overhead charges | 13.615% | 251.40 | |
| | | labour component/unit qty(including contractor's p | orofit) | 2098.10 | |
| | | | | | |

IRR-CCDW-3-2 Filling foundation wells with sand in layers of 25 to 30 cm and compacting by watering, ramming as directed including cost of all materials, machinery, labour etc., complete with initial lead upto 50 m and all lifts.

DATA: RATE ANALYSIS UNIT: 15.00 cum

| A. MATER | RIALS: | | | | |
|----------|-------------------------|------|----------|--------|---------|
| SI No | Particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Sand for filling | cum | 15.75 | 560.00 | 8820.00 |
| | | | | 0.00 | 0.00 |
| | Total cost of Materials | | | | |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|---------------------------------|------|----------|--------|--------|
| | | | | in Rs. | in Rs. |
| 1 | Nill | | 0.00 | 0.00 | 0.00 |
| | | | 0.00 | 0.00 | 0.00 |
| | Total hire charges of Machinery | | | | 0.00 |

| C. LABOU | JR: | | | | |
|----------|-------------|------|----------|--------|--------|
| SI No | Description | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |

| 1 | work inspector | Day | 0.25 | 400.00 | 100.00 |
|---|----------------------|-----|------|--------|---------|
| 2 | mazdoor | Day | 4.00 | 310.00 | 1240.00 |
| | Total cost of Labour | | | Rs: | 1340.00 |

labour component/unit qty

89.30

Add contractor's profit and overhead charges labour component/unit qty (including contractor's profit) 13.615% 12.20 101.50

ABSTRACT:

A. Cost of Materials Rs: 8820.00 B. Hire charges of Machinery Rs: 0.00 C. Cost of Labour 1340.00 Rs: 10160.00 Total Rs: 13.615% Rs:

D. Add for contractor's profit and overheads on (A+B+C) 1383.28 15.00 cum Rs: 11543.28 Total cost for Rate per cum (A+B+C+D)/15.0 769.60 Rs.

MASONRY WORKS: IRR-CCDW-4

IRR-CCDW-4-1 Providing and constructing un-coursed rubble stone masonry with approved stones in

CM 1: 4 proportion for sub-structure portions of return walls / abutments etc., including cost of all materials, machinery, labour, scaffolding, cleaning, packing cement mortar, wedging stone chips, curing etc., complete with initial lead upto 50 m and all lifts.

(Cement content: 143 kg / cum of masonry, rubble stones: 0.85cum, FA: 0.40 cum, Stone Chips: 0.15 cum)

DATA:

RATE ANALYSIS

UNIT:

10.00 cum

| SI No | Particulars | Unit | Quantity | Rate | Amount |
|-------|---------------|------|----------|--------|--------------|
| | | | | in Rs. | in Rs. |
| 1 | Cement | kg | 1430.00 | 6.30 | 9009.00 |
| 2 | Rubble stones | cum | 8.50 | 330.00 | 2805.00 |
| • | la | | 4.50 | 000.00 | 54000 |

Stone chips cum 1.50 360.00 540.00 760.00 3040.00 Sand (Screened) cum 4.00 Total cost of Materials 15394.00 Rs:

B. MACHINERY:

A. MATERIALS:

| B. MACHINER 1. | | | | | | | | |
|----------------|---------------------------------|------|----------|--------|--------|--|--|--|
| SI No | Description | Unit | Quantity | Rate | Amount | | | |
| | | | | in Rs. | in Rs. | | | |
| 1 | Water tanker 8000 ltr | Hour | 1.00 | 402.50 | 402.50 | | | |
| | Fuel / Energy charges | Hour | 1.00 | 307.20 | 307.20 | | | |
| 2 | 5 hp pump (diesel) | Hour | 0.50 | 10.20 | 5.10 | | | |
| | Fuel / Energy charges | Hour | 0.50 | 81.30 | 40.65 | | | |
| | Total hire charges of Machinery | | | Rs: | 755.45 | | | |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|---|------|----------|--------|---------|
| | | | | in Rs. | in Rs. |
| 1 | Crew for Water tanker | Hour | 1.00 | 165.80 | 165.80 |
| 2 | Crew for Pump | Hour | 0.50 | 103.60 | 51.80 |
| 3 | work inspector | Day | 1.00 | 400.00 | 400.00 |
| 4 | Mason Class-I | Day | 1.00 | 415.00 | 415.00 |
| 5 | Mason Class-II | Day | 2.00 | 370.00 | 740.00 |
| 6 | mazdoor | | | | |
| | for conveying rubble stones | Day | 4.00 | 310.00 | 1240.00 |
| | for preparing mortar | Day | 2.00 | 310.00 | 620.00 |
| | for loading mortar pans | Day | 1.00 | 310.00 | 310.00 |
| | for laying & packing mortar | Day | 3.00 | 310.00 | 930.00 |
| | for washing rubble / finishing / curing | Day | 1.00 | 310.00 | 310.00 |
| | for conveying mortar / chips | Day | 4.00 | 310.00 | 1240.00 |
| | Total cost of Labour | | | | 6422.60 |

labour component/unit qty

642.30

Add contractor's profit and overhead charges

13.615% <u>87.40</u>

labour component/unit qty (including contractor's profit) 729.70

ABSTRACT:

A. Cost of Materials Rs: 15394.00 B. Hire charges of Machinery Rs: 755.45 C. Cost of Labour Rs: 6422.60 22572.05 Total Rs:

D. Add for contractor's profit and overheads on (A+B+C) 13.615% Rs: 3073.18

Total cost for 10.00 cum Rs: 25645.23

Rate per cum (A+B+C+D)/10.0 Rs. 2564.50

IRR-CCDW-4-2 Providing and constructing un-coursed rubble stone masonry with approved stones in

CM 1 : 4 proportion for super-structure portions of return walls / abutments etc., including cost of all materials, machinery, labour, scaffolding, cleaning, packing cement mortar, wedging stone chips, curing etc., complete with initial lead upto 50 m and all lifts.

(Cement content: 143 kg / cum of masonry, rubble stones : 0.85cum, FA : 0.40 cum, Stone Chips : 0.15 cum)

DATA:

RATE ANALYSIS UNIT: 10.00 cum

| A. WAIE | MALO: | | | | |
|---------|-------------------------|------|----------|--------|----------|
| SI No | Particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Cement | kg | 1430.00 | 6.30 | 9009.00 |
| 2 | Rubble stones | cum | 8.50 | 330.00 | 2805.00 |
| 3 | Stone chips | cum | 1.50 | 360.00 | 540.00 |
| 4 | Sand (Screened) | cum | 4.00 | 760.00 | 3040.00 |
| | | | TOTAL | Rs: | 15394.00 |
| | Add for scaffolding @ | | 2.5% | Rs: | 384.85 |
| | Total cost of Materials | | _ | Rs: | 15778.85 |

B. MACHINERY:

| | DI HIJ QUIN LETT | | | | | | | |
|-------|---------------------------------|------|----------|--------|--------|--|--|--|
| SI No | Description | Unit | Quantity | Rate | Amount | | | |
| | | | | in Rs. | in Rs. | | | |
| 1 | Water tanker 8000 ltr | Hour | 1.00 | 402.50 | 402.50 | | | |
| | Fuel / Energy charges | Hour | 1.00 | 307.20 | 307.20 | | | |
| 2 | 5 hp pump (diesel) | Hour | 0.50 | 10.20 | 5.10 | | | |
| | Fuel / Energy charges | Hour | 0.50 | 81.30 | 40.65 | | | |
| | Total hire charges of Machinery | | | | | | | |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|---|------|----------|--------|---------|
| | | | | in Rs. | in Rs. |
| 1 | Crew for Water tanker | Hour | 1.00 | 165.80 | 165.80 |
| 2 | Crew for Pump | Hour | 0.50 | 103.60 | 51.80 |
| 3 | work inspector | Day | 1.00 | 400.00 | 400.00 |
| 4 | Mason Class-I | Day | 1.00 | 415.00 | 415.00 |
| 5 | Mason Class-II | Day | 2.00 | 370.00 | 740.00 |
| 6 | mazdoor | | | | |
| | for conveying rubble stones | Day | 4.00 | 310.00 | 1240.00 |
| | for preparing mortar | Day | 2.00 | 310.00 | 620.00 |
| | for loading mortar pans | Day | 1.00 | 310.00 | 310.00 |
| | for laying & packing mortar | Day | 3.00 | 310.00 | 930.00 |
| | for washing rubble / finishing / curing | Day | 1.00 | 310.00 | 310.00 |
| | for conveying mortar / chips | Day | 4.00 | 310.00 | 1240.00 |
| | | | TOTAL | Rs: | 6422.60 |
| | Add for labour for scaffolding @ | | 2.5% | Rs: | 160.57 |
| | Total cost of Labour | | | Rs: | 6583.17 |

labour component/unit qty 658.30
Add contractor's profit and overhead charges 13.615% 89.60
labour component/unit qty (including contractor's profit) 747.90

ABSTRACT:

A. Cost of Materials Rs: 15778.85 B. Hire charges of Machinery Rs: 755.45 C. Cost of Labour 6583.17 Rs: Total Rs: 23117.47 D. Add for contractor's profit and overheads on (A+B+C) 13.615% Rs: 3147.44 26264.91 Total cost for 10.00 cum Rs: Rate per cum (A+B+C+D)/10.0 2626.50 Rs.

IRR-CCDW-4-3 Providing and **constructing coursed rubble masonry second sort** in **CM 1:4** proportion with stones from approved source including cost of all materials, machinery, labour, scaffolding, ramps, cleaning, packing mortar, wedging stone chips, finishing, curing etc., complete with **initial lead upto 50 m and initial lift upto 3m.**

(Cement content: 133 kg / cum of masonry, rubble stones : 0.45cum, FA : 0.35 cum, Stone Chips : 0.15 cum, Khandki stones 25 x 25 x 30 cm : 180 Nos, Header stones

25 x 25x 45 cm : 60 Nos)

DATA:

RATE ANALYSIS UNIT: 10.00 cum

| A. MATER | RIALS: | | | | |
|----------|---------------------------------|--------|----------|--------|----------|
| SI No | Particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Cement | kg | 1330.00 | 6.30 | 8379.00 |
| 2 | Header stones 25x25x45 cm | Nos | 60.00 | 39.00 | 2340.00 |
| 3 | Khandki stones 25x25x30 cm | Nos | 180.00 | 16.00 | 2880.00 |
| 4 | Rubble stones | cum | 4.50 | 330.00 | 1485.00 |
| 5 | Stone chips | cum | 1.50 | 360.00 | 540.00 |
| 6 | Sand (Screened) | cum | 3.50 | 760.00 | 2660.00 |
| | | | TOTAL | Rs: | 18284.00 |
| | Add for scaffolding materials @ | | 2.5% | Rs: | 457.10 |
| | Total cost of Mate | erials | | Rs: | 18741.10 |

B. MACHINERY:

| | WINDOWN TEXT | | | | | | | |
|-------|---------------------------------|------|----------|--------|--------|--|--|--|
| SI No | Description | Unit | Quantity | Rate | Amount | | | |
| | | | | in Rs. | in Rs. | | | |
| 1 | Water tanker 8000 ltr | Hour | 1.00 | 402.50 | 402.50 | | | |
| | Fuel / Energy charges | Hour | 1.00 | 307.20 | 307.20 | | | |
| 2 | 5 hp pump (diesel) | Hour | 0.50 | 10.20 | 5.10 | | | |
| | Fuel / Energy charges | Hour | 0.50 | 81.30 | 40.65 | | | |
| | Total hire charges of Machinery | | | | | | | |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|---|------|----------|--------|---------|
| | | | | in Rs. | in Rs. |
| 1 | Crew for Water tanker | Hour | 1.00 | 165.80 | 165.80 |
| 2 | Crew for Pump | Hour | 0.50 | 103.60 | 51.80 |
| 3 | work inspector | Day | 1.00 | 400.00 | 400.00 |
| 4 | Stone chiseller CI -II | Day | 3.00 | 370.00 | 1110.00 |
| 5 | Mason Class-I | Day | 1.00 | 415.00 | 415.00 |
| 6 | Mason Class-II | Day | 2.00 | 370.00 | 740.00 |
| 7 | mazdoor | | | | |
| | for conveying stones / rubble | Day | 4.00 | 310.00 | 1240.00 |
| | for preparation of mortar | Day | 3.00 | 310.00 | 930.00 |
| | for loading mortar pans | Day | 1.00 | 310.00 | 310.00 |
| | for laying & packing mortar | Day | 3.00 | 310.00 | 930.00 |
| | for washing rubble / finishing / curing | Day | 1.00 | 310.00 | 310.00 |
| | for conveying mortar / chips | Day | 2.00 | 310.00 | 620.00 |
| | TOTAL | | | | 7222.60 |
| | Add for labour for scaffolding @ | | 2.5% | Rs: | 180.57 |
| | Total cost of Labour | | | Rs: | 7403.17 |

labour component/unit qty740.30Add contractor's profit and overhead charges13.615%100.80labour component/unit qty (including contractor's profit)841.10

ABSTRACT:

A. Cost of Materials Rs: 18741.10 B. Hire charges of Machinery Rs: 755.45 7403.17 C. Cost of Labour Rs: Total 26899.72 Rs: D. Add for contractor's profit and overheads on (A+B+C) 13.615% Rs: 3662.4 10.00 cum 30562.12 Total cost for Rs: 3056.20 Rate per cum (A+B+C+D)/10.0 Rs.

IRR-CCDW-4-4 Providing and **constructing coursed rubble masonry first sort** in **CM 1:4** proportion with stones from approved source including cost of all materials, machinery, labour, scaffolding, ramps, cleaning, packing mortar, wedging stone chips, finishing, curing etc., complete with **initial lead upto 50 m and initial lift upto 3 m.**

(Cement content: 133 kg / cum of masonry, rubble stones : 0.45cum, FA : 0.35 cum, Stone Chips : 0.15 cum, Khandki stones $25 \times 25 \times 30$ cm : 180 Nos, Header stones

25 x 25x 45 cm : 60 Nos)

DATA: RATE ANALYSIS UNIT: 10.00 cum

A. MATERIALS:

| SI No | Particulars | Unit | Quantity | Rate | Amount | |
|-------|---------------------------------|------|----------|--------|----------|--|
| | | | | in Rs. | in Rs. | |
| 1 | Cement | kg | 1330.00 | 6.30 | 8379.00 | |
| 2 | Header stones 25x25x45 cm | Nos | 60.00 | 39.00 | 2340.00 | |
| 3 | Khandki stones 25x25x30 cm | Nos | 180.00 | 16.00 | 2880.00 | |
| 4 | Rubble stones | cum | 4.50 | 330.00 | 1485.00 | |
| 5 | Stone chips | cum | 1.50 | 360.00 | 540.00 | |
| 6 | Sand (Screened) | cum | 3.50 | 760.00 | 2660.00 | |
| | | | TOTAL | Rs: | 18284.00 | |
| | Add for scaffolding materials @ | | 2.5% | Rs: | 457.10 | |
| | Total cost of Materials | | | | | |

| B1 1017 (O11) | | | | | | |
|---------------|---------------------------------|------|----------|--------|--------|--|
| SI No | Description | Unit | Quantity | Rate | Amount | |
| | | | | in Rs. | in Rs. | |
| 1 | Water tanker 8000 ltr | Hour | 1.00 | 402.50 | 402.50 | |
| | Fuel / Energy charges | Hour | 1.00 | 307.20 | 307.20 | |
| 2 | 5 hp pump (diesel) | Hour | 0.50 | 10.20 | 5.10 | |
| | Fuel / Energy charges | Hour | 0.50 | 81.30 | 40.65 | |
| | Total hire charges of Machinery | | | | | |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|---|------|----------|--------|---------|
| 01110 | Bescription | Orne | Quartity | in Rs. | in Rs. |
| 1 | Crew for Water tanker | Hour | 1.00 | 165.80 | 165.80 |
| 1 | | | | | |
| 2 | Crew for Pump | Hour | 0.50 | 103.60 | 51.80 |
| 3 | work inspector | Day | 1.00 | 400.00 | 400.00 |
| 4 | Stone chiseller CI -II | Day | 6.00 | 370.00 | 2220.00 |
| 5 | Mason Class-I | Day | 1.00 | 415.00 | 415.00 |
| 6 | Mason Class-II | Day | 2.00 | 370.00 | 740.00 |
| 7 | mazdoor | | | | |
| 8 | for conveying rubble/ stones | Day | 4.00 | 310.00 | 1240.00 |
| | for preparation of mortar | Day | 3.00 | 310.00 | 930.00 |
| | for loading mortar pans | Day | 1.00 | 310.00 | 310.00 |
| | for laying & packing mortar | Day | 3.00 | 310.00 | 930.00 |
| | for washing rubble / finishing / curing | Day | 1.00 | 310.00 | 310.00 |
| | for conveying mortar / chips | Day | 2.00 | 310.00 | 620.00 |
| | | | TOTAL | Rs: | 8332.60 |
| | Add for labour for scaffolding @ | | 2.5% | Rs: | 208.32 |
| | Total cost of Labour | Rs: | 8540.92 | | |

labour component/unit qty854.10Add contractor's profit and overhead charges13.615%116.30labour component/unit qty (including contractor's profit)970.40

ABSTRACT: A. Cost of Materials

18741.10 Rs: B. Hire charges of Machinery Rs: 755.45 C. Cost of Labour Rs: 8540.92 28037.47 Total Rs: D. Add for contractor's profit and overheads on (A+B+C) 13.615% Rs: 3817.3 10.00 cum 31854.77 Total cost for Rs: Rate per cum 3185.50 (A+B+C+D)/10.0 Rs.

IRR-CCDW-4-5 Providing cement mortar pointing to coursed rubble face stone masonry in CM 1:2

Add for scaffolding / ramps etc @

proportion by volume including raking and cleaning joints for 50 mm depth, pressing cement mortar into joints, cost of all materials, labour, scaffolding, finishing, curing etc., complete with **initial lead upto 50 m and all lifts.**

DATA: RATE ANALYSIS UNIT: 100.00 sqm

A. MATERIALS: SI No Particulars Unit Quantity Rate Amount in Rs. in Rs. 2872.80 Cement 456.00 6.30 kg Sand (Screened) 0.75 760.00 570.00 cum TOTAL Rs: 3442.80

Total cost of Materials

2.5%

86.07

3528.87

Rs:

Rs:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|---------------------------------|------|----------|--------|--------|
| | | | | in Rs. | in Rs. |
| 1 | Nil | | 0.00 | 0.00 | 0.00 |
| | (Manual mixing) | | 0.00 | 0.00 | 0.00 |
| | Total hire charges of Machinery | | | | |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|----------------------|------|----------|--------|---------|
| | | | | in Rs. | in Rs. |
| 1 | Mason CI- I | Day | 10.00 | 415.00 | 4150.00 |
| 2 | work inspector | Day | 1.00 | 400.00 | 400.00 |
| 3 | mazdoor | Day | 10.00 | 310.00 | 3100.00 |
| | Total cost of Labour | | | | |

labour component/unit qty76.50Add contractor's profit and overhead charges13.615%10.40labour component/unit qty (including contractor's profit)86.90

ABSTRACT:

 A. Cost of Materials
 Rs: 3528.87

 B. Hire charges of Machinery
 Rs: 0.00

 C. Cost of Labour
 Rs: 7650.00

 Total
 Rs: 11178.87

 D. Add for contractor's profit and overheads on (A+B+C)
 13.615% Rs: 1522

Total cost for 100.00 sqm Rs: 12700.87

Rate per sqm (A+B+C+D)/100.0 Rs. 127.00

IRR-CCDW-4-6 Providing cement mortar pointing to coursed rubble face stone masonry in CM 1:3

proportion by volume including raking and cleaning joints for 50 mm depth, pressing cement mortar into joints, cost of all materials, labour, scaffolding, finishing, curing etc., complete with **initial lead upto 50 m and all lifts.**

DATA:

RATE ANALYSIS UNIT: 100.00 sqm

A. MATERIALS:

| SI No | Particulars | Unit | Quantity | Rate | Amount |
|-------|-----------------------------------|-------|----------|---------|---------|
| | | | | in Rs. | in Rs. |
| 1 | Cement | kg | 322.00 | 6.30 | 2028.60 |
| 2 | Sand (Screened) | cum | 0.75 | 760.00 | 570.00 |
| | | TOTAL | Rs: | 2598.60 | |
| | Add for scaffolding / ramps etc @ | | 2.5% | Rs: | 64.97 |
| | Total cost of Materials | | | | 2663.57 |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|---------------------------------|------|----------|--------|--------|
| | | | | in Rs. | in Rs. |
| 1 | Nil | | 0.00 | 0.00 | 0.00 |
| | (Manual mixing) | | 0.00 | 0.00 | 0.00 |
| | Total hire charges of Machinery | | | Rs: | 0.00 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|----------------------|------|----------|--------|---------|
| | | | | in Rs. | in Rs. |
| 1 | Mason CI- I | Day | 10.00 | 415.00 | 4150.00 |
| 2 | work inspector | Day | 1.00 | 400.00 | 400.00 |
| 3 | mazdoor | Day | 10.00 | 310.00 | 3100.00 |
| | Total cost of Labour | Rs: | 7650.00 | | |

labour component/unit qty 76.50
Add contractor's profit and overhead charges 13.615% 10.40
labour component/unit qty (including contractor's profit) 86.90

ABSTRACT:

A. Cost of Materials Rs: 2663.57 B. Hire charges of Machinery Rs: 0.00 C. Cost of Labour Rs: 7650.00 Total Rs: 10313.57 D. Add for contractor's profit and overheads on (A+B+C) 13.615% Rs: 1404.19 Total cost for 100.00 sqm Rs: 11717.76 Rate per sqm (A+B+C+D)/100.0 117.20 Rs.

IRR-CCDW-4-7 **Providing 12 mm thick plastering** in **cement mortar 1:3** proportion by volume including cost of all materials, machinery, labour, scaffolding, cleaning joints, smooth finishing, curing etc., **complete with initial lead upto 50 m and all lifts.**

DATA: RATE ANALYSIS UNIT: 100.00 sqm

| A. MATER | RIALS: | | | | |
|----------|-----------------------------------|------|----------|--------|---------|
| SI No | Particulars | Unit | Quantity | Rate | Amount |
| | | | - | in Rs. | in Rs. |
| 1 | Cement | kg | 629.00 | 6.30 | 3962.70 |
| 2 | Sand (Screened) | cum | 1.32 | 760.00 | 1003.20 |
| | | | TOTAL | Rs: | 4965.90 |
| | Add for scaffolding / ramps etc @ | | 2.5% | Rs: | 124.15 |
| | Total cost of Materials | | | Rs: | 5090.05 |

| B. MACHINERY | В. | MA | CH | INE | RY |
|--------------|----|----|-----------|-----|----|
|--------------|----|----|-----------|-----|----|

| SI No | Description | Unit | Quantity | Rate | Amount |
|---------------------------------|------------------|------|----------|--------|--------|
| | | | | in Rs. | in Rs. |
| 1 | Nil | | 0.00 | 0.00 | 0.00 |
| | (Manual mixing) | | 0.00 | 0.00 | 0.00 |
| Total hire charges of Machinery | | | | Rs: | 0.00 |

C. LABOUR:

| C. LABO | JIV. | | | | |
|---------|----------------------|------|----------|--------|----------|
| SI No | Description | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Mason CI- I | Day | 10.00 | 415.00 | 4150.00 |
| 2 | work inspector | Day | 1.00 | 400.00 | 400.00 |
| 3 | mazdoor | Day | 20.00 | 310.00 | 6200.00 |
| | Total cost of Labour | • | | Rs: | 10750.00 |

labour component/unit qty 107.50
Add contractor's profit and overhead charges 13.615% 14.60
labour component/unit qty (including contractor's profit) 122.10

ABSTRACT:

A. Cost of Materials 5090.05 Rs: B. Hire charges of Machinery Rs: 0.00 C. Cost of Labour Rs: 10750.00 Total 15840.05 Rs: D. Add for contractor's profit and overheads on (A+B+C) 13.615% Rs: 2156.62 Total cost for 100.00 sqm Rs: 17996.67 Rs. 180.00 Rate per sqm (A+B+C+D)/100.0

IRR-CCDW-4-8 **Providing 12 mm thick plastering** in **cement mortar 1:4** proportion by volume including cost of all materials, machinery, labour, scaffolding, cleaning joints, smooth finishing, curing etc., **complete with initial lead upto 50 m and all lifts.**

DATA: RATE ANALYSIS UNIT: 100.00 sqm

| A. MATER | RIALS: | | | | |
|----------|-----------------------------------|------|----------|--------|---------|
| SI No | Particulars | Unit | Quantity | Rate | Amount |
| | | | - | in Rs. | in Rs. |
| 1 | Cement | kg | 472.00 | 6.30 | 2973.60 |
| 2 | Sand (Screened) cum | | 1.32 | 760.00 | 1003.20 |
| | | | TOTAL | Rs: | 3976.80 |
| | Add for scaffolding / ramps etc @ | | 2.5% | Rs: | 99.42 |
| | Total cost of Materials | | | Rs: | 4076.22 |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|---------------------------------|------|----------|--------|--------|
| | | | | in Rs. | in Rs. |
| 1 | Nil | | 0.00 | 0.00 | 0.00 |
| | (Manual mixing) | | 0.00 | 0.00 | 0.00 |
| | Total hire charges of Machinery | | | | 0.00 |

| C. | | A | п | \sim | | п | |
|----|---|---|---|--------|---|---|--|
| L. | _ | н | 0 | u | u | ĸ | |
| | | | | | | | |

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|-------------|------|----------|--------|--------|
| | | | | in Rs. | in Rs. |

| | 3 | mazdoor Total cost of Labour | Day | 20.00 | 310.00 Rs: | 6200.00 10750.00 |
|---|---|-------------------------------|-----|-------|---------------|----------------------------|
| | 2 | work inspector | Day | 1.00 | 400.00 | 400.00 |
| ſ | 1 | Mason CI- I | Day | 10.00 | 415.00 | 4150.00 |

labour component/unit qty 107.50
Add contractor's profit and overhead charges 13.615% 14.60
labour component/unit qty (including contractor's profit) 122.10

ABSTRACT:

Rs: 4076.22 A. Cost of Materials B. Hire charges of Machinery Rs: 0.00 C. Cost of Labour 10750.00 Rs: Total Rs: 14826.22 D. Add for contractor's profit and overheads on (A+B+C) 13.615% Rs: 2018.59 Total cost for 100.00 sqm Rs: 16844.81 Rate per sqm (A+B+C+D)/100.0 Rs. 168.40

IRR-CCDW-4-9 **Providing 20 mm thick plastering** in **cement mortar 1:3** proportion by volume including cost of all materials, machinery, labour, scaffolding, cleaning joints, smooth finishing, curing etc., **complete with initial lead upto 50 m and all lifts.**

DATA: RATE ANALYSIS UNIT: 100.00 sqm

A. MATERIALS:

| A. WALL | IALO. | | | | |
|---------|-----------------------------------|------|----------|--------|---------|
| SI No | Particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Cement | kg | 1050.00 | 6.30 | 6615.00 |
| 2 | Sand (Screened) | cum | 2.20 | 760.00 | 1672.00 |
| | | | TOTAL | Rs: | 8287.00 |
| | Add for scaffolding / ramps etc @ | | 2.5% | Rs: | 207.18 |
| | Total cost of Materials | | | Rs: | 8494.18 |

B. MACHINERY:

| D. MIACITI | NEIVI: | | | | |
|------------|---------------------------------|------|----------|--------|--------|
| SI No | Description | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Nil | | 0.00 | 0.00 | 0.00 |
| | (Manual mixing) | | 0.00 | 0.00 | 0.00 |
| | Total hire charges of Machinery | | | Rs: | 0.00 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|----------------------|----------------|------|----------|--------|----------|
| | | | | in Rs. | in Rs. |
| 1 | Mason CI- I | Day | 15.00 | 415.00 | 6225.00 |
| 2 | work inspector | Day | 1.00 | 400.00 | 400.00 |
| 3 | mazdoor | Day | 25.00 | 310.00 | 7750.00 |
| Total cost of Labour | | | | | 14375.00 |

labour component/unit qty 143.80
Add contractor's profit and overhead charges 13.615% 19.60
labour component/unit qty (including contractor's profit) 163.40

ABSTRACT:

A. Cost of Materials Rs: 8494.18 B. Hire charges of Machinery Rs: 0.00 C. Cost of Labour Rs: 14375.00 Total 22869.18 Rs: 13.615% Rs: D. Add for contractor's profit and overheads on (A+B+C) 3113.64 Total cost for 100.00 sqm Rs: 25982.82 Rate per sqm (A+B+C+D)/100.0 Rs. 259.80

IRR-CCDW-4-10 **Providing 20 mm thick plastering in cement mortar 1:4** proportion by volume including cost of all materials, machinery, labour, scaffolding, cleaning joints, smooth finishing, curing etc., **complete with initial lead upto 50 m and all lifts.**

DATA: RATE ANALYSIS UNIT: 100.00 sqm

| A. MATER | IALS: | | | | |
|----------|-------------|------|----------|--------|--------|
| SI No | Particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |

| | 1 | Cement | kg | 788.00 | 6.30 | 4964.40 |
|---|-------------------------|-----------------------------------|-----|--------|---------|---------|
| 1 | 2 | Sand (Screened) | cum | 2.20 | 760.00 | 1672.00 |
| | | | | TOTAL | Rs: | 6636.40 |
| | | Add for scaffolding / ramps etc @ | | 2.5% | Rs: | 165.91 |
| | Total cost of Materials | | | Rs: | 6802.31 | |

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|---------------------------------|------|----------|--------|--------|
| | | | | in Rs. | in Rs. |
| 1 | Nil | | 0.00 | 0.00 | 0.00 |
| | (Manual mixing) | | 0.00 | 0.00 | 0.00 |
| | Total hire charges of Machinery | | | Rs: | 0.00 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|----------------------|------|----------|--------|----------|
| | | | | in Rs. | in Rs. |
| 1 | Mason CI- I | Day | 15.00 | 415.00 | 6225.00 |
| 2 | work inspector | Day | 1.00 | 400.00 | 400.00 |
| 3 | mazdoor | Day | 25.00 | 310.00 | 7750.00 |
| | Total cost of Labour | | • | Rs: | 14375.00 |

labour component/unit qty 143.80
Add contractor's profit and overhead charges 13.615% 19.60
labour component/unit qty (including contractor's profit) 163.40

ABSTRACT:

A. Cost of Materials Rs: 6802.31 B. Hire charges of Machinery Rs: 0.00 C. Cost of Labour Rs: 14375.00 Total Rs: 21177.31 D. Add for contractor's profit and overheads on (A+B+C) 13.615% Rs: 2883.29 Total cost for 100.00 sqm Rs: 24060.6 Rate per sqm (A+B+C+D)/100.0 Rs. 240.60

IRR-CCDW-5 COPING & RAILING WORKS:

IRR-CCDW-5-1 Providing and fixing 10 cm thick roughly dressed burnt stone slabs for coping set in

CM 1: 6 proportion by volume with pointing to joints in CM 1: 3 proportion by volume including cost of all materials, machinery, labour, finishing, curing etc., complete with initial lead upto **50 m and all lifts.**

(Cement content: 7.5 kg / sqm, FA : 0.030 cum/sqm,

Burnt stone slab 10 cm thick 1.05 sqm/ sqm)

DATA:

RATE ANALYSIS UNIT:

10.00 sqm

| A. WAIER | IIALS: | | | | |
|-------------------------|------------------------------|------|----------|--------|---------|
| SI No | Particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Cement | kg | 75.00 | 6.30 | 472.50 |
| 2 | Sand (Screened) | cum | 0.30 | 760.00 | 228.00 |
| 3 | Burnt stone slab 10 cm thick | sqm | 10.50 | 310.00 | 3255.00 |
| Total cost of Materials | | | | | 3955.50 |

B. MACHINERY:

A MATERIAL C.

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|---------------------------------|------|----------|--------|--------|
| | | | | in Rs. | in Rs. |
| 1 | Nil | | 0.00 | 0.00 | 0.00 |
| | (Manual mixing) | | 0.00 | 0.00 | 0.00 |
| | Total hire charges of Machinery | | | Rs: | 0.00 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|------------------------|------|----------|--------|---------|
| | | | | in Rs. | in Rs. |
| 1 | Mason CI- II | Day | 1.00 | 370.00 | 370.00 |
| 2 | Stone chiseller Cl- II | Day | 1.00 | 370.00 | 370.00 |
| 3 | work inspector | Day | 0.50 | 400.00 | 200.00 |
| 4 | mazdoor | Day | 2.00 | 310.00 | 620.00 |
| | Total cost of Labour | | • | Rs: | 1560.00 |

156.00

labour component/unit qty
Add contractor's profit and overhead charges

Add contractor's profit and overhead charges 13.615% 21.20 labour component/unit qty (including contractor's profit) 177.20

Rs:

3955.50

ABSTRACT:

A. Cost of Materials 3955.50 Rs: B. Hire charges of Machinery Rs: 0.00 C. Cost of Labour Rs: 1560.00 5515.50 Total Rs: D. Add for contractor's profit and overheads on (A+B+C) 13.615% Rs: 750.94 10.00 sqm 6266.44 Total cost for Rs: Rate per sqm (A+B+C+D)/10.0 626.60 Rs.

IRR-CCDW-5-2 Providing and fixing 10 cm thick one line dressed burnt stone slabs for coping set in

CM 1: 6 proportion by volume with pointing to joints in CM 1: 3 proportion by volume including cost of all materials, machinery, labour, finishing, curing etc., complete with initial lead upto

Total cost of Materials

50 m and all lifts.

(Cement content: 7.5 kg / sqm, FA: 0.030 cum/sqm, Burnt stone slab 10 cm thick 1.05 sqm/ sqm)

DATA:

RATE ANALYSIS UNIT: 10.00 sqm

| A. MAIER | (IALS: | | | | |
|----------|------------------------------|------|----------|--------|---------|
| SI No | Particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Cement | kg | 75.00 | 6.30 | 472.50 |
| 2 | Sand (Screened) | cum | 0.30 | 760.00 | 228.00 |
| 3 | Burnt stone slab 10 cm thick | sqm | 10.50 | 310.00 | 3255.00 |

B. MACHINERY:

| | ·· | | | | |
|---------------------------------|------------------|------|----------|--------|--------|
| SI No | Description | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Nil | | 0.00 | 0.00 | 0.00 |
| | (Manual mixing) | | 0.00 | 0.00 | 0.00 |
| Total hire charges of Machinery | | | Rs: | 0.00 | |

C. LABOUR:

| 0, 0 | 511. | | | | |
|-------|-----------------------|------|----------|--------|---------|
| SI No | Description | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Mason CI- II | Day | 1.00 | 370.00 | 370.00 |
| 2 | Stone chiseller CI- I | Day | 4.00 | 415.00 | 1660.00 |
| 3 | work inspector | Day | 0.50 | 400.00 | 200.00 |
| 4 | mazdoor | Day | 2.00 | 310.00 | 620.00 |
| | Total cost of Labo | Rs: | 2850.00 | | |

labour component/unit qty

285.00

Add contractor's profit and overhead charges

13.615% 38.80

labour component/unit qty (including contractor's profit)

323.80

ABSTRACT:

A. Cost of Materials Rs: 3955.50 B. Hire charges of Machinery Rs: 0.00 C. Cost of Labour 2850.00 Rs: 6805.50 Total Rs: D. Add for contractor's profit and overheads on (A+B+C) 13.615% Rs: 926.57 Total cost for 10.00 sqm Rs: 7732.07 Rate per sqm (A+B+C+D)/10.0 773.20 Rs.

IRR-CCDW-5-3 Providing and fixing 10 cm thick two line dressed burnt stone slabs for coping set in

CM 1: 6 proportion by volume with pointing to joints in CM 1: 3 proportion by volume including cost of all materials, machinery, labour, finishing, curing etc., complete with initial lead upto

50 m and all lifts.

(Cement content: 7.5 kg / sqm, FA: 0.030 cum/sqm, Burnt stone slab 10 cm thick 1.05 sqm/ sqm)

DATA:

RATE ANALYSIS UNIT: 10.00 sqm

A MATERIALS.

| A. WAIE | NIALS. | | | | |
|-------------------------|------------------------------|------|----------|---------|---------|
| SI No | Particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Cement | kg | 75.00 | 6.30 | 472.50 |
| 2 | Sand (Screened) | cum | 0.30 | 760.00 | 228.00 |
| 3 | Burnt stone slab 10 cm thick | sqm | 10.50 | 310.00 | 3255.00 |
| Total cost of Materials | | | Rs: | 3955.50 | |

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|---------------------------------|------|----------|--------|--------|
| | | | | in Rs. | in Rs. |
| 1 | Nil | | 0.00 | 0.00 | 0.00 |
| | (Manual mixing) | | 0.00 | 0.00 | 0.00 |
| | Total hire charges of Machinery | | | | 0.00 |

C. LABOUR:

| 0, 0 | - 1 · · · | | | | |
|----------------------|----------------------|------|----------|--------|---------|
| SI No | Description | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Mason CI- II | Day | 1.00 | 370.00 | 370.00 |
| 2 | Stone chiseller CI-I | Day | 8.00 | 415.00 | 3320.00 |
| 3 | work inspector | Day | 0.50 | 400.00 | 200.00 |
| 4 | mazdoor | Day | 2.00 | 310.00 | 620.00 |
| Total cost of Labour | | | | | 4510.00 |

labour component/unit qty 451.00
Add contractor's profit and overhead charges 13.615% 61.40
labour component/unit qty (including contractor's profit) 512.40

ABSTRACT:

| A. Cost of Materials | | | Rs: | 3955.50 |
|---|----------------|-------------|-----|---------|
| B. Hire charges of Machinery | | | Rs: | 0.00 |
| C. Cost of Labour | | | Rs: | 4510.00 |
| | | Total | Rs: | 8465.50 |
| D. Add for contractor's profit and overheads on (A+B+C) | | 13.615% Rs: | | 1152.58 |
| Total cost for | 10.00 sqm | Rs: | | 9618.08 |
| Rate per sqm | (A+B+C+D)/10.0 | Rs. | | 961.80 |

IRR-CCDW-5-4 Providing and **laying insitu M-15** (28 days cube compressive strength not less than 15 N / sqmm) grade cement concrete using **20 mm down size** approved clean, hard, graded aggregates for coping slab including cost of all materials, machinery, labour, formwork, cleaning surface, batching, mixing, placing in position, levelling, compacting, finishing, curing **etc.**, **complete with initial lead upto 50 m and initial lift upto 3 m**.

(Cement content: 300 kg / cum with use of super plasticiser(0.4% by wt. of cement), CA : 0.80cum, Blending Ratio of CA--65:35, FA : 0.45 cum)

RATE ANALYSIS

DATA:
A. MATERIALS:

| SI No | Particulars | Unit | Quantity | Rate | Amount |
|-------|-------------------------------------|-------|----------|---------|----------|
| | | | | in Rs. | in Rs. |
| 1 | Cement for mix | kg | 4401.00 | 6.30 | 27726.30 |
| | Cement for incidentals @ 5 kg / cum | kg | 73.35 | 6.30 | 462.11 |
| 2 | Coarse aggregate 20-10 mm | cum | 7.63 | 1210.00 | 9230.36 |
| | Coarse aggregate 10 mm below | cum | 4.11 | 875.00 | 3594.15 |
| 3 | Fine aggregate (Un-Screened) | cum | 6.60 | 560.00 | 3696.84 |
| 4 | Super Plasticizer | kg | 17.60 | 95.00 | 1672.38 |
| 5 | Use rate of shuttering | sqm | 80.69 | 225.53 | 18196.81 |
| 6 | Sundries | sqm | 1.00 | 20.00 | 20.00 |
| | Total cost of Mate | rials | | Rs: | 64598 95 |

UNIT:

14.67 cum

B. MACHINERY:

| B. WACH | INEN I. | | | | |
|---------|---------------------------------------|------|----------|---------|--------|
| SI No | Description | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Concrete mixer 300/200 ltr (diesel) | Hour | 8.00 | 53.50 | 428.00 |
| | Fuel / Energy charges | Hour | 8.00 | 81.30 | 650.40 |
| 2 | 5 hp pump (diesel) | Hour | 0.50 | 10.20 | 5.10 |
| | Fuel / Energy charges | Hour | 0.50 | 81.30 | 40.65 |
| 3 | Water tanker 8000 ltr | Hour | 1.00 | 402.50 | 402.50 |
| | Fuel / Energy charges | Hour | 1.00 | 307.20 | 307.20 |
| | Total hire charges of Machi | | Rs: | 1833.85 | |

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|-------------------------|------|----------|--------|---------|
| | | | | in Rs. | in Rs. |
| 1 | Crew for Concrete mixer | Hour | 8.00 | 204.10 | 1632.80 |
| 2 | Crew for Pump | Hour | 0.50 | 103.60 | 51.80 |
| 3 | Crew for Water tanker | Hour | 1.00 | 165.80 | 165.80 |

| 4 | Mason Class-I | Day | 1.00 | 415.00 | 415.00 |
|---|--|-----|-------|--------|----------|
| 5 | work inspector | Day | 1.00 | 400.00 | 400.00 |
| 6 | mazdoor | | | | |
| | for batching materials | Day | 11.00 | 310.00 | 3410.00 |
| | for loading mortar pans | Day | 4.00 | 310.00 | 1240.00 |
| | for laying and tamping | Day | 3.00 | 310.00 | 930.00 |
| | for conveying concrete | Day | 14.67 | 310.00 | 4547.70 |
| | for cleaning/ washing/ curing | Day | 1.00 | 310.00 | 310.00 |
| 7 | Labour cost for shuttering/scaffolding | sqm | 80.69 | 79.80 | 6438.66 |
| | Total cost of Lab | our | | Rs: | 19541.76 |

labour component/unit qty 1332.10
Add contractor's profit and overhead charges 13.615% 181.40
labour component/unit qty (including contractor's profit) 1513.50

ABSTRACT:

 A. Cost of Materials
 Rs: 64598.95

 B. Hire charges of Machinery
 Rs: 1833.85

 C. Cost of Labour
 Rs: 19541.76

 Total
 Rs: 85974.56

D. Add for contractor's profit and overheads on (A+B+C) 13.615% Rs: 11705.44

Total cost for 14.67 cum Rs: 97680.00

Rate per cum (A+B+C+D)/14.67 Rs. 6658.50

IRR-CCDW-5-5 Providing and **constructing protective railing** consisting of in-situ railing posts of size 15 x 15 cm at bottom, 10 x 10 cm at top and 75 cm height at 2 m centre to centre in **M-20** grade concrete using **20 mm down size** graded aggregates and with each post reinforced by 4 Nos. of 8 mm dia main bars embedded in kerb concrete for a depth of 40 cm and 5 Nos. of 6 mm dia. stirrups including fixing 3 rows of 40 mm dia. GI pipes with one coat of red oxide primer and two coats of synthetic enamel paint, cost of all materials, machinery, labour, formwork, finishing, curing etc., complete **with lead upto 50 m and all lifts.**

DATA: RATE ANALYSIS UNIT: 10.00 Rm

A. MATERIALS:

| SI No | Particulars | Unit | Quantity | Rate | Amount |
|-------------------------|---------------------------------------|------|----------|---------|----------|
| | | | | in Rs. | in Rs. |
| 1 | Cement | kg | 30.00 | 6.30 | 189.00 |
| 2 | 20-10 mm coarse aggregate | cum | 0.04 | 1210.00 | 48.40 |
| 3 | 10-4.75 mm coarse aggregate | cum | 0.02 | 875.00 | 17.50 |
| 4 | Fine aggregate (Un-Screened) | cum | 0.04 | 560.00 | 22.40 |
| 5 | Reinforcement steel | kg | 16.39 | 40.00 | 655.60 |
| 6 | 40 mm dia GI pipes B class | Rm | 30.00 | 290.00 | 8700.00 |
| 7 | Use rate of shuttering | sqm | 3.00 | 225.53 | 676.59 |
| 8 | Sundries (paints/ binding wire etc) | LS | 4.00 | 20.00 | 80.00 |
| Total cost of Materials | | | | | 10389.49 |

B. MACHINERY:

| | ·· | | | | |
|-------|---------------------------------|------|----------|--------|--------|
| SI No | Description | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Nill | | 0.00 | 0.00 | 0.00 |
| | | | 0.00 | 0.00 | 0.00 |
| | Total hire charges of Machinery | | | | 0.00 |

C. LABOUR:

| C. LABO | JIV. | | | | |
|---------|----------------------|------|----------|--------|--------|
| SI No | Description | Unit | Quantity | Rate | Amount |
| | · | | | in Rs. | in Rs. |
| 1 | Mason Class I | Day | 0.50 | 415.00 | 207.50 |
| 2 | Bar bender | Day | 0.50 | 490.00 | 245.00 |
| 3 | work inspector | Day | 0.50 | 400.00 | 200.00 |
| 4 | mazdoor | Day | 1.50 | 310.00 | 465.00 |
| 5 | Painter CI- II | Day | 0.50 | 370.00 | 185.00 |
| 6 | Fitter shuttering | Day | 0.50 | 370.00 | 185.00 |
| | Total cost of Labour | | | | |

labour component/unit qty

148.80

Add contractor's profit and overhead charges

13.615% 20.30

labour component/unit qty (including contractor's profit)

169.10

ABSTRACT:

A. Cost of Materials Rs: 10389.49

B. Hire charges of Machinery

D. Add for contractor's profit and overheads on (A+B+C)

C. Cost of Labour

Rs: 0.00 Rs: 1487.50

Total 11876.99 Rs: 13.615% Rs: 1617.05 Rs:

Rs.

UNIT:

Total cost for Rate per Rm

10.00 Rm (A+B+C+D)/10.0 13494.04 1349.40

IRR-CCDW-6 HUME PIPE LAYING & JOINTING WORKS:

IRR-CCDW-6-1 Laying and jointing 300 mm dia. NP- 2 class or IRC standard hume pipes in CM 1:2

proportion by volume including cost of all materials (excluding pipes and collars), machinery, labour, aligning, packing joints with hemp, finishing, curing etc., complete with initial lead upto

50 m and all lifts.

A. MATERIALS:

(Cement content: 9.9 kg / joint, FA: 0.01cum/joint, Hemp Yarn: 0.091kg/joint)

DATA:

RATE ANALYSIS

10.00 Joints

| SI No | Particulars | Unit | Quantity | Rate | Amount |
|-------|-------------------------|------|----------|--------|--------|
| | | | | in Rs. | in Rs. |
| 1 | Cement | kg | 99.00 | 6.30 | 623.70 |
| 2 | Sand (Screened) | cum | 0.10 | 760.00 | 76.00 |
| 3 | Hemp yarn | kg | 0.91 | 72.00 | 65.52 |
| | Total cost of Materials | | | Rs: | 765.22 |

B. MACHINERY:

| DI 1007 (O110) | 1121111 | | | | |
|----------------|---------------------------------|------|----------|--------|--------|
| SI No | Description | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Nill | | 0.00 | 0.00 | 0.00 |
| | (Manual mixing) | | 0.00 | 0.00 | 0.00 |
| | Total hire charges of Machinery | | | | |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|----------------------|----------------|------|----------|--------|---------|
| | | | | in Rs. | in Rs. |
| 1 | Mason CI- II | Day | 2.00 | 370.00 | 740.00 |
| 2 | work inspector | Day | 1.00 | 400.00 | 400.00 |
| 3 | mazdoor | Day | 3.00 | 310.00 | 930.00 |
| Total cost of Labour | | | | | 2070.00 |

labour component/unit qty

13.615% 28.20

Add contractor's profit and overhead charges labour component/unit qty (including contractor's profit)

235.20

207.00

ABSTRACT:

A. Cost of Materials 765.22 Rs: B. Hire charges of Machinery Rs: 0.00 C. Cost of Labour 2070.00 Rs: Total Rs: 2835.22 386.02 D. Add for contractor's profit and overheads on (A+B+C) 13.615% Rs: Total cost for 10.00 Joints Rs: 3221.24 Rate per joint (A+B+C+D)/10.0 Rs. 322.10

Note:

- (1) For NP3 Class 10% extra over the rates of NP2 Class
- (2) For NP4 Class 20% extra over the rates of NP2 Class

IRR-CCDW-6-2 Laying and jointing 450 mm dia. NP- 2 class or IRC standard hume pipes in CM 1:2

proportion by volume including cost of all materials (excluding pipes and collars), machinery, labour, aligning, packing joints with hemp, finishing, curing etc., complete with initial lead upto

50 m and all lifts.

(Cement content: 17.4 kg / joint, FA: 0.022cum/joint, Hemp Yarn: 0.127kg/joint)

DATA:

RATE ANALYSIS UNIT: 10.00 Joints

| A. MATERIALS: | | | | | | | | | |
|---------------|-----------------|------|----------|--------|---------|--|--|--|--|
| SI No | Particulars | Unit | Quantity | Rate | Amount | | | | |
| | | | | in Rs. | in Rs. | | | | |
| 1 | Cement | kg | 174.00 | 6.30 | 1096.20 | | | | |
| 2 | Sand (Screened) | cum | 0.22 | 760.00 | 167.20 | | | | |

| 3 | Hemp yarn | kg | 1.27 | 72.00 | 91.44 |
|---|---------------|--------------|------|-------|---------|
| | Total cost of | of Materials | | Rs: | 1354.84 |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|---------------------------------|-------------------|------|----------|--------|--------|
| | | | | in Rs. | in Rs. |
| 1 | Nill | | 0.00 | 0.00 | 0.00 |
| | (Manual mixing) | | 0.00 | 0.00 | 0.00 |
| Total hire charges of Machinery | | | | | 0.00 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|----------------------|------|----------|--------|--------|
| | | | | in Rs. | in Rs. |
| 1 | Mason CI- II | Day | 2.00 | 370.00 | 740.00 |
| 2 | work inspector | Day | 1.00 | 400.00 | 400.00 |
| 3 | mazdoor | Day | 3.00 | 310.00 | 930.00 |
| | Total cost of Labour | | | | |

labour component/unit qty

207.00

Add contractor's profit and overhead charges

13.615% 28.20

labour component/unit qty (including contractor's profit)

235.20

ABSTRACT:

| A. Cost of Materials | | | Rs: | 1354.84 |
|---|----------------|-------------|-----|---------|
| B. Hire charges of Machinery | | | Rs: | 0.00 |
| C. Cost of Labour | | | Rs: | 2070.00 |
| | | Total | Rs: | 3424.84 |
| D. Add for contractor's profit and overheads on (A+B+C) | | 13.615% Rs: | | 466.29 |
| Total cost for | 10.00 Joints | Rs: | | 3891.13 |
| Rate per joint | (A+B+C+D)/10.0 | Rs. | | 389.10 |

Note:

- (1) For NP3 Class 10% extra over the rates of NP2 Class
- (2) For NP4 Class 20% extra over the rates of NP2 Class

IRR-CCDW-6-3 Laying and jointing 600 mm dia. NP- 2 class or IRC standard hume pipes in CM 1:2

proportion by volume including cost of all materials (excluding pipes and collars), machinery, labour, aligning, packing joints with hemp, finishing, curing etc., complete **with initial lead upto**

50 m and all lifts.

(Cement content: 24.8 kg / joint, FA: 0.025cum/joint, Hemp Yarn: 0.22kg/joint)

DATA:

RATE ANALYSIS

UNIT:

10.00 Joints

| A. MATE | RIALS: | | | | |
|---------|-------------------------|------|----------|--------|---------|
| SI No | Particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Cement | kg | 248.00 | 6.30 | 1562.40 |
| 2 | Sand (Screened) | cum | 0.25 | 760.00 | 190.00 |
| 3 | Hemp yarn | kg | 2.20 | 72.00 | 158.40 |
| | Total cost of Materials | · | | Rs: | 1910.80 |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|---------------------------------|------|----------|--------|--------|
| | | | | in Rs. | in Rs. |
| 1 | Nill | | 0.00 | 0.00 | 0.00 |
| | (Manual mixing) | | 0.00 | 0.00 | 0.00 |
| | Total hire charges of Machinery | | | Rs: | 0.00 |

C. LABOUR:

| <u> </u> | , , , | | | | |
|----------|----------------------|------|----------|--------|---------|
| SI No | Description | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Mason CI- II | Day | 2.50 | 370.00 | 925.00 |
| 2 | work inspector | Day | 1.00 | 400.00 | 400.00 |
| 3 | mazdoor | Day | 4.00 | 310.00 | 1240.00 |
| | Total cost of Labour | | | Rs: | 2565.00 |

labour component/unit qty

256.50

Add contractor's profit and overhead charges

13.615% <u>34.90</u> **291.40**

labour component/unit qty (including contractor's profit)

ABSTRACT:

A. Cost of Materials Rs: 1910.80 B. Hire charges of Machinery Rs: 0.00

C. Cost of Labour Rs: 2565.00

D. Add for contractor's profit and overheads on (A+B+C)
Total cost for
10.00 Joints
Rate per joint

Total Rs: 4475.80
13.615% Rs: 609.38
10.00 Joints
Rs: 5085.18
10.00 Joints
Rs: 5085.18

Note: (1) For NP3 Class - 10% extra over the rates of NP2 Class

(2) For NP4 Class - 20% extra over the rates of NP2 Class

IRR-CCDW-6-4 Laying and jointing 700 mm dia. NP- 2 class or IRC standard hume pipes in CM 1:2

proportion by volume including cost of all materials (excluding pipes and collars), machinery, labour, aligning, packing joints with hemp, finishing, curing etc., complete with initial lead upto **50 m and all lifts.**

(Cement content: 32.1 kg / joint, FA: 0.031cum/joint, Hemp Yarn: 0.25kg/joint)

DATA: RATE ANALYSIS UNIT: 10.00 Joints

A. MATERIALS:

| SI No | Particulars | Unit | Quantity | Rate | Amount |
|-------|-------------------------|------|----------|--------|---------|
| | | | | in Rs. | in Rs. |
| 1 | Cement | kg | 321.00 | 6.30 | 2022.30 |
| 2 | Sand (Screened) | cum | 0.31 | 760.00 | 235.60 |
| 3 | Hemp yarn | kg | 2.50 | 72.00 | 180.00 |
| | Total cost of Materials | | | | 2437.90 |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|---------------------------------|------|----------|--------|--------|
| | · | | , | in Rs. | in Rs. |
| 1 | Nill | | 0.00 | 0.00 | 0.00 |
| | (Manual mixing) | | 0.00 | 0.00 | 0.00 |
| | Total hire charges of Machinery | | | Rs: | 0.00 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|----------------------|------|----------|--------|---------|
| | | | | in Rs. | in Rs. |
| 1 | Mason CI- II | Day | 2.50 | 370.00 | 925.00 |
| 2 | work inspector | Day | 1.00 | 400.00 | 400.00 |
| 3 | mazdoor | Day | 4.00 | 310.00 | 1240.00 |
| | Total cost of Labour | | | | 2565.00 |

labour component/unit qty256.50Add contractor's profit and overhead charges13.615% 34.90labour component/unit qty (including contractor's profit)291.40

ABSTRACT:

2437.90 A. Cost of Materials Rs: B. Hire charges of Machinery Rs: 0.00 C. Cost of Labour Rs: 2565.00 5002.90 Total Rs: D. Add for contractor's profit and overheads on (A+B+C) 13.615% Rs: 681.14 5684.04 Total cost for 10.00 Joints Rs: 568.40 Rate per joint (A+B+C+D)/10.0 Rs.

Note: (1) For NP3 Class - 10% extra over the rates of NP2 Class

(2) For NP4 Class - 20% extra over the rates of NP2 Class

IRR-CCDW-6-5 Laying and jointing 800 mm dia. NP- 2 class or IRC standard hume pipes in CM 1:2

proportion by volume including cost of all materials (excluding pipes and collars), machinery, labour, aligning, packing joints with hemp, finishing, curing etc., complete with initial lead upto

50 m and all lifts.

(Cement content: 39.6 kg / joint, FA: 0.039cum/joint, Hemp Yarn: 0.31kg/joint)

DATA: RATE ANALYSIS UNIT: 10.00 Joints

| A. MATER | RIALS: | | | | |
|----------|-----------------|------|----------|--------|---------|
| SI No | Particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Cement | kg | 396.00 | 6.30 | 2494.80 |
| 2 | Sand (Screened) | cum | 0.39 | 760.00 | 296.40 |
| 3 | Hemp yarn | kg | 3.10 | 72.00 | 223.20 |

10.00 Joints

| Total cost of Materials | Rs: | 3014.40 |
|-------------------------|-----|---------|

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|---------------------------------|------|----------|--------|--------|
| | | | | in Rs. | in Rs. |
| 1 | Nill | | 0.00 | 0.00 | 0.00 |
| | (Manual mixing) | | 0.00 | 0.00 | 0.00 |
| | Total hire charges of Machinery | | | | 0.00 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|----------------------|------|----------|--------|---------|
| | | | | in Rs. | in Rs. |
| 1 | Mason CI- II | Day | 3.00 | 370.00 | 1110.00 |
| 2 | work inspector | Day | 1.00 | 400.00 | 400.00 |
| 3 | mazdoor | Day | 5.00 | 310.00 | 1550.00 |
| | Total cost of Labour | | | Rs: | 3060.00 |

306.00 labour component/unit qty Add contractor's profit and overhead charges 13.615% 41.70 labour component/unit qty (including contractor's profit) 347.70

ABSTRACT:

A. Cost of Materials Rs: 3014.40 B. Hire charges of Machinery Rs: 0.00 C. Cost of Labour 3060.00 Rs: Total 6074.40 Rs: D. Add for contractor's profit and overheads on (A+B+C) 13.615% Rs: 827.03 Total cost for 10.00 Joints Rs: 6901.43 Rate per joint (A+B+C+D)/10.0 Rs. 690.10

Note: (1) For NP3 Class - 10% extra over the rates of NP2 Class

(2) For NP4 Class - 20% extra over the rates of NP2 Class

IRR-CCDW-6-6 Laying and jointing 900 mm dia. NP- 2 class or IRC standard hume pipes in CM 1:2

proportion by volume including cost of all materials (excluding pipes and collars), machinery, labour, aligning, packing joints with hemp, finishing, curing etc., complete with initial lead upto 50 m and all lifts.

(Cement content: 44.6 kg / joint, FA: 0.045cum/joint, Hemp Yarn: 0.34kg/joint)

DATA:

RATE ANALYSIS UNIT:

A MATERIALS:

| A. WALL | MALO. | | | | |
|---------|-------------------------|------|----------|--------|---------|
| SI No | Particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Cement | kg | 446.00 | 6.30 | 2809.80 |
| 2 | Sand (Screened) | cum | 0.45 | 760.00 | 342.00 |
| 3 | Hemp yarn | kg | 3.40 | 72.00 | 244.80 |
| | Total cost of Materials | | | | 3396.60 |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|---------------------------------|------|----------|--------|--------|
| | | | | in Rs. | in Rs. |
| 1 | Nill | | 0.00 | 0.00 | 0.00 |
| | (Manual mixing) | | 0.00 | 0.00 | 0.00 |
| | Total hire charges of Machinery | | | | 0.00 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|----------------------|----------------|------|----------|---------|---------|
| | | | | in Rs. | in Rs. |
| 1 | Mason CI- II | Day | 3.00 | 370.00 | 1110.00 |
| 2 | work inspector | Day | 1.00 | 400.00 | 400.00 |
| 3 | mazdoor | Day | 5.00 | 310.00 | 1550.00 |
| Total cost of Labour | | | Rs: | 3060.00 | |

labour component/unit qty 306.00 Add contractor's profit and overhead charges 13.615% 41.70 labour component/unit qty (including contractor's profit) 347.70

ABSTRACT:

A. Cost of Materials Rs: 3396.60 B. Hire charges of Machinery Rs: 0.00 C. Cost of Labour 3060.00 Rs:

Rs: Total 6456.60

D. Add for contractor's profit and overheads on (A+B+C) 13.615% Rs: 879.07 Total cost for 10.00 Joints Rs: 7335.67 Rate per joint (A+B+C+D)/10.0 Rs. 733.60

Note: (1) For NP3 Class - 10% extra over the rates of NP2 Class

(2) For NP4 Class - 20% extra over the rates of NP2 Class

IRR-CCDW-6-7 Laying and jointing 1000 mm dia. NP- 2 class or IRC standard hume pipes in CM 1:2

proportion by volume including cost of all materials (excluding pipes and collars), machinery, labour, aligning, packing joints with hemp, finishing, curing etc., complete with initial lead upto

50 m and all lifts.

(Cement content: 49.5 kg / joint, FA: 0.05cum/joint, Hemp Yarn: 0.377kg/joint)

DATA:

RATE ANALYSIS UNIT: 10.00 Joints

| A. MATEI | RIALS: | | | | |
|-------------------------|-----------------|------|----------|---------|---------|
| SI No | Particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Cement | kg | 495.00 | 6.30 | 3118.50 |
| 2 | Sand (Screened) | cum | 0.50 | 760.00 | 380.00 |
| 3 | Hemp yarn | kg | 3.77 | 72.00 | 271.44 |
| Total cost of Materials | | | Rs: | 3769.94 | |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|---------------------------------|-------------------|------|----------|--------|--------|
| | · | | - | in Rs. | in Rs. |
| 1 | Nill | | 0.00 | 0.00 | 0.00 |
| | (Manual mixing) | | 0.00 | 0.00 | 0.00 |
| Total hire charges of Machinery | | | | Rs: | 0.00 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|----------------------|----------------|------|----------|---------|---------|
| | | | | in Rs. | in Rs. |
| 1 | Mason CI- II | Day | 3.00 | 370.00 | 1110.00 |
| 2 | work inspector | Day | 1.00 | 400.00 | 400.00 |
| 3 | mazdoor | Day | 6.00 | 310.00 | 1860.00 |
| Total cost of Labour | | | Rs: | 3370.00 | |

labour component/unit qty Add contractor's profit and overhead charges

337.00 13.615% 45.90 382.90

labour component/unit qty (including contractor's profit)

ABSTRACT:

3769.94 A. Cost of Materials Rs: B. Hire charges of Machinery Rs: 0.00 C. Cost of Labour Rs: 3370.00 Total Rs: 7139.94 13.615% Rs: D. Add for contractor's profit and overheads on (A+B+C) 972.1 Total cost for 10.00 Joints Rs: 8112.04 811.20 Rate per joint (A+B+C+D)/10.0 Rs.

(1) For NP3 Class - 10% extra over the rates of NP2 Class Note:

(2) For NP4 Class - 20% extra over the rates of NP2 Class

IRR-CCDW-6-8 Laying and jointing 1100 mm dia. NP- 2 class or IRC standard hume pipes in CM 1:2

proportion by volume including cost of all materials (excluding pipes and collars), machinery, labour, aligning, packing joints with hemp, finishing, curing etc., complete with initial lead upto

50 m and all lifts.

(Cement content: 56.9 kg / joint, FA: 0.058cum/joint, Hemp Yarn: 0.415kg/joint)

DATA:

RATE ANALYSIS UNIT: 10.00 Joints A. MATERIALS:

| SI No | Particulars | Unit | Quantity | Rate | Amount |
|-------------------------|-----------------|------|----------|--------|---------|
| | | | | in Rs. | in Rs. |
| 1 | Cement | kg | 569.00 | 6.30 | 3584.70 |
| 2 | Sand (Screened) | cum | 0.58 | 760.00 | 440.80 |
| 3 | Hemp yarn | kg | 4.15 | 72.00 | 298.80 |
| Total cost of Materials | | | | Rs: | 4324.30 |

B. MACHINERY:

| D: 1017 (O1111 | 1121111 | | | | |
|---------------------------------|-------------------|------|----------|--------|--------|
| SI No | Description | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Nill | | 0.00 | 0.00 | 0.00 |
| | (Manual mixing) | | 0.00 | 0.00 | 0.00 |
| Total hire charges of Machinery | | | | | 0.00 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|----------------------|----------------|------|----------|---------|---------|
| | | | | in Rs. | in Rs. |
| 1 | Mason CI- II | Day | 3.00 | 370.00 | 1110.00 |
| 2 | work inspector | Day | 1.00 | 400.00 | 400.00 |
| 3 | mazdoor | Day | 6.00 | 310.00 | 1860.00 |
| Total cost of Labour | | | Rs: | 3370.00 | |

labour component/unit qty 337.00 13.615% <u>45.90</u> Add contractor's profit and overhead charges 382.90

labour component/unit qty (including contractor's profit)

ABSTRACT:

4324.30 A. Cost of Materials Rs: B. Hire charges of Machinery Rs: 0.00 C. Cost of Labour 3370.00 Rs: Total 7694.30 Rs: D. Add for contractor's profit and overheads on (A+B+C) 13.615% Rs: 1047.58 Total cost for 10.00 Joints Rs: 8741.88 Rate per joint (A+B+C+D)/10.0 Rs. 874.20

(1) For NP3 Class - 10% extra over the rates of NP2 Class (2) For NP4 Class - 20% extra over the rates of NP2 Class

IRR-CCDW-6-9 Laying and jointing 1200 mm dia. NP- 2 class or IRC standard hume pipes in CM 1:2

proportion by volume including cost of all materials (excluding pipes and collars), machinery, labour, aligning, packing joints with hemp, finishing, curing etc., complete with initial lead upto 50 m and all lifts.

(Cement content: 66.8 kg / joint, FA: 0.069cum/joint, Hemp Yarn: 0.453kg/joint)

DATA:

Note:

RATE ANALYSIS

| UNIT | 10.00 | Joints |
|-------|-------|--------|
| CINII | 10.00 | JUILIO |

| A. WALL | MALS. | | | | |
|-------------------------|-----------------|------|----------|--------|---------|
| SI No | Particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Cement | kg | 668.00 | 6.30 | 4208.40 |
| 2 | Sand (Screened) | cum | 0.69 | 760.00 | 524.40 |
| 3 | Hemp yarn | kg | 4.53 | 72.00 | 326.16 |
| Total cost of Materials | | | | Rs: | 5058.96 |

B. MACHINERY:

A MATEDIALS.

| SI No | Description | Unit | Quantity | Rate | Amount |
|---------------------------------|-------------------|------|----------|--------|--------|
| | | | | in Rs. | in Rs. |
| 1 | Nill | | 0.00 | 0.00 | 0.00 |
| | (Manual mixing) | | 0.00 | 0.00 | 0.00 |
| Total hire charges of Machinery | | | | | 0.00 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|----------------------|----------------|------|----------|---------|---------|
| | | | | in Rs. | in Rs. |
| 1 | Mason CI- II | Day | 4.00 | 370.00 | 1480.00 |
| 2 | work inspector | Day | 1.00 | 400.00 | 400.00 |
| 3 | mazdoor | Day | 7.00 | 310.00 | 2170.00 |
| Total cost of Labour | | | Rs: | 4050.00 | |

labour component/unit qty

405.00

Add contractor's profit and overhead charges

13.615% <u>55.10</u> 460.10

labour component/unit qty (including contractor's profit)

ABSTRACT:

A. Cost of Materials Rs: 5058.96 B. Hire charges of Machinery Rs: 0.00 C. Cost of Labour Rs: 4050.00 Total 9108.96 Rs:

D. Add for contractor's profit and overheads on (A+B+C) 13.615% Rs: 1240.18

Total cost for 10.00 Joints Rs: 10349.14

Rate per joint (A+B+C+D)/10.0 Rs. 1034.90

Note: (1) For NP3 Class - 10% extra over the rates of NP2 Class

(2) For NP4 Class - 20% extra over the rates of NP2 Class

IRR-CCDW-7 BACK FILLING & OTHER WORKS:

IRR-CCDW-7-1 Providing rubble / boulder and sand filling behind abutment and return walls in layers

including cost of all materials, machinery, labour, watering, ramming etc., complete with initial

lead upto 50 m and initial lift upto 3 m.

DATA: RATE ANALYSIS UNIT: 10.00 cum

| SI No | Particulars | Unit | Quantity | Rate | Amount |
|-------|-------------------------|------|----------|--------|---------|
| | | | | in Rs. | in Rs. |
| 1 | Rubble / Boulder | cum | 10.00 | 330.00 | 3300.00 |
| 2 | Sand for filling | cum | 4.00 | 560.00 | 2240.00 |
| | Total cost of Materials | | | | 5540.00 |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|---------------------------------|------|----------|--------|--------|
| | | | | in Rs. | in Rs. |
| 1 | Nill | | 0.00 | 0.00 | 0.00 |
| | (Manual mixing) | | 0.00 | 0.00 | 0.00 |
| | Total hire charges of Machinery | | | Rs: | 0.00 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|----------------------|------|----------|--------|---------|
| | | | | in Rs. | in Rs. |
| 1 | work inspector | Day | 0.50 | 400.00 | 200.00 |
| 2 | Mason Cl II | Day | 1.00 | 370.00 | 370.00 |
| 3 | mazdoor | Day | 4.00 | 310.00 | 1240.00 |
| | Total cost of Labour | | | Rs: | 1810.00 |

labour component/unit qty181.00Add contractor's profit and overhead charges13.615%24.60labour component/unit qty (including contractor's profit)205.60

ABSTRACT:

A. Cost of Materials Rs: 5540.00 B. Hire charges of Machinery 0.00 Rs: 1810.00 C. Cost of Labour Rs: Total 7350.00 Rs: D. Add for contractor's profit and overheads on (A+B+C) 13.615% Rs: 1000.7 8350.7 Total cost for 10.00 cum Rs: Rate per cum (A+B+C+D)/10.0 Rs. 835.10

IRR-CCDW-7-2 Providing and filling murrum / gravely soil (CNS soil) for foundation or around pipes

including breaking clods, spreading in layers of 10 to 15 cm, watering, compaction by earth masters to achieve density control of not less than 95 percent etc., complete with lead upto 50 m and all lifts.

DATA: RATE ANALYSIS UNIT: 10.00 cum

A. MATERIALS:

| 7 (1 1017 (1 E 1) | | | | | |
|---------------------|-------------------------|------|----------|--------|---------|
| SI No | Particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Murum | cum | 12.00 | 115.00 | 1380.00 |
| | | | 0.00 | 0.00 | 0.00 |
| | Total cost of Materials | | | Rs: | 1380.00 |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|---------------------------------|------|----------|--------|--------|
| | | | | in Rs. | in Rs. |
| 1 | Nill | | 0.00 | 0.00 | 0.00 |
| | | | 0.00 | 0.00 | 0.00 |
| | Total hire charges of Machinery | | | Rs: | 0.00 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|----------------------------------|------|----------|--------|---------|
| | | | | in Rs. | in Rs. |
| 1 | Cartman with double bullock cart | Day | 0.50 | 425.00 | 212.50 |
| 2 | work inspector | Day | 0.50 | 400.00 | 200.00 |
| 3 | mazdoor | Day | 6.00 | 310.00 | 1860.00 |
| | Total cost of Labour | • | | Rs: | 2272.50 |

 Iabour component/unit qty
 227.30

 Add contractor's profit and overhead charges
 13.615% 30.90

 Iabour component/unit qty (including contractor's profit)
 258.20

ABSTRACT:

A. Cost of Materials Rs: 1380.00 B. Hire charges of Machinery Rs: 0.00 C. Cost of Labour Rs: 2272.50 3652.50 Total Rs: D. Add for contractor's profit and overheads on (A+B+C) 13.615% Rs: 497.29 Total cost for 10.00 cum Rs: 4149.79 415.00 Rate per cum (A+B+C+D)/10.0 Rs.

IRR-CCDW-7-3 Providing and filling murum / gravely soil (CNS soil) for foundation or above pipes including breaking clods, spreading in layers of 10 to 15 cm, watering, compaction by power roller to achieve density control of not less than 98 percent etc., complete with lead upto 50 m and all lifts.

DATA: RATE ANALYSIS UNIT: 10.00 cum

| A. MATER | RIALS: | | | | |
|----------|-------------------------|------|----------|--------|---------|
| SI No | Particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Murum | cum | 12.00 | 115.00 | 1380.00 |
| | | | 0.00 | 0.00 | 0.00 |
| | Total cost of Materials | | | Rs: | 1380.00 |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|---------------------------------|------|----------|--------|--------|
| | | | | in Rs. | in Rs. |
| 1 | Diesel road roller 8-10 tonne | Hour | 0.17 | 197.20 | 33.65 |
| | Fuel / Energy charges | Hour | 0.17 | 731.40 | 124.81 |
| | Total hire charges of Machinery | | | | |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|----------------------------------|------|----------|--------|--------|
| | | | | in Rs. | in Rs. |
| 1 | Operator road roller | Hour | 0.17 | 195.90 | 33.43 |
| 2 | Cartman with double bullock cart | Day | 0.50 | 425.00 | 212.50 |
| 3 | work inspector | Day | 0.50 | 400.00 | 200.00 |
| 4 | mazdoor | Day | 1.50 | 310.00 | 465.00 |
| | Total cost of Labour | | | Rs: | 910.93 |

labour component/unit qty91.10Add contractor's profit and overhead charges13.615%12.40labour component/unit qty (including contractor's profit)103.50

ABSTRACT:

1380.00 A. Cost of Materials Rs: B. Hire charges of Machinery Rs: 158.46 C. Cost of Labour Rs: 910.93 2449.39 Total Rs: D. Add for contractor's profit and overheads on (A+B+C) 13.615% Rs: 333.49 2782.88 Total cost for 10.00 cum Rs: Rate per cum (A+B+C+D)/10.0 Rs. 278.30

IRR-CCDW-7-4 Providing and fixing one line dressed 111x35x25 cm thick IRC standard kilometre stone in cement concrete M-10 grade with 40 mm down size aggregates including excavating pit of size 70x45x40 cm, embedding the stone by 30 cm in concrete, providing 2 coats synthetic enamel paint of approved quality and colour to exposed surfaces and lettering as directed, cost of all materials, labour, finishing, curing etc., complete with initial lead upto 50 m and all lifts.

4 Nos.

DATA: RATE ANALYSIS UNIT:

| A. MAIL | RIALS: | | | | |
|---------|-------------------------------------|------|----------|---------|---------|
| SI No | Particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | One line dressed Km stone | No. | 4.00 | 470.00 | 1880.00 |
| 2 | 40-20 mm coarse aggregate | cum | 0.20 | 1145.00 | 229.00 |
| 3 | 20-10 mm coarse aggregate | cum | 0.15 | 1210.00 | 181.50 |
| 4 | 10-4.75 mm coarse aggregate | cum | 0.10 | 875.00 | 87.50 |
| 5 | Sand (Un-Screened) | cum | 0.20 | 560.00 | 112.00 |
| 6 | Cement | kg | 100.00 | 6.30 | 630.00 |
| 7 | Synthetic enamel paint I st quality | ltr | 1.00 | 240.00 | 240.00 |
| 8 | Sundries (brush / oil etc) | LS | 4.00 | 20.00 | 80.00 |
| | Total cost of Materials | | | | |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|---------------------------------|------|----------|--------|--------|
| | | | | in Rs. | in Rs. |
| 1 | NIL | | 0.00 | 0.00 | 0.00 |
| | (Manual mixing) | | 0.00 | 0.00 | 0.00 |
| | Total hire charges of Machinery | | | | 0.00 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|----------------------|------|----------|--------|---------|
| | | | | in Rs. | in Rs. |
| 1 | Mason CI- II | Day | 1.00 | 370.00 | 370.00 |
| 2 | work inspector | Day | 1.00 | 400.00 | 400.00 |
| 3 | mazdoor | Day | 1.00 | 310.00 | 310.00 |
| 4 | Painter CI- I | Day | 1.00 | 480.00 | 480.00 |
| | Total cost of Labour | • | | Rs: | 1560.00 |

 Iabour component/unit qty
 390.00

 Add contractor's profit and overhead charges
 13.615%
 53.10

 Iabour component/unit qty (including contractor's profit)
 443.10

ABSTRACT:

Rs: 3440.00 A. Cost of Materials B. Hire charges of Machinery Rs: 0.00 C. Cost of Labour Rs: 1560.00 Total Rs: 5000.00 D. Add for contractor's profit and overheads on (A+B+C) 13.615% Rs: 680.75 5680.75 Total cost for 4.00 Nos. Rs: 1420.20 Rate per No. (A+B+C+D)/4.0 Rs.

IRR-CCDW-7-5 Providing and fixing one line dressed 65x15x10 cm thick IRC standard hectometre stone in cement concrete M-10 grade with 40 mm down size aggregates including excavating pit of size 50x45x40 cm, embedding the stone by 30 cm in concrete, providing 2 coats synthetic enamel paint of approved quality and colour to exposed surfaces and lettering as directed, cost of all materials, labour, finishing, curing etc., complete with initial lead upto 50 m and all lifts.

DATA: RATE ANALYSIS UNIT: 4 Nos.

A. MATERIALS:

| A. INIA I L | NIALO. | | | | |
|-------------|-------------------------------------|--------|----------|---------|---------|
| SI No | Particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | One line dressed hectometre stone | No. | 4.00 | 260.00 | 1040.00 |
| 2 | 40-20 mm coarse aggregate | cum | 0.20 | 1145.00 | 229.00 |
| 3 | 20-10 mm coarse aggregate | cum | 0.15 | 1210.00 | 181.50 |
| 4 | 10-4.75 mm coarse aggregate | cum | 0.10 | 875.00 | 87.50 |
| 5 | Sand (Un-Screened) | cum | 0.20 | 560.00 | 112.00 |
| 6 | Cement | kg | 100.00 | 6.30 | 630.00 |
| 7 | Synthetic enamel paint I st quality | ltr | 0.40 | 240.00 | 96.00 |
| 8 | Sundries (brush / oil etc) | LS | 1.00 | 20.00 | 20.00 |
| | Total cost of Mate | erials | | Rs: | 2396.00 |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|---------------------------------|------|----------|--------|--------|
| | | | | in Rs. | in Rs. |
| 1 | NIL | | 0.00 | 0.00 | 0.00 |
| | (Manual mixing) | | 0.00 | 0.00 | 0.00 |
| | Total hire charges of Machinery | | | Rs: | 0.00 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|----------------------|------|----------|--------|---------|
| | | | | in Rs. | in Rs. |
| 1 | Mason CI- II | Day | 1.00 | 370.00 | 370.00 |
| 2 | work inspector | Day | 1.00 | 400.00 | 400.00 |
| 3 | mazdoor | Day | 1.00 | 310.00 | 310.00 |
| 4 | Painter CI- I | Day | 0.50 | 480.00 | 240.00 |
| • | Total cost of Labour | • | | Rs: | 1320.00 |

labour component/unit qty 330.00 Add contractor's profit and overhead charges 13.615% 44.90 374.90

labour component/unit qty (including contractor's profit)

ABSTRACT:

2396.00 A. Cost of Materials Rs: B. Hire charges of Machinery Rs: 0.00 C. Cost of Labour 1320.00 Rs: Total Rs: 3716.00 D. Add for contractor's profit and overheads on (A+B+C) 13.615% Rs: 505.93

Total cost for 4.00 Nos. Rs: 4221.93 Rate per No. (A+B+C+D)/4.0 Rs. 1055.50

(WLL BE WITH E-N-C & TO INCORPORATE CHANGES YEARLY/ AS NEEDED)

FOR THE YEAR: 2015-16

IRR-GAW

GATE HOIST AND ALLIED WORKS - DATA RATES

- All materials / bought out components for embedded parts, gates, hoists and allied works shall conform to relevant Indian standards / technical specifications and approved drawings.
- The basic rates are EXCLUSIVE of preparation of designs / drawings / material schedules etc., as per specifications and other technical data including revisions.
 If designs &drawings are to be done by private agency 2% of estimated cost be added
- 3 The basic rates are inclusive of cost of all materials, machinery, labour, fabrication, erection, commissioning and testing of gates, hoists and other related components as per technical specifications.
- The basic rates are inclusive of finishing, wastage of materials , incidental works, temperary supports, all enabling works, profit, overheads, small tools / plants, hidden cost on labour etc.
- The basic rates are inclusive of taxes, duties (excise), levies and all other incidental charges including turn over tax/sales tax on works contract. Separate provision shall be made in the estimate towards such tax on works contract at the rate prevailing at the time of preparation of estimate.
- 6 The basic rates are inclusive of all leads and lifts including rehandling.
- 7 no provision is made for stitch welding and it is part of welding work
- The basic rates are inclusive of preparatory works such as rectification of damages, repairing shop painting, cleaning, positioning and anchoring first stage embedments,
- 9 The basic rates are not inclusive of painting with or without sand blasting, and are to be added to the rate as perschedule rates formulated in the same chapter as per applicability and specifications
- The basic rates are exclusive of cost of river diversion arrangements, dewatering, desilting ,secondary concreting of EM parts etc., which form part of civil works.
- 11 DESIGNS AND DRAWING CHARGES AT 2% BE ADDED EXTRA TO THE ESTIMATES, IF CONTRACTOR'S SCOPE OF WORK INVOLVES DESIGNS COMPONENT ALSO
- 12 Add AREA ALLOWANCES AS APPLICABLE ON LABOUR COMPONENT ONLY (SHOWN UNDER EACH ITEM)
- 13 Add contractors profit and overheads at 14% to all items
- 14 Painting Charges added extra to the data items as per applicability wherver necessary
- 15 HOIST EQUIPMENT1.-where sand blasting is not possible, hand and power tool cleaning be adopted - Guidance may be taken from Mechanical workshop in this regard
 - 2. Machined surfaces should not be painted
 - 3. for maintenance unless sand blasting is essential hand and power tool cleaning be adopted
- Painting of Hoast Gates is to be done as per IS 14177:1994

DATA and RATES ---GATE / HOIST AND ALLIED WORKS -

(STORED WITH E-N-C &TO INCORPORATE CHANGES YEARLY/AS NEEDED)

GAW - Work Items

Index- code

IRR-GAW

TYPES OF GATES:

IRR-GAW-1 A. SPILLWAY RADIAL GATES

IRR-GAW-1-1 E.M Parts and anchorages

fabrication, supply, erection, testing and **commissioning of Embedded parts for radial gate** consists of sill beam, wall plates, anchor girders, yoke girders, tie flats, trunnion supports etc., including cost of all materials, machinery, labour, welding, finishing, with leads and lifts &all accessories (without painting on sand-blasted or mechanical cleaning surfaces which are added extra

as perscedule of rates under itemsinthis chapter and add as applicable separately)

Drawing no. MD/CDO/VRSP/90-92/85-86 (Vengalaraya Sagar - Gomukhi Project)

Vent Size: 12.00 X 6.6 Mtrs

DATA: RATE ANALYSIS UNIT: 15.300 tonne

| | A. MATERIALS: | | | | | | |
|-------|---|------|----------|--------|-----------|--|--|
| SI No | particulars | Unit | Quantity | Rate | Amount | | |
| | | | | in Rs. | in Rs. | | |
| 1 | Str steel angle / beam / channel / bars | kg | 3467.00 | 40.00 | 138680.00 | | |
| 2 | Structural steel plate / flats | kg | 11261.00 | 40.00 | 450440.00 | | |
| 3 | Stainless steel plate / flats | kg | 515.00 | 275.00 | 141625.00 | | |
| 4 | MS bolts and nuts | kg | 48.00 | 90.00 | 4320.00 | | |
| 5 | Oxygen gas | cum | 158.00 | 45.00 | 7110.00 | | |
| 6 | Acetyline gas | cum | 53.00 | 330.00 | 17490.00 | | |
| 7 | Welding electrodes | Nos | 11520.00 | 11.00 | 126720.00 | | |
| 8 | Welding electrodes (LH) | Nos | 2880.00 | 18.00 | 51840.00 | | |
| 9 | Welding electrodes (stainless steel) | Nos | 1160.00 | 27.00 | 31320.00 | | |
| 10 | Use rate welding holder set | Hour | 1945.00 | 7.65 | 14879.25 | | |
| 11 | Use rate gas cutting torch set | Hour | 158.00 | 2.08 | 329.17 | | |
| 12 | Sundries | LS | 100.00 | 20.00 | 2000.00 | | |
| | Total cost of Materials Rs: 986753. | | | | | | |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|---------------------------------|------|----------|---------|-----------|
| | | | | in Rs. | in Rs. |
| 1 | Welding transformer | Hour | 1945.00 | 16.00 | 31120.00 |
| | Fuel / Energy charges | Hour | 1945.00 | 92.40 | 179718.00 |
| | Tower crane/heavy duty tyre | | | | |
| 2 | mounted crane | Hour | 16.00 | 867.10 | 13873.60 |
| | Fuel / Energy charges | Hour | 16.00 | 200.20 | 3203.20 |
| 3 | Plate shearing machine | Hour | 16.00 | 41.90 | 670.40 |
| | Fuel / Energy charges | Hour | 16.00 | 154.00 | 2464.00 |
| 4 | Pug cutting machine | Hour | 76.00 | 6.40 | 486.40 |
| | Fuel / Energy charges | Hour | 76.00 | 3.80 | 288.80 |
| 5 | Mobile crane 16 Tonnes | Hour | 22.00 | 2278.10 | 50118.20 |
| | Fuel / Energy charges | Hour | 22.00 | 75.00 | 1650.00 |
| 6 | Stationery derric crane | Hour | 64.00 | 86.10 | 5510.40 |
| | Fuel / Energy charges | Hour | 64.00 | 0.00 | 0.00 |
| 7 | Grinding machine | Hour | 30.00 | 22.50 | 675.00 |
| | Fuel / Energy charges | Hour | 30.00 | 38.50 | 1155.00 |
| 8 | Drilling machines | Hour | 30.00 | 22.50 | 675.00 |
| | Fuel / Energy charges | Hour | 30.00 | 38.50 | 1155.00 |
| 9 | Planing machine | Hour | 100.00 | 117.80 | 11780.00 |
| | Fuel / Energy charges | Hour | 100.00 | 115.50 | 11550.00 |
| 10 | Bending Machine | Hour | 30.00 | 42.60 | 1278.00 |
| | Fuel / Energy charges | Hour | 30.00 | 115.50 | 3465.00 |
| 11 | Sundries | LS | 100.00 | 20.00 | 2000.00 |
| | Total hire charges of Machinery | | | Rs: | 322836.00 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|-------------------------------|------|-----------|--------|-----------|
| | | | | in Rs. | in Rs. |
| 1 | Crew for Tower crane | Hour | 16.00 | 176.80 | 2828.80 |
| 2 | Crew for Mobile crane 16 T | Hour | 22.00 | 489.20 | 10762.40 |
| 3 | Crew for Shearing machine | Hour | 16.00 | 132.60 | 2121.60 |
| 4 | Crew for Planing machine | Hour | 100.00 | 195.90 | 19590.00 |
| 5 | Crew for Drilling machine | Hour | 30.00 | 187.20 | 5616.00 |
| 6 | Crew for Grinding machine | Hour | 30.00 | 187.20 | 5616.00 |
| 7 | Crew for Bending machine | | 30.00 | 122.50 | 3675.00 |
| 8 | Foreman | Day | 15.00 | 480.00 | 7200.00 |
| 9 | Marker / Fabricator / Erector | Day | 75.00 | 480.00 | 36000.00 |
| 10 | Gas cutter | Day | 20.00 | 415.00 | 8300.00 |
| 11 | Welder (General) | Day | 212.00 | 415.00 | 87980.00 |
| 12 | Welder (X - ray) | Day | 48.00 | 480.00 | 23040.00 |
| 13 | Khalasi | Day | 345.00 | 415.00 | 143175.00 |
| 14 | Helper fabrication / erection | Day | 255.00 | 370.00 | 94350.00 |
| 15 | Electrician | Day | 5.00 | 480.00 | 2400.00 |
| | | Rs: | 452654.80 | | |

Add towards highly skilled labour charges @ 30% on total cost of labour Total Cost of Labour

588451.24

266170.78

labour component/unit qty
Add contractor's profit and overhead charges
13.615%
5236.50
labour component/unit qty (including contractor's profit)
43697.40

ABSTRACT:

| A. Cost of Materials | | Rs: | 986753.42 |
|--|-------|-----|------------|
| B. Hire charges of Machinery | | Rs: | 322836.00 |
| C. Cost of Labour | | Rs: | 588451.24 |
| | Total | Rs: | 1898040.66 |
| D.Add for excise duty | 0.00% | Rs: | 0.00 |
| (on 75 percent cost excluding cost of materials) | Total | Rs: | 1898040.66 |
| E. Add for transportation upto work site @ | 3% | Rs: | 56941.22 |
| | Total | Rs: | 1954981.88 |
| F. Add for contractor's profit and overheads on | | | |

F. Add for contractor's profit and overheads on

(A+B+C+D+E) 13.615%

Add 2 leads

Add 1 km lead charges for fabricated parts Unloading charges of fabricated parts Rs Total cost for

I 18.90 per tonne 578.34 66.30 per tonne <u>2028.78</u>

15.300 tonne Rs: 2223759.78

Rate per tonne Rs: 145343.80

Rs:

RADIAL GATES

A-2 Gates

IRR-GAW-1-2 fabrication, supply, erection, testing and **commissioning of radial gate** consisting of skin plate, stiffeners, horizontal girders, radial arms, trunnion assemblies, tie beam, pulley supports, bracings, rubber seals, clamps etc., with all accessories **for spillway/canals** including cost of all materials, machinery, labour, seal fixing etc., complete as per specifications and approved drawings

(without painting on sand-blasted or mechanical cleaning surfaces which are added extra as perscedule of rates under itemsinthis chapter and add as applicable separately)

Drawing no. MD/CDO/VRSP/170-172/85-86(Vengalaraya Sagar - Gomukhi Project)

Vent Size: 12 X 6.6 Mtr

DATA: R.

RATE ANALYSIS

UNIT: **29.000** tonne

| SI No | particulars | Unit | Quantity | Rate | Amount |
|-------|----------------------------------|---------------|-----------|---------|------------|
| | | | | in Rs. | in Rs. |
| 1 | Structural steel : | | | | |
| | Angles / beams / channels / bars | kg | 9700.00 | 40.00 | 388000.00 |
| | Plates / flats | kg | 16850.00 | 40.00 | 674000.00 |
| 2 | Cast steel components : | | | | |
| | Trunnion hubs / Guide rollers | kg | 2100.00 | 180.00 | 378000.00 |
| | Alluminium / Bronze alloy | | | | |
| 3 | components : | | | | |
| | Bush for Trunnion / Guide roller | kg | 350.00 | 920.00 | 322000.00 |
| 4 | Bolt / Nut / Washer : | | | | |
| | GI bolts / nuts / washers | kg | 250.00 | 120.00 | 30000.00 |
| 5 | Zinc/Babbit Metal | kg | 50.00 | 180.00 | 9000.00 |
| 6 | Rubber seals : | | | | |
| | Bottom seal | Rm | 12.00 | 780.00 | 9360.00 |
| | Side seals (Z - type) | Rm | 14.00 | 1600.00 | 22400.00 |
| 7 | Oxygen gas | cum | 228.00 | 45.00 | 10260.00 |
| 8 | Acetyline gas | cum | 76.00 | 330.00 | 25080.00 |
| 9 | Welding electrodes (std) | Nos | 1000.00 | 11.00 | 11000.00 |
| 10 | Welding electrodes (LH) | Nos | 250.00 | 18.00 | 4500.00 |
| 11 | Use rate welding holder set | Hour | 156.00 | 7.65 | 1193.40 |
| 12 | Use rate gas cutting torch set | Hour | 228.00 | 2.08 | 475.00 |
| 13 | Sundries | LS | 500.00 | 20.00 | 10000.00 |
| | | Total cost of | Materials | Rs: | 1895268.40 |

B. MACHINERY:

| ĺ | SI No | Description | Unit | Quantity | Rate | Amount |
|---|-------|-----------------------|------|----------|--------|----------|
| | | | | | in Rs. | in Rs. |
| ſ | 1 | Welding transformer | Hour | 156.00 | 16.00 | 2496.00 |
| | | Fuel / Energy charges | Hour | 156.00 | 92.40 | 14414.40 |

| | | | | Gate | s and Allied Works - Item U |
|----|---------------------------------|------|--------|---------|-----------------------------|
| 2 | Plate shearing machine | Hour | 29.00 | 41.90 | 1215.10 |
| | Fuel / Energy charges | Hour | 29.00 | 154.00 | 4466.00 |
| 3 | Pug cutting machine | Hour | 114.00 | 6.40 | 729.60 |
| | Fuel / Energy charges | Hour | 114.00 | 3.80 | 433.20 |
| 4 | Bending machine | Hour | 116.00 | 42.60 | 4941.60 |
| | Fuel / Energy charges | Hour | 116.00 | 115.50 | 13398.00 |
| 5 | Tower crane 5 t cpacity | Hour | 29.00 | 867.10 | 25145.90 |
| | Fuel / Energy charges | Hour | 29.00 | 200.20 | 5805.80 |
| 6 | Mobile derric crane | Hour | 58.00 | 519.70 | 30142.60 |
| | Fuel / Energy charges | Hour | 58.00 | 307.20 | 17817.60 |
| 7 | Stationery derric crane | Hour | 58.00 | 86.10 | 4993.80 |
| | Fuel / Energy charges | Hour | 58.00 | 0.00 | 0.00 |
| 8 | Grinding machine | Hour | 58.00 | 22.50 | 1305.00 |
| | Fuel / Energy charges | Hour | 58.00 | 38.50 | 2233.00 |
| 9 | Drilling machines | Hour | 58.00 | 22.50 | 1305.00 |
| | Fuel / Energy charges | Hour | 58.00 | 38.50 | 2233.00 |
| 10 | Mobile Crane 30 T | Hour | 100.00 | 3096.80 | 309680.00 |
| | Fuel / Energy charges | Hour | 100.00 | 118.80 | 11880.00 |
| 11 | Sundries | LS | 500.00 | 20.00 | 10000.00 |
| | Total hire charges of Machinery | | | Rs: | 464635.60 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|-------------------------------|------|-----------|--------|-----------|
| | | | | in Rs. | in Rs. |
| 1 | Crew for Mobile crane 30T | Hour | 100.00 | 489.20 | 48920.00 |
| 2 | Crew for Tower crane | Hour | 29.00 | 176.80 | 5127.20 |
| 3 | Crew for Bending machine | Hour | 116.00 | 122.50 | 14210.00 |
| 4 | Crew for Drilling machine | Hour | 58.00 | 187.20 | 10857.60 |
| 5 | Crew for Grinding machine | Hour | 58.00 | 187.20 | 10857.60 |
| 6 | Foreman | Day | 29.00 | 480.00 | 13920.00 |
| 7 | Marker / Fabricator / Erector | Day | 145.00 | 480.00 | 69600.00 |
| 8 | Gas cutter | Day | 29.00 | 415.00 | 12035.00 |
| 9 | Welder (General) | Day | 17.00 | 415.00 | 7055.00 |
| 10 | Welder (X - ray) | Day | 5.00 | 480.00 | 2400.00 |
| 11 | Khalasi | Day | 493.00 | 415.00 | 204595.00 |
| 12 | Helper fabrication / erection | Day | 667.00 | 370.00 | 246790.00 |
| 13 | Electrician | Day | 15.00 | 480.00 | 7200.00 |
| | | Rs: | 653567.40 | | |

Add towards highly skilled labour charges @ 30% on total cost of labour

Total Cost of Labour

196070.22
849637.62

labour component/unit qty 29297.80
Add contractor's profit and overhead charges 13.615% 3988.90
labour component/unit qty (including contractor's profit) 33286.70

ABSTRACT:

| A. Cost of Materials | | | Rs: | 1895268.40 |
|--|---------------|-----------------|-----|------------|
| B. Hire charges of Machinery | | | Rs: | 464635.60 |
| C. Cost of Labour | | | Rs: | 849637.62 |
| | | Total | Rs: | 3209541.62 |
| D. Add for excise duty | | 0.00% | Rs: | 0.00 |
| (on 75 percent cost excluding cost of materials) | | Total | Rs: | 3209541.62 |
| E. Add for transportation upto work site @ | | 3% | Rs: | 96286.25 |
| | Total | | Rs: | 3305827.87 |
| F. Add for contractor's profit and overheads on | | | | |
| (A+B+C+D+E) | 13.615% | | Rs: | 450088.46 |
| Add 2 leads | | | | |
| Add 1 km lead charges for fabricated parts | | 18.90 per tonne | | 1096.2 |
| Unloading charges of fabricated parts Rs | | 66.30 per tonne | | 3845.4 |
| Total cost for | 29.000 tonne | • | Rs: | 3760857.93 |
| | Rate ner tonn | ne. | Rs | 129684 80 |

IRR-GAW-1-3 RADIAL GATES-ROPE DRUM HOISTS WITH HOIST BRIDGES

fabrication, supply, erection, testing and **commissioning of electrically operated rope drum hoist of adequate capacity** consisting of base frames, rope drums,connecting shaft, gear system, brake system, electric motor, wire ropes, gate position indicator, manual operation arrangement etc., with all accessories for spillway radial gate including cost of all materials, machinery, labour,, greasing, providing hand railing and approach staircase with gate to hoist platform, , complete as per specifications and approved drawings

DATA: RATE ANALYSIS UNIT: 15.440 tonne wt

| A. MATERI | ALS: | | | 90.00 | t capacity |
|-----------|--|---------------|-----------|-----------|------------|
| SI No | particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Structural steel | | | | |
| | Angles / beams / channels / bars | kg | 2571.00 | 40.00 | 102840.00 |
| | Plates / flats | kg | 3632.00 | 40.00 | 145280.00 |
| 2 | Cast steel components : | | | | |
| | Rope drums 2 Nos / Gears 4 Nos | kg | 3680.00 | 220.00 | 809600.00 |
| | Pinions | kg | 218.00 | 210.00 | 45780.00 |
| | Pulleys 720 PCD 6 Nos | kg | 1080.00 | 180.00 | 194400.00 |
| | Plummer blocks / Hubs | kg | 322.00 | 180.00 | 57960.00 |
| 3 | Alloy steel components | | | | |
| | Shafts | kg | 557.00 | 230.00 | 128110.00 |
| | Pins | kg | 546.00 | 420.00 | 229320.00 |
| 4 | Bronze alloy components : | | | | |
| | Bronze bearings / bush | kg | 144.00 | 920.00 | 132480.00 |
| | Wire rope 36 mm dia 6/37 | | | | |
| 5 | construction | kg | 448.00 | 200.00 | 89600.00 |
| 6 | MS Bolt / Nut / Washer | kg | 85.00 | 90.00 | 7650.00 |
| 7 | Worm reducers | No. | 1.00 | 224400.00 | 224400.00 |
| 8 | Electric motor 20 hp | No. | 1.00 | 121000.00 | 121000.00 |
| 9 | Floating shaft 300 mm dia | kg | 1000.00 | 180.00 | 180000.00 |
| 10 | Manual operating system | No. | 1.00 | 28820.00 | 28820.00 |
| 11 | Gate position indicator | No. | 1.00 | 195800.00 | 195800.00 |
| 12 | Ele-magnetic brake | No. | 1.00 | 35200.00 | 35200.00 |
| | Electric cable / switch / control panel | | | | |
| 13 | etc | LS | 1.00 | 50380.00 | 50380.00 |
| 14 | Oxygen gas | cum | 213.00 | 45.00 | 9585.00 |
| 15 | Acetyline gas | cum | 71.00 | 330.00 | 23430.00 |
| 16 | Welding electrodes | Nos | 530.00 | 11.00 | 5830.00 |
| 17 | Welding electrodes (LH) | Nos | 4776.00 | 18.00 | 85968.00 |
| 18 | Grease | kg | 50.00 | 260.00 | 13000.00 |
| 19 | Use rate welding holder set | Hour | 566.00 | 7.65 | 4329.90 |
| 20 | Use rate gas cutting torch set | Hour | 90.00 | 2.08 | 187.50 |
| 21 | Sundries (hand rail /staircase / gate e | LS | 200.00 | 20.00 | 4000.00 |
| | <u> </u> | Total cost of | Materials | Rs: | 2924950.40 |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|---------------------------------|------|----------|--------|----------|
| | | | | in Rs. | in Rs. |
| 1 | Welding transformer | Hour | 566.00 | 16.00 | 9056.00 |
| | Fuel / Energy charges | Hour | 353.00 | 92.40 | 32617.20 |
| 2 | Tower crane 5 t capacity | Hour | 4.00 | 867.10 | 3468.40 |
| | Fuel / Energy charges | Hour | 4.00 | 200.20 | 800.80 |
| 3 | Pug cutting machine | Hour | 53.00 | 6.40 | 339.20 |
| | Fuel / Energy charges | Hour | 53.00 | 3.80 | 201.40 |
| 4 | Mobile derric crane | Hour | 50.00 | 519.70 | 25985.00 |
| | Fuel / Energy charges | Hour | 50.00 | 307.20 | 15360.00 |
| 5 | Grinding machine | Hour | 8.00 | 22.50 | 180.00 |
| | Fuel / Energy charges | Hour | 8.00 | 38.50 | 308.00 |
| 6 | Drilling machines | Hour | 16.00 | 22.50 | 360.00 |
| | Fuel / Energy charges | Hour | 16.00 | 38.50 | 616.00 |
| 7 | Sundries | LS | 100.00 | 20.00 | 2000.00 |
| | Total hire charges of Machinery | | | Rs: | 91292.00 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|---------------------------------|------|----------|--------|----------|
| | | | | in Rs. | in Rs. |
| 1 | Crew for Mobile crane | Hour | 50.00 | 165.80 | 8290.00 |
| 2 | Crew for Tower crane | Hour | 4.00 | 176.80 | 707.20 |
| 3 | Crew for Drilling machine | Hour | 16.00 | 187.20 | 2995.20 |
| 4 | Crew for Grinding machine | Hour | 8.00 | 187.20 | 1497.60 |
| 5 | Foreman | Day | 35.00 | 480.00 | 16800.00 |
| | Marker / Fabricator / Erector / | | | | |
| 6 | Mechanic | Day | 58.00 | 480.00 | 27840.00 |
| 7 | Gas cutter | Day | 18.00 | 415.00 | 7470.00 |

Gates and Allied Works - Item Unit Pates 2014-15

| | Gates and Allied Works - Item Unit I | | | | | | | |
|----------|--------------------------------------|-----|--------|--------|-----------|--|--|--|
| 8 | Welder (General) | Day | 53.00 | 415.00 | 21995.00 | | | |
| 9 | Khalasi | Day | 20.00 | 415.00 | 8300.00 | | | |
| 10 | Helper fabrication / erection | Day | 175.00 | 370.00 | 64750.00 | | | |
| 11 | Electrician | Day | 3.00 | 480.00 | 1440.00 | | | |
| <u> </u> | Total cost of Labour | | | Rs: | 162085.00 | | | |

Add towards highly skilled labour charges @ 30% on total cost of labour

Total Cost of Labour

210710.50

labour component/unit qty 2341.20
Add contractor's profit and overhead charges 13.615% 318.80
labour component/unit qty (including contractor's profit) 2660.00

ABSTRACT:

| ADSTRACT. | | | | | |
|--|----------|------------|---------------|-----|------------|
| A. Cost of Materials | | | | Rs: | 2924950.40 |
| B. Hire charges of Machinery | | | | Rs: | 91292.00 |
| C. Cost of Labour | | | | Rs: | 210710.50 |
| | | Tota | | Rs: | 3226952.90 |
| D. Add for excise duty | | 0.00 | % | Rs: | 0.00 |
| (on 75 percent cost excluding cost of materials) | | Tot | al | Rs: | 3226952.90 |
| E. Add for transportation upto work site @ | | 39 | % | Rs: | 96808.59 |
| | | Total | | Rs: | 3323761.49 |
| F. Add for contractor's profit and overheads on | | | | | |
| (A+B+C+D+E) | 13.615% | | | Rs: | 452530.13 |
| Add 2 leads | | | | | |
| Add 1 km lead charges for fabricated parts | I | 18.9 | 0 per tonne | | 583.632 |
| Unloading charges of fabricated parts Rs | | 66.3 | 0 per tonne | | 2047.344 |
| Total cost for | 15.440 | tonne wt | | Rs: | 3778922.59 |
| Total cost for | 90.00 | t capacity | | Rs: | |
| | Rate per | tonne wt | | Rs: | 244748.90 |
| | Rate per | tonne cap | acity of hois | t | 41988.00 |
| | | | | | |

IRR-GAW-1-4 Walk way(cat walk)

fabrication, supply, erection and **commissioning of 1 metre wide walkway connecting spillway piers / abutments** at trunnion platform level including cost of all materials, machinery, labour, cutting, welding etc, complete as per specifications and approved drawings (without painting on sand-blasted or mechanical cleaning surfaces which are added extra as perscedule of rates under itemsinthis chapter and add as applicable separately)

DATA: RATE ANALYSIS UNIT: 5.22 MT

A. MATERIALS:

| SI No | particulars | Unit | Quantity | Rate | Amount |
|-------|----------------------------------|---------------|-----------|--------|-----------|
| | | | | in Rs. | in Rs. |
| 1 | Structural steel | | | | |
| | Angles / beams / channels / bars | kg | 4258.00 | 40.00 | 170320.00 |
| | Plates / flats | kg | 98.00 | 40.00 | 3920.00 |
| | Chequered plates | kg | 856.00 | 63.00 | 53928.00 |
| 2 | MS bolts / nuts / washers | kg | 8.00 | 90.00 | 720.00 |
| 3 | Oxygen gas | cum | 51.00 | 45.00 | 2295.00 |
| 4 | Acetyline gas | cum | 17.00 | 330.00 | 5610.00 |
| 5 | Welding electrodes | Nos | 1195.00 | 11.00 | 13145.00 |
| 6 | Use rate welding holder set | Hour | 150.00 | 7.65 | 1147.50 |
| 7 | Use rate gas cutting torch set | Hour | 30.00 | 2.08 | 62.50 |
| 8 | Sundries | LS | 10.00 | 20.00 | 200.00 |
| | | Total cost of | Materials | Rs: | 251348.00 |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|-----------------------|------|----------|---------|----------|
| | | | | in Rs. | in Rs. |
| 1 | Welding transformer | Hour | 150.00 | 16.00 | 2400.00 |
| | Fuel / Energy charges | Hour | 150.00 | 92.40 | 13860.00 |
| 2 | Tower crane | Hour | 6.00 | 867.10 | 5202.60 |
| | Fuel / Energy charges | Hour | 6.00 | 200.20 | 1201.20 |
| 3 | Pug cutting machine | Hour | 12.00 | 6.40 | 76.80 |
| | Fuel / Energy charges | Hour | 12.00 | 3.80 | 45.60 |
| 4 | Mobile CRANE 16T | Hour | 8.00 | 2278.10 | 18224.80 |
| | Fuel / Energy charges | Hour | 8.00 | 75.00 | 600.00 |
| 5 | Grinding machine | Hour | 12.00 | 22.50 | 270.00 |
| | Fuel / Energy charges | Hour | 12.00 | 38.50 | 462.00 |

Gates and Allied Works - Item Unit Rates 2014-15

| Ŭ | Sullules | LO | 10.00 | 20.00 | 200.00 | |
|---|-----------------------|------|-------|--------|---------|--|
| 8 | Sundries | LS | 10.00 | 20.00 | 200.00 | |
| | Fuel / Energy charges | Hour | 10.00 | 115.50 | 1155.00 | |
| 7 | Bending Machine | Hour | 10.00 | 42.60 | 426.00 | |
| | Fuel / Energy charges | Hour | 12.00 | 38.50 | 462.00 | |
| 6 | Drilling machines | Hour | 12.00 | 22.50 | 270.00 | |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|-------------------------------|-----------|----------|--------|----------|
| | · | | | in Rs. | in Rs. |
| 1 | Crew for Mobile crane 16T | Hour | 10.00 | 489.20 | 4892.00 |
| 2 | Crew for Tower crane | Hour | 6.00 | 176.80 | 1060.80 |
| 3 | Crew for Drilling machine | Hour | 12.00 | 187.20 | 2246.40 |
| 4 | Crew for Grinding machine | Hour | 12.00 | 187.20 | 2246.40 |
| 5 | Crew for Bending machine | Hour | 10.00 | 122.50 | 1225.00 |
| 6 | Foreman | Day | 6.00 | 480.00 | 2880.00 |
| 7 | Marker / Fabricator / Erector | Day | 25.00 | 480.00 | 12000.00 |
| 8 | Gas cutter | Day | 5.00 | 415.00 | 2075.00 |
| 9 | Welder (General) | Day | 20.00 | 415.00 | 8300.00 |
| 10 | Helper fabrication / erection | Day | 200.00 | 370.00 | 74000.00 |
| 11 | Electrician | Day | 2.00 | 480.00 | 960.00 |
| | Rs: | 111885.60 | | | |

Add towards highly skilled labour charges @ 30% on total cost of labour Total Cost of Labour

33565.68

145451.28

labour component/unit qty 27864.20 Add contractor's profit and overhead charges 13.615% 3793.70 labour component/unit qty (including contractor's profit) 31657.90

ABSTRACT:

| | Rate per MT | | Rs: | 99181.90 |
|---|-------------|-----------------|----------|-----------|
| Total cost for | 5.22 MT | | Rs: | 517729.73 |
| Unloading charges of fabricated parts Rs | | 66.30 per tonne | <u>.</u> | 692.172 |
| Add 2 leads Add 1 km lead charges for fabricated parts | 1 | 18.90 per tonne | | 197.316 |
| F. Add for contractor's profit and overheads on (A+B+C+D+E) | 13.615% | | Rs: | 61935.31 |
| | Total | | Rs: | 454904.94 |
| E. Add for transportation upto work site @ | | 3% | Rs: | 13249.66 |
| (on 75 percent cost excluding cost of materials) | | Total | Rs: | 441655.28 |
| D. Add for excise duty | | 0.00% | Rs: | 0.00 |
| | | Total | Rs: | 441655.28 |
| C. Cost of Labour | | | Rs: | 145451.28 |
| B. Hire charges of Machinery | | | Rs: | 44856.00 |
| A. Cost of Materials | | | Rs: | 251348.00 |
| ABSTRACT. | | | | |

VERTICAL LIFT GATES-EM PARTS IRR-GAW-2

IRR-GAW-2-1 Design, fabrication, supply, erection and commissioning of embedded parts consisting of

sill beam, slide tracks, seal seats, guide rails, dogging sets for storage of stoplog elements etc., with all accessories for spillway stop log gates and other vertical lift elements including cost of all materials, machinery, labour, etc., complete as per specifications and approved drawings

(without painting on sand-blasted or mechanical cleaning surfaces which are added extra as perscedule of rates under items in this chapter and add as applicable separately)

Drawing No. MD/CDO/GNCP/HR/1759,1760/94 (GNSS Project)

Vent Size:

3.6 X 6.1 Mtr

DATA:

RATE ANALYSIS UNIT: 6.300 tonne A. MATERIALS:

| A. WALLIN | | | | | |
|-----------|---|------|----------|--------|-----------|
| SI No | particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Str steel angle / beam / channel / bars | kg | 1885.00 | 40.00 | 75400.00 |
| 2 | Structural steel plate / flats | kg | 3890.00 | 40.00 | 155600.00 |
| 3 | Stainless steel plate / flats | kg | 271.00 | 275.00 | 74525.00 |
| 4 | MS bolts and nuts | kg | 50.00 | 90.00 | 4500.00 |
| 5 | Oxygen gas | cum | 225.00 | 45.00 | 10125.00 |
| 6 | Acetyline gas | cum | 75.00 | 330.00 | 24750.00 |
| 7 | Welding electrodes | Nos | 1410.00 | 11.00 | 15510.00 |
| 8 | Welding electrodes (LH) | Nos | 350.00 | 18.00 | 6300.00 |
| 9 | Welding electrodes (stainless steel) | Nos | 1320.00 | 27.00 | 35640.00 |

| 10 Use rate welding holder set Hour 385.00 7.65 | Г | | | Total cost of Materials | | Rs: | 406564.00 | |
|---|---|----|--------------------------------|-------------------------|--------|-------|-----------|--|
| | | 12 | Sundries | LS | 40.00 | 20.00 | 800.00 | |
| 10 Use rate welding holder set Hour 385.00 7.65 | | 11 | Use rate gas cutting torch set | Hour | 225.00 | 2.08 | 468.75 | |
| | | 10 | Use rate welding holder set | Hour | 385.00 | 7.65 | 2945.25 | |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|---------------------------------|----------|----------|---------|-----------|
| | · | | | in Rs. | in Rs. |
| 1 | Welding transformer | Hour | 385.00 | 16.00 | 6160.00 |
| | Fuel / Energy charges | Hour | 385.00 | 92.40 | 35574.00 |
| 2 | Plate shearing machine | Hour | 8.00 | 41.90 | 335.20 |
| | Fuel / Energy charges | Hour | 8.00 | 154.00 | 1232.00 |
| 3 | Pug cutting machine | Hour | 110.00 | 6.40 | 704.00 |
| | Fuel / Energy charges | Hour | 110.00 | 3.80 | 418.00 |
| 4 | Planing machine | Hour | 270.00 | 117.80 | 31806.00 |
| | Fuel / Energy charges | Hour | 270.00 | 115.50 | 31185.00 |
| 5 | Mobile Crane 16 T | Hour | 24.00 | 2278.10 | 54674.40 |
| | Fuel / Energy charges | Hour | 24.00 | 75.00 | 1800.00 |
| 6 | Stationery derric crane | Hour | 14.00 | 86.10 | 1205.40 |
| | Fuel / Energy charges | Hour | 14.00 | 0.00 | 0.00 |
| 7 | Grinding machine | Hour | 14.00 | 22.50 | 315.00 |
| | Fuel / Energy charges | Hour | 14.00 | 38.50 | 539.00 |
| 8 | Drilling machines | Hour | 21.00 | 22.50 | 472.50 |
| | Fuel / Energy charges | Hour | 21.00 | 38.50 | 808.50 |
| 9 | Bending Machine | Hour | 14.00 | 42.60 | 596.40 |
| | Fuel / Energy charges | Hour | 14.00 | 115.50 | 1617.00 |
| 10 | Sundries | LS | 40.00 | 20.00 | 800.00 |
| | Total hire charges of Machinery | <u> </u> | | Rs: | 170242.40 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|-------------------------------|---------------|----------|--------|-----------|
| | | | | in Rs. | in Rs. |
| 1 | Crew for Mobile crane 16 T | Hour | 24.00 | 489.20 | 11740.80 |
| 2 | Crew for Planing machine | Hour | 270.00 | 195.90 | 52893.00 |
| 3 | Crew for Drilling machine | Hour | 21.00 | 187.20 | 3931.20 |
| 4 | Crew for Grinding machine | Hour | 14.00 | 187.20 | 2620.80 |
| 5 | Crew for Bending machine | Hour | 14.00 | 122.50 | 1715.00 |
| 6 | Foreman | Day | 32.00 | 480.00 | 15360.00 |
| 7 | Marker / Fabricator / Erector | Day | 35.00 | 480.00 | 16800.00 |
| 8 | Gas cutter | Day | 9.00 | 415.00 | 3735.00 |
| 9 | Welder (General) | Day | 46.00 | 415.00 | 19090.00 |
| 10 | Welder (X - ray) | Day | 6.00 | 480.00 | 2880.00 |
| 11 | Helper fabrication / erection | Day | 240.00 | 370.00 | 88800.00 |
| 12 | Electrician | Day | 4.00 | 480.00 | 1920.00 |
| · | | Total cost of | f Labour | Rs: | 221485.80 |

Add towards highly skilled labour charges @ 30% on total cost of labour

Total Cost of Labour

66445.74 287931.54

labour component/unit qty 45703.40
Add contractor's profit and overhead charges 13.615% 6222.50
labour component/unit qty (including contractor's profit) 51925.90

ABSTRACT:

| | Rate per tonne | • | Rs: | 160796.80 |
|---|----------------|-----------------|-----|------------|
| Total cost for | 6.30 tonne | <u> </u> | Rs: | 1013019.69 |
| Unloading charges of fabricated parts Rs | | 66.30 per tonne | 8 | 35.38 |
| Add 2 leads Add 1 km lead charges for fabricated parts | 1 | 18.90 per tonne | 2 | 38.14 |
| F. Add for contractor's profit and overheads on (A+B+C+D+E) | 13.615% | | Rs: | 121266.09 |
| | Total | | Rs: | 890680.08 |
| E. Add for transportation upto work site @ | | 3% | Rs: | 25942.14 |
| (on 75 percent cost excluding cost of materials) | | Total | Rs: | 864737.94 |
| D. Add for excise duty | | 0.00% | Rs: | 0.00 |
| | | Total | Rs: | 864737.94 |
| C. Cost of Labour | | | Rs: | 287931.54 |
| B. Hire charges of Machinery | | | Rs: | 170242.40 |
| A. Cost of Materials | | | Rs: | 406564.00 |
| ABSTRACT: | | | | |

IRR-GAW-2-2 Design, fabrication, supply, erection, testing and **commissioning of vertical lift gates and stoplog gate elements**, consisting of skin plate,

RATE ANALYSIS

horizontal and vertical girders, stiffeners, lifting pins, bronze padded slide blocks/bearings, guide shoes, rubber seals, clamps etc., with all accessories including cost of all materials, machinery, labour, seal fixing etc., complete as per specifications and approved drawings (without painting on sand-blasted or mechanical cleaning surfaces which are added extra

(without painting on sand-blasted or mechanical cleaning surfaces which are added extra as perscedule of rates under items in this chapter and add as applicable separately)

Drawing NO. CE/CDO/CL3/MRP/783/2002 (Spillway Stop log gate Elements of Madduvalasa Project)

Vent Size: 12.624 X 0.50 M 16 Elements

119.000 tonne

UNIT:

DATA:

| SI No | particulars | Unit | Quantity | Rate | Amount |
|-------|----------------------------------|---------------|-----------|---------|------------|
| | | | - | in Rs. | in Rs. |
| 1 | Structural steel | | | | |
| | Angles / beams / channels / bars | kg | 5280.00 | 40.00 | 211200.00 |
| | Plates / flats | kg | 112880.00 | 40.00 | 4515200.00 |
| 2 | Alloy steel components | | | | |
| | Lifting pins | kg | 520.00 | 420.00 | 218400.00 |
| 3 | Bolt / Nut / Washer | | | | |
| | GI bolts / nuts / washers | kg | 600.00 | 120.00 | 72000.00 |
| 4 | Rubber seals | | | | |
| | Bottom seal | Rm | 210.00 | 780.00 | 163800.00 |
| | Side seals | Rm | 18.00 | 1210.00 | 21780.00 |
| 5 | Oxygen gas | cum | 2714.00 | 45.00 | 122130.00 |
| 6 | Acetyline gas | cum | 905.00 | 330.00 | 298650.00 |
| 7 | Welding electrodes | Nos | 86554.00 | 11.00 | 952094.00 |
| 8 | Welding electrodes (LH) | Nos | 16486.00 | 18.00 | 296748.00 |
| 9 | Use rate welding holder set | Hour | 12880.00 | 7.65 | 98532.00 |
| 10 | Use rate gas cutting torch set | Hour | 2714.00 | 2.08 | 5654.17 |
| 11 | Sundries | LS | 400.00 | 20.00 | 8000.00 |
| | _ | Total cost of | Materials | Rs: | 6984188.17 |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|---------------------------------|----------|----------|---------|------------|
| | • | | - | in Rs. | in Rs. |
| 1 | Welding transformer | Hour | 12880.00 | 16.00 | 206080.00 |
| | Fuel / Energy charges | Hour | 12880.00 | 92.40 | 1190112.00 |
| 2 | Pug cutting machine | Hour | 6440.00 | 6.40 | 41216.00 |
| | Fuel / Energy charges | Hour | 6440.00 | 3.80 | 24472.00 |
| 3 | Mobile crane 16 T | Hour | 360.00 | 2278.10 | 820116.00 |
| | Fuel / Energy charges | Hour | 360.00 | 75.00 | 27000.00 |
| 4 | Stationery derric crane | Hour | 238.00 | 86.10 | 20491.80 |
| | Fuel / Energy charges | Hour | 238.00 | 0.00 | 0.00 |
| 5 | Grinding machine | Hour | 238.00 | 22.50 | 5355.00 |
| | Fuel / Energy charges | Hour | 238.00 | 38.50 | 9163.00 |
| 6 | Drilling machines | Hour | 357.00 | 22.50 | 8032.50 |
| | Fuel / Energy charges | Hour | 357.00 | 38.50 | 13744.50 |
| 7 | Bending Machine | Hour | 240.00 | 42.60 | 10224.00 |
| | Fuel / Energy charges | Hour | 240.00 | 115.50 | 27720.00 |
| 8 | Sundries | LS | 180.00 | 20.00 | 3600.00 |
| | Total hire charges of Machinery | <u> </u> | | Rs: | 2407326.80 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|-------------------------------|------|----------|--------|------------|
| | | | | in Rs. | in Rs. |
| 1 | Crew for Mobile crane 16T | Hour | 360.00 | 489.20 | 176112.00 |
| 2 | Crew for Drilling machine | Hour | 357.00 | 187.20 | 66830.40 |
| 3 | Crew for Grinding machine | Hour | 238.00 | 187.20 | 44553.60 |
| 4 | Crew for Bending machine | Hour | 240.00 | 122.50 | 29400.00 |
| 5 | Foreman | Day | 120.00 | 480.00 | 57600.00 |
| 6 | Marker / Fabricator / Erector | Day | 195.00 | 480.00 | 93600.00 |
| 7 | Gas cutter | Day | 100.00 | 415.00 | 41500.00 |
| 8 | Welder (General) | Day | 1442.00 | 415.00 | 598430.00 |
| 9 | Welder (X - ray) | Day | 275.00 | 480.00 | 132000.00 |
| 10 | Khalasi | Day | 2023.00 | 415.00 | 839545.00 |
| 11 | Helper fabrication / erection | Day | 2727.00 | 370.00 | 1008990.00 |
| 12 | Electrician | Day | 10.00 | 480.00 | 4800.00 |
| | Total cost of Labour | | | Rs: | 3093361.00 |

Add towards highly skilled labour charges @ 30% on total cost of labour Total Cost of Labour

4021369.30

labour component/unit qty 33793.00 13.615% 4600.90 Add contractor's profit and overhead charges labour component/unit qty (including contractor's profit) 38393.90

| | Rate per tonne |) | Rs: | 132071.40 |
|---|----------------|-----------------|-----|-------------|
| Total cost for | 119.00 tonne | | Rs: | 15716497.51 |
| Unloading charges of fabricated parts Rs | | 66.30 per tonne | _ | 15779.4 |
| Add 1 km lead charges for fabricated parts | 1 | 18.90 per tonne | 4 | 4498.200 |
| Add 2 leads | | | | |
| F. Add for contractor's profit and overheads on (A+B+C+D+E) | 13.615% | | Rs: | 1880949.12 |
| | Total | | Rs: | 13815270.79 |
| E. Add for transportation upto work site @ | | 3% | Rs: | 402386.53 |
| (on 75 percent cost excluding cost of materials) | | Total | Rs: | 13412884.27 |
| D. Add for excise duty | | 0.00% | Rs: | 0.00 |
| | | Total | Rs: | 13412884.27 |
| C. Cost of Labour | | | Rs: | 4021369.30 |
| B. Hire charges of Machinery | | | Rs: | 2407326.80 |
| A. Cost of Materials | | | Rs: | 6984188.17 |
| ABSTRACT: | | | | |

STOP LOGS-automatic lifting beam

IRR-GAW-2-3 fabrication, supply, erection, testing and commissioning of automatic lifting beam with all accessories for handling, lowering and lifting of spillway stop log gate elements including cost of all materials, machinery, labour, cutting, aligning, welding, finishing, etc., complete as per specifications and drawings with all leads and lifts. (without painting on sand-blasted or mechanical cleaning surfaces which are added extra

as perscedule of rates under items in this chapter and add as applicable separately)

DATA:

RATE ANALYSIS UNIT: 3.528 tonne

| MATER | RATE ANALYSI | S | UNIT : | 3.528 to | nne |
|-------|----------------------------------|---------------|-----------|-----------------|---------------|
| SI No | particulars | Unit | Quantity | Rate in Rs. | Amount in Rs. |
| 1 | Structural steel | | | | |
| | Angles / beams / channels / bars | kg | 13.00 | 40.00 | 520.0 |
| | Plates / flats | kg | 3389.00 | 40.00 | 135560.0 |
| 2 | Alloy steel components | | | | |
| | Lifting pins | kg | 101.00 | 420.00 | 42420. |
| 3 | Bronze alloy components : | | | | |
| | Bronze bush | kg | 5.00 | 920.00 | 4600. |
| 4 | Forged steel components : | | | | |
| | Lifting hooks | kg | 103.00 | 260.00 | 26780. |
| 5 | MS pipe 100 mm dia | kg | 11.00 | 175.00 | 1925. |
| 6 | Bolt / Nut / Washer | | | | |
| | MS bolts / nuts / washers | kg | 3.00 | 90.00 | 270. |
| 7 | Oxygen gas | cum | 126.00 | 45.00 | 5670. |
| 8 | Acetyline gas | cum | 42.00 | 330.00 | 13860. |
| 9 | Welding electrodes | Nos | 175.00 | 11.00 | 1925. |
| 10 | Welding electrodes (LH) | Nos | 1575.00 | 18.00 | 28350. |
| 11 | Use rate welding holder set | Hour | 187.00 | 7.65 | 1430. |
| 12 | Use rate gas cutting torch set | Hour | 24.00 | 2.08 | 50. |
| 13 | Sundries | LS | 25.00 | 20.00 | 500. |
| | | Total cost of | Materials | Rs: | 263860. |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|-------------------------|------|----------|--------|----------|
| | · | | | in Rs. | in Rs. |
| 1 | Welding transformer | Hour | 187.00 | 16.00 | 2992.00 |
| | Fuel / Energy charges | Hour | 117.00 | 92.40 | 10810.80 |
| 2 | Pug cutting machine | Hour | 60.00 | 6.40 | 384.00 |
| | Fuel / Energy charges | Hour | 60.00 | 3.80 | 228.00 |
| 3 | Mobile derric crane | Hour | 4.00 | 519.70 | 2078.80 |
| | Fuel / Energy charges | Hour | 4.00 | 307.20 | 1228.80 |
| 4 | Stationery derric crane | Hour | 8.00 | 86.10 | 688.80 |
| | Fuel / Energy charges | Hour | 8.00 | 0.00 | 0.00 |
| 5 | Grinding machine | Hour | 2.00 | 22.50 | 45.00 |

Gates and Allied Works - Item Unit Rates 2014-15

| | | | | Gale | s and Amed Works - Item Or | III Kale |
|---|---------------------------------|------|-------|-------|----------------------------|----------|
| | Fuel / Energy charges | Hour | 2.00 | 38.50 | 77.00 | |
| 6 | Drilling machines | Hour | 2.00 | 22.50 | 45.00 | |
| | Fuel / Energy charges | Hour | 2.00 | 38.50 | 77.00 | |
| 7 | Sundries | LS | 10.00 | 20.00 | 200.00 | |
| | Total hire charges of Machinery | | | Rs: | 18855.20 | |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|-------------------------------|---------------|----------|--------|----------|
| | | | - | in Rs. | in Rs. |
| 1 | Crew for Mobile crane | Hour | 4.00 | 165.80 | 663.20 |
| 2 | Crew for Drilling machine | Hour | 2.00 | 187.20 | 374.40 |
| 3 | Crew for Grinding machine | Hour | 2.00 | 187.20 | 374.40 |
| 4 | Foreman | Day | 10.00 | 480.00 | 4800.00 |
| 5 | Marker / Fabricator / Erector | Day | 18.00 | 480.00 | 8640.00 |
| 6 | Gas cutter | Day | 10.00 | 415.00 | 4150.00 |
| 7 | Welder (General) | Day | 18.00 | 415.00 | 7470.00 |
| 8 | Helper fabrication / erection | Day | 52.00 | 370.00 | 19240.00 |
| 9 | Electrician | Day | 1.00 | 480.00 | 480.00 |
| | | Total cost of | Labour | Rs: | 46192.00 |

Add towards highly skilled labour charges @ 30% on total cost of labour Total Cost of Labour

13857.60 60049.60

labour component/unit qty 17020.90 Add contractor's profit and overhead charges 13.615% 2317.40 labour component/unit qty (including contractor's profit) 19338.30

ABSTRACT:

| 3.320 torrie | Rs: | 401717.01 |
|-------------------|-------------------------------|---|
| 3.528 tonne | | 40474704 |
| 66.30 per tonne |) <u>4</u> | 67.812 |
| I 18.90 per tonne | e 1 | 33.358 |
| 13.615% | Rs: | 48067.53 |
| | | |
| Total | Rs: | 353048.31 |
| 3% | Rs: | 10282.96 |
| Total | Rs: | 342765.35 |
| 0.00% | Rs: | 0.00 |
| Total | Rs: | 342765.35 |
| | Rs: | 60049.60 |
| | Rs: | 18855.20 |
| | Rs: | 263860.55 |
| | 0.00% Total 3% Total | Rs: Rs: Rs: Total Rs: 0.00% Rs: Total Rs: 3% Rs: Total Rs: |

MOVING GANTRY CRANE-CLASS II

IRR-GAW-2-4 fabrication, supply, erection, testing and commissioning of adequate capacity Class- II type moving gantry crane consisting of rail mounted gantry frame, top platform with hand railing, long / cross travel arrangements, rope drums, gear systems, electric motors, electromagnetic brake system, cabin, control panel, wire rope, ladder, motorised cable reeling drum etc., with all accessories for operating spillway stop log gate elements and river sluice / canal sluice emergency gates including cost of all materials, machinery, labour, etc., complete with all leads and lifts.

(without painting on sand-blasted or mechanical cleaning surfaces which are added extra as perscedule of rates under items in this chapter and add as applicable separately)

DATA:

| MATER | RATE ANALYSIS | ; | UNIT : | 30.856 tonne 25 t capacity | |
|-------|----------------------------------|------|----------|-------------------------------|----------|
| SI No | particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Structural steel | | | | • |
| | Angles / beams / channels / bars | kg | 1743.00 | 40.00 | 69720.0 |
| | Plates / flats | kg | 19700.00 | 40.00 | 788000.0 |
| | Chequered plates | kg | 820.00 | 63.00 | 51660.0 |
| 2 | Cast steel components : | | | | |
| | Rope drums 2 Nos/Gears | kg | 1320.00 | 220.00 | 290400.0 |
| | pinions | kg | 1165.00 | 210.00 | 244650. |
| | Wheels / Pulleys | kg | 2255.00 | 180.00 | 405900. |
| | Plummer blocks / Couplings | kg | 817.00 | 180.00 | 147060. |
| 3 | Forged steel components | | | | |

| | | | | Gates a | and Allied Works - Item l |
|----|---|---------------|-----------|-----------|---------------------------|
| | Hook / Shackle | kg | 127.00 | 260.00 | 33020.00 |
| 4 | Alloy steel components | | | | |
| | Shafts | kg | 556.00 | 230.00 | 127880.00 |
| | Pins | kg | 524.00 | 420.00 | 220080.00 |
| 5 | Bronze alloy components : | | | | |
| | Bronze bearings / bush | kg | 181.00 | 920.00 | 166520.00 |
| 6 | Wire rope 28 mm dia 6/37 construction | kg | 406.00 | 200.00 | 81200.00 |
| 7 | MS Bolt / Nut / Washer | kg | 63.00 | 90.00 | 5670.00 |
| 8 | MS pipe 32 mm dia for railing | Rm | 50.00 | 185.00 | 9250.00 |
| 9 | Worm reducers | Nos. | 4.00 | 224400.00 | 897600.00 |
| 10 | Electric motor 17.5 hp | No. | 1.00 | 85800.00 | 85800.00 |
| | Electric motor 5 hp | Nos. | 2.00 | 33000.00 | 66000.00 |
| | Electric motor 3 hp | No. | 1.00 | 23100.00 | 23100.00 |
| 11 | Ele-magnetic / Thruster brakes | Nos. | 4.00 | 35200.00 | 140800.00 |
| | Electric cable / switch / control panel | | | | |
| 12 | etc | LS | 3.00 | 50380.00 | 151140.00 |
| 13 | Oxygen gas | cum | 579.00 | 45.00 | 26055.00 |
| 14 | Acetyline gas | cum | 193.00 | 330.00 | 63690.00 |
| 15 | Welding electrodes | Nos | 1123.00 | 11.00 | 12353.00 |
| 16 | Welding electrodes (LH) | Nos | 10110.00 | 18.00 | 181980.00 |
| 17 | Grease | kg | 50.00 | 260.00 | 13000.00 |
| 18 | Use rate welding holder set | Hour | 1197.00 | 7.65 | 9157.05 |
| 19 | Use rate gas cutting torch set | Hour | 150.00 | 2.08 | 312.50 |
| 20 | Sundries | LS | 200.00 | 20.00 | 4000.00 |
| | | Total cost of | Materials | Rs: | 4315997.55 |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|---------------------------------|------|----------|--------|-----------|
| | | | - | in Rs. | in Rs. |
| 1 | Welding transformer | Hour | 1197.00 | 16.00 | 19152.00 |
| | Fuel / Energy charges | Hour | 748.00 | 92.40 | 69115.20 |
| 2 | Tower crane 5 t capacity | Hour | 6.00 | 867.10 | 5202.60 |
| | Fuel / Energy charges | Hour | 6.00 | 200.20 | 1201.20 |
| 3 | Pug cutting machine | Hour | 235.00 | 6.40 | 1504.00 |
| | Fuel / Energy charges | Hour | 235.00 | 3.80 | 893.00 |
| 4 | Mobile derric crane | Hour | 100.00 | 519.70 | 51970.00 |
| | Fuel / Energy charges | Hour | 100.00 | 307.20 | 30720.00 |
| 5 | Grinding machine | Hour | 32.00 | 22.50 | 720.00 |
| | Fuel / Energy charges | Hour | 32.00 | 38.50 | 1232.00 |
| 6 | Drilling machines | Hour | 16.00 | 22.50 | 360.00 |
| | Fuel / Energy charges | Hour | 16.00 | 38.50 | 616.00 |
| 7 | Sundries | LS | 500.00 | 20.00 | 10000.00 |
| | Total hire charges of Machinery | | | Rs: | 192686.00 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|-------------------------------|---------------|----------|--------|-----------|
| | | | | in Rs. | in Rs. |
| 1 | Crew for Mobile crane | Hour | 100.00 | 165.80 | 16580.00 |
| 2 | Crew for Tower crane | Hour | 6.00 | 176.80 | 1060.80 |
| 3 | Crew for Drilling machine | Hour | 16.00 | 187.20 | 2995.20 |
| 4 | Crew for Grinding machine | Hour | 32.00 | 187.20 | 5990.40 |
| 5 | Foreman | Day | 74.00 | 480.00 | 35520.00 |
| 6 | Marker / Fabricator / Erector | Day | 124.00 | 480.00 | 59520.00 |
| 7 | Gas cutter | Day | 48.00 | 415.00 | 19920.00 |
| 8 | Welder (General) | Day | 112.00 | 415.00 | 46480.00 |
| 9 | Khalasi | Day | 20.00 | 415.00 | 8300.00 |
| 10 | Helper fabrication / erection | Day | 350.00 | 370.00 | 129500.00 |
| 11 | Electrician | Day | 10.00 | 480.00 | 4800.00 |
| | | Total cost of | Labour | Rs: | 330666.40 |

Add towards highly skilled labour charges @ 30% on total cost of labour Total Cost of Labour 99199.92 429866.32

labour component/unit qty 17194.70
Add contractor's profit and overhead charges 13.615% 2341.10
labour component/unit qty (including contractor's profit) 19535.80

ABSTRACT:

 A. Cost of Materials
 Rs:
 4315997.55

 B. Hire charges of Machinery
 Rs:
 192686.00

 C. Cost of Labour
 Rs:
 429866.32

 Total
 Rs:
 4938549.87

| D. Add for excise duty (on 75 percent cost excluding cost of materials) E. Add for transportation upto work site @ | | 0.00% Total 3% | Gates Rs: Rs: Rs: | s and Allied Works - Item Unit Rates 2014-15 0.00 4938549.87 148156.50 |
|--|----------------|----------------------|----------------------------|---|
| | Total | | Rs: | 5086706.37 |
| F. Add for contractor's profit and overheads on (A+B+C+D+E) Add 2 leads | 13.615% | | Rs: | 692555.07 |
| Add 1 km lead charges for fabricated parts | 1 | 18.90 per tonne | | 1166.356 |
| Unloading charges of fabricated parts Rs | | 66.30 per tonne | | 4091.506 |
| Total cost for | 30.856 tonne | | Rs: | 5784519.30 |
| | 25.000 t capa | acity | Rs: | |
| | Rate per tonne | | Rs: | 187468.20 |

Rate per

RAIL TRACK FOR GANTRY CRANE

IRR-GAW-2-5 Design, fabrication, supply, erection and **commissioning of rail track using 45 kg / m standard**rails on spillway bridge for movement of gantry crane for handling and operating spillway
stoplog gate elements / river sluice / canal sluice emergency gate including cost of all materials,
machinery, labour, complete as per specifications

RATE ANALYSIS

(without painting on sand-blasted or mechanical cleaning surfaces which are added extra as perscedule of rates under items in this chapter and add as applicable separately)

DATA:

UNIT :

tonne capacity

200.000 Rm

Rs:

231380.80

| SI No | particulars | Unit | Quantity | Rate | Amount |
|-------|------------------------------------|---------------|-----------|--------|------------|
| | | | | in Rs. | in Rs. |
| | Str steel angle / beam / channel / | | | | |
| 1 | bars | kg | 1570.00 | 40.00 | 62800.00 |
| 2 | Structural steel plate / flats | kg | 975.00 | 40.00 | 39000.00 |
| 3 | Rails | kg | 18450.00 | 52.53 | 969178.50 |
| 4 | MS bolts and nuts | kg | 246.00 | 90.00 | 22140.00 |
| 5 | Oxygen gas | cum | 201.00 | 45.00 | 9045.00 |
| 6 | Acetyline gas | cum | 67.00 | 330.00 | 22110.00 |
| 7 | Welding electrodes | Nos | 1805.00 | 11.00 | 19855.00 |
| 8 | Use rate welding holder set | Hour | 193.00 | 7.65 | 1476.45 |
| 9 | Use rate gas cutting torch set | Hour | 133.00 | 2.08 | 277.08 |
| 10 | Sundries | LS | 10.00 | 20.00 | 200.00 |
| | | Total cost of | Materials | Rs: | 1146082.03 |

B. MACHINERY:

A MATERIALS.

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|---------------------------------|------|----------|--------|----------|
| | | | | in Rs. | in Rs. |
| 1 | Welding transformer | Hour | 193.00 | 16.00 | 3088.00 |
| | Fuel / Energy charges | Hour | 121.00 | 92.40 | 11180.40 |
| 2 | Mobile derric crane | Hour | 4.00 | 519.70 | 2078.80 |
| | Fuel / Energy charges | Hour | 4.00 | 307.20 | 1228.80 |
| 3 | Grinding machine | Hour | 8.00 | 22.50 | 180.00 |
| | Fuel / Energy charges | Hour | 8.00 | 38.50 | 308.00 |
| 4 | Drilling machines | Hour | 50.00 | 22.50 | 1125.00 |
| | Fuel / Energy charges | Hour | 50.00 | 38.50 | 1925.00 |
| 5 | Sundries | LS | 10.00 | 20.00 | 200.00 |
| | Total hire charges of Machinery | | | Rs: | 21314.00 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|-------------------------------|---------------|----------|--------|----------|
| | | | | in Rs. | in Rs. |
| 1 | Crew for Mobile crane | Hour | 4.00 | 165.80 | 663.20 |
| 2 | Crew for Drilling machine | Hour | 50.00 | 187.20 | 9360.00 |
| 3 | Crew for Grinding machine | Hour | 8.00 | 187.20 | 1497.60 |
| 4 | Foreman | Day | 8.00 | 480.00 | 3840.00 |
| 5 | Marker / Fabricator / Erector | Day | 32.00 | 480.00 | 15360.00 |
| 6 | Gas cutter | Day | 17.00 | 415.00 | 7055.00 |
| 7 | Welder (General) | Day | 18.00 | 415.00 | 7470.00 |
| 8 | Helper fabrication / erection | Day | 52.00 | 370.00 | 19240.00 |
| 9 | Electrician | Day | 1.00 | 480.00 | 480.00 |
| | | Total cost of | Labour | Rs: | 64965.80 |

Add towards highly skilled labour charges @ 30% on total cost of labour Total Cost of Labour 19489.74 84455.54

2747.738

1468490.93

7342.50

Rs

Rs:

| Add contractor's profit and overhead charges | 13.615% 57.5 | 50 | | |
|--|--------------|-----------------|-----|------------|
| labour component/unit qty (including contractor's prof | fit) 479 | .80 | | |
| ABSTRACT: | | | | |
| A. Cost of Materials | | | Rs: | 1146082.03 |
| B. Hire charges of Machinery | | | Rs: | 21314.00 |
| C. Cost of Labour | | | Rs: | 84455.54 |
| | | Total | Rs: | 1251851.57 |
| D. Add for excise duty | | 0.00% | Rs: | 0.00 |
| (on 75 percent cost excluding cost of materials) | | Total | Rs: | 1251851.57 |
| E. Add for transportation upto work site @ | | 3% | Rs: | 37555.55 |
| | | Total | Rs: | 1289407.12 |
| F. Add for contractor's profit and overheads on | | | | |
| (A+B+C+D+E) | 13.615% | | Rs: | 175552.78 |
| Add 2 leads | | | | |
| Add 1 km lead charges for fabricated parts | 1 | 18.90 per tonne | 78 | 3.292 |

200.000 Rm

Rate per Rm

VERTICAL LIFT GATES/STOP LOGS - ROLLER MOUNTED

Unloading charges of fabricated parts Rs

Total cost for

IRR-GAW-2-6 Design, fabrication, supply, erection, testing and commissioning of fixed wheel type vertical lift service gate consisting of skin plate, vertical and horizontal girders, wheels, stiffeners, lifting brackets, guide rollers, ballast blocks, teflon claded rubber seals etc., with all accessories for river sluice / canal sluice vent including cost of all materials, machinery, labour, welding ,aligning finishing seal fixing etc. with allleads and lifts, complete as per specifications and vapproved drawings (without painting on sand-blasted or mechanical cleaning surfaces which are added extra as perscedule of rates under items in this chapter and add as applicable separately)

Drawing No. CE/CDO/DEE/DEE4/GNC/HR/2150/96,2137/98 (GNSS Project)

Gate Size: 3.66 X 6.1 Mtr

66.30 per tonne

DATA: RATE ANALYSIS UNIT: 10.000 tonne

| A. MATER | IALS: | | | | |
|----------|-------------------------------------|---------------|-----------|---------|-----------|
| SI No | particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Structural steel | | | | |
| | Plates / flats | kg | 7103.00 | 40.00 | 284120.00 |
| | Beams/Channels | kg | 2727.00 | 40.00 | 109080.00 |
| 2 | Alloy steel components | | | | |
| | Wheel axles / Pins | kg | 108.00 | 420.00 | 45360.00 |
| 3 | Cast steel components | | | | |
| | Wheels / Guide rollers | kg | 504.00 | 180.00 | 90720.00 |
| | Alluminium / Bronze alloy | | | | |
| 4 | components | | | | |
| | Bearings | kg | 12.00 | 920.00 | 11040.00 |
| 5 | Bolt / Nut / Washer | | | | |
| | GI bolts / nuts / washers | kg | 36.00 | 106.00 | 3816.00 |
| | MS bolts / nuts / washers | kg | 6.00 | 90.00 | 540.00 |
| 6 | Rubber seals | | | | |
| | Bottom seal (flat uncladed) | Rm | 3.72 | 780.00 | 2901.60 |
| | Side seals (bulb teflon claded) | Rm | 12.30 | 1670.00 | 20541.00 |
| | Top seal (bulb teflon claded) | Rm | 3.72 | 1670.00 | 6212.40 |
| | Corner seals (bulb teflon claded) | Nos | 2.00 | 1630.00 | 3260.00 |
| 7 | Oxygen gas | cum | 170.00 | 45.00 | 7650.00 |
| 8 | Acetyline gas | cum | 56.00 | 330.00 | 18480.00 |
| 9 | Welding electrodes | Nos | 3200.00 | 11.00 | 35200.00 |
| 10 | Welding electrodes (LH) | Nos | 800.00 | 18.00 | 14400.00 |
| 11 | Use rate welding holder set | Hour | 500.00 | 7.65 | 3825.00 |
| 12 | Use rate gas cutting torch set | Hour | 40.00 | 2.08 | 83.33 |
| 13 | Sundries | LS | 60.00 | 20.00 | 1200.00 |
| | | Total cost of | Materials | Rs: | 658429.33 |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|-----------------------|------|----------|--------|----------|
| | | | | in Rs. | in Rs. |
| 1 | Welding transformer | Hour | 500.00 | 16.00 | 8000.00 |
| | Fuel / Energy charges | Hour | 500.00 | 92.40 | 46200.00 |
| 2 | Pug cutting machine | Hour | 85.00 | 6.40 | 544.00 |
| | Fuel / Energy charges | Hour | 85.00 | 3.80 | 323.00 |

Gates and Allied Works - Item Unit Rates 2014-15

| | 1 | | | | s and Allied Works - Item Ur |
|---|---------------------------------|------|-------|---------|------------------------------|
| 3 | Tower crane | Hour | 10.00 | 867.10 | 8671.00 |
| | Fuel / Energy charges | Hour | 10.00 | 200.20 | 2002.00 |
| 4 | Mobile crane 16 T | Hour | 30.00 | 2278.10 | 68343.00 |
| | Fuel / Energy charges | Hour | 30.00 | 75.00 | 2250.00 |
| 5 | Stationery derric crane | Hour | 20.00 | 86.10 | 1722.00 |
| | Fuel / Energy charges | Hour | 20.00 | 0.00 | 0.00 |
| 6 | Grinding machine | Hour | 10.00 | 22.50 | 225.00 |
| | Fuel / Energy charges | Hour | 10.00 | 38.50 | 385.00 |
| 7 | Drilling machines | Hour | 30.00 | 22.50 | 675.00 |
| | Fuel / Energy charges | Hour | 30.00 | 38.50 | 1155.00 |
| 8 | Bending machine | Hour | 10.00 | 42.60 | 426.00 |
| | Fuel / Energy charges | Hour | 10.00 | 115.50 | 1155.00 |
| 9 | Sundries | LS | 50.00 | 20.00 | 1000.00 |
| | Total hire charges of Machinery | | | Rs: | 143076.00 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|-------------------------------|------|-----------|--------|----------|
| | | | | in Rs. | in Rs. |
| 1 | Crew for Mobile crane 16 T | Hour | 30.00 | 489.20 | 14676.00 |
| 2 | Crew for Tower crane | Hour | 10.00 | 176.80 | 1768.00 |
| 3 | Crew for Drilling machine | Hour | 30.00 | 187.20 | 5616.00 |
| 4 | Crew for Grinding machine | Hour | 10.00 | 187.20 | 1872.00 |
| 5 | Crew for Bending machine | Hour | 10.00 | 122.50 | 1225.00 |
| 6 | Foreman | Day | 16.00 | 480.00 | 7680.00 |
| 7 | Marker / Fabricator / Erector | Day | 50.00 | 480.00 | 24000.00 |
| 8 | Gas cutter | Day | 8.00 | 415.00 | 3320.00 |
| 9 | Welder (General) | Day | 52.00 | 415.00 | 21580.00 |
| 10 | Welder (X - ray grade) | Day | 14.00 | 480.00 | 6720.00 |
| 11 | Khalasi | Day | 170.00 | 415.00 | 70550.00 |
| 12 | Helper fabrication / erection | Day | 230.00 | 370.00 | 85100.00 |
| 13 | Electrician | Day | 4.00 | 480.00 | 1920.00 |
| | | Rs: | 246027.00 | | |

Add towards highly skilled labour charges @ 30% on total cost of labour Total Cost of Labour

73808.10 319835.10

labour component/unit qty 31983.50
Add contractor's profit and overhead charges 13.615% 4354.60
labour component/unit qty (including contractor's profit) 36338.10

ABSTRACT:

| A. Cost of Materials | | | Rs: | 658429.33 |
|--|----------------|-----------------|-----|------------|
| B. Hire charges of Machinery | | | Rs: | 143076.00 |
| C. Cost of Labour | | | Rs: | 319835.10 |
| | | Total | Rs: | 1121340.43 |
| D. Add for excise duty | | 0.00% | Rs: | 0.00 |
| (on 75 percent cost excluding cost of materials) | | Total | Rs: | 1121340.43 |
| E. Add for transportation upto work site @ | | 3% | Rs: | 33640.21 |
| | Total | | Rs: | 1154980.65 |
| F. Add for contractor's profit and overheads on | | | | |
| (A+B+C+D+E) | 13.615% | | Rs: | 157250.61 |
| Add 2 leads | | | | |
| Add 1 km lead charges for fabricated parts | 1 | 18.90 per tonne | | 378 |
| Unloading charges of fabricated parts Rs | | 66.30 per tonne | | 1326 |
| Total cost for | 10.000 tonne | , | Rs: | 1313935.26 |
| | Rate per tonne | • | Rs: | 131393.50 |

VERTICAL LIFT GATES-ROPE DRUM HOIST UPTO 30 TON CAP. POWER OPERATED

IRR-GAW-2-7 Design, fabrication, supply, erection, testing and **commissioning of adequate capacity rope drum hoist** consisting of hoist platform, rope drum, gear system, electric motor, electromagnetic brake system, hand operation assembly, control panel, wire rope, pulleys, ladder etc., with all accessories for operating river sluice / canal sluice service gate including cost of all materials, machinery, labour, , complete as per specifications and drawings with all leads and lifts (without painting on sand-blasted or mechanical cleaning surfaces which are added extra as perscedule of rates under items in this chapter and add as applicable separately)

DATA:

| RATE ANALYSIS | | | UNII: | 6.243 | tonne wt |
|---------------|-------------|------|----------|----------------|---------------|
| A. MATERIALS: | | | | 25 | t capacity |
| SI No | particulars | Unit | Quantity | Rate in Rs. | Amount in Rs. |

| | | | | Gates | and Allied Works - Item Ur | nit Rates 2014-15 | |
|--|---|------|---------|-----------|----------------------------|-------------------|--|
| 1 | Structural steel | | | Ī | | | |
| | Angles / beams / channels / bars | kg | 1487.00 | 40.00 | 59480.00 | | |
| | Plates / flats | kg | 402.00 | 40.00 | 16080.00 | | |
| | Chequered plate | kg | 290.00 | 63.00 | 18270.00 | | |
| 2 | Cast steel components : | | | | | | |
| | Rope drums 2 Nos / Gears | kg | 1926.00 | 220.00 | 423720.00 | | |
| | Pinions | kg | 79.00 | 210.00 | 16590.00 | | |
| | Pulleys 3 Nos / Couplings 2 Nos | kg | 306.00 | 180.00 | 55080.00 | | |
| | Plummer blocks / Hubs | kg | 72.00 | 180.00 | 12960.00 | | |
| 3 | Alloy steel components | | | | | | |
| | Shafts | kg | 346.00 | 230.00 | 79580.00 | | |
| | Pins | kg | 73.00 | 420.00 | 30660.00 | | |
| 4 | Bronze alloy components : | | | | | | |
| | Bronze bearings / bush | kg | 57.00 | 920.00 | 52440.00 | | |
| | Wire rope 28 mm dia 6/37 | | | | | | |
| 5 | construction | kg | 325.00 | 200.00 | 65000.00 | | |
| 6 | MS Bolt / Nut / Washer | kg | 32.00 | 90.00 | 2880.00 | | |
| 7 | Worm reducers | No. | 1.00 | 224400.00 | 224400.00 | | |
| 8 | Electric motor 5 hp | No. | 1.00 | 33000.00 | 33000.00 | | |
| 9 | Manual operating system | No. | 1.00 | 28820.00 | 28820.00 | | |
| 10 | Gate position indicator | No. | 1.00 | 195800.00 | 195800.00 | | |
| 11 | Ele-magnetic brake | No. | 1.00 | 35200.00 | 35200.00 | | |
| | Electric cable / switch / control panel | | | | | | |
| 12 | etc | LS | 1.00 | 50380.00 | 50380.00 | | |
| 13 | Oxygen gas | cum | 45.00 | 45.00 | 2025.00 | | |
| 14 | Acetyline gas | cum | 15.00 | 330.00 | 4950.00 | | |
| 15 | Welding electrodes | Nos | 80.00 | 11.00 | 880.00 | | |
| 16 | Welding electrodes (LH) | Nos | 720.00 | 18.00 | 12960.00 | | |
| 17 | Grease | kg | 50.00 | 260.00 | 13000.00 | | |
| 18 | Use rate welding holder set | Hour | 85.00 | 7.65 | 650.25 | | |
| 19 | Use rate gas cutting torch set | Hour | 16.00 | 2.08 | 33.33 | | |
| 20 | Sundries | LS | 25.00 | 20.00 | 500.00 | | |
| Total cost of Materials Rs: 1435338.58 | | | | | | | |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|---------------------------------|------|----------|--------|----------|
| | | | | in Rs. | in Rs. |
| 1 | Welding transformer | Hour | 85.00 | 16.00 | 1360.00 |
| | Fuel / Energy charges | Hour | 53.00 | 92.40 | 4897.20 |
| 2 | Tower crane 5 t capacity | Hour | 2.00 | 867.10 | 1734.20 |
| | Fuel / Energy charges | Hour | 2.00 | 200.20 | 400.40 |
| 3 | Pug cutting machine | Hour | 15.00 | 6.40 | 96.00 |
| | Fuel / Energy charges | Hour | 15.00 | 3.80 | 57.00 |
| 4 | Mobile derric crane | Hour | 10.00 | 519.70 | 5197.00 |
| | Fuel / Energy charges | Hour | 10.00 | 307.20 | 3072.00 |
| 5 | Grinding machine | Hour | 2.00 | 22.50 | 45.00 |
| | Fuel / Energy charges | Hour | 2.00 | 38.50 | 77.00 |
| 6 | Drilling machines | Hour | 2.00 | 22.50 | 45.00 |
| | Fuel / Energy charges | Hour | 2.00 | 38.50 | 77.00 |
| 7 | Sundries | LS | 25.00 | 20.00 | 500.00 |
| · | Total hire charges of Machinery | | | | 17557.80 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|-------------------------------|------|----------|--------|----------|
| | | | | in Rs. | in Rs. |
| 1 | Crew for Mobile crane | Hour | 10.00 | 165.80 | 1658.00 |
| 2 | Crew for Tower crane | Hour | 2.00 | 176.80 | 353.60 |
| 3 | Crew for Drilling machine | Hour | 2.00 | 187.20 | 374.40 |
| 4 | Crew for Grinding machine | Hour | 2.00 | 187.20 | 374.40 |
| 5 | Foreman | Day | 15.00 | 480.00 | 7200.00 |
| 6 | Marker / Fabricator / Erector | Day | 19.00 | 480.00 | 9120.00 |
| 7 | Gas cutter | Day | 4.00 | 415.00 | 1660.00 |
| 8 | Welder (General) | Day | 8.00 | 415.00 | 3320.00 |
| 9 | Khalasi | Day | 4.00 | 415.00 | 1660.00 |
| 10 | Helper fabrication / erection | Day | 44.00 | 370.00 | 16280.00 |
| 11 | Electrician | Day | 2.00 | 480.00 | 960.00 |
| | Total cost of Labour | | | | 42960.40 |

Add towards highly skilled labour charges @ 30% on total cost of labour Total Cost of Labour

12888.12 55848.52

| Add contractor's profit and overhead charges | 13.615% | 304.10 |
|--|---------|---------|
| labour component/unit qty (including contractor's pro- | ofit) | 2538.00 |

| BS | | |
|----|--|--|
| | | |
| | | |

| Rate | per tonne capacity of hoist | Rs: | 70666.00 |
|---|-----------------------------|-----|------------|
| | Rate per tonne wt | Rs: | 282980.80 |
| | 25.000 t capacity | Rs: | |
| Total cost for | 6.243 tonne wt | Rs: | 1766649.15 |
| Unloading charges of fabricated parts Rs | 66.30 per tonne | | 827.822 |
| Add 1 km lead charges for fabricated parts | I 18.90 per tonne | | 235.986 |
| Add 2 leads | . 3. 3 . 3 / 3 | | 2.1070.00 |
| F. Add for contractor's profit and overheads on (A+B+C+D+E) | 13.615% | Rs: | 211578.09 |
| | Total | Rs: | 1554007.25 |
| E. Add for transportation upto work site @ | 3% | Rs: | 45262.35 |
| (on 75 percent cost excluding cost of materials) | Total | Rs: | 1508744.90 |
| D. Add for excise duty | 0.00% | Rs: | 0.00 |
| | Total | Rs: | 1508744.90 |
| C. Cost of Labour | | Rs: | 55848.52 |
| B. Hire charges of Machinery | | Rs: | 17557.80 |
| A. Cost of Materials | | Rs: | 1435338.58 |
| ABSTRACT: | | | |

HOIST BRIDGE/ WITH TRESSELS

IRR-GAW-2-8 Design, fabrication, supply, erection and **commissioning of structural steel hoist bridge** consisting of columns, beams, bracings, stiffeners, ties, chequered plate covering, hand railing,

ladder etc., with all accessories for supporting rope drum hoist for operating barrage gates including cost of all materials, machinery, labour, welding, finishing, etc., complete

complete as per specifications and drawings with all leads and lifts (without painting on sand-blasted or mechanical cleaning surfaces which are added extra as perscedule of rates under items in this chapter and add as applicable separately) Drawing No. CE/CDO/VRSP/215,216/86-87 (Vengalaraya Sagar - Gomukhi Project)

Vent Size: 12 X 6.6 Mtr
RATE ANALYSIS
UNIT: 10.500 tonne

DATA:

RATE ANALYS

| A. MATERI | IALS: | | | | | |
|-----------|---------------------------------------|------|----------|--------|-----------|--|
| SI No | particulars | Unit | Quantity | Rate | Amount | |
| | | | | in Rs. | in Rs. | |
| | Structural steel angles/ beams / | | | | | |
| 1 | channels | kg | 1494.00 | 40.00 | 59760.00 | |
| | Structural steel plates / flats | kg | 6564.00 | 40.00 | 262560.00 | |
| | Chequered plate | kg | 2442.00 | 63.00 | 153846.00 | |
| 2 | MS pipe 25 mm dia | Rm | 60.00 | 150.00 | 9000.00 | |
| 3 | Bolt / Nut / Washers | kg | 18.00 | 90.00 | 1620.00 | |
| 4 | Oxygen gas | cum | 105.00 | 45.00 | 4725.00 | |
| 5 | Acetyline gas | cum | 35.00 | 330.00 | 11550.00 | |
| 6 | Welding electrodes | Nos | 3150.00 | 11.00 | 34650.00 | |
| 7 | Use rate welding holder set | Hour | 394.00 | 7.65 | 3014.10 | |
| 8 | Use rate gas cutting torch set | Hour | 105.00 | 2.08 | 218.75 | |
| 9 | Sundries | LS | 50.00 | 20.00 | 1000.00 | |
| | Total cost of Materials Rs: 541943.85 | | | | | |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|---------------------------------|------|----------|---------|-----------|
| | | | | in Rs. | in Rs. |
| 1 | Welding transformer | Hour | 394.00 | 16.00 | 6304.00 |
| | Fuel / Energy charges | Hour | 394.00 | 92.40 | 36405.60 |
| 2 | Pug cutting machine | Hour | 52.00 | 6.40 | 332.80 |
| | Fuel / Energy charges | Hour | 52.00 | 3.80 | 197.60 |
| 3 | Mobile crane 30 T | Hour | 30.00 | 3096.80 | 92904.00 |
| | Fuel / Energy charges | Hour | 30.00 | 118.80 | 3564.00 |
| 4 | Stationery derric crane | Hour | 20.00 | 86.10 | 1722.00 |
| | Fuel / Energy charges | Hour | 20.00 | 0.00 | 0.00 |
| 5 | Drilling machine | Hour | 20.00 | 22.50 | 450.00 |
| | Fuel / Energy charges | Hour | 20.00 | 38.50 | 770.00 |
| 6 | Grinding machine | Hour | 20.00 | 22.50 | 450.00 |
| | Fuel / Energy charges | Hour | 20.00 | 38.50 | 770.00 |
| 7 | Tower Crane | Hour | 20.00 | 867.10 | 17342.00 |
| | Fuel / Energy charges | Hour | 20.00 | 200.20 | 4004.00 |
| 8 | Sundries | LS | 50.00 | 20.00 | 1000.00 |
| | Total hire charges of Machinery | · | | Rs: | 166216.00 |

C. LABOUR:

| O. LABOU | 11. | | | | |
|----------|-------------------------------|------|----------|--------|-----------|
| SI No | Description | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Crew for Mobile crane 30 T | Hour | 30.00 | 489.20 | 14676.00 |
| 2 | Crew for Drilling machine | Hour | 20.00 | 187.20 | 3744.00 |
| 3 | Crew for Grinding machine | Hour | 20.00 | 187.20 | 3744.00 |
| 4 | Crew for Tower Crane | Hour | 20.00 | 176.80 | 3536.00 |
| 5 | Foreman | Day | 10.00 | 480.00 | 4800.00 |
| 6 | Marker / Fabricator / Erector | Day | 50.00 | 480.00 | 24000.00 |
| 7 | Gas cutter | Day | 14.00 | 415.00 | 5810.00 |
| 8 | Welder (General) | Day | 53.00 | 415.00 | 21995.00 |
| 9 | Helper fabrication / erection | Day | 400.00 | 370.00 | 148000.00 |
| 10 | Electrician | Day | 6.00 | 480.00 | 2880.00 |
| | Total cost of Labour | | | | 233185.00 |

Add towards highly skilled labour charges @ 30% on total cost of labour Total Cost of Labour

69955.50 303140.50

| labour component/unit qty | 40.0450/ | 28870.50 | |
|--|-------------------|---------------------|---|
| Add contractor's profit and overhead charges labour component/unit qty (including contractor's p | 13.615% rofit) | 3930.70 32801.20 | _ |

ABSTRACT:

| B. Hire charges of Machinery C. Cost of Labour | | Rs: | 303140.50 |
|--|-------------------|-----|------------|
| | Total | Rs: | 1011300.35 |
| D. Add for excise duty | 0.00% | Rs: | 0.00 |
| (on 75 percent cost excluding cost of materials) | Total | Rs: | 1011300.35 |
| E. Add for transportation upto work site @ | 3% | Rs: | 30339.01 |
| | Total | Rs: | 1041639.36 |
| F. Add for contractor's profit and overheads on | | | |
| (A+B+C+D+E) | 13.615% | Rs: | 141819.20 |
| Add 2 leads | | | |
| Add 1 km lead charges for fabricated parts | l 18.90 per tonne | 9 : | 396.9 |
| Unloading charges of fabricated parts Rs | 66.30 per tonne | e _ | 1392.3 |
| Total cost for | 10.500 tonne | Rs: | 1185247.76 |
| | Rate per tonne | Rs: | 112880.70 |

ROPE DRUM HOIST WITHOUT HOIST BRIDGE FOR BARRAGE GATES

IRR-GAW-2-9 Design, fabrication, supply, erection, testing and commissioning of adequate capacity rope drum hoist consisting of rope drum, pulleys, gear system, electri c motor, electro-magnetic brake system, manual operation assembly, position indicator, control panel, wire rope etc., with all accessories for operating vertical lift roller gates for barrage including cost of all materials, machinery, labour, cutting, bending, aligning, anchoring, welding, finishing etc., complete with all leads and lifts.

(without painting on sand-blasted or mechanical cleaning surfaces which are added extra as perscedule of rates under items in this chapter and add as applicable separately)

DATA:

| | RATE ANALYSIS | S | UNIT: | 5.069 t | onne wt |
|----------|----------------------------------|------|----------|----------------|-----------|
| A. MATER | IALS: | | | 50.00 t | capacity |
| SI No | particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Structural steel | | | | |
| | Angles / beams / channels / bars | kg | 420.00 | 40.00 | 16800.00 |
| | Plates / flats | kg | 225.00 | 40.00 | 9000.00 |
| 2 | Cast steel components : | | | | |
| | Rope drums 2 Nos / Gears | kg | 1290.00 | 220.00 | 283800.00 |
| | Pinions | kg | 98.00 | 210.00 | 20580.00 |
| | Pulleys 3 Nos / Couplings 2 Nos | kg | 650.00 | 180.00 | 117000.00 |
| | Plummer blocks / Hubs | kg | 250.00 | 180.00 | 45000.00 |
| 3 | Alloy steel components | | | | |
| | Shafts / Keys | kg | 350.00 | 230.00 | 80500.00 |
| | Pins | kg | 96.00 | 420.00 | 40320.00 |
| 4 | Bronze alloy components : | | | | |
| | Bronze bearings / bush | kg | 100.00 | 920.00 | 92000.00 |
| | Wire rope 28 mm dia 6/37 | | | | |
| 5 | construction | kg | 435.00 | 200.00 | 87000.00 |
| 6 | MS Bolt / Nut / Washer | kg | 26.00 | 90.00 | 2340.00 |
| 7 | Worm reducers | No. | 1.00 | 224400.00 | 224400.00 |

| | | Total cost of | f Materials | Rs: | 1427614.55 |
|----|---|---------------|-------------|-----------|--------------------------------|
| 20 | Sundries | LS | 25.00 | 20.00 | 500.00 |
| 19 | Use rate gas cutting torch set | Hour | 12.00 | 2.08 | 25.00 |
| 18 | Use rate welding holder set | Hour | 47.00 | 7.65 | 359.55 |
| 17 | Grease | kg | 50.00 | 260.00 | 13000.00 |
| 16 | Welding electrodes (LH) | Nos | 392.00 | 18.00 | 7056.00 |
| 15 | Welding electrodes | Nos | 44.00 | 11.00 | 484.00 |
| 14 | Acetyline gas | cum | 10.00 | 330.00 | 3300.00 |
| 13 | Oxygen gas | cum | 30.00 | 45.00 | 1350.00 |
| 12 | etc | LS | 1.00 | 50380.00 | 50380.00 |
| | Electric cable / switch / control panel | | | | |
| 11 | Ele-magnetic brake | No. | 1.00 | 35200.00 | 35200.00 |
| 10 | Gate position indicator | No. | 1.00 | 195800.00 | 195800.00 |
| 9 | Manual operating system | No. | 1.00 | 28820.00 | 28820.00 |
| 8 | Electric motor 12.5 hp | No. | 1.00 | 72600.00 | 72600.00 |
| | | | | Gate | s and Allied Works - Item Unit |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|---------------------------------|------|----------|--------|----------|
| | | | | in Rs. | in Rs. |
| 1 | Welding transformer | Hour | 47.00 | 16.00 | 752.00 |
| | Fuel / Energy charges | Hour | 47.00 | 92.40 | 4342.80 |
| 2 | Tower crane 5 t capacity | Hour | 2.00 | 867.10 | 1734.20 |
| | Fuel / Energy charges | Hour | 2.00 | 200.20 | 400.40 |
| 3 | Pug cutting machine | Hour | 9.00 | 6.40 | 57.60 |
| | Fuel / Energy charges | Hour | 9.00 | 3.80 | 34.20 |
| 4 | Mobile derric crane | Hour | 10.00 | 519.70 | 5197.00 |
| | Fuel / Energy charges | Hour | 10.00 | 307.20 | 3072.00 |
| 5 | Grinding machine | Hour | 2.00 | 22.50 | 45.00 |
| | Fuel / Energy charges | Hour | 2.00 | 38.50 | 77.00 |
| 6 | Drilling machines | Hour | 2.00 | 22.50 | 45.00 |
| | Fuel / Energy charges | Hour | 2.00 | 38.50 | 77.00 |
| 7 | Sundries | LS | 25.00 | 20.00 | 500.00 |
| | Total hire charges of Machinery | | | Rs: | 16334.20 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|-------------------------------|------|----------|--------|----------|
| | · | | | in Rs. | in Rs. |
| 1 | Crew for Mobile crane | Hour | 10.00 | 165.80 | 1658.00 |
| 2 | Crew for Tower crane | Hour | 2.00 | 176.80 | 353.60 |
| 3 | Crew for Drilling machine | Hour | 2.00 | 187.20 | 374.40 |
| 4 | Crew for Grinding machine | Hour | 2.00 | 187.20 | 374.40 |
| 5 | Foreman | Day | 13.00 | 480.00 | 6240.00 |
| 6 | Marker / Fabricator / Erector | Day | 17.00 | 480.00 | 8160.00 |
| 7 | Gas cutter | Day | 3.00 | 415.00 | 1245.00 |
| 8 | Welder (General) | Day | 5.00 | 415.00 | 2075.00 |
| 9 | Khalasi | Day | 4.00 | 415.00 | 1660.00 |
| 10 | Helper fabrication / erection | Day | 36.00 | 370.00 | 13320.00 |
| 11 | Electrician | Day | 2.00 | 480.00 | 960.00 |
| | Total cost of Labour | | | | 36420.40 |

Add towards highly skilled labour charges @ 30% on total cost of labour

Total Cost of Labour

10926.12
47346.52

labour component/unit qty 946.90
Add contractor's profit and overhead charges 13.615% 128.90
labour component/unit qty (including contractor's profit) 1075.80

ABSTRACT:

| A. Cost of Materials | | Rs: | 1427614.55 |
|--|-------------------|-----|------------|
| B. Hire charges of Machinery | | Rs: | 16334.20 |
| C. Cost of Labour | | Rs: | 47346.52 |
| | Total | Rs: | 1491295.27 |
| D. Add for excise duty | 0.00% | Rs: | 0.00 |
| (on 75 percent cost excluding cost of materials) | Total | Rs: | 1491295.27 |
| E. Add for transportation upto work site @ | 3% | Rs: | 44738.86 |
| | Total | Rs: | 1536034.13 |
| F. Add for contractor's profit and overheads on | | | |
| (A+B+C+D+E) | 13.615% | Rs: | 209131.05 |
| Add 2 leads | | | |
| Add 1 km lead charges for fabricated parts | I 18.90 per tonne | 1 | 91.608 |
| Unloading charges of fabricated parts Rs | 66.30 per tonne | 6 | 72.15 |
| Total cost for | 5.069 tonne wt | Rs: | 1746028.93 |

50.000 t capacity

Rate per tonne wt

Rs: 344452.30

Rs:

Rate per tonne capacity of hoist Rs: 34920.60

SCREW GEAR HOISTS including plat form(UPTO 10 TON CAP)

IRR-GAW-2-10

Design, fabrication, supply, erection, testing and commissioning of adequate capacity screw gear type hoist consisting of supporting structure, platform, ladder etc., with all accessories for operating canal escape / regulator gate including cost of all materials, machinery, labour, cutting, bending, aligning, anchoring, welding, finishing etc., complete with all leads and lifts. (without painting on sand-blasted or mechanical cleaning surfaces which are added extra as perscedule of rates under items in this chapter and add as applicable separately)

DATA: **RATE ANALYSIS** UNIT: **0.871** tonne

| MATERIALS: | | | 3.00 t | capacity | |
|------------|----------------------------------|---------------|---------------|----------|---------|
| SI No | particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Structural steel | | | | |
| | Angles / beams / channels / bars | kg | 402.00 | 40.00 | 16080.0 |
| | Plates / flats | kg | 145.00 | 40.00 | 5800.0 |
| | Chequered plate | kg | 176.00 | 63.00 | 11088.0 |
| 2 | Cast iron components : | | | | |
| | Hoist body / Lock nut / Main nut | kg | 55.00 | 220.00 | 12100.0 |
| 3 | Alloy steel components | | | | |
| | Hoist stem | kg | 75.00 | 230.00 | 17250. |
| 4 | Bronze alloy components : | | | | |
| | Thrust bearings | kg | 4.00 | 920.00 | 3680. |
| 5 | MS Bolt / Nut / Washer | kg | 8.00 | 90.00 | 720.0 |
| 6 | Oxygen gas | cum | 18.00 | 45.00 | 810. |
| 7 | Acetyline gas | cum | 6.00 | 330.00 | 1980. |
| 8 | Welding electrodes | Nos | 7.00 | 11.00 | 77.0 |
| 9 | Welding electrodes (LH) | Nos | 66.00 | 18.00 | 1188. |
| 10 | Grease | kg | 2.00 | 260.00 | 520. |
| 11 | Use rate welding holder set | Hour | 8.00 | 7.65 | 61. |
| 12 | Use rate gas cutting torch set | Hour | 11.00 | 2.08 | 22.9 |
| 13 | Sundries | LS | 2.00 | 20.00 | 40. |
| | | Total cost of | Materials | Rs: | 71417. |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|---------------------------------|------|----------|--------|--------|
| | | | | in Rs. | in Rs. |
| 1 | Welding transformer | Hour | 8.00 | 16.00 | 128.00 |
| | Fuel / Energy charges | Hour | 5.00 | 92.40 | 462.00 |
| 2 | Grinding machine | Hour | 2.00 | 22.50 | 45.00 |
| | Fuel / Energy charges | Hour | 2.00 | 38.50 | 77.00 |
| 3 | Drilling machines | Hour | 2.00 | 22.50 | 45.00 |
| | Fuel / Energy charges | Hour | 2.00 | 38.50 | 77.00 |
| 4 | Sundries | LS | 2.00 | 20.00 | 40.00 |
| | Total hire charges of Machinery | | | Rs: | 874.00 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|-------------------------------|---------------|----------|--------|---------|
| | | | | in Rs. | in Rs. |
| 1 | Crew for Drilling machine | Hour | 2.00 | 187.20 | 374.40 |
| 2 | Crew for Grinding machine | Hour | 2.00 | 187.20 | 374.40 |
| 3 | Foreman | Day | 4.00 | 480.00 | 1920.00 |
| 4 | Marker / Fabricator / Erector | Day | 5.00 | 480.00 | 2400.00 |
| 5 | Gas cutter | Day | 2.00 | 415.00 | 830.00 |
| 6 | Welder (General) | Day | 1.00 | 415.00 | 415.00 |
| 7 | Helper fabrication / erection | Day | 9.00 | 370.00 | 3330.00 |
| 8 | Electrician | Day | 0.50 | 480.00 | 240.00 |
| | | Total cost of | Labour | Rs: | 9883.80 |

Add towards highly skilled labour charges @ 30% on total cost of labour Total Cost of Labour

2965.14 12848.94

labour component/unit qty

Add contractor's profit and overhead charges

13.615% 583.10

labour component/unit qty (including contractor's profit)

4866.10

4283.00

33260.70

Rs:

ABSTRACT:

| A. Cost of Materials | | Rs: | 71417.12 |
|--|-------------------|-----------|-----------|
| B. Hire charges of Machinery | | Rs: | 874.00 |
| C. Cost of Labour | | Rs: | 12848.94 |
| | Total | Rs: | 85140.06 |
| D. Add for excise duty | 0.00% | Rs: | 0.00 |
| (on 75 percent cost excluding cost of materials) | Total | Rs: | 85140.06 |
| E. Add for transportation upto work site @ | 3% | Rs: | 2554.20 |
| | Total | Rs: | 87694.26 |
| F. Add for contractor's profit and overheads on | | | |
| (A+B+C+D+E) | 13.615% | Rs: | 11939.57 |
| Add 2 leads | | | |
| Add 1 km lead charges for fabricated parts | I 18.90 per tonne | 32 | 2.924 |
| Unloading charges of fabricated parts Rs | 66.30 per tonne | <u>11</u> | 5.494 |
| Total cost for | 0.871 tonne | Rs: | 99782.25 |
| | 3.000 t capacity | Rs: | |
| | Rate per tonne | Rs: | 114560.60 |

Rate per tonne capacity

MANUAL OPERATED ROPE DRUM HOISTS

IRR-GAW-2-11

Design, fabrication, supply, erection, testing and **commissioning of adequate capacity manually operated rope drum hoist** consisting of hoist platform, rope drum, gear system, brake system, wire rope, ladder etc., with all accessories for operating canal regulator radial gate including cost of all materials, machinery, labour, welding, finishing, cleaning, ., complete **with all leads and lifts**

(without painting on sand-blasted or mechanical cleaning surfaces which are added extra as perscedule of rates under items in this chapter and add as applicable separately)

DATA:

| | RATE ANALYSIS | 6 | UNIT: | 2.804 | tonne |
|----------|----------------------------------|---------------|----------|-----------|------------|
| A. MATEI | | T | | 10.00 | t capacity |
| SI No | particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Structural steel | | | | |
| | Angles / beams / channels / bars | kg | 1229.00 | 40.00 | |
| | Plates / flats | kg | 453.00 | 40.00 | 18120.00 |
| | Chequered plate | kg | 195.00 | 63.00 | 12285.00 |
| 2 | Cast steel components : | | | | |
| | Rope drums 2 Nos / Gears | kg | 384.00 | 220.00 | 84480.00 |
| | Pinions | kg | 14.00 | 210.00 | 2940.00 |
| | Pulleys 6 Nos | kg | 108.00 | 180.00 | 19440.00 |
| | Plummer blocks / Couplings | kg | 47.00 | 180.00 | 8460.00 |
| 3 | Alloy steel components | | | | |
| | Shafts | kg | 75.00 | 230.00 | 17250.00 |
| | Pins | kg | 24.00 | 420.00 | 10080.00 |
| 4 | Bronze alloy components : | | | | |
| | Bronze bearings / bush | kg | 11.00 | 920.00 | 10120.00 |
| | Wire rope 12 mm dia 6/36 | | | | |
| 5 | construction | kg | 42.00 | 200.00 | 8400.00 |
| 6 | MS Bolt / Nut / Washer | kg | 64.00 | 90.00 | 5760.00 |
| 7 | Worm reducers | No. | 1.00 | 224400.00 | 224400.00 |
| 8 | Manual operating system | No. | 1.00 | 28820.00 | 28820.00 |
| 9 | Brake | No. | 1.00 | 35200.00 | 35200.00 |
| 10 | Wire rope sockets | No | 2.00 | 4620.00 | 9240.00 |
| 11 | Oxygen gas | cum | 75.00 | 45.00 | 3375.00 |
| 12 | Acetyline gas | cum | 25.00 | 330.00 | 8250.00 |
| 13 | Welding electrodes | Nos | 69.00 | 11.00 | 759.00 |
| 14 | Welding electrodes (LH) | Nos | 622.00 | 18.00 | 11196.00 |
| 15 | Grease | kg | 10.00 | 260.00 | 2600.00 |
| 16 | Use rate welding holder set | Hour | 73.00 | 7.65 | 558.45 |
| 17 | Use rate gas cutting torch set | Hour | 42.00 | 2.08 | 87.50 |
| 18 | Sundries | LS | 25.00 | 20.00 | 500.00 |
| 10 | Cartailos | Total cost of | | Rs: | 571480.95 |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|-----------------------|------|----------|--------|---------|
| | | | | in Rs. | in Rs. |
| 1 | Welding transformer | Hour | 73.00 | 16.00 | 1168.00 |
| | Fuel / Energy charges | Hour | 46.00 | 92.40 | 4250.40 |
| 2 | Pug cutting machine | Hour | 8.00 | 6.40 | 51.20 |

Gates and Allied Works - Item Unit Rates 2014-15

| | Fuel / Energy charges | Hour | 8.00 | 3.80 | 30.40 |
|---|---------------------------------|------|-------|--------|----------|
| 3 | Mobile derric crane | Hour | 4.00 | 519.70 | 2078.80 |
| | Fuel / Energy charges | Hour | 4.00 | 307.20 | 1228.80 |
| 4 | Stationery derric crane | Hour | 8.00 | 86.10 | 688.80 |
| | Fuel / Energy charges | Hour | 8.00 | 0.00 | 0.00 |
| 5 | Grinding machine | Hour | 8.00 | 22.50 | 180.00 |
| | Fuel / Energy charges | Hour | 8.00 | 38.50 | 308.00 |
| 6 | Drilling machines | Hour | 16.00 | 22.50 | 360.00 |
| | Fuel / Energy charges | Hour | 16.00 | 38.50 | 616.00 |
| 7 | Sundries | LS | 25.00 | 20.00 | 500.00 |
| - | Total hire charges of Machinery | | | Rs: | 11460.40 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|-------------------------------|------------|-----------|--------|----------|
| | | | | in Rs. | in Rs. |
| 1 | Crew for Mobile crane | Hour | 4.00 | 165.80 | 663.20 |
| 2 | Crew for Drilling machine | Hour | 16.00 | 187.20 | 2995.20 |
| 3 | Crew for Grinding machine | Hour | 8.00 | 187.20 | 1497.60 |
| 4 | Foreman | Day | 14.00 | 480.00 | 6720.00 |
| 5 | Marker / Fabricator / Erector | Day | 20.00 | 480.00 | 9600.00 |
| 6 | Gas cutter | Day | 6.00 | 415.00 | 2490.00 |
| 7 | Welder (General) | Day | 7.00 | 415.00 | 2905.00 |
| 8 | Helper fabrication / erection | Day | 44.00 | 370.00 | 16280.00 |
| 9 | Electrician | Day | 2.00 | 480.00 | 960.00 |
| | | Total cost | of Labour | Rs: | 44111.00 |

Add towards highly skilled labour charges @ 30% on total cost of labour

13233.30 57344.30

Total Cost of Labour

labour component/unit qty 5734.40
Add contractor's profit and overhead charges 13.615% 780.70
labour component/unit qty (including contractor's profit) 6515.10

ARSTRACT.

| ABSTRACT: | | | | | |
|--|----------|----------|-----------------|-----|-----------|
| A. Cost of Materials | | | Rs: | | 571480.95 |
| B. Hire charges of Machinery | | | Rs: | | 11460.40 |
| C. Cost of Labour | | | Rs: | | 57344.30 |
| | | | Total | Rs: | 640285.65 |
| D. Add for excise duty | | | 0.00% | Rs: | 0.00 |
| (on 75 percent cost excluding cost of materials) | | | Total | Rs: | 640285.65 |
| E. Add for transportation upto work site @ | | | 3% | Rs: | 19208.57 |
| | | Total | | Rs: | 659494.22 |
| F. Add for contractor's profit and overheads on | | | | | |
| (A+B+C+D+E) | 13.615% | 6 | | Rs: | 89790.14 |
| Add 2 leads | | | | | |
| Add 1 km lead charges for fabricated parts | | 1 | 18.90 per tonne | | 105.992 |
| Unloading charges of fabricated parts Rs | | | 66.30 per tonne | | 371.81 |
| Total cost for | 2.80 | 4 tonne | • | Rs: | 749762.16 |
| | 10.000 | 0 t capa | acity | | |
| Rate per | tonne | | | Rs: | 267390.20 |
| | Rate per | tonne | 9 | Rs: | 74976.20 |

IRR-GAW-2-12 New Item 2014-15-2

OT SLUICE SHUTTERS Screw Gear Hoist Including Platform for below 5 Tons Capacity (Small Gates)

<u>As per Guidelines of Chief Engineer, Central Designs Organization, Hyderabad Specification drawing for Krishna Delta System</u>

capacity of hoist

Fabrication, supply, erection, testing and commissioning of Embedded parts consisting of supporting structure, platform etc. with all accessories for operating canal escape/ regulator gate with all accessories including cost of all materials, machinery, labour, cutting, bending, aligning, anchoring, welding, finishing etc. complete as per Specification and approved drawings

(without painting on mechanical cleaning surfaces which are added extra as per schedule of rates under items in this chapter and add as applicable separately)

DATA: RATE ANALYSIS UNIT: 0.869 tonne

| A. MATERI | ALS: | | | | |
|-----------|-------------|------|----------|--------|--------|
| SI No | particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |

| | | | | Gate | s and Allied Works - Item Unit I |
|----|--|---------------|-----------|--------|----------------------------------|
| 1 | Structural steel angles/ beams / chanr | kg | 445.78 | 40.00 | 17831.20 |
| 2 | Structural steel plates / flats | kg | 28.00 | 40.00 | 1120.00 |
| 3 | Chequered plate | kg | 144.80 | 63.00 | 9122.40 |
| | Cast iron Components | | | | |
| 4 | Hoist Body/lock nut/Main Nut etc. | Kg | 83.00 | 220.00 | 18260.00 |
| | Bronze Alloy Steel Components | | | | |
| 5 | Thrust Bearings | kg | 3.00 | 920.00 | 2760.00 |
| 6 | MS Bolt/Nut/ Washer | kg | 16.00 | 90.00 | 1440.00 |
| 7 | Oxygen gas | cum | 21.00 | 45.00 | 945.00 |
| 8 | Acetyline gas | cum | 7.00 | 330.00 | 2310.00 |
| 9 | Welding electrodes | Nos | 200.00 | 11.00 | 2200.00 |
| 10 | Welding electrodes (LH) | Nos | 40.00 | 18.00 | 720.00 |
| 11 | Use rate welding holder set | Hour | 72.00 | 7.65 | 550.80 |
| 12 | Use rate gas cutting torch set | Hour | 36.00 | 2.08 | 75.00 |
| 13 | Sundries | LS | 20.00 | 20.00 | 400.00 |
| | | Total cost of | Materials | Rs: | 57734.40 |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|--------------------------------|------|----------|--------|----------|
| | | | | in Rs. | in Rs. |
| 1 | Welding transformer | Hour | 30.00 | 16.00 | 480.00 |
| | Fuel / Energy charges | Hour | 30.00 | 92.40 | 2772.00 |
| 2 | Pug cutting machine | Hour | 12.00 | 6.40 | 76.80 |
| | Fuel / Energy charges | Hour | 12.00 | 3.80 | 45.60 |
| 3 | Drilling machine | Hour | 8.00 | 22.50 | 180.00 |
| | Fuel / Energy charges | Hour | 8.00 | 38.50 | 308.00 |
| 4 | Grinding machine | Hour | 36.00 | 22.50 | 810.00 |
| | Fuel / Energy charges | Hour | 36.00 | 38.50 | 1386.00 |
| 5 | Lathe machine (Screw Rod M/C) | Hour | 16.00 | 300.00 | 4800.00 |
| 6 | Sundries | LS | 10.00 | 20.00 | 200.00 |
| · | Total hire charges of Machiner | у | · | Rs: | 11058.40 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|-------------------------------|------|----------|--------|----------|
| | · | | | in Rs. | in Rs. |
| 1 | Crew for Drilling machine | Hour | 8.00 | 187.20 | 1497.60 |
| 2 | Crew for Grinding machine | Hour | 36.00 | 187.20 | 6739.20 |
| 3 | Foreman | Day | 2.00 | 480.00 | 960.00 |
| 4 | Marker / Fabricator / Erector | Day | 10.00 | 480.00 | 4800.00 |
| 5 | Gas cutter | Day | 4.00 | 415.00 | 1660.00 |
| 6 | Welder (General) | Day | 4.00 | 415.00 | 1660.00 |
| 7 | Mazdoors | Day | 6.00 | 310.00 | 1860.00 |
| 8 | Helper fabrication / erection | Day | 6.00 | 370.00 | 2220.00 |
| | Total cost of Labour | | | | 21396.80 |

labour component/unit qty 21396.80 Add contractor's profit and overhead charges 13.615% 2913.20

labour component/unit qty (including contractor's profit) 2913.20 24310.00

ABSTRACT:

| A. Cost of Materials | | | Rs: | 57734.40 |
|--|----------------|-----------------|-----|-----------|
| B. Hire charges of Machinery | | | Rs: | 11058.40 |
| C. Cost of Labour | | | Rs: | 21396.80 |
| | | Total | Rs: | 90189.60 |
| D. Add for excise duty | | 0.00% | Rs: | 0.00 |
| (on 75 percent cost excluding cost of materials) | | Total | Rs: | 90189.60 |
| E. Add for transportation upto work site @ | | 3% | Rs: | 2705.69 |
| | Total | | Rs: | 92895.29 |
| F. Add for contractor's profit and overheads on | | | | |
| (A+B+C+D+E) | 13.615% | | Rs: | 12647.69 |
| Add 2 leads | | | | |
| Add 1 km lead charges for fabricated parts | 1 | 18.90 per tonne | | 32.848 |
| Unloading charges of fabricated parts Rs | | 66.30 per tonne | | 115.23 |
| Total cost for | 0.869 tonne | 1 | Rs: | 105691.06 |
| | Rate per tonne |) | Rs: | 121623.80 |

IRR-GAW-2-13 New Item 2014-15-3

OT SLUICE SHUTTERS EM parts for Below 5 Tons capacity (small gates)

1.334 tonne

Krishna Delta System

Fabrication, supply, erection, testing and commissioning of Embedded parts consisting of sil beam, slide tracks, seal seats, Guide plates etc. with all accessories including cost of all materials, machinery, labour, etc. complete as per specifications and approved drawings.

(without painting on mechanical cleaning surfaces which are added extra as per schedule of rates under items in this chapter and add as applicable separately)

RATE ANALYSIS

Height of EM parts: 5.4 M Gate Size: 0.99 X 0.875 M

UNIT:

DATA:

| A. MATERIALS: | | | | | | | | |
|---------------|--|---------------|-----------|--------|----------|--|--|--|
| SI No | particulars | Unit | Quantity | Rate | Amount | | | |
| | | | | in Rs. | in Rs. | | | |
| 1 | Structural steel angles/ beams / chann | kg | 440.57 | 40.00 | 17622.80 | | | |
| 2 | Structural steel plates / flats | kg | 869.00 | 40.00 | 34760.00 | | | |
| 3 | Stainless Steel Flats | kg | 25.12 | 275.00 | 6908.00 | | | |
| 4 | Oxygen gas | cum | 12.00 | 45.00 | 540.00 | | | |
| 5 | Acetyline gas | cum | 4.00 | 330.00 | 1320.00 | | | |
| 6 | Welding electrodes | Nos | 210.00 | 11.00 | 2310.00 | | | |
| 7 | Welding electrodes (Stainless Steel) | Nos | 30.00 | 27.00 | 810.00 | | | |
| 8 | Use rate welding holder set | Hour | 62.00 | 7.65 | 474.30 | | | |
| 9 | Use rate gas cutting torch set | Hour | 32.00 | 2.08 | 66.67 | | | |
| 10 | Sundries | LS | 3.00 | 20.00 | 60.00 | | | |
| | | Total cost of | Materials | Rs: | 64871.77 | | | |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|---------------------------------|------|----------|--------|---------|
| | | | | in Rs. | in Rs. |
| 1 | Welding transformer | Hour | 30.00 | 16.00 | 480.00 |
| | Fuel / Energy charges | Hour | 30.00 | 92.40 | 2772.00 |
| 2 | Pug cutting machine | Hour | 20.00 | 6.40 | 128.00 |
| | Fuel / Energy charges | Hour | 20.00 | 3.80 | 76.00 |
| 3 | Drilling machine | Hour | 4.00 | 22.50 | 90.00 |
| | Fuel / Energy charges | Hour | 4.00 | 38.50 | 154.00 |
| 4 | Grinding machine | Hour | 20.00 | 22.50 | 450.00 |
| | Fuel / Energy charges | Hour | 20.00 | 38.50 | 770.00 |
| 5 | Sundries | LS | 3.00 | 20.00 | 60.00 |
| | Total hire charges of Machinery | | | Rs: | 4980.00 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|-------------------------------|------|----------|--------|---------|
| | | | | in Rs. | in Rs. |
| 1 | Crew for Drilling machine | Hour | 4.00 | 187.20 | 748.80 |
| 2 | Crew for Grinding machine | Hour | 20.00 | 187.20 | 3744.00 |
| 3 | Foreman | Day | 8.00 | 480.00 | 3840.00 |
| 4 | Marker / Fabricator / Erector | Day | 6.00 | 480.00 | 2880.00 |
| 5 | Gas cutter | Day | 2.00 | 415.00 | 830.0 |
| 6 | Welder (General) | Day | 4.00 | 415.00 | 1660.00 |
| 7 | Mazdoors | Day | 4.00 | 310.00 | 1240.00 |
| 8 | Helper fabrication / erection | Day | 8.00 | 370.00 | 2960.0 |
| | | Rs: | 17902.8 | | |

labour component/unit qty 17902.80

Add contractor's profit and overhead charges 13.615% 2437.50 labour component/unit qty (including contractor's profit) 20340.30

ABSTRACT:

| 7.50117.011 | | | |
|--|-------------------|---------|----------|
| A. Cost of Materials | | Rs: | 64871.77 |
| B. Hire charges of Machinery | | Rs: | 4980.00 |
| C. Cost of Labour | | Rs: | 17902.80 |
| | Total | Rs: | 87754.57 |
| D. Add for excise duty | 0.00% | Rs: | 0.00 |
| (on 75 percent cost excluding cost of materials) | Total | Rs: | 87754.57 |
| E. Add for transportation upto work site @ | 3% | Rs: | 2632.64 |
| | Total | Rs: | 90387.20 |
| F. Add for contractor's profit and overheads on | | | |
| (A+B+C+D+E) | 13.615% | Rs: | 12306.22 |
| Add 2 leads | | | |
| Add 1 km lead charges for fabricated parts | I 18.90 per tonne | 50 | 0.426 |
| Unloading charges of fabricated parts Rs | 66.30 per tonne | 176.888 | |
| | | | |

1.334 tonne 102920.74 Rate per tonne Rs: 77152.00

IRR-GAW-2-14 New Item 2014-15 -4

OT SLUICE SHUTTERS for Below 5 Tons capacity (small gates)

As per Guidelines of Chief Engineer, Central Designs Organization, Hyderabad Specification drawing for Krishna Delta System

Fabrication, supply, erection, testing and commissioning of Sluice Shutters consisting of skin plate, horizontal and vertical angles, stiffeners, rubber seals, clamps with all accessories for sluice shutters including cost of all materials, machinery, labour, seal fixing etc., complete as per specifications and approved drawings

(without painting on mechanical cleaning surfaces which are added extra as per schedule of rates under items in this chapter and add as applicable separately)

Gate Size: 0.99 X 0.875 M

DATA:

RATE ANALYSIS

UNIT:

0.161 tonne

| A. MATER | | I India | O a . a titu . | Dete | A |
|----------|--|---------------|----------------|---------|----------|
| SI No | particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Structural steel angles/ beams / chann | kg | 63.72 | 40.00 | 2548.80 |
| 2 | Structural steel plates / flats | kg | 96.50 | 40.00 | 3860.00 |
| 3 | GI Bolts/Nut/Washer | kg | 20.00 | 120.00 | 2400.00 |
| | Rubber Seals | | | | |
| 4 | Bottom Seal | Rm | 0.82 | 780.00 | 639.60 |
| 5 | Side Seal/ Top Seal | Rm | 1.75 | 1210.00 | 2117.50 |
| 6 | Oxygen gas | cum | 15.00 | 45.00 | 675.00 |
| 7 | Acetyline gas | cum | 5.00 | 330.00 | 1650.00 |
| 8 | Welding electrodes | Nos | 110.00 | 11.00 | 1210.00 |
| 9 | Use rate welding holder set | Hour | 30.00 | 7.65 | 229.50 |
| 10 | Use rate gas cutting torch set | Hour | 12.00 | 2.08 | 25.00 |
| 11 | Sundries | LS | 3.00 | 20.00 | 60.00 |
| | | Total cost of | Materials | Rs: | 15415.40 |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|---------------------------------|-----------------------|------|----------|---------|---------|
| | | | | in Rs. | in Rs. |
| 1 | Welding transformer | Hour | 14.00 | 16.00 | 224.00 |
| | Fuel / Energy charges | Hour | 14.00 | 92.40 | 1293.60 |
| 2 | Pug cutting machine | Hour | 4.00 | 6.40 | 25.60 |
| | Fuel / Energy charges | Hour | 4.00 | 3.80 | 15.20 |
| 3 | Drilling machine | Hour | 2.00 | 22.50 | 45.00 |
| | Fuel / Energy charges | Hour | 2.00 | 38.50 | 77.00 |
| 4 | Grinding machine | Hour | 4.00 | 22.50 | 90.00 |
| | Fuel / Energy charges | Hour | 4.00 | 38.50 | 154.00 |
| 5 | Sundries | LS | 3.00 | 20.00 | 60.00 |
| Total hire charges of Machinery | | | Rs: | 1984.40 | |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|-------------------------------|------|----------|---------|---------|
| | | | | in Rs. | in Rs. |
| 1 | Crew for Drilling machine | Hour | 2.00 | 187.20 | 374.40 |
| 2 | Crew for Grinding machine | Hour | 4.00 | 187.20 | 748.80 |
| 3 | Foreman | Day | 2.00 | 480.00 | 960.00 |
| 4 | Marker / Fabricator / Erector | Day | 3.00 | 480.00 | 1440.00 |
| 5 | Gas cutter | Day | 1.00 | 415.00 | 415.00 |
| 6 | Welder (General) | Day | 4.00 | 415.00 | 1660.00 |
| 7 | Mazdoors | Day | 4.00 | 310.00 | 1240.00 |
| 8 | Helper fabrication / erection | Day | 6.00 | 370.00 | 2220.00 |
| | Total cost of Labour | | Rs: | 9058.20 | |

labour component/unit qty

9058.20

Add contractor's profit and overhead charges

13.615% 1233.30

labour component/unit qty (including contractor's profit)

10291.50

ABSTRACT:

| A. Cost of Materials | | Rs: | 15415.40 |
|------------------------------|-------|-----|----------|
| B. Hire charges of Machinery | | Rs: | 1984.40 |
| C. Cost of Labour | | Rs: | 9058.20 |
| | Total | Dc. | 26458.00 |

Gates and Allied Works - Item Unit Rates 2014-15

| | Rate per tonne | Rs: | 192481.40 |
|--|------------------|------|------------------------------|
| Total cost for | 0.161 tonne | Rs: | 30989.50 |
| Inloading charges of fabricated parts Rs | 66.30 per tonr | ne | 21.348 |
| Add 1 km lead charges for fabricated parts | I 18.90 per tonr | ne | 6.086 |
| Add 2 leads | | | |
| F. Add for contractor's profit and overheads on A+B+C+D+E) | 13.615% | Rs: | 3710.32 |
| | Total | Rs: | 27251.74 |
| E. Add for transportation upto work site @ | 3% | Rs: | 793.74 |
| (on 75 percent cost excluding cost of materials) | Total | Rs: | 26458.00 |
| D. Add for excise duty | 0.00% | Rs: | 0.00 |
| | | Gale | s and Allied Works - Item Ur |

IRR-GAW-3 SAND BLASTING AND PAINTING AS PER IS:14177-1994

IRR-GAW-3-1 Cleaning gates / hoists / embedded parts/lifting beams etc, to expose fresh metal surface for painting by sand blasting method as per specifications including cost of all materials, I abour, machinery, scaffolding, etc., complete with initial lead for sand upto 1 km and all lifts.

DATA: RATE ANALYSIS UNIT : 100 sqm

| A. MATERI | IALS: | | | | |
|--|--|------|----------|--------|----------|
| SI No | particulars | Unit | Quantity | Rate | Amount |
| | · | | - | in Rs. | in Rs. |
| 1 | Sand (Screened) | cum | 30.00 | 760.00 | 22800.00 |
| 2 | Use rate of air hose | Hour | 8.00 | 18.63 | 149.00 |
| 3 | Use rate of sand blast gun nozzle | Hour | 8.00 | 3.50 | 28.00 |
| 4 | Sundries(Rust inhibitive, seive etc) | LS | 5.00 | 20.00 | 100.00 |
| | Total | | | | |
| Add 10% towards scaffolding/laddor @ 0.10 Total cost of Materials | | | | | 2307.70 |
| | | | | | 25384.70 |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|---------------------------------|-----------------------------|------|----------|--------|---------|
| | | | | in Rs. | in Rs. |
| 1 | Air compressor 7 cmm diesel | Hour | 8.00 | 241.30 | 1930.40 |
| | Fuel / Energy charges | Hour | 8.00 | 731.40 | 5851.20 |
| 2 | Sand blasting equipment | Hour | 8.00 | 110.10 | 880.80 |
| | Fuel / Energy charges | Hour | 8.00 | 0.00 | 0.00 |
| Total hire charges of Machinery | | | | | 8662.40 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|----------------------------------|------|----------|---------|---------|
| | | | | in Rs. | in Rs. |
| 1 | Crew for Air compressor | Hour | 8.00 | 195.90 | 1567.20 |
| 2 | Crew for Sand blasting equipment | Hour | 8.00 | 204.10 | 1632.80 |
| 3 | mazdoor | Day | 15.00 | 310.00 | 4650.00 |
| | Total cost of Labour | | | 7850.00 | |

labour component/unit qty 78.50
Add contractor's profit and overhead charges 13.615% 10.70
labour component/unit qty (including contractor's profit) 89.20

ABSTRACT:

| ABOTRAOT. | | | |
|--|--------------|-----|----------|
| A. Cost of Materials | | Rs: | 25384.70 |
| B. Hire charges of Machinery | | Rs: | 8662.40 |
| C. Cost of Labour | | Rs: | 7850.00 |
| | Total | Rs: | 41897.10 |
| D. Add for excise duty | 0.00% | Rs: | 0.00 |
| (on 75 percent cost excluding cost of materials) | Total | Rs: | 41897.10 |
| E. Add for transportation upto work site @ | 3% | Rs: | 1256.91 |
| | Total | Rs: | 43154.01 |
| F. Add for contractor's profit and overheads on | | | |
| (A+B+C+D+E) | 13.615% | Rs: | 5875.42 |
| Total cost for | 100.00 sqm | Rs: | 49029.43 |
| | Rate per sqm | Rs: | 490.30 |
| | | | |

IRR-GAW-3-2 **painting of embedded metal parts** and all types of gates, stoplogs,etc, on sand blasted surfaces with one coat of inorganic zinc silicate (airless spray preferred)70+/- 5 and two super coats with a total thickness of 300 microns (each 150+/- 5) of solventless coaltar epoxy paint each coat 150 microns (total 300 microns) cost of all materials, labour, scaffolding etc., complete **with all leads and all lifts**

(Upstream surface of gates portion may be painted with solventless coaltar epoxy brown paint instead of solventless coaltar black. The rate for coaltar epoxy brown shall be adopted in data for Upstream side painting)

DATA: Consider 100 sqm area for painting:

Requirement of materials:

Theoretical spreading rate per one Coat of Paint 25 Sqm/Hr

Assume Losses at 30% of the spreading area (as per field obserations)

Actual Spreading Area 17.50 Sqm/Hr Total time required for 100 Sqm Area Hr 5.71

RATE ANALYSIS

Say 6 Hr

UNIT:

100 sqm

DATA:

| A. MATER | IALS: | | | | |
|----------|-------------------------------------|------|----------|--------|----------|
| SI No | particulars | Unit | Quantity | Rate | Amount |
| | • | | | in Rs. | in Rs. |
| 1 | inorganic zinc silicate | ltr | 12.00 | 550.00 | 6600 |
| 2 | Thinner @ 10% | ltr | 1.20 | 140.00 | 168 |
| 3 | Solventless Coal tar epoxy paint | ltr | 40.00 | 250.00 | 10000 |
| 4 | Thinner @ 10% | ltr | 4.00 | 140.00 | 560 |
| | Sundries (brushes,ladders,platforms | | | | |
| 5 | etc) | | 3.00 | 20.00 | 60 |
| | Total cost of Materials | | | Rs: | 17388 00 |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------------------------|-----------------------------------|------|----------|--------|---------|
| | | | | in Rs. | in Rs. |
| 1 | Hire Charges of Airless Spray Gun | Hr | 6.00 | 121.40 | 728.40 |
| | Hire Charges of Air Compressor-7 | | | | |
| 2 | Cmm (diesel) | Hr | 6.00 | 241.30 | 1447.80 |
| 3 | Fuel Charges of Air Compressor | Hr | 6.00 | 731.40 | 4388.40 |
| | | | | | |
| Total cost of Machinery | | Rs: | 6564.60 | | |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|--------------------------------|----------------------|----------|--------|----------|
| | | | | in Rs. | in Rs. |
| 1 | Crew Charges of Air Compressor | Day | 6.00 | 195.90 | 1175.40 |
| 2 | Painter Class-I | Day | 20.00 | 480.00 | 9600.00 |
| 3 | Helper | Day | 20.00 | 310.00 | 6200.00 |
| | | Total cost of Labour | | Rs: | 16975.40 |

labour component/unit qty

169.80

Add contractor's profit and overhead charges 13.615% 23.10 labour component/unit qty (including contractor's profit)

192.90

ARSTDACT.

| ADSTRACT: | | | | |
|------------------------------------|-------------------|-------|-----|----------|
| A. Cost of Materials | | | Rs: | 17388.00 |
| B. Hire charges of Machinery | | | Rs: | 6564.60 |
| C. Cost of Labour | | | Rs: | 16975.40 |
| | | Total | Rs: | 40928.00 |
| D. Add for excise duty | | 0 | Rs: | 0.00 |
| (on 75 percent cost excluding c | ost of materials) | Total | Rs: | 40928.00 |
| E. Add for transportation upto w | vork site @ | 0.03 | Rs: | 1227.84 |
| | | Total | Rs: | 42155.84 |
| F. Add for contractor's profit and | d overheads on | | | |
| (A+B+C+D+E) | 13.615% | | Rs: | 5739.52 |
| Total cost for | 100.00 sqm | | Rs: | 47895.36 |
| | Rate per sqm | | Rs: | 479.00 |
| | | | | |

IRR-GAW-3-3

painting of Lifting beams,cat walks and other similar structures-painting hoist machinery, on sand blasted surfaces with two coats of zinc phosphate primer (airless spray preferred) 40microns/coat and twocoats of alkyd based micaccous iron oxide paint, 65 microns/coat cost of all materials, labour, scaffolding etc., complete with all leads and all lifts

DATA: Consider 100 sqm area for painting:

Requirement of materials :

Theoretical spreading rate per one Coat of Paint

25 Assume Losses at 30% of the spreading area (as per field obserations) Sqm/Hr

Actual Spreading Area 17.50 Sqm/Hr Total time required for 100 Sqm Area 5.71 Hr

> Say Hr 6

DATA: **RATE ANALYSIS** UNIT: 100 sqm

| A. MATERI | ALS: | | | | |
|-----------|-------------------------------------|---------------|-----------|--------|----------|
| SI No | particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | zinc phosphate primer | ltr | 28.00 | 200.00 | 5600 |
| 2 | Thinner@10% | ltr | 2.80 | 140.00 | 392 |
| | alkyd based micaccous iron oxide | | | | |
| 3 | paint | ltr | 20.00 | 185.00 | 3700 |
| 4 | Thinner@10% | ltr | 2.00 | 140.00 | 280 |
| | Sundries (brushes,ladders,platforms | | | | |
| 5 | etc) | | 3.00 | 20.00 | 60 |
| | | Total cost of | Materials | Rs: | 10032.00 |

B. MACHINERY: SI No Unit Quantity Description Rate Amount in Rs. in Rs. Hire Charges of Airless Spray Gun Hr 6.00 121.40 728.40 Hire Charges of Air Compressor-7 2 Cmm (diesel) Hr 6.00 241.30 1447.80 Fuel Charges of Air Compressor Hr 6.00 731.40 4388.40 Total cost of machinery RS: 6564.60

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|--------------------------------|----------------------|----------|--------|----------|
| | | | | in Rs. | in Rs. |
| 1 | Crew Charges of Air Compressor | Day | 6.00 | 195.90 | 1175.40 |
| 2 | Painter Class-I | Day | 15.00 | 480.00 | 7200.00 |
| 3 | Helper | Day | 15.00 | 310.00 | 4650.00 |
| | | Total cost of Labour | | Rs: | 13025.40 |

labour component/unit qty 130.30 Add contractor's profit and overhead charges 13.615% 17.70 labour component/unit qty (including contractor's profit) 148.00

ABSTRACT:

| ABOTRACT. | | | |
|--|--------------|-----|----------|
| A. Cost of Materials | | Rs: | 10032.00 |
| B. Hire charges of Machinery | | Rs: | 6564.60 |
| C. Cost of Labour | | Rs: | 13025.40 |
| | Total | Rs: | 29622.00 |
| D. Add for excise duty | 0 | Rs: | 0.00 |
| (on 75 percent cost excluding cost of materials) | Total | Rs: | 29622.00 |
| E. Add for transportation upto work site @ | 0.03 | Rs: | 888.66 |
| | Total | Rs: | 30510.66 |
| F. Add for contractor's profit and overheads on | | | |
| (A+B+C+D+E) | 13.615% | Rs: | 4154.03 |
| Total cost for | 100.00 sqm | Rs: | 34664.69 |
| | Rate per sqm | Rs: | 346.60 |
| | | | |

IRR-GAW-3-4 HOISTS:STRUCTURAL COMPONENTS--painting structurals on sand blasted surfaces with

two coats of zinc phosphate primer (airless spray preferred) 40microns/coat and one coat 65+/-5 of alkyd based micaccous iron oxide paint followed by two coats of synthetic enamel paint 25 microns/coat

cost of all materials, labour, scaffolding etc., complete with all leads and

all lifts

DATA: Consider 100 sqm area for painting:

Requirement of materials:

Theoretical spreading rate per one Coat of Paint 25 Sqm/Hr

Assume Losses at 30% of the spreading area (as per field obserations)

Actual Spreading Area 17.50 Sqm/Hr Total time required for 100 Sqm Area 5.71 Hr Say 6 Hr

13355.00

Rs

DATA:

RATE ANALYSIS

| A. MATERI | ALS: | | | | |
|-----------|-------------------------------------|------|----------|--------|--------|
| SI No | particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | zinc phosphate primer | ltr | 28.00 | 200.00 | 5600 |
| 2 | Thinner@10% | ltr | 2.80 | 140.00 | 392 |
| | alkyd based micaccous iron oxide | | | | |
| 3 | paint | ltr | 15.00 | 185.00 | 2775 |
| 4 | Thinner@10% | ltr | 1.50 | 140.00 | 210 |
| 5 | synthetic enamel paint | ltr | 17.00 | 240.00 | 4080 |
| 6 | Thinner@10% | ltr | 1.70 | 140.00 | 238 |
| | Sundries (brushes,ladders,platforms | | 1 | | |
| 7 | etc) | | 3.00 | 20.00 | 60 |

B. MACHINERY: SI No Description Unit Quantity Rate Amount in Rs. in Rs. Hire Charges of Airless Spray Gun 1 Hr 6.00 121.40 728.40 Hire Charges of Air Compressor-7 2 Cmm (diesel) 6.00 241.30 1447.80 Hr Fuel Charges of Air Compressor 3 Hr 6.00 731.40 4388.40 Total cost of Machinery Rs 6564.60

Total cost of Materials

| ^ | | 00 | | _ |
|----|----|----|---|---|
| C. | LA | BO | u | ĸ |

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|--------------------------------|------|----------|--------|----------|
| | | | | in Rs. | in Rs. |
| 1 | Crew Charges of Air Compressor | Day | 6.00 | 195.90 | 1175.40 |
| 2 | Painter Class-I | Day | 20.00 | 480.00 | 9600.00 |
| 3 | Helper | Day | 20.00 | 310.00 | 6200.00 |
| | Total cost of Labour | | | Rs: | 16975.40 |

labour component/unit qty

169.80 13.615% <u>23.10</u>

Add contractor's profit and overhead charges 1: labour component/unit qty (including contractor's profit)

192.90

UNIT:

ABSTRACT:

| A. Cost of Materials | | Rs: | 13355.00 |
|--|--------------|-----|----------|
| B. Hire charges of Machinery | | Rs: | 6564.60 |
| C. Cost of Labour | | Rs: | 16975.40 |
| | Total | Rs: | 36895.00 |
| D. Add for excise duty | 0 | Rs: | 0.00 |
| (on 75 percent cost excluding cost of materials) | Total | Rs: | 36895.00 |
| E. Add for transportation upto work site @ | 0.03 | Rs: | 1106.85 |
| | Total | Rs: | 38001.85 |
| F. Add for contractor's profit and overheads on | | | |
| (A+B+C+D+E) | 13.615% | Rs: | 5173.95 |
| Total cost for | 100.00 sqm | Rs: | 43175.80 |
| | Rate per sqm | Rs: | 431.80 |

IRR-GAW-3-5 HOISTS:machineryCOMPONENTS--painting hoist machinery, on sand blasted surfaces with

one coats of zinc phosphate primer (airless spray preferred) 50microns/coat and three coats of aluminium paint or synthetic enamel , 25 microns/coat cost of all materials, labour, scaffolding etc., complete with all leads and all lifts

DATA: Consider 100 sqm area for painting:

Requirement of materials:

Theoretical spreading rate per one Coat of Paint 25 Sqm/Hr

Assume Losses at 30% of the spreading area (as per field obserations)

Actual Spreading Area 17.50 Sqm/Hr
Total time required for 100 Sqm Area 5.71 Hr
Say 6 Hr

DATA: RATE ANALYSIS UNIT: 100 sqm

A. MATERIALS:

| A. MATERIALO: | | | | | | |
|---------------|-----------------------|------|----------|--------|--------|--|
| SI No | particulars | Unit | Quantity | Rate | Amount | |
| | | | | in Rs. | in Rs. | |
| 1 | zinc phosphate primer | ltr | 14.00 | 200.00 | 2800 | |
| 2 | Thinner@10% | ltr | 1.40 | 140.00 | 196 | |

Gates and Allied Works - Item Unit Rates 2014-15

| | aluminium paint or synthetic enamel | | | | |
|---|-------------------------------------|---------------|-----------|--------|---------|
| 3 | per coat | ltr | 26.00 | 240.00 | 6240 |
| 4 | Thinner@10% | ltr | 2.60 | 140.00 | 364 |
| | Sundries (brushes,ladders,platforms | | | | |
| 5 | etc) | | 3.00 | 20.00 | 60 |
| | | Total cost of | Materials | Rs: | 9660.00 |

B. MACHINERY:

| SIN | lo Description | Unit | Quantity | Rate | Amount |
|-----------------------------|-----------------------------------|------|----------|--------|---------|
| | | | | in Rs. | in Rs. |
| 1 | Hire Charges of Airless Spray Gur | n Hr | 6.00 | 121.40 | 728.40 |
| | Hire Charges of Air Compressor-7 | ' | | | |
| 2 | Cmm (diesel) | Hr | 6.00 | 241.30 | 1447.80 |
| 3 | Fuel Charges of Air Compressor | Hr | 6.00 | 731.40 | 4388.40 |
| Total cost of Machinery Rs: | | | | | 6564 60 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|--------------------------------|------|----------|----------|---------|
| | | | | in Rs. | in Rs. |
| 1 | Crew Charges of Air Compressor | Day | 6.00 | 195.90 | 1175.40 |
| 2 | Painter Class-I | Day | 20.00 | 480.00 | 9600.00 |
| 3 | Helper | Day | 20.00 | 310.00 | 6200.00 |
| | Total cost of Labour | | Rs: | 16975.40 | |

192.90

labour component/unit qty 169.80 Add contractor's profit and overhead charges 13.615% 23.10

labour component/unit qty (including contractor's profit)

ABSTRACT:

| A. Cost of Materials | | Rs: | 9660.00 |
|--|--------------|-----|----------|
| B. Hire charges of Machinery | | Rs: | 6564.60 |
| C. Cost of Labour | | Rs: | 16975.40 |
| | Total | Rs: | 33200.00 |
| D. Add for excise duty | 0 | Rs: | 0.00 |
| (on 75 percent cost excluding cost of materials) | Total | Rs: | 33200.00 |
| E. Add for transportation upto work site @ | 0.03 | Rs: | 996.00 |
| | Total | Rs: | 34196.00 |
| F. Add for contractor's profit and overheads on | | | |
| (A+B+C+D+E) | 13.615% | Rs: | 4655.79 |
| Total cost for | 100.00 sqm | Rs: | 38851.79 |
| | Rate per sqm | Rs: | 388.50 |

IRR-GAW-4 PAINTING WITHOUT SAND BLASTING

IRR-GAW-4-1 E.M Parts OF ALL TYPES OF GATES

Surface cleaning of metal surfaces by chemical cleaners and then by hand and power tool cleaners and removing dust. After cleaning, applying primary coat with **one** coat of **Protective Mastic** to athickness of 70±5 microns ,followed by finishing coats **2 coats** with Solventless Coal tar epoxy each coat with a DFT of 150±5 microns and total DFT of all coats including Primary coat should not be less than 350 microns with material, labour and all accessories with all leads and lifts

(in respect of Heavily rusted (30 to 40% rusted) surfaces)

DATA: Consider 100 sqm area for painting:

Requirement of materials:

Theoretical spreading rate per one Coat of Paint 25 Sqm/Hr

Assume Losses at 30% of the spreading area (as per field obserations)

Actual Spreading Area 17.50 Sqm/Hr
Total time required for 100 Sqm Area 5.71 Hr
Say 6 Hr

DATA: RATE ANALYSIS UNIT: 100.000 Sq.m

| A. MATERI | A. MATERIALS: | | | | | | | |
|-----------|----------------------------------|------|----------|--------|----------|--|--|--|
| SI No | particulars | Unit | Quantity | Rate | Amount | | | |
| | • | | | in Rs. | in Rs. | | | |
| 1 | Rust cleaner / inhibitor | ltr | 13 | 140 | 1820.00 | | | |
| 2 | Protective Mastic | ltr | 25 | 483 | 12075.00 | | | |
| 3 | Thinner@10% | ltr | 2.5 | 140.00 | 350.00 | | | |
| 4 | Solventless Coal tar epoxy paint | ltr | 40.00 | 250.00 | 10000.00 | | | |
| 5 | Thinner@10% | ltr | 4 | 140.00 | 560.00 | | | |
| 6 | Wire brush | Nos | 2 | 41.00 | 82.00 | | | |
| 7 | Sundries | LS | 3.00 | 20.00 | 60.00 | | | |

| Gates and Ailied Works - Item Unit Rates 20 | | | | |
|---|-------------------------|-----|----------|--|
| | Total cost of Materials | Rs: | 24947.00 | |

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|-----------------------------------|------|----------|--------|---------|
| | | | | in Rs. | in Rs. |
| 1 | Hire Charges of Airless Spray Gun | Hr | 6.00 | 121.40 | 728.40 |
| | Hire Charges of Air Compressor-7 | | | | |
| 2 | Cmm (diesel) | Hr | 6.00 | 241.30 | 1447.80 |
| 3 | Fuel Charges of Air Compressor | Hr | 6.00 | 731.40 | 4388.40 |
| | Total cost of Machinery | | | | 6564.60 |

C. LABOUR:

| | SI No | Description | Unit | Quantity | Rate | Amount |
|---|----------------------|--------------------------------|------|----------|----------|---------|
| | | | | | in Rs. | in Rs. |
| Ī | 1 | Crew Charges of Air Compressor | Day | 6.00 | 195.90 | 1175.40 |
| | 2 | Painter Class-I | Day | 20.00 | 480.00 | 9600.00 |
| | 3 | Helper | Day | 20.00 | 310.00 | 6200.00 |
| Ī | Total cost of Labour | | | Rs: | 16975.40 | |

labour component/unit qty

169.80

Add contractor's profit and overhead charges 13 labour component/unit qty (including contractor's profit)

13.615% 23.10 it) **192.90**

boar compension and 4.5 (meraaming community of promy

ABSTRACT:

| | Rate per sq.meter | Rs: | 567.40 |
|--|-------------------|-----|----------|
| Total cost for | 100.00 sqm | Rs: | 56741.16 |
| (A+B+C+D+E) | 13.615% | Rs: | 6799.55 |
| F. Add for contractor's profit and overheads on | | | |
| | Total | Rs: | 49941.61 |
| E. Add for transportation upto work site @ | 3% | Rs: | 1454.61 |
| (on 75 percent cost excluding cost of materials) | Total | Rs: | 48487.00 |
| D. Add for excise duty | 0.00% | Rs: | 0.00 |
| | Total | Rs: | 48487.00 |
| C. Cost of Labour | | Rs: | 16975.40 |
| B. Hire charges of Machinery | | Rs: | 6564.60 |
| A. Cost of Materials | | Rs: | 24947.00 |
| 7.2011.1011 | | | |

IRR-GAW-4-3 HOIST BRIDGES ,HOISTING EQUIPMENT AND CRANES,Etc,

Surface cleaning of metal surfaces by chemical cleaners and then by hand and power tool cleaners and removing dust. After cleaning, applying primary coat with **two** coats of Zinc chromite red oxide primer, followed by finishing coats 3 coats with synthetic enamel paint with material, labour, and all accessories with all leads and lifts where surface cleaning by sand blasting is not feasible and based on specific recommendations of designers, it is to adopt surface preperation done manually by hand and power tool after cleaning by chemical treatment to remove grease, rust, scaling etc., and to form phasphate coating to prevent further rusting, before applying primer painting.

DATA: Consider 100 sqm area for painting:

Requirement of materials :

Theoretical spreading rate per one Coat of Paint 25 Sqm/Hr

Assume Losses at 30% of the spreading area (as per field obserations)

Actual Spreading Area 17.50 Sqm/Hr
Total time required for 100 Sqm Area 5.71 Hr
Say 6 Hr

DATA:

RATE ANALYSIS UNIT: 100.000 Sq.m

A. MATERIALS

| SI No | particulars | Unit | Quantity | Rate | Amount |
|-------------------------|--------------------------------|------|----------|--------|---------|
| | | | | in Rs. | in Rs. |
| 1 | Rust cleaner / inhibitor | ltr | 13 | 140 | 1820.00 |
| 2 | Zinc Chromite Red Oxide Primer | ltr | 28 | 175 | 4900.00 |
| 3 | Thinner@10% | ltr | 2.8 | 140.00 | 392.00 |
| 4 | Synthetic enamel Paint | ltr | 17.00 | 240.00 | 4080.00 |
| 5 | Thinner@10% | ltr | 1.7 | 140.00 | 238.00 |
| 6 | Wire brush | Nos | 2 | 41.00 | 82.00 |
| 7 | Sundries | LS | 3.00 | 20.00 | 60.00 |
| Total cost of Materials | | | | | |

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------------------------|-------------------------------------|------|----------|--------|---------|
| | | | | in Rs. | in Rs. |
| 1 | 1 Hire Charges of Airless Spray Gun | | 6.00 | 121.40 | 728.40 |
| | Hire Charges of Air Compressor-7 | | | | |
| 2 | Cmm (diesel) | Hr | 6.00 | 241.30 | 1447.80 |
| 3 | Fuel Charges of Air Compressor | Hr | 6.00 | 731.40 | 4388.40 |
| Total cost of Machinery | | | | | 6564.60 |

C. LABOUR

| SI No | Description | Unit | Quantity | Rate | Amount |
|----------------------|--------------------------------|------|----------|--------|----------|
| | | | | in Rs. | in Rs. |
| 1 | Crew Charges of Air Compressor | Day | 6.00 | 195.90 | 1175.40 |
| 2 | Painter Class-I | Day | 20.00 | 480.00 | 9600.00 |
| 3 | Helper | Day | 20.00 | 310.00 | 6200.00 |
| Total cost of Labour | | | | | 16975.40 |

labour component/unit qty 169.80 Add contractor's profit and overhead charges 13.615% 23.10 labour component/unit qty (including contractor's profit) **192.90**

ABSTRACT:

| A. Cost of Materials | | Rs. | 11572.00 |
|---|-------------------|------|----------|
| | | r.s. | 11372.00 |
| B. Hire charges of Machinery | | Rs. | 6564.60 |
| C. Cost of Labour | | Rs | 16975.40 |
| | Total | Rs: | 35112.00 |
| D. Add for excise duty | 0.00% | Rs: | 0.00 |
| (on 75 percent cost excluding cost of materials) | Total | Rs: | 35112.00 |
| E. Add for transportation upto work site @ | 3% | Rs: | 1053.36 |
| | Total | Rs: | 36165.36 |
| F. Add for contractor's profit and overheads on (A+ | 13.615% | Rs: | 4923.91 |
| Total cost for | 100.00 sqm | Rs: | 41089.27 |
| | Rate per sq.meter | | 410.90 |

WALK WAYS(CAT WALKS), LIFTING BEAMS, etc,

IRR-GAW-4-4 Surface cleaning of metal surfaces by chemical cleaners and then by hand and power tool cleaners and removing dust. After cleaning, applying primary coat with one coat of Zinc rich epoxy primer to a thickness of 40 microns ,followed by finishing coats 2 coats with Solventless Coal tar epoxy with material, labour and all accessories with all leads and lifts

DATA: Consider 100 sqm area for painting:

Requirement of materials:

Theoretical spreading rate per one Coat of Paint 25 Sqm/Hr

Assume Losses at 30% of the spreading area (as per field obserations)

Actual Spreading Area 17.50 Sqm/Hr
Total time required for 100 Sqm Area 5.71 Hr
Say 6 Hr

DATA: RATE ANALYSIS UNIT: 100.000 Sq.m

A. MATERIALS:

| SI No | particulars | Unit | Quantity | Rate | Amount |
|-------------------------|----------------------------------|------|----------|----------|----------|
| 01110 | partioulars | Orne | Quantity | in Rs. | in Rs. |
| 1 | Rust cleaner / inhibitor | ltr | 13 | 140 | 1820.00 |
| 2 | Zinc rich epoxy primer | ltr | 14 | 700 | 9800.00 |
| 3 | Thinner@10% | ltr | 1.4 | 140.00 | 196.00 |
| 4 | Solvetnless Coal tar epoxy paint | ltr | 40 | 250 | 10000.00 |
| 5 | Thinner@10% | ltr | 4 | 140.00 | 560.00 |
| 6 | Wire brush | Nos | 2 | 41 | 82.00 |
| 7 | Sundries | LS | 3 | 20 | 60.00 |
| Total cost of Materials | | | Rs: | 22518.00 | |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate in Rs. | Amount in Rs. |
|-------|-----------------------------------|------|----------|----------------|---------------|
| 1 | Hire Charges of Airless Spray Gun | Hr | 6.00 | 121.40 | 728.40 |
| | Hire Charges of Air Compressor-7 | | | | |
| 2 | Cmm (diesel) | Hr | 6.00 | 241.30 | 1447.80 |
| 3 | Fuel Charges of Air Compressor | Hr | 6.00 | 731.40 | 4388.40 |

| Gales and Allied Works - item Unit Rate | | | | Init Rates 2014-15 |
|---|-------------------------|-----|---------|--------------------|
| | Total cost of Machinery | Rs: | 6564.60 | |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|--------------------------------|-----------|----------|----------|---------|
| | | | | in Rs. | in Rs. |
| 1 | Crew Charges of Air Compressor | Day | 6.00 | 195.90 | 1175.40 |
| 2 | Painter Class-I | Day | 13.00 | 480.00 | 6240.00 |
| 3 | Helper | Day 13.00 | | 310.00 | 4030.00 |
| | Total cost of Labour | | Rs: | 11445.40 | |

labour component/unit qty 114.50
Add contractor's profit and overhead charges 13.615% 15.60
labour component/unit qty (including contractor's profit) 130.10

ABSTRACT:

| A. Cost of Materials | | Rs: | 22518.00 |
|---|-------------------|-----|----------|
| B. Hire charges of Machinery | | Rs: | 6564.60 |
| C. Cost of Labour | | Rs: | 11445.40 |
| | Total | Rs: | 40528.00 |
| D. Add for excise duty | 0.00% | Rs: | 0.00 |
| (on 75 percent cost excluding cost of materials) | Total | Rs: | 40528.00 |
| E. Add for transportation upto work site @ | 3% | Rs: | 1215.84 |
| | Total | Rs: | 41743.84 |
| F. Add for contractor's profit and overheads on (A+ | 13.615% | Rs: | 5683.42 |
| Total cost for | 100.00 sqm | Rs: | 47427.26 |
| | Rate per sq.meter | Rs: | 474.30 |

CHAPTER-VI

PRELIMINARY AND MAINTENANCE WORKS - Standard Data

(STORED WITH E-N-C & TO INCORPORATE CHANGES YEARLY/ AS NEEDED)

For the Year:2015-16

Index- code IRR-PMW

PRELIMINARY & MAINTENANCE WORKS - DATA RATES

Directions to add Seigniorage Charges and Additional Lead Charges Seigniorage Charges:

- 1. The unit rate for work item in the Standard Data is exclusive of Seigniorage Charges wherever applicable.
- 2. The appropriate Seigniorage Charges for relevant materials are to be added to the Unit rate of work item while preparing the estimate. (i.e., to the data itself)
- 3. The Provision towards Contractor's Profit and Overhead charges **should not be operated on** the Seigniorage Charges while adding Seigniorage Charges to the data in the estimate

Additional Lead and Lift Charges:

- 1. Unless otherwise specified the basic rates are inclusive of all lifts.
- 2. For concrete, masonry and reinforcement items **wherever** initial lead of 1km is considered in the basic rate, the additional lead as follows:

Additional lead charges for Cement, Steel, sand, coarse aggregate, stones and stone chips shall be worked out for total lead involved and 1 km lead charges included in basic rate shall be deducted from total lead charges. No loading and unloading charges shall be allowed for any item.

In case of Cement and Steel, Loading and unloading charges are already added in the work item while arriving the unit rate and hence should not be added again

Example:

Total lead for sand from approved sand quarry:

Initial lead included in the basic rate in the SR:

Additional lead charges:

Lead charges for next 1/Rs.

Total lead charges for 1/Rs.

Less 1 km initial lead ch Rs.

Net additional lead charges.

15 Km

1 Km

83.60

Lead charges for next 1/Rs.

125

Total lead charges for 1/Rs.

208.60

Less 1 km initial lead ch Rs.

Net additional lead char Rs.

177.30

- 3. The Leads for Steel and Cement shall be from the nearest market place to the Project area
- 4. For earth/rockfill embankments **wherever** initial lead of 1km is considered in the basic rate, the additional lead charges are to be added as follows:

Additional lead charges for Earth, Murrum etc., shall be worked out for total lead involved and 1 km lead charges included in basic rate shall be deducted from total lead charges. No loading and unloading charges shall be allowed for any item. (same as above)

Example:

Total lead for earth from approved borrow area:

Initial lead included in the basic rate in the SR:

Additional lead charges:

Lead charges for next 1/Rs.

Total lead charges for 1/Rs.

Less 1 km initial lead ch Rs.

Net additional lead charges.

15 Km

1 Km

83.60

Lead charges for next 1/Rs.

125

Total lead charges for 1/Rs.

208.60

Less 1 km initial lead ch Rs.

Net additional lead charges.

177.30

5. The initial lead up to 50 m as mentioned in some standard data items is meant for manual lead within the working area. For conveyance of materials, the lead required from quarry/Borrow area/ Dump Area to worksite shall be added to the data without deducting the 50 m initial lead charges

PMW - Work Items

IRR-PMW-1 JUNGLE CLEARANCE :

IRR-PMW-1-1 Clearing thin jungle growth (more than 50 percent open space) including bushes

upto 30 cm / parthenium and other weeds including burning or disposing off the same

as directed etc., complete.

DATA: RATE ANALYSIS UNIT: 1000 sqm

| A. MATERI | ALS: | | | | |
|-----------|-------------|------|----------|-------|--------|
| SI No | particulars | Unit | Quantity | Rate | Amount |
| | | | - | in Rs | in Rs |

| 1 | NIL | | | Maintenance Works - Ite 0.00 | m Unit Rates 2014-15 0.00 |
|---|---------------|-----------|------|---------------------------------|------------------------------|
| | | | 0.00 | 0.00 | 0.00 |
| | Total cost of | Materials | | Rs: | 0.00 |

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|----------------|-------------|----------|--------|--------|
| | | | | in Rs. | in Rs. |
| 1 | NIL | | 0.00 | 0.00 | 0.00 |
| | | | 0.00 | 0.00 | 0.00 |
| | Total hire cha | arges of Ma | chinery | Rs: | 0.00 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|----------------------|------|----------|--------|---------|
| | | | | in Rs. | in Rs. |
| 1 | work inspector | Day | 0.50 | 400.00 | 200.00 |
| 2 | mazdoor | Day | 3.00 | 310.00 | 930.00 |
| | Total cost of Labour | | | | 1130.00 |

labour component/unit qty 1.10
Add contractor's profit and overhead charges 13.615% 0.10
labour component/unit qty (including contractor's profit) 1.20

ABSTRACT:

 A. Cost of Materials
 Rs: 0.00

 B. Hire charges of Machinery
 Rs: 0.00

 C. Cost of Labour
 Rs: 1130.00

 Total
 Rs: 1130.00

D. Add for contractor's profit and overheads on

 (A+B+C)
 13.615% Rs:
 153.85

 Total cost for
 1000.00 sqm Rs:
 1283.85

 Rate per sqm
 (A+B+C+D)/1000.0 Rs.
 1.30

IRR-PMW-1-2 Clearing thick jungle growth (less than 50 percent open space) including bushes upto 30 cm / parthenium and other weeds including burning or disposing off the same as directed etc., complete.

DATA:

RATE ANALYSIS

UNIT :

1000 sqm

| A. MATERIA | ALS: | | | | |
|------------|--------------|-------------|----------|--------|--------|
| SI No | particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | NIL | | 0.00 | 0.00 | 0.00 |
| | | | 0.00 | 0.00 | 0.00 |
| | Total cost o | f Materials | | Rs: | 0.00 |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|----------------|-------------|----------|--------|--------|
| | | | | in Rs. | in Rs. |
| 1 | NIL | | 0.00 | 0.00 | 0.00 |
| | | | 0.00 | 0.00 | 0.00 |
| | Total hire cha | arges of Ma | chinery | Rs: | 0.00 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|----------------|--------|----------|--------|---------|
| | | | | in Rs. | in Rs. |
| 1 | work inspector | Day | 0.50 | 400.00 | 200.00 |
| 2 | mazdoor | Day | 5.00 | 310.00 | 1550.00 |
| | Total cost of | Labour | | Rs: | 1750.00 |

labour component/unit qty

Add contractor's profit and overhead charges
13.615% 0.20
labour component/unit qty (including contractor's profit)
2.00

ABSTRACT:

 A. Cost of Materials
 Rs: 0.00

 B. Hire charges of Machinery
 Rs: 0.00

 C. Cost of Labour
 Rs: 1750.00

 Total
 Rs: 1750.00

D. Add for contractor's profit and overheads on

(A+B+C) 13.615% Rs: 238.26 Total cost for 1000.00 sqm Rs: 1988.26 2.00 Rate per Rs. (A+B+C+D)/1000.0 sqm

IRR-PMW-1-3 Removing stumps, tree roots, roots of bamboo clusters etc., upto 1.50 m girth

including excavation, stacking the materials neatly and levelling the surface etc., complete with

initial lead upto 50 m and all lifts.

DATA:

RATE ANALYSIS UNIT: 18 Nos.

A. MATERIALS:

| SI No | particulars | Unit | Quantity | Rate | Amount |
|-------|---------------|-----------|----------|--------|--------|
| | | | | in Rs. | in Rs. |
| 1 | NIL | | 0.00 | 0.00 | 0.00 |
| | | | 0.00 | 0.00 | 0.00 |
| | Total cost of | Materials | | Rs: | 0.00 |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|----------------|-------------|----------|--------|--------|
| | | | | in Rs. | in Rs. |
| 1 | NIL | | 0.00 | 0.00 | 0.00 |
| | | | 0.00 | 0.00 | 0.00 |
| | Total hire cha | arges of Ma | achinery | Rs: | 0.00 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|----------------|--------|----------|--------|--------|
| | | | | in Rs. | in Rs. |
| 1 | work inspector | Day | 0.25 | 400.00 | 100.00 |
| 2 | mazdoor | Day | 2.00 | 310.00 | 620.00 |
| | Total cost of | Labour | | Rs: | 720.00 |

labour component/unit qty

40.00 13.615% 5.40

Add contractor's profit and overhead charges 45.40 labour component/unit qty (including contractor's profit)

ABSTRACT:

| A. Cost of Materials | | Rs: | 0.00 |
|---|-------|-----|--------|
| B. Hire charges of Machinery | | Rs: | 0.00 |
| C. Cost of Labour | | Rs: | 720.00 |
| | Total | Rs: | 720.00 |
| D. Add for contractor's profit and overheads on | | | |

(A+B+C) 13.615% Rs: 98.028 Total cost for 18.00 Nos. Rs: 818.03 Rate per each (A+B+C+D)/18.0 Rs. 45.40

IRR-PMW-1-4 Removing stumps, tree roots, roots of bamboo cluster etc., with girth above 1.50 m

and upto 3.0 m including excavation, stacking the materials neatly and levelling the area etc.,

complete with initial lead upto 50 m and all lifts.

DATA:

RATE ANALYSIS UNIT: 8 Nos.

A. MATERIALS:

| SI No | particulars | Unit | Quantity | Rate | Amount |
|-------|---------------|-----------|----------|--------|--------|
| | | | | in Rs. | in Rs. |
| 1 | NIL | | 0.00 | 0.00 | 0.00 |
| | | | 0.00 | 0.00 | 0.00 |
| | Total cost of | Materials | | Rs: | 0.00 |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|----------------|-------------|----------|--------|--------|
| | | | | in Rs. | in Rs. |
| 1 | NIL | | 0.00 | 0.00 | 0.00 |
| | | | 0.00 | 0.00 | 0.00 |
| | Total hire cha | arges of Ma | chinery | Rs: | 0.00 |

| C. LABOUR | !: | | | | |
|-----------|-------------|------|----------|------|--------|
| SI No | Description | Unit | Quantity | Rate | Amount |

| | | | | 1 | ntenance Works - Item In Rs. | |
|------------------------|--|----------------------------|------------|------------------|---------------------------------|--------------------------|
| 1 2 | work inspector | | ay | 0.25 | 400.00 | 100.00 |
| | mazdoor | Total cost of La | ay bour | 2.00 | 310.00 Rs: | 620.00 720.0 0 |
| abour cor | mponent/unit qty | | 0.00 | <u> </u> | 113. | 720.00 |
| | actor's profit and overhead ch | | | | | |
| abour cor | mponent/unit qty (including co | intractor's profit) 10 | 02.30 | | | |
| ABSTRAG | ∘т. | | | | | |
| | Materials | | | Rs: | 0.00 | |
| 3. Hire ch | arges of Machinery | | | Rs: | 0.00 | |
| C. Cost of | Labour | | | Rs: | 720.00 | |
| | | | otal | Rs: | 720.00 | |
| | r contractor's profit and overh | | 0.0450/ | D. | 00.00 | |
| (A+B+C) Fotal cost | for | 8.00 N | 3.615% | Rs: | 98.03 818.00 | |
| Rate per | each | (A+B+C+D)/8.0 | | Rs. | 102.30 | |
| bove 3.0 | g stumps, tree roots, roots m and upto 5.0 m including etc., complete with initial lead | excavation, stacking the | material | | elling | |
| | RATE AN | ALYSIS | | UNIT : | 5 1 | Nos. |
| A. MATER | RIALS: | | | | | |
| SI No | particulars | | Unit | Quantity | Rate in Rs. | Amount in Rs. |
| 1 | NIL | | | 0.00 | 0.00 | 0.0 |
| | | T. (.) | | 0.00 | 0.00 | 0.0 |
| | | Total cost of Ma | ateriais | | Rs: | 0.00 |
| B. MACH | | _ | | T - T | T | |
| SI No | Description | | Unit | Quantity | Rate in Rs. | Amount in Rs. |
| 1 | NIL | | | 0.00 | 0.00 | 0.00 |
| | | | | 0.00 | 0.00 | 0.00 |
| | | Total hire charg | es of Ma | achinery | Rs: | 0.00 |
| C. LABOU | JR: | | | | | |
| SI No | Description | | Unit | Quantity | Rate | Amount |
| | | | | 0.50 | in Rs. | in Rs. |
| 1 2 | work inspector mazdoor | | ay ay | 0.50 4.00 | 400.00 310.00 | 200.00 1240.00 |
| | Illazdooi | Total cost of La | | 4.00 | Rs: | 1440.0 |
| abour cor | mponent/unit qty | | 38.00 | <u> </u> | | |
| | actor's profit and overhead ch | narges 13.615% 39 | 9.20 | | | |
| abour cor | mponent/unit qty (including co | ontractor's profit) 32 | 27.20 | | | |
| ABSTRAG | CT: | | | | | |
| | Materials | | | Rs: | 0.00 | |
| B. Hire ch | arges of Machinery | | | Rs: | 0.00 | |
| C. Cost of | Labour | _ | | Rs: | 1440.00 | |
|) V99 to | r contractor's profit and assert | | otal | Rs: | 1440.00 | |
|). Add fol A+B+C) | r contractor's profit and overh | | 3.615% | Rs: | 196.06 | |
| | for | 5.00 N | | Rs: | 1636.06 | |
| Total cost | each | (A+B+C+D)/5.0 | | Rs. | 327.20 | |
| , | | | | | | |
| Total cost Rate per | al rate for every 0.5 m increa m. | ase in girth of tree stump | o / stum | ps of bamboo clu | uster | |

Unit Quantity

Rate

IRR-PMW-1-5

DATA:

IRR-PMW-1-6

DATA:

A. MATERIALS:

particulars

Amount

| | | | Preliminary and | Maintenance Works - Ite In Rs. | m Unit Rates 2014-15 IN Rs. |
|---|-----------|----------------|-----------------|-----------------------------------|--------------------------------|
| 1 | NIL | | 0.00 | 0.00 | 0.00 |
| | | | 0.00 | 0.00 | 0.00 |
| | Total cos | t of Materials | | Rs: | 0.00 |

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|----------------|----------|----------|--------|--------|
| | | | | in Rs. | in Rs. |
| 1 | NIL | | 0.00 | 0.00 | 0.00 |
| | | | 0.00 | 0.00 | 0.00 |
| | Total hire cha | achinery | Rs: | 0.00 | |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|----------------|--------|----------|--------|--------|
| | | | | in Rs. | in Rs. |
| 1 | work inspector | Day | 0.22 | 400.00 | 88.00 |
| 2 | mazdoor | Day | 0.88 | 310.00 | 271.25 |
| | Total cost of | Labour | | Rs: | 359.25 |

labour component/unit qty 51.30
Add contractor's profit and overhead charges 13.615% 7.00
labour component/unit qty (including contractor's profit) 58.30

ABSTRACT:

 A. Cost of Materials
 Rs: 0.00

 B. Hire charges of Machinery
 Rs: 0.00

 C. Cost of Labour
 Rs: 359.25

 Total
 Rs: 359.25

D. Add for contractor's profit and overheads on

 (A+B+C)
 13.615% Rs:
 48.91

 Total cost for
 7.00 Nos.
 Rs:
 408.16

 Rate per each
 (A+B+C+D)/7.0
 Rs.
 58.30

IRR-PMW-1-7 **Cutting and stacking bamboos** excluding removing stumps and roots etc., complete with initial lead upto 50 m and all lifts.

DATA: RATE ANALYSIS UNIT: 150 Nos.

A. MATERIALS:

| A. WAIERI | ALJ. | | | | |
|-----------|-------------|------|----------|--------|--------|
| SI No | particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | NIL | | 0.00 | 0.00 | 0.00 |
| | | | 0.00 | 0.00 | 0.00 |
| | Total cos | | Rs: | 0.00 | |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|---------------------------------|------|----------|--------|--------|
| | | | | in Rs. | in Rs. |
| 1 | NIL | | 0.00 | 0.00 | 0.00 |
| | | | 0.00 | 0.00 | 0.00 |
| | Total hire charges of Machinery | | | | 0.00 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|----------------|--------|----------|--------|---------|
| | | | _ | in Rs. | in Rs. |
| 1 | work inspector | Day | 0.50 | 400.00 | 200.00 |
| 2 | mazdoor | Day | 5.00 | 310.00 | 1550.00 |
| | Total cost of | Labour | | Rs: | 1750.00 |

labour component/unit qty 11.67
Add contractor's profit and overhead charges 13.615% 1.59
labour component/unit qty (including contractor's profit) 13.30

ABSTRACT:

 A. Cost of Materials
 Rs: 0.00

 B. Hire charges of Machinery
 Rs: 0.00

 C. Cost of Labour
 Rs: 1750.00

 Total
 Rs: 1750.00

D. Add for contractor's profit and overheads on

 (A+B+C)
 13.615% Rs:
 238.26

 Total cost for
 150.00 Nos.
 Rs:
 1988.26

 Rate per each
 (A+B+C+D)/150.0 Rs.
 13.30

IRR-PMW-1-8 Cutting and removing jauliflora bushes upto 1.5 m girth excluding removal of stumps and including burning or disposing off the materials as directed with initial lead upto 50 m and all lifts.

DATA: RATE ANALYSIS UNIT: 100 Nos.

A. MATERIALS:

| SI No | particulars | Unit | Quantity | Rate | Amount |
|-------|---------------|------|----------|--------|--------|
| | | | | in Rs. | in Rs. |
| 1 | NIL | | 0.00 | 0.00 | 0.00 |
| | | 0.00 | 0.00 | | |
| | Total cost of | Rs: | 0.00 | | |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|---------------------------------|------|----------|--------|--------|
| | | | | in Rs. | in Rs. |
| 1 | NIL | | 0.00 | 0.00 | 0.00 |
| | | | 0.00 | 0.00 | 0.00 |
| | Total hire charges of Machinery | | | | 0.00 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|----------------|--------|----------|--------|---------|
| | · | | | in Rs. | in Rs. |
| 1 | work inspector | Day | 0.50 | 400.00 | 200.00 |
| 2 | mazdoor | Day | 3.00 | 310.00 | 930.00 |
| | Total cost of | Labour | | Rs: | 1130.00 |

11.30

labour component/unit qty

Add contractor's profit and overhead charges 13.615% 1.50 labour component/unit qty (including contractor's profit) 12.80

ABSTRACT:

 A. Cost of Materials
 Rs: 0.00

 B. Hire charges of Machinery
 Rs: 0.00

 C. Cost of Labour
 Rs: 1130.00

 Total
 Rs: 1130.00

D. Add for contractor's profit and overheads on

(A+B+C) 13.615% Rs: 153.85

Total cost for 100.00 Nos Rs: 1283.85

Rate per each (A+B+C+D)/100.0 Rs. 12.80

IRR-PMW-1-9 Cutting and removing jauliflora bushes above 1.5 m upto 3.0 m girth excluding removal of stumps and including burning or disposing off the materials as directed

with initial lead upto 50 m and all lifts.

DATA: RATE ANALYSIS UNIT: 50 Nos

A. MATERIALS:

| SI No | particulars | Unit | Quantity | Rate | Amount |
|-------|---------------|-----------|----------|--------|--------|
| | | | | in Rs. | in Rs. |
| 1 | NIL | | 0.00 | 0.00 | 0.00 |
| | | | 0.00 | 0.00 | 0.00 |
| | Total cost of | Materials | | Rs: | 0.00 |

B. MACHINERY:

| D. MACITIN | LICI: | | | | |
|------------|----------------|-------------|----------|--------|--------|
| SI No | Description | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | NIL | | 0.00 | 0.00 | 0.00 |
| | | | 0.00 | 0.00 | 0.00 |
| | Total hire cha | arges of Ma | achinery | Rs: | 0.00 |

| • | | | | n . |
|---|----|----|---|------------|
| | LA | во | u | κ: |

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|-------------|------|----------|------|--------|
|-------|-------------|------|----------|------|--------|

| | 1 | 1 1 | Preliminary and Mai | ntenance Works - Item IN Rs. | Unit Rates 2014- in Rs. |
|---------------------|--|----------------------|---------------------|---------------------------------|----------------------------|
| 1 | work inspector | Day | 0.50 | 400.00 | 200.00 |
| 2 | mazdoor | Day | 3.00 | 310.00 | 930.00 |
| | Т | otal cost of Labour | | Rs: | 1130.00 |
| labour co | mponent/unit qty | 22.60 | | | |
| Add conti | ractor's profit and overhead charges | 13.615% 3.10 | | | |
| labour co | mponent/unit qty (including contractor's p | orofit) 25.70 | | | |
| ABSTRA A. Cost o | CT: f Materials | | Rs: | 0.00 | |
| | narges of Machinery | | Rs: | 0.00 | |
| C. Cost o | , | | Rs: | 1130.00 | |
| | | Total | Rs: | 1130.00 | |
| D. Add fo | r contractor's profit and overheads on | | | | |
| (A+B+C) | , | 13.615% Rs | : | 153.85 | |

50.00 Nos

(A+B+C+D)/50.0

Rs:

Rs.

1283.85

25.70

IRR-PMW-1-10 Cutting trees above 0.3 m and upto 0.6 m girth excluding removal of stumps and including stacking the materials neatly as directed with initial lead upto 50 m and all lifts.

DATA: RATE ANALYSIS UNIT: 14 Nos.

A. MATERIALS:

Total cost for

Rate per each

| A. WAICK | IALS: | | | | |
|----------|-----------------------|-----------|----------|--------|--------|
| SI No | particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Use rate of ropes etc | LS | 0.25 | 150.00 | 37.50 |
| | | | 0.00 | 0.00 | 0.00 |
| | Total cost of | Materials | | Rs: | 37.50 |

B. MACHINERY:

| B. WACHIN | ENI. | | | | |
|-----------|---------------|-------------|----------|--------|--------|
| SI No | Description | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | NIL | | 0.00 | 0.00 | 0.00 |
| | | | 0.00 | 0.00 | 0.00 |
| | Total hire ch | arges of Ma | achinery | Rs: | 0.00 |

C. LABOUR:

| • | J. LADOU. | 1. | | | | |
|---|-----------|----------------|--------|----------|--------|---------|
| | SI No | Description | Unit | Quantity | Rate | Amount |
| | | | | | in Rs. | in Rs. |
| | 1 | work inspector | Day | 0.25 | 400.00 | 100.00 |
| | 2 | mazdoor | Day | 3.00 | 310.00 | 930.00 |
| | • | Total cost of | Labour | | Rs: | 1030.00 |

labour component/unit qty 73.60
Add contractor's profit and overhead charges 13.615% 10.00
labour component/unit qty (including contractor's profit) 83.60

ABSTRACT:

Rs: A. Cost of Materials 37.50 B. Hire charges of Machinery Rs: 0.00 C. Cost of Labour Rs: 1030.00 Total 1067.50 Rs: D. Add for contractor's profit and overheads on 13.615% Rs: 145.34 (A+B+C)

 (A+B+C)
 13.615% Rs:
 145.34

 Total cost for
 14.00 Nos.
 Rs:
 1212.84

 Rate per each
 (A+B+C+D)/14.0
 Rs.
 86.60

IRR-PMW-1-11 Cutting trees above 0.6 m and upto 1.2 m girth excluding removal of stumps and including stacking the materials neatly as directed with initial lead upto 50 m and all lifts.

DATA: RATE ANALYSIS UNIT: 4 Nos.

A. MATERIALS:

| <i>7</i> 43 1017 1 1 = 1 1 1 | | | | | |
|------------------------------|-----------------------|------|----------|--------|--------|
| SI No | particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Use rate of ropes etc | LS | 0.25 | 150.00 | 37.50 |

| 1 | Ī | I | Preliminary and Ma | aintenance Works - Item 0.00 | Unit Rates 2014- |
|---|--|--|--|--|---|
| | То | tal cost of Materials | | Rs: | 37.50 |
| B. MACH | MEDV. | | | | |
| SI No | Description | Unit | Quantity | Rate in Rs. | Amount in Rs. |
| 1 | NIL | | 0.00 | 0.00 | 0.00 |
| | To | tal hire charges of N | 0.00 | 0.00 Rs: | 0.00 0.00 |
| | 10 | tar fill c offarges of h | nacrimery _[| 110. | 0.00 |
| C. LABO | | 1 11.5 | 10.00 | B.t. I | A 1 |
| SI No | Description | Unit | Quantity | Rate in Rs. | Amount in Rs. |
| 1 | work inspector | Day | 0.25 | 400.00 | 100.00 |
| 2 | mazdoor | Day tal cost of Labour | 3.00 | 310.00 | 930.00 1030.00 |
| labour coi | mponent/unit qty | 257.50 | | Rs: | 1030.00 |
| | actor's profit and overhead charges nponent/unit qty (including contractor's process: | 13.615% 35.10 rofit) 292.60 | | | |
| | Materials | | Rs: Rs: | 37.50 | |
| C. Cost of | arges of Machinery Labour | | Rs: | 0.00 1030.00 | |
| | | Total | Rs: | 1067.50 | |
| | contractor's profit and overheads on | 10.045 | V D. | 445.04 | |
| (A+B+C) Total cost | for | 13.6159 4.00 Nos. | % Rs: Rs: | 145.34 1212.84 | |
| Rate per | | | 110. | | |
| | rees above 1.2 m and upto 1.8 m girth the materials neatly as directed with initial | | | 303.20 | |
| | rees above 1.2 m and upto 1.8 m girth | excluding removal c | of stumps and inc | 303.20 | Nos. |
| stacking t | rees above 1.2 m and upto 1.8 m girth the materials neatly as directed with initial RATE ANALYSIS | excluding removal c al lead upto 50 m a | of stumps and inc | 303.20 luding 2 I | Nos. |
| stacking t A. MATEI SI No | rees above 1.2 m and upto 1.8 m girth the materials neatly as directed with initial RATE ANALYSIS RIALS: particulars | excluding removal callead upto 50 m a | of stumps and incomd all lifts. UNIT: | 303.20 luding 2 I Rate in Rs. | Amount in Rs. |
| stacking t | rees above 1.2 m and upto 1.8 m girth the materials neatly as directed with initial RATE ANALYSIS | excluding removal c al lead upto 50 m a | of stumps and incomd all lifts. UNIT: | 303.20 luding 2 I | Amount in Rs. |
| A. MATEI | rees above 1.2 m and upto 1.8 m girth the materials neatly as directed with initial RATE ANALYSIS RIALS: particulars Use rate of ropes etc | excluding removal callead upto 50 m a | of stumps and income all lifts. UNIT: Quantity 0.25 0.00 | 303.20 luding 2 I Rate in Rs. 150.00 | Amount in Rs. |
| A. MATEI SI No | rees above 1.2 m and upto 1.8 m girth the materials neatly as directed with initial RATE ANALYSIS RIALS: particulars Use rate of ropes etc | excluding removal of all lead upto 50 m a | of stumps and income all lifts. UNIT: Quantity 0.25 0.00 | 303.20 luding 2 I Rate in Rs. 150.00 0.00 | Amount in Rs. 37.50 0.00 |
| A. MATEI | rees above 1.2 m and upto 1.8 m girth the materials neatly as directed with initial RATE ANALYSIS RIALS: particulars Use rate of ropes etc | excluding removal of all lead upto 50 m a | of stumps and income all lifts. UNIT: Quantity 0.25 0.00 | 303.20 luding 2 I Rate in Rs. 150.00 0.00 | Amount in Rs. 37.50 0.00 |
| A. MATEI SI No 1 B. MACH | rees above 1.2 m and upto 1.8 m girth the materials neatly as directed with initial RATE ANALYSIS RIALS: particulars Use rate of ropes etc To | excluding removal of all lead upto 50 m a Unit LS tal cost of Materials | UNIT: Quantity 0.25 0.00 Quantity Quantity 0.00 | Rate in Rs. Rate in Rs. 150.00 0.00 Rs: Rate in Rs. | Amount in Rs. 37.50 0.00 37.50 Amount in Rs. 0.00 |
| A. MATEI SI No 1 B. MACH | rees above 1.2 m and upto 1.8 m girth the materials neatly as directed with initial RATE ANALYSIS RIALS: particulars Use rate of ropes etc To INERY: Description NIL | excluding removal of all lead upto 50 m a Unit LS tal cost of Materials Unit | UNIT: Quantity Quantity Quantity Quantity Quantity Quantity Quantity Quantity | Rate in Rs. 150.00 Rs: Rate in Rs. 0.00 0.00 0.00 0.00 0.00 | Amount in Rs. 37.50 0.00 37.50 Amount in Rs. 0.00 0.00 0.00 |
| A. MATEI SI No 1 B. MACH | rees above 1.2 m and upto 1.8 m girth the materials neatly as directed with initial RATE ANALYSIS RIALS: particulars Use rate of ropes etc To INERY: Description NIL | excluding removal of all lead upto 50 m a Unit LS tal cost of Materials | UNIT: Quantity Quantity Quantity Quantity Quantity Quantity Quantity Quantity | Rate in Rs. Rate in Rs. 150.00 0.00 Rs: Rate in Rs. | Amount in Rs. 37.50 0.00 37.50 Amount in Rs. 0.00 0.00 0.00 |
| A. MATEI SI NO 1 B. MACH SI NO 1 C. LABO | rees above 1.2 m and upto 1.8 m girth the materials neatly as directed with initial RATE ANALYSIS RIALS: particulars Use rate of ropes etc To INERY: Description NIL To JR: | Unit LS tal cost of Materials Unit | UNIT: Quantity Quantity Quantity Quantity Quantity Quantity Quantity Achinery | Rate in Rs. 150.00 0.00 Rs: 0.00 0.00 Rs: | Amount in Rs. 37.50 0.00 37.50 Amount in Rs. 0.00 0.00 0.00 |
| A. MATEI SI No B. MACH SI No | RATE ANALYSIS RIALS: particulars Use rate of ropes etc To INERY: Description NIL To JR: Description | excluding removal of all lead upto 50 m a Unit LS tal cost of Materials Unit | UNIT: Quantity Quantity Quantity Quantity Quantity Quantity Quantity Quantity | Rate in Rs. 150.00 0.00 Rs: Rate in Rs. | Amount in Rs. 37.50 0.00 37.50 Amount in Rs. 0.00 0.00 0.00 |
| A. MATEI SI No 1 B. MACH SI No 1 C. LABO SI No | rees above 1.2 m and upto 1.8 m girth the materials neatly as directed with initial RATE ANALYSIS RIALS: particulars Use rate of ropes etc To INERY: Description NIL To JR: Description work inspector | Unit LS Unit LS Unit Unit Unit Unit Unit Unit Unit Unit | UNIT: Quantity Quantity Quantity Quantity Quantity Quantity Quantity Quantity 0.00 0.00 Machinery Quantity Quantity | Rate in Rs. Rate in Rs. 150.00 0.00 Rs: Rate in Rs. 400.00 Rs: | Amount in Rs. 37.50 37.50 Amount in Rs. 0.00 0.00 Amount in Rs. 100.00 |
| A. MATEI SI No 1 B. MACH SI No 1 C. LABO | rees above 1.2 m and upto 1.8 m girth the materials neatly as directed with initial RATE ANALYSIS RIALS: particulars Use rate of ropes etc To INERY: Description NIL To JR: Description work inspector mazdoor | excluding removal of all lead upto 50 m all lead up | Of stumps and income all lifts. UNIT: Quantity 0.25 0.00 Quantity 0.00 0.00 Machinery Quantity | Rate in Rs. Rate in Rs. 150.00 0.00 Rs: Rate in Rs. 400.00 310.00 | Amount in Rs. 37.50 0.00 37.50 Amount in Rs. 0.00 0.00 Amount in Rs. 100.00 930.00 |
| A. MATEI SI No 1 B. MACH SI No 1 C. LABO SI No 1 2 labour cor Add contr | rees above 1.2 m and upto 1.8 m girth the materials neatly as directed with initial RATE ANALYSIS RIALS: particulars Use rate of ropes etc To INERY: Description NIL To JR: Description work inspector mazdoor | excluding removal of all lead upto 50 m all lead up | UNIT: Quantity Quantity Quantity Quantity Quantity Quantity Quantity Quantity 0.00 0.00 Machinery Quantity Quantity | Rate in Rs. Rate in Rs. 150.00 0.00 Rs: Rate in Rs. 400.00 Rs: | Amount in Rs. 37.50 0.00 37.50 Amount in Rs. 0.00 0.00 Amount in Rs. 100.00 930.00 |
| A. MATEI SI No 1 B. MACH SI No 1 C. LABOI SI No 1 2 labour coi Add contrilabour coi ABSTRAG | RATE ANALYSIS RIALS: particulars Use rate of ropes etc To INERY: Description NIL To JR: Description work inspector mazdoor mponent/unit qty actor's profit and overhead charges mponent/unit qty (including contractor's profit) CT: | excluding removal of all lead upto 50 m all lead up | Quantity Quantity | Rate in Rs. 150.00 0.00 Rs: Rate in Rs. 400.00 Rs: | Amount in Rs. 37.50 0.00 37.50 Amount in Rs. 0.00 0.00 Amount in Rs. 100.00 930.00 |
| A. MATEI SI No 1 B. MACH SI No 1 C. LABOI SI No 1 2 labour coi Add contrilabour coi ABSTRAI A. Cost of | RATE ANALYSIS RIALS: particulars Use rate of ropes etc Description NIL Description work inspector mazdoor To mponent/unit qty actor's profit and overhead charges mponent/unit qty (including contractor's profit Materials | excluding removal of all lead upto 50 m all lead up | UNIT: Quantity Quantity Quantity Quantity Quantity Quantity Quantity Quantity Rs: | Rate in Rs. 150.00 0.00 Rs: Rate in Rs. 400.00 Rs: Rate in Rs. 310.00 Rs: | Amount in Rs. 37.50 0.00 37.50 Amount in Rs. 0.00 0.00 Amount in Rs. 100.00 930.00 |
| A. MATEI SI No 1 B. MACH SI No 1 C. LABOI SI No 1 2 labour coi Add contribution coil ABSTRAI A. Cost of | RATE ANALYSIS RIALS: Particulars Use rate of ropes etc To INERY: Description NIL To JR: Description work inspector mazdoor mponent/unit qty actor's profit and overhead charges mponent/unit qty (including contractor's profit Materials arges of Machinery | excluding removal of all lead upto 50 m all lead up | Quantity Quantity | Rate in Rs. 150.00 0.00 Rs: Rate in Rs. 400.00 Rs: | Amount in Rs. 37.50 0.00 37.50 Amount in Rs. 0.00 0.00 0.00 Amount in Rs. |

DATA:

145.34

1212.84

606.40

2.00 Nos.

(A+B+C+D)/2.0

13.615% Rs:

Rs:

Rs.

D. Add for contractor's profit and overheads on (A+B+C) $\,$

Total cost for

Rate per each

IRR-PMW-1-13 Cutting trees above 1.8 m and upto 2.4 m girth excluding removal of stumps and including stacking the materials neatly as directed with initial lead upto 50 m and all lifts.

DATA: RATE ANALYSIS UNIT: 1 No.

A. MATERIALS:

| SI No | particulars | Unit | Quantity | Rate | Amount |
|-------|-----------------------|-----------|----------|--------|--------|
| | | | | in Rs. | in Rs. |
| 1 | Use rate of ropes etc | LS | 0.25 | 150.00 | 37.50 |
| | | | 0.00 | 0.00 | 0.00 |
| | Total cost of | Materials | | Rs: | 37.50 |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate in Rs. | Amount in Rs. |
|-------|----------------|-------------|----------|----------------|---------------|
| 1 | NIL | | 0.00 | 0.00 | 0.00 |
| | | | 0.00 | 0.00 | 0.00 |
| | Total hire cha | arges of Ma | chinery | Rs: | 0.00 |

C. LABOUR:

| , | •• | | | | |
|-------|----------------|--------|----------|--------|---------|
| SI No | Description | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | work inspector | Day | 0.25 | 400.00 | 100.00 |
| 2 | mazdoor | Day | 3.00 | 310.00 | 930.00 |
| | Total cost of | Labour | | Rs: | 1030.00 |

labour component/unit qty 1030.00 Add contractor's profit and overhead charges 13.615% 140.20 labour component/unit qty (including contractor's profit) 1170.20

ABSTRACT:

 A. Cost of Materials
 Rs:
 37.50

 B. Hire charges of Machinery
 Rs:
 0.00

 C. Cost of Labour
 Rs:
 1030.00

 Total
 Rs:
 1067.50

 D. Add for contractor's profit and overheads on
 37.50

 (A+B+C)
 13.615% Rs:
 145.34

 Total cost for
 1.00 No. Rs:
 1212.84

 Rate per each
 (A+B+C+D)/1.0 Rs.
 1212.80

IRR-PMW-1-14 Cutting trees above 2.4 m and upto 3.0 m girth excluding removal of stumps and including stacking the materials neatly as directed with initial lead upto 50 m and all lifts.

DATA: RATE ANALYSIS UNIT: 1 Nos.

A. MATERIALS:

| A. MAILIN | ALO. | | | | |
|-------------------------|-----------------------|------|----------|--------|--------|
| SI No | particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Use rate of ropes etc | LS | 0.50 | 150.00 | 75.00 |
| | | | 0.00 | 0.00 | 0.00 |
| Total cost of Materials | | | | Rs: | 75.00 |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|----------------|-------------|----------|--------|--------|
| | | | | in Rs. | in Rs. |
| 1 | NIL | | 0.00 | 0.00 | 0.00 |
| | | | 0.00 | 0.00 | 0.00 |
| | Total hire cha | arges of Ma | achinery | Rs: | 0.00 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|----------------|------|----------|--------|---------|
| | | | | in Rs. | in Rs. |
| 1 | work inspector | Day | 0.25 | 400.00 | 100.00 |
| 2 | mazdoor | Day | 5.00 | 310.00 | 1550.00 |

Preliminary and Maintenance Works - Item Unit Rates 2014-1 Rs: **1650.00**

labour component/unit qty 1650.00
Add contractor's profit and overhead charges 13.615% 224.60
labour component/unit qty (including contractor's profit) 1874.60

ABSTRACT:

 A. Cost of Materials
 Rs: 75.00

 B. Hire charges of Machinery
 Rs: 0.00

 C. Cost of Labour
 Rs: 1650.00

 Total
 Rs: 1725.00

Total cost of Labour

D. Add for contractor's profit and overheads on

(A+B+C) 13.615% Rs: 234.86

Total cost for 1.00 Nos. Rs: 1959.86

Rate per each (A+B+C+D)/1.0 Rs. 1959.90

IRR-PMW-1-15 Additional rate for cutting tree for every 0.5 m increase in girth of tree beyond 3 m.

DATA: RATE ANALYSIS UNIT: 1 No

A. MATERIALS:

| Ī | SI No | particulars | Unit | Quantity | Rate | Amount |
|---|-------------------------|-----------------------|------|----------|--------|--------|
| | | | | | in Rs. | in Rs. |
| ſ | 1 | Use rate of ropes etc | LS | 0.15 | 150.00 | 22.50 |
| | | | | 0.00 | 0.00 | 0.00 |
| Ī | Total cost of Materials | | | Rs: | 22.50 | |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|---------------------------------|------|----------|--------|--------|
| | | | | in Rs. | in Rs. |
| 1 | NIL | | 0.00 | 0.00 | 0.00 |
| | | | 0.00 | 0.00 | 0.00 |
| | Total hire charges of Machinery | | | | 0.00 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|------------|-----------------|--------|----------|--------|--------|
| | | | | in Rs. | in Rs. |
| 1 | work inspector | Day | 0.10 | 400.00 | 40.00 |
| 2 | mazdoor | Day | 1.75 | 310.00 | 542.50 |
| | Total cost of | Labour | | Rs: | 582.50 |
| labour com | ponent/unit qty | 582.50 | | • | |

labour component/unit qty 582.50 Add contractor's profit and overhead charges 13.615% 79.30 labour component/unit qty (including contractor's profit) **661.80**

ABSTRACT:

 A. Cost of Materials
 Rs: 22.50

 B. Hire charges of Machinery
 Rs: 0.00

 C. Cost of Labour
 Rs: 582.50

 Total
 Rs: 605.00

D. Add for contractor's profit and overheads on

 (A+B+C)
 13.615% Rs:
 82.37

 Total cost for
 1.00 No Rs:
 687.37

 Rate per each
 (A+B+C+D)/1.0 Rs.
 687.40

IRR-PMW-1-16 Cutting and burning or disposing off Apu / Jondu from marshy areas as directed with

initial lead upto 50 m and all lifts.

DATA: RATE ANALYSIS UNIT: 1000 sqm

A. MATERIALS:

| A. WALLING | ALU. | | | | |
|------------|-------------------------|------|----------|--------|--------|
| SI No | particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | NIL | | 0.00 | 0.00 | 0.00 |
| | | | 0.00 | 0.00 | 0.00 |
| | Total cost of Materials | | | Rs: | 0.00 |

| D: 1117 (O: 1111) | | | | | |
|---------------------------------|-------------|------|----------|--------|--------|
| SI No | Description | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | NIL | | 0.00 | 0.00 | 0.00 |
| | | | 0.00 | 0.00 | 0.00 |
| Total hire charges of Machinery | | | | Rs: | 0.00 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|----------------|--------|----------|--------|---------|
| | | | | in Rs. | in Rs. |
| 1 | work inspector | Day | 1.00 | 400.00 | 400.00 |
| 2 | mazdoor | Day | 12.00 | 310.00 | 3720.00 |
| | Total cost of | Labour | | Rs: | 4120.00 |

labour component/unit qty 4.10
Add contractor's profit and overhead charges 13.615% 0.60
labour component/unit qty (including contractor's profit) 4.70

ABSTRACT:

 A. Cost of Materials
 Rs: 0.00

 B. Hire charges of Machinery
 Rs: 0.00

 C. Cost of Labour
 Rs: 4120.00

 Total
 Rs: 4120.00

 D. Add for contractor's profit and overheads on

 (A+B+C)
 13.615% Rs:
 560.94

 Total cost for
 1000.00 sqm
 Rs:
 4680.94

 Rate per sqm
 (A+B+C+D)/1000.0
 Rs.
 4.70

IRR-PMW-2 **PRELIMINARY WORKS**:

IRR-PMW-2-1 **Earthwork excavation for trial pits / borrow pits** and other investigation works in all kinds of soil including boulders **upto 30 cm dia** and disposing off excavated soil as directed with lead

soil including boulders **upto 30 cm dia** and disposing off excavated soil as directed with leac **upto 10 m and lift upto 3 m.**

DATA: RATE ANALYSIS UNIT: 10 cum

A. MATERIALS:

| SI No | particulars | Unit | Quantity | Rate | Amount |
|-------|---------------|-----------|----------|--------|--------|
| | | | | in Rs. | in Rs. |
| 1 | NIL | | 0.00 | 0.00 | 0.00 |
| | | | 0.00 | 0.00 | 0.00 |
| | Total cost of | Materials | | Rs: | 0.00 |

B. MACHINERY:

| D: (O: | | | | | |
|--------|---------------------------------|------|----------|--------|--------|
| SI No | Description | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | NIL | | 0.00 | 0.00 | 0.00 |
| | | | 0.00 | 0.00 | 0.00 |
| | Total hire charges of Machinery | | | | 0.00 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|----------------|--------|----------|--------|---------|
| | | | | in Rs. | in Rs. |
| 1 | work inspector | Day | 0.50 | 400.00 | 200.00 |
| 2 | mazdoor | Day | 6.00 | 310.00 | 1860.00 |
| | Total cost of | Labour | | Rs: | 2060.00 |

labour component/unit qty 206.00
Add contractor's profit and overhead charges 13.615% 28.05
labour component/unit qty (including contractor's profit) 234.00

ABSTRACT:

 A. Cost of Materials
 Rs: 0.00

 B. Hire charges of Machinery
 Rs: 0.00

 C. Cost of Labour
 Rs: 2060.00

 Total
 Rs: 2060.00

D. Add for contractor's profit and overheads on

 (A+B+C)
 13.615% Rs:
 280.47

 Total cost for
 10.00 cum
 Rs:
 2340.47

 Rate per cum
 (A+B+C+D)/100.0
 Rs.
 234.00

IRR-PMW-2-2 Earthwork excavation for trial pits / borrow pits and other investigation works in soft rock including disposing off the excavated rock as directed with lead upto 10 m and lift upto 3 m.

DATA: RATE ANALYSIS UNIT: 10 cum

A. MATERIALS:

| SI No | particulars | Unit | Quantity | Rate | Amount |
|-------|-------------------------|------|----------|--------|--------|
| | | | | in Rs. | in Rs. |
| 1 | NIL | | 0.00 | 0.00 | 0.00 |
| | | | 0.00 | 0.00 | 0.00 |
| | Total cost of Materials | | | Rs: | 0.00 |

B. MACHINERY:

| Γ | SI No | Description | Unit | Quantity | Rate | Amount |
|---|---------------------------------|-------------|------|----------|--------|--------|
| | | | | | in Rs. | in Rs. |
| | 1 | NIL | | 0.00 | 0.00 | 0.00 |
| | | | | 0.00 | 0.00 | 0.00 |
| | Total hire charges of Machinery | | | Rs: | 0.00 | |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|----------------------|------|----------|--------|---------|
| | | | | in Rs. | in Rs. |
| 1 | work inspector | Day | 0.50 | 400.00 | 200.00 |
| 2 | Crowbarman | Day | 1.00 | 370.00 | 370.00 |
| 3 | mazdoor | Day | 7.50 | 310.00 | 2325.00 |
| | Total cost of Labour | | | | 2895.00 |

labour component/unit qty 289.50 Add contractor's profit and overhead charges 13.615% 39.40 labour component/unit qty (including contractor's profit) **328.90**

ABSTRACT:

| A. Cost of Materials | | Rs: | 0.00 |
|---|----------------|-----|---------|
| B. Hire charges of Machinery | | Rs: | 0.00 |
| C. Cost of Labour | | Rs: | 2895.00 |
| | Total | Rs: | 2895.00 |
| D. Add for contractor's profit and overheads on | | | |
| (A+B+C) | 13.615% | Rs: | 394.15 |
| Total cost for | 10.00 cum | Rs: | 3289.15 |
| Rate per cum | (A+B+C+D)/10.0 | Rs. | 328.90 |

IRR-PMW-2-3 Conducting geophysical investigation studies by electrical resistivity method in

stages of 5m for sub-surface details such as depth of formations, shear zones, classification of strata, depth of water table etc., including cost of all materials, equipments, labour, analysing and reporting the details of field studies conducted etc., complete excluding cost of transportation arrangements.

DATA: RATE ANALYSIS

| A. MATERI | ALS: | | | | |
|-----------|--------------------------------|------|----------|--------|--------|
| SI No | particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Sundries (misc. consumables) | | 5.00 | 20.00 | 100.00 |
| | | | 0.00 | 0.00 | 0.00 |
| | Total cost of | Rs: | 100.00 | | |

UNIT:

20 Stages

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|---------------------------------|-------------------------------|------|----------|--------|--------|
| | | | | in Rs. | in Rs. |
| 1 | Electric resistivity meter | Hour | 8.00 | 99.00 | 792.00 |
| | Battery / charging cost etc @ | 20% | | | 158.40 |
| Total hire charges of Machinery | | | Rs: | 950.40 | |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|------------------------|------|----------|--------|---------|
| | | | | in Rs. | in Rs. |
| 1 | Geophysist / Geologist | Day | 2.00 | 790.00 | 1580.00 |
| 2 | Graduate Engineer | Day | 1.00 | 790.00 | 790.00 |

| I | 3 | Lab Assistant | Day | Preliminary and 1.00 | Maintenance Works - Iter 480.00 | n Unit Rates 2014-15 480.00 |
|---|---|---------------|----------------------|----------------------|------------------------------------|--------------------------------|
| | 4 | mazdoor | Day | 4.00 | 310.00 | 1240.00 |
| ſ | | | Total cost of Labour | | Rs: | 4090.00 |

labour component/unit qty 204.50 Add contractor's profit and overhead charges 13.615% 27.80 labour component/unit qty (including contractor's profit) 232.30

ABSTRACT:

 A. Cost of Materials
 Rs:
 100.00

 B. Hire charges of Machinery
 Rs:
 950.40

 C. Cost of Labour
 Rs:
 4090.00

 Total
 Rs:
 5140.40

D. Add for contractor's profit and overheads on

 (A+B+C)
 13.615% Rs:
 699.87

 Total cost for
 20.00 Stages
 Rs:
 5840.27

 Rate per stage
 (A+B+C+D)/20.0
 Rs.
 292.00

IRR-PMW-2-4

Drilling 80 mm dia hole through over-burden using casing shoe bit vertical or inclined upto 10 degrees to vertical as directed including cost of all materials, machinery, labour, water charges, reaming, collection of wash samples at suitable intervals, logging and lebelling, supplying honne wood core box, fixing casing pipes (excluding cost of casing pipes) etc., **complete for depth upto 30 m from surface.**

Note: 1. For drilling through over-burden beyond 30 m from surface increase the basic rate per Rm by 10 percent.

Data:

RATE ANALYSIS UNIT:

| A. MATER | RIALS: | | | | |
|----------|--------------------------------------|------|----------|--------|--------|
| SI No | particulars | Unit | Quantity | Rate | Amount |
| | | | - | in Rs. | in Rs. |
| 1 | Use rate of casing shoe bit | Rm | 3.00 | 116.67 | 350.00 |
| 2 | Use rate of reamer shell | Rm | 3.00 | 28.61 | 85.83 |
| 3 | Use rate of extension rod set 16.5 m | Rm | 3.00 | 1.84 | 5.51 |
| 4 | Use rate of honne core box | Rm | 3.00 | 259.88 | 779.63 |
| | Total cost | Rs: | 1220 97 | | |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|---------------------------------|------|----------|--------|--------|
| | | | | in Rs. | in Rs. |
| 1 | Core drilling machine | Hour | 1.00 | 319.00 | 319.00 |
| | Fuel / Energy charges | Hour | 1.00 | 243.80 | 243.80 |
| 2 | 5 hp pump (diesel) 2 Nos. | Hour | 2.00 | 10.20 | 20.40 |
| | Fuel / Energy charges | Hour | 2.00 | 81.30 | 162.60 |
| 3 | Sundries (samplers etc) | LS | 2.00 | 20.00 | 40.00 |
| | Total hire charges of Machinery | | | | 785.80 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|--------------------------------|------|----------|--------|---------|
| | | | | in Rs. | in Rs. |
| 1 | Crew for Core drilling machine | Hour | 1.00 | 265.20 | 265.20 |
| 2 | Crew for Pump | Hour | 2.00 | 103.60 | 207.20 |
| 3 | mazdoor | Day | 2.00 | 310.00 | 620.00 |
| | Total cost of Labour | | | | 1092.40 |

labour component/unit qty 364.10
Add contractor's profit and overhead charges 13.615% 49.60
labour component/unit qty (including contractor's profit) 413.70

ABSTRACT:

| A. Cost of Materials | | Rs: | 1220.97 |
|---|---------------|--------|---------|
| B. Hire charges of Machinery | | Rs: | 785.80 |
| C. Cost of Labour | | Rs: | 1092.40 |
| | Total | Rs: | 3099.17 |
| D. Add for contractor's profit and overheads or | 1 | | |
| (A+B+C) | 13.615 | 5% Rs: | 421.95 |
| Total cost for | 3.00 Rm | Rs: | 3521.12 |
| Rate per Rm | (A+B+C+D)/3.0 | Rs. | 1173.70 |

IRR-PMW-2-5 **Drilling 76 mm dia (NX) core hole in hard rock using diamond core bit** vertical / inclined upto 10 degree to vertical as directed including cost of all materials, machinery, labour, water

3.00 Rm

RATE ANALYSIS UNIT: Data: 3.00 Rm

A. MATERIALS:

| SI No | particulars | Unit | Quantity | Rate | Amount |
|-------|--------------------------------------|------|----------|--------|---------|
| | | | | in Rs. | in Rs. |
| 1 | Use rate of diamond core bit | Rm | 3.00 | 848.00 | 2544.00 |
| 2 | Use rate of reamer shell | Rm | 3.00 | 85.83 | 257.50 |
| 3 | Use rate of double tube core barrel | Rm | 3.00 | 228.40 | 685.20 |
| 4 | Use rate of extension rod set 16.5 m | Rm | 3.00 | 24.49 | 73.46 |
| 5 | Use rate of honne core box | Rm | 3.00 | 584.72 | 1754.16 |
| | Total cost of | Rs: | 5314.31 | | |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|---------------------------------|------|----------|--------|---------|
| | | | | in Rs. | in Rs. |
| 1 | Core drilling machine | Hour | 8.00 | 319.00 | 2552.00 |
| | Fuel / Energy charges | Hour | 8.00 | 243.80 | 1950.40 |
| 2 | 5 hp pump (diesel) 2 Nos. | Hour | 16.00 | 10.20 | 163.20 |
| | Fuel / Energy charges | Hour | 16.00 | 81.30 | 1300.80 |
| 3 | Sundries | LS | 5.00 | 20.00 | 100.00 |
| | Total hire charges of Machinery | | | Rs: | 6066.40 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|--------------------------------|------|----------|--------|---------|
| | | | | in Rs. | in Rs. |
| 1 | Crew for Core drilling machine | Hour | 8.00 | 265.20 | 2121.60 |
| 2 | Crew for Pump | Hour | 16.00 | 103.60 | 1657.60 |
| 3 | mazdoor | Day | 2.00 | 310.00 | 620.00 |
| | Total cost of Labour | | | Rs: | 4399.20 |

labour component/unit qty 1466.40 Add contractor's profit and overhead charges 13.615% 199.70 labour component/unit qty (including contractor's profit) 1666.10

ABSTRACT:

| A. Cost of Materials | | Rs: | 5314.31 |
|---|---------------|--------|----------|
| B. Hire charges of Machinery | | Rs: | 6066.40 |
| C. Cost of Labour | | Rs: | 4399.20 |
| | Total | Rs: | 15779.91 |
| D. Add for contractor's profit and overheads or | n | | |
| (A+B+C) | 13.61 | 5% Rs: | 2148.44 |
| Total cost for | 3.00 Rm | Rs: | 17928.35 |
| Rate per Rm | (A+B+C+D)/3.0 | Rs. | 5976.10 |

NOTE: 1. For drilling in hard rock beyond 30 m upto 60 m from surface increase the basic

rate per Rm by 25 percent.

2. For drilling in hard rock beyond 60 m upto 90 m from surface increase the basic rate per Rm by 40 percent.

IRR-PMW-2-5-A

New Item 2014-15-

Drilling 76 mm dia (NX) core hole in all types of rocks (other than Hard Rock) including Masonry/CC (where drilling is not possible by casing shoe) using diamond core bit vertical / inclined upto 10 degree to vertical as directed including cost of all materials, machinery, labour, water charges, and redrilling in case of collapse of sides etc., complete for depth upto 30 m from surface for Primary and Secondary Holes Drilling 76 mm dia (NX) core hole in all types of rocl

DATA:

For drilling upto 30 m from surface the rate of drilling is assumed at 3 m per day for analysis.

For rate analysis combination of diamond bit and reamer shell is assumed.

500 m long 25 mm dia GI pipe line and 50 m long 25 mm dia water hose are assumed.

For 30 m drilling average 16.5 m extension rods with coupling sleeves required.

Use rate of materials :

Cost of NX diamond core bit @ Rs: 12720.00 / Each Rs: 12720.00 Life of diamond core bit in all types of rock (other than hard rock) 10.57 m (cost / life) Rs: 1203.41 Use rate of diamond core bit per m drilling Cost of reamer shell @ 5150.00 / Each Rs: 5150.00

Life of reamer shell in all types of rock (other than hard rock)

Use rate of reamer shell per m drilling (cost / life) Rs: 51.50 Cost of 16.5 m extension rod @ Rs: 2226.00 / Rm Rs: 36729.00

Life of extension rods 2500 m Use rate of 16.5 m length extension rods (cost / life) Rs: 14.69

Data: **RATE ANALYSIS** UNIT: 3.00 Rm

A. MATERIALS:

| ſ | SI No | particulars | Unit | Quantity | Rate | Amount |
|---|-------------------------|--------------------------------------|------|----------|---------|---------|
| | | · | | , | in Rs. | in Rs. |
| Ī | 1 | Use rate of diamond core bit | Rm | 3.00 | 1203.41 | 3610.22 |
| | 2 | Use rate of reamer shell | Rm | 3.00 | 51.50 | 154.50 |
| | 4 | Use rate of extension rod set 16.5 m | Rm | 3.00 | 14.69 | 44.07 |
| | Total cost of Materials | | | Rs: | 3808.79 | |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|---------------------------------|-----------------------------|------|----------|---------|---------|
| | | | | in Rs. | in Rs. |
| 1 | Core drilling machine | Hour | 4.78 | 319.00 | 1523.54 |
| | Fuel / Energy charges | Hour | 4.78 | 243.80 | 1164.39 |
| 2 | 5 hp pump (diesel) 2 Nos. | Hour | 9.55 | 10.20 | 97.43 |
| | Fuel / Energy charges | Hour | 9.55 | 81.30 | 776.58 |
| 3 | Sundries | LS | 2.99 | 20.00 | 59.80 |
| Total hire charges of Machinery | | | Rs: | 3621.74 | |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|--------------------------------|------|----------|--------|---------|
| | | | | in Rs. | in Rs. |
| 1 | Crew for Core drilling machine | Hour | 4.78 | 265.20 | 1266.60 |
| 2 | Crew for Pump | Hour | 9.55 | 103.60 | 989.38 |
| 3 | mazdoor | Day | 1.19 | 310.00 | 368.90 |
| | Total cost of Labour | | | Rs: | 2624.88 |

labour component/unit qty 875.00 Add contractor's profit and overhead charges 13.615% 119.10 994.10 labour component/unit qty (including contractor's profit)

ABSTRACT:

| A. Cost of Materials | | Rs: | 3808.79 |
|---|---------------|-----|----------|
| B. Hire charges of Machinery | | Rs: | 3621.74 |
| C. Cost of Labour | | Rs: | 2624.88 |
| | Total | Rs: | 10055.41 |
| D. Add for contractor's profit and overheads on | 13.615% | Rs: | 1369.04 |
| Total cost for | 3.00 Rm | Rs: | 11424.45 |
| Rate per Rm | (A+B+C+D)/3.0 | Rs. | 3808.20 |
| | | | |

NOTE: 1. For drilling in all types of rocks (other than hard rock) including masonry/CC beyond 30 m upto 60 m from surface increase the basic rate per Rm by 25 percent.

2. For drilling in all types of rocks (other than hard rock) including masonry/CC m from surface increase the basic beyond 60 m upto 90 rate per Rm by 40 percent.

IRR-PMW-2-5-B New Item 2014-15-

Drilling 76 mm dia (NX) core hole in all types of rocks (other than Hard Rock) including Masonry/CC (where drilling is not possible by casing shoe) using diamond core bit vertical / inclined upto 10 degree to vertical as directed including cost of all materials, machinery, labour, water charges, collection of core samples, logging and lebelling, supplying honne wood core box and redrilling in case of collapse of sides etc., complete for depth upto 30 m from surface for Test Holes

DATA:

For drilling upto 30 m from surface the rate of drilling is assumed at 3 m per day for analysis. For rate analysis combination of diamond bit and reamer shell is assumed.

500 m long 25 mm dia GI pipe line and 50 m long 25 mm dia water hose are assumed.

For 30 m drilling average 16.5 m extension rods with coupling sleeves required.

Use rate of materials:

Cost of NX diamond core bit @ Rs: 12720.00 / Each Rs: 12720.00 Life of diamond core bit in all types of rock (other than hard rock) 10.57 m Use rate of diamond core bit per m drilling (cost / life) Rs: 1203.41 Rs: 5150.00 Cost of reamer shell @ 5150.00 / Each Life of reamer shell in all types of rock (other than hard rock) 100 m

Preliminary and Maintenance Works - Item Unit Rates 2014-15 Rs: 51.50 Use rate of reamer shell per m drilling (cost / life) Cost of double core barrel @ 13704.00 / Each Rs: Rs: 13704.00 Life of double tube core barrel 100 m Use rate of double tube core barrel per m drilling (cost / life) Rs: 137.04 2226.00 / Rm Rs: 36729.00 Cost of 16.5 m extension rod @ Rs: Life of extension rods 2500 m Use rate of 16.5 m length extension rods (cost / life) Rs: 14.69 Honne wood core box 1.5 x 0.32 x 0.12 m 56700.00 / cum 1871.10 Honne wood 0.033 cum @ Rs: Rs: Add for fixtures and painting @ 10% Rs: 187.11 Add for labour charges @ 15% Rs: 280.67 Cost of one box for storing Rs: 2338.88 4 m samples Use rate of core box per m drilling 584.72 Rs:

Data: RATE ANALYSIS UNIT: 3.00 Rm

A. MATERIALS:

| · · · · · · · · · · · · · · · · · · · | | | | | |
|---------------------------------------|--------------------------------------|------|----------|---------|---------|
| SI No | particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Use rate of diamond core bit | Rm | 3.00 | 1203.41 | 3610.22 |
| 2 | Use rate of reamer shell | Rm | 3.00 | 51.50 | 154.50 |
| 3 | Use rate of double tube core barrel | Rm | 3.00 | 137.04 | 411.12 |
| 4 | Use rate of extension rod set 16.5 m | Rm | 3.00 | 14.69 | 44.07 |
| 5 | Use rate of honne core box | Rm | 3.00 | 584.72 | 1754.16 |
| | Total cost of Materials | | | Rs: | 5974.07 |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|-----------------------------|--------------------------|----------|--------|---------|
| | | | | in Rs. | in Rs. |
| 1 | Core drilling machine | Hour | 4.78 | 319.00 | 1523.54 |
| | Fuel / Energy charges | Hour | 4.78 | 243.80 | 1164.39 |
| 2 | 5 hp pump (diesel) 2 Nos. | Hour | 9.55 | 10.20 | 97.43 |
| | Fuel / Energy charges | Hour | 9.55 | 81.30 | 776.58 |
| 3 | Sundries | LS | 2.99 | 20.00 | 59.80 |
| | | Total hire charges of Ma | chinery | Rs: | 3621.74 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------------|--------------------------------|----------------|----------|--------|---------|
| | | | | in Rs. | in Rs. |
| 1 | Crew for Core drilling machine | Hour | 4.78 | 265.20 | 1266.60 |
| 2 | Crew for Pump | Hour | 9.55 | 103.60 | 989.59 |
| 3 | mazdoor | Day | 1.19 | 310.00 | 370.14 |
| | Total o | cost of Labour | | Rs: | 2626.32 |
| | | 075 40 | | | |

labour component/unit qty 875.40
Add contractor's profit and overhead charges 13.615% 119.20
labour component/unit qty (including contractor's profit) 994.60

ABSTRACT:

| A. Cost of Materials | | Rs: | 5974.07 |
|---|---------------|-----|----------|
| B. Hire charges of Machinery | | Rs: | 3621.74 |
| C. Cost of Labour | | Rs: | 2626.32 |
| | Total | Rs: | 12222.13 |
| D. Add for contractor's profit and overheads on | 13.615% F | Rs: | 1664.04 |
| Total cost for | 3.00 Rm F | Rs: | 13886.18 |
| Rate per Rm | (A+B+C+D)/3.0 | ₹s. | 4628.70 |

NOTE:

- 1. For drilling in all types of rocks (other than hard rock) including masonry/CC beyond 30 m upto 60 m from surface increase the basic rate per Rm by 25 percent.
- 2. For drilling in all types of rocks (other than hard rock) including masonry/CC m from surface increase the basic beyond 60 m upto 90 rate per Rm by 40 percent.

IRR-PMW-2-6

Drilling 47 mm (BX)dia core hole in hard rock using diamond core bit vertical / inclined upto 10 degree to vertical as directed including cost of all materials, machinery, labour, water charges, collection of core samples, logging, lebelling, supplying honne wood core box and redrilling in case of collapse of sides etc., **complete for depth upto 30 m from surface.**

Data: RATE ANALYSIS UNIT: 3.00 Rm

A. MATERIALS:

| SI No | particulars | Unit | Quantity | Maintenance Works - Ite Rate | m Unit Rates 2014-1 5 Amount |
|-------|--------------------------------------|------|----------|---------------------------------|--|
| | | | - | in Rs. | in Rs. |
| 1 | Use rate of diamond core bit | Rm | 3.00 | 706.67 | 2120.00 |
| 2 | Use rate of reamer shell | Rm | 3.00 | 85.83 | 257.50 |
| 3 | Use rate of double tube core barrel | Rm | 3.00 | 228.40 | 685.20 |
| 4 | Use rate of extension rod set 16.5 m | Rm | 3.00 | 24.49 | 73.46 |
| 5 | Use rate of honne core box | Rm | 3.00 | 584.72 | 1754.16 |
| | Total cost of Materials | | | | 4890.31 |

| SI No | Description | Unit | Quantity | Rate | Amount |
|---------------------------------|-----------------------------|------|----------|--------|---------|
| | | | | in Rs. | in Rs. |
| 1 | Core drilling machine | Hour | 8.00 | 319.00 | 2552.00 |
| | Fuel / Energy charges | Hour | 8.00 | 243.80 | 1950.40 |
| 2 | 5 hp pump (diesel) 2 Nos. | Hour | 16.00 | 10.20 | 163.20 |
| | Fuel / Energy charges | Hour | 16.00 | 81.30 | 1300.80 |
| 3 | Sundries | LS | 5.00 | 20.00 | 100.00 |
| Total hire charges of Machinery | | | | Rs: | 6066.40 |

C. LABOUR:

| <u> </u> | • | | | | |
|----------|---|-------------------|----------|--------|---------|
| SI No | Description | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Crew for Core drilling machine | Hour | 8.00 | 265.20 | 2121.60 |
| 2 | Crew for Pump | Hour | 16.00 | 103.60 | 1657.60 |
| 3 | mazdoor | Day | 2.00 | 310.00 | 620.00 |
| | Tot | al cost of Labour | | Rs: | 4399.20 |

labour component/unit qty 1466.40 Add contractor's profit and overhead charges 13.615% 199.70 labour component/unit qty (including contractor's profit) 1666.10

ABSTRACT:

| A. Cost of Materials | | Rs: | 4890.31 |
|------------------------------|-------|-----|----------|
| B. Hire charges of Machinery | | Rs: | 6066.40 |
| C. Cost of Labour | | Rs: | 4399.20 |
| | Total | Rs: | 15355 91 |

D. Add for contractor's profit and overheads on

(A+B+C) 13.615% Rs: 2090.71 Total cost for 3.00 Rm Rs: 17446.62 Rate per (A+B+C+D)/3.0 Rs. 5815.50

1. For drilling in hard rock beyond 30 m upto 60 m from surface increase the basic rate for drilling upto 30 m from surface by 25 percent per Rm.

2. For drilling in hard rock beyond 60 m upto 90 m from surface increase the basic rate for drilling upto 30 m from surface by 40 percent per Rm.

IRR-PMW-2-6-A New Item 2014-15-

Drilling 47 mm (BX)dia core hole in all types of rocks (other than Hard Rock) including Masonry/CC (where drilling is not possible by casing shoe) using diamond core bit vertical / inclined upto 10 degree to vertical as directed including cost of all materials, machinery, labour, water charges, and redrilling in case of collapse of sides etc., complete for depth upto 30 m

DATA:

For drilling upto 30 m from surface the rate of drilling is assumed at 3 m per day for analysis.

For rate analysis combination of diamond bit and reamer shell is assumed. 500 m long 25 mm dia GI pipe line and 50 m long 25 mm dia water hose are assumed.

For 30 m drilling average 16.5 m extension rods with coupling sleeves required.

Use rate of materials:

Cost of BX diamond core bit @ 10600.00 / Each Rs: 10600.00 Life of diamond core bit in all types of rock (other than hard rock) 10.57 m Use rate of diamond core bit per m drilling (cost / life) Rs: 1002.84 Cost of reamer shell @ 5150.00 / Each Rs: 5150.00 Life of reamer shell in all types of rock (other than hard rock) 100 m Use rate of reamer shell per m drilling (cost / life) Rs: 51.50 Cost of 16.5 m extension rod @ 2226.00 / Rm Rs: 36729.00 Rs: Life of extension rods 2500 m Use rate of 16.5 m length extension rods (cost / life) Rs: 14.69

RATE ANALYSIS UNIT: Data: 3.00 Rm A. MATERIALS:

| SI No | particulars | Unit | Quantity | Rate | Amount |
|-------|--------------------------------------|------|----------|---------|---------|
| | | | | in Rs. | in Rs. |
| 1 | Use rate of diamond core bit | Rm | 3.00 | 1002.84 | 3008.51 |
| 2 | Use rate of reamer shell | Rm | 3.00 | 51.50 | 154.50 |
| 4 | Use rate of extension rod set 16.5 m | Rm | 3.00 | 14.69 | 44.07 |
| | Total cost of Materials | | | | 3207.09 |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|---------------------------------|------|----------|--------|---------|
| | | | | in Rs. | in Rs. |
| 1 | Core drilling machine | Hour | 4.78 | 319.00 | 1523.54 |
| | Fuel / Energy charges | Hour | 4.78 | 243.80 | 1164.39 |
| 2 | 5 hp pump (diesel) 2 Nos. | Hour | 9.55 | 10.20 | 97.43 |
| | Fuel / Energy charges | Hour | 9.55 | 81.30 | 776.58 |
| 3 | Sundries | LS | 2.99 | 20.00 | 59.80 |
| | Total hire charges of Machinery | | | Rs: | 3621.74 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|--------------------------------|------|----------|--------|---------|
| | | | - | in Rs. | in Rs. |
| 1 | Crew for Core drilling machine | Hour | 4.78 | 265.20 | 1266.60 |
| 2 | Crew for Pump | Hour | 9.55 | 103.60 | 989.38 |
| 3 | mazdoor | Day | 1.19 | 310.00 | 368.90 |
| | Total cost of | Rs: | 2624.88 | | |

labour component/unit qty 875.00
Add contractor's profit and overhead charges 13.615% 119.10
labour component/unit qty (including contractor's profit) 994.10

ABSTRACT:

| A. Cost of Materials | | Rs: | 3207.09 |
|---|---------------|-------------|----------|
| B. Hire charges of Machinery | | Rs: | 3621.74 |
| C. Cost of Labour | | Rs: | 2624.88 |
| | Total | Rs: | 9453.71 |
| D. Add for contractor's profit and overheads on | 13.615% | 13.615% Rs: | |
| Total cost for | 3.00 Rm | Rs: | 10740.83 |
| Rate per Rm | (A+B+C+D)/3.0 | Rs. | 3580.30 |

NOTE: 1. For drilling in all types of rocks (other than hard rock) including masonry/CC beyond 30 m upto 60 m from surface increase the basic rate per Rm by 25 percent.

2. For drilling in all types of rocks (other than hard rock) including masonry/CC m from surface increase the basic beyond 60 m upto 90 rate per Rm by 40 percent.

IRR-PMW-2-7

Providing and fixing 20 x 20 x 75 cm size roughly dressed boundary / demarcation / chainage / arrow stones including cost of all materials, labour, engraving marks, fixing in position, murum filling etc., complete with lead upto 50 m and all lifts.

RATE ANALYSIS

Data:

| A. MATER | IALS: | | | | |
|----------|-------------------------|------|----------|--------|--------|
| SI No | particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Rough stone 20x20x75 cm | Each | 18.00 | 23.00 | 414.00 |
| 2 | Murrum | cum | 1.00 | 115.00 | 115.00 |
| | Total cost of Materials | | | | 529.00 |

UNIT:

18 Nos.

B. MACHINERY:

| D. WACIIII | I—IXII. | | | | |
|------------|-------------|---------------|----------|--------|--------|
| SI No | Description | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | NIL | | 0.00 | 0.00 | 0.00 |
| | | | 0.00 | 0.00 | 0.00 |
| | Total hire | charges of Ma | achinery | Rs: | 0.00 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|-----------------------|------|----------|--------|--------|
| | | | | in Rs. | in Rs. |
| 1 | work inspector | Day | 1.00 | 400.00 | 400.00 |
| 2 | Stone chiseller CI- I | Day | 1.00 | 415.00 | 415.00 |
| 3 | mazdoor | Day | 3.00 | 310.00 | 930.00 |

Total cost of Labour labour component/unit qty 96.90 Add contractor's profit and overhead charges 13.615% 13.20 labour component/unit qty (including contractor's profit) 110.10 ABSTRACT: A. Cost of Materials 529.00 0.00 B. Hire charges of Machinery Rs: C. Cost of Labour Rs: 1745.00 Total 2274.00 D. Add for contractor's profit and overheads on

18.00 Nos.

(A+B+C+D)/18.0

13.615% Rs:

Rs:

Rs.

309.61

2583.61

143.50

IRR-PMW-2-8 Providing and **fixing 20 x 20 x 75 cm size temporary bench mark stone in CC 1 : 4 : 8**using **40 mm down size** graded coarse aggregate including cost of all materials, labour,
dressing top surface, engraving BM data etc.,complete **with lead upto 50 m and all lifts.**

Data: RATE ANALYSIS UNIT: 10 Nos.

A. MATERIALS:

(A+B+C)

Rate per

Total cost for

each

| SI No | particulars | Unit | Quantity | Rate | Amount |
|-------|-------------------------------|------|----------|---------|---------|
| | | | | in Rs. | in Rs. |
| 1 | Rough stone 20x20x75 cm | Each | 10.00 | 23.00 | 230.00 |
| 2 | Cement for CC & top finishing | kg | 91.00 | 6.30 | 573.30 |
| 3 | Coarse aggregate 40-20 mm | cum | 0.25 | 1145.00 | 286.25 |
| | Coarse aggregate 20-10 mm | cum | 0.15 | 1210.00 | 181.50 |
| | Coarse aggregate 10-4.75 mm | cum | 0.10 | 875.00 | 87.50 |
| 4 | Sand (Un-Screened) | cum | 0.25 | 560.00 | 140.00 |
| | Total cost of Materials | | | | 1498.55 |

B. MACHINERY:

| D: 1117 (O: 1111 (| 2111 | | | | |
|--------------------|---------------------------------|------|----------|--------|--------|
| SI No | Description | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | NIL | | 0.00 | 0.00 | 0.00 |
| | | | 0.00 | 0.00 | 0.00 |
| | Total hire charges of Machinery | | | | 0.00 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|-----------------------|------|----------|--------|---------|
| | | | | in Rs. | in Rs. |
| 1 | work inspector | Day | 1.00 | 400.00 | 400.00 |
| 2 | Stone chiseller CI- I | Day | 3.00 | 415.00 | 1245.00 |
| 3 | mazdoor | Day | 4.00 | 310.00 | 1240.00 |
| | Total cost of Labour | | | | 2885.00 |

labour component/unit qty 288.50 Add contractor's profit and overhead charges 13.615% 39.30 labour component/unit qty (including contractor's profit) **327.80**

ABSTRACT:

| A. Cost of Materials | | | Rs: | 1498.55 |
|---|----------------|--------|---------------|---------|
| B. Hire charges of Machinery | | | Rs: | 0.00 |
| C. Cost of Labour | | | Rs: | 2885.00 |
| | Total | | Rs: | 4383.55 |
| D. Add for contractor's profit and overheads or | n | | | |
| (A+B+C) | 13.615 | 5% Rs: | | 596.82 |
| Total cost for | 10.00 Nos. | Rs: | | 4980.37 |
| Rate per each | (A+B+C+D)/10.0 | Rs. | | 498.00 |
| NOTE: Farancidia 20 and third account | | ::- | all called as | |

NOTE: For providing 30 cm thick compacted murum bed in B.C soil area including

additional excavation for thickness of murum bedding add p Each Rs: 4.00

IRR-PMW-2-9 Providing and fixing 20 x 20 x 75 cm size permanent bench mark stone in CC 1 :3 : 6

block of size 90 x 90 x 120 cm using **40 mm down size** graded coarse aggregate and providing 35 cm thick 30 cm high UCR masonry in CM 1:5 proportion protective wall alround the BM stone, including cost of all materials, labour, dressing top surface of stone, engraving BM data on top surface, excavation, finishing, curing etc., complete with lead upto 50 m and all lifts.

RATE ANALYSIS

Data:

A. MATERIALS:

| SI No | particulars | Unit | Quantity | Rate | Amount |
|-------|-----------------------------|-------------------------|----------|---------|---------|
| | | | | in Rs. | in Rs. |
| 1 | Rough stone 20x20x75 cm | Each | 1.00 | 23.00 | 23.00 |
| 2 | Cement | kg | 262.00 | 6.30 | 1650.60 |
| 3 | Coarse aggregate 40-20 mm | cum | 0.50 | 1145.00 | 572.50 |
| | Coarse aggregate 20-10 mm | cum | 0.30 | 1210.00 | 363.00 |
| | Coarse aggregate 10-4.75 mm | cum | 0.20 | 875.00 | 175.00 |
| 4 | Rubble stone at quarry | cum | 0.25 | 330.00 | 82.50 |
| 5 | Stone chips at quarry | cum | 0.04 | 360.00 | 14.40 |
| 6 | Sand (Un-Screened) | cum | 0.60 | 560.00 | 336.00 |
| | | Total cost of Materials | | Rs: | 3217.00 |

B. MACHINERY:

| Ī | SI No | Description | Unit | Quantity | Rate | Amount |
|---|-------|----------------|------------|----------|--------|--------|
| | | | | | in Rs. | in Rs. |
| Ī | 1 | NIL | | 0.00 | 0.00 | 0.00 |
| | | | | 0.00 | 0.00 | 0.00 |
| | | Total hire cha | rges of Ma | chinery | Rs: | 0.00 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|-----------------------|------|----------|--------|---------|
| | | | | in Rs. | in Rs. |
| 1 | work inspector | Day | 1.00 | 400.00 | 400.00 |
| 2 | Stone chiseller CI- I | Day | 0.50 | 415.00 | 207.50 |
| 3 | Mason CI- II | Day | 1.00 | 370.00 | 370.00 |
| 4 | mazdoor | Day | 5.00 | 310.00 | 1550.00 |
| | Total cost of Labour | | | | 2527.50 |

labour component/unit qty 2527.50 Add contractor's profit and overhead charges 13.615% 344.10 labour component/unit qty (including contractor's profit) 2871.60

ABSTRACT:

 A. Cost of Materials
 Rs: 3217.00

 B. Hire charges of Machinery
 Rs: 0.00

 C. Cost of Labour
 Rs: 2527.50

 Total
 Rs: 5744.50

D. Add for contractor's profit and overheads on

 (A+B+C)
 13.615% Rs:
 782.11

 Total cost for
 1.00 No.
 Rs:
 6526.61

 Rate per each
 (A+B+C+D)/1.0
 Rs.
 6526.60

IRR-PMW-3 MAINTENANCE WORKS:

IRR-PMW-3-1 Removing dry stone rock-toe / rivetment and filter layers below rock-toe/ rivetment

including stacking all materials separately as directed with initial lead upto 50 m and all lifts.

Data: RATE ANALYSIS UNIT: 105 cum

| A. MATERI | ALS: | | | | |
|-----------|-------------|-------------------------|----------|--------|--------|
| SI No | particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | NIL | | 0.00 | 0.00 | 0.00 |
| | | | 0.00 | 0.00 | 0.00 |
| | · | Total cost of Materials | | Rs: | 0.00 |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|----------------|-------------|----------|--------|--------|
| | | | | in Rs. | in Rs. |
| 1 | NIL | | 0.00 | 0.00 | 0.00 |
| | | | 0.00 | 0.00 | 0.00 |
| | Total hire cha | arges of Ma | achinery | Rs: | 0.00 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|----------------|------|----------|--------|----------|
| | | | | in Rs. | in Rs. |
| 1 | work inspector | Day | 1.00 | 400.00 | 400.00 |
| 2 | Mason CI- II | Day | 6.00 | 370.00 | 2220.00 |
| 3 | mazdoor | Day | 48.00 | 310.00 | 14880.00 |

100 sqm

labour component/unit qty
166.70
Add contractor's profit and overhead charges 13.615% 22.70
labour component/unit qty (including contractor's profit) 189.40

ABSTRACT:

 A. Cost of Materials
 Rs: 0.00

 B. Hire charges of Machinery
 Rs: 0.00

 C. Cost of Labour
 Rs: 17500.00

 Total
 Rs: 17500.00

D. Add for contractor's profit and overheads on

 (A+B+C)
 13.615% Rs:
 2382.63

 Total cost for
 105.00 cum
 Rs:
 19882.63

 Rate per cum
 (A+B+C+D)/105.0
 Rs.
 189.40

IRR-PMW-3-2 Re-constructing 60 cm thick hand packed rough stone revetment with through

stones at 1.5 m c / c over a backing of 45 cm thick graded filter media consisting of sand, 10 mm and 40 mm size graded aggregates satisfying filter criteria laid in layers of 15 cm thick each using sand from approved quarry and stones and filter aggregates obtained from revetment removed for re-construction including cost of all machinery, labour, laying filter and stones to specified slopes, wedging with chips, finishing etc. complete with initial lead upto 50 m and all lifts.

Data:

RATE ANALYSIS UNIT:

A. MATERIALS:

| SI No | particulars | Unit | Quantity | Rate | Amount |
|-------|------------------------------------|------|----------|--------|---------|
| | | | | in Rs. | in Rs. |
| 1 | Sand (Un-Screened) (from quarry) | cum | 15.30 | 560.00 | 8568.00 |
| 2 | Coarse aggregate 10 mm (available) | cum | 15.30 | 0.00 | 0.00 |
| 3 | Coarse aggr. 40-20 mm (available) | cum | 15.30 | 0.00 | 0.00 |
| 4 | Stone chips (available) | cum | 9.00 | 0.00 | 0.00 |
| 5 | Rough stones (available) | cum | 57.60 | 0.00 | 0.00 |
| 6 | Through stones (available) | Nos | 44.00 | 0.00 | 0.00 |
| | Total cost of | Rs: | 8568.00 | | |

B. MACHINERY:

| D. MACITIE | | | | | |
|------------|----------------|-------------|----------|--------|--------|
| SI No | Description | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | NIL | | 0.00 | 0.00 | 0.00 |
| | | | 0.00 | 0.00 | 0.00 |
| | Total hire cha | arges of Ma | achinery | Rs: | 0.00 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|----------------|------|----------|--------|----------|
| | | | | in Rs. | in Rs. |
| 1 | work inspector | Day | 1.00 | 400.00 | 400.00 |
| 2 | Mason CI- II | Day | 5.00 | 370.00 | 1850.00 |
| 3 | mazdoor | Day | 33.00 | 310.00 | 10230.00 |
| | Total cost of | Rs: | 12480.00 | | |

labour component/unit qty 124.80 Add contractor's profit and overhead charges 13.615% 17.00

labour component/unit qty (including contractor's profit)

141.80

ABSTRACT:

 A. Cost of Materials
 Rs:
 8568.00

 B. Hire charges of Machinery
 Rs:
 0.00

 C. Cost of Labour
 Rs:
 12480.00

 Total
 Rs:
 21048.00

D. Add for contractor's profit and overheads on

 (A+B+C)
 13.615% Rs:
 2865.69

 Total cost for
 100.00 sqm Rs:
 23913.69

 Rate per sqm
 (A+B+C+D)/100.0 Rs.
 239.10

IRR-PMW-3-3 Re-constructing dry rubble rock-toe and filter media for rock-toe consisting of

sand 20 mm and 80 mm size graded aggregates satisfying filter criteria laid in layers of 15 cm thick each using sand from approved quarry and stones and filter aggregates obtained from rock-toe removed for re-construction including cost of all machinery, labour, laying filter and

stones to specified slopes, wedging with chips, finishing etc. complete with initial lead upto 50 m and all lifts.

Data:

RATE ANALYSIS

UNIT:

100 cum

| | | | • | | · · · · · · |
|----------|--|--------------|---|--------|-------------|
| A. MATER | RIALS: | | | | |
| SI No | particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Rubble (available) | cum | 58.20 | 0.00 | 0.00 |
| 2 | Stone chips (available) | cum | 8.70 | 0.00 | 0.00 |
| 3 | 80-20 mm filter (available) | cum | 19.40 | 0.00 | 0.00 |
| 4 | 20 mm down filter (available) | cum | 12.10 | 0.00 | 0.00 |
| 5 | Sand (Un-Screened) (fresh from quarry) | cum | 9.80 | 560.00 | 5488.00 |
| | Total cost of | of Materials | | Rs: | 5488.00 |
| | | or materiale | | | |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|----------------|------|----------|--------|--------|
| | | | | in Rs. | in Rs. |
| 1 | NIL | | 0.00 | 0.00 | 0.00 |
| | | | 0.00 | 0.00 | 0.00 |
| | Total hire cha | Rs: | 0.00 | | |

C. LABOUR:

| 0 0 0 | | | | | | |
|-------|----------------|--------|----------|--------|----------|--|
| SI No | Description | Unit | Quantity | Rate | Amount | |
| | | | | in Rs. | in Rs. | |
| 1 | work inspector | Day | 1.00 | 400.00 | 400.00 | |
| 2 | Mason CI- II | Day | 7.00 | 370.00 | 2590.00 | |
| 3 | mazdoor | Day | 48.00 | 310.00 | 14880.00 | |
| | Total cost of | Labour | | Rs: | 17870.00 | |

labour component/unit qty 178.70 Add contractor's profit and overhead charges 13.615% 24.30 labour component/unit qty (including contractor's profit) 203.00

ABSTRACT:

A. Cost of Materials Rs: 5488.00 B. Hire charges of Machinery Rs: 0.00 C. Cost of Labour Rs: 17870.00 Total Rs: 23358.00

D. Add for contractor's profit and overheads on

(A+B+C) 13.615% Rs: 3180.19 Total cost for 100.00 cum 26538.19 Rs: Rate per cum (A+B+C+D)/100.0 265.40 Rs.

IRR-PMW-3-4

Removing and resetting disturbed Yarguntla / Shahabad / Talikot / PCC / Other types of slab lining set in CM 1:3 including flush cement mortar pointing in CM 1:3 with lead upto 50 m and all lifts.

Data:

RATE ANALYSIS

UNIT:

100 sqm

| A. MATER | IALS: | | | | |
|----------|-----------------|-----------|----------|--------|--------|
| SI No | particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Cement 43 Gr | kg | 101.00 | 6.30 | 636.30 |
| 2 | Sand (Screened) | cum | 0.21 | 760.00 | 159.60 |
| | Total cost of | Materials | | Rs: | 795.90 |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|----------------|------|----------|--------|--------|
| | | | | in Rs. | in Rs. |
| 1 | NIL | | 0.00 | 0.00 | 0.00 |
| | | | 0.00 | 0.00 | 0.00 |
| | Total hire cha | Rs: | 0.00 | | |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|----------------|------|----------|--------|---------|
| | | | | in Rs. | in Rs. |
| 1 | work inspector | Day | 1.00 | 400.00 | 400.00 |
| 2 | Mason Class I | Day | 4.00 | 415.00 | 1660.00 |
| 3 | mazdoor | Day | 6.00 | 310.00 | 1860.00 |

| 4 Cartman with Double Bullock | cart for water | Day | Prelin | ninary and M | faintenance Works - Item 425.00 | Unit Rates 2014-15 425.00 |
|---|------------------|--------|--------|--------------|------------------------------------|------------------------------|
| | Total cost of | Labour | | | Rs: | 4345.00 |
| labour component/unit qty | | 43.50 | | | | |
| Add contractor's profit and overhead char | ges 13.615% | 5.90 | | | | |
| labour component/unit qty (including conti | ractor's profit) | 49.40 | | | | |
| ABSTRACT: | | | | | | |
| A. Cost of Materials | | | | Rs: | 795.90 | |
| B. Hire charges of Machinery | | | | Rs: | 0.00 | |
| C. Cost of Labour | | | | Rs: | 4345.00 | |
| | | Total | | Rs: | 5140.90 | |
| D. Add for contractor's profit and overhead | ds on | | | _ | | |
| (A+B+C) | | 13.615 | % Rs: | | 699.93 | |
| Total cost for | 100.00 |) sqm | Rs: | | 5840.83 | |
| Rate per sqm | (A+B+C+D)/ | 100.0 | Rs. | | 58.40 | |

IRR-PMW-3-5 Removing and resetting disturbed dry rubble / khandki stone pitching 25 to 45 cm

thick including packing, wedging, finishing etc., complete with all leads and lifts.

RATE ANALYSIS

Data:

| A. MATERI | ALS: | | | | |
|-----------|-------------|-------------------------|----------|--------|--------|
| SI No | particulars | Unit | Quantity | Rate | Amount |
| | · | | | in Rs. | in Rs. |
| 1 | NIL | | 0.00 | 0.00 | 0.00 |
| | | | 0.00 | 0.00 | 0.00 |
| | | Total cost of Materials | | Rs: | 0.00 |

UNIT:

100 sqm

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate in Rs. | Amount in Rs. |
|-------|----------------|------|--------------|----------------|---------------|
| 1 | NIL | | 0.00 0.00 | 0.00 | 0.00 |
| | Total hire cha | Rs: | | | |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|----------------|--------|----------|--------|---------|
| | | | | in Rs. | in Rs. |
| 1 | work inspector | Day | 1.00 | 400.00 | 400.00 |
| 2 | Mason Class II | Day | 6.00 | 370.00 | 2220.00 |
| 3 | mazdoor | Day | 6.00 | 310.00 | 1860.00 |
| | Total cost of | Labour | | Rs: | 4480.00 |

labour component/unit qty 44.80 Add contractor's profit and overhead charges 13.615% 6.10 labour component/unit qty (including contractor's profit) **50.90**

ABSTRACT:

 A. Cost of Materials
 Rs:
 0.00

 B. Hire charges of Machinery
 Rs:
 0.00

 C. Cost of Labour
 Rs:
 4480.00

 Total
 Rs:
 4480.00

D. Add for contractor's profit and overheads on

 (A+B+C)
 13.615% Rs:
 609.95

 Total cost for
 100.00 sqm
 Rs:
 5089.95

 Rate per sqm
 (A+B+C+D)/100.0
 Rs.
 50.90

IRR-PMW-3-6 Removing and refixing disturbed chainage / demarcation / hectometre / guard stones including excavation, back filling etc., complete with all leads and lifts.

DATA:

| | RATE ANALYSIS | | UNII: | 18 | NOS. |
|-----------|---------------|--------------|----------|--------|--------|
| A. MATERI | ALS: | | | | |
| SI No | particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | NIL | | 0.00 | 0.00 | 0.00 |
| | | | 0.00 | 0.00 | 0.00 |
| | Total cost | of Materials | | Rs: | 0.00 |

| D: 1117 (O: 1111) | | | | | |
|--------------------|----------------|---------|----------|--------|--------|
| SI No | Description | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | NIL | | 0.00 | 0.00 | 0.00 |
| | | | 0.00 | 0.00 | 0.00 |
| | Total hire cha | chinery | Rs: | 0.00 | |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|----------------|--------|----------|--------|---------|
| | | | | in Rs. | in Rs. |
| 1 | work inspector | Day | 1.00 | 400.00 | 400.00 |
| 2 | mazdoor | Day | 2.00 | 310.00 | 620.00 |
| | Total cost of | Labour | | Rs: | 1020.00 |

labour component/unit qty 56.67 Add contractor's profit and overhead charges

labour component/unit qty (including contractor's profit) 64.40

13.615% 7.72

ABSTRACT:

A. Cost of Materials Rs: 0.00 B. Hire charges of Machinery Rs: 0.00 C. Cost of Labour Rs: 1020.00 Total Rs: 1020.00

D. Add for contractor's profit and overheads on

(A+B+C) 13.615% Rs: 138.87 Total cost for 18.00 Nos. Rs: 1158.87 Rate per each (A+B+C+D)/18.0 Rs. 64.40

IRR-PMW-3-7 Removing and refixing disturbed km stone / sign board / hecto-metre stone etc., including excavation, back filling with available stuff after refixing, forming base platform of size 90 x 90 x 7.5 cm including watering, ramming etc complete with all leads and lifts.

DATA:

RATE ANALYSIS UNIT: 8 Nos.

| A. MATERIALS | : | | | | |
|--------------|-------------|-------------------------|----------|--------|--------|
| SI No | particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | NIL | | 0.00 | 0.00 | 0.00 |
| | | | 0.00 | 0.00 | 0.00 |
| | _ | Total cost of Materials | | Rs: | 0.00 |

B. MACHINERY:

| <u> </u> | | | | | |
|----------|----------------|-------------|----------|--------|--------|
| SI No | Description | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | NIL | | 0.00 | 0.00 | 0.00 |
| | | | 0.00 | 0.00 | 0.00 |
| | Total hire cha | arges of Ma | achinery | Rs: | 0.00 |

C. LABOUR:

| 0. 2200. | . == | | | | |
|----------|----------------|------|----------|--------|--------|
| SI No | Description | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | work inspector | Day | 1.00 | 400.00 | 400.00 |
| 2 | mazdoor | Day | 2.00 | 310.00 | 620.00 |
| | Total cost of | Rs: | 1020.00 | | |

labour component/unit qty 127.50 Add contractor's profit and overhead charges 13.615% 17.36 labour component/unit qty (including contractor's profit) 144.90

ABSTRACT:

A. Cost of Materials Rs: 0.00 B. Hire charges of Machinery Rs: 0.00 C. Cost of Labour Rs: 1020.00 Total Rs: 1020.00

D. Add for contractor's profit and overheads on

(A+B+C) 13.615% Rs: 138.87 Total cost for 8.00 Nos. Rs: 1158.87 144.90 (A+B+C+D)/18.0 Rate per each Rs.

Providing impervious hearting for breached / damaged portion of embankment IRR-PMW-3-8 with soil from approved borrow areas in layers of 10 to 15 cm before compaction including

cost of all materials, machinery, labour, all operations such as collection of soil, sorting out, spreading soil to specified thickness, breaking clods, sectioning, watering, compacting each layer to density control of not less than 98 percent or as stipulated by rolling or

by using mechanical tampers etc., complete with initial lead upto 1 km and all lifts.

Data:

RATE ANALYSIS

UNIT:

480 cum

| | INATE ANALTOIS | | CIVII . | 700 | ouiii |
|-----------|----------------|--------------|----------|--------|--------|
| A. MATERI | ALS: | | | | |
| SI No | particulars | Unit | Quantity | Rate | Amount |
| | · | | | in Rs. | in Rs. |
| 1 | NIL | | 0.00 | 0.00 | 0.00 |
| | | | 0.00 | 0.00 | 0.00 |
| | Total cost | of Materials | | Rs: | 0.00 |

| В. | | | | | |
|----|--|--|--|--|--|
| | | | | | |
| | | | | | |

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|-----------------------------------|-------------------------|----------|---------|----------|
| | | | | in Rs. | in Rs. |
| 1 | Angle dozer | Hour | 5.00 | 1715.50 | 8577.50 |
| | Fuel / Energy charges | Hour | 5.00 | 625.30 | 3126.50 |
| 2 | Shovel 0.50 cum capacity | Hour | 8.00 | 1003.10 | 8024.80 |
| | Fuel / Energy charges | Hour | 8.00 | 487.60 | 3900.80 |
| 3 | Tippers 5.00 cum capacity 4 Nos. | Hour | 32.00 | 446.70 | 14294.40 |
| | Fuel / Energy charges | Hour | 32.00 | 307.20 | 9830.40 |
| 4 | Pump 5 hp (diesel) | Hour | 2.00 | 10.20 | 20.40 |
| | Fuel / Energy charges | Hour | 2.00 | 81.30 | 162.60 |
| 5 | Water tanker 8000 ltr | Hour | 4.00 | 402.50 | 1610.00 |
| | Fuel / Energy charges | Hour | 4.00 | 307.20 | 1228.80 |
| 6 | Vibratory pad foot roller 8 tonne | Hour | 6.00 | 1342.20 | 8053.20 |
| | Fuel / Energy charges | Hour | 6.00 | 1056.40 | 6338.40 |
| 7 | Sundries | LS | 2.00 | 20.00 | 40.00 |
| | Т | otal hire charges of Ma | chinery | Rs: | 65207.80 |

C I AROUP.

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|-----------------------|--------|----------|--------|----------|
| | | | | in Rs. | in Rs. |
| 1 | Crew for Dozer | Hour | 4.00 | 221.00 | 884.00 |
| 2 | Crew for Shovel | Hour | 8.00 | 221.00 | 1768.00 |
| 3 | Crew for Tipper | Hour | 32.00 | 165.80 | 5305.60 |
| 4 | Crew for Pump | Hour | 3.00 | 103.60 | 310.80 |
| 5 | Crew for Water tanker | Hour | 5.00 | 165.80 | 829.00 |
| 6 | Crew for Roller | Hour | 6.00 | 244.90 | 1469.40 |
| 7 | work inspector | Day | 2.00 | 400.00 | 800.00 |
| 8 | mazdoor | Day | 4.00 | 310.00 | 1240.00 |
| · | Total cost of | Labour | | Rs: | 12606.80 |

labour component/unit qty

26.30

Add contractor's profit and overhead charges 13.615% 3.60 labour component/unit qty (including contractor's profit) 29.90

ABSTRACT:

Rs: 0.00 A. Cost of Materials B. Hire charges of Machinery Rs: 65207.80 C. Cost of Labour Rs: 12606.80 Total Rs: 77814.60

D. Add for contractor's profit and overheads on (A+B+C)

13.615% Rs: 10594.46 88409.06

184.20

325 cum

480.00 cum Total cost for Rs: Rs. Rate per cum (A+B+C+D)/480.0

IRR-PMW-3-9

Providing pervious/semi-pervious casing for breached / damaged portion of embankment with soil from approved borrow areas in layers of 10 to 15 cm before compaction including cost of all materials, machinery, labour, all operations such as collection of soil, sorting out, spreading soil to specified thickness, breaking clods, sectioning, watering, compacting each layer to density control of not less than 98 percent or as stipulated by rolling or by using mechanical tampers etc., complete with initial lead upto 1 km and all lifts.

Data:

RATE ANALYSIS UNIT:

A. MATERIALS:

| A. MAILE | IALS. | | | | |
|----------|-------------|------|----------|--------|--------|
| SI No | particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |

| 1 | NIL | | Preliminary and 0.00 | Maintenance Works - Ite 0.00 | m Unit Rates 2014-15 0.00 |
|---|-----|-------------------------|----------------------|------------------------------|------------------------------|
| | | | 0.00 | 0.00 | 0.00 |
| | _ | Total cost of Materials | • | Rs: | 0.00 |

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|-----------------------------------|--------------------------|----------|---------|----------|
| | | | | in Rs. | in Rs. |
| 1 | Angle dozer 90 hp | Hour | 3.50 | 1715.50 | 6004.25 |
| | Fuel / Energy charges | Hour | 3.50 | 625.30 | 2188.55 |
| 2 | Shovel 0.50 cum capacity | Hour | 8.00 | 1003.10 | 8024.80 |
| | Fuel / Energy charges | Hour | 8.00 | 487.60 | 3900.80 |
| 3 | Tippers 5.00 cum capacity 3 Nos. | Hour | 24.00 | 446.70 | 10720.80 |
| | Fuel / Energy charges | Hour | 24.00 | 307.20 | 7372.80 |
| 4 | Pump 5 hp (diesel) | Hour | 1.50 | 10.20 | 15.30 |
| | Fuel / Energy charges | Hour | 1.50 | 81.30 | 121.95 |
| 5 | Water tanker 8000 ltr | Hour | 3.00 | 402.50 | 1207.50 |
| | Fuel / Energy charges | Hour | 3.00 | 307.20 | 921.60 |
| 6 | Vibratory pad foot roller 8 tonne | Hour | 4.00 | 1342.20 | 5368.80 |
| | Fuel / Energy charges | Hour | 4.00 | 1056.40 | 4225.60 |
| 7 | Sundries | LS | 2.00 | 20.00 | 40.00 |
| | | Total hire charges of Ma | chinery | Rs: | 50112.75 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|------------|-----------------------|--------|----------|--------|----------|
| | | | | in Rs. | in Rs. |
| 1 | Crew for Dozer | Hour | 3.50 | 221.00 | 773.50 |
| 2 | Crew for Shovel | Hour | 8.00 | 221.00 | 1768.00 |
| 3 | Crew for Tipper | Hour | 24.00 | 165.80 | 3979.20 |
| 4 | Crew for Pump | Hour | 1.50 | 103.60 | 155.40 |
| 5 | Crew for Water tanker | Hour | 3.00 | 165.80 | 497.40 |
| 6 | Crew for Roller | Hour | 4.00 | 244.90 | 979.60 |
| 7 | work inspector | Day | 2.00 | 400.00 | 800.00 |
| 8 | mazdoor | Day | 4.00 | 310.00 | 1240.00 |
| | Total cost of | Labour | | Rs: | 10193.10 |
| labour con | nponent/unit qty | 31.40 | | | |

13.615% 4.30

Add contractor's profit and overhead charges labour component/unit qty (including contractor's profit)

35.70

ABSTRACT:

0.00 50112.75

B. Hire charges of Machinery C. Cost of Labour

A. Cost of Materials

Total

10193.10 60305.85

Rs:

Rs:

Rs:

Rs:

D. Add for contractor's profit and overheads on

(A+B+C)

13.615% Rs:

8210.64

Total cost for Rate per cum

325.00 cum (A+B+C+D)/325.0

Rs: Rs. 68516.49 210.80

IRR-PMW-3-10

Providing impervious hearting for breached / damaged portion of embankment with soil from approved dump areas in layers of 10 to 15 cm before compaction including cost of all materials, machinery, labour, all operations such as collection of soil, sorting out, spreading soil to specified thickness, breaking clods, sectioning, watering, compacting each layer to density control of not less than 98 percent or as stipulated by rolling or by using mechanical tampers etc., complete with initial lead upto 1 km and all lifts.

Data:

RATE ANALYSIS

UNIT:

612 cum

A MATERIALS.

| A. WATERI | ALJ: | | | | |
|-----------|---------------|------|----------|--------|--------|
| SI No | particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | NIL | | 0.00 | 0.00 | 0.00 |
| | | | 0.00 | 0.00 | 0.00 |
| | Total cost of | | Rs: | 0.00 | |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|-----------------------|------|----------|---------|---------|
| | | | | in Rs. | in Rs. |
| 1 | Angle dozer | Hour | 4.00 | 1715.50 | 6862.00 |
| | Fuel / Energy charges | Hour | 4.00 | 625.30 | 2501.20 |

| | Total hire charges of Machinery Rs: 74808.20 | | | | | | |
|---|---|------|----------------------|------------------------------------|---------------------------------|--|--|
| 7 | Sundries | LS | 2.00 | 20.00 | 40.00 | | |
| | Fuel / Energy charges | Hour | 7.50 | 1056.40 | 7923.00 | | |
| 6 | Vibratory pad foot roller 8 tonne | Hour | 7.50 | 1342.20 | 10066.50 | | |
| | Fuel / Energy charges | Hour | 7.00 | 307.20 | 2150.40 | | |
| 5 | Water tanker 8000 ltr | Hour | 7.00 | 402.50 | 2817.50 | | |
| | Fuel / Energy charges | Hour | 4.00 | 81.30 | 325.20 | | |
| 4 | Pump 5 hp (diesel) | Hour | 4.00 | 10.20 | 40.80 | | |
| | Fuel / Energy charges | Hour | 40.00 | 307.20 | 12288.00 | | |
| 3 | Tippers 5.00 cum capacity 5 Nos. | Hour | 40.00 | 446.70 | 17868.00 | | |
| | Fuel / Energy charges | Hour | 8.00 | 487.60 | 3900.80 | | |
| 2 | Shovel 0.50 cum capacity | Hour | Preliminary and 8.00 | Maintenance Works - Ite 1003.10 | m Unit Rates 2014-15 8024.80 | | |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|-----------------------|----------|----------|--------|----------|
| | | | | in Rs. | in Rs. |
| 1 | Crew for Dozer | Hour | 4.00 | 221.00 | 884.00 |
| 2 | Crew for Shovel | Hour | 8.00 | 221.00 | 1768.00 |
| 3 | Crew for Tipper | Hour | 40.00 | 165.80 | 6632.00 |
| 4 | Crew for Pump | Hour | 4.00 | 103.60 | 414.40 |
| 5 | Crew for Water tanker | Hour | 7.00 | 165.80 | 1160.60 |
| 6 | Crew for Roller | Hour | 7.50 | 244.90 | 1836.75 |
| 7 | work inspector | Day | 2.00 | 400.00 | 800.00 |
| 8 | mazdoor | Day | 6.00 | 310.00 | 1860.00 |
| | Total cost o | f Labour | | Rs: | 15355.75 |

labour component/unit qty 25.10
Add contractor's profit and overhead charges 13.615% 3.40
labour component/unit qty (including contractor's profit) 28.50

ABSTRACT:

Rate per

cum

| A. Cost of Materials | | | Rs: | 0.00 |
|---|------------|-------|-----|-----------|
| B. Hire charges of Machinery | | | Rs: | 74808.20 |
| C. Cost of Labour | | | Rs: | 15355.75 |
| | Total | | Rs: | 90163.95 |
| D. Add for contractor's profit and overheads on | | | | |
| (A+B+C) | 13.6159 | % Rs: | | 12275.82 |
| Total cost for | 612.00 cum | Rs: | | 102439.77 |

IRR-PMW-3-11

Providing pervious /semi-pervious casing for breached /damaged portion of embankment with soil from approved dump areas in layers of 10 to 15 cm before compaction including cost of all materials, machinery, labour, all operations such as collection of soil, sorting out, spreading soil to specified thickness, breaking clods, sectioning, watering, compacting each layer to density control of not less than 98 percent or as stipulated by rolling or by using mechanical tampers etc., complete with initial lead upto 1 km and all lifts.

Data: RATE ANALYSIS UNIT: 440 cum

| A. MATERI | ALS: | | | | |
|-----------|-------------|-------------------------|----------|--------|--------|
| SI No | particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | NIL | | 0.00 | 0.00 | 0.00 |
| | | | 0.00 | 0.00 | 0.00 |
| | | Total cost of Materials | | Rs: | 0.00 |

(A+B+C+D)/612.0

Rs.

167.40

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|-----------------------------------|------|----------|---------|----------|
| | | | | in Rs. | in Rs. |
| 1 | Angle dozer 90 hp | Hour | 3.00 | 1715.50 | 5146.50 |
| | Fuel / Energy charges | Hour | 3.00 | 625.30 | 1875.90 |
| 2 | Shovel 0.50 cum capacity | Hour | 8.00 | 1003.10 | 8024.80 |
| | Fuel / Energy charges | Hour | 8.00 | 487.60 | 3900.80 |
| 3 | Tippers 5.00 cum capacity 4 Nos. | Hour | 32.00 | 446.70 | 14294.40 |
| | Fuel / Energy charges | Hour | 32.00 | 307.20 | 9830.40 |
| 4 | Pump 5 hp (diesel) | Hour | 3.00 | 10.20 | 30.60 |
| | Fuel / Energy charges | Hour | 3.00 | 81.30 | 243.90 |
| 5 | Water tanker 8000 ltr | Hour | 6.00 | 402.50 | 2415.00 |
| | Fuel / Energy charges | Hour | 6.00 | 307.20 | 1843.20 |
| 6 | Vibratory pad foot roller 8 tonne | Hour | 5.50 | 1342.20 | 7382.10 |

344

| _ | 7 | Sundries | Total hire charges | LS | 2.00 | 20.00 Rs: | 40.00 60837.80 |
|---|---|-----------------------|--------------------|------|------|-------------------------------------|--------------------------|
| | _ | Fuel / Energy charges | H | lour | | Maintenance Works - Iter 1056.40 | |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|-----------------------|--------|----------|--------|----------|
| | | | | in Rs. | in Rs. |
| 1 | Crew for Dozer | Hour | 3.00 | 221.00 | 663.00 |
| 2 | Crew for Shovel | Hour | 8.00 | 221.00 | 1768.00 |
| 3 | Crew for Tipper | Hour | 32.00 | 165.80 | 5305.60 |
| 4 | Crew for Pump | Hour | 3.00 | 103.60 | 310.80 |
| 5 | Crew for Water tanker | Hour | 6.00 | 165.80 | 994.80 |
| 6 | Crew for Roller | Hour | 5.50 | 244.90 | 1346.95 |
| 7 | work inspector | Day | 2.00 | 400.00 | 800.00 |
| 8 | mazdoor | Day | 6.00 | 310.00 | 1860.00 |
| · | Total cost of | Labour | | Rs: | 13049.15 |

labour component/unit qty 29.70
Add contractor's profit and overhead charges 13.615% 4.00
labour component/unit qty (including contractor's profit) 33.70

ABSTRACT:

 A. Cost of Materials
 Rs: 0.00

 B. Hire charges of Machinery
 Rs: 60837.80

 C. Cost of Labour
 Rs: 13049.15

 Total
 Rs: 73886.95

D. Add for contractor's profit and overheads on

 (A+B+C)
 13.615% Rs:
 10059.71

 Total cost for
 440.00 cum
 Rs:
 83946.66

 Rate per cum
 (A+B+C+D)/440.0
 Rs.
 190.80

IRR-PMW-3-12 Repairing rain cuts / resectioning canal slopes to required lines and grades as directed using available soil including dressing, clod breaking, packing, tamping etc., complete with all leads and lifts.

DATA: RATE ANALYSIS UNIT: 1000 sqm

A. MATERIALS:

| A. WATER | 120. | | | | |
|----------|---------------|-----------|----------|--------|--------|
| SI No | particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | NIL | | 0.00 | 0.00 | 0.00 |
| | | | 0.00 | 0.00 | 0.00 |
| | Total cost of | Materials | | Rs: | 0.00 |
| | | | | | |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|---------------------------------|-------------|------|----------|--------|--------|
| | | | | in Rs. | in Rs. |
| 1 | NIL | | 0.00 | 0.00 | 0.00 |
| | | | 0.00 | 0.00 | 0.00 |
| Total hire charges of Machinery | | | Rs: | 0.00 | |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|-----------------|--------|----------|--------|---------|
| | | | | in Rs. | in Rs. |
| 1 | work inspector | Day | 1.00 | 400.00 | 400.00 |
| 2 | mazdoor | Day | 8.00 | 310.00 | 2480.00 |
| | Total cost of I | Labour | | Rs: | 2880.00 |

labour component/unit qty 2.88
Add contractor's profit and overhead charges 13.615% 0.39
labour component/unit qty (including contractor's profit) 3.30

ABSTRACT:

 A. Cost of Materials
 Rs: 0.00

 B. Hire charges of Machinery
 Rs: 0.00

 C. Cost of Labour
 Rs: 2880.00

 Total
 Rs: 2880.00

D. Add for contractor's profit and overheads on

 (A+B+C)
 13.615% Rs:
 392.11

 Total cost for
 1000.00 sqm
 Rs:
 3272.11

 Rate per sqm
 (A+B+C+D)/1000.0
 Rs.
 3.30

IRR-PMW-3-13 Cleaning drainage gallery, adits, instrumentation galleries etc., by scrubbing / brushing

including chiselling and removing leached lime deposit and disposing off all the waste material out side adits in specified location etc., **complete with all leads and lifts.**

DATA: RATE ANALYSIS UNIT: 100 Rm

| A. MATER | IALS: | | | | |
|----------|---------------------------------|------|----------|--------|--------|
| SI No | particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Wire brush | Each | 5.00 | 41.00 | 205.00 |
| 2 | Coir brush | Each | 10.00 | 40.00 | 400.00 |
| 3 | Sundries (brooms, gloves etc) | LS | 2.00 | 20.00 | 40.00 |
| | Total cost of Materials Rs: | | | | |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|---------------------------------|------|----------|--------|--------|
| | | | | in Rs. | in Rs. |
| 1 | NIL | | 0.00 | 0.00 | 0.00 |
| | | | 0.00 | 0.00 | 0.00 |
| | Total hire charges of Machinery | | | | |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|-----------------|--------|----------|--------|---------|
| | | | | in Rs. | in Rs. |
| 1 | Chiseller Cl II | Day | 2.00 | 370.00 | 740.00 |
| 2 | mazdoor | Day | 6.00 | 310.00 | 1860.00 |
| | Total cost of | Labour | | Rs: | 2600.00 |

labour component/unit qty 26.00
Add contractor's profit and overhead charges 13.615% 3.50
labour component/unit qty (including contractor's profit) 29.50

ABSTRACT:

| A. Cost of Materials | | | Rs: | 645.00 |
|---|-----------------|-------|-----|---------|
| B. Hire charges of Machinery | | | Rs: | 0.00 |
| C. Cost of Labour | | | Rs: | 2600.00 |
| | Total | | Rs: | 3245.00 |
| D. Add for contractor's profit and overheads on | l | | | _ |
| (A+B+C) | 13.615 | % Rs: | | 441.81 |
| Total cost for | 100.00 Rm | Rs: | | 3686.81 |
| Rate per Rm | (A+B+C+D)/100.0 | Rs. | | 36.90 |

${\sf IRR-PMW-3-14} \quad \textbf{Cleaning dam parapet inner face and top using oxalic acid and water by scrubbing \textit{I}}$

brushing and washing to remove all surface coatings etc., complete .

DATA: RATE ANALYSIS UNIT: 100 Rm

| A. MATER | RIALS: | | | | |
|----------|-------------------------------|-------------------------|----------|--------|---------|
| SI No | particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | Oxalic acid | ltr | 5.00 | 80.00 | 400.00 |
| 2 | Wire brush | Each | 5.00 | 41.00 | 205.00 |
| 3 | Coir brush | Each | 10.00 | 40.00 | 400.00 |
| 4 | Sundries (brooms, gloves etc) | LS | 2.00 | 20.00 | 40.00 |
| | | Total cost of Materials | · | Rs: | 1045.00 |

B. MACHINERY:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|---------------------------------|------|----------|--------|--------|
| | | | | in Rs. | in Rs. |
| 1 | NIL | | 0.00 | 0.00 | 0.00 |
| | | | 0.00 | 0.00 | 0.00 |
| | Total hire charges of Machinery | | | | 0.00 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount | |
|-------|-----------------|------|----------|--------|---------|--|
| | | | | in Rs. | in Rs. | |
| 1 | mazdoor | Day | 6.00 | 310.00 | 1860.00 | |
| | Total cost of I | Rs: | 1860.00 | | | |

labour component/unit qty 18.60 Add contractor's profit and overhead charges 13.615% 2.50 labour component/unit qty (including contractor's profit) **21.10**

ABSTRACT:

 A. Cost of Materials
 Rs: 1045.00

 B. Hire charges of Machinery
 Rs: 0.00

 C. Cost of Labour
 Rs: 1860.00

 Total
 Rs: 2905.00

D. Add for contractor's profit and overheads on

 (A+B+C)
 13.615% Rs:
 395.52

 Total cost for
 100.00 Rm
 Rs:
 3300.52

 Rate per
 Rm
 (A+B+C+D)/100.0
 Rs.
 33.00

IRR-PMW-3-20 Excavation and removal of silt and silt mixed with sand from canal bed in dry condition

including disposing off the same in spoil bank or on the canal embankment in layers as directed etc., complete with initial lead upto 50 m and all lifts.

DATA:

RATE ANALYSIS UNIT: 10 cum

| A. WATERIA | ALJ: | | | | |
|------------|---------------|------|----------|--------|--------|
| SI No | particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | NIL | | 0.00 | 0.00 | 0.00 |
| | | | 0.00 | 0.00 | 0.00 |
| | Total cost of | Rs: | 0.00 | | |

B. MACHINERY:

MATERIAL C.

| D. MACITIN | EIVI. | | | | |
|------------|----------------|------|----------|--------|--------|
| SI No | Description | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | NIL | | 0.00 | 0.00 | 0.00 |
| | | | 0.00 | 0.00 | 0.00 |
| | Total hire cha | Rs: | 0.00 | | |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|-----------------|------|----------|--------|---------|
| | | | | in Rs. | in Rs. |
| 1 | mazdoor | Day | 4.00 | 310.00 | 1240.00 |
| | Total cost of l | Rs: | 1240.00 | | |

labour component/unit qty 124.00
Add contractor's profit and overhead charges 13.615% 16.90
labour component/unit qty (including contractor's profit) 140.90

ABSTRACT:

 A. Cost of Materials
 Rs: 0.00

 B. Hire charges of Machinery
 Rs: 0.00

 C. Cost of Labour
 Rs: 1240.00

 Total
 Rs: 1240.00

D. Add for contractor's profit and overheads on

 (A+B+C)
 13.615% Rs:
 168.83

 Total cost for
 10.00 cum
 Rs:
 1408.83

 Rate per cum
 (A+B+C+D)/10.0
 Rs.
 140.90

IRR-PMW-3-21 Excavation and removal of silt or silt mixed with sand in slussy condition from canal bed

including disposing off the same in spoil bank or on the canal embankment in layers as directed etc., complete with initial lead upto 50 m and all lifts.

DATA:

RATE ANALYSIS UNIT: 12 cum

| A. MATERIA | ALS: | | | | |
|------------|-------------------------|------|----------|--------|--------|
| SI No | particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs. |
| 1 | NIL | | 0.00 | 0.00 | 0.00 |
| | | | 0.00 | 0.00 | 0.00 |
| | Total cost of Materials | | | | 0.00 |

| B. MACHIN | ERY: | | | | |
|-----------|-------------|------|----------|------|--------|
| SI No | Description | Unit | Quantity | Rate | Amount |

| | | | Preliminary and | Maintenance Works - Ite In Rs. | m Unit Rates 2014-15 IN Rs. |
|---|---------------------------------|--|-----------------|-----------------------------------|--------------------------------|
| 1 | NIL | | 0.00 | 0.00 | 0.00 |
| | | | 0.00 | 0.00 | 0.00 |
| | Total hire charges of Machinery | | | | 0.00 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|---------------|--------|----------|--------|---------|
| | | | | in Rs. | in Rs. |
| 1 | mazdoor | Day | 6.00 | 310.00 | 1860.00 |
| | Total cost of | Labour | | Rs: | 1860.00 |

labour component/unit qty 155.00 Add contractor's profit and overhead charges 13.615% 21.10 labour component/unit qty (including contractor's profit) 176.10

ABSTRACT:

A. Cost of Materials Rs: 0.00 B. Hire charges of Machinery Rs: 0.00 C. Cost of Labour 1860.00 Rs: Total 1860.00 Rs: D. Add for contractor's profit and overheads on (A+B+C) 13.615% Rs: 253.24

 (A+B+C)
 13.615% Rs:
 253.24

 Total cost for
 12.00 cum Rs:
 2113.24

 Rate per cum
 (A+B+C+D)/12.0 Rs.
 176.10

IRR-PMW-3-22 New Item5 - 2010-11 (For Minor Works)

Providing homogeneous embankment using soil from approved borrow area in layers of 25 to 30 cm before compaction including cost of all materials, machinery, labour, all operations such as excavation, sorting out, transportation, spreading soil in layer of specified thickness, breaking clods, sectioning,etc.,complete with initial lead upto 1 km and all lifts.

RATE ANALYSIS

| A. MATERIALS: | | Unit: | 807.00 | cum | |
|---------------|-------------------------|-------|----------|--------|--------|
| SI No | Particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs |
| 1 | NIL | | 0.00 | 0.00 | 0.00 |
| | | | 0.00 | 0.00 | 0.00 |
| | Total cost of Materials | _ | | Rs: | 0.00 |

B. MACHINERY:

| DI III/(OTIII) ETTT | | | | | | | |
|---------------------|---|------|----------|---------|----------|--|--|
| SI No | Description | Unit | Quantity | Rate | Amount | | |
| | | | | in Rs. | in Rs | | |
| 1 | Angle dozer 90 hp | Hour | 2.70 | 1715.50 | 4631.85 | | |
| | Fuel / Energy charges | Hour | 2.70 | 625.30 | 1688.31 | | |
| 2 | Shovel 0.85 cum capacity | Hour | 8.00 | 1706.60 | 13652.80 | | |
| | Fuel / Energy charges | Hour | 8.00 | 893.90 | 7151.20 | | |
| 3 | Tippers 5.00 cum capacity 5 Nos. | Hour | 40.00 | 446.70 | 17868.00 | | |
| | Fuel / Energy charges | Hour | 40.00 | 307.20 | 12288.00 | | |
| | Total hire charges of Machinery Rs: 57280.16 | | | | | | |

C. LABOUR:

| 0. 2, 1500 | 111 | | | | |
|------------|----------------------|------|----------|--------|----------|
| SI No | Description | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs |
| 1 | Crew for Dozer | Hour | 2.70 | 221.00 | 596.70 |
| 2 | Crew for Shovel | Hour | 8.00 | 221.00 | 1768.00 |
| 3 | Crew for Tipper | Hour | 40.00 | 165.80 | 6632.00 |
| 4 | work inspector | Day | 1.00 | 400.00 | 400.00 |
| 5 | mazdoor | Day | 2.00 | 310.00 | 620.00 |
| | Total cost of Labour | • | • | Rs: | 10016.70 |

labour component/unit qty
Add contractor's profit and overhead charges 13.615% 1.70
labour component/unit qty (including contractor's profit) 14.10

ABSTRACT:

| Rate per cum | (A+B+C+D |)/807 | Rs: 94.70 |
|---|------------|---------|---------------------|
| Total cost for | 807.0 | 00 cum | Rs: 76459.33 |
| D.Add for contractor's profit and overheads | on (A+B+C) | 13.615% | Rs. <u>9162.47</u> |
| Total | | | Rs: 67296.86 |
| C. Cost of Labour | | | Rs: 10016.70 |
| B. Hire charges of Machinery | | | Rs: 57280.16 |
| A. Cost of Materials | | | Rs: 0.00 |

IRR-PMW-3-23 New Item6 - 2010-11 (For Minor Works)

Providing homogeneous embankment using soil from approved borrow area in layers of 25 to 30 cm before compaction including cost of all materials, machinery, labour, all operations such as watering, compacting to density control of not less than 95 percent or as stipulated using 8T roller etc., complete with initial lead upto 1 km and all lifts.

RATE ANALYSIS

| A. MATERIALS: | | | UNIT : | 807.00 | cum |
|---------------|-------------------------|------|----------|--------|--------|
| SI No | Particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs |
| 1 | NIL | | 0.00 | 0.00 | 0.00 |
| | | | 0.00 | 0.00 | 0.00 |
| | Total cost of Materials | | | Rs: | 0.00 |
| D MAGUI | NEDV | | | | |

| B. MACHI | NERY: | | | | |
|----------|-----------------------------------|------|----------|---------|----------|
| SI No | Description | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs |
| 1 | Angle dozer 90 hp | Hour | 2.70 | 1715.50 | 4631.85 |
| | Fuel / Energy charges | Hour | 2.70 | 625.30 | 1688.31 |
| 2 | Pump 5 hp (ele) | Hour | 4.00 | 3.00 | 12.00 |
| | Fuel / Energy charges | Hour | 4.00 | 38.50 | 154.00 |
| 3 | Water tanker 8000 ltr | Hour | 8.00 | 402.50 | 3220.00 |
| | Fuel / Energy charges | Hour | 8.00 | 307.20 | 2457.60 |
| 4 | Vibratory pad foot roller 8 tonne | Hour | 6.40 | 1342.20 | 8590.08 |
| | Fuel / Energy charges | Hour | 6.40 | 1056.40 | 6760.96 |
| 5 | Sundries | LS | 2.00 | 20.00 | 40.00 |
| | Total hire charges of Machinery | | | Rs: | 27554.80 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|-----------------------|------|----------|--------|---------|
| | | | | in Rs. | in Rs |
| 1 | Crew for Dozer | Hour | 2.70 | 221.00 | 596.70 |
| 4 | Crew for Pump | Hour | 4.00 | 77.70 | 310.80 |
| 5 | Crew for Water tanker | Hour | 8.00 | 165.80 | 1326.40 |
| 6 | Crew for Roller | Hour | 6.40 | 244.90 | 1567.36 |
| 7 | work inspector | Day | 1.00 | 400.00 | 400.00 |
| 8 | mazdoor | Day | 2.00 | 310.00 | 620.00 |
| | Total cost of Labour | | | Rs: | 4821.26 |

labour component/unit qty 6.00 Add contractor's profit and overhead charges 13.615% 0.80 labour component/unit qty (including contractor's profit) 6.80

ABSTRACT:

A. Cost of Materials Rs: 0.00 B. Hire charges of Machinery Rs: 27554.80 C. Cost of Labour Rs: 4821.26 Total Rs: 32376.06 Rs. 4408 D.Add for contractor's profit and overheads on (A+B+C) 13.615% Total cost

for 807.00 cum Rs: 36784.06 (A+B+C+D)/807 Rs: **45.60** Rate per cum

IRR-PMW-3-24 Providing homogeneous embankment using soil from approved borrow

New Item 7 - 2010-11 area in layers of 25 to 30 cm before compaction including cost of all materials, machinery, labour, all operations such as compacting to density control of not less than 90 percent or as stipulated using 2T roller etc., complete with initial lead upto 1 km and all lifts.

RATE ANALYSIS

| A. MATERIALS: UNIT: 807.00 ct | | | cum | | |
|-------------------------------|-------------------------|------|----------|--------|--------|
| SI No | Particulars | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs |
| 1 | NIL | | 0.00 | 0.00 | 0.00 |
| | | | 0.00 | 0.00 | 0.00 |
| | Total cost of Materials | | | Rs: | 0.00 |
| D MACHI | NEDV. | | | | |

| B. MACHIN | NERY: | | | | |
|-----------|---------------------------------|------|----------|--------|---------|
| SI No | Description | Unit | Quantity | Rate | Amount |
| | | | | in Rs. | in Rs |
| 1 | Tractor with 2T Roller | Hour | 10.00 | 345.00 | 3450.00 |
| 2 | Sundries | LS | 2.00 | 20.00 | 40.00 |
| | Total hire charges of Machinery | | | Rs: | 3490.00 |

C. LABOUR:

| SI No | Description | Unit | Quantity | Rate | Amount |
|-------|----------------------|------|----------|--------|--------|
| | | | | in Rs. | in Rs |
| 1 | work inspector | Day | 0.50 | 400.00 | 200.00 |
| 2 | mazdoor | Day | 2.00 | 310.00 | 620.00 |
| | Total cost of Labour | • | | Rs: | 820.00 |

labour component/unit qty
Add contractor's profit and overhead charges 13.615% 0.10
labour component/unit qty (including contractor's profit)
1.10

ABSTRAC

T:

A. Cost of Materials Rs: 0.00 B. Hire charges of Machinery Rs: 3490.00 C. Cost of Labour Rs: 820.00 Rs: 4310.00 Total Rs. 586.8065 D.Add for contractor's profit and overheads on 13.615% Total cost for 807.00 cum Rs: **4896.81** Rate per cum (A+B+C+D)/807 Rs: **6.10**

IRR-PMW-3-25 (New Item 2012-13-3)

Weed Removal by Manual Means

IRR-PMW-3-25(a) Removal of Water Hyacinth up to 30 cm thick

RATE ANALYSIS

 SI. No.
 Particulars
 Unit
 Quantity
 Rate in Rs.
 Amount in Rs.

 1
 NIL
 0
 0
 0

 Total Cost of Materials
 Rs.
 0.00

Unit:

2000 Sqm

2000 Sqm

B. MACHINERY

| SI. No. | Description | Unit | Quantity | Rate in Rs. | Amount in Rs. |
|---------|---------------------------------|------|----------|-------------|---------------|
| 1 | NIL | | 0 | 0 | 0 |
| | Total hire charges of Machinery | | | | 0.00 |

C. LABOUR

| 0. 2200. | • | | | | |
|----------|----------------------|------|----------|-------------|---------------|
| SI. No. | Description | Unit | Quantity | Rate in Rs. | Amount in Rs. |
| 1 | Work Inspector | Day | 3.5 | 400.00 | 1400 |
| 2 | Mazdoor | Day | 28 | 310.00 | 8680 |
| | Total Cost of Labour | | | Rs. | 10080.00 |

ABSTRACT:

| A.COST OF MATERIALS | Rs. | 0.00 |
|--|----------------|----------|
| B.COST OF MACHINERY | Rs. | 0.00 |
| C.COST OF LABOUR | Rs. | 10080.00 |
| | Total | 10080.00 |
| D. Add for Contractor's Profit and overheads | 13.615% | 1372.39 |
| Total Cost for removal weed in the extent of | 2000 Sqm | 11452.39 |
| Rate per Sqm | (A+B+C+D)/2000 | 5.7 |

IRR-PMW-3-25(b) Removal of Water Hyacinth beyond 30 cm thick

RATE ANALYSIS

| A. MATERIA | ALS | | OTIIC. | 2000 | Oqiii |
|------------|-------------------------|------|----------|-------------|---------------|
| SI. No. | Particulars | Unit | Quantity | Rate in Rs. | Amount in Rs. |
| 1 | NIL | | 0 | 0 | 0 |
| | Total Cost of Materials | | | Rs. | 0.00 |

Unit:

| B. MACHINERY | 1 |
|--------------|---|
|--------------|---|

| Sl. No. | Description | Unit | Quantity | Rate in Rs. | Amount in Rs. |
|---------|-------------|------|----------|-------------|---------------|
| 1 | NIL | | 0 | 0 | 0 |

| | Total him abayes of Machi | | | Preliminary and | Maintenance Works - It 0.0 0 |
|--|--|-----------------------------|--|--|--|
| | Total hire charges of Machi | nery | | KS. | 0.00 |
| C. LABOU | R | T | T | T | |
| SI. No. | Description | Unit | Quantity | Rate in Rs. | Amount in Rs. |
| 1 | Work Inspector | Day | 5 | 400.00 | 2000 |
| 2 | Mazdoor | Day | 38 | 310.00 | 11780 |
| | Total Cost of Labour | | | Rs. | 13780.00 |
| ABSTRACT | Г: | | | | |
| | F MATERIALS | | | Rs. | 0.00 |
| | F MACHINERY F LABOUR | | | Rs. Rs. | 0.00 13780.00 |
| 0.0001 0 | LABOUR | Total | | 113. | 13780.00 |
| | Contractor's Profit and overheads | | 13.615% | | 1876.15 |
| | for removal weed in the extent of | | Sqm | | 15656.15 |
| Rate per | Sqm | (A+B+C+D)/2 | 2000 | | 7.8 |
| Clearing A | lchi Tilla | | | | |
| | RATE ANALYSIS | | | | |
| A. MATER | IALS | | Unit: | 2000 | Sqm |
| | | | | | |
| Sl. No. | Particulars NIL | Unit | Quantity 0 | Rate in Rs. 0 | Amount in Rs. |
| <u> </u> | Total Cost of Materials | | | Rs. | 0.00 |
| | | | | | |
| B. MACHIN | JERY | | | | |
| SI. No. | Description | Unit | Quantity | Rate in Rs. | Amount in Rs. |
| 1 | NIL | | 0 | 0 | C |
| | Total hire charges of Machi | nery | | Rs. | 0.00 |
| C. LABOUI | R | | | | |
| O. N. | | 11.24 | | D D | |
| Sl. No. 1 | Description Work Inspector | Unit Day | Quantity 3 | | Amount in Rs. 1200 |
| 2 | Mazdoor | Day | 26 | 310.00 | 8060 |
| | Total Cost of Labour | | | Rs. | 9260.00 |
| ABSTRACT | r· | | | | |
| | F MATERIALS | | | Rs. | 0.00 |
| B.COST O | E MACHINEDY | | | _ | 0.00 |
| | | | | Rs. | |
| C.COST O | F LABOUR | Total | | Rs. Rs. | 9260.00 |
| | | Total | 13.615% | Rs. | 9260.00 9260.00 |
| D. Add for | F LABOUR | 2000 | 13.615% Sqm | Rs. | 9260.00 |
| D. Add for Total Cost | F LABOUR Contractor's Profit and overheads | | Sqm | Rs. | 9260.00 9260.00 1260.75 |
| D. Add for Total Cost Rate per | F LABOUR Contractor's Profit and overheads for removal weed in the extent of Sqm | 2000 | Sqm | Rs. | 9260.00 9260.00 1260.75 10520.75 |
| D. Add for Total Cost Rate per | F LABOUR Contractor's Profit and overheads for removal weed in the extent of Sqm of Jammu | 2000 | Sqm | Rs. | 9260.00 9260.00 1260.75 10520.75 |
| D. Add for Total Cost Rate per | F LABOUR Contractor's Profit and overheads for removal weed in the extent of Sqm | 2000 | Sqm | Rs. | 9260.00 9260.00 1260.75 10520.75 5.3 |
| D. Add for Total Cost Rate per Removal c | F LABOUR Contractor's Profit and overheads for removal weed in the extent of Sqm of Jammu RATE ANALYSIS | 2000 | Sqm 2000 | Rs. | 9260.00 9260.00 1260.75 10520.75 5.3 |
| D. Add for Total Cost Rate per Removal c | F LABOUR Contractor's Profit and overheads for removal weed in the extent of Sqm of Jammu RATE ANALYSIS | 2000 (A+B+C+D)/2 | Sqm 2000 Unit : | Rs. 2000 | 9260.00 9260.00 1260.75 10520.75 5.3 |
| D. Add for Total Cost Rate per Removal c | F LABOUR Contractor's Profit and overheads for removal weed in the extent of Sqm of Jammu RATE ANALYSIS | 2000 | Sqm 2000 | Rs. | 9260.00 9260.00 1260.75 10520.75 5.3 |
| D. Add for Total Cost Rate per Removal c | F LABOUR Contractor's Profit and overheads for removal weed in the extent of Sqm of Jammu RATE ANALYSIS JALS Particulars | 2000 (A+B+C+D)/2 | Sqm 2000 Unit : | Rs. 2000 Rate in Rs. | 9260.00 9260.00 1260.75 10520.75 5.3 |
| D. Add for Total Cost Rate per Removal c A. MATER SI. No. | F LABOUR Contractor's Profit and overheads for removal weed in the extent of Sqm of Jammu RATE ANALYSIS IALS Particulars NIL Total Cost of Materials | 2000 (A+B+C+D)/2 | Sqm 2000 Unit : | 2000 Rate in Rs. | 9260.00 9260.00 1260.75 10520.75 5.3 Sqm |
| D. Add for Total Cost Rate per Removal Co A. MATER SI. No. 1 B. MACHIN | F LABOUR Contractor's Profit and overheads for removal weed in the extent of Sqm of Jammu RATE ANALYSIS IALS Particulars NIL Total Cost of Materials | 2000 (A+B+C+D)/2 Unit | Sqm 2000 Unit : Quantity 0 | 2000 Rate in Rs. 0 Rs. | 9260.00 9260.00 1260.75 10520.75 5.3 Sqm Amount in Rs. |
| D. Add for Total Cost Rate per Removal Co A. MATER SI. No. 1 B. MACHIN | Contractor's Profit and overheads for removal weed in the extent of Sqm of Jammu RATE ANALYSIS IALS Particulars NIL Total Cost of Materials NERY Description | 2000 (A+B+C+D)/2 | Sqm 2000 Unit : Quantity 0 | 2000 Rate in Rs. 0 Rs. | 9260.00 9260.00 1260.75 10520.75 5.3 Sqm Amount in Rs. 0 0.00 |
| D. Add for Total Cost Rate per Removal Co A. MATER SI. No. 1 B. MACHIN | F LABOUR Contractor's Profit and overheads for removal weed in the extent of Sqm of Jammu RATE ANALYSIS IALS Particulars NIL Total Cost of Materials | 2000 (A+B+C+D)/2 Unit | Sqm 2000 Unit : Quantity 0 | 2000 Rate in Rs. 0 Rs. | 9260.00 9260.00 1260.75 10520.75 5.3 Sqm Amount in Rs. |
| D. Add for Total Cost Rate per Removal Co A. MATERI SI. No. 1 B. MACHIN SI. No. 1 | Contractor's Profit and overheads for removal weed in the extent of Sqm of Jammu RATE ANALYSIS IALS Particulars NIL Total Cost of Materials NERY Description NIL Total hire charges of Machine | 2000 (A+B+C+D)/2 Unit | Sqm 2000 Unit : Quantity 0 | 2000 Rate in Rs. 0 Rs. Rate in Rs. 0 | 9260.00 9260.00 1260.75 10520.75 5.3 Sqm Amount in Rs. 0 0.00 Amount in Rs. |
| D. Add for Total Cost Rate per Removal C A. MATERI SI. No. 1 B. MACHIN SI. No. | Contractor's Profit and overheads for removal weed in the extent of Sqm of Jammu RATE ANALYSIS IALS Particulars NIL Total Cost of Materials NERY Description NIL Total hire charges of Machine | 2000 (A+B+C+D)/2 Unit | Sqm 2000 Unit : Quantity 0 | 2000 Rate in Rs. 0 Rs. Rate in Rs. 0 | 9260.00 9260.00 1260.75 10520.75 5.3 Sqm Amount in Rs. 0 0.00 Amount in Rs. |
| D. Add for Total Cost Rate per Removal Co. A. MATERI SI. No. 1 B. MACHIN SI. No. 1 | Contractor's Profit and overheads for removal weed in the extent of Sqm of Jammu RATE ANALYSIS IALS Particulars NIL Total Cost of Materials NERY Description NIL Total hire charges of Machine | 2000 (A+B+C+D)/2 Unit | Sqm 2000 Unit : Quantity 0 | 2000 Rate in Rs. 0 Rs. Rate in Rs. 0 Rs. | 9260.00 9260.00 1260.75 10520.75 5.3 Sqm Amount in Rs. 0 0.00 Amount in Rs. |

IRR-PMW-3-25(c)

IRR-PMW-3-25(d)

| 2 | Mazdoor | Day | 22 | Pref | 310.00 | Maintenance Works - Iti 6820 |
|--|---|---------------------------|--------------------------------------|-------------------|-----------------------|---|
| | Total Cost of Labour | | • | Rs. | | 7820.00 |
| | _ | | | | | |
| BSTRACT | | | | D- | | 0.00 |
| | F MATERIALS | | | Rs. | | 0.00 |
| | F MACHINERY F LABOUR | | | Rs. Rs. | | 0.00 7820.00 |
| J.CO31 O | FLABOUR | Total | | 175. | | 7820.00 |
| D. Add for | Contractor's Profit and overheads | rotai | 13.615% | , | | 1064.69 |
| | for removal weed in the extent of | 200 | 0 Sqm | | | 8884.69 |
| Rate per | Sqm | (A+B+C+D | | | | 4.4 |
| Removal c | of Imponea, Cornea | | | | | |
| | RATE ANALYSIS | | | | | |
| | TO THE AREA TOTO | | Unit : | | 2000 | Sam |
| A. MATER | IALS | | | | | |
| | | | | | | |
| Sl. No. | Particulars | Unit | Quantity | | in Rs. | Amount in Rs. |
| 1 | NIL | | 0 | + | 0 | 0 |
| | Total Cost of Material | S | | Rs. | | 0.00 |
| B. MACHIN | IERY | 1 | T | 1 | | T |
| CL No | Description | l lois | Ougantitu | Doto | in Do | Amount in Do |
| Sl. No. | Description NIL | Unit | Quantity 0 | | in Rs. 0 | Amount in Rs. |
| | Total hire charges of Mac | hinerv | | Rs. | | 0.00 |
| | | | | 1 | | 3.33 |
| . LABOUI | R | | | | | |
| | | | | | | |
| Sl. No. | Description | Unit | Quantity | | in Rs. | Amount in Rs. |
| 1 2 | Work Inspector | Day | 26 | | 400.00 | 1200 |
| | Mazdoor | Day | 20 | Rs. | 310.00 | 8060 9260.00 |
| | Total Cost of Labour | - | | | | 3200.00 |
| | Total Cost of Labour | - | | 113. | | |
| BSTRACT | | • | | jixo. | | |
| COST O | Γ: F MATERIALS | • | | Rs. | | 0.00 |
| A.COST O B.COST O | Γ: F MATERIALS F MACHINERY | • | | Rs. Rs. | | 0.00 |
| A.COST O B.COST O | Γ: F MATERIALS | | | Rs. | | 0.00 9260.00 |
| A.COST O B.COST O C.COST O | T: F MATERIALS F MACHINERY F LABOUR | Total | 13 615% | Rs. Rs. Rs. | | 0.00 9260.00 9260.00 |
| A.COST O B.COST O C.COST O | T: F MATERIALS F MACHINERY F LABOUR Contractor's Profit and overheads | Total | 13.615% | Rs. Rs. Rs. | | 0.00 9260.00 9260.00 1260.75 |
| a.COST O B.COST O C.COST O D. Add for Total Cost | T: F MATERIALS F MACHINERY F LABOUR Contractor's Profit and overheads for removal weed in the extent of | Total 200 | 0 Sqm | Rs. Rs. Rs. | | 0.00 9260.00 9260.00 1260.75 10520.75 |
| A.COST O B.COST O C.COST O D. Add for Total Cost Rate per | F: F MATERIALS F MACHINERY F LABOUR Contractor's Profit and overheads for removal weed in the extent of Sqm | Total | 0 Sqm | Rs. Rs. Rs. | | 0.00 9260.00 9260.00 1260.75 |
| A.COST O B.COST O C.COST O D. Add for Total Cost Rate per | F: F MATERIALS F MACHINERY F LABOUR Contractor's Profit and overheads for removal weed in the extent of Sqm of Natchu, goobi, thooti, etc. | Total 200 | 0 Sqm | Rs. Rs. Rs. | | 0.00 9260.00 9260.00 1260.75 10520.75 |
| A.COST O B.COST O C.COST O C.COST O C.COST O Cotal Cost Rate per Removal c | F: F MATERIALS F MACHINERY F LABOUR Contractor's Profit and overheads for removal weed in the extent of Sqm of Natchu, goobi, thooti, etc. RATE ANALYSIS | Total 200 | 0 Sqm | Rs. Rs. Rs. | 2000 | 0.00 9260.00 9260.00 1260.75 10520.75 |
| A.COST O B.COST O C.COST O C.COST O D. Add for r Total Cost Rate per Removal c | F: F MATERIALS F MACHINERY F LABOUR Contractor's Profit and overheads for removal weed in the extent of Sqm of Natchu, goobi, thooti, etc. RATE ANALYSIS | Total 200 | 0 Sqm)/2000 | Rs. Rs. Rs. | 2000 | 0.00 9260.00 9260.00 1260.75 10520.75 5.3 |
| A.COST O B.COST O C.COST O C.COST O D. Add for o Total Cost Rate per | F: F MATERIALS F MACHINERY F LABOUR Contractor's Profit and overheads for removal weed in the extent of Sqm of Natchu, goobi, thooti, etc. RATE ANALYSIS | Total 200 | 0 Sqm)/2000 | Rs. Rs. Rs. | 2000 in Rs. | 0.00 9260.00 9260.00 1260.75 10520.75 5.3 |
| COST O CO | F: F MATERIALS F MACHINERY F LABOUR Contractor's Profit and overheads for removal weed in the extent of Sqm of Natchu, goobi, thooti, etc. RATE ANALYSIS ALS Particulars NIL | Total 200 (A+B+C+D) | 0 Sqm 0/2000 Unit : | Rs. Rs. Rs. | | 0.00 9260.00 9260.00 1260.75 10520.75 5.3 Sqm |
| A.COST O B.COST O C.COST O C.COST O C.Add for Fotal Cost Rate per Removal c A. MATER SI. No. | F: F MATERIALS F MACHINERY F LABOUR Contractor's Profit and overheads for removal weed in the extent of Sqm of Natchu, goobi, thooti, etc. RATE ANALYSIS Particulars | Total 200 (A+B+C+D) | 0 Sqm //2000 Unit : | Rs. Rs. Rs. | in Rs. | 0.00 9260.00 9260.00 1260.75 10520.75 5.3 |
| A.COST O B.COST O C.COST O C.COST O D. Add for Total Cost Rate per Removal c A. MATER SI. No. 1 | F: F: F: F: MATERIALS F: MACHINERY F: LABOUR Contractor's Profit and overheads for removal weed in the extent of Sqm of Natchu, goobi, thooti, etc. RATE ANALYSIS ALS Particulars NIL Total Cost of Material | Total 200 (A+B+C+D) | 0 Sqm //2000 Unit : | Rs. Rs. Rs. | in Rs. | 0.00 9260.00 9260.00 1260.75 10520.75 5.3 Sqm |
| B.COST O C.COST O C.COST O D. Add for Total Cost Rate per Removal c A. MATERI SI. No. 1 B. MACHIN | F: F MATERIALS F MACHINERY F LABOUR Contractor's Profit and overheads for removal weed in the extent of Sqm Matchu, goobi, thooti, etc. RATE ANALYSIS ALS Particulars NIL Total Cost of Material JERY | Total 200 (A+B+C+D) | 0 Sqm 0/2000 Unit : Quantity 0 | Rs. Rs. Rs. | in Rs. 0 | 0.00 9260.00 1260.75 10520.75 5.3 Sqm Amount in Rs. 0 |
| A.COST O B.COST O C.COST O C.COST O D. Add for Fotal Cost Rate per Removal c A. MATER SI. No. 1 | F: F: F: F: MATERIALS F: MACHINERY F: LABOUR Contractor's Profit and overheads for removal weed in the extent of Sqm of Natchu, goobi, thooti, etc. RATE ANALYSIS ALS Particulars NIL Total Cost of Material | Total 200 (A+B+C+D) | 0 Sqm //2000 Unit : | Rs. Rs. Rs. | in Rs. | 0.00 9260.00 9260.00 1260.75 10520.75 5.3 Sqm |

IRR-PMW-3-25(e)

IRR-PMW-3-25(f)

| A. WATERIA | ILO . | | | | |
|------------|-----------------------------|------|----------|-------------|---------------|
| | Particulars | Unit | Quantity | Rate in Rs. | Amount in Rs. |
| 1 [| NIL | | 0 | 0 | C |
| | Total Cost of Materials | | | Rs. | 0.00 |
| B. MACHINE | ERY | | | | |
| SI. No. | Description | Unit | Quantity | Rate in Rs. | Amount in Rs. |
| 1 1 | NIL | | 0 | 0 | C |
| | Total hire charges of Machi | nery | | Rs. | 0.00 |
| C. LABOUR | _ | | | | |
| SI. No. | Description | Unit | Quantity | Rate in Rs. | Amount in Rs. |
| 1 \ | Work Inspector | Day | 1.2 | 400.00 | 480 |
| 2 | Mazdoor | Day | 8 | 310.00 | 2480 |
| | Total Cost of Labour | • | | Rs. | 2960.00 |

| ABSTRACT: | | |
|---------------------|-----|------|
| A.COST OF MATERIALS | Rs. | 0.00 |
| B.COST OF MACHINERY | Rs. | 0.00 |

C.COST OF LABOUR

Total

2960.00 403.00

1.7

D. Add for Contractor's Profit and overheads Total Cost for removal weed in the extent of Rate per Sqm

13.615% 2000 Sqm 3363.00 (A+B+C+D)/2000

IRR-PMW-3-26 New Item 2014-15-8

PAINTING OF SLUICES FOR MAINTENANCE WORKS

Surface cleaning of metal surfaces by chemical cleaners and then by hand and power tool cleaners and removing dust. After cleaniong, applying primary coat with one coat of Zinc rich epoxy primer to a thickness of 100 microns, followed by finishing coats 2 coats with Coal tar epoxy with material, labour, and all accessories with all leads and lifts.

Data: A. Materials

Rate Analysis Unit: 100 Sqm

| Sl. No. | Particulars | Unit | Quantity | Rate in Rs. | Amount in Rs. | |
|---------|-----------------------------|---------------|-------------------------|-------------|---------------|--|
| 1 | Rust Cleaner/ Inhibitor | ltr | 13 | 140.00 | 1820 | |
| 2 | Zinc rich epoxy primer | ltr | 14 | 700.00 | 9800 | |
| 3 | Thinner@10% | ltr | 1.4 | 140.00 | 196 | |
| 4 | Coal Tar epoxy paint | ltr | 40 | 220 | 8800 | |
| 5 | Thinner@10% | ltr | 4 | 140.00 | 560 | |
| 6 | Wire Brush | ltr | 2 | 41 | 82 | |
| | Sundries (brushes, Ladders, | | | | | |
| 7 | platforms) | LS | 3 | 20 | 60 | |
| | | Total Cost of | Total Cost of Materials | | | |

B. Machinery

| SI. No. | Particulars | Unit | Quantity | Rate in Rs. | Amount in Rs. |
|---------|-------------|---------------|-----------|-------------|---------------|
| | NIL | | | | |
| | | Total Cost of | Machinery | | 0 |

C. Labour

| SI. No. | Particulars | Unit | Quantity | Rate in Rs. | Amount in Rs. |
|---------|------------------|-------------------------|----------|-------------|---------------|
| 1 | Painter Class-II | Day | 20 | 370.00 | 7400 |
| 2 | Helper | Day | 20 | 310.00 | 6200 |
| | | Total Cost of Machinery | | | 13600 |

Labour Component/ Unit Qty. 136 Add Contractor's Profit and and Overhead Charges @ 13.615% 18.52 Labour Component/ Unit Qty (including contractor' profit) 154.52

ABSTRACT:

| A. Cost of Materials: | | | | 21318 |
|-----------------------------------|----------------------------|-------|---------|-----------|
| B. Hire Charges of Machinery | | | | 0 |
| C. Cost of Labour | | | | 13600 |
| | Total | | | 34918 |
| D. Add for Excise Duty on 75% | cost excluding cost of mat | teria | 0% | 0 |
| | Total | | | 34918 |
| E. Add for transportation Charge | es upto worksite @ | | 3% | 1047.54 |
| | Total | | | 35965.54 |
| F. Add for Contractor's Profit an | d Overhead Charges @ 1 | 4% | 13.615% | 4896.71 |
| | Total Cost per | 100 5 | Sqm | 40862.248 |
| Rate per | Sqm | | | 408.6 |

(Common to all Departments)

| | (Common to all Departments) | |
|------------------------|--|-------------------|
| Index_code COM MWRK | A. Manual Works | |
| COM_MWKK | New extra items common item for all earth works using only manual labour | |
| | for all other works without involving contractors | |
| COM_MWRK-1 | (Manual)Excavation in all kinds of soil including boulders upto 0.30 m dia. for | |
| | foundations of canal cross drainage and other appurtenant structures | |
| | and placing excavated stuff neatly in specified dump area or disposing off the same as directed etc., complete with initial lead upto 10 m and per cum | 103.30 |
| | initial lift upto 1.5 m. (Without involving the contractors for specified works) | 103.30 |
| | With 3 Cum per day output | |
| | | |
| COM_MWRK-2 | (Manual)Excavation in all kinds of soil/ HDR including boulders upto 0.30 m dia. for | |
| | foundations of canal cross drainage and other appurtenant structures and placing excavated stuff neatly in specified dump area or disposing | |
| | off the same as directed etc., complete with initial lead upto 10 m and per cum | 124.00 |
| | initial lift upto 1.5 m. (Without involving the contractors for specified works) | |
| | With 2.5 Cum per day output | |
| COM MWRK-3 | (Manual) Execution in act rock (including ESE) without blocking including boulders up | 40 0 20 m dia |
| COIVI_IVIVV KK-3 | (Manual)Excavation in soft rock (including F&F) without blasting, including boulders up for foundations of canal cross drainage and other appurtenant structures | ito 0.30 ili dia. |
| | and placing excavated stuff neatly in specified dump area or disposing | |
| | off the same as directed etc., complete with initial lead upto 10 m and per cum | 233.10 |
| | initial lift upto 1.5 m. (Without involving the contractors for specified works) | |
| | Soft rock 1.33 Cum/Day | |
| COM MWRK-4 | (Manual)Excavation in hard rock, including boulders upto 0.30 m dia. for | |
| | foundations of canal cross drainage and other appurtenant structures | |
| | and placing excavated stuff neatly in specified dump area or disposing | |
| | off the same as directed etc., complete with initial lead upto 10 m and per cum | 462.70 |
| | initial lift upto 1.5 m. (Without involving the contractors for specified works) Hard rock 0.67Cum/ day | |
| | Tidia 100k 0.07 Gain, day | |

COM-LDLFT Chapter VII

LEAD/LIFT/LOADING & UNLOADING CHARGES

(WLL BE WITH E-N-C & TO INCORPORATE CHANGES YEARLY/ AS NEEDED)

FOR THE YEAR: 2015-16

LEAD, LIFT, LOADING AND UNLOADING CHARGES FOR MATERIALS

COM-LDLFT

- 1. For total lead upto 150 m (including initial lead) lead charges by head load only shall be adopted irrespective of mode of conveyance.
- 2. For total lead exceeding 150 m conveyance by mechanical means only shall be adopted irrespective of mode of conveyance.
- 3. The rates for loading at quarry including idle hire charges of trucks and hire charges per for each kilometer and upto 5 km are cumulative and inclusive of total charges for preceding lead.
- 4. Unless otherwise specified lead charges for Earth / Sand / Gravel / Aggregates and Stones are for loose volume and not for compacted or in-situ volume.
- 5. The rates for lift charges, lead charges, hire charges are cumulative and inclusive of rates for preceding lift, lead and hire charges
- 6. Lift charges are not payable where conveyance of materials is by mechanical means to final placing point.
- 7. Loading and unloading charges are not payable for conveyance by head load.
- 8. Loading charges are not payable for conveyance by mechanical means for disposal of excavated materials beyond initial lead of 50 m wherever specified.
- 9. Loading and unloading charges are not payable for conveyance by mechanical means for disposal of excavated materials beyond initial lead of 1 km wherever specified.
- 10. The rates for unloading of materials except earth, sand, gravel, coarse aggregate, rubble, size stone and cut stone are inclusive of stacking.
- 11. Hire charges are per 1KM for tippers and trucks for tranport of materials from work site to dump yard and other places are cumulative& includes previous km upto 5 kms
- 12. The lead & lift charges are inclusive of contractor's profit and overhead charges of 14%

FOR THE YEAR: 2015-16

COM-LDLFT-1

A. (Lead) Conveyance Charges for materials by head load

| SI No. | Total distance (Total lead includes initial lead) | | Reinforce- | PCC slab/ Shahbad slab / CC block/ BS slab/ Late-rite / Wood Rs / cum |
|--------|---|--------------|--------------|--|
| 1 | 2 | 3 | 4 | 5 |
| | Total lead upto 50 m | | | |
| 1 | (covered by item rate) | initial lead | initial lead | initial lead |
| 2 | Total lead upto 100 m | 50.30 | 29.40 | 64.00 |
| 3 | Total lead upto 150 m | 100.60 | 58.70 | 128.10 |

Notes: 1. No loading or unloading charges are admissible for conveyance by head load.

- 2. For total lead exceeding 150 m conveyance charges by mechanical means only shall be adopted irrespective of mode of conveyance.
- 3. The Lead Charges are inclusive of 13.615% Contractor Profit and Overhead charges

COM-LDLFT-2

B.(Lead) Conveyance charges for machinery per kilometer for transporting materials by tippers and trucks excluding loading, unloading and idle hire charges of machinery. FOR THE YEAR: 2015-16

(No loading and unloading charges allowed for machinery loading and unloading)

| SI No. | Distance | (Lead) charges for trucks and tippers for Earth / Sand /Gravel / Murrum/ Lime/ Surki/ per cu.meter | (Lead) charges for trucks and tippers for Rubble/Size stones/ Cut Stones/ Coarse aggregate per cu.meter | (Lead) charges for trucks and tippers for Cement/ Steel/ RCC poles/ AC & GI sheets/ Packed materials/tonne | (Lead) charges for trucks and tippers per cu.meter for PCC slabs/ Shahabad slabs/ CC & Laterite blocks/ Wood/ cum | (Lead) charges for per cu.meter for water/ 1000 litres | (Lead) charges for trucks per 1000 Nos. of Bricks |
|--------|--|--|---|---|---|---|--|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| 1 | Lead upto 1 km | 31.30 | 30.20 | 18.90 | 44.50 | 18.70 | 50.40 |
| 2 | Lead upto 2 km | 43.90 | 42.30 | 26.50 | 62.30 | 26.10 | 70.60 |
| 3 | Lead upto 3 km | 58.50 | 58.50 | 36.60 | 86.10 | 34.80 | 94.10 |
| 4 | Lead upto 4 km | 71.10 | 71.10 | 44.40 | 104.50 | 42.30 | 114.20 |
| 5 | Lead upto 5 km | 83.60 | 83.60 | 52.20 | 122.90 | 49.70 | 134.40 |
| 6 | for Every km beyond 5 km upto 30 km | 12.50 | 12.50 | 7.80 | 18.40 | 7.50 | 20.20 |
| 7 | for Every km beyond 30 km | 10.50 | 10.50 | 6.50 | 15.40 | 6.20 | 16.80 |

Note: The Lead Charges are inclusive of 13.615% Contractor Profit and Overhead charges

COM-LDLFT-3

C. LOADING AND UNLOADING CHARGES BY MANUAL MEANS (idle hire charges of trucks are not added)

| O. LOADIN | C AND CHECADING CHA | COLO DI MIMIONE | MILANO (IGIO | mire onarges or tracke | are not added | |
|-----------|---------------------|---|---|------------------------|-----------------------|-----------------------------|
| SI No. | Description of item | Earth / Sand /Gravel Murrum/ / Surki/ Rs / cum | Rubble/ size stone/ cut stone/ Coarse aggregate,Li me in Rs/cum | cement in Rs/tonne | steel in Rs./tonne | brick work Rs/1000 No |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| 1 | Loading | 16.80 | 33.50 | 55.40 | 66.30 | 46.10 |
| 2 | Unloading | 8.40 | 16.75 | 55.40 | 66.30 | 46.10 |

Note: The Lead Charges are inclusive of 13.615% Contractor Profit and Overhead charges

COM-LDLFT-4

D. LOADING AND UNLOADING CHARGES BY MANUAL MEANS (including idle hire charges of trucks)

| SI No. | Description of item | Earth / Sand /Gravel Murrum/ / Surki/ Rs / cum | Rubble/ size stone/ cut stone/ Coarse aggregate,Li me in Rs/cum | cement in Rs/tonne | steel in Rs./tonne | brick work Rs/1000 No |
|--------|---------------------|---|---|--------------------|-----------------------|-----------------------------|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| 1 | Loading | 108.40 | 125.20 | 156.10 | 167.10 | 212.40 |
| 2 | Unloading | 38.80 | 62.60 | 156.10 | 167.10 | 212.40 |

Note: The Lead Charges are inclusive of 13.615% Contractor Profit and Overhead charges

E. LOADING AND UNLOADING CHARGES BY MECHANICAL MEANS (including idle hire charges of trucks)

COM-LDLFT-5

| | | | Rubble/ size |
|--------|---------------------|------------------|--------------|
| | | Earth / Sand | stone/ cut |
| | | /Gravel | stone/ |
| SI No. | Description of item | Murrum/ / Surki/ | Coarse |
| | | | aggregate,Li |
| | | Rs / cum | me in |
| | | | Rs/cum |
| 1 | 2 | 3 | 4 |
| 1 | Loading | 52.00 | 103.90 |
| 2 | Unloading | 15.80 | 15.80 |

E LIET CHADGES FOR MATERIALS BY HEAD LOAD

Note: The Lead Charges are inclusive of 13.615% Contractor Profit and Overhead charges

COM-LDLFT-6

| F. LIFT CH | IARGES FOR MATERIALS | BY HEAD LOAD | | |
|------------|---|---|---|---|
| SI No. | Total lift (Total lift includes initial lift) | Earth / Sand /Gravel Murrum/ Lime/ Surki/ Size stone / Cut stone Rubble / Coarse aggregate Rs / cum | Cement / Reinforce- ment steel Str steel Rs / tonne | PCC slab/ Shahbad slab / CC block/ BS slab / Laterite / Wood Rs / cum |
| 1 | 2 | 3 | 4 | 5 |
| 1 | Total lift upto 3 m (covered by item rate) | Initial lift | Initial lift | Initial lift |
| 2 | For Every 1.00 Lift beyond initial lift of 3 meters | 5.90 | 4.20 | 7.80 |

DETAILED DATA

LEAD / LIFT / LOADING & UNLOADING CHARGES - DATA RATES

Note: The Lead Charges are inclusive of 13.615% Contractor Profit and Overhead charges

I. GENERAL DATA FOR LEAD / LIFT / LOADING & UNLOADING:

A . DATA FOR LEAD CHARGES BY HEAD LOAD :

For the purpose of working out conveyance charges by head load the category of materials as classified in (I) above are grouped together as under :

CATEGORY: Earth / Sand / Gravel / Murrum / Lime / Surki / Coarse aggregate /

Rubble stone / Size stone / Cut stone

In this group materials which are comperatively lighter and generally conveyed by head load by light / heavy mazdoor are included. Method of conveyance, approximate weight per load and time required to cover specified additional distance will be generally same

Therefore common data is considered for conveyance by head load for materials under this category.

CATEGORY: Cement in bag / Reinforcement steel / Structural steel sections

In this group the materials in packed / rolled / fabricated condition which are heavier per load compared to the materials under Category above and which can not be split into small quantities for the purpose of conveyance are included. The unit of measurement for these materials is per tonne.

CATEGORY: PCC slab / Shahabad stone slab / CC block / Laterite stone / BS slab / Wood In this group the materials in moulded condition / cut to standard size which are heavier per load compared to materials under Category above are included.

COM-DTL-LDLFT-1

A. (Lead) Conveyance Charges for materials by head load CATEGORY: Earth / Sand / Gravel / Murrum / Lime / Surki / Coarse aggregate / Rubble stone / Size stone / Cut stone

Lead: Upto 50 m:

This is initial lead and cost is covered under item basic rate.

| Lead: U | pto 1 | 100 | m | |
|---------|-------|-----|---|--|
|---------|-------|-----|---|--|

| Average d | istance to be covered beyond initial lead of 50 m | 25 | m |
|--------------|---|-------|------------|
| Average s | peed of conveyance by head load | 60 | m / minute |
| Round trip | cycle time for 25 m considering 50 min/ hr working | | |
| (2 x 25 x l | 60 / 50 / 60) | 1 | min |
| No. of trips | s per day for additional lead (8 x 60 / 1) | 480 | |
| Quantity o | f material by head load per load | 0.015 | cum |
| Quantity o | f material by head load per day (480 x 0.015) say | 7 | cum |
| Deploy on | e mazdoor for every 50 m additional lead beyond initial | lead. | |

cum

| SI No. | Description | Unit | Quantity | in Rs. | Amount in Rs. |
|-----------|--|----------|-----------|--------|---------------|
| 1 | Mazdoor | Day | 1 | 310 | 310 |
| | | | Total Rs: | | 310 |
| | Contractor's profit and overhead charges | 13.615% | | | 42.21 |
| Total for | materials under this Category | 7 | cum | Rs: | 352.21 |
| | | Rate per | cum | Rs: | 50.30 |

Lead: Upto 150 m:

Average distance to be covered beyond initial of 50 m: 50 m

Deploy two mazdoors for conveyance beyond initial lead.

Unit: cum Rate Amount in Rs. SI No. Description Unit Quantity in Rs Mazdoor Day 310 620 Total Rs: 620 Contractor's profit and 13.615% 84.41 overhead charges Total for materials under this Category cum Rs: 704.41 Rate per 100.60

CATEGORY: Cement in bag / Reinforcement steel / Structural steel sections Lead: Upto 50 m:

This is initial lead and cost is covered under item basic rate.

Lead: Upto 100 m:

| Average distance to be covered beyond initial lead of 50 m | 25 | m |
|--|-----|------------|
| Average speed of conveyance by head load | 30 | m / minute |
| Round trip cycle time for 25 m considering 50 min/ hr working | | |
| (2 x 25 x 60 / 50 / 30) | 2 | min |
| No. of trips per day for lead upto 100 m (8 x 60 / 2) | 240 | |
| Quantity of material by head load per load | 50 | kg |
| Quantity of material by head load per day (240 x 50 / 1000) | 12 | tonne |
| Deploy one mazdoor for every 50 m additional lead beyond initial lead. | | |
| Linit: | 12 | tonne |

| | | | Unit: | 12 | tonne |
|-----------|-------------------------------|----------|-----------|-------------|---------------|
| SI No. | Description | Unit | Quantity | Rate in Rs. | Amount in Rs. |
| | Cement /steel handling | | | | |
| 1 | mazdoor | Day | 1 | 310 | 310 |
| | | | Total Rs: | | 310 |
| | Contractor's profit and | | | | |
| | overhead charges | 13.615% | | | 42.21 |
| Total for | materials under this Category | 12.00 | tonne | Rs: | 352.21 |
| | | Rate per | tonne | Rs: | 29.40 |

Lead: Upto 150 m:

Average distance to be covered beyond initial of 50 m: 50

Deploy two mazdoors for conveyance beyond initial lead.

| | | | Unit: | 12 | tonne |
|-------------|-------------------------------|---------|-----------|-------------|---------------|
| SI No. | Description | Unit | Quantity | Rate in Rs. | Amount in Rs. |
| | Cement /steel handling | | | | |
| 1 | Mazdoor | Day | 2 | 310 | 620 |
| | | | Total Rs: | | 620 |
| | Contractor's profit and | | | | |
| | overhead charges | 13.615% | | | 84.41 |
| Total for i | materials under this Category | 12.00 | tonne | Rs: | 704.41 |
| | Rate per | tonne | Rs: | 58.70 | |

CATEGORY: PCC slab / Shahabad stone slab / CC block / Laterite stone / BS slab / Wood

Lead: Upto 50 m:

This is initial lead and cost is covered under item basic rate.

Lead: Upto 100 m:

| Average distance to be covered beyond initial lead of 50 m | 25 | m |
|---|-----|------------|
| Average speed of conveyance by head load | 40 | m / minute |
| Round trip cycle time for 25 m considering 50 min/ hr working | | |
| (2 x 25 x 60 / 50 / 40) | 1.5 | min |

m

No. of trips per day for lead upto 100 m (8 x 60 / 1.5)
Quantity of material by head load per load
Quantity of material by head load per day (320 x 0.017) say
Deploy one mazdoor for every 50 m additional lead beyond initial lead. 320 0.017 cum 5.5 cum

| | • | • | Unit: | 5.5 | cum |
|-----------|-------------------------------|----------|-----------|-------------|---------------|
| SI No. | Description | Unit | Quantity | Rate in Rs. | Amount in Rs. |
| 1 | Mazdoor | Day | 1 | 310 | 310 |
| | | | Total Rs: | | 310 |
| | Contractor's profit and | | | | |
| | overhead charges | 13.615% | | | 42.21 |
| Total for | materials under this Category | 5.5 | cum | Rs: | 352.21 |
| | | Rate per | cum | Rs: | 64.00 |

Lead: Upto 150 m:

Average distance to be covered beyond initial of 50 m: 50 Deploy two mazdoors for conveyance beyond initial lead.

| | • | | Unit: | 5.5 | cum |
|-----------|-------------------------------|----------|-----------|-------------|---------------|
| SI No. | Description | Unit | Quantity | Rate in Rs. | Amount in Rs. |
| 1 | Mazdoor | Day | 2 | 310 | 620 |
| | | | Total Rs: | | 620 |
| | Contractor's profit and | | | | |
| | overhead charges | 13.615% | | | 84.41 |
| Total for | materials under this Category | 5.5 | cum | Rs: | 704.41 |
| | | Rate per | cum | Rs: | 128.10 |

COM-DTL-LDLFT-2

B.(Lead) Conveyance charges for machinery per kilometer for transporting materials by tippers and trucks excluding loading, unloading and idle hire charges of machinery.

| For total | lead upto 1 km | | Unit: | 5 | cum |
|-----------|------------------------------|--------------|------------------|------------------|-----------------|
| SI No. | Description | Unit | Quantity | Rate in Rs. | Amount in R |
| 1 | Tipper hire charges | Hour | 0.15 | 446.70 | 67.01 |
| | Fuel charges | Hour | 0.15 | 307.20 | 46.08 |
| 2 | Crew charges | Hour | 0.15 | 165.80 | 24.87 |
| | | | Total Rs: | | 137.96 |
| | Contractor's profit and | | | | |
| | overhead charges | 13.615% | | | 18.78 |
| | Total for | 5 | cum | Rs: | 156.74 |
| | Rate per cum | | | | 31.30 |
| | | | | | |
| | lead more than 1 km upto 2 l | | Unit: | 5 | cum |
| SI No. | Description | Unit | Quantity | Rate in Rs. | Amount in R |
| | Tipper hire charges | Hour | 0.21 | 446.70 | 93.81 |
| | Fuel charges | Hour | 0.21 | 307.20 | 64.51 |
| ! | Crew charges | Hour | 0.21 | 165.80 | 34.82 |
| | | | Total Rs: | | 193.14 |
| | Contractor's profit and | | | | |
| | overhead charges | 13.615% | | | 26.30 |
| | Total for | 5 | cum | Rs: | 219.44 |
| | Rate per cum | | | | 43.90 |
| | | | | | |
| or total | lead more than 2 km upto 3 l | km | Unit: | 5 | cum |
| | | | | | Amount |
| SI No. | Description | Unit | Quantity | Rate in Rs. | in Rs. |
| | Tipper hire charges | Hour | 0.28 | 446.70 | 125.08 |
| | Fuel charges | Hour | 0.28 | 307.20 | 86.02 |
| 2 | Crew charges | Hour | 0.28 | 165.80 | 46.42 |
| | | | Total Rs: | | 257.52 |
| | Contractor's profit and | | | | |
| | overhead charges | 13.615% | | Б. | 35.06 |
| | Total for | 5 | cum | Rs: | 292.58 |
| | Rate per cum | | | | 58.50 |
| | laad than 2 l.mta 4 l | | I lait. | - | |
| or total | lead more than 3 km upto 4 l | KIII | Unit: | 5 | cum |
| NI NI- | Description | l lait | 0 | Rate | Amount |
| SI No. | Description | Unit Hour | Quantity 0.34 | in Rs. | in Rs. |
| | Tipper hire charges | Hour | | 446.70 | 151.88 |
| 2 | Fuel charges | Hour | 0.34 | 307.20 165.80 | 104.45 56.37 |
| | Crew charges | Hour | | 105.60 | |
| | Contractoria profit | | Total Rs: | | 312.70 |
| | Contractor's profit and | 12 6150/ | | | 40.57 |
| | overhead charges | 13.615% | | Dec | 42.57 |
| | Total for | 5 | cum | Rs: | 355.27 |
| | Rate per cum | | | | 71.10 |
| or total | lead more than 4 km upto 5 l | ĸm | Unit: | 5 | cum |
| | | | | Rate | Amount |
| SI No. | Description | Unit | Quantity | in Rs. | in Rs. |

Tipper hire charges

Fuel charges

Crew charges

Hour

Hour

Hour

0.4

0.4

0.4 Total Rs

446.70

307.20 165.80

178.68

122.88

66.32 367.88

| | Contractor's profit and | 40.04=5: | | | |
|--|--|---|---|--|---|
| | overhead charges | 13.615% | laur- | Do | 50.09 |
| | Total for Rate per cum | 5 | cum | Rs: | 417.97 83.60 |
| | mate per curri | | | 1 | 103.00 |
| or lead | beyond 5 km upto 30 km for | every km | Unit: | 5 | cum |
| SI No. | Description | Unit | Quantity | Rate in Rs. | Amount in Rs. |
| l | Tipper hire charges | Hour | 0.06 | 446.70 | 26.80 |
| | Fuel charges | Hour | 0.06 | 307.20 | 18.43 |
| 2 | Crew charges | Hour | 0.06 | 165.80 | 9.95 |
| | Contractor's profit and | | Total Rs: | | 55.18 |
| | overhead charges | 13.615% | | | 7.51 |
| | Total for | 5 | cum | Rs: | 62.69 |
| | Rate per cum | | | | 12.50 |
| For load | beyond 30 km for every km | | Unit: | 5 | cum |
| or read | beyond 30 kill for every kill | | Orint. | Rate | Amount |
| SI No. | Description | Unit | Quantity | in Rs. | in Rs. |
| 1 | Tipper hire charges | Hour | 0.05 | 446.70 | 22.34 |
| | Fuel charges | Hour | 0.05 | 307.20 | 15.36 |
| 2 | Crew charges | Hour | 0.05 Total Rs: | 165.80 | 8.29 45.99 |
| | Contractor's profit and | | TOTAL NS. | | 40.55 |
| | overhead charges | 13.615% | | | 6.26 |
| | Total for | 5 | cum | Rs: | 52.25 |
| | Rate per cum | | | | 10.50 |
| ATEGO | DRY : Coarse aggregate / Ri | ubble stone / Si | za stona / Cut s | stone | |
| | ooarse aggregate / Ni | 310116 / 31/ | o.o.io / Out s | | |
| or total | lead upto 1 km | | Unit: | 5 | cum |
| | | | | Rate | Amount |
| SI No. | Description Track him above a | Unit | Quantity | in Rs. | in Rs. |
| | Truck hire charges Fuel charges | Hour Hour | 0.15 0.15 | 414.10 307.20 | 62.12 46.08 |
| 2 | Crew charges | Hour | 0.15 | 165.80 | 24.87 |
| | Jordan Gridingos | i iodi | Total Rs: | 100.00 | 133.07 |
| | Contractor's profit and | | | | |
| | overhead charges | 13.615% | | | 18.12 |
| | Total for | 5 | cum | Rs: | 151.19 |
| | Rate per cum | 1 | | | 30.20 |
| | | | | | |
| For total | lead more than 1 km unto 2 l | rm | Init: | 5 | cum |
| or total | lead more than 1 km upto 2 k | km | Unit: | 5 Rate | cum Amount |
| | lead more than 1 km upto 2 k | Unit | Unit: | | |
| SI No. | Description Truck hire charges | Unit Hour | Quantity 0.21 | Rate in Rs. 414.10 | Amount in Rs. 86.96 |
| SI No. | Description Truck hire charges Fuel charges | Unit Hour Hour | Quantity 0.21 0.21 | Rate in Rs. 414.10 307.20 | Amount in Rs. 86.96 64.51 |
| SI No. 1 | Description Truck hire charges | Unit Hour | Quantity 0.21 0.21 0.21 | Rate in Rs. 414.10 | Amount in Rs. 86.96 64.51 34.82 |
| SI No. 1 | Description Truck hire charges Fuel charges Crew charges | Unit Hour Hour | Quantity 0.21 0.21 | Rate in Rs. 414.10 307.20 | Amount in Rs. 86.96 64.51 |
| SI No. 1 | Description Truck hire charges Fuel charges Crew charges Contractor's profit and | Unit Hour Hour Hour | Quantity 0.21 0.21 0.21 | Rate in Rs. 414.10 307.20 | Amount in Rs. 86.96 64.51 34.82 186.29 |
| SI No. 1 | Description Truck hire charges Fuel charges Crew charges | Unit Hour Hour | Quantity 0.21 0.21 0.21 | Rate in Rs. 414.10 307.20 | Amount in Rs. 86.96 64.51 34.82 |
| SI No. 1 | Description Truck hire charges Fuel charges Crew charges Contractor's profit and overhead charges | Unit Hour Hour Hour | Quantity 0.21 0.21 0.21 Total Rs: | Rate in Rs. 414.10 307.20 165.80 | Amount in Rs. 86.96 64.51 34.82 186.29 25.36 |
| SI No. 1 | Description Truck hire charges Fuel charges Crew charges Contractor's profit and overhead charges Total for Rate per cum | Unit Hour Hour Hour 13.615% | Quantity 0.21 0.21 0.21 Total Rs: | Rate in Rs. 414.10 307.20 165.80 | Amount in Rs. 86.96 64.51 34.82 186.29 25.36 211.65 42.30 |
| SI No. 1 | Description Truck hire charges Fuel charges Crew charges Contractor's profit and overhead charges Total for | Unit Hour Hour Hour 13.615% | Quantity 0.21 0.21 0.21 Total Rs: | Rate in Rs. 414.10 307.20 165.80 Rs: | Amount in Rs. 86.96 64.51 34.82 186.29 25.36 211.65 42.30 cum |
| SI No. | Description Truck hire charges Fuel charges Crew charges Contractor's profit and overhead charges Total for Rate per cum | Unit Hour Hour Hour 13.615% 5 | Quantity 0.21 0.21 0.21 Total Rs: cum Unit: | Rate in Rs. 414.10 307.20 165.80 Rs: | Amount in Rs. 86.96 64.51 34.82 186.29 25.36 211.65 42.30 cum |
| SI No. | Description Truck hire charges Fuel charges Crew charges Contractor's profit and overhead charges Total for Rate per cum | Unit Hour Hour Hour 13.615% | Quantity 0.21 0.21 0.21 Total Rs: | Rate in Rs. 414.10 307.20 165.80 Rs: | Amount in Rs. 86.96 64.51 34.82 186.29 25.36 211.65 42.30 cum |
| SI No. | Description Truck hire charges Fuel charges Crew charges Contractor's profit and overhead charges Total for Rate per cum | Unit Hour Hour Hour 13.615% 5 | Quantity 0.21 0.21 0.21 Total Rs: cum Unit: Quantity | Rate in Rs. 414.10 307.20 165.80 Rs: 5 Rate in Rs. | Amount in Rs. 86.96 64.51 34.82 186.29 25.36 211.65 42.30 cum Amount in Rs. |
| For total | Description Truck hire charges Fuel charges Crew charges Contractor's profit and overhead charges Total for Rate per cum Description Tipper hire charges | Unit Hour Hour Hour 13.615% 5 Unit Hour | Quantity 0.21 0.21 Total Rs: cum Unit: Quantity 0.28 0.28 0.28 | Rate in Rs. 414.10 307.20 165.80 Rs: 5 Rate in Rs. 446.70 | Amount in Rs. 86.96 64.51 34.82 186.29 25.36 211.65 42.30 cum Amount in Rs. 125.08 86.02 46.42 |
| For total | Description Truck hire charges Fuel charges Crew charges Converted charges Contractor's profit and overhead charges Total for Rate per cum Description Tipper hire charges Fuel charges Crew charges | Unit Hour Hour 13.615% 5 Unit Hour Hour | Quantity 0.21 0.21 0.21 Total Rs: cum Unit: Quantity 0.28 0.28 | Rate in Rs. 414.10 307.20 165.80 Rs: 5 Rate in Rs. 446.70 307.20 | Amount in Rs. 86.96 64.51 34.82 186.29 25.36 211.65 42.30 cum Amount in Rs. 125.08 86.02 |
| For total | Description Truck hire charges Fuel charges Crew charges Contractor's profit and overhead charges Total for Rate per cum Lead more than 2 km upto 3 kn Description Tipper hire charges Fuel charges Crew charges Contractor's profit and | Unit Hour Hour Hour 13.615% 5 Unit Hour Hour Hour Hour | Quantity 0.21 0.21 Total Rs: cum Unit: Quantity 0.28 0.28 0.28 | Rate in Rs. 414.10 307.20 165.80 Rs: 5 Rate in Rs. 446.70 307.20 | Amount in Rs. 86.96 64.51 34.82 186.29 25.36 211.65 42.30 cum Amount in Rs. 125.08 86.02 46.42 257.52 |
| For total | Description Truck hire charges Fuel charges Crew charges Contractor's profit and overhead charges Total for Rate per cum lead more than 2 km upto 3 k Description Tipper hire charges Fuel charges Crew charges Contractor's profit and overhead charges | Unit Hour Hour 13.615% 5 Unit Hour Hour | Quantity 0.21 0.21 1.21 Total Rs: cum Unit: Quantity 0.28 0.28 0.28 Total Rs: | Rate in Rs. 414.10 307.20 165.80 Rs: 5 Rate in Rs. 446.70 307.20 165.80 | Amount in Rs. 86.96 64.51 34.82 186.29 25.36 211.65 42.30 cum Amount in Rs. 125.08 86.02 46.42 257.52 35.06 |
| For total | Description Truck hire charges Fuel charges Crew charges Contractor's profit and overhead charges Total for Rate per cum Lead more than 2 km upto 3 kn Description Tipper hire charges Fuel charges Crew charges Contractor's profit and | Unit Hour Hour 13.615% 5 Unit Hour Hour Hour | Quantity 0.21 0.21 Total Rs: cum Unit: Quantity 0.28 0.28 0.28 | Rate in Rs. 414.10 307.20 165.80 Rs: 5 Rate in Rs. 446.70 307.20 | Amount in Rs. 86.96 64.51 34.82 186.29 25.36 211.65 42.30 cum Amount in Rs. 125.08 86.02 46.42 257.52 |
| For total | Description Truck hire charges Fuel charges Crew charges Contractor's profit and overhead charges Total for Rate per cum Description Tipper hire charges Fuel charges Crew charges Contractor's profit and overhead charges Total for Rate per cum | Unit Hour Hour 13.615% 5 Unit Hour Hour Hour Hour 13.615% 5 | Quantity 0.21 0.21 0.21 Total Rs: cum Unit: Quantity 0.28 0.28 Total Rs: | Rate in Rs. 414.10 307.20 165.80 Rs: 5 Rate in Rs. 446.70 307.20 165.80 Rs: Rs: | Amount in Rs. 86.96 64.51 34.82 186.29 25.36 211.65 42.30 cum Amount in Rs. 125.08 86.02 46.42 257.52 35.06 292.58 58.50 |
| For total | Description Truck hire charges Fuel charges Crew charges Contractor's profit and overhead charges Total for Rate per cum lead more than 2 km upto 3 km Description Tipper hire charges Fuel charges Crew charges Contractor's profit and overhead charges Total for | Unit Hour Hour 13.615% 5 Unit Hour Hour Hour Hour 13.615% 5 | Quantity 0.21 0.21 1.21 Total Rs: cum Unit: Quantity 0.28 0.28 0.28 Total Rs: | Rate in Rs. 414.10 307.20 165.80 Rs: 5 Rate in Rs. 446.70 307.20 165.80 Rs: 5 Rs: | Amount in Rs. 86.96 64.51 34.82 186.29 25.36 211.65 42.30 cum Amount in Rs. 125.08 86.02 46.42 257.52 35.06 292.58 58.50 cum |
| For total Si No. I For total | Description Truck hire charges Fuel charges Crew charges Contractor's profit and overhead charges Total for Rate per cum lead more than 2 km upto 3 km Description Tipper hire charges Fuel charges Crew charges Contractor's profit and overhead charges Total for Rate per cum lead more than 3 km upto 4 km | Unit Hour Hour 13.615% 5 Unit Hour Hour Hour 13.615% 5 | Quantity 0.21 0.21 0.21 Total Rs: cum Unit: Quantity 0.28 0.28 0.28 Total Rs: cum | Rate in Rs. 414.10 307.20 165.80 Rs: 5 Rate in Rs. 446.70 307.20 165.80 Rs: 5 Rate in Rs. 446.70 307.20 165.80 Rs: 5 Rate in Rs. 446.70 307.20 165.80 Rs: 5 Rate | Amount in Rs. 86.96 64.51 34.82 186.29 25.36 211.65 42.30 cum Amount in Rs. 125.08 86.02 46.42 257.52 35.06 292.58 58.50 cum Amount Amount |
| For total Si No. | Description Truck hire charges Fuel charges Crew charges Contractor's profit and overhead charges Total for Rate per cum Lead more than 2 km upto 3 km Description Tipper hire charges Fuel charges Crew charges Contractor's profit and overhead charges Total for Rate per cum Lead more than 3 km upto 4 km Description | Unit Hour Hour 13.615% 5 Unit Hour Hour Hour Unit Unit Hour Unit Unit Unit Unit Unit Unit Unit Unit | Quantity 0.21 0.21 0.21 Total Rs: cum Unit: Quantity 0.28 0.28 0.28 Total Rs: cum Unit: Quantity 0.28 0.28 0.28 0.28 0.28 0.28 0.28 0.28 | Rate in Rs. 414.10 307.20 165.80 Rs: 5 Rate in Rs. 446.70 307.20 165.80 Rs: 5 Rate in Rs. 446.70 307.20 165.80 Rs: 5 Rate in Rs. 446.70 307.20 165.80 Rs: 5 Rate in Rs. | Amount in Rs. 86.96 64.51 34.82 186.29 25.36 211.65 42.30 cum Amount in Rs. 125.08 86.02 46.42 257.52 35.06 292.58 58.50 cum Amount in Rs. |
| For total Si No. | Description Truck hire charges Fuel charges Crew charges Contractor's profit and overhead charges Total for Rate per cum lead more than 2 km upto 3 km Description Tipper hire charges Fuel charges Crew charges Contractor's profit and overhead charges Total for Rate per cum lead more than 3 km upto 4 km | Unit Hour Hour 13.615% 5 Unit Hour Hour Hour 13.615% 5 | Quantity 0.21 0.21 0.21 Total Rs: cum Unit: Quantity 0.28 0.28 0.28 Total Rs: cum | Rate in Rs. 414.10 307.20 165.80 Rs: 5 Rate in Rs. 446.70 307.20 165.80 Rs: 5 Rate in Rs. 446.70 307.20 165.80 Rs: 5 Rate in Rs. 446.70 307.20 165.80 Rs: 5 Rate | Amount in Rs. 86.96 64.51 34.82 186.29 25.36 211.65 42.30 cum Amount in Rs. 125.08 86.02 46.42 257.52 35.06 292.58 58.50 cum Amount Amount |
| For total For total For total SI No. | Description Truck hire charges Fuel charges Crew charges Crew charges Contractor's profit and overhead charges Total for Rate per cum Lead more than 2 km upto 3 lead more than 2 km upto 3 lead for the charges Fuel charges Crew charges Crew charges Contractor's profit and overhead charges Total for Rate per cum Lead more than 3 km upto 4 lead | Unit Hour Hour Hour 13.615% 5 Unit Hour Hour 13.615% 5 Unit Hour Unit Hour Hour Hour Hour Hour Hour Hour Hou | Quantity 0.21 0.21 0.21 Total Rs: cum Unit: Quantity 0.28 0.28 Total Rs: cum Unit: Quantity 0.34 | Rate in Rs. 414.10 307.20 165.80 Rs: 5 Rate in Rs. 446.70 307.20 165.80 Rs: 446.70 307.20 165.80 Rs: 5 Rate in Rs. 446.70 Rs: 5 Rate in Rs. 446.70 Rs. 446.70 | Amount in Rs. 86.96 64.51 34.82 186.29 25.36 211.65 42.30 cum Amount in Rs. 125.08 86.02 46.42 257.52 35.06 292.58 58.50 cum Amount in Rs. 151.88 |
| For total For total For total SI No. I | Description Truck hire charges Fuel charges Crew charges Contractor's profit and overhead charges Total for Rate per cum lead more than 2 km upto 3 km Description Tipper hire charges Fuel charges Crew charges Contractor's profit and overhead charges Total for Rate per cum lead more than 3 km upto 4 km Description Tipper hire charges Total for Rate per cum lead more than 3 km upto 4 km Description Tipper hire charges Fuel charges Fuel charges Crew charges | Unit Hour Hour Hour 13.615% 5 Unit Hour Hour 13.615% 5 Unit Hour Hour Hour Hour Hour Hour Hour Hour | Quantity 0.21 0.21 0.21 Total Rs: cum Unit: Quantity 0.28 0.28 Total Rs: cum Unit: Quantity 0.34 0.34 | Rate in Rs. 414.10 307.20 165.80 Rs: 5 Rate in Rs. 446.70 307.20 165.80 Rs: 446.70 307.20 165.80 Rs: 6 Rate in Rs. 446.70 307.20 165.80 Rate in Rs. 446.70 307.20 165.80 Rate in Rs. 446.70 307.20 Rs: 6 Rate in Rs. | Amount in Rs. 86.96 64.51 34.82 186.29 25.36 211.65 42.30 cum Amount in Rs. 125.08 86.02 46.42 257.52 35.06 292.58 58.50 cum Amount in Rs. 151.88 104.45 |
| For total For total For total SI No. I | Description Truck hire charges Fuel charges Crew charges Converted to the charges Total for Rate per cum Description Tipper hire charges Contractor's profit and overhead charges Fuel charges Crew charges Contractor's profit and overhead charges Total for Rate per cum lead more than 3 km upto 4 km Description Tipper hire charges Fuel charges Contractor's profit and overhead charges Total for Rate per cum Lead more than 3 km upto 4 km Description Tipper hire charges Fuel charges Crew charges Crew charges Crew charges Contractor's profit and | Unit Hour Hour 13.615% 5 Unit Hour Hour 13.615% 5 Unit Hour Hour Hour Hour Hour Hour Hour Hour | Quantity 0.21 0.21 Total Rs: cum Unit: Quantity 0.28 0.28 0.28 Total Rs: cum Unit: Quantity 0.34 0.34 0.34 | Rate in Rs. 414.10 307.20 165.80 Rs: 5 Rate in Rs. 446.70 307.20 165.80 Rs: 446.70 307.20 165.80 Rs: 6 Rate in Rs. 446.70 307.20 165.80 Rate in Rs. 446.70 307.20 165.80 Rate in Rs. 446.70 307.20 Rs: 6 Rate in Rs. | Amount in Rs. 86.96 64.51 34.82 186.29 25.36 211.65 42.30 cum Amount in Rs. 125.08 86.02 46.42 257.52 35.06 292.58 58.50 cum Amount in Rs. 151.88 104.45 56.37 312.70 |
| For total For total For total SI No. I | Description Truck hire charges Fuel charges Crew charges Contractor's profit and overhead charges Total for Rate per cum Description Tipper hire charges Fuel charges Crew charges Contractor's profit and overhead charges Total for Tipper hire charges Fuel charges Crew charges Contractor's profit and overhead charges Total for Rate per cum Description Tipper hire charges Fuel charges Crew charges Contractor's profit and overhead charges Crew charges Contractor's profit and overhead charges Crew charges Crew charges Crew charges Contractor's profit and overhead charges | Unit Hour Hour Hour 13.615% 5 Unit Hour Hour 13.615% 5 Unit Hour Hour 13.615% 5 | Quantity 0.21 0.21 0.21 Total Rs: cum Unit: Quantity 0.28 0.28 0.28 Total Rs: cum Unit: Quantity 0.34 0.34 0.34 Total Rs: | Rate in Rs. 414.10 307.20 165.80 Rs: 5 Rate in Rs. 446.70 307.20 165.80 Rs: 446.70 307.20 165.80 Rs: 6 Rate in Rs. 446.70 307.20 165.80 Rs: 6 Rate in Rs. 6 | Amount in Rs. 86.96 64.51 34.82 186.29 25.36 211.65 42.30 cum Amount in Rs. 125.08 86.02 46.42 257.52 35.06 292.58 58.50 cum Amount in Rs. 151.88 104.45 56.37 312.70 |
| For total For total For total SI No. I | Description Truck hire charges Fuel charges Crew charges Contractor's profit and overhead charges Total for Rate per cum lead more than 2 km upto 3 k Description Tipper hire charges Fuel charges Crew charges Contractor's profit and overhead charges Total for Rate per cum lead more than 3 km upto 4 k Description Tipper hire charges Total for Rate per cum Contractor's profit and overhead charges Total for Contractor's profit and overhead charges Crew charges Crew charges Crew charges Crew charges Crew charges Crew charges Total for | Unit Hour Hour 13.615% 5 Unit Hour Hour 13.615% 5 Unit Hour Hour Hour Hour Hour Hour Hour Hour | Quantity 0.21 0.21 Total Rs: cum Unit: Quantity 0.28 0.28 0.28 Total Rs: cum Unit: Quantity 0.34 0.34 0.34 | Rate in Rs. 414.10 307.20 165.80 Rs: 5 Rate in Rs. 446.70 307.20 165.80 Rs: 446.70 307.20 165.80 Rs: 6 Rate in Rs. 446.70 307.20 165.80 Rate in Rs. 446.70 307.20 165.80 Rate in Rs. 446.70 307.20 Rs: 6 Rate in Rs. | Amount in Rs. 86.96 64.51 34.82 186.29 25.36 211.65 42.30 cum Amount in Rs. 125.08 86.02 46.42 257.52 35.06 292.58 58.50 cum Amount in Rs. 151.88 104.45 56.37 312.70 42.57 |
| For total For total For total SI No. | Description Truck hire charges Fuel charges Crew charges Contractor's profit and overhead charges Total for Rate per cum Description Tipper hire charges Fuel charges Crew charges Contractor's profit and overhead charges Total for Tipper hire charges Fuel charges Crew charges Contractor's profit and overhead charges Total for Rate per cum Description Tipper hire charges Fuel charges Crew charges Contractor's profit and overhead charges Crew charges Contractor's profit and overhead charges Crew charges Crew charges Crew charges Contractor's profit and overhead charges | Unit Hour Hour Hour 13.615% 5 Unit Hour Hour 13.615% 5 Unit Hour Hour 13.615% 5 | Quantity 0.21 0.21 0.21 Total Rs: cum Unit: Quantity 0.28 0.28 0.28 Total Rs: cum Unit: Quantity 0.34 0.34 0.34 Total Rs: | Rate in Rs. 414.10 307.20 165.80 Rs: 5 Rate in Rs. 446.70 307.20 165.80 Rs: 446.70 307.20 165.80 Rs: 6 Rate in Rs. 446.70 307.20 165.80 Rs: 6 Rate in Rs. 6 | Amount in Rs. 86.96 64.51 34.82 186.29 25.36 211.65 42.30 cum Amount in Rs. 125.08 86.02 46.42 257.52 35.06 292.58 58.50 cum Amount in Rs. 151.88 104.45 56.37 312.70 |
| For total Si No. | Description Truck hire charges Fuel charges Crew charges Contractor's profit and overhead charges Total for Rate per cum lead more than 2 km upto 3 k Description Tipper hire charges Fuel charges Crew charges Contractor's profit and overhead charges Total for Rate per cum lead more than 3 km upto 4 k Description Tipper hire charges Total for Rate per cum Contractor's profit and overhead charges Total for Contractor's profit and overhead charges Crew charges Crew charges Crew charges Crew charges Crew charges Crew charges Total for | Unit Hour Hour 13.615% 5 Unit Hour Hour 13.615% 5 Unit Hour Hour Hour Hour Hour Hour 13.615% 5 | Quantity 0.21 0.21 0.21 Total Rs: cum Unit: Quantity 0.28 0.28 0.28 Total Rs: cum Unit: Quantity 0.34 0.34 0.34 Total Rs: | Rate in Rs. 414.10 307.20 165.80 Rs: 5 Rate in Rs. 446.70 307.20 165.80 Rs: 446.70 307.20 165.80 Rs: 6 Rate in Rs. 446.70 307.20 165.80 Rs: 6 Rate in Rs. 6 | Amount in Rs. 86.96 64.51 34.82 186.29 25.36 211.65 42.30 cum Amount in Rs. 125.08 86.02 46.42 257.52 35.06 292.58 58.50 cum Amount in Rs. 151.88 104.45 56.37 312.70 42.57 |
| For total Si No. | Description Truck hire charges Fuel charges Crew charges Contractor's profit and overhead charges Total for Rate per cum Lead more than 2 km upto 3 km Description Tipper hire charges Crew charges Contractor's profit and overhead charges Total for Rate per cum Lead more than 3 km upto 4 km Description Tipper hire charges Total for Rate per cum Lead more than 3 km upto 4 km Description Tipper hire charges Fuel charges Crew charges Crew charges Crew charges Crew charges Total for Rate per cum Contractor's profit and overhead charges Total for Rate per cum | Unit Hour Hour 13.615% 5 Unit Hour Hour 13.615% 5 Unit Hour Hour Hour Hour Hour Hour 13.615% 5 | Quantity 0.21 0.21 0.21 Total Rs: cum Unit: Quantity 0.28 0.28 0.28 Total Rs: cum Unit: Quantity 0.34 0.34 0.34 Total Rs: | Rate in Rs. 414.10 307.20 165.80 Rs: 5 Rate in Rs. 446.70 307.20 165.80 Rs: 5 Rate in Rs. 446.70 307.20 165.80 Rs: 6 Rate in Rs. 446.70 307.20 165.80 Rs: 6 Rate in Rs. 7 | Amount in Rs. 86.96 64.51 34.82 186.29 25.36 211.65 42.30 cum Amount in Rs. 125.08 86.02 46.42 257.52 35.06 292.58 58.50 cum Amount in Rs. 151.88 104.45 56.37 312.70 42.57 |
| For total Si No. For total Si No. For total For total | Description Truck hire charges Fuel charges Crew charges Contractor's profit and overhead charges Total for Rate per cum Lead more than 2 km upto 3 km Description Tipper hire charges Fuel charges Crew charges Crew charges Contractor's profit and overhead charges Total for Rate per cum Lead more than 3 km upto 4 km Description Tipper hire charges Total for Rate per cum Lead more than 3 km upto 4 km Description Tipper hire charges Fuel charges Crew charges Crew charges Crew charges Crew charges Total for Rate per cum Lead more than 4 km upto 5 km Description Lead more than 4 km upto 5 km Lead more than 4 km Lead more | Unit Hour Hour Hour 13.615% 5 Unit Hour Hour Hour Hour 13.615% 5 Unit Unit Unit Unit Hour Hour Unit Hour Hour Hour Hour Hour Hour Hour Hour | Quantity 0.21 0.21 0.21 Total Rs: cum Unit: Quantity 0.28 0.28 0.28 0.28 Total Rs: cum Unit: Quantity 0.34 0.34 0.34 Total Rs: cum Unit: Quantity 0.34 0.34 0.34 0.34 0.34 0.34 0.34 0.34 | Rate in Rs. 414.10 307.20 165.80 Rs: 5 Rate in Rs. 446.70 307.20 165.80 Rs: 5 Rate in Rs. 446.70 307.20 165.80 Rs: 5 Rate in Rs. 446.70 307.20 165.80 Rs: 6 Rate in Rs. 6 Rate in Rs. 6 Rate in Rs. 7 Rate in Rs. 7 Rate in Rs. 8 | Amount in Rs. 86.96 64.51 34.82 186.29 25.36 211.65 42.30 cum Amount in Rs. 125.08 86.02 46.42 257.52 35.06 292.58 58.50 cum Amount in Rs. 151.88 104.45 56.37 312.70 42.57 3355.27 71.10 cum Amount in Rs. |
| For total Si No. For total Si No. For total For total | Description Truck hire charges Fuel charges Crew charges Contractor's profit and overhead charges Total for Rate per cum Lead more than 2 km upto 3 km Description Tipper hire charges Contractor's profit and overhead charges Contractor's profit and overhead charges Total for Rate per cum Lead more than 3 km upto 4 km Description Tipper hire charges Fuel charges Crew charges Crew charges Crew charges Fuel charges Fuel charges Fuel charges Fuel charges Total for Rate per cum Lead more than 4 km upto 5 km Description Rate per cum Lead more than 4 km upto 5 km Description Tipper hire charges | Unit Hour Hour 13.615% 5 Unit Hour Hour 13.615% 5 Unit Hour Hour | Quantity 0.21 0.21 0.21 Total Rs: cum Unit: Quantity 0.28 0.28 0.28 Total Rs: cum Unit: Quantity 0.34 0.34 0.34 Total Rs: cum Unit: Quantity 0.34 0.34 0.34 0.34 0.34 0.34 0.34 0.34 | Rate in Rs. 414.10 307.20 165.80 Rs: 5 Rate in Rs. 446.70 307.20 165.80 Rs: 5 Rate in Rs. 446.70 307.20 165.80 Rs: 5 Rate in Rs. 446.70 307.20 165.80 Rs: 6 Rate in Rs. 446.70 307.20 165.80 Rs: 6 Rate in Rs. 446.70 307.20 165.80 Rs: 6 Rate in Rs. 446.70 Rs: 6 Rate in Rs. 446.70 Rs: 6 Rate in Rs. 446.70 Rs. 6 Rate in Rs. 6 R | Amount in Rs. 86.96 64.51 34.82 186.29 25.36 211.65 42.30 cum Amount in Rs. 125.08 86.02 46.42 257.52 35.06 292.58 58.50 cum Amount in Rs. 151.88 104.45 56.37 312.70 42.57 355.27 71.10 cum Amount in Rs. |
| SI No. 1 2 For total SI No. 1 2 For total SI No. 1 2 | Description Truck hire charges Fuel charges Crew charges Contractor's profit and overhead charges Total for Rate per cum Lead more than 2 km upto 3 km Description Tipper hire charges Fuel charges Crew charges Crew charges Contractor's profit and overhead charges Total for Rate per cum Lead more than 3 km upto 4 km Description Tipper hire charges Total for Rate per cum Lead more than 3 km upto 4 km Description Tipper hire charges Fuel charges Crew charges Crew charges Crew charges Crew charges Total for Rate per cum Lead more than 4 km upto 5 km Description Lead more than 4 km upto 5 km Lead more than 4 km Lead more | Unit Hour Hour Hour 13.615% 5 Unit Hour Hour Hour Hour 13.615% 5 Unit Unit Unit Unit Hour Hour Unit Hour Hour Hour Hour Hour Hour Hour Hour | Quantity 0.21 0.21 0.21 Total Rs: cum Unit: Quantity 0.28 0.28 0.28 0.28 Total Rs: cum Unit: Quantity 0.34 0.34 0.34 Total Rs: cum Unit: Quantity 0.34 0.34 0.34 0.34 0.34 0.34 0.34 0.34 | Rate in Rs. 414.10 307.20 165.80 Rs: 5 Rate in Rs. 446.70 307.20 165.80 Rs: 5 Rate in Rs. 446.70 307.20 165.80 Rs: 5 Rate in Rs. 446.70 307.20 165.80 Rs: 6 Rate in Rs. 6 Rate in Rs. 6 Rate in Rs. 7 Rate in Rs. 7 Rate in Rs. 8 | Amount in Rs. 86.96 64.51 34.82 186.29 25.36 211.65 42.30 cum Amount in Rs. 125.08 86.02 46.42 257.52 35.06 292.58 58.50 cum Amount in Rs. 151.88 104.45 56.37 312.70 42.57 3355.27 71.10 cum Amount in Rs. |

| | | | Total Rs: | 0.00 | 367.88 |
|--|---|---|--|---|--|
| | Contractor's profit and | | | | |
| | overhead charges | 13.615% | | | 50.09 |
| | Total for | 5 | cum | Rs: | 417.97 |
| | Rate per cum | | | | 83.60 |
| | h | | I India. | - | |
| or lead | beyond 5 km upto 30 km for o | every km | Unit: | 5 Rate | cum Amount |
| SI No. | Description | Unit | Quantity | in Rs. | in Rs. |
| 1 | Tipper hire charges | Hour | 0.06 | 446.70 | 26.80 |
| | Fuel charges | Hour | 0.06 | 307.20 | 18.43 |
| 2 | Crew charges | Hour | 0.06 | 165.80 | 9.95 |
| _ | orew enargee | 11001 | Total Rs: | 100.00 | 55.18 |
| | Contractor's profit and | | | | |
| | overhead charges | 13.615% | | | 7.51 |
| | Total for | 5 | cum | Rs: | 62.69 |
| | Rate per cum | | | | 12.50 |
| | | | | | |
| or lead | beyond 30 km for every km | | Unit: | 5 | cum |
| CL NI= | Danasiatian | 11-4 | 0 | Rate | Amount |
| SI No. | Description | Unit | Quantity | in Rs. 446.70 | in Rs. |
| 1 | Tipper hire charges | Hour Hour | 0.05 | | 22.34 |
| 2 | Fuel charges | | 0.05 | 307.20 | 15.36 8.29 |
| | Crew charges | Hour | 0.05 Total Rs: | 165.80 | 8.29 45.99 |
| | Contractor's profit and | + | rotal RS: | + | 45.99 |
| | overhead charges | 13.615% | | | 6.26 |
| | Total for | 5 | cum | Rs: | 52.25 |
| | Rate per cum | | Guili | 110. | 10.50 |
| | prato por ouri | | | | 10.00 |
| CATEGO | RY : Cement/ Steel/ Pipes/ | RCC poles/ AC | & GI sheets/ Pa | acked materials | |
| | | | | | |
| For total | lead upto 1 km | | Unit: | 8 | tonne |
| | | | | Rate | Amount |
| SI No. | Description | Unit | Quantity | in Rs. | in Rs. |
| 1 | Truck hire charges | Hour | 0.15 | 414.10 | 62.12 |
| | Fuel charges | Hour | 0.15 | 307.20 | 46.08 |
| 2 | Crew charges | Hour | 0.15 | 165.80 | 24.87 |
| | | | Total Rs: | | 133.07 |
| | Contractor's profit and | | | | |
| | Contractor a profit and | | | | |
| | overhead charges | 13.615% | | | 18.12 |
| | overhead charges Total for | 13.615% 8 | tonne | Rs: | 151.19 |
| | overhead charges | | tonne | Rs: | |
| | overhead charges Total for | | tonne | Rs: | 151.19 |
| For total | overhead charges Total for | 8 | tonne Unit: | 8 | 151.19 18.90 tonne |
| | overhead charges Total for Rate per tonne lead more than 1 km upto 2 k | 8 km | Unit: | 8 Rate | 151.19 18.90 tonne Amount |
| | overhead charges Total for Rate per tonne lead more than 1 km upto 2 k Description | km Unit | Unit: | 8 Rate in Rs. | 151.19 18.90 tonne Amount in Rs. |
| | overhead charges Total for Rate per tonne lead more than 1 km upto 2 k Description Truck hire charges | 8 Unit Hour | Unit: Quantity 0.21 | 8 Rate in Rs. 414.10 | 151.19 18.90 tonne Amount in Rs. 86.96 |
| SI No. | overhead charges Total for Rate per tonne lead more than 1 km upto 2 k Description Truck hire charges Fuel charges | Unit Hour Hour | Unit: Quantity 0.21 0.21 | 8 Rate in Rs. 414.10 307.20 | 151.19 18.90 tonne Amount in Rs. 86.96 64.51 |
| SI No. | overhead charges Total for Rate per tonne lead more than 1 km upto 2 k Description Truck hire charges | 8 Unit Hour | Unit: Quantity 0.21 0.21 0.21 | 8 Rate in Rs. 414.10 | 151.19 18.90 tonne Amount in Rs. 86.96 64.51 34.82 |
| SI No. | overhead charges Total for Rate per tonne lead more than 1 km upto 2 k Description Truck hire charges Fuel charges Crew charges | Unit Hour Hour | Unit: Quantity 0.21 0.21 | 8 Rate in Rs. 414.10 307.20 | 151.19 18.90 tonne Amount in Rs. 86.96 64.51 |
| SI No. | overhead charges Total for Rate per tonne lead more than 1 km upto 2 k Description Truck hire charges Fuel charges Crew charges Contractor's profit and | Unit Hour Hour Hour | Unit: Quantity 0.21 0.21 0.21 | 8 Rate in Rs. 414.10 307.20 | 151.19 18.90 tonne Amount in Rs. 86.96 64.51 34.82 186.29 |
| SI No. 1 | overhead charges Total for Rate per tonne lead more than 1 km upto 2 k Description Truck hire charges Fuel charges Crew charges Contractor's profit and overhead charges | Unit Hour Hour Hour 13.615% | Unit: Quantity 0.21 0.21 0.21 Total Rs: | 8 Rate in Rs. 414.10 307.20 165.80 | 151.19 18.90 tonne Amount in Rs. 86.96 64.51 34.82 186.29 |
| SI No. | overhead charges Total for Rate per tonne lead more than 1 km upto 2 k Description Truck hire charges Fuel charges Crew charges Contractor's profit and overhead charges Total for | Unit Hour Hour Hour | Unit: Quantity 0.21 0.21 0.21 | 8 Rate in Rs. 414.10 307.20 | 151.19 18.90 tonne Amount in Rs. 86.96 64.51 34.82 186.29 25.36 211.65 |
| SI No. | overhead charges Total for Rate per tonne lead more than 1 km upto 2 k Description Truck hire charges Fuel charges Crew charges Contractor's profit and overhead charges | Unit Hour Hour Hour 13.615% | Unit: Quantity 0.21 0.21 0.21 Total Rs: | 8 Rate in Rs. 414.10 307.20 165.80 | 151.19 18.90 tonne Amount in Rs. 86.96 64.51 34.82 186.29 |
| SI No. 1 | overhead charges Total for Rate per tonne lead more than 1 km upto 2 k Description Truck hire charges Fuel charges Crew charges Contractor's profit and overhead charges Total for Rate per tonne | Unit Hour Hour 13.615% | Unit: Quantity 0.21 0.21 0.21 Total Rs: | 8 Rate in Rs. 414.10 307.20 165.80 | 151.19 18.90 tonne Amount in Rs. 86.96 64.51 34.82 186.29 25.36 211.65 26.50 |
| SI No. 1 | overhead charges Total for Rate per tonne lead more than 1 km upto 2 k Description Truck hire charges Fuel charges Crew charges Contractor's profit and overhead charges Total for | Unit Hour Hour 13.615% | Unit: Quantity 0.21 0.21 0.21 Total Rs: | 8 Rate in Rs. 414.10 307.20 165.80 Rs: | 151.19 18.90 tonne Amount in Rs. 86.96 64.51 34.82 186.29 25.36 211.65 26.50 tonne |
| SI No. 1 2 | overhead charges Total for Rate per tonne lead more than 1 km upto 2 k Description Truck hire charges Fuel charges Crew charges Contractor's profit and overhead charges Total for Rate per tonne | Unit Hour Hour Hour 13.615% 8 | Unit: Quantity 0.21 0.21 0.21 Total Rs: tonne Unit: | 8 Rate in Rs. 414.10 307.20 165.80 Rs: | 151.19 18.90 tonne Amount in Rs. 86.96 64.51 34.82 186.29 25.36 211.65 26.50 tonne Amount |
| SI No. 1 | overhead charges Total for Rate per tonne lead more than 1 km upto 2 k Description Truck hire charges Fuel charges Crew charges Contractor's profit and overhead charges Total for Rate per tonne lead more than 2 km upto 3 k Description | Unit Hour Hour Hour Hour Unit Hour Unit Unit Unit Unit | Unit: Quantity 0.21 0.21 0.21 Total Rs: tonne Unit: Quantity | 8 Rate in Rs. 414.10 307.20 165.80 Rs: | 151.19 18.90 tonne Amount in Rs. 86.96 64.51 34.82 186.29 25.36 211.65 26.50 tonne Amount in Rs. |
| SI No. 1 | overhead charges Total for Rate per tonne lead more than 1 km upto 2 k Description Truck hire charges Fuel charges Crew charges Contractor's profit and overhead charges Total for Rate per tonne lead more than 2 km upto 3 k Description Tipper hire charges | Unit Hour Hour 13.615% 8 | Unit: Quantity 0.21 0.21 0.21 Total Rs: tonne Unit: Quantity 0.28 | 8 Rate in Rs. 414.10 307.20 165.80 Rs: 8 Rate in Rs. 446.70 | 151.19 18.90 tonne Amount in Rs. 86.96 64.51 34.82 186.29 25.36 211.65 26.50 tonne Amount in Rs. 125.08 |
| For total | overhead charges Total for Rate per tonne lead more than 1 km upto 2 k Description Truck hire charges Fuel charges Crew charges Contractor's profit and overhead charges Total for Rate per tonne lead more than 2 km upto 3 k Description Tipper hire charges Fuel charges | Unit Hour Hour Hour Hour Hour Hour Hour Hour | Unit: Quantity 0.21 0.21 0.21 Total Rs: tonne Unit: Quantity 0.28 0.28 | 8 Rate in Rs. 414.10 307.20 165.80 Rs: 8 Rate in Rs. 446.70 307.20 | 151.19 18.90 tonne Amount in Rs. 86.96 64.51 34.82 186.29 25.36 211.65 26.50 tonne Amount in Rs. 125.08 |
| For total | overhead charges Total for Rate per tonne lead more than 1 km upto 2 k Description Truck hire charges Fuel charges Crew charges Contractor's profit and overhead charges Total for Rate per tonne lead more than 2 km upto 3 k Description Tipper hire charges | Unit Hour Hour 13.615% 8 | Unit: Quantity 0.21 0.21 0.21 Total Rs: tonne Unit: Quantity 0.28 0.28 0.28 | 8 Rate in Rs. 414.10 307.20 165.80 Rs: 8 Rate in Rs. 446.70 | 151.19 18.90 tonne Amount in Rs. 86.96 64.51 34.82 186.29 25.36 211.65 26.50 tonne Amount in Rs. 125.08 86.02 46.42 |
| SI No. 1 2 For total SI No. | overhead charges Total for Rate per tonne lead more than 1 km upto 2 k Description Truck hire charges Fuel charges Crew charges Contractor's profit and overhead charges Total for Rate per tonne lead more than 2 km upto 3 k Description Tipper hire charges Fuel charges Crew charges | Unit Hour Hour Hour Hour Hour Hour Hour Hour | Unit: Quantity 0.21 0.21 0.21 Total Rs: tonne Unit: Quantity 0.28 0.28 | 8 Rate in Rs. 414.10 307.20 165.80 Rs: 8 Rate in Rs. 446.70 307.20 | 151.19 18.90 tonne Amount in Rs. 86.96 64.51 34.82 186.29 25.36 211.65 26.50 tonne Amount in Rs. 125.08 |
| SI No. 1 2 For total SI No. | overhead charges Total for Rate per tonne lead more than 1 km upto 2 k Description Truck hire charges Fuel charges Crew charges Contractor's profit and overhead charges Total for Rate per tonne lead more than 2 km upto 3 k Description Tipper hire charges Fuel charges Crew charges Contractor's profit and overhead charges Crew charges Contractor's profit and | Unit Hour Hour Hour Hour Hour Hour Hour Hour | Unit: Quantity 0.21 0.21 0.21 Total Rs: tonne Unit: Quantity 0.28 0.28 0.28 | 8 Rate in Rs. 414.10 307.20 165.80 Rs: 8 Rate in Rs. 446.70 307.20 | 151.19 18.90 tonne Amount in Rs. 86.96 64.51 34.82 186.29 25.36 211.65 26.50 tonne Amount in Rs. 125.08 86.02 46.42 257.52 |
| SI No. 1 2 For total SI No. | overhead charges Total for Rate per tonne lead more than 1 km upto 2 k Description Truck hire charges Fuel charges Crew charges Contractor's profit and overhead charges Total for Rate per tonne lead more than 2 km upto 3 k Description Tipper hire charges Fuel charges Crew charges | Unit Hour Hour Hour Hour Hour Hour Hour Hour | Unit: Quantity 0.21 0.21 0.21 Total Rs: tonne Unit: Quantity 0.28 0.28 0.28 Total Rs: | 8 Rate in Rs. 414.10 307.20 165.80 Rs: 8 Rate in Rs. 446.70 307.20 165.80 | 151.19 18.90 tonne Amount in Rs. 86.96 64.51 34.82 186.29 25.36 211.65 26.50 tonne Amount in Rs. 125.08 86.02 46.42 |
| For total | overhead charges Total for Rate per tonne lead more than 1 km upto 2 k Description Truck hire charges Fuel charges Crew charges Contractor's profit and overhead charges Total for Rate per tonne lead more than 2 km upto 3 k Description Tipper hire charges Fuel charges Crew charges Crew charges Crew charges Total for Tipper hire charges Crew charges Crew charges Total for Total for | Unit Hour Hour Hour Hour Hour Hour Hour Hour | Unit: Quantity 0.21 0.21 0.21 Total Rs: tonne Unit: Quantity 0.28 0.28 0.28 | 8 Rate in Rs. 414.10 307.20 165.80 Rs: 8 Rate in Rs. 446.70 307.20 | 151.19 18.90 tonne Amount in Rs. 86.96 64.51 34.82 186.29 25.36 211.65 26.50 tonne Amount in Rs. 125.08 86.02 46.42 257.52 |
| For total | overhead charges Total for Rate per tonne lead more than 1 km upto 2 k Description Truck hire charges Fuel charges Crew charges Contractor's profit and overhead charges Total for Rate per tonne lead more than 2 km upto 3 k Description Tipper hire charges Fuel charges Crew charges Crew charges Crew charges Contractor's profit and overhead charges Contractor's profit and overhead charges | Unit Hour Hour Hour Hour Hour Hour Hour Hour | Unit: Quantity 0.21 0.21 0.21 Total Rs: tonne Unit: Quantity 0.28 0.28 0.28 Total Rs: | 8 Rate in Rs. 414.10 307.20 165.80 Rs: 8 Rate in Rs. 446.70 307.20 165.80 | 151.19 18.90 tonne Amount in Rs. 86.96 64.51 34.82 186.29 25.36 211.65 26.50 tonne Amount in Rs. 125.08 86.02 46.42 257.52 35.06 292.58 |
| For total SI No. 1 | overhead charges Total for Rate per tonne lead more than 1 km upto 2 k Description Truck hire charges Fuel charges Crew charges Contractor's profit and overhead charges Total for Rate per tonne lead more than 2 km upto 3 k Description Tipper hire charges Fuel charges Crew charges Crew charges Crew charges Total for Tipper hire charges Crew charges Crew charges Total for Total for | Unit Hour Hour Hour Unit Hour Hour 13.615% Unit Hour Hour Hour Hour Hour Hour Hour Hour Hour Hour Hour Hour Hour Hour Hour Hour Hour Hour | Unit: Quantity 0.21 0.21 0.21 Total Rs: tonne Unit: Quantity 0.28 0.28 0.28 Total Rs: | 8 Rate in Rs. 414.10 307.20 165.80 Rs: 8 Rate in Rs. 446.70 307.20 165.80 | 151.19 18.90 tonne Amount in Rs. 86.96 64.51 34.82 186.29 25.36 211.65 26.50 tonne Amount in Rs. 125.08 86.02 46.42 257.52 35.06 292.58 |
| For total SI No. 1 | overhead charges Total for Rate per tonne lead more than 1 km upto 2 k Description Truck hire charges Fuel charges Crew charges Contractor's profit and overhead charges Total for Rate per tonne lead more than 2 km upto 3 k Description Tipper hire charges Fuel charges Crew charges Crew charges Total for Rate per tonne | Unit Hour Hour Hour Unit Hour Hour 13.615% Unit Hour Hour Hour Hour Hour Hour Hour Hour Hour Hour Hour Hour Hour Hour Hour Hour Hour Hour | Unit: Quantity 0.21 0.21 0.21 Total Rs: tonne Unit: Quantity 0.28 0.28 0.28 Total Rs: | 8 Rate in Rs. 414.10 307.20 165.80 Rs: 8 Rate in Rs. 446.70 307.20 165.80 Rs: | 151.19 18.90 tonne Amount in Rs. 86.96 64.51 34.82 186.29 25.36 211.65 26.50 tonne Amount in Rs. 125.08 86.02 46.42 257.52 35.06 292.58 36.60 |
| For total SI No. For total For total | overhead charges Total for Rate per tonne lead more than 1 km upto 2 k Description Truck hire charges Fuel charges Crew charges Contractor's profit and overhead charges Total for Rate per tonne lead more than 2 km upto 3 k Description Tipper hire charges Fuel charges Crew charges Crew charges Total for Rate per tonne | Unit Hour Hour Hour Unit Hour Hour 13.615% Unit Hour Hour Hour Hour Hour Hour Hour Hour Hour Hour Hour Hour Hour Hour Hour Hour Hour Hour | Unit: Quantity 0.21 0.21 0.21 Total Rs: tonne Unit: Quantity 0.28 0.28 0.28 Total Rs: | 8 Rate in Rs. 414.10 307.20 165.80 Rs: 8 Rate in Rs. 446.70 307.20 165.80 Rs: | 151.19 18.90 tonne Amount in Rs. 86.96 64.51 34.82 186.29 25.36 211.65 26.50 tonne Amount in Rs. 125.08 86.02 46.42 257.52 35.06 292.58 36.60 tonne |
| For total SI No. 1 2 For total SI No. 1 2 For total | overhead charges Total for Rate per tonne lead more than 1 km upto 2 k Description Truck hire charges Fuel charges Crew charges Contractor's profit and overhead charges Total for Rate per tonne lead more than 2 km upto 3 k Description Tipper hire charges Fuel charges Crew charges Crew charges Crew charges Total for Rate per tonne Rate per tonne | Unit Hour Hour Hour Hour Hour Hour Hour Hour | Unit: Quantity 0.21 0.21 1.21 1.21 1.21 1.21 1.21 1.21 | 8 Rate in Rs. 414.10 307.20 165.80 Rs: 8 Rate in Rs. 446.70 307.20 165.80 Rs: | 151.19 18.90 tonne Amount in Rs. 86.96 64.51 34.82 186.29 25.36 211.65 26.50 tonne Amount in Rs. 125.08 86.02 46.42 257.52 35.06 292.58 36.60 tonne Amount |
| For total SI No. 1 2 For total SI No. 1 2 For total | overhead charges Total for Rate per tonne lead more than 1 km upto 2 k Description Truck hire charges Fuel charges Crew charges Contractor's profit and overhead charges Total for Rate per tonne lead more than 2 km upto 3 k Description Tipper hire charges Crew charges Crew charges Crew charges Total for Rate per tonne lead more than 3 km upto 4 k Description | Unit Hour Hour Hour Hour Hour Hour Hour Hour | Unit: Quantity 0.21 0.21 0.21 Total Rs: tonne Unit: Quantity 0.28 0.28 0.28 Total Rs: tonne Unit: Quantity 0.28 0.28 Total Rs: | 8 Rate in Rs. 414.10 307.20 165.80 Rs: 8 Rate in Rs. 446.70 307.20 165.80 Rs: | 151.19 18.90 tonne Amount in Rs. 86.96 64.51 34.82 186.29 25.36 211.65 26.50 tonne Amount in Rs. 125.08 86.02 46.42 257.52 35.06 292.58 36.60 tonne Amount in Rs. 151.88 104.45 |
| For total For total SI No. 1 2 For total SI No. 1 2 For total | overhead charges Total for Rate per tonne lead more than 1 km upto 2 k Description Truck hire charges Fuel charges Crew charges Contractor's profit and overhead charges Total for Rate per tonne lead more than 2 km upto 3 k Description Tipper hire charges Crew charges Contractor's profit and overhead charges Total for Rate per tonne lead more than 2 km upto 4 k Description Rate per tonne | Unit Hour Hour Hour Hour Hour Hour Hour Hour | Unit: Quantity 0.21 0.21 0.21 Total Rs: tonne Unit: Quantity 0.28 0.28 0.28 Total Rs: tonne Unit: Quantity 0.34 | 8 Rate in Rs. 414.10 307.20 165.80 Rs: 8 Rate in Rs. 446.70 307.20 165.80 Rs: | 151.19 18.90 tonne Amount in Rs. 86.96 64.51 34.82 186.29 25.36 211.65 26.50 tonne Amount in Rs. 125.08 86.02 46.42 257.52 35.06 292.58 36.60 tonne Amount in Rs. |
| SI No. 1 2 For total SI No. 1 2 For total SI No. 1 2 | overhead charges Total for Rate per tonne lead more than 1 km upto 2 k Description Truck hire charges Fuel charges Crew charges Contractor's profit and overhead charges Total for Rate per tonne lead more than 2 km upto 3 k Description Tipper hire charges Fuel charges Crew charges Crew charges Fuel charges Fuel charges Total for Rate per tonne | Unit Hour Hour Hour Hour Hour Hour Hour Hour | Unit: Quantity 0.21 0.21 0.21 Total Rs: tonne Unit: Quantity 0.28 0.28 0.28 Total Rs: tonne Unit: Quantity 0.34 0.34 | 8 Rate in Rs. 414.10 307.20 165.80 Rs: 8 Rate in Rs. 446.70 307.20 165.80 Rs: | 151.19 18.90 tonne Amount in Rs. 86.96 64.51 34.82 186.29 25.36 211.65 26.50 tonne Amount in Rs. 125.08 86.02 46.42 257.52 35.06 292.58 36.60 tonne Amount in Rs. 151.88 104.45 |
| SI No. 1 2 For total SI No. 1 2 For total SI No. 1 2 | overhead charges Total for Rate per tonne lead more than 1 km upto 2 k Description Truck hire charges Fuel charges Crew charges Contractor's profit and overhead charges Total for Rate per tonne lead more than 2 km upto 3 k Description Tipper hire charges Fuel charges Crew charges Crew charges Fuel charges Fuel charges Total for Rate per tonne | Unit Hour Hour Hour Hour Hour Hour Hour Hour | Unit: Quantity 0.21 0.21 0.21 Total Rs: tonne Unit: Quantity 0.28 0.28 0.28 Total Rs: tonne Unit: Quantity 0.34 0.34 0.34 | 8 Rate in Rs. 414.10 307.20 165.80 Rs: 8 Rate in Rs. 446.70 307.20 165.80 Rs: | 151.19 18.90 tonne Amount in Rs. 86.96 64.51 34.82 186.29 25.36 211.65 26.50 tonne Amount in Rs. 125.08 86.02 46.42 257.52 35.06 292.58 36.60 tonne Amount in Rs. |
| SI No. 1 2 For total SI No. 1 2 For total SI No. 1 2 | overhead charges Total for Rate per tonne lead more than 1 km upto 2 k Description Truck hire charges Fuel charges Crew charges Contractor's profit and overhead charges Total for Rate per tonne lead more than 2 km upto 3 k Description Tipper hire charges Crew charges Crew charges Crew charges Interpet charges Crew charges Crew charges Crew charges Interpet | Unit Hour Hour Hour Hour Hour Hour Hour Hour | Unit: Quantity 0.21 0.21 0.21 Total Rs: tonne Unit: Quantity 0.28 0.28 0.28 Total Rs: tonne Unit: Quantity 0.34 0.34 0.34 | 8 Rate in Rs. 414.10 307.20 165.80 Rs: 8 Rate in Rs. 446.70 307.20 165.80 Rs: | 151.19 18.90 tonne Amount in Rs. 86.96 64.51 34.82 186.29 25.36 211.65 26.50 tonne Amount in Rs. 125.08 86.02 46.42 257.52 35.06 292.58 36.60 tonne Amount in Rs. |
| SI No. 1 2 For total SI No. 1 2 For total SI No. 1 2 | overhead charges Total for Rate per tonne lead more than 1 km upto 2 k Description Truck hire charges Fuel charges Crew charges Total for Rate per tonne lead more than 2 km upto 3 k Description Tipper hire charges Fuel charges Contractor's profit and overhead charges Total for Rate per tonne lead more than 2 km upto 3 k Description Tipper hire charges Contractor's profit and overhead charges Total for Rate per tonne lead more than 3 km upto 4 k Description Tipper hire charges Fuel charges Fuel charges Fuel charges Crew charges Crew charges Crew charges Crew charges | Unit Hour Hour Hour Hour Hour Hour Hour Hour | Unit: Quantity 0.21 0.21 0.21 Total Rs: tonne Unit: Quantity 0.28 0.28 0.28 Total Rs: tonne Unit: Quantity 0.34 0.34 0.34 | 8 Rate in Rs. 414.10 307.20 165.80 Rs: 8 Rate in Rs. 446.70 307.20 165.80 Rs: | 151.19 18.90 tonne Amount in Rs. 86.96 64.51 34.82 186.29 25.36 211.65 26.50 tonne Amount in Rs. 125.08 86.02 46.42 257.52 35.06 292.58 36.60 tonne Amount in Rs. |
| SI No. 1 2 For total SI No. 1 2 For total SI No. 1 2 | overhead charges Total for Rate per tonne lead more than 1 km upto 2 k Description Truck hire charges Fuel charges Crew charges Total for Rate per tonne lead more than 2 km upto 3 k Description Tipper hire charges Fuel charges Crew charges Contractor's profit and overhead charges Fuel charges Fuel charges Crew charges Loud for Rate per tonne lead more than 3 km upto 4 k Description Tipper hire charges Fuel charges Total for Rate per tonne lead more than 3 km upto 4 k Description Tipper hire charges Fuel charges Fuel charges Crew charges Crew charges Crew charges Crew charges Contractor's profit and overhead charges Crew charges Crew charges | Unit Hour Hour Hour Hour Hour Hour Hour Hour | Unit: Quantity 0.21 0.21 0.21 Total Rs: tonne Unit: Quantity 0.28 0.28 0.28 1 Total Rs: tonne Unit: Quantity 0.34 0.34 0.34 Total Rs: | 8 Rate in Rs. 414.10 307.20 165.80 Rs: 8 Rate in Rs. 446.70 307.20 165.80 Rs: | 151.19 18.90 tonne Amount in Rs. 86.96 64.51 34.82 186.29 25.36 211.65 26.50 tonne Amount in Rs. 125.08 86.02 46.42 257.52 35.06 292.58 36.60 tonne Amount in Rs. 151.88 104.45 56.37 312.70 |
| For total For total SI No. 1 2 For total SI No. 1 2 For total | overhead charges Total for Rate per tonne lead more than 1 km upto 2 k Description Truck hire charges Fuel charges Crew charges Contractor's profit and overhead charges Total for Rate per tonne lead more than 2 km upto 3 k Description Tipper hire charges Fuel charges Crew charges Crew charges Crew charges Contractor's profit and overhead charges Total for Rate per tonne lead more than 3 km upto 4 k Description Tipper hire charges Total for Rate per tonne Lead more than 3 km upto 4 k Description Tipper hire charges Fuel charges Crew charges Crew charges Crew charges Crew charges Crew charges Total for Tipper hire charges Fuel charges Crew charges Total for Tipper hire charges Fuel charges Total for | Unit Hour Hour Hour Hour Hour Hour Hour Hour | Unit: Quantity 0.21 0.21 0.21 Total Rs: tonne Unit: Quantity 0.28 0.28 0.28 1 Total Rs: tonne Unit: Quantity 0.34 0.34 0.34 Total Rs: | 8 Rate in Rs. 414.10 307.20 165.80 Rs: 8 Rate in Rs. 446.70 307.20 165.80 Rs: | 151.19 18.90 tonne Amount in Rs. 86.96 64.51 34.82 186.29 25.36 211.65 26.50 tonne Amount in Rs. 125.08 86.02 46.42 257.52 35.06 292.58 36.60 tonne Amount in Rs. 151.88 104.45 56.37 312.70 42.57 |
| For total SI No. 1 2 For total SI No. 1 2 For total SI No. 1 | overhead charges Total for Rate per tonne lead more than 1 km upto 2 k Description Truck hire charges Fuel charges Crew charges Contractor's profit and overhead charges Total for Rate per tonne lead more than 2 km upto 3 k Description Tipper hire charges Fuel charges Crew charges Crew charges Crew charges Contractor's profit and overhead charges Total for Rate per tonne lead more than 3 km upto 4 k Description Tipper hire charges Total for Rate per tonne Lead more than 3 km upto 4 k Description Tipper hire charges Fuel charges Crew charges Crew charges Crew charges Crew charges Crew charges Total for Tipper hire charges Fuel charges Crew charges Total for Tipper hire charges Fuel charges Total for | Unit Hour Hour Hour Hour Hour Hour Hour Hour | Unit: Quantity 0.21 0.21 0.21 Total Rs: tonne Unit: Quantity 0.28 0.28 0.28 1 Total Rs: tonne Unit: Quantity 0.34 0.34 0.34 Total Rs: | 8 Rate in Rs. 414.10 307.20 165.80 Rs: 8 Rate in Rs. 446.70 307.20 165.80 Rs: | 151.19 18.90 tonne Amount in Rs. 86.96 64.51 34.82 186.29 25.36 211.65 26.50 tonne Amount in Rs. 125.08 86.02 46.42 257.52 35.06 292.58 36.60 tonne Amount in Rs. 151.88 104.45 56.37 312.70 42.57 |
| For total SI No. 1 2 For total SI No. 1 SI No. 1 2 For total SI No. 1 | overhead charges Total for Rate per tonne lead more than 1 km upto 2 k Description Truck hire charges Fuel charges Crew charges Total for Rate per tonne lead more than 2 km upto 3 k Description Tipper hire charges Crew charges Crew charges Crew charges Lead more than 2 km upto 3 k Description Tipper hire charges Crew charges Crew charges Crew charges Lead more than 3 km upto 4 k Description Tipper hire charges Total for Rate per tonne Lead more than 3 km upto 4 k Description Tipper hire charges Fuel charges Fuel charges Crew charges Crew charges Crow charges Contractor's profit and overhead charges Total for Rate per tonne | Unit Hour Hour Hour Hour Hour Hour Hour Hour | Unit: Quantity 0.21 0.21 0.21 Total Rs: tonne Unit: Quantity 0.28 0.28 0.28 Total Rs: tonne Unit: Quantity 0.34 0.34 0.34 Total Rs: | 8 Rate in Rs. 414.10 307.20 165.80 Rs: 8 Rate in Rs. 446.70 307.20 165.80 Rs: 8 Rate in Rs. 446.70 307.20 165.80 Rs: | 151.19 18.90 tonne Amount in Rs. 86.96 64.51 34.82 186.29 25.36 211.65 26.50 tonne Amount in Rs. 125.08 86.02 46.42 257.52 35.06 292.58 36.60 tonne Amount in Rs. 151.88 104.45 56.37 312.70 42.57 |
| For total Si No. 1 2 For total Si No. 1 2 For total | overhead charges Total for Rate per tonne lead more than 1 km upto 2 k Description Truck hire charges Fuel charges Crew charges Total for Rate per tonne lead more than 2 km upto 3 k Description Tipper hire charges Crew charges Crew charges Crew charges Lead more than 2 km upto 3 k Description Tipper hire charges Crew charges Crew charges Crew charges Lead more than 3 km upto 4 k Description Tipper hire charges Total for Rate per tonne Lead more than 3 km upto 4 k Description Tipper hire charges Fuel charges Fuel charges Crew charges Crew charges Crow charges Contractor's profit and overhead charges Total for Rate per tonne | Unit Hour Hour Hour Hour Hour Hour Hour Hour | Unit: Quantity 0.21 0.21 0.21 Total Rs: tonne Unit: Quantity 0.28 0.28 0.28 Total Rs: tonne Unit: Quantity 0.34 0.34 0.34 Total Rs: | 8 Rate in Rs. 414.10 307.20 165.80 Rs: 8 Rate in Rs. 446.70 307.20 165.80 Rs: 8 Rate in Rs. 446.70 307.20 165.80 Rs: | 151.19 18.90 tonne Amount in Rs. 86.96 64.51 34.82 186.29 25.36 211.65 26.50 tonne Amount in Rs. 125.08 86.02 46.42 257.52 35.06 292.58 36.60 tonne Amount in Rs. 151.88 104.45 56.37 312.70 42.57 355.27 44.40 tonne |
| SI No. 1 2 For total SI No. 1 2 For total SI No. 1 2 | overhead charges Total for Rate per tonne lead more than 1 km upto 2 k Description Truck hire charges Fuel charges Crew charges Total for Rate per tonne lead more than 2 km upto 3 k Description Tipper hire charges Fuel charges Crew charges Contractor's profit and overhead charges Fuel charges Crew charges Contractor's profit and overhead charges Total for Rate per tonne lead more than 3 km upto 4 k Description Tipper hire charges Total for Rate per tonne lead more than 3 km upto 4 k Contractor's profit and overhead charges Fuel charges Crew charges Crew charges Total for Rate per tonne lead more than 4 km upto 5 k | Unit Hour Hour Hour Hour Hour Hour Hour Hour | Unit: Quantity 0.21 0.21 0.21 Total Rs: tonne Unit: Quantity 0.28 0.28 0.28 Total Rs: tonne Unit: Quantity 0.34 0.34 0.34 Total Rs: tonne Unit: | 8 Rate in Rs. 414.10 307.20 165.80 Rs: 8 Rate in Rs. 446.70 307.20 165.80 Rs: 8 Rate in Rs. 446.70 307.20 165.80 Rs: | 151.19 18.90 tonne Amount in Rs. 86.96 64.51 34.82 186.29 25.36 211.65 26.50 tonne Amount in Rs. 125.08 86.02 46.42 257.52 35.06 292.58 36.60 tonne Amount in Rs. 151.88 104.45 56.37 312.70 42.57 355.27 44.40 tonne Amount |

| 2 | Crew charges | Hour | 0.4 | 165.80 | 66.32 |
|--------------------------|--|-------------------------------------|---|--|--|
| | | | Total Rs: | | 367.88 |
| | Contractor's profit and | 10.0155 | | | |
| | overhead charges | 13.615% | | D. | 50.09 |
| | Total for Rate per tonne | 8 | tonne | Rs: | 417.97 52.20 |
| | Tivare her roune | | | _1 | [JZ.ZU |
| or lead | beyond 5 km upto 30 km for | every km | Unit: | 8 | tonne |
| | | | | Rate | Amount |
| SI No. | Description | Unit | Quantity | in Rs. | in Rs. |
| | Tipper hire charges | Hour | 0.06 | 446.70 | 26.80 |
| | Fuel charges | Hour | 0.06 | 307.20 | 18.43 |
| 2 | Crew charges | Hour | 0.06 | 165.80 | 9.95 |
| | Contractoria profit and | | Total Rs: | | 55.18 |
| | Contractor's profit and | 12 61 50/ | | | 7.51 |
| | overhead charges Total for | 13.615% 8 | tonne | Rs: | 62.69 |
| | Rate per tonne | 0 | torine | NS. | 7.80 |
| | Trate per terme | - L | I. | - I | 11.00 |
| or lead | beyond 30 km for every km | | Unit: | 8 | tonne |
| | | | | Rate | Amount |
| SI No. | Description | Unit | Quantity | in Rs. | in Rs. |
| 1 | Tipper hire charges | Hour | 0.05 | 446.70 | 22.34 |
| | Fuel charges | Hour | 0.05 | 307.20 | 15.36 |
| 2 | Crew charges | Hour | 0.05 | 165.80 | 8.29 |
| | Contractable with a cit | | Total Rs: | + | 45.99 |
| | Contractor's profit and overhead charges | 13 6150/ | | | 6.26 |
| | Total for | 13.615% 8 | tonne | Rs: | 52.25 |
| | Rate per tonne | 0 | TOTALE | 110. | 6.50 |
| | reace per torine | | | | 0.00 |
| CATEGO | DRY : PCC slabs/ Shahabad | slabs/ BS slabs | s/ CC & Laterite | blocks/ Wood | |
| | | | | | |
| For total | lead upto 1 km | | Unit: | 3.4 | cum |
| | | | | Rate | Amount |
| SI No. | Description | Unit | Quantity | in Rs. | in Rs. |
| 1 | Truck hire charges | Hour | 0.15 | 414.10 | 62.12 |
| | Fuel charges | Hour | 0.15 | 307.20 | 46.08 |
| 2 | Crew charges | Hour | 0.15 | 165.80 | 24.87 |
| | Cantra eta ela munfit an el | | Total Rs: | | 133.07 |
| | Contractor's profit and overhead charges | 13.615% | | | 18.12 |
| | Total for | 3.4 | cum | Rs: | 151.19 |
| | Rate per cum | 3.4 | Cum | NS. | 44.50 |
| | reace per cum | | | | 144.50 |
| For total | lead more than 1 km upto 2 l | cm | Unit: | 3.4 | cum |
| | | | | Rate | Amount |
| SI No. | Description | Unit | Quantity | in Rs. | in Rs. |
| 1 | Truck hire charges | Hour | 0.21 | 414.10 | 86.96 |
| | Fuel charges | Hour | 0.21 | 307.20 | 64.51 |
| 2 | Crew charges | Hour | 0.21 | 165.80 | 34.82 |
| | | | Total Rs: | | 186.29 |
| | Contractor's profit and | | | | |
| | overhead charges | 13.615% | | | 25.36 |
| | Total for | 3.4 | cum | Rs: | 211.65 |
| | Rate per cum | | L | L | 62.30 |
| For total | lead more than 2 km upto 3 l | (m | Unit: | 3.4 | cum |
| . JO.U. | | | J | Rate | Amount |
| SI No. | Description | Unit | Quantity | in Rs. | in Rs. |
| 1 | Tipper hire charges | Hour | 0.28 | 446.70 | 125.08 |
| | Fuel charges | Hour | 0.28 | 307.20 | 86.02 |
| 2 | Crew charges | Hour | 0.28 | 165.80 | 46.42 |
| | | | Total Rs: | | 257.52 |
| | Contractor's profit and | | | | |
| | | | | _ | 35.06 |
| | overhead charges | 13.615% | | | |
| | overhead charges Total for | 13.615% 3.4 | cum | Rs: | 292.58 |
| | overhead charges | | cum | Rs: | 292.58 86.10 |
| For total | overhead charges Total for Rate per cum | 3.4 | | | 86.10 |
| For total | overhead charges Total for | 3.4 | cum Unit: | 3.4 | 86.10 cum |
| | overhead charges Total for Rate per cum | 3.4 cm | Unit: | 3.4 Rate | 86.10 cum Amount |
| SI No. | overhead charges Total for Rate per cum lead more than 3 km upto 4 l | 3.4 m Unit | Unit: | 3.4 Rate in Rs. | 86.10 cum Amount in Rs. |
| SI No. | overhead charges Total for Rate per cum lead more than 3 km upto 4 l Description Tipper hire charges | 3.4 cm | Unit: | 3.4 Rate | 86.10 cum Amount |
| SI No. 1 | overhead charges Total for Rate per cum lead more than 3 km upto 4 l | 3.4 Unit Hour | Unit: Quantity 0.34 | 3.4 Rate in Rs. 446.70 | cum Amount in Rs. 151.88 |
| For total SI No. 1 | overhead charges Total for Rate per cum lead more than 3 km upto 4 l Description Tipper hire charges Fuel charges | 3.4 Unit Hour Hour | Unit: Quantity 0.34 0.34 | 3.4 Rate in Rs. 446.70 307.20 | 86.10 cum Amount in Rs. 151.88 104.45 |
| SI No. 1 | overhead charges Total for Rate per cum lead more than 3 km upto 4 l Description Tipper hire charges Fuel charges | 3.4 Unit Hour Hour | Unit: Quantity 0.34 0.34 0.34 | 3.4 Rate in Rs. 446.70 307.20 | 86.10 cum Amount in Rs. 151.88 104.45 56.37 |
| SI No. | overhead charges Total for Rate per cum lead more than 3 km upto 4 l Description Tipper hire charges Fuel charges Crew charges | 3.4 Unit Hour Hour | Unit: Quantity 0.34 0.34 0.34 | 3.4 Rate in Rs. 446.70 307.20 | 86.10 cum Amount in Rs. 151.88 104.45 56.37 |
| SI No. | overhead charges Total for Rate per cum lead more than 3 km upto 4 l Description Tipper hire charges Fuel charges Crew charges Contractor's profit and | Unit Hour Hour Hour | Unit: Quantity 0.34 0.34 0.34 | 3.4 Rate in Rs. 446.70 307.20 | 86.10 cum Amount in Rs. 151.88 104.45 56.37 312.70 |
| SI No. | overhead charges Total for Rate per cum lead more than 3 km upto 4 l Description Tipper hire charges Fuel charges Crew charges Contractor's profit and overhead charges | Unit Hour Hour Hour 13.615% | Unit: Quantity 0.34 0.34 0.34 Total Rs: | 3.4 Rate in Rs. 446.70 307.20 165.80 | 86.10 cum Amount in Rs. 151.88 104.45 56.37 312.70 42.57 |
| SI No. | overhead charges Total for Rate per cum lead more than 3 km upto 4 l Description Tipper hire charges Fuel charges Crew charges Contractor's profit and overhead charges Total for Rate per cum | Unit Hour Hour Hour 3.4 | Unit: Quantity 0.34 0.34 0.34 Total Rs: | 3.4 Rate in Rs. 446.70 307.20 165.80 | 86.10 cum Amount in Rs. 151.88 104.45 56.37 312.70 42.57 355.27 |
| SI No. 1 | overhead charges Total for Rate per cum lead more than 3 km upto 4 l Description Tipper hire charges Fuel charges Crew charges Contractor's profit and overhead charges Total for | Unit Hour Hour Hour 3.4 | Unit: Quantity 0.34 0.34 0.34 Total Rs: | 3.4 Rate in Rs. 446.70 307.20 165.80 Rs: | 86.10 cum Amount in Rs. 151.88 104.45 56.37 312.70 42.57 355.27 104.50 cum |
| SI No. | overhead charges Total for Rate per cum lead more than 3 km upto 4 l Description Tipper hire charges Fuel charges Crew charges Contractor's profit and overhead charges Total for Rate per cum lead more than 4 km upto 5 l | Unit Hour Hour Hour 13.615% 3.4 | Unit: Quantity 0.34 0.34 0.34 Total Rs: cum | 3.4 Rate in Rs. 446.70 307.20 165.80 Rs: | 86.10 cum Amount in Rs. 151.88 104.45 56.37 312.70 42.57 355.27 104.50 cum Amount |
| SI No. 1 | overhead charges Total for Rate per cum lead more than 3 km upto 4 l Description Tipper hire charges Fuel charges Crew charges Contractor's profit and overhead charges Total for Rate per cum | Unit Hour Hour Hour 3.4 | Unit: Quantity 0.34 0.34 0.34 Total Rs: | 3.4 Rate in Rs. 446.70 307.20 165.80 Rs: | 86.10 cum Amount in Rs. 151.88 104.45 56.37 312.70 42.57 355.27 104.50 cum |

| | Fuel charges | Hour | 0.4 | 307.20 | 122.88 |
|------------------|--|---|-----------------------------------|--|---|
| 2 | Crew charges | Hour | 0.4 | 165.80 | 66.32 |
| | | <u> </u> | Total Rs: | | 367.88 |
| | Contractor's profit and | | | | |
| | overhead charges | 13.615% | | Dev | 50.09 |
| | Total for | 3.4 | cum | Rs: | 417.97 |
| | Rate per cum | | | | 122.90 |
| For load | beyond 5 km upto 30 km for e | very km | Unit: | 3.4 | cum |
| i di lead | beyond 5 km apto 30 km for e | l l | Offic. | Rate | Amount |
| SI No. | Description | Unit | Quantity | in Rs. | in Rs. |
| 1 | Tipper hire charges | Hour | 0.06 | 446.70 | 26.80 |
| | Fuel charges | Hour | 0.06 | 307.20 | 18.43 |
| 2 | Crew charges | Hour | 0.06 | 165.80 | 9.95 |
| | <u> </u> | | Total Rs: | | 55.18 |
| | Contractor's profit and | | | | |
| | overhead charges | 13.615% | | | 7.51 |
| | Total for | 3.4 | cum | Rs: | 62.69 |
| | Rate per cum | | | | 18.40 |
| | | | | | |
| For lead | beyond 30 km for every km | | Unit: | 3.4 | cum |
| CLNIa | Description | l lade | 0 | Rate | Amount |
| SI No. | Description Tipper hire charges | Unit Hour | Quantity 0.05 | in Rs. 446.70 | in Rs. 22.34 |
| 1 | Fuel charges | Hour | 0.05 | 307.20 | 15.36 |
| 2 | Crew charges | Hour | 0.05 | 165.80 | 8.29 |
| | CICW Glaryes | i ioui | Total Rs: | 100.00 | 45.99 |
| | Contractor's profit and | † | rotarito. | | 10.00 |
| | overhead charges | 13.615% | | | 6.26 |
| | Total for | 3.4 | cum | Rs: | 52.25 |
| | Rate per cum | | | | 15.40 |
| | | | | | |
| CATEGO | DRY : water | | | | |
| | | | | | |
| For total | lead upto 1 km | | Unit: | 8000 | litres |
| | | | | Rate | Amount |
| SI No. | Description | Unit | Quantity | in Rs. | in Rs. |
| 1 | Water tanker hire charges | Hour | 0.15 | 402.50 | 60.38 |
| 0 | Fuel charges | Hour | 0.15 | 307.20 | 46.08 |
| 2 | Crew charges | Hour | 0.15 Total Rs: | 165.80 | 24.87 |
| | Contractoria profit and | | Total Rs: | | 131.33 |
| | Contractor's profit and overhead charges | 13.615% | | | 17.88 |
| | Total for | 8000 | litres | Rs: | 149.21 |
| | Rate per 1000 litres | 0000 | 111103 | 110. | 18.70 |
| | Trate per 1000 littes | l . | | 1 | 10.70 |
| For total | lead more than 1 km upto 2 km | n | Unit: | 8000 | litres |
| | 1 | | | Rate | Amount |
| SI No. | Description | Unit | Quantity | in Rs. | in Rs. |
| 1 | Water tanker hire charges | Hour | 0.21 | 402.50 | 84.53 |
| | Fuel charges | Hour | 0.21 | 307.20 | 64.51 |
| 2 | Crew charges | Hour | 0.21 | 165.80 | 34.82 |
| | | | Total Rs: | | 183.86 |
| | Contractor's profit and | | | | |
| | overhead charges | 13.615% | 10 | Dec | 25.03 |
| | Total for Rate per 1000 litres | 8000 | litres | Rs: | 208.89 |
| | rate per 1000 litres | 1 | | I | 26.10 |
| For total | lead more than 2 km upto 3 km | n | Unit: | 8000 | litres |
| . or total | .oca more alan z kili upie 3 ki | ·- | Jint. | Rate | Amount |
| SI No. | Description | Unit | Quantity | in Rs. | in Rs. |
| 1 | Water tanker hire charges | Hour | 0.28 | 402.50 | 112.70 |
| | Fuel charges | Hour | 0.28 | 307.20 | 86.02 |
| 2 | Crew charges | Hour | 0.28 | 165.80 | 46.42 |
| | | | Total Rs: | | 245.14 |
| | Contractor's profit and | | | | |
| | overhead charges | 13.615% | | | 33.38 |
| | | 8000 | litres | Rs: | 278.52 |
| | Total for | 8000 | | | |
| | Total for Rate per 1000 litres | 8000 | | | 34.80 |
| Fact 1.1 | Rate per 1000 litres | | 17.7 | 0000 | |
| For total | | | Unit: | 8000 | litres |
| | Rate per 1000 litres | n | | Rate | litres Amount |
| SI No. | Rate per 1000 litres lead more than 3 km upto 4 km Description | n Unit | Quantity | Rate in Rs. | litres Amount in Rs. |
| | Rate per 1000 litres lead more than 3 km upto 4 km Description Water tanker hire charges | n Unit Hour | Quantity 0.34 | Rate in Rs. 402.50 | litres Amount in Rs. 136.85 |
| SI No. | Rate per 1000 litres lead more than 3 km upto 4 km Description Water tanker hire charges Fuel charges | Unit Hour Hour | Quantity 0.34 0.34 | Rate in Rs. 402.50 307.20 | litres Amount in Rs. 136.85 104.45 |
| SI No. | Rate per 1000 litres lead more than 3 km upto 4 km Description Water tanker hire charges | n Unit Hour | Quantity 0.34 0.34 0.34 | Rate in Rs. 402.50 | litres Amount in Rs. 136.85 104.45 56.37 |
| SI No. | Rate per 1000 litres lead more than 3 km upto 4 km Description Water tanker hire charges Fuel charges Crew charges | Unit Hour Hour | Quantity 0.34 0.34 | Rate in Rs. 402.50 307.20 | litres Amount in Rs. 136.85 104.45 |
| SI No. | Rate per 1000 litres lead more than 3 km upto 4 km Description Water tanker hire charges Fuel charges Crew charges Contractor's profit and | Unit Hour Hour | Quantity 0.34 0.34 0.34 | Rate in Rs. 402.50 307.20 | litres Amount in Rs. 136.85 104.45 56.37 297.67 |
| SI No. | Rate per 1000 litres lead more than 3 km upto 4 km Description Water tanker hire charges Fuel charges Crew charges Contractor's profit and overhead charges | Unit Hour Hour Hour 13.615% | Quantity 0.34 0.34 0.34 Total Rs: | Rate in Rs. 402.50 307.20 165.80 | litres Amount in Rs. 136.85 104.45 56.37 297.67 |
| SI No. | Rate per 1000 litres lead more than 3 km upto 4 km Description Water tanker hire charges Fuel charges Crew charges Contractor's profit and overhead charges Total for | Unit Hour Hour | Quantity 0.34 0.34 0.34 | Rate in Rs. 402.50 307.20 | litres Amount in Rs. 136.85 104.45 56.37 297.67 40.53 338.20 |
| SI No. | Rate per 1000 litres lead more than 3 km upto 4 km Description Water tanker hire charges Fuel charges Crew charges Contractor's profit and overhead charges | Unit Hour Hour Hour 13.615% | Quantity 0.34 0.34 0.34 Total Rs: | Rate in Rs. 402.50 307.20 165.80 | litres Amount in Rs. 136.85 104.45 56.37 297.67 |
| SI No. 1 2 | Rate per 1000 litres lead more than 3 km upto 4 km Description Water tanker hire charges Fuel charges Crew charges Contractor's profit and overhead charges Total for | Unit Hour Hour Hour 13.615% 8000 | Quantity 0.34 0.34 0.34 Total Rs: | Rate in Rs. 402.50 307.20 165.80 | litres Amount in Rs. 136.85 104.45 56.37 297.67 40.53 338.20 |
| SI No. 1 | Rate per 1000 litres lead more than 3 km upto 4 km Description Water tanker hire charges Fuel charges Crew charges Contractor's profit and overhead charges Total for Rate per 1000 litres | Unit Hour Hour Hour 13.615% 8000 | Quantity 0.34 0.34 0.34 Total Rs: | Rate in Rs. 402.50 307.20 165.80 Rs: | litres Amount in Rs. 136.85 104.45 56.37 297.67 40.53 338.20 42.30 |
| SI No. 1 2 | Rate per 1000 litres lead more than 3 km upto 4 km Description Water tanker hire charges Fuel charges Crew charges Contractor's profit and overhead charges Total for Rate per 1000 litres | Unit Hour Hour Hour 13.615% 8000 | Quantity 0.34 0.34 0.34 Total Rs: | Rate in Rs. 402.50 307.20 165.80 Rs: | litres Amount in Rs. 136.85 104.45 56.37 297.67 40.53 338.20 42.30 litres |

| 1 | Water tanker hire charges | Hour | 0.4 | 402.50 | 161.00 |
|----------------------------------|---|---|--|--|--|
| | Fuel charges | Hour | 0.4 | 307.20 | 122.88 |
| 2 | Crew charges | Hour | 0.4 | 165.80 | 66.32 |
| | | | Total Rs: | | 350.20 |
| | Contractor's profit and | | | | |
| | overhead charges | 13.615% | | | 47.68 |
| | Total for | 8000 | litres | Rs: | 397.88 |
| | Rate per 1000 litres | | | | 49.70 |
| | | | | | |
| For lead | beyond 5 km upto 30 km for ev | ery km | Unit: | 8000 | litres |
| | | | | Rate | Amount |
| SI No. | Description | Unit | Quantity | in Rs. | in Rs. |
| 1 | Water tanker hire charges | Hour | 0.06 | 402.50 | 24.15 |
| _ | Fuel charges | Hour | 0.06 | 307.20 | 18.43 |
| 2 | Crew charges | Hour | 0.06 | 165.80 | 9.95 |
| | | | Total Rs: | | 52.53 |
| | Contractor's profit and | 40.04=0/ | | | |
| | overhead charges | 13.615% | Proces | D. | 7.15 |
| | Total for | 8000 | litres | Rs: | 59.68 |
| | Rate per 1000 litres | 1 | | | 7.50 |
| Carland | h a | | I lait. | 0000 | liture e |
| For lead | beyond 30 km for every km | 1 | Unit: | 8000 | litres |
| CL NI- | Description | Linit | Oue etit. | Rate | Amount |
| SI No. | Description Water tenker hire abargas | Unit | Quantity | in Rs. | in Rs. |
| 1 | Water tanker hire charges | Hour Hour | 0.05 | 402.50 | 20.13 |
| - | Fuel charges | | 0.05 | 307.20 | 15.36 |
| 2 | Crew charges | Hour | 0.05 | 165.80 | 8.29 |
| <u> </u> | Contractorio con C. con I | | Total Rs: | + | 43.78 |
| | Contractor's profit and | 40.0450/ | | 1 | 5.00 |
| | overhead charges | 13.615% | 1;+ | Do | 5.96 |
| | Total for | 8000 | litres | Rs: | 49.74 |
| | Rate per 1000 litres | | | | 6.20 |
| | | | | | |
| CATEGO | ORY : Bricks (as adopted by R | &B(Buildings |)) | | |
| | | | | | |
| For total | lead upto 1 km | | Unit: | 3000 | bricks |
| | | | | Rate | Amount |
| SI No. | Description | Unit | Quantity | in Rs. | in Rs. |
| 1 | Truck 10 T charges | Hour | 0.15 | 414.10 | 62.12 |
| _ | Fuel charges | Hour | 0.15 | 307.20 | 46.08 |
| 2 | Crew charges | Hour | 0.15 | 165.80 | 24.87 |
| | | | Total Rs: | | 133.07 |
| | Contractor's profit and | | | | |
| | overhead charges | 13.615% | | | 18.12 |
| | Total for | 3000 | bricks | Rs: | 151.19 |
| | Rate per 1000 bricks | | | | 50.40 |
| | | | | | |
| For total | lead more than 1 km upto 2 km | | Unit: | 3000 | bricks |
| | | | | Rate | Amount |
| SI No. | Description | Unit | Quantity | in Rs. | in Rs. |
| 1 | Truck 10 T charges | Hour | 0.21 | 414.10 | 86.96 |
| | Fuel charges | Hour | 0.21 | 307.20 | 64.51 |
| 2 | Crew charges | Hour | 0.21 | 165.80 | 34.82 |
| | 1 | | Total Rs: | | 186.29 |
| | Contractor's profit and | 1 | | 1 | |
| | overhead charges | 13.615% | | 1 | 25.36 |
| | Total for | 3000 | bricks | Rs: | 211.65 |
| | | | | | |
| | Rate per 1000 bricks | | | | 70.60 |
| | | | | | |
| For total | Rate per 1000 bricks lead more than 2 km upto 3 km | | Unit: | 3000 | bricks |
| | lead more than 2 km upto 3 km | | | Rate | bricks Amount |
| SI No. | lead more than 2 km upto 3 km Description | Unit | Quantity | Rate in Rs. | bricks Amount in Rs. |
| | lead more than 2 km upto 3 km Description Truck 10 T charges | Unit Hour | Quantity 0.28 | Rate in Rs. 414.10 | bricks Amount in Rs. 115.95 |
| SI No. | Description Truck 10 T charges Fuel charges | Unit Hour Hour | Quantity 0.28 0.28 | Rate in Rs. 414.10 307.20 | bricks Amount in Rs. 115.95 86.02 |
| SI No. | lead more than 2 km upto 3 km Description Truck 10 T charges | Unit Hour | Quantity 0.28 0.28 0.28 | Rate in Rs. 414.10 | bricks Amount in Rs. 115.95 86.02 46.42 |
| SI No. | Description Truck 10 T charges Fuel charges Crew charges | Unit Hour Hour | Quantity 0.28 0.28 | Rate in Rs. 414.10 307.20 | bricks Amount in Rs. 115.95 86.02 |
| SI No. | Description Truck 10 T charges Fuel charges Crew charges Contractor's profit and | Unit Hour Hour Hour | Quantity 0.28 0.28 0.28 | Rate in Rs. 414.10 307.20 | bricks Amount in Rs. 115.95 86.02 46.42 248.39 |
| SI No. | Description Truck 10 T charges Fuel charges Crew charges Contractor's profit and overhead charges | Unit Hour Hour Hour | Quantity 0.28 0.28 0.28 0.28 Total Rs: | Rate in Rs. 414.10 307.20 165.80 | bricks Amount in Rs. 115.95 86.02 46.42 248.39 |
| SI No. | Description Truck 10 T charges Fuel charges Crew charges Contractor's profit and overhead charges Total for | Unit Hour Hour Hour | Quantity 0.28 0.28 0.28 | Rate in Rs. 414.10 307.20 | bricks Amount in Rs. 115.95 86.02 46.42 248.39 33.82 282.21 |
| SI No. | Description Truck 10 T charges Fuel charges Crew charges Contractor's profit and overhead charges | Unit Hour Hour Hour | Quantity 0.28 0.28 0.28 0.28 Total Rs: | Rate in Rs. 414.10 307.20 165.80 | bricks Amount in Rs. 115.95 86.02 46.42 248.39 |
| SI No. | Description Truck 10 T charges Fuel charges Crew charges Contractor's profit and overhead charges Total for | Unit Hour Hour Hour | Quantity 0.28 0.28 0.28 0.28 Total Rs: | Rate in Rs. 414.10 307.20 165.80 | bricks Amount in Rs. 115.95 86.02 46.42 248.39 33.82 282.21 |
| SI No. 1 | Description Truck 10 T charges Fuel charges Crew charges Contractor's profit and overhead charges Total for | Unit Hour Hour Hour 13.615% 3000 | Quantity 0.28 0.28 0.28 0.28 Total Rs: | Rate in Rs. 414.10 307.20 165.80 | bricks Amount in Rs. 115.95 86.02 46.42 248.39 33.82 282.21 |
| SI No. 1 | lead more than 2 km upto 3 km Description Truck 10 T charges Fuel charges Crew charges Contractor's profit and overhead charges Total for Rate per 1000 bricks | Unit Hour Hour Hour 13.615% 3000 | Quantity 0.28 0.28 0.28 Total Rs: | Rate in Rs. 414.10 307.20 165.80 Rs: | bricks Amount in Rs. 115.95 86.02 46.42 248.39 33.82 282.21 94.10 |
| SI No. 1 | lead more than 2 km upto 3 km Description Truck 10 T charges Fuel charges Crew charges Contractor's profit and overhead charges Total for Rate per 1000 bricks | Unit Hour Hour Hour 13.615% 3000 | Quantity 0.28 0.28 0.28 Total Rs: | Rate in Rs. 414.10 307.20 165.80 Rs: | bricks Amount in Rs. 115.95 86.02 46.42 248.39 33.82 282.21 94.10 bricks |
| SI No. 1 2 For total | Description Truck 10 T charges Fuel charges Crew charges Contractor's profit and overhead charges Total for Rate per 1000 bricks | Unit Hour Hour Hour 13.615% 3000 | Quantity 0.28 0.28 0.28 Total Rs: bricks | Rate in Rs. 414.10 307.20 165.80 Rs: 3000 Rate | bricks Amount in Rs. 115.95 86.02 46.42 248.39 33.82 282.21 94.10 bricks Amount |
| SI No. 1 2 For total SI No. | lead more than 2 km upto 3 km Description Truck 10 T charges Fuel charges Crew charges Contractor's profit and overhead charges Total for Rate per 1000 bricks lead more than 3 km upto 4 km Description | Unit Hour Hour Hour 13.615% 3000 | Quantity 0.28 0.28 0.28 Total Rs: bricks Unit: Quantity | Rate in Rs. 414.10 307.20 165.80 Rs: 3000 Rate in Rs. | bricks Amount in Rs. 115.95 86.02 46.42 248.39 33.82 282.21 94.10 bricks Amount in Rs. |
| SI No. 1 2 For total SI No. | lead more than 2 km upto 3 km Description Truck 10 T charges Fuel charges Crew charges Contractor's profit and overhead charges Total for Rate per 1000 bricks lead more than 3 km upto 4 km Description Truck 10 T charges | Unit Hour Hour Hour 13.615% 3000 Unit Hour | Quantity 0.28 0.28 0.28 Total Rs: bricks Unit: Quantity 0.34 | Rate in Rs. 414.10 307.20 165.80 Rs: 3000 Rate in Rs. 414.10 | bricks Amount in Rs. 115.95 86.02 46.42 248.39 33.82 282.21 94.10 bricks Amount in Rs. 140.79 |
| SI No. 1 2 For total SI No. 1 | Description Truck 10 T charges Fuel charges Crew charges Contractor's profit and overhead charges Total for Rate per 1000 bricks Description Truck 10 T charges Fuel charges | Unit Hour Hour 13.615% 3000 Unit Hour Hour | Quantity 0.28 0.28 0.28 Total Rs: bricks Unit: Quantity 0.34 0.34 0.34 | Rate in Rs. 414.10 307.20 165.80 Rs: 3000 Rate in Rs. 414.10 307.20 | bricks Amount in Rs. 115.95 86.02 46.42 248.39 33.82 282.21 94.10 bricks Amount in Rs. 140.79 104.45 56.37 |
| SI No. 1 2 For total SI No. 1 | lead more than 2 km upto 3 km Description Truck 10 T charges Fuel charges Crew charges Contractor's profit and overhead charges Total for Rate per 1000 bricks lead more than 3 km upto 4 km Description Truck 10 T charges Fuel charges Crew charges Crew charges | Unit Hour Hour 13.615% 3000 Unit Hour Hour | Quantity 0.28 0.28 0.28 Total Rs: bricks Unit: Quantity 0.34 0.34 | Rate in Rs. 414.10 307.20 165.80 Rs: 3000 Rate in Rs. 414.10 307.20 | bricks Amount in Rs. 115.95 86.02 46.42 248.39 33.82 282.21 94.10 bricks Amount in Rs. 140.79 |
| Si No. 1 2 For total Si No. 1 | lead more than 2 km upto 3 km Description Truck 10 T charges Fuel charges Crew charges Contractor's profit and overhead charges Total for Rate per 1000 bricks lead more than 3 km upto 4 km Description Truck 10 T charges Fuel charges Crew charges Contractor's profit and | Unit Hour Hour 13.615% 3000 Unit Hour Hour Hour Hour | Quantity 0.28 0.28 0.28 Total Rs: bricks Unit: Quantity 0.34 0.34 0.34 | Rate in Rs. 414.10 307.20 165.80 Rs: 3000 Rate in Rs. 414.10 307.20 | bricks Amount in Rs. 115.95 86.02 46.42 248.39 33.82 282.21 94.10 bricks Amount in Rs. 140.79 104.45 56.37 301.61 |
| Si No. 1 2 For total Si No. 1 | lead more than 2 km upto 3 km Description Truck 10 T charges Fuel charges Crew charges Contractor's profit and overhead charges Total for Rate per 1000 bricks lead more than 3 km upto 4 km Description Truck 10 T charges Fuel charges Crew charges Crew charges Contractor's profit and overhead charges | Unit Hour Hour 13.615% 3000 Unit Hour Hour Hour Hour Hour 13.615% | Quantity 0.28 0.28 0.28 Total Rs: bricks Unit: Quantity 0.34 0.34 0.34 Total Rs: | Rate in Rs. 414.10 307.20 165.80 Rs: 3000 Rate in Rs. 414.10 307.20 165.80 | bricks Amount in Rs. 115.95 86.02 46.42 248.39 33.82 282.21 94.10 bricks Amount in Rs. 140.79 104.45 56.37 301.61 |
| Si No. 1 2 For total Si No. 1 | lead more than 2 km upto 3 km Description Truck 10 T charges Fuel charges Crew charges Contractor's profit and overhead charges Total for Rate per 1000 bricks lead more than 3 km upto 4 km Description Truck 10 T charges Fuel charges Crew charges Contractor's profit and | Unit Hour Hour 13.615% 3000 Unit Hour Hour Hour Hour | Quantity 0.28 0.28 0.28 Total Rs: bricks Unit: Quantity 0.34 0.34 0.34 | Rate in Rs. 414.10 307.20 165.80 Rs: 3000 Rate in Rs. 414.10 307.20 | bricks Amount in Rs. 115.95 86.02 46.42 248.39 33.82 282.21 94.10 bricks Amount in Rs. 140.79 104.45 56.37 301.61 |

For total lead more than 4 km upto 5 km

Unit:

3000

bricks

| | | | | Rate | Amount |
|----------|----------------------------|----------|-----------|--------|--------|
| SI No. | Description | Unit | Quantity | in Rs. | in Rs. |
| 1 | Truck 10 T charges | Hour | 0.4 | 414.10 | 165.64 |
| | Fuel charges | Hour | 0.4 | 307.20 | 122.88 |
| 2 | Crew charges | Hour | 0.4 | 165.80 | 66.32 |
| | | | Total Rs: | | 354.84 |
| | Contractor's profit and | | | | |
| | overhead charges | 13.615% | | | 48.31 |
| | Total for | 3000 | bricks | Rs: | 403.15 |
| | Rate per 1000 bricks | | | | 134.40 |
| | • | | • | | • |
| For lead | beyond 5 km upto 30 km for | every km | Unit: | 3000 | bricks |
| | | | | Rate | Amount |
| SI No. | Description | Unit | Quantity | in Rs. | in Rs. |
| 1 | Truck 10 T charges | Hour | 0.06 | 414.10 | 24.85 |
| | Fuel charges | Hour | 0.06 | 307.20 | 18.43 |
| 2 | Crew charges | Hour | 0.06 | 165.80 | 9.95 |
| | | | Total Rs: | | 53.23 |
| | Contractor's profit and | | | | |
| | overhead charges | 13.615% | | | 7.25 |
| | Total for | 3000 | bricks | Rs: | 60.48 |
| | Rate per 1000 bricks | | | | 20.20 |
| | | | | | |
| For lead | beyond 30 km for every km | | Unit: | 3000 | bricks |
| | | | | Rate | Amount |
| SI No. | Description | Unit | Quantity | in Rs. | in Rs. |
| 1 | Truck 10 T charges | Hour | 0.05 | 414.10 | 20.71 |
| | Fuel charges | Hour | 0.05 | 307.20 | 15.36 |
| 2 | Crew charges | Hour | 0.05 | 165.80 | 8.29 |
| | | | Total Rs: | | 44.36 |
| | Contractor's profit and | | | | |
| | overhead charges | 13.615% | | | 6.04 |
| | Total for | 3000 | bricke | De- | 50.40 |

COM-DTL-LDLFT-3

C. LOADING AND UNLOADING CHARGES BY MANUAL MEANS (idle hire charges of trucks are not added)

bricks

50.40

16.80

3000

| | MORD -data | | | | | |
|---|---|-------------------|--------------|----------|----------|------------|
| 1 | Loading of Lime, Aggregate | e, Stone Boulder, | | | | |
| | Brick Aggregate, Kankar, B | | Unit | Quantity | Rate Rs. | Amount Rs. |
| | Building Rubbish, Crushed Slag, Stone for Mas Work by manual means including a lead upto 3 | | sonry | | | |
| | | | 30 m | | | |
| | Unit = cum | | | | | |
| | Taking output = 5.5 cum | | | | | |
| | Labour | | | | | |
| | Head Mazdoor | | day | 0.02 | 370.00 | 7.40 |
| | Mazdoor | | day | 0.5 | 310 | 155.00 |
| | | | Total in Rs. | | | 162.40 |
| | contractor's profit and | | | | | |
| | overhead charges | 13.615% | | | | 22.11 |
| | Rate per cum = | | | | Rs. | 33.50 |

b) Unloadin 50% of the loading charges 16.75

Total for

Rate per 1000 litres

| 2 a) Loading | Loading of Earth, Sand, Moorum, Manure, Flyaby manual means including a lead upto 30 m | | | Quantity | Rate Rs. | Amount Rs. |
|-----------------|--|---------|--------------|----------|----------|---------------|
| | Unit = cum | | | | | |
| | Taking output = 5.5 cum | • | | • | • | |
| | Labour | | | | | |
| | Head Mazdoor | | day | 0.01 | 370.00 | 3.70 |
| | Mazdoor | | day | 0.25 | 310 | 77.50 |
| | | | Total in Rs. | | | 81.20 |
| | contractor's profit and overhead charges | 13.615% | | | | 11.06 |
| | Rate per cum = | | | | Rs. | 16.80 |

b) Unloadin 50% of the loading charges 8.40

| 3 | Loading of Bricks by manu | Loading of Bricks by manual means | | Quantity | Rate Rs. | Amount Rs |
|------------|----------------------------|-----------------------------------|-----|----------|----------|-----------|
| a) Loading | including a lead upto 30 m | | | | | |
| | Unit = 1000 Nos. | | | | | |
| | Taking output = 2000 Nos | | | | | |
| | a) Labour | | | | | |
| | Head Mazdoor | | day | 0.01 | 370.00 | 3.70 |
| | Mazdoor | | day | 0.25 | 310 | 77.50 |
| | Cost for 2000 Nos. = | | | | | 81.20 |
| | contractor's profit and | | | | | |
| | overhead charges | 13.615% | | | | 11.06 |
| | Rate per cum = | | | | Rs. | 46.10 |

 $100\% \ of \ loading \ charges \\ b) \ Unloadin \ i.e., \ Rs.$ 46.10

| 4 | Loading of Cement by manual means | Unit | Quantity | Rate Rs | Amount Rs |
|---|-----------------------------------|------|----------|---------|-----------|

| a) Loading including a lead upto : | oading including a lead upto 30 m | | | | | | | |
|------------------------------------|-----------------------------------|-----|------|--------|--------|--|--|--|
| Unit = 1 t | | | | | | | | |
| Taking output = 10 t | Taking output = 10 t | | | | | | | |
| a) Labour | | | | | | | | |
| Head mazdoor | | day | 0.06 | 370.00 | 22.20 | | | |
| Mazdoor | | day | 1.5 | 310 | 465.00 | | | |
| Cost for 10 t = | | | | | 487.20 | | | |
| contractor's profit and | | | | | | | | |
| overhead charges | 13.615% | | | | 66.33 | | | |
| Rate per 1 tonne = | | | | Rs. | 55.40 | | | |

b) Unloadin 100% of loading charges I.e 55.40

| 5 | Loading of Structural Steel, | Steel Bars by man | Unit | Quantity | Rate Rs. | Amount Rs. |
|------------|------------------------------|-------------------|------|----------|----------|------------|
| a) Loading | including a lead upto 30 m | | | · | | |
| | Unit = 1 t | | | | | |
| | Taking output = 10 t | | | | | |
| | a) Labour | | | | | |
| | head Mazdoor | | day | 0.07 | 370.00 | 25.9 |
| | Mazdoor | | day | 1.8 | 310 | 558.00 |
| | Cost for 10 t = | | | | | 583.90 |
| | contractor's profit and | | | | | |
| | overhead charges | 13.615% | | | | 79.50 |
| | Rate per 1 tonne = | | | | Rs. | 66.30 |

100% of loading charges b) Unloadin I.e., Rs.

66.30

46.10

| 6 | Loading of Bricks - 1000 No | s (Regular sizes - | Unit | Quantity | Rate Rs. | Amount Rs. |
|------------|-----------------------------|--------------------|------|----------|----------|------------|
| a) Loading | 225x140x70 mm) by manual | I means including | | · | | |
| | Unit = 1000 Nos. | | | | | |
| | Taking output = 2000 Nos. | | | | | |
| | a) Labour | | | | | |
| | head Mazdoor | | day | 0.01 | 370.00 | 3.7 |
| | Mazdoor | | day | 0.25 | 310.00 | 77.50 |
| | Cost for 2000 Nos. = | | | | | 81.20 |
| | contractor's profit and | | | | | |
| | overhead charges | 13.615% | | | | 11.06 |
| | Rate per 1000 Nos. = | | | | Rs. | 46.10 |

100% of loading charges

b) Unloadin I.e., Rs.

COM-DTL-LDLFT-4

D. LOADING AND UNLOADING CHARGES BY MANUAL MEANS (including idle hire charges of trucks)

| 1 | Loading of Lime, Aggregate | | | | | |
|------------|----------------------------|--------------------|----------|----------|------------|--------|
| a) Loading | Brick Aggregate, Kankar, B | uilding Rubbish, | | | | |
| | Building Rubbish, Crushed | Slag, Stone for Ma | Quantity | Rate Rs. | Amount Rs. | |
| | Work by manual means incl | uding a lead upto | 30 m | | | |
| | Unit = cum | | | | | |
| | Taking output = 5.5 cum | | | | | |
| | a) Labour | | | | | |
| | Head Mazdoor | | day | 0.02 | 370.00 | 7.40 |
| | Mazdoor | | day | 0.5 | 310 | 155.00 |
| | b) Machinery | | | | | |
| | Truck 10t | | hour | 0.5 | 887.10 | 443.55 |
| | Cost for 5.5 cum = | | | | | 605.95 |
| | contractor's profit and | | | | | |
| | overhead charges | 13.615% | | | | 82.50 |
| | Rate per cum = | | | | Rs. | 125.20 |

b) Unloadin 50% of the loading charges i.e.,

62.6

| 2 | Loading of Earth, Sand, Moore | um, Manure, Flya | Unit | Quantity | Rate Rs. | Amount Rs. | | | |
|-------------|--|------------------|------|----------|----------|------------|--|--|--|
| a) Loading | by manual means including a lead upto 30 m | | | | | | | | |
| | Unit = cum | | | | | | | | |
| | Taking output = 5.5 cum | | | | | | | | |
| | Labour | | | | | | | | |
| | Head Mazdoor | | day | 0.01 | 370.00 | 3.70 | | | |
| | Mazdoor | | day | 0.25 | 310 | 77.50 | | | |
| | b) Machinery | | | | | | | | |
| | Truck 10t | | hour | 0.5 | 887.10 | 443.55 | | | |
| | Cost for 5.5 cum = | | | | | 524.75 | | | |
| | contractor's profit and | | | | | | | | |
| | overhead charges 13 | 3.615% | | | | 71.44 | | | |
| | Rate per cum = | | | | Rs. | 108.40 | | | |
| | | | | | | | | | |
| b) Unloadin | Unloading of Earth, Sand, Mod | orum, Manure, F | Unit | Quantity | Rate Rs. | Amount Rs. | | | |
| | by manual means including a | lead upto 30 m | | | | | | | |
| | Unit = cum | Unit = cum | | | | | | | |
| | Taking output = 5.5 cum | | | | | | | | |
| | a) Labour | | | | | | | | |
| | Mate | | day | 0.005 | 370.00 | 1.85 | | | |
| | Mazdoor(unskilled) | | day | 0.125 | 310 | 38.75 | | | |

| b) 1 | Machinery | | | | | |
|------|----------------------|---------|------|-------|--------|--------|
| Tru | ck 10t | | hour | 0.166 | 887.10 | 147.26 |
| Cos | st for 5.5 cum = | | | | | 187.86 |
| con | tractor's profit and | | | | | |
| ove | erhead charges | 13.615% | | | | 25.58 |
| Rat | te per cum = | | | | Rs. | 38.80 |

| 3 | Loading of Bricks by manu | ual means | Unit | Quantity | Rate Rs. | Total | |
|------------|----------------------------|----------------------------|------|----------|----------|--------|--|
| a) Loading | including a lead upto 30 m | including a lead upto 30 m | | | | | |
| | Unit = 1000 Nos. | | | | | | |
| | Taking output = 2000 Nos | | | | | | |
| | a) Labour | | | | | | |
| | Mate | | day | 0.01 | 370.00 | 3.70 | |
| | Mazdoor(unskilled) | | day | 0.25 | 310 | 77.50 | |
| | b) Machinery | | | | | | |
| | Truck 10t | | hour | 0.33 | 887.10 | 292.74 | |
| | Cost for 2000 Nos. = | | | | | 373.94 | |
| | contractor's profit and | | | | | | |
| | overhead charges 13.615% | | | | | 50.91 | |
| | Rate per 1000 bricks = | | | | Rs. | 212.40 | |

b) Unloadin 100% of loading charges i.e 212.40

| 4 | Loading of Cement by man | nual means | Unit | Quantity | Rate Rs. | Total |
|------------|----------------------------|------------|------|----------|----------|---------|
| a) Loading | including a lead upto 30 m | | | | | |
| | Unit = 1 t | | | | | |
| | Taking output = 10 t | | | | | |
| | a) Labour | | | | | |
| | Mate | | day | 0.06 | 370.00 | 22.20 |
| | Mazdoor(unskilled) | | day | 1.5 | 310 | 465.00 |
| | b) Machinery | | | | | |
| | Truck 10t | | hour | 1 | 887.10 | 887.10 |
| | Cost for 10 t = | | | | | 1374.30 |
| | contractor's profit and | | | | | |
| | overhead charges | 13.615% | | | | 187.11 |
| | Rate per 1 tonne = | | | | Rs. | 156.10 |

b) Unloadin 100% of loading charges i.e 156.10

| 5 | Loading of Structural Steel, | Steel Bars by man | Unit | Quantity | Rate Rs. | Total |
|------------|------------------------------|-------------------|------|----------|----------|---------|
| a) Loading | including a lead upto 30 m | | | | | |
| | Unit = 1 t | | | | | |
| | Taking output = 10 t | | | | | |
| | a) Labour | | | | | |
| | Mate | | day | 0.07 | 370.00 | 25.90 |
| | Mazdoor(unskilled) | | day | 1.8 | 310 | 558.00 |
| | b) Machinery | | | | | |
| | Truck 10t | | hour | 1 | 887.10 | 887.10 |
| | Cost for 10 t = | | | | | 1471.00 |
| | contractor's profit and | | | | | |
| | overhead charges | 13.615% | | | | 200.28 |
| | Rate per 1 tonne = | | | | Rs. | 167.10 |
| | | | | | | |

b) Unloadin 100% of loading charges i.e 167.10

COM-DTL-LDLFT-5 E. LOADING A

E. LOADING AND UNLOADING CHARGES BY MECHANICAL MEANS (including idle hire charges of trucks)

COM-DTL-LDLFT-5-A

| 1 | Loading of Lime, Aggregate, Sto | one Boulder, | | | | |
|------------------------------|-------------------------------------|----------------------|------|----------|----------|--------|
| a) Loading | Brick Aggregate, Kankar, Buildin | g Rubbish, | | | | |
| | Crushed Slag, Stone for Masonry | work by | | | | |
| | mechanical means including a le | ead upto 30 m | Unit | Quantity | Rate Rs. | Total |
| | Placing tipper at loading point, lo | ading with front end | | | | |
| | loader excluding time for haulag | e and return trip. | | | | |
| | Unit = cum | | | | | |
| | Taking output = 5.5 cum | | | | | |
| | Time required for | | | | | |
| | i) Positioning of tipper at loading | point | Min | 1 | | |
| | ii) Loading by front end loader 1 | cum bucket capacity | Min | 7.33 | | |
| | @ 45 / 25 cum per hour | | | | | |
| | iii) Manoevouring, reversing, dum | ping and turning | Min | - | | |
| | for return | | | | | |
| | iv) Waiting time, unforeseen conf | tingencies, etc. | Min | 2 | _ | |
| | Total | | Min | 10.33 | | |
| | a) Machinery | | | | | |
| | Tipper 10 t capacity | | hour | 0.17 | 919.70 | 158.34 |
| | Front end-loader 1 cum bucket c | apacity @ 45 cum | hour | 0.12 | 2821.50 | 344.69 |
| | per hour | | | | | |
| | Cost for 5.5 cum = | | | | | 503.03 |
| | b) contractor's profit and | | | | | |
| | overhead charges | 13.615% | | | | 68.49 |
| | Rate per cum = (a+b)/5.5 | | | | Rs. | 103.90 |

b) Unloadin see below. COM-LDLFT-5-B

COM-DTL-LDLFT-5-B

| 3 | 2 | Loading of Earth, sand, Mo | | | | | | |
|---|------------------------------|---|----------------------|-----------|----------|-------|----------|--------|
| | a) Loading | by mechanical means including | ng a lead upto 30 | m | | | | |
| | | Placing tipper at loading poi | | | | | | |
| | | end loader excluding time for | or haulage and reti | u Unit | Quantity | | Rate Rs. | Total |
| | | Placing tipper at loading poi | nt, loading with fro | ont | | | | |
| | | end loader excluding time for | or haulage and reti | urn trip. | | | | |
| | | Unit = cum | | | | | | |
| | | Taking output = 5.5 cum | | | | | | |
| | | Time required for | | | | | | |
| | | i) Positioning of tipper at loa | ding point | Min | 1 | | | |
| | | ii) Loading by front end loader 1 cum bucket ca Min 3.3 | | | | | | |
| | | @ 45 / 25 cum per hour | | | | | | |
| | | iii) Waiting time, unforeseen | 2 | | | | | |
| | | Total | | Min | 6.3 | | | |
| | | a) Machinery | | | | | | |
| | | Tipper 10 t capacity | | hour | | 0.105 | 919.70 | 96.57 |
| | | Front end-loader 1 cum bucket c | apacity @ 45 cum | hour | | 0.055 | 2821.50 | 155.18 |
| | | per hour | | | | | | |
| | | Cost for 5.5 cum = | | | | | • | 251.75 |
| | | b) contractor's profit and | | | | | • | |
| | | overhead charges | 13.615% | | | | | 34.28 |
| | | Rate per cum = (a+b)/5.5 | | | | | Rs. | 52.00 |

| b) Unloading | Unloading of Earth, sand, Moore | ım, Manure, Flyash, | | | | |
|--------------|---|---------------------|------|----------|----------|-------|
| | lime, Aggregate, Stone boulder, Kankar, Building rubbish, Manuru Flyash, Stone for Masonry work | e, Crushed Slag, | Unit | Quantity | Rate Rs. | Total |
| | means including a lead upto 30 | | | | | |
| | Placing tipper at unloading point, excluding time | | | l | | |
| | for haulage and return trip. | | | | | |
| | Taking output = 5.5 cum | | | | | |
| | Time required for | | | | | |
| | i) Positioning of tipper at loading | point | Min | 1 | | |
| | ii) Loading by front end loader 1 | cum bucket capacity | Min | 2 | | |
| | @ 45 / 25 cum per hour | | | | | |
| | iii) Waiting time, unforeseen con | tingencies, etc. | Min | 2 | | |
| | Total | | | 5 | | |
| | a) Machinery | | | | | |
| | Tipper 10 t capacity | | hour | 0.08 | 919.70 | 76.64 |
| | Cost for 5.5 cum = | | | | | 76.64 |
| | b) contractor's profit and | | | | | |
| | overhead charges | 13.615% | | | | 10.43 |
| | Rate per cum = $(a+b)/5.5$ | | | | | 15.80 |

COM-DTL-LDLFT-6

F. LIFT CHARGES FOR MATERIALS BY HEAD LOAD

FOR CATEGORY: Earth / Sand / Gravel / Murrum / Lime / Surki / Coarse aggregate / Rubble stone / Size stone / Cut stone

Lift: Upto 3.00 m

This is the initial lift and forms integral part of the activities in the basic rate of work item. Lift charges are admissible only lifting effort beyond initial lift specified in the work item.

Lift: ADDITIONAL LIFT CHARGES FOR each 1 METER LIFT BEYOND 3 M INITIAL LIFT

For additional lift of 1m beyond initial lift of 3 m one meter lift is taken equivalent to 6 meters lead average speed of conveyance by head load

60 m/minute Round trip cycle time for 1.00 m considering 50 min/ hr working 1 x6x 60 / 50 / 60) min 0.12 No. of trips per day for lift 1.0 m above 3 m (8 x 60 / 0..12) 4000 Quantity of material by head load 0.015 cum Quantity of material by head load per day (4000x 0.015) 60 cum Deploy 1 mazdoor for every additional lift of 1.0 m beyond initial lift.

Lift: Upto 3.00 m for materials under this Category 60 Amount Rate SI No Description Unit Quantity in Rs in Rs 1.00 Mazdoor 310.00 310.00 Dav contractor's profit and overhead charges 13.615% 42.21 Total Rs: for 60 352.21 cum Rate per cum 5.90

FOR CATEGORY: Cement bag / Reinforcement steel / Structural steel sections

Lift: Upto 3.00 m

This is the initial lift and forms integral part of the activities in the basic rate of work item. Lift charges are admissible only lifting effort beyond initial lift specified in the work item.

Lift: ADDITIONAL LIFT CHARGES FOR each 1 METER LIFT BEYOND 3 M INITIAL LIFT

For additional lift of 1m beyond initial lift of 3 m one meter lift is taken equivalent to 6 meters lead average speed of conveyance by head load Round trip cycle time for 1.00 m considering 50 min/ hr working

25 m/minute

cum

| 1 x6x 60 / 50 / 25) | 0.29 | min | | | | |
|---|------|------|--|--|--|--|
| No. of trips per day foradditional lift 1.0 m above 3 m (8 x 60 / 0.29) | 1655 | | | | | |
| Quantity of material by head load | 50 | kgs | | | | |
| Quantity of material by head load per day (1655x50x 0.015) | 83 | tons | | | | |
| Deploy 1 mazdoor for every additional lift of 1.5 m beyond initial lift.or2/3 mazdoor | | | | | | |

Lift: Upto 3.00 m for materials under this Category Unit: 83 TONS

| SI No. | Description | Unit | Quantity | Rate in Rs. | Amount in Rs. |
|--------|--|----------------------------|----------|----------------|---------------|
| 1 | 2 | 3 | 4 | 5 | 6 |
| | Mazdoor | Day | 1.00 | 310.00 | 310.00 |
| | contractor's profit and overhead charges | 13.615% | | | 42.21 |
| | | Total Rs: for 83 Tonnes | | | 352.21 |
| | Rate per tonne | | | | 4.20 |

FOR CATEGORY: PCC slab / Shahabad stone slab / CC block / Laterite stone / BS slab / Wood

Lift: Upto 3.00 m

This is the initial lift and forms integral part of the activities in the basic rate of work item. Lift charges are admissible only lifting effort beyond initial lift specified in the work item.

Lift: ADDITIONAL LIFT CHARGES FOR EACH 1 METER LIFT BEYOND 3 M INITIAL LIFT

For additional lift of 1m beyond initial lift of 3 m one meter lift is taken equivalent to 6 meters lead average speed of conveyance by head load Round trip cycle time for 1.00 m considering 50 min/ hr working 1 x6x 60 / 50 / 40) 0.18 min No. of trips per day for lift 1.0 m (8 x 60 / 0.18) 2667 Quantity of material by head load 0.017 cum Quantity of material by head load per day (1667x 0.018) 45 cum Deploy 1 mazdoor for every additional lift of 1.5 m beyond initial lift.or2/3 mazdoor

| Lift : Upto 3 | 3.00 m for materials under Ca | ategory | Unit: | 45 | cum |
|---------------|--|------------------|----------|--------|--------|
| | | | | Rate | Amount |
| SI No. | Description | Unit | Quantity | in Rs. | in Rs. |
| 1 | 2 | 3 | 4 | 5 | 6 |
| | Mazdoor | Day | 1.00 | 310.00 | 310.00 |
| | contractor's profit and overhead charges | 13.615% | | | 42.21 |
| | | Total Rs: for 45 | | | |
| | | cum | | | 352.21 |
| | Rate per cum | | | | 7.80 |

HIRE CHARGES OF MACHINERY

FOR THE YEAR : 2015-16

| S.No | Description of machinery | Unit | Hire charge in | Fuel charge in | Crew Charge | |
|----------|--|--------------|------------------|-------------------|-----------------|-------------------|
| | | | Rs | Rs | in Rs. | |
| | | | | | | Total in Rs |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| 1 | Agitator car / Transit mixer 2 cum | Hour | 758.40 | 893.90 | 265.20 | 1917.50 |
| 2 | Air compressor 5 cmm (electric) | Hour | 108.30 | 259.80 | 153.10 | 521.20 |
| 3 | Air compressor 7 cmm (diesel) | Hour | 241.30 | 731.40 | 195.90 | 1168.60 |
| 4 | Air compressor 7 cmm (electric) | Hour | 131.90 | 346.40 | 153.10 | 631.40 |
| 5 | Air compressor 8.5 cmm (diesel | Hour | 275.60 | 914.20 | 195.90 | 1385.70 |
| 6 | Air compressor 8.5 cmm (electric) | Hour | 170.80 | 433.10 | 153.10 | 757.00 |
| 7 | Air compressor 15 cmm (electric) | Hour | 138.80 | 962.30 | 163.30 | 1264.40 |
| 8 | Angle Dozer 90 hp | Hour | 1715.50 | 625.30 | 221.00 | 2561.80 |
| 9 | Batching plant 0.5 cum(6 cum/hr) | Hour | 114.60 | 115.50 | 318.20 | 548.30 |
| 10 | Batching plant 2 x 1.00 cum(15 cum/hr) | Hour | 405.40 | | | 1070.00 |
| 11 | Batching plant 2 x 1.50 cum(50 cum/hr) | Hour | 518.10 | | | 1259.70 |
| 12 | Bending machine 3000 x 12 mm | Hour | 42.60 | | 122.50 | 280.60 |
| 13 | Clamp shell and hoisting ropes | Hour | 5.40 | | | 5.40 |
| 14 | Concrete bucket 1.5 cum | Hour | 15.80 | | 0.00 | 15.80 |
| 15 | Concrete hand mixer 45 / 30 ltr | Hour | 5.50 | | | 5.50 |
| 16 | Concrete mixer 300 / 200 (diesel) | Hour | 53.50 | | | 338.90 |
| 17 | Concrete mixer 300 / 200 ltr (electric) | Hour | 51.70 | | | 294.30 |
| 18 | Concrete mixer 600 / 400 (diesel) | Hour | 92.70 | | | 459.30 |
| 19 | Concrete mixer 600 / 400 ltr (electric | Hour | 91.00 | | | 372.10 |
| 20 | Concrete paver 100 sqm / hr | Hour | 356.50 | | | 748.40 |
| 21 | Convey mucker | Hour | 822.80 | | | 1254.00 |
| 22 | Core drilling machine | Hour | 319.00 | | | 828.00 |
| 23 | Diesel generating set 30 KVA | Hour | 65.80 | | | 838.40 |
| 24 | Diesel generating set 50 KVA | Hour | 85.10 | | | 1182.80 |
| 25 | Diesel Loco 45 hp | Hour | 381.60 | | | 1083.20 |
| 26 | Dewatering pump 5 hp (diesel) | Hour | 10.20 | | 103.60 | 195.10 |
| 27 | Dewatering pump 5 hp (electric) | Hour | 3.00 | | 77.70 | 119.20 |
| 28 | Dewatering pump 10 hp (diesel) | Hour | 15.20 | | | 281.30 |
| 29 | Dewatering pump 10 hp (electric | Hour | 6.70 | | | 161.40 |
| 30 31 | Dewatering pump 20 hp (diesel) | Hour Hour | 48.30 12.30 | | | 477.00 |
| 32 | Dewatering pump 20 hp (electric Drifter | Hour | 322.70 | | 77.70 331.50 | 244.00 654.20 |
| 33 | Drilling jumbo | Hour | | | | |
| 34 | Dumper 4.5 cum | Hour | 368.40 580.70 | | | 575.60 1202.50 |
| 35 | Geophysical Electric resistivity meter | Hour | 99.00 | | | 99.00 |
| | Grouting pump | Hour | 24.90 | | 244.90 | |
| 37 | Guniting / sand blast equipment | Hour | 110.10 | | | 314.20 |
| 38 | Ice plant & accessories 30 t / day | Hour | 170.20 | | | 1389.80 |
| | Jack hammer | Hour | 19.80 | | | 326.00 |
| | Needle vibrator 40 mm (petrol) | Hour | 7.60 | | | 175.10 |
| 41 | Needle vibrator 40 mm (electric) | Hour | 8.00 | | | 162.60 |
| | Needle vibrator 60 mm (petrol) | Hour | 8.20 | | | 185.90 |
| | Needle vibrator 60 mm (electric) | Hour | 9.70 | | | 168.10 |
| 44 | Planing machine 4 m stroke | Hour | 117.80 | | | 429.20 |
| 45 | Plate shearing machine upto 12 mm | Hour | 41.90 | | 132.60 | 328.50 |
| 46 | Pneumatic placer 0.5 cum | Hour | 171.10 | | 80.90 | 252.00 |
| 47 | Pneumatic tamper | Hour | 20.70 | | 244.90 | 265.60 |
| 48 | Pug cutting machine | Hour | 6.40 | | | 10.20 |
| 49 | Pusher leg | Hour | 12.70 | | | 12.70 |
| 50 | Road roller diesel 10 t | Hour | 197.20 | | | 1124.50 |
| 51 | Shovel 0.50 cum 75 hp | Hour | 1003.10 | | | 1711.70 |

HIRE CHARGES OF MACHINERY

FOR THE YEAR : 2015-16

| S.No | Description of machinery | Unit | Hire charge in Rs | Fuel charge in Rs | Crew Charge in Rs. | Total in Rs |
|------|--|------|-------------------------|-------------------------|--------------------------|-------------|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| 52 | Shovel 0.85 cum 110 hp | Hour | 1706.60 | 893.90 | 221.00 | 2821.50 |
| 53 | Stationery derric crane | Hour | 86.10 | | | 86.10 |
| 54 | Tipper 5 cum | Hour | 446.70 | 307.20 | 165.80 | 919.70 |
| 55 | Tipping tub 1.5 cum | Hour | 64.20 | 0.00 | 0.00 | 64.20 |
| 56 | Tower crane 5 tonne | Hour | 867.10 | 200.20 | 176.80 | 1244.10 |
| 57 | Transformer 250 KVA | Hour | 5041.00 | 0.00 | 0.00 | 5041.00 |
| 58 | Truck 10 t | Hour | 414.10 | 307.20 | 165.80 | 887.10 |
| 59 | Truck mounted derric crane 5 t | Hour | 519.70 | 307.20 | 165.80 | 992.70 |
| 60 | Upright drilling machine/Grinder | Hour | 22.50 | 38.50 | 187.20 | 248.20 |
| 61 | Ventilation fan 20 hp | Hour | 11.50 | 154.00 | 26.80 | 192.30 |
| 62 | Vibratory pad foot roller 8 t | Hour | 1342.20 | 1056.40 | 244.90 | 2643.50 |
| 63 | Wagon drill | Hour | 188.50 | 0.00 | 265.20 | 453.70 |
| 64 | Water tanker 8000 ltr | Hour | 402.50 | 307.20 | 165.80 | 875.50 |
| 65 | Welding set | Hour | 16.00 | 92.40 | 0.00 | 108.40 |
| 66 | Winch 35 hp (electric) | Hour | 129.40 | 188.60 | 244.90 | 562.90 |
| 67 | Tractor with 2T roller | Hour | | | | 345.00 |
| 68 | Hydraulic Truck Crane 30T | Hour | 3096.80 | 118.80 | 489.20 | 3704.80 |
| 69 | Hydraulic Truck Crane 16T | Hour | 2278.10 | 75.00 | 489.20 | 2842.30 |
| 70 | Heavy Duty Airless Spray Painting Equipment | Hour | 121.40 | | | 121.40 |