

As of: 3rd February 2020 - V26 - A4 x 4 / A3 x 8

OVP Certificate No's.	Exp Date
FSC TT-COC-002446	07.02.2023
FSC Licence Code: C015995	07.02.2023
PEFC BMT-PEFC-0409	07.02.2023
PEFC Label Usage: PEFC/16-33-452	07.02.2023
FSC Trademark/Label Standard: FSC-STD-50-001(V2-0)	PEFC Trademark/Label Standard: PEFC ST 2001:2008 V2
EUTR (EU NO 995/2010) Defined as Trader	Effective: 03.03.13

NB: FSC® or PEFC Logos must not be used unless the printing process is covered by the appropriate Chain of Custody Certification.

Arcoprint/Laser

Arcoprint/Laser* is an uncoated text and cover product. Weight: 100gsm -to- 350gsm Sizes SRA2, B1.
Shade: White *Laser only available in 100gsm.
FSC4

Recommended Document Statement and Label:

FSC Mix Credit

Regulation (EU) 995/2010 (EUTR)

Trader: Ovenden Papers Ltd



Arctic Matt

Arctic Matt is a matt coated product. Weight: 100gsm -to- 350gsm Sizes SRA2. Shade: White FSC4

Recommended Document Statement and Label:

FSC Mix Credit

Regulation (EU) 995/2010 (EUTR) Trader: Ovenden Papers Ltd



Canon Black Label

Uncoated A4 Paper Weight: 80gsm Sizes: A4 Shade: White

Recommended Document Statement and Label:

FSC Mix Credit

Regulation (EU) 995/2010 (EUTR) Trader: Ovenden Papers Ltd



Canon Orange Label

Uncoated A4 Paper Weight: 75gsm Sizes: A4 Shade: White FSC4

Recommended Document Statement and Label:

FSC Mix Credit





As of: 3rd February 2020 - V26 - A4 x 4 / A3 x 8

Canon Top Colour Digital

Uncoated A4 Paper Weight: 90-350gsm Sizes: A4, A3 & SRA3 Shade: White

Recommended Document Statement and Label:

FSC Mix Credit

Regulation (EU) 995/2010 (EUTR)

Trader: Ovenden Papers Ltd



Charta Everyday Copier

Uncoated A4 Paper Weight: 70gsm Sizes: A4 Shade: White PEFC2

Recommended Document Statement and Label:

70% PEFC certified

Regulation (EU) 995/2010 (EUTR)

Trader: Ovenden Papers Ltd



Charta Digital Coated

Uncoated Smooth Paper and Board for Indigo. Weight: 90gsm -to- 300gsm Sizes: 460x320mm Shade: White FSC4

Recommended Document Statement and Label:

FSC Mix Credi

Regulation (EU) 995/2010 (EUTR)

Trader: Ovenden Papers Ltd



Charta Digital Uncoated

Uncoated Smooth Paper and Board for Indigo. Weight: 100gsm -to- 400gsm Sizes: 460x320mm Shade: White FSC4

Recommended Document Statement and Label:

FSC Mix Credit

Regulation (EU) 995/2010 (EUTR) Trader: Ovenden Papers Ltd FSC
www.fsc.org
MIX
Paper from
responsible sources
FSC® XXXXXX

Color Copy (Uncoated Only)

Uncoated Smooth Paper and Board. Weight: 90gsm -to- 350gsm Sizes: A4, A3, SRA3 Shade: White "Color Copy Coated Not FSC" FSC4

Recommended Document Statement and Label:

FSC Mix Credit





As of: 3rd February 2020 - V26 - A4 x 4 / A3 x 8

Creator

Triple Coated Paper and Board. Weight: 90gsm -to- 300gsm Sizes: SRA2, SRA1, SRA3, B2, B1, MO Shade: White

Recommended Document Statement and Label:

FSC Mix Credit

Regulation (EU) 995/2010 (EUTR) Trader: Ovenden Papers Ltd



Conqueror

Premier Grade in the Conqueror Range consisting of paper and board

Conqueror Bamboo Conqueror Contour Conqueror Connoisseur ** Conqueror CX22 Conqueror High Speed Laser Conqueror Iridescent Conqueror Laid Conqueror Wove
** 100% Cotton Non FSC. Produced from cotton not timber fibres **
FSC4

Recommended Document Statement and Label:

FSC Mix Credit

Regulation (EU) 995/2010 (EUTR)

Trader: Ovenden Papers Ltd



Conqueror Recycled 25%

Wove, CX22 & Laid Paper & Envelopes Weight: 100gsm -to- 320gsm Sizes: A4, SRA2, B1 Shade: Fresh White and Milk White

Recommended Document Statement and Label:

FSC Mix Credit

Regulation (EU) 995/2010 (EUTR) Trader: Ovenden Papers Ltd



Conqueror Recycled 100%

Wove, CX22 & Laid Paper & Envelopes Weight: 100gsm -to- 320gsm Sizes: A4, SRA3, SRA2, B1 Shade: Brilliant White and Diamond White

Recommended Document Statement and Label:

FSC Recycled 100%

Regulation (EU) 995/2010 (EUTR) Trader: Ovenden Papers Ltd

DCP

Uncoated high quality Digital Pre Print Grade Weight: 80gsm -to- 350gsm Sizes: SRA2, SRA3, A4 & A3 Shade: White FSC4

Recommended Document Statement and Label:

FSC Mix Credit

Regulation (EU) 995/2010 (EUTR)





As of: 3rd February 2020 - V26 - A4 x 4 / A3 x 8

DNS Color Print

Uncoated high quality Digital Pre Print Grade Weight: 80gsm -to- 350gsm Sizes: A4, A3, SRA2 & SRA3 Shade: White FSC4

Recommended Document Statement and Label:

FSC Mix Credit

Regulation (EU) 995/2010 (EUTR) Trader: Ovenden Papers Ltd



Diplomat Pulpboard

Pulpboard and Postcard product Weight: 200mic – 380mic Sizes: SRA2, Postal, Royal. Shade: White

Recommended Document Statement and Label:

FSC Mix Credit

Regulation (EU) 995/2010 (EUTR) Trader: Ovenden Papers Ltd



Ensocoat 1-Sided SBS

A premium board of choice for the most demanding high-end packaging and graphical applications. Sizes: SRA2, SRA1, B1 & B2 Shade: White FSC4

Recommended Document Statement and Label:

FSC Mix Credit

Regulation (EU) 995/2010 (EUTR)

Trader: Ovenden Papers Ltd



Experia Digi Gloss and Silk (Including Indigo)

Digital Coated Paper and Board. Weight: 90gsm -to- 350gsm Sizes: SRA3 & SRA3+ Shade: White FSC4

Recommended Document Statement and Label:

FSC Mix Credit

Regulation (EU) 995/2010 (EUTR)

Trader: Ovenden Papers Ltd



Giroform (Including Giroform Digital)

Carbonless Range Weight: 60 to 170gsm Sizes: A4, RA2, RA3, SRA2, SRA3, B1 Shade: White and Tints FSC4

Recommended Document Statement and Label:

FSC Mix Credit

Regulation (EU) 995/2010 (EUTR)





As of: 3rd February 2020 - V26 - A4 x 4 / A3 x 8

Inspira Pre-Print

Uncoated high quality Digital Pre Print Grade Weight: 80gsm -to- 350gsm Sizes: B1, B2, RA2, SRA2, SRA3, SRA1 Shade: White PEFC2

Recommended Document Statement and Label:

70% PEFC certified

Regulation (EU) 995/2010 (EUTR)

Trader: Ovenden Papers Ltd

IQ Appeal

Uncoated B+ Grade copier Weight: 80gsm Sizes: A4, A3 Shade: White FSC4

Recommended Document Statement and Label:

FSC Mix Credit

Regulation (EU) 995/2010 (EUTR)

Trader: Ovenden Papers Ltd



IQ Premium

Uncoated A+ Grade copier Weight: 80gsm -to- 100gsm Sizes: A4, A3, SRA2 Shade: White FSC4

Recommended Document Statement and Label:

FSC Mix Credit

Regulation (EU) 995/2010 (EUTR)

Trader: Ovenden Papers Ltd



Lumi Gloss and Silk

High white Coated Paper and Board. Weight: 90gsm -to- 250gsm Sizes: SRA2, SRA1, B2, B1, MO, 630x880 & Reels Shade: White. FSC4

Recommended Document Statement and Label:

FSC Mix Credit

Regulation (EU) 995/2010 (EUTR)

Trader: Ovenden Papers Ltd



Martel Superior Envelopes

Premium Envelopes to compliment the Martel Range Weight: 120gsm Sizes: DL, C4, C5, Shade: White. FSC4

Recommended Document Statement and Label:

FSC Mix Credit

Regulation (EU) 995/2010 (EUTR)





As of: 3rd February 2020 - V26 - A4 x 4 / A3 x 8

Martel Premium Recycled Envelopes

Premium Envelopes to compliment the Martel Range Weight: 120gsm Sizes: DL, C4, C5,

Shade: White.

Recommended Document Statement and Label:

FSC Mix Credit

Regulation (EU) 995/2010 (EUTR) Trader: Ovenden Papers Ltd



Natural Greyboard

A Premium Recycled Greyboard Mic: 500-1000mic Sizes: S2, S1. Shade: N/A FSC8

Recommended Document Statement and Label:

FSC Recycled Credit

Regulation (EU) 995/2010 (EUTR) Trader: Ovenden Papers Ltd



Nautilus Recycled Super White

A Premium 100% Recycled copier product. Weight: 80gsm Sizes: A4 Shade: Super White.

Recommended Document Statement and Label:

FSC Recycled 100%

Regulation (EU) 995/2010 (EUTR) Trader: Ovenden Papers Ltd



Nine Lives 100 Offset

Nine Lives is an uncoated offset paper Weight: 80gsm -to- 350sm Sizes SRA2, B1. Shade: White FSC3

Recommended Document Statement and Label:

FSC Recycled

Regulation (EU) 995/2010 (EUTR) Trader: Ovenden Papers Ltd



Paperfect

Paperfect is an uncoated offset paper Weight: 75gsm -to- 104gsm Sizes SRA2, SRA1. Shade: White FSC3

Recommended Document Statement and Label:

FSC Mix 70%





As of: 3rd February 2020 - V26 - A4 x 4 / A3 x 8

Performa Brilliance

A high quality Fully Coated Graphical Board with a coated White Back (GC1).

Weight: 240gsm -to- 370gsm Sizes: SRA2, SRA1, B1 & B2

Shade: White

FSC4

Recommended Document Statement and Label:

FSC Mix Credit

Regulation (EU) 995/2010 (EUTR)

Trader: Ovenden Papers Ltd

Pop'Set

Uncoated Tinted range in Cut and Folio sizes. 35 Shades Weight: 80gsm – 320gsm Shade: White and Tinted

FSC4

Recommended Document Statement and Label:

FSC Mix Credit

Regulation (EU) 995/2010 (EUTR)

Trader: Ovenden Papers Ltd



Pro Design

Uncoated Smooth Paper and Board. Weight: 90gsm – 350gsm Sizes: A4, A3, SRA2 & SRA3 Shade: White FSC3

Recommended Document Statement and Label:

FSC Mix 70%

Regulation (EU) 995/2010 (EUTR)

Trader: Ovenden Papers Ltd



Respecta Gloss and Satin

High white Coated Paper and Board. Weight: 90gsm -to- 350gsm Sizes: SRA2, SRA1, B2, B1, MO, 630x880 & Reels Shade: White.

Recommended Document Statement and Label:

FSC Mix Credit

Regulation (EU) 995/2010 (EUTR)

Trader: Ovenden Papers Ltd



Report Multipurpose Copier

Uncoated C+ copier grade Weight: 75gsm Sizes: A4, A3 Shade: White FSC4

Recommended Document Statement and Label:

FSC Mix Credit

Regulation (EU) 995/2010 (EUTR)





As of: 3rd February 2020 - V26 - A4 x 4 / A3 x 8

Report Professional Copier

Uncoated B+ copier grade. Available in 4-Hole punched. Weight: 80gsm Sizes: A4, A3 Shade: White FSC4

Recommended Document Statement and Label:

FSC Mix Credit

Regulation (EU) 995/2010 (EUTR)

Trader: Ovenden Papers Ltd

FSC www.fsc.org MIX Paper from responsible sources FSC* XXXXXX

Report Superior Copier

Uncoated A+ copier grade. Weight: 90gsm Sizes: A4, A3 Shade: White FSC4

Recommended Document Statement and Label:

FSC Mix Credit

Regulation (EU) 995/2010 (EUTR)

Trader: Ovenden Papers Ltd



Rey Office Document

Uncoated laser-offset paper Weight: 80gsm -to- 135gsm Sizes: A4, A3, SRA2, SRA1 Shade: White PEFC2

Recommended Document Statement and Label:

70% PEFC certified

Regulation (EU) 995/2010 (EUTR)

Trader: Ovenden Papers Ltd



Snowhite Laser (Folio Sizes)

Uncoated Smooth Premium Shade Paper and Boards Weight: 80gsm -to- 210gsm Sizes: A4, A3, SRA2, SRA1, SRA3 Shade: White FSC4

Recommended Document Statement and Label:

FSC Mix Credit

Regulation (EU) 995/2010 (EUTR)

Trader: Ovenden Papers Ltd



Splendorgel EW

Uncoated super smooth paper and board Weight: 100gsm -to- 400gsm Sizes: SRA2 Shade: Extra White

Recommended Document Statement and Label:

FSC Mix Credit

Regulation (EU) 995/2010 (EUTR)





As of: 3rd February 2020 - V26 - A4 x 4 / A3 x 8

Stellar Gloss & Silk

Stellar is a superior range of "high bulking" woodfree, double coated papers and boards. Weight: 100gsm -to- 350gsm

Sizes: SRA2 Shade: White PEFC2

Recommended Document Statement and Label:

100% PEFC certified

Regulation (EU) 995/2010 (EUTR) Trader: Ovenden Papers Ltd



Symbol Freelife - Recycled content

Triple Coated Recycled-content Product available in paper and board. Weight: 90gsm -to- 350gsm Sizes: SRA2, SRA1, B1 Shade: White

FSC4

Recommended Document Statement and Label:

FSC Mix Credit

Regulation (EU) 995/2010 (EUTR) Trader: Ovenden Papers Ltd



Target Plus Pre-print

Uncoated Smooth Premium Shade Paper Weight: 80gsm -to- 110gsm Sizes: A4, A3, SRA2, SRA3 Shade: White FSC3

Recommended Document Statement and Label:

FSC Mix 70%

Regulation (EU) 995/2010 (EUTR) Trader: Ovenden Papers Ltd



Target Offset Boards

Uncoated Smooth Premium Shade Boards Weight: 135gsm -to- 350gsm Sizes: A4, A3, SRA2 Shade: White FSC3

Recommended Document Statement and Label:

FSC Mix 70%

Regulation (EU) 995/2010 (EUTR) Trader: Ovenden Papers Ltd



Teknocard 1 & 2 Sided SBS Board

Uncoated Tinted range of Boards Weight: 240gsm -to- 400gsm Sizes: SRA2, B2, B1 Shade: White

Recommended Document Statement and Label:

FSC Mix Credit





As of: 3rd February 2020 - V26 - A4 x 4 / A3 x 8

Trophee Tints (Cut Size Only)

Uncoated Tinted range of Paper and Boards Weight: 80gsm -to- 270gsm Sizes: A4 Only Shade: Various Tinted Range FSC4

Recommended Document Statement and Label:

FSC Mix Credit

Regulation (EU) 995/2010 (EUTR)
Trader: Ovenden Papers Ltd



Trophee Tints (Folio Size Only)

Uncoated Tinted range of Paper and Boards Weight: 80gsm -to- 270gsm Sizes: SRA2 Shade: Various Tinted Range FSC4

Recommended Document Statement and Label:

100% PEFC certified

Regulation (EU) 995/2010 (EUTR) Trader: Ovenden Papers Ltd



Vanguard

Uncoated Premium Tinted range in Cut and Folio sizes. 32 Colours

Weight: 80gsm -to- 750mic Sizes: A4, SRA2, Royal, Postal, B1 Shade: Tinted

Recommended Document Statement and Label:

FSC Mix Credit

Regulation (EU) 995/2010 (EUTR) Trader: Ovenden Papers Ltd



White Rhino Ivory Board

Uncoated Superior Ivory Board Weight: 280gsm -to- 400mic Sizes: SRA2, Royal Shade: White FSC4

Recommended Document Statement and Label:

FSC Mix Credit

Regulation (EU) 995/2010 (EUTR) Trader: Ovenden Papers Ltd



Xerox Colour Impressions (Uncoated)

An uncoated digital Paper and Board. Weight: 120gsm -to- 250gsm Sizes: A4, A3 and SRA3 Shade: White FSC4

Recommended Document Statement and Label:

FSC Mix Credit





As of: 3rd February 2020 - V26 - A4 x 4 / A3 x 8

Xerox Colour Impressions Coated / Gloss or Silk

A Coated Gloss, Silk and Super Gloss Digital Paper and Board. Weight: 120gsm -to- 350gsm Sizes: SRA3 Only

Shade: White FSC4

Recommended Document Statement and Label:

FSC Mix Credit

Regulation (EU) 995/2010 (EUTR) Trader: Ovenden Papers Ltd



Xerox Colotech +

Uncoated Digital/Smooth Paper and Board. Weight: 90gsm -to- 350gsm Sizes: A4, A3, SRA3, SRA2. Shade: White PEFC2

Recommended Document Statement and Label:

70% PEFC certified

Regulation (EU) 995/2010 (EUTR) Trader: Ovenden Papers Ltd

PEFC™

Xerox Colotech + Gloss Coated / Silk Coated / Supergloss Coated

A Coated Gloss, Silk and Super Gloss Digital Paper and Board. Weight: 120gsm -to- 350gsm Sizes: A4, A3, SRA3. Shade: White FSC4

Recommended Document Statement and Label:

FSC Mix Credit

Regulation (EU) 995/2010 (EUTR)

Trader: Ovenden Papers Ltd



The logo information provided in this document is a recommendation only. The user of this information should always make their own judgment when selecting the correct FSC or PEFC logo. Ovenden Papers, (Ovendens) do not accept any liability or responsibility for the misuse or incorrect selection of the FSC or PEFC logo.