



ILLINGWORTH INGHAM

FLOORING





BUY WITH CONFIDENCE

When you place an order with Illingworth Ingham you are ensuring that you are putting yourself in the hands of experts who have over **80 years experience** of providing first class timber products and services to businesses just like yours.

This expertise in timber and machining means our fully trained timber specialists know hardwoods and softwoods through and through ensuring **we only ever supply the best quality timbers, machined to the highest possible standards.**

Being a family owned business with a **long standing pedigree** you can be assured that we will always be willing to go that **extra mile** to ensure you are more than satisfied with our timbers and machining services.

However, **the sheer size of our operation** ensures that you still have access to a superior range of **timbers and machining facilities which are second to none.** Whatever your requirements you can be assured that you will get the most appropriate timber product at the best possible price.

GUARANTEE

The Zamorra flooring range has been developed to be easy to maintain with a lasting quality and long term durability.

This guarantee covers the product against normal wearing throughout the complete depth of the hardwood wear layer in a **domestic** environment for a specific period of 10 years from the date of installation, provided that the product is installed and maintained in accordance with the Zamorra Installation Guidelines and Zamorra Floor Care information

DELIVERY

Having our own fleet of 8 vehicles gives us the flexibility and capability to **provide a fast, efficient delivery service.**

This liveried fleet is manned by our own experienced drivers, all committed to ensuring our high quality of service is continued right through to delivery.

We have vehicles in Birmingham, Wales, Lancashire, Yorkshire and Manchester daily. Deliveries are normally free of charge, however dependent on order value and distance a small charge may be applicable.



ZAMORRA MULTIFLOOR ENGINEERED FLOORING

Zamorra Multifloor can be fully bonded, floated or secretly nailed to battens/joists, flooring grade ply and chipboard. With a bevel edge, Multifloor is available as unfinished, lacquered, brushed and oiled and is stocked in Oak.

Multifloor is both diverse in appearance and installation.


It is 20mm thick with a **6mm Oak** veneer and is specifically designed to give a solid floor appearance upon installation.

This product, whilst generally compatible with most underfloor heating systems, is not guaranteed when installed over one. This is because of the diverse range of heating systems available and therefore differing guidelines would need to be issued to cover all models of installation. However, if used over such a system, manufacturers' guidelines should be strictly adhered to.


GRADING SPECIFICATION – NATURAL GRADE

Contains the natural variations found in Oak. A slight colour variation is allowed and knots permitted. Sound and filled sapwood is allowed to a maximum 80mm in diameter.

UV LAQUERED



BRUSHED & OILED




UNFINISHED



ZAMORRA

MULTIFLOOR OAK LAQUERED


Quote Code 600



ZAMORRA

MULTIFLOOR BRUSHED OILED OAK

Quote Code 603



ZAMORRA

OAK UNFINISHED

Quote Code 601




1 Strip Construction
20mm (6mm wear layer) x
190mm x 1900mm
Natural Grade White Oak
Micro bevel 2 long – 2 short ends –
end matched
Multi layer ply base consisting of
Meranti with a Birch backing layer.

Quote Code 601

ZAMORRA

MULTIFLOOR OAK UNFINISHED 240mm WIDE

Quote Code 608



1 Strip Construction
20mm (6mm wear layer) x 240mm x
1860mm
AB Prime Grade White Oak
Micro bevel 2 long – 2 short ends –
end matched
Multi layer ply base consisting of
Meranti with a Birch backing layer.

Quote Code 608

SKIRTING AND ARCHITRAVE



Torus



Lambs Tongue



Bullnose



Regency



Chamfered

SKIRTING

21mm x 119/144/169/194/219mm
finished width
Lengths 3 metre and longer


ARCHITRAVE

21mm x 69/ 94mm finished width
Lengths 2.4 metre and longer

MACHINED TO ORDER


Boards supplied unfinished and/or lacquered.

FLOORING ACCESSORIES




OAK WOOD TO CARPET

40mm x 27mm
section




OAK R SECTION

65mm x 26.25mm



OAK T SECTION

57mm x 26.25mm
Oak Scotia
19mm x 19mm



OAK SCOTIA

19mm x 19mm

LENGTHS 2.4 METRE AND LONGER

THE PERFECT FINISH

If you have selected one of our unfinished flooring ranges (Code 601/608) then you can have a further choice in terms of the colours and finishes that are available to you. At Illingworth Ingham (M/cr) Ltd we have selected what we believe are some of the finest available products on the market

HARD WAX OIL FINISH

Blanchon coloured hardwax oils are more durable than a standard floor oil. They work into the grain well to emphasise the natural beauty of the wood. They produce a natural, matt finish. Available in a range of 12 natural colours they can be professionally applied for you in our Trafford Park production plant, ready for delivery to you.



STAINED AND LACQUERED FINISH

If you are looking for a more glossy or satin effect finish then you can choose a colour from the Aquateint® 2K wood stain range and then have it professionally stained and lacquered at our Trafford Park production plant.

You can of course choose just to have a stain applied without the lacquer if you prefer.


Hard Waxoil and Aquateint® 2K wood stain samples can be supplied on request.



WOOD FLOOR UNDERLAY

BARRIER PLUS

Polyfoam Underlay



Barrier Plus is a high quality, closed cell polyethylene foam. It is laminated on both sides with a clear barrier to provide exceptional protection against moisture migration from the subfloor. The integrated double overlap joint and waterproof Barrier Plus Cloth Tape ensure maximum joint seal efficiency.


Barrier Plus takes out unevenness in the sub-floor surface and boasts excellent thermal and sound insulating properties.

Clear vapour barrier on both sides Double Overlap

Size	1m x 15m (15m ²)
Thickness	3mm
Ref	GB2

BARRIER JOINTING TAPE

Size 50mm x 15m (15m²)



TUPLEX®

Complete Moisture Management System

Tuplex® underlay meets every critical demand for laminate and engineered wood floors – plus it doesn't trap moisture between the vapour barrier and the sub-floor.

Exclusive Airflow Technology – allows air to constantly circulate, carrying moisture to the floor's perimeter where it harmlessly evaporates. Chemical treatments temporarily inhibit mould growth but do not eliminate moisture's long term threat. Airflow technology is the safe, natural way to protect floors and the living environment.

Dual Moisture Barrier – the outer films are extruded with a special blend of PE resins and additives to deliver exceptional moisture protection and long life performance.

Extremely High Resistance To Compression – over a seven day test period, Tuplex® lost only 4% of its thickness under load corresponding to approx 600k/M². Commonly used foams lost 56% of their thickness in the same test.

Unique Self-levelling And Crushproof Consistency – thousands of built-in PolyShims eliminate slight variations and provide even, firm, long-lasting support. Variations in a sub-floor surface can cause movement where the planks of floating flooring are joined together. Movement weakens the joints which may lead to squeaking floors and possible separation of the planks.


SOUND FEATURES

Tuplex® underlay meets the latest requirements for impact sound isolation (20dB). It also provides a deep rich solid sound in the room.

IDEAL WITH FLOOR HEATING

Tuplex® has a low thermal resistance which makes it ideal to use with a floor heating system

Size	1.1m x 30m (33m ²)
Thickness	3mm
Diameter	32cm
Weight Per Roll	4.5kg
Ref	TX1





ILLINGWORTH INGHAM
M/CR LTD

HEAD OFFICE & TIMBER PRODUCTION MILL

Village Way, Trafford Park,
Manchester, M17 1AD, UK
office@iitimber.co.uk
Tel: 0161 872 1841 Fax: 0161 872 2501
www.iitimber.com

TRAFFORD TIMBER CENTRE

1298 Chester Road, Stretford,
Manchester, Lancashire. M32 9AU
sales.stretford@iitimber.co.uk
Tel: 0161 866 9882

PORTWOOD TIMBER

Portwood Industrial Estate,
1 Mersey Street, Stockport, SK1 2HX
sales.stockport@iitimber.co.uk
Tel: 0161 477 9600

ILLINGWORTH INGHAM JOINERY & TIMBER

Clark Way, Hyde, Cheshire, SK14 2AU
sales.hyde@iitimber.co.uk
Tel: 0161 368 3831

ILLINGWORTH INGHAM TIMBER SUPPLIES

211 Crompton Rd,
Macclesfield, SK11 8EZ
sales.macclesfield@iitimber.co.uk
Tel: 01625 422824

HURDSFIELD TIMBER

Derwent House, Hulley Road,
Macclesfield, SK10 2LP
sales.macclesfield@iitimber.co.uk
Tel: 01625 432 234

