


Hamilton® Linea-Rondo CFX®


Modern and elegant with a smooth rounded frame

The Linea CFX® range comes in five different designs to suit either contemporary or classic interiors. Linea CFX® has a separate back frame and our patented four point face plate clipping system, allowing the option of matching or contrasting elements.


- Minimal depth and a modern look
- Seven stunning front plate finishes and six frame and insert finishes give a limitless choice of combinations
- Two-part frame and plate for 'mix and match'
- Concealed fixing
- Grid Fix and Eurofix options also available (see separate GRID-IT and EuroFix sections)




LRX R23 BK-BS B



LRX R21 BC-SS W



LRX FN BC-PB R



LRX 1X40 BC-BK




LRX C11 BC-SS W



LRX SPN SN-SS W

Hamilton Linea-Rondo CFX® Concealed Fixing



Hamilton® *fashion, finish, function and flexibility*

Hamilton® Linea-Rondo CFX®

Select your choice of accessory finish from this Colourway Chart


Select the accessory required from the following pages overleaf

1. Select the required electrical accessory from the following pages. e.g. LRX R21 = Linea-Rondo CFX 1 gang 10AX 2 way Rocker Switch.
2. Using the Colour Chart above;
 - a. Select the required Frame Finish e.g. Bright Chrome = BC- - - -.
 - b. Select the required Front Plate Finish e.g. Satin Steel = - - - -SS.
 - c. Select the required Insert Surround Colour e.g. White = - - - - - W.

Therefore a Linea-Rondo CFX 1 gang 10AX 2 way Rocker Switch as illustrated below = LRX R21 BC-SS W.

Frame and Insert Finish	Front Plate Finish						
	Polished Brass	Satin Brass	Antique Brass	Bright Steel	Satin Steel	Black Nickel	Piano Black
Bright Chrome Bright Chrome Frame, Matching Insert with White Surround							
	BC-PB W			BC-BS W	BC-SS W		
Bright Chrome Frame, Matching Insert with Black Surround							
	BC-PB B			BC-BS B	BC-SS B	BC-BK B	BC-N B
Polished Brass Polished Brass Frame, Matching Insert with White Surround							
	PB-PB W	PB-SB W	PB-AB W	PB-BS W	PB-SS W		
Polished Brass Frame, Matching Insert with Black Surround							
	PB-PB B	PB-SB B	PB-AB B	PB-BS B	PB-SS B		
Satin Brass Satin Brass Frame, Matching Insert with White Surround							
		SB-SB W			SB-SS W		
Satin Brass Frame, Matching Insert with Black Surround							
		SB-SB B			SB-SS B		
Antique Brass Antique Brass Frame, Matching Insert with Black Surround							
		AB-SB B	AB-AB B				
Satin Nickel Satin Nickel Frame, Matching Insert with White Surround							
				SN-BS W	SN-SS W		
Satin Nickel Frame, Matching Insert with Black Surround							
				SN-BS B	SN-SS B		
Black Nickel Black Nickel Frame, Matching Insert with Black Surround							
	BK-PB B			BK-BS B		BK-BK B	

Illustration of Product Code configuration to order a Linea-Rondo CFX LRX R21 BC-SS W



Linea-Rondo CFX R21 is a UK Registered Design Certificate No. 2106349
 Linea-Rondo CFX SS2 is a UK Registered Design Certificate No. 2106350
 Linea-Rondo CFX R21 is a Chinese Registered Design Certificate No. 269586
 Linea-Rondo CFX SS2 is a Chinese Registered Design Certificate No. 268626

Linea-Rondo CFX R21 is an Indian Registered Design Certificate No. 1162
 Linea-Rondo CFX SS2 is an Indian Registered Design Certificate No. 1161

Hamilton® Linea-Rondo CFX®

Concealed Fixing Rocker Switches



LRX R23 BK-BS B



1 gang 10AX 2 way Rocker

Nominal Plate Size:
91 x 91 mm
Min. Wall Box
Depth: 25 mm
Technical Insert
Reference: **R21**
Product Code



2 gang 10AX 2 way Rocker

Nominal Plate Size:
91 x 91 mm
Min. Wall Box
Depth: 25 mm
Technical Insert
Reference: **R22**
Product Code



3 gang 10AX 2 way Rocker

Nominal Plate Size:
91 x 91 mm
Min. Wall Box
Depth: 25 mm
Technical Insert
Reference: **R23**
Product Code









4 gang 10AX 2 way Rocker

Nominal Plate Size:
150 x 91 mm
Min. Wall Box
Depth: 25 mm
Technical Insert
Reference: **R24**
Product Code



6 gang 10AX 2 way Rocker

Nominal Plate Size:
150 x 91 mm
Min. Wall Box
Depth: 25 mm
Technical Insert
Reference: **R26**
Product Code

Frame and Insert Finish	Plate Finish	Insert Surround Colour	1 gang 10AX 2 way Rocker	2 gang 10AX 2 way Rocker	3 gang 10AX 2 way Rocker	4 gang 10AX 2 way Rocker	6 gang 10AX 2 way Rocker	
 Bright Chrome	Bright Steel	White	LRX R21 BC-BS W	LRX R22 BC-BS W	LRX R23 BC-BS W	LRX R24 BC-BS W	LRX R26 BC-BS W	
	Bright Steel	Black	LRX R21 BC-BS B	LRX R22 BC-BS B	LRX R23 BC-BS B	LRX R24 BC-BS B	LRX R26 BC-BS B	
	Satin Steel	White	LRX R21 BC-SS W	LRX R22 BC-SS W	LRX R23 BC-SS W	LRX R24 BC-SS W	LRX R26 BC-SS W	
	Satin Steel	Black	LRX R21 BC-SS B	LRX R22 BC-SS B	LRX R23 BC-SS B	LRX R24 BC-SS B	LRX R26 BC-SS B	
	Polished Brass	White	LRX R21 BC-PB W	LRX R22 BC-PB W	LRX R23 BC-PB W	LRX R24 BC-PB W	LRX R26 BC-PB W	
	Polished Brass	Black	LRX R21 BC-PB B	LRX R22 BC-PB B	LRX R23 BC-PB B	LRX R24 BC-PB B	LRX R26 BC-PB B	
 Polished Brass	Polished Brass	White	LRX R21 PB-PB W	LRX R22 PB-PB W	LRX R23 PB-PB W	LRX R24 PB-PB W	LRX R26 PB-PB W	
	Polished Brass	Black	LRX R21 PB-PB B	LRX R22 PB-PB B	LRX R23 PB-PB B	LRX R24 PB-PB B	LRX R26 PB-PB B	
	Satin Brass	White	LRX R21 PB-SB W	LRX R22 PB-SB W	LRX R23 PB-SB W	LRX R24 PB-SB W	LRX R26 PB-SB W	
	Satin Brass	Black	LRX R21 PB-SB B	LRX R22 PB-SB B	LRX R23 PB-SB B	LRX R24 PB-SB B	LRX R26 PB-SB B	
	Antique Brass	White	LRX R21 PB-AB W	LRX R22 PB-AB W	LRX R23 PB-AB W	LRX R24 PB-AB W	LRX R26 PB-AB W	
	Antique Brass	Black	LRX R21 PB-AB B	LRX R22 PB-AB B	LRX R23 PB-AB B	LRX R24 PB-AB B	LRX R26 PB-AB B	
 Satin Brass	Bright Steel	White	LRX R21 PB-BS W	LRX R22 PB-BS W	LRX R23 PB-BS W	LRX R24 PB-BS W	LRX R26 PB-BS W	
	Bright Steel	Black	LRX R21 PB-BS B	LRX R22 PB-BS B	LRX R23 PB-BS B	LRX R24 PB-BS B	LRX R26 PB-BS B	
	Satin Steel	White	LRX R21 PB-SS W	LRX R22 PB-SS W	LRX R23 PB-SS W	LRX R24 PB-SS W	LRX R26 PB-SS W	
	Satin Steel	Black	LRX R21 PB-SS B	LRX R22 PB-SS B	LRX R23 PB-SS B	LRX R24 PB-SS B	LRX R26 PB-SS B	
	 Antique Brass	Satin Brass	White	LRX R21 SB-SB W	LRX R22 SB-SB W	LRX R23 SB-SB W	LRX R24 SB-SB W	LRX R26 SB-SB W
		Satin Brass	Black	LRX R21 SB-SB B	LRX R22 SB-SB B	LRX R23 SB-SB B	LRX R24 SB-SB B	LRX R26 SB-SB B
Satin Steel		White	LRX R21 SB-SS W	LRX R22 SB-SS W	LRX R23 SB-SS W	LRX R24 SB-SS W	LRX R26 SB-SS W	
Satin Steel		Black	LRX R21 SB-SS B	LRX R22 SB-SS B	LRX R23 SB-SS B	LRX R24 SB-SS B	LRX R26 SB-SS B	
 Satin Nickel	Antique Brass	Black	LRX R21 AB-AB B	LRX R22 AB-AB B	LRX R23 AB-AB B	LRX R24 AB-AB B	LRX R26 AB-AB B	
	Antique Brass	Black	LRX R21 AB-SB B	LRX R22 AB-SB B	LRX R23 AB-SB B	LRX R24 AB-SB B	LRX R26 AB-SB B	
	Bright Steel	White	LRX R21 SN-BS W	LRX R22 SN-BS W	LRX R23 SN-BS W	LRX R24 SN-BS W	LRX R26 SN-BS W	
	Bright Steel	Black	LRX R21 SN-BS B	LRX R22 SN-BS B	LRX R23 SN-BS B	LRX R24 SN-BS B	LRX R26 SN-BS B	
 Black Nickel	Satin Steel	White	LRX R21 SN-SS W	LRX R22 SN-SS W	LRX R23 SN-SS W	LRX R24 SN-SS W	LRX R26 SN-SS W	
	Satin Steel	Black	LRX R21 SN-SS B	LRX R22 SN-SS B	LRX R23 SN-SS B	LRX R24 SN-SS B	LRX R26 SN-SS B	
	Black Nickel	Black	LRX R21 BK-BK B	LRX R22 BK-BK B	LRX R23 BK-BK B	LRX R24 BK-BK B	LRX R26 BK-BK B	
	Bright Steel	Black	LRX R21 BK-BS B	LRX R22 BK-BS B	LRX R23 BK-BS B	LRX R24 BK-BS B	LRX R26 BK-BS B	
	Polished Brass	Black	LRX R21 BK-PB B	LRX R22 BK-PB B	LRX R23 BK-PB B	LRX R24 BK-PB B	LRX R26 BK-PB B	

Concealed Fixing Rocker Switches



LRX R32 PB-BS W



1 gang 10AX Intermediate Rocker

Nominal Plate Size:
91 x 91 mm
Min. Wall Box
Depth: 25 mm
Technical Insert
Reference: **R31**
Product Code









2 gang 10AX Intermediate Rocker

Nominal Plate Size:
91 x 91 mm
Min. Wall Box
Depth: 25 mm
Technical Insert
Reference: **R32**
Product Code



1 gang 10AX Push To Make/Break Retractive Rocker

Nominal Plate Size:
91 x 91 mm
Min. Wall Box
Depth: 25 mm
Technical Insert
Reference: **CFXRRT**
Product Code

Frame and Insert Finish	Plate Finish	Insert Surround Colour	Reference: R31 Product Code	Reference: R32 Product Code	Reference: CFXRRT Product Code
Bright Chrome 	Bright Steel	White	LRX R31 BC-BS W	LRX R32 BC-BS W	LRX RRT BC-BS W
	Bright Steel	Black	LRX R31 BC-BS B	LRX R32 BC-BS B	LRX RRT BC-BS B
	Satin Steel	White	LRX R31 BC-SS W	LRX R32 BC-SS W	LRX RRT BC-SS W
	Satin Steel	Black	LRX R31 BC-SS B	LRX R32 BC-SS B	LRX RRT BC-SS B
	Polished Brass	White	LRX R31 BC-PB W	LRX R32 BC-PB W	LRX RRT BC-PB W
	Polished Brass	Black	LRX R31 BC-PB B	LRX R32 BC-PB B	LRX RRT BC-PB B
	Black Nickel	Black	LRX R31 BC-BK B	LRX R32 BC-BK B	LRX RRT BC-BK B
Polished Brass 	Piano Black	Black	LRX R31 BC-N B	LRX R32 BC-N B	LRX RRT BC-N B
	Polished Brass	White	LRX R31 PB-PB W	LRX R32 PB-PB W	LRX RRT PB-PB W
	Polished Brass	Black	LRX R31 PB-PB B	LRX R32 PB-PB B	LRX RRT PB-PB B
	Satin Brass	White	LRX R31 PB-SB W	LRX R32 PB-SB W	LRX RRT PB-SB W
	Satin Brass	Black	LRX R31 PB-SB B	LRX R32 PB-SB B	LRX RRT PB-SB B
	Antique Brass	White	LRX R31 PB-AB W	LRX R32 PB-AB W	LRX RRT PB-AB W
	Antique Brass	Black	LRX R31 PB-AB B	LRX R32 PB-AB B	LRX RRT PB-AB B
	Bright Steel	White	LRX R31 PB-BS W	LRX R32 PB-BS W	LRX RRT PB-BS W
	Bright Steel	Black	LRX R31 PB-BS B	LRX R32 PB-BS B	LRX RRT PB-BS B
	Satin Steel	White	LRX R31 PB-SS W	LRX R32 PB-SS W	LRX RRT PB-SS W
	Satin Steel	Black	LRX R31 PB-SS B	LRX R32 PB-SS B	LRX RRT PB-SS B
Satin Brass 	Satin Brass	White	LRX R31 SB-SB W	LRX R32 SB-SB W	LRX RRT SB-SB W
	Satin Brass	Black	LRX R31 SB-SB B	LRX R32 SB-SB B	LRX RRT SB-SB B
	Satin Steel	White	LRX R31 SB-SS W	LRX R32 SB-SS W	LRX RRT SB-SS W
	Satin Steel	Black	LRX R31 SB-SS B	LRX R32 SB-SS B	LRX RRT SB-SS B
Antique Brass 	Antique Brass	Black	LRX R31 AB-AB B	LRX R32 AB-AB B	LRX RRT AB-AB B
	Satin Brass	Black	LRX R31 AB-SB B	LRX R32 AB-SB B	LRX RRT AB-SB B
Satin Nickel 	Bright Steel	White	LRX R31 SN-BS W	LRX R32 SN-BS W	LRX RRT SN-BS W
	Bright Steel	Black	LRX R31 SN-BS B	LRX R32 SN-BS B	LRX RRT SN-BS B
	Satin Steel	White	LRX R31 SN-SS W	LRX R32 SN-SS W	LRX RRT SN-SS W
	Satin Steel	Black	LRX R31 SN-SS B	LRX R32 SN-SS B	LRX RRT SN-SS B
Black Nickel 	Black Nickel	Black	LRX R31 BK-BK B	LRX R32 BK-BK B	LRX RRT BK-BK B
	Bright Steel	Black	LRX R31 BK-BS B	LRX R32 BK-BS B	LRX RRT BK-BS B
	Polished Brass	Black	LRX R31 BK-PB B	LRX R32 BK-PB B	LRX RRT BK-PB B

Hamilton® Linea-Rondo CFX®

Concealed Fixing Rocker Switches









LRX TP BK-BS B



1 gang 10A Triple Pole Rocker

Nominal Plate Size:
91 x 91 mm
Min. Wall Box
Depth: 25 mm
Technical Insert
Reference: **TP**
Product Code

Frame Finish	Plate Finish	Insert Colour		
Bright Chrome 	Bright Steel	White	LRX TP BC-BS W	
	Bright Steel	Black	LRX TP BC-BS B	
	Satin Steel	White	LRX TP BC-SS W	
	Satin Steel	Black	LRX TP BC-SS B	
	Polished Brass	White	LRX TP BC-PB W	
	Polished Brass	Black	LRX TP BC-PB B	
	Black Nickel	Black	LRX TP BC-BK B	
	Piano Black	Black	LRX TP BC-N B	
	Polished Brass 	Polished Brass	White	LRX TP PB-PB W
Polished Brass		Black	LRX TP PB-PB B	
Satin Brass		White	LRX TP PB-SB W	
Satin Brass		Black	LRX TP PB-SB B	
Antique Brass		White	LRX TP PB-AB W	
Antique Brass		Black	LRX TP PB-AB B	
Bright Steel		White	LRX TP PB-BS W	
Bright Steel		Black	LRX TP PB-BS B	
Satin Steel		White	LRX TP PB-SS W	
Satin Steel		Black	LRX TP PB-SS B	
Satin Brass 		Satin Brass	White	LRX TP SB-SB W
		Satin Brass	Black	LRX TP SB-SB B
		Satin Steel	White	LRX TP SB-SS W
	Satin Steel	Black	LRX TP SB-SS B	
Antique Brass 	Antique Brass	Black	LRX TP AB-AB B	
	Satin Brass	Black	LRX TP AB-SB B	
Satin Nickel 	Bright Steel	White	LRX TP SN-BS W	
	Bright Steel	Black	LRX TP SN-BS B	
	Satin Steel	White	LRX TP SN-SS W	
	Satin Steel	Black	LRX TP SN-SS B	
Black Nickel 	Black Nickel	Black	LRX TP BK-BK B	
	Bright Steel	Black	LRX TP BK-BS B	
	Polished Brass	Black	LRX TP BK-PB B	

Concealed Fixing Rocker Switches

**LRX
RANGE**



LRX R242 PB-AB B



Frame and Insert Finish	Plate Finish	Insert Surround Colour	1 gang 20AX 2 way Rocker		2 gang 20AX 2 way Rocker		3 gang 20AX 2 way Rocker		4 gang 20AX 2 way Rocker		1 gang 20AX Intermediate Rocker		2 gang 20AX Intermediate Rocker	
			Nominal Plate Size: 91 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: R212 Product Code	Nominal Plate Size: 91 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: R222 Product Code	Nominal Plate Size: 150 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: R232 Product Code	Nominal Plate Size: 150 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: R242 Product Code	Nominal Plate Size: 91 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: R312 Product Code	Nominal Plate Size: 91 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: R322 Product Code						
	Bright Steel	White	LRX R212 BC-BS W	LRX R222 BC-BS W	LRX R232 BC-BS W	LRX R242 BC-BS W	LRX R312 BC-BS W	LRX R322 BC-BS W						
	Bright Steel	Black	LRX R212 BC-BS B	LRX R222 BC-BS B	LRX R232 BC-BS B	LRX R242 BC-BS B	LRX R312 BC-BS B	LRX R322 BC-BS B						
	Satin Steel	White	LRX R212 BC-SS W	LRX R222 BC-SS W	LRX R232 BC-SS W	LRX R242 BC-SS W	LRX R312 BC-SS W	LRX R322 BC-SS W						
	Satin Steel	Black	LRX R212 BC-SS B	LRX R222 BC-SS B	LRX R232 BC-SS B	LRX R242 BC-SS B	LRX R312 BC-SS B	LRX R322 BC-SS B						
	Polished Brass	White	LRX R212 BC-PB W	LRX R222 BC-PB W	LRX R232 BC-PB W	LRX R242 BC-PB W	LRX R312 BC-PB W	LRX R322 BC-PB W						
	Polished Brass	Black	LRX R212 BC-PB B	LRX R222 BC-PB B	LRX R232 BC-PB B	LRX R242 BC-PB B	LRX R312 BC-PB B	LRX R322 BC-PB B						
	Black Nickel	Black	LRX R212 BC-BK B	LRX R222 BC-BK B	LRX R232 BC-BK B	LRX R242 BC-BK B	LRX R312 BC-BK B	LRX R322 BC-BK B						
	Piano Black	Black	LRX R212 BC-N B	LRX R222 BC-N B	LRX R232 BC-N B	LRX R242 BC-N B	LRX R312 BC-N B	LRX R322 BC-N B						
	Polished Brass	White	LRX R212 PB-PB W	LRX R222 PB-PB W	LRX R232 PB-PB W	LRX R242 PB-PB W	LRX R312 PB-PB W	LRX R322 PB-PB W						
	Polished Brass	Black	LRX R212 PB-PB B	LRX R222 PB-PB B	LRX R232 PB-PB B	LRX R242 PB-PB B	LRX R312 PB-PB B	LRX R322 PB-PB B						
	Satin Brass	White	LRX R212 PB-SB W	LRX R222 PB-SB W	LRX R232 PB-SB W	LRX R242 PB-SB W	LRX R312 PB-SB W	LRX R322 PB-SB W						
	Satin Brass	Black	LRX R212 PB-SB B	LRX R222 PB-SB B	LRX R232 PB-SB B	LRX R242 PB-SB B	LRX R312 PB-SB B	LRX R322 PB-SB B						
	Antique Brass	White	LRX R212 PB-AB W	LRX R222 PB-AB W	LRX R232 PB-AB W	LRX R242 PB-AB W	LRX R312 PB-AB W	LRX R322 PB-AB W						
	Antique Brass	Black	LRX R212 PB-AB B	LRX R222 PB-AB B	LRX R232 PB-AB B	LRX R242 PB-AB B	LRX R312 PB-AB B	LRX R322 PB-AB B						
	Bright Steel	White	LRX R212 PB-BS W	LRX R222 PB-BS W	LRX R232 PB-BS W	LRX R242 PB-BS W	LRX R312 PB-BS W	LRX R322 PB-BS W						
	Bright Steel	Black	LRX R212 PB-BS B	LRX R222 PB-BS B	LRX R232 PB-BS B	LRX R242 PB-BS B	LRX R312 PB-BS B	LRX R322 PB-BS B						
	Satin Steel	White	LRX R212 PB-SS W	LRX R222 PB-SS W	LRX R232 PB-SS W	LRX R242 PB-SS W	LRX R312 PB-SS W	LRX R322 PB-SS W						
	Satin Steel	Black	LRX R212 PB-SS B	LRX R222 PB-SS B	LRX R232 PB-SS B	LRX R242 PB-SS B	LRX R312 PB-SS B	LRX R322 PB-SS B						
		Satin Brass	White	LRX R212 SB-SB W	LRX R222 SB-SB W	LRX R232 SB-SB W	LRX R242 SB-SB W	LRX R312 SB-SB W	LRX R322 SB-SB W					
		Satin Brass	Black	LRX R212 SB-SB B	LRX R222 SB-SB B	LRX R232 SB-SB B	LRX R242 SB-SB B	LRX R312 SB-SB B	LRX R322 SB-SB B					
Satin Steel		White	LRX R212 SB-SS W	LRX R222 SB-SS W	LRX R232 SB-SS W	LRX R242 SB-SS W	LRX R312 SB-SS W	LRX R322 SB-SS W						
Satin Steel		Black	LRX R212 SB-SS B	LRX R222 SB-SS B	LRX R232 SB-SS B	LRX R242 SB-SS B	LRX R312 SB-SS B	LRX R322 SB-SS B						
	Antique Brass	Black	LRX R212 AB-AB B	LRX R222 AB-AB B	LRX R232 AB-AB B	LRX R242 AB-AB B	LRX R312 AB-AB B	LRX R322 AB-AB B						
	Satin Brass	Black	LRX R212 AB-SB B	LRX R222 AB-SB B	LRX R232 AB-SB B	LRX R242 AB-SB B	LRX R312 AB-SB B	LRX R322 AB-SB B						
	Bright Steel	White	LRX R212 SN-BS W	LRX R222 SN-BS W	LRX R232 SN-BS W	LRX R242 SN-BS W	LRX R312 SN-BS W	LRX R322 SN-BS W						
	Bright Steel	Black	LRX R212 SN-BS B	LRX R222 SN-BS B	LRX R232 SN-BS B	LRX R242 SN-BS B	LRX R312 SN-BS B	LRX R322 SN-BS B						
	Satin Steel	White	LRX R212 SN-SS W	LRX R222 SN-SS W	LRX R232 SN-SS W	LRX R242 SN-SS W	LRX R312 SN-SS W	LRX R322 SN-SS W						
	Satin Steel	Black	LRX R212 SN-SS B	LRX R222 SN-SS B	LRX R232 SN-SS B	LRX R242 SN-SS B	LRX R312 SN-SS B	LRX R322 SN-SS B						
	Black Nickel	Black	LRX R212 BK-BK B	LRX R222 BK-BK B	LRX R232 BK-BK B	LRX R242 BK-BK B	LRX R312 BK-BK B	LRX R322 BK-BK B						
	Bright Steel	Black	LRX R212 BK-BS B	LRX R222 BK-BS B	LRX R232 BK-BS B	LRX R242 BK-BS B	LRX R312 BK-BS B	LRX R322 BK-BS B						
	Polished Brass	Black	LRX R212 BK-PB B	LRX R222 BK-PB B	LRX R232 BK-PB B	LRX R242 BK-PB B	LRX R312 BK-PB B	LRX R322 BK-PB B						

Hamilton® Linea-Rondo CFX®

Concealed Fixing Toggle Switches



LRX T21 BC-BS



1 gang 20AX 2 way Toggle

Nominal Plate Size:
91 x 91 mm
Min. Wall Box
Depth: 35 mm
Technical Insert
Reference: **T21**
Product Code



2 gang 20AX 2 way Toggle

Nominal Plate Size:
91 x 91 mm
Min. Wall Box
Depth: 35 mm
Technical Insert
Reference: **T22**
Product Code



3 gang 20AX 2 way Toggle

Nominal Plate Size:
150 x 91 mm
Min. Wall Box
Depth: 35 mm
Technical Insert
Reference: **T23**
Product Code



4 gang 20AX 2 way Toggle

Nominal Plate Size:
150 x 91 mm
Min. Wall Box
Depth: 35 mm
Technical Insert
Reference: **T24**
Product Code



1 gang 20AX Intermediate Toggle

Nominal Plate Size:
91 x 91 mm
Min. Wall Box
Depth: 35 mm
Technical Insert
Reference: **T31**
Product Code

Frame and Insert Finish	Plate Finish	1 gang 20AX 2 way Toggle Product Code	2 gang 20AX 2 way Toggle Product Code	3 gang 20AX 2 way Toggle Product Code	4 gang 20AX 2 way Toggle Product Code	1 gang 20AX Intermediate Toggle Product Code
Bright Chrome 	Bright Steel Satin Steel Polished Brass Black Nickel Piano Black	LRX T21 BC-BS LRX T21 BC-SS LRX T21 BC-PB LRX T21 BC-BK LRX T21 BC-N	LRX T22 BC-BS LRX T22 BC-SS LRX T22 BC-PB LRX T22 BC-BK LRX T22 BC-N	LRX T23 BC-BS LRX T23 BC-SS LRX T23 BC-PB LRX T23 BC-BK LRX T23 BC-N	LRX T24 BC-BS LRX T24 BC-SS LRX T24 BC-PB LRX T24 BC-BK LRX T24 BC-N	LRX T31 BC-BS LRX T31 BC-SS LRX T31 BC-PB LRX T31 BC-BK LRX T31 BC-N
Polished Brass 	Polished Brass Satin Brass Antique Brass Bright Steel Satin Steel	LRX T21 PB-PB LRX T21 PB-SB LRX T21 PB-AB LRX T21 PB-BS LRX T21 PB-SS	LRX T22 PB-PB LRX T22 PB-SB LRX T22 PB-AB LRX T22 PB-BS LRX T22 PB-SS	LRX T23 PB-PB LRX T23 PB-SB LRX T23 PB-AB LRX T23 PB-BS LRX T23 PB-SS	LRX T24 PB-PB LRX T24 PB-SB LRX T24 PB-AB LRX T24 PB-BS LRX T24 PB-SS	LRX T31 PB-PB LRX T31 PB-SB LRX T31 PB-AB LRX T31 PB-BS LRX T31 PB-SS
Satin Brass 	Satin Brass Satin Steel	LRX T21 SB-SB LRX T21 SB-SS	LRX T22 SB-SB LRX T22 SB-SS	LRX T23 SB-SB LRX T23 SB-SS	LRX T24 SB-SB LRX T24 SB-SS	LRX T31 SB-SB LRX T31 SB-SS
Antique Brass 	Antique Brass Satin Brass	LRX T21 AB-AB LRX T21 AB-SB	LRX T22 AB-AB LRX T22 AB-SB	LRX T23 AB-AB LRX T23 AB-SB	LRX T24 AB-AB LRX T24 AB-SB	LRX T31 AB-AB LRX T31 AB-SB
Satin Nickel 	Bright Steel Satin Steel	LRX T21 SN-BS LRX T21 SN-SS	LRX T22 SN-BS LRX T22 SN-SS	LRX T23 SN-BS LRX T23 SN-SS	LRX T24 SN-BS LRX T24 SN-SS	LRX T31 SN-BS LRX T31 SN-SS
Black Nickel 	Black Nickel Bright Steel Polished Brass	LRX T21 BK-BK LRX T21 BK-BS LRX T21 BK-PB	LRX T22 BK-BK LRX T22 BK-BS LRX T22 BK-PB	LRX T23 BK-BK LRX T23 BK-BS LRX T23 BK-PB	LRX T24 BK-BK LRX T24 BK-BS LRX T24 BK-PB	LRX T31 BK-BK LRX T31 BK-BS LRX T31 BK-PB

Hamilton® Linea-Rondo CFX®

Concealed Fixing Key Switches



LRX KEL PB-PB W



**1 gang
20AX 2 way
Key Switch**

Nominal Plate Size:
91 x 91 mm
Minimum Wall Box
Depth: 35 mm
Technical Insert
Reference: **K21**

Product Code

**1 gang
20AX 2 way
Key Switch
"EMG LTG TEST"**

Nominal Plate Size:
91 x 91 mm
Minimum Wall Box
Depth: 35 mm
Technical Insert
Reference: **KEL**

Product Code

Frame Finish	Plate Finish	Insert Colour	Product Code	Product Code
	Bright Steel	White	LRX K21 BC-BS W	LRX KEL BC-BS W
	Bright Steel	Black	LRX K21 BC-BS B	LRX KEL BC-BS B
	Satin Steel	White	LRX K21 BC-SS W	LRX KEL BC-SS W
	Satin Steel	Black	LRX K21 BC-SS B	LRX KEL BC-SS B
	Polished Brass	White	LRX K21 BC-PB W	LRX KEL BC-PB W
	Polished Brass	Black	LRX K21 BC-PB B	LRX KEL BC-PB B
	Black Nickel	Black	LRX K21 BC-BK B	LRX KEL BC-BK B
	Piano Black	Black	LRX K21 BC-N B	LRX KEL BC-N B
	Polished Brass	White	LRX K21 PB-PB W	LRX KEL PB-PB W
	Polished Brass	Black	LRX K21 PB-PB B	LRX KEL PB-PB B
	Satin Brass	White	LRX K21 PB-SB W	LRX KEL PB-SB W
	Satin Brass	Black	LRX K21 PB-SB B	LRX KEL PB-SB B
	Antique Brass	White	LRX K21 PB-AB W	LRX KEL PB-AB W
	Antique Brass	Black	LRX K21 PB-AB B	LRX KEL PB-AB B
	Bright Steel	White	LRX K21 PB-BS W	LRX KEL PB-BS W
	Bright Steel	Black	LRX K21 PB-BS B	LRX KEL PB-BS B
	Satin Steel	White	LRX K21 PB-SS W	LRX KEL PB-SS W
	Satin Steel	Black	LRX K21 PB-SS B	LRX KEL PB-SS B
	Satin Brass	White	LRX K21 SB-SB W	LRX KEL SB-SB W
	Satin Brass	Black	LRX K21 SB-SB B	LRX KEL SB-SB B
	Satin Steel	White	LRX K21 SB-SS W	LRX KEL SB-SS W
	Satin Steel	Black	LRX K21 SB-SS B	LRX KEL SB-SS B
	Antique Brass	Black	LRX K21 AB-AB B	LRX KEL AB-AB B
	Satin Brass	Black	LRX K21 AB-SB B	LRX KEL AB-SB B
	Bright Steel	White	LRX K21 SN-BS W	LRX KEL SN-BS W
	Bright Steel	Black	LRX K21 SN-BS B	LRX KEL SN-BS B
	Satin Steel	White	LRX K21 SN-SS W	LRX KEL SN-SS W
	Satin Steel	Black	LRX K21 SN-SS B	LRX KEL SN-SS B
	Black Nickel	Black	LRX K21 BK-BK B	LRX KEL BK-BK B
	Bright Steel	Black	LRX K21 BK-BS B	LRX KEL BK-BS B
	Polished Brass	Black	LRX K21 BK-PB B	LRX KEL BK-PB B

Concealed Fixing Hotel Card Switch with LED



LRX C11 BC-SS W

Adjustable Time Delay
10 seconds - 5 minutes.

Suitable for 44 mm and 54 mm
width Hotel Key Cards.



**1 gang
10A (6AX)
On/Off with
Blue LED
Locator**

Nominal Plate Size:
91 x 91 mm
Minimum Wall Box
Depth: 35 mm
Technical Insert
Reference: **C11**

Product Code

**1 gang
12-24V AC/DC
+/-10% On/Off
with Blue LED
Locator (Suitable
for KNX BUS
System)**

Nominal Plate Size:
91 x 91 mm
Minimum Wall Box
Depth: 35 mm
Technical Insert
Reference: **CKNX**

Product Code

Frame and Insert Finish	Plate Finish	Insert Surround Colour	Product Code	Product Code
	Bright Steel	White	LRX C11 BC-BS W	LRX CKNX BC-BS W
	Bright Steel	Black	LRX C11 BC-BS B	LRX CKNX BC-BS B
	Satin Steel	White	LRX C11 BC-SS W	LRX CKNX BC-SS W
	Satin Steel	Black	LRX C11 BC-SS B	LRX CKNX BC-SS B
	Polished Brass	White	LRX C11 BC-PB W	LRX CKNX BC-PB W
	Polished Brass	Black	LRX C11 BC-PB B	LRX CKNX BC-PB B
	Black Nickel	Black	LRX C11 BC-BK B	LRX CKNX BC-BK B
	Piano Black	Black	LRX C11 BC-N B	LRX CKNX BC-N B
	Polished Brass	White	LRX C11 PB-PB W	LRX CKNX PB-PB W
	Polished Brass	Black	LRX C11 PB-PB B	LRX CKNX PB-PB B
	Satin Brass	White	LRX C11 PB-SB W	LRX CKNX PB-SB W
	Satin Brass	Black	LRX C11 PB-SB B	LRX CKNX PB-SB B
	Antique Brass	White	LRX C11 PB-AB W	LRX CKNX PB-AB W
	Antique Brass	Black	LRX C11 PB-AB B	LRX CKNX PB-AB B
	Bright Steel	White	LRX C11 PB-BS W	LRX CKNX PB-BS W
	Bright Steel	Black	LRX C11 PB-BS B	LRX CKNX PB-BS B
	Satin Steel	White	LRX C11 PB-SS W	LRX CKNX PB-SS W
	Satin Steel	Black	LRX C11 PB-SS B	LRX CKNX PB-SS B
	Satin Brass	White	LRX C11 SB-SB W	LRX CKNX SB-SB W
	Satin Brass	Black	LRX C11 SB-SB B	LRX CKNX SB-SB B
	Satin Steel	White	LRX C11 SB-SS W	LRX CKNX SB-SS W
	Satin Steel	Black	LRX C11 SB-SS B	LRX CKNX SB-SS B
	Antique Brass	Black	LRX C11 AB-AB B	LRX CKNX AB-AB B
	Satin Brass	Black	LRX C11 AB-SB B	LRX CKNX AB-SB B
	Bright Steel	White	LRX C11 SN-BS W	LRX CKNX SN-BS W
	Bright Steel	Black	LRX C11 SN-BS B	LRX CKNX SN-BS B
	Satin Steel	White	LRX C11 SN-SS W	LRX CKNX SN-SS W
	Satin Steel	Black	LRX C11 SN-SS B	LRX CKNX SN-SS B
	Black Nickel	Black	LRX C11 BK-BK B	LRX CKNX BK-BK B
	Bright Steel	Black	LRX C11 BK-BS B	LRX CKNX BK-BS B
	Polished Brass	Black	LRX C11 BK-PB B	LRX CKNX BK-PB B

Hamilton® Linea-Rondo CFX®

Concealed Fixing Power Sockets

Concealed Fixing USB Power Sockets



LRX SS2 SN-SS W



1 gang 13A Double Pole Switched Socket

Nominal Plate Size:
91 x 91 mm
Min. Wall Box
Depth: 35 mm
Technical Insert
Reference: SS1

Reference: SS1
Product Code



2 gang 13A Double Pole Switched Socket

Nominal Plate Size:
150 x 91 mm
Min. Wall Box
Depth: 35 mm
Technical Insert
Reference: SS2

Reference: SS2
Product Code



LRX USB99 BC-N B



2 gang 13A Unswitched Socket + 2 x USB Charging Points

Nominal Plate Size:
150 x 91 mm
Min. Wall Box
Depth: 35 mm
Technical Insert
Reference: USB99

Reference: USB99
Product Code

Frame and Insert Finish	Plate Finish	Insert Surround Colour	Reference: SS1 Product Code	Reference: SS2 Product Code	
	Bright Steel	White	LRX SS1 BC-BS W	LRX SS2 BC-BS W	
	Bright Steel	Black	LRX SS1 BC-BS B	LRX SS2 BC-BS B	
	Satin Steel	White	LRX SS1 BC-SS W	LRX SS2 BC-SS W	
	Satin Steel	Black	LRX SS1 BC-SS B	LRX SS2 BC-SS B	
	Polished Brass	White	LRX SS1 BC-PB W	LRX SS2 BC-PB W	
	Polished Brass	Black	LRX SS1 BC-PB B	LRX SS2 BC-PB B	
	Black Nickel	Black	LRX SS1 BC-BK B	LRX SS2 BC-BK B	
	Piano Black	Black	LRX SS1 BC-N B	LRX SS2 BC-N B	
	Polished Brass	White	LRX SS1 PB-PB W	LRX SS2 PB-PB W	
	Polished Brass	Black	LRX SS1 PB-PB B	LRX SS2 PB-PB B	
	Satin Brass	White	LRX SS1 PB-SB W	LRX SS2 PB-SB W	
	Satin Brass	Black	LRX SS1 PB-SB B	LRX SS2 PB-SB B	
	Antique Brass	White	LRX SS1 PB-AB W	LRX SS2 PB-AB W	
	Antique Brass	Black	LRX SS1 PB-AB B	LRX SS2 PB-AB B	
	Bright Steel	White	LRX SS1 PB-BS W	LRX SS2 PB-BS W	
	Bright Steel	Black	LRX SS1 PB-BS B	LRX SS2 PB-BS B	
	Satin Steel	White	LRX SS1 PB-SS W	LRX SS2 PB-SS W	
	Satin Steel	Black	LRX SS1 PB-SS B	LRX SS2 PB-SS B	
		Satin Brass	White	LRX SS1 SB-SB W	LRX SS2 SB-SB W
		Satin Brass	Black	LRX SS1 SB-SB B	LRX SS2 SB-SB B
Satin Steel		White	LRX SS1 SB-SS W	LRX SS2 SB-SS W	
Satin Steel		Black	LRX SS1 SB-SS B	LRX SS2 SB-SS B	
	Antique Brass	Black	LRX SS1 AB-AB B	LRX SS2 AB-AB B	
	Satin Brass	Black	LRX SS1 AB-SB B	LRX SS2 AB-SB B	
	Bright Steel	White	LRX SS1 SN-BS W	LRX SS2 SN-BS W	
	Bright Steel	Black	LRX SS1 SN-BS B	LRX SS2 SN-BS B	
	Satin Steel	White	LRX SS1 SN-SS W	LRX SS2 SN-SS W	
	Satin Steel	Black	LRX SS1 SN-SS B	LRX SS2 SN-SS B	
	Black Nickel	Black	LRX SS1 BK-BK B	LRX SS2 BK-BK B	
	Bright Steel	Black	LRX SS1 BK-BS B	LRX SS2 BK-BS B	
	Polished Brass	Black	LRX SS1 BK-PB B	LRX SS2 BK-PB B	

Frame Finish	Plate Finish	Insert Colour	Reference: USB99 Product Code	
	Bright Steel	White	LRX USB99 BC-BS W	
	Bright Steel	Black	LRX USB99 BC-BS B	
	Satin Steel	White	LRX USB99 BC-SS W	
	Satin Steel	Black	LRX USB99 BC-SS B	
	Polished Brass	White	LRX USB99 BC-PB W	
	Polished Brass	Black	LRX USB99 BC-PB B	
	Black Nickel	Black	LRX USB99 BC-BK B	
	Piano Black	Black	LRX USB99 BC-N B	
	Polished Brass	White	LRX USB99 PB-PB W	
	Polished Brass	Black	LRX USB99 PB-PB B	
	Satin Brass	White	LRX USB99 PB-SB W	
	Satin Brass	Black	LRX USB99 PB-SB B	
	Antique Brass	White	LRX USB99 PB-AB W	
	Antique Brass	Black	LRX USB99 PB-AB B	
	Bright Steel	White	LRX USB99 PB-BS W	
	Bright Steel	Black	LRX USB99 PB-BS B	
	Satin Steel	White	LRX USB99 PB-SS W	
	Satin Steel	Black	LRX USB99 PB-SS B	
		Satin Brass	White	LRX USB99 SB-SB W
		Satin Brass	Black	LRX USB99 SB-SB B
Satin Steel		White	LRX USB99 SB-SS W	
Satin Steel		Black	LRX USB99 SB-SS B	
	Antique Brass	Black	LRX USB99 AB-AB B	
	Satin Brass	Black	LRX USB99 AB-SB B	
	Bright Steel	White	LRX USB99 SN-BS W	
	Bright Steel	Black	LRX USB99 SN-BS B	
	Satin Steel	White	LRX USB99 SN-SS W	
	Satin Steel	Black	LRX USB99 SN-SS B	
	Black Nickel	Black	LRX USB99 BK-BK B	
	Bright Steel	Black	LRX USB99 BK-BS B	
	Polished Brass	Black	LRX USB99 BK-PB B	

Hamilton® Linea-Rondo CFX®







Concealed Fixing Power Sockets

**LRX
RANGE**



LRX 5258 PB-AB B



Frame Finish	Plate Finish	Insert Colour	1 gang 2A Unswitched Socket Nominal Plate Size: 91 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: US2 Product Code	1 gang 5A Unswitched Socket Nominal Plate Size: 91 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: US5 Product Code	Shaver Dual Voltage Unswitched Socket Nominal Plate Size: 91 x 150 mm Min. Wall Box Depth: 47 mm Technical Insert Reference: SHS Product Code	1 gang 16A German Unswitched Socket Nominal Plate Size: 91 x 91 mm Min. Wall Box Depth: 47 mm Technical Insert Reference: 6126 Product Code	1 gang 15A American Unswitched Socket Nominal Plate Size: 91 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: 5258 Product Code	2 gang 15A American Unswitched Socket Nominal Plate Size: 150 x 91 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: 5320 Product Code
 Bright Chrome	Bright Steel	White	LRX US2 BC-BS W	LRX US5 BC-BS W	LRX SHS BC-BS W	LRX 6126 BC-BS W	LRX 5258 BC-BS W	LRX 5320 BC-BS W
	Bright Steel	Black	LRX US2 BC-BS B	LRX US5 BC-BS B	LRX SHS BC-BS B	LRX 6126 BC-BS B	LRX 5258 BC-BS B	LRX 5320 BC-BS B
	Satin Steel	White	LRX US2 BC-SS W	LRX US5 BC-SS W	LRX SHS BC-SS W	LRX 6126 BC-SS W	LRX 5258 BC-SS W	LRX 5320 BC-SS W
	Satin Steel	Black	LRX US2 BC-SS B	LRX US5 BC-SS B	LRX SHS BC-SS B	LRX 6126 BC-SS B	LRX 5258 BC-SS B	LRX 5320 BC-SS B
	Polished Brass	White	LRX US2 BC-PB W	LRX US5 BC-PB W	LRX SHS BC-PB W	LRX 6126 BC-PB W	LRX 5258 BC-PB W	LRX 5320 BC-PB W
	Polished Brass	Black	LRX US2 BC-PB B	LRX US5 BC-PB B	LRX SHS BC-PB B	LRX 6126 BC-PB B	LRX 5258 BC-PB B	LRX 5320 BC-PB B
	Black Nickel	Black	LRX US2 BC-BK B	LRX US5 BC-BK B	LRX SHS BC-BK B	LRX 6126 BC-BK B	LRX 5258 BC-BK B	LRX 5320 BC-BK B
	Piano Black	Black	LRX US2 BC-N B	LRX US5 BC-N B	LRX SHS BC-N B	LRX 6126 BC-N B	LRX 5258 BC-N B	LRX 5320 BC-N B
 Polished Brass	Polished Brass	White	LRX US2 PB-PB W	LRX US5 PB-PB W	LRX SHS PB-PB W	LRX 6126 PB-PB W	LRX 5258 PB-PB W	LRX 5320 PB-PB W
	Polished Brass	Black	LRX US2 PB-PB B	LRX US5 PB-PB B	LRX SHS PB-PB B	LRX 6126 PB-PB B	LRX 5258 PB-PB B	LRX 5320 PB-PB B
	Satin Brass	White	LRX US2 PB-SB W	LRX US5 PB-SB W	LRX SHS PB-SB W	LRX 6126 PB-SB W	LRX 5258 PB-SB W	LRX 5320 PB-SB W
	Satin Brass	Black	LRX US2 PB-SB B	LRX US5 PB-SB B	LRX SHS PB-SB B	LRX 6126 PB-SB B	LRX 5258 PB-SB B	LRX 5320 PB-SB B
	Antique Brass	White	LRX US2 PB-AB W	LRX US5 PB-AB W	LRX SHS PB-AB W	LRX 6126 PB-AB W	LRX 5258 PB-AB W	LRX 5320 PB-AB W
	Antique Brass	Black	LRX US2 PB-AB B	LRX US5 PB-AB B	LRX SHS PB-AB B	LRX 6126 PB-AB B	LRX 5258 PB-AB B	LRX 5320 PB-AB B
	Bright Steel	White	LRX US2 PB-BS W	LRX US5 PB-BS W	LRX SHS PB-BS W	LRX 6126 PB-BS W	LRX 5258 PB-BS W	LRX 5320 PB-BS W
	Bright Steel	Black	LRX US2 PB-BS B	LRX US5 PB-BS B	LRX SHS PB-BS B	LRX 6126 PB-BS B	LRX 5258 PB-BS B	LRX 5320 PB-BS B
	Satin Steel	White	LRX US2 PB-SS W	LRX US5 PB-SS W	LRX SHS PB-SS W	LRX 6126 PB-SS W	LRX 5258 PB-SS W	LRX 5320 PB-SS W
	Satin Steel	Black	LRX US2 PB-SS B	LRX US5 PB-SS B	LRX SHS PB-SS B	LRX 6126 PB-SS B	LRX 5258 PB-SS B	LRX 5320 PB-SS B
 Satin Brass	Satin Brass	White	LRX US2 SB-SB W	LRX US5 SB-SB W	LRX SHS SB-SB W	LRX 6126 SB-SB W	LRX 5258 SB-SB W	LRX 5320 SB-SB W
	Satin Brass	Black	LRX US2 SB-SB B	LRX US5 SB-SB B	LRX SHS SB-SB B	LRX 6126 SB-SB B	LRX 5258 SB-SB B	LRX 5320 SB-SB B
	Satin Steel	White	LRX US2 SB-SS W	LRX US5 SB-SS W	LRX SHS SB-SS W	LRX 6126 SB-SS W	LRX 5258 SB-SS W	LRX 5320 SB-SS W
	Satin Steel	Black	LRX US2 SB-SS B	LRX US5 SB-SS B	LRX SHS SB-SS B	LRX 6126 SB-SS B	LRX 5258 SB-SS B	LRX 5320 SB-SS B
 Antique Brass	Antique Brass	Black	LRX US2 AB-AB B	LRX US5 AB-AB B	LRX SHS AB-AB B	LRX 6126 AB-AB B	LRX 5258 AB-AB B	LRX 5320 AB-AB B
	Satin Brass	Black	LRX US2 AB-SB B	LRX US5 AB-SB B	LRX SHS AB-SB B	LRX 6126 AB-SB B	LRX 5258 AB-SB B	LRX 5320 AB-SB B
 Satin Nickel	Bright Steel	White	LRX US2 SN-BS W	LRX US5 SN-BS W	LRX SHS SN-BS W	LRX 6126 SN-BS W	LRX 5258 SN-BS W	LRX 5320 SN-BS W
	Bright Steel	Black	LRX US2 SN-BS B	LRX US5 SN-BS B	LRX SHS SN-BS B	LRX 6126 SN-BS B	LRX 5258 SN-BS B	LRX 5320 SN-BS B
	Satin Steel	White	LRX US2 SN-SS W	LRX US5 SN-SS W	LRX SHS SN-SS W	LRX 6126 SN-SS W	LRX 5258 SN-SS W	LRX 5320 SN-SS W
	Satin Steel	Black	LRX US2 SN-SS B	LRX US5 SN-SS B	LRX SHS SN-SS B	LRX 6126 SN-SS B	LRX 5258 SN-SS B	LRX 5320 SN-SS B
 Black Nickel	Black Nickel	Black	LRX US2 BK-BK B	LRX US5 BK-BK B	LRX SHS BK-BK B	LRX 6126 BK-BK B	LRX 5258 BK-BK B	LRX 5320 BK-BK B
	Bright Steel	Black	LRX US2 BK-BS B	LRX US5 BK-BS B	LRX SHS BK-BS B	LRX 6126 BK-BS B	LRX 5258 BK-BS B	LRX 5320 BK-BS B
	Polished Brass	Black	LRX US2 BK-PB B	LRX US5 BK-PB B	LRX SHS BK-PB B	LRX 6126 BK-PB B	LRX 5258 BK-PB B	LRX 5320 BK-PB B

Hamilton® Linea-Rondo CFX®

Concealed Fixing Television Coaxial Sockets



LRX TVSAT PB-AB B



**1 gang
Non Isolated
TV
1 In/1 Out**

Nominal Plate Size:
91 x 91 mm

Min. Wall Box
Depth: 25 mm

Technical Insert
Reference: TV

Product Code



**Isolated
TV/FM
Diplexer
1 In/2 Out**

Nominal Plate Size:
91 x 91 mm

Min. Wall Box
Depth: 25 mm

Technical Insert
Reference: TVFM

Product Code



**1 gang
Isolated
TV
1 In/1 Out**

Nominal Plate Size:
91 x 91 mm

Min. Wall Box
Depth: 25 mm

Technical Insert
Reference: TVI

Product Code



**2 gang
Non Isolated TV
+ Satellite
2 In/2 Out**

Nominal Plate Size:
91 x 91 mm

Min. Wall Box
Depth: 35 mm

Technical Insert
Reference: TVSAT

Product Code



**1 gang
Non Isolated
Satellite**

Nominal Plate Size:
91 x 91 mm

Min. Wall Box
Depth: 35 mm

Technical Insert
Reference: SATN

Product Code



**1 gang
Isolated
Satellite**

Nominal Plate Size:
91 x 91 mm

Min. Wall Box
Depth: 35 mm

Technical Insert
Reference: SATI

Product Code

Frame Finish Plate Finish Insert Colour

Bright Chrome
Bright Steel
Satin Steel
Polished Brass
Black Nickel
Piano Black

Polished Brass
Polished Brass
Satin Brass
Antique Brass
Bright Steel
Satin Steel

Satin Brass
Satin Brass
Satin Steel

Antique Brass
Antique Brass
Satin Brass

Satin Nickel
Bright Steel
Satin Steel

Black Nickel
Black Nickel
Bright Steel
Polished Brass

LRX TV BC-BS W
LRX TV BC-BS B
LRX TV BC-SS W
LRX TV BC-SS B
LRX TV BC-PB W
LRX TV BC-PB B
LRX TV BC-BK B
LRX TV BC-N B

LRX TVFM BC-BS W
LRX TVFM BC-BS B
LRX TVFM BC-SS W
LRX TVFM BC-SS B
LRX TVFM BC-PB W
LRX TVFM BC-PB B
LRX TVFM BC-BK B
LRX TVFM BC-N B

LRX TVI BC-BS W
LRX TVI BC-BS B
LRX TVI BC-SS W
LRX TVI BC-SS B
LRX TVI BC-PB W
LRX TVI BC-PB B
LRX TVI BC-BK B
LRX TVI BC-N B

LRX TVSAT BC-BS W
LRX TVSAT BC-BS B
LRX TVSAT BC-SS W
LRX TVSAT BC-SS B
LRX TVSAT BC-PB W
LRX TVSAT BC-PB B
LRX TVSAT BC-BK B
LRX TVSAT BC-N B

LRX SATN BC-BS W
LRX SATN BC-BS B
LRX SATN BC-SS W
LRX SATN BC-SS B
LRX SATN BC-PB W
LRX SATN BC-PB B
LRX SATN BC-BK B
LRX SATN BC-N B

LRX SATI BC-BS W
LRX SATI BC-BS B
LRX SATI BC-SS W
LRX SATI BC-SS B
LRX SATI BC-PB W
LRX SATI BC-PB B
LRX SATI BC-BK B
LRX SATI BC-N B

LRX TV PB-PB W
LRX TV PB-PB B
LRX TV PB-SB W
LRX TV PB-SB B
LRX TV PB-AB W
LRX TV PB-AB B
LRX TV PB-BS W
LRX TV PB-BS B
LRX TV PB-SS W
LRX TV PB-SS B

LRX TVFM PB-PB W
LRX TVFM PB-PB B
LRX TVFM PB-SB W
LRX TVFM PB-SB B
LRX TVFM PB-AB W
LRX TVFM PB-AB B
LRX TVFM PB-BS W
LRX TVFM PB-BS B
LRX TVFM PB-SS W
LRX TVFM PB-SS B

LRX TVI PB-PB W
LRX TVI PB-PB B
LRX TVI PB-SB W
LRX TVI PB-SB B
LRX TVI PB-AB W
LRX TVI PB-AB B
LRX TVI PB-BS W
LRX TVI PB-BS B
LRX TVI PB-SS W
LRX TVI PB-SS B

LRX TVSAT PB-PB W
LRX TVSAT PB-PB B
LRX TVSAT PB-SB W
LRX TVSAT PB-SB B
LRX TVSAT PB-AB W
LRX TVSAT PB-AB B
LRX TVSAT PB-BS W
LRX TVSAT PB-BS B
LRX TVSAT PB-SS W
LRX TVSAT PB-SS B

LRX SATN PB-PB W
LRX SATN PB-PB B
LRX SATN PB-SB W
LRX SATN PB-SB B
LRX SATN PB-AB W
LRX SATN PB-AB B
LRX SATN PB-BS W
LRX SATN PB-BS B
LRX SATN PB-SS W
LRX SATN PB-SS B

LRX SATI PB-PB W
LRX SATI PB-PB B
LRX SATI PB-SB W
LRX SATI PB-SB B
LRX SATI PB-AB W
LRX SATI PB-AB B
LRX SATI PB-BS W
LRX SATI PB-BS B
LRX SATI PB-SS W
LRX SATI PB-SS B

LRX TV SB-SB W
LRX TV SB-SB B
LRX TV SB-SS W
LRX TV SB-SS B

LRX TVFM SB-SB W
LRX TVFM SB-SB B
LRX TVFM SB-SS W
LRX TVFM SB-SS B

LRX TVI SB-SB W
LRX TVI SB-SB B
LRX TVI SB-SS W
LRX TVI SB-SS B

LRX TVSAT SB-SB W
LRX TVSAT SB-SB B
LRX TVSAT SB-SS W
LRX TVSAT SB-SS B

LRX SATN SB-SB W
LRX SATN SB-SB B
LRX SATN SB-SS W
LRX SATN SB-SS B

LRX SATI SB-SB W
LRX SATI SB-SB B
LRX SATI SB-SS W
LRX SATI SB-SS B

LRX TV AB-AB B
LRX TV AB-SB B

LRX TVFM AB-AB B
LRX TVFM AB-SB B

LRX TVI AB-AB B
LRX TVI AB-SB B

LRX TVSAT AB-AB B
LRX TVSAT AB-SB B

LRX SATN AB-AB B
LRX SATN AB-SB B

LRX SATI AB-AB B
LRX SATI AB-SB B

LRX TV SN-BS W
LRX TV SN-BS B
LRX TV SN-SS W
LRX TV SN-SS B

LRX TVFM SN-BS W
LRX TVFM SN-BS B
LRX TVFM SN-SS W
LRX TVFM SN-SS B

LRX TVI SN-BS W
LRX TVI SN-BS B
LRX TVI SN-SS W
LRX TVI SN-SS B

LRX TVSAT SN-BS W
LRX TVSAT SN-BS B
LRX TVSAT SN-SS W
LRX TVSAT SN-SS B

LRX SATN SN-BS W
LRX SATN SN-BS B
LRX SATN SN-SS W
LRX SATN SN-SS B

LRX SATI SN-BS W
LRX SATI SN-BS B
LRX SATI SN-SS W
LRX SATI SN-SS B

LRX TV BK-BK B
LRX TV BK-BS B
LRX TV BK-PB B

LRX TVFM BK-BK B
LRX TVFM BK-BS B
LRX TVFM BK-PB B

LRX TVI BK-BK B
LRX TVI BK-BS B
LRX TVI BK-PB B

LRX TVSAT BK-BK B
LRX TVSAT BK-BS B
LRX TVSAT BK-PB B

LRX SATN BK-BK B
LRX SATN BK-BS B
LRX SATN BK-PB B

LRX SATI BK-BK B
LRX SATI BK-BS B
LRX SATI BK-PB B

Hamilton® Linea-Rondo CFX®

Concealed Fixing Digital Television Sockets - Screened Non Isolated - DAB Compatible

**LRX
RANGE**



LRX DTRID SN-BS W



**Non Isolated
TV/FM/Satellite
Triplexer 1 In/3 Out**

Nominal Plate Size:
91 x 91 mm

Min. Wall Box
Depth: 35 mm

Technical Insert
Reference: **DTRID**
Product Code



**1 gang
Non Isolated
TV (Female)**

Nominal Plate Size:
91 x 91 mm

Min. Wall Box
Depth: 35 mm

Technical Insert
Reference: **DTVF**
Product Code



**1 gang
Non Isolated
TV (Male)**

Nominal Plate Size:
91 x 91 mm

Min. Wall Box
Depth: 35 mm

Technical Insert
Reference: **DTVM**
Product Code

Frame Finish	Plate Finish	Insert Colour	Product Code	Product Code	Product Code	
Bright Chrome 	Bright Steel	White	LRX DTRID BC-BS W	LRX DTVF BC-BS W	LRX DTVM BC-BS W	
	Bright Steel	Black	LRX DTRID BC-BS B	LRX DTVF BC-BS B	LRX DTVM BC-BS B	
	Satin Steel	White	LRX DTRID BC-SS W	LRX DTVF BC-SS W	LRX DTVM BC-SS W	
	Satin Steel	Black	LRX DTRID BC-SS B	LRX DTVF BC-SS B	LRX DTVM BC-SS B	
	Polished Brass	White	LRX DTRID BC-PB W	LRX DTVF BC-PB W	LRX DTVM BC-PB W	
	Polished Brass	Black	LRX DTRID BC-PB B	LRX DTVF BC-PB B	LRX DTVM BC-PB B	
	Black Nickel	Black	LRX DTRID BC-BK B	LRX DTVF BC-BK B	LRX DTVM BC-BK B	
	Piano Black	Black	LRX DTRID BC-N B	LRX DTVF BC-N B	LRX DTVM BC-N B	
Polished Brass 	Polished Brass	White	LRX DTRID PB-PB W	LRX DTVF PB-PB W	LRX DTVM PB-PB W	
	Polished Brass	Black	LRX DTRID PB-PB B	LRX DTVF PB-PB B	LRX DTVM PB-PB B	
	Satin Brass	White	LRX DTRID PB-SB W	LRX DTVF PB-SB W	LRX DTVM PB-SB W	
	Satin Brass	Black	LRX DTRID PB-SB B	LRX DTVF PB-SB B	LRX DTVM PB-SB B	
	Antique Brass	White	LRX DTRID PB-AB W	LRX DTVF PB-AB W	LRX DTVM PB-AB W	
	Antique Brass	Black	LRX DTRID PB-AB B	LRX DTVF PB-AB B	LRX DTVM PB-AB B	
	Bright Steel	White	LRX DTRID PB-BS W	LRX DTVF PB-BS W	LRX DTVM PB-BS W	
	Bright Steel	Black	LRX DTRID PB-BS B	LRX DTVF PB-BS B	LRX DTVM PB-BS B	
	Satin Steel	White	LRX DTRID PB-SS W	LRX DTVF PB-SS W	LRX DTVM PB-SS W	
	Satin Steel	Black	LRX DTRID PB-SS B	LRX DTVF PB-SS B	LRX DTVM PB-SS B	
	Satin Brass 	Satin Brass	White	LRX DTRID SB-SB W	LRX DTVF SB-SB W	LRX DTVM SB-SB W
		Satin Brass	Black	LRX DTRID SB-SB B	LRX DTVF SB-SB B	LRX DTVM SB-SB B
Satin Steel		White	LRX DTRID SB-SS W	LRX DTVF SB-SS W	LRX DTVM SB-SS W	
Satin Steel		Black	LRX DTRID SB-SS B	LRX DTVF SB-SS B	LRX DTVM SB-SS B	
Antique Brass 	Antique Brass	Black	LRX DTRID AB-AB B	LRX DTVF AB-AB B	LRX DTVM AB-AB B	
	Satin Brass	Black	LRX DTRID AB-SB B	LRX DTVF AB-SB B	LRX DTVM AB-SB B	
Satin Nickel 	Bright Steel	White	LRX DTRID SN-BS W	LRX DTVF SN-BS W	LRX DTVM SN-BS W	
	Bright Steel	Black	LRX DTRID SN-BS B	LRX DTVF SN-BS B	LRX DTVM SN-BS B	
	Satin Steel	White	LRX DTRID SN-SS W	LRX DTVF SN-SS W	LRX DTVM SN-SS W	
	Satin Steel	Black	LRX DTRID SN-SS B	LRX DTVF SN-SS B	LRX DTVM SN-SS B	
Black Nickel 	Black Nickel	Black	LRX DTRID BK-BK B	LRX DTVF BK-BK B	LRX DTVM BK-BK B	
	Bright Steel	Black	LRX DTRID BK-BS B	LRX DTVF BK-BS B	LRX DTVM BK-BS B	
	Polished Brass	Black	LRX DTRID BK-PB B	LRX DTVF BK-PB B	LRX DTVM BK-PB B	

Hamilton® Linea-Rondo CFX®

Concealed Fixing Digital Television Sockets - Screened Non Isolated - DAB Compatible



LRX DSAT BC-BS W



**1 gang
Non Isolated
Satellite**

Nominal Plate Size:
91 x 91 mm

Min. Wall Box
Depth: 35 mm

Technical Insert
Reference: **DSAT**

Product Code



**Non Isolated
TV/FM/Satellite 1/
Satellite 2 Quadplexer
2 In/4 Out**

Nominal Plate Size:
91 x 91 mm

Min. Wall Box
Depth: 35 mm

Technical Insert
Reference: **DENT**

Product Code



**Non Isolated
TV/FM/Satellite 1/
Satellite 2 Quadplexer
2 In/4 Out
+ TVF + TCS**

Nominal Plate Size:
150 x 91 mm

Min. Wall Box
Depth: 35 mm

Technical Insert
Reference: **DSAT+**

Product Code

Frame Finish	Plate Finish	Insert Colour	Product Code	Product Code	Product Code	
Bright Chrome 	Bright Steel	White	LRX DSAT BC-BS W	LRX DENT BC-BS W	LRX DSAT+ BC-BS W	
	Bright Steel	Black	LRX DSAT BC-BS B	LRX DENT BC-BS B	LRX DSAT+ BC-BS B	
	Satin Steel	White	LRX DSAT BC-SS W	LRX DENT BC-SS W	LRX DSAT+ BC-SS W	
	Satin Steel	Black	LRX DSAT BC-SS B	LRX DENT BC-SS B	LRX DSAT+ BC-SS B	
	Polished Brass	White	LRX DSAT BC-PB W	LRX DENT BC-PB W	LRX DSAT+ BC-PB W	
	Polished Brass	Black	LRX DSAT BC-PB B	LRX DENT BC-PB B	LRX DSAT+ BC-PB B	
	Black Nickel	Black	LRX DSAT BC-BK B	LRX DENT BC-BK B	LRX DSAT+ BC-BK B	
	Piano Black	Black	LRX DSAT BC-N B	LRX DENT BC-N B	LRX DSAT+ BC-N B	
	Polished Brass 	Polished Brass	White	LRX DSAT PB-PB W	LRX DENT PB-PB W	LRX DSAT+ PB-PB W
		Polished Brass	Black	LRX DSAT PB-PB B	LRX DENT PB-PB B	LRX DSAT+ PB-PB B
Satin Brass		White	LRX DSAT PB-SB W	LRX DENT PB-SB W	LRX DSAT+ PB-SB W	
Satin Brass		Black	LRX DSAT PB-SB B	LRX DENT PB-SB B	LRX DSAT+ PB-SB B	
Antique Brass		White	LRX DSAT PB-AB W	LRX DENT PB-AB W	LRX DSAT+ PB-AB W	
Antique Brass		Black	LRX DSAT PB-AB B	LRX DENT PB-AB B	LRX DSAT+ PB-AB B	
Bright Steel		White	LRX DSAT PB-BS W	LRX DENT PB-BS W	LRX DSAT+ PB-BS W	
Bright Steel		Black	LRX DSAT PB-BS B	LRX DENT PB-BS B	LRX DSAT+ PB-BS B	
Satin Steel		White	LRX DSAT PB-SS W	LRX DENT PB-SS W	LRX DSAT+ PB-SS W	
Satin Steel		Black	LRX DSAT PB-SS B	LRX DENT PB-SS B	LRX DSAT+ PB-SS B	
Satin Brass 		Satin Brass	White	LRX DSAT SB-SB W	LRX DENT SB-SB W	LRX DSAT+ SB-SB W
		Satin Brass	Black	LRX DSAT SB-SB B	LRX DENT SB-SB B	LRX DSAT+ SB-SB B
		Satin Steel	White	LRX DSAT SB-SS W	LRX DENT SB-SS W	LRX DSAT+ SB-SS W
	Satin Steel	Black	LRX DSAT SB-SS B	LRX DENT SB-SS B	LRX DSAT+ SB-SS B	
Antique Brass 	Antique Brass	Black	LRX DSAT AB-AB W	LRX DENT AB-AB B	LRX DSAT+ AB-AB B	
	Satin Brass	Black	LRX DSAT AB-SB B	LRX DENT AB-SB B	LRX DSAT+ AB-SB B	
Satin Nickel 	Bright Steel	White	LRX DSAT SN-BS W	LRX DENT SN-BS W	LRX DSAT+ SN-BS W	
	Bright Steel	Black	LRX DSAT SN-BS B	LRX DENT SN-BS B	LRX DSAT+ SN-BS B	
	Satin Steel	White	LRX DSAT SN-SS W	LRX DENT SN-SS W	LRX DSAT+ SN-SS W	
	Satin Steel	Black	LRX DSAT SN-SS B	LRX DENT SN-SS B	LRX DSAT+ SN-SS B	
Black Nickel 	Black Nickel	Black	LRX DSAT BK-BK B	LRX DENT BK-BK B	LRX DSAT+ BK-BK B	
	Bright Steel	Black	LRX DSAT BK-BS B	LRX DENT BK-BS B	LRX DSAT+ BK-BS B	
	Polished Brass	Black	LRX DSAT BK-PB B	LRX DENT BK-PB B	LRX DSAT+ BK-PB B	

Hamilton® Linea-Rondo cfx®

Concealed Fixing Telephone and Data Outlets

LRX
RANGE



LRX J45 SB-AB B



1 gang Telephone Master

Nominal Plate Size: 91 x 91 mm

Min. Wall Box Depth: 25 mm

Technical Insert Reference: TCM

Product Code



1 gang Telephone Slave

Nominal Plate Size: 91 x 91 mm

Min. Wall Box Depth: 25 mm

Technical Insert Reference: TCS

Product Code



1 gang RJ12 Outlet Unshielded

Nominal Plate Size: 91 x 91 mm

Min. Wall Box Depth: 35 mm

Technical Insert Reference: J12

Product Code



2 gang RJ12 Outlet Unshielded

Nominal Plate Size: 91 x 91 mm

Min. Wall Box Depth: 35 mm

Technical Insert Reference: 2J12

Product Code



1 gang RJ45 CAT 5E Outlet Unshielded

Nominal Plate Size: 91 x 91 mm

Min. Wall Box Depth: 35 mm

Technical Insert Reference: J45

Product Code









2 gang RJ45 CAT 5E Outlet Unshielded

Nominal Plate Size: 91 x 91 mm

Min. Wall Box Depth: 35 mm

Technical Insert Reference: 2J45

Product Code

Frame Finish	Plate Finish	Insert Colour	Product Code	Product Code	Product Code	Product Code	Product Code	Product Code	
 Bright Chrome	Bright Steel	White	LRX TCM BC-BS W	LRX TCS BC-BS W	LRX J12 BC-BS W	LRX 2J12 BC-BS W	LRX J45 BC-BS W	LRX 2J45 BC-BS W	
	Bright Steel	Black	LRX TCM BC-BS B	LRX TCS BC-BS B	LRX J12 BC-BS B	LRX 2J12 BC-BS B	LRX J45 BC-BS B	LRX 2J45 BC-BS B	
	Satin Steel	White	LRX TCM BC-SS W	LRX TCS BC-SS W	LRX J12 BC-SS W	LRX 2J12 BC-SS W	LRX J45 BC-SS W	LRX 2J45 BC-SS W	
	Satin Steel	Black	LRX TCM BC-SS B	LRX TCS BC-SS B	LRX J12 BC-SS B	LRX 2J12 BC-SS B	LRX J45 BC-SS B	LRX 2J45 BC-SS B	
	Polished Brass	White	LRX TCM BC-PB W	LRX TCS BC-PB W	LRX J12 BC-PB W	LRX 2J12 BC-PB W	LRX J45 BC-PB W	LRX 2J45 BC-PB W	
	Polished Brass	Black	LRX TCM BC-PB B	LRX TCS BC-PB B	LRX J12 BC-PB B	LRX 2J12 BC-PB B	LRX J45 BC-PB B	LRX 2J45 BC-PB B	
	Black Nickel	Black	LRX TCM BC-BK B	LRX TCS BC-BK B	LRX J12 BC-BK B	LRX 2J12 BC-BK B	LRX J45 BC-BK B	LRX 2J45 BC-BK B	
	Piano Black	Black	LRX TCM BC-N B	LRX TCS BC-N B	LRX J12 BC-N B	LRX 2J12 BC-N B	LRX J45 BC-N B	LRX 2J45 BC-N B	
 Polished Brass	Polished Brass	White	LRX TCM PB-PB W	LRX TCS PB-PB W	LRX J12 PB-PB W	LRX 2J12 PB-PB W	LRX J45 PB-PB W	LRX 2J45 PB-PB W	
	Polished Brass	Black	LRX TCM PB-PB B	LRX TCS PB-PB B	LRX J12 PB-PB B	LRX 2J12 PB-PB B	LRX J45 PB-PB B	LRX 2J45 PB-PB B	
	Satin Brass	White	LRX TCM PB-SB W	LRX TCS PB-SB W	LRX J12 PB-SB W	LRX 2J12 PB-SB W	LRX J45 PB-SB W	LRX 2J45 PB-SB W	
	Satin Brass	Black	LRX TCM PB-SB B	LRX TCS PB-SB B	LRX J12 PB-SB B	LRX 2J12 PB-SB B	LRX J45 PB-SB B	LRX 2J45 PB-SB B	
	Antique Brass	White	LRX TCM PB-AB W	LRX TCS PB-AB W	LRX J12 PB-AB W	LRX 2J12 PB-AB W	LRX J45 PB-AB W	LRX 2J45 PB-AB W	
	Antique Brass	Black	LRX TCM PB-AB B	LRX TCS PB-AB B	LRX J12 PB-AB B	LRX 2J12 PB-AB B	LRX J45 PB-AB B	LRX 2J45 PB-AB B	
	Bright Steel	White	LRX TCM PB-BS W	LRX TCS PB-BS W	LRX J12 PB-BS W	LRX 2J12 PB-BS W	LRX J45 PB-BS W	LRX 2J45 PB-BS W	
	Bright Steel	Black	LRX TCM PB-BS B	LRX TCS PB-BS B	LRX J12 PB-BS B	LRX 2J12 PB-BS B	LRX J45 PB-BS B	LRX 2J45 PB-BS B	
	Satin Steel	White	LRX TCM PB-SS W	LRX TCS PB-SS W	LRX J12 PB-SS W	LRX 2J12 PB-SS W	LRX J45 PB-SS W	LRX 2J45 PB-SS W	
	Satin Steel	Black	LRX TCM PB-SS B	LRX TCS PB-SS B	LRX J12 PB-SS B	LRX 2J12 PB-SS B	LRX J45 PB-SS B	LRX 2J45 PB-SS B	
	 Satin Brass	Satin Brass	White	LRX TCM SB-SB W	LRX TCS SB-SB W	LRX J12 SB-SB W	LRX 2J12 SB-SB W	LRX J45 SB-SB W	LRX 2J45 SB-SB W
		Satin Brass	Black	LRX TCM SB-SB B	LRX TCS SB-SB B	LRX J12 SB-SB B	LRX 2J12 SB-SB B	LRX J45 SB-SB B	LRX 2J45 SB-SB B
Satin Steel		White	LRX TCM SB-SS W	LRX TCS SB-SS W	LRX J12 SB-SS W	LRX 2J12 SB-SS W	LRX J45 SB-SS W	LRX 2J45 SB-SS W	
Satin Steel		Black	LRX TCM SB-SS B	LRX TCS SB-SS B	LRX J12 SB-SS B	LRX 2J12 SB-SS B	LRX J45 SB-SS B	LRX 2J45 SB-SS B	
 Antique Brass	Antique Brass	Black	LRX TCM AB-AB B	LRX TCS AB-AB B	LRX J12 AB-AB B	LRX 2J12 AB-AB B	LRX J45 AB-AB B	LRX 2J45 AB-AB B	
	Satin Brass	Black	LRX TCM AB-SB B	LRX TCS AB-SB B	LRX J12 AB-SB B	LRX 2J12 AB-SB B	LRX J45 AB-SB B	LRX 2J45 AB-SB B	
 Satin Nickel	Bright Steel	White	LRX TCM SN-BS W	LRX TCS SN-BS W	LRX J12 SN-BS W	LRX 2J12 SN-BS W	LRX J45 SN-BS W	LRX 2J45 SN-BS W	
	Bright Steel	Black	LRX TCM SN-BS B	LRX TCS SN-BS B	LRX J12 SN-BS B	LRX 2J12 SN-BS B	LRX J45 SN-BS B	LRX 2J45 SN-BS B	
	Satin Steel	White	LRX TCM SN-SS W	LRX TCS SN-SS W	LRX J12 SN-SS W	LRX 2J12 SN-SS W	LRX J45 SN-SS W	LRX 2J45 SN-SS W	
	Satin Steel	Black	LRX TCM SN-SS B	LRX TCS SN-SS B	LRX J12 SN-SS B	LRX 2J12 SN-SS B	LRX J45 SN-SS B	LRX 2J45 SN-SS B	
 Black Nickel	Black Nickel	Black	LRX TCM BK-BK B	LRX TCS BK-BK B	LRX J12 BK-BK B	LRX 2J12 BK-BK B	LRX J45 BK-BK B	LRX 2J45 BK-BK B	
	Bright Steel	Black	LRX TCM BK-BS B	LRX TCS BK-BS B	LRX J12 BK-BS B	LRX 2J12 BK-BS B	LRX J45 BK-BS B	LRX 2J45 BK-BS B	
	Polished Brass	Black	LRX TCM BK-PB B	LRX TCS BK-PB B	LRX J12 BK-PB B	LRX 2J12 BK-PB B	LRX J45 BK-PB B	LRX 2J45 BK-PB B	

Hamilton® Linea-Rondo CFX®

Concealed Fixing Double Pole Switches



LRX DPN BC-SS W



1 gang 20AX Double Pole Rocker + Neon

Nominal Plate Size: 91 x 91 mm
Min. Wall Box Depth: 35 mm

Technical Insert Reference: DPN
Product Code



45A Double Pole Red Rocker + Neon + 13A Switched Socket

Nominal Plate Size: 150 x 91 mm
Min. Wall Box Depth: 35 mm

Technical Insert Reference: 45SS1
Product Code















LRX 45N BC-BK B



1 gang 45A Double Pole Red Rocker + Neon

Nominal Plate Size: 91 x 91 mm
Min. Wall Box Depth: 35 mm

Technical Insert Reference: 45N
Product Code

Frame and insert Finish	Plate Finish	Insert Surround Colour	Product Code	Product Code	Frame Finish	Plate Finish	Insert Surround Colour	Product Code
	Bright Steel	White	LRX DPN BC-BS W	LRX 45SS1 BC-BS W		Bright Steel	White	LRX 45N BC-BS W
	Bright Steel	Black	LRX DPN BC-BS B	LRX 45SS1 BC-BS B		Bright Steel	Black	LRX 45N BC-BS B
	Satin Steel	White	LRX DPN BC-SS W	LRX 45SS1 BC-SS W		Satin Steel	White	LRX 45N BC-SS W
	Satin Steel	Black	LRX DPN BC-SS B	LRX 45SS1 BC-SS B		Satin Steel	Black	LRX 45N BC-SS B
	Polished Brass	White	LRX DPN BC-PB W	LRX 45SS1 BC-PB W		Polished Brass	White	LRX 45N BC-PB W
	Polished Brass	Black	LRX DPN BC-PB B	LRX 45SS1 BC-PB B		Polished Brass	Black	LRX 45N BC-PB B
	Black Nickel	Black	LRX DPN BC-BK B	LRX 45SS1 BC-BK B		Black Nickel	Black	LRX 45N BC-BK B
Piano Black	Black	LRX DPN BC-N B	LRX 45SS1 BC-N B	Piano Black	Black	LRX 45N BC-N B		
	Polished Brass	White	LRX DPN PB-PB W	LRX 45SS1 PB-PB W		Polished Brass	White	LRX 45N PB-PB W
	Polished Brass	Black	LRX DPN PB-PB B	LRX 45SS1 PB-PB B		Polished Brass	Black	LRX 45N PB-PB B
	Satin Brass	White	LRX DPN PB-SB W	LRX 45SS1 PB-SB W		Satin Brass	White	LRX 45N PB-SB W
	Satin Brass	Black	LRX DPN PB-SB B	LRX 45SS1 PB-SB B		Satin Brass	Black	LRX 45N PB-SB B
	Antique Brass	White	LRX DPN PB-AB W	LRX 45SS1 PB-AB W		Antique Brass	White	LRX 45N PB-AB W
	Antique Brass	Black	LRX DPN PB-AB B	LRX 45SS1 PB-AB B		Antique Brass	Black	LRX 45N PB-AB B
	Bright Steel	White	LRX DPN PB-BS W	LRX 45SS1 PB-BS W		Bright Steel	White	LRX 45N PB-BS W
	Bright Steel	Black	LRX DPN PB-BS B	LRX 45SS1 PB-BS B		Bright Steel	Black	LRX 45N PB-BS B
	Satin Steel	White	LRX DPN PB-SS W	LRX 45SS1 PB-SS W		Satin Steel	White	LRX 45N PB-SS W
	Satin Steel	Black	LRX DPN PB-SS B	LRX 45SS1 PB-SS B		Satin Steel	Black	LRX 45N PB-SS B
		Satin Brass	White	LRX DPN SB-SB W		LRX 45SS1 SB-SB W		Satin Brass
Satin Brass		Black	LRX DPN SB-SB B	LRX 45SS1 SB-SB B	Satin Brass	Black		LRX 45N SB-SB B
Satin Steel		White	LRX DPN SB-SS W	LRX 45SS1 SB-SS W	Satin Steel	White		LRX 45N SB-SS W
Satin Steel		Black	LRX DPN SB-SS B	LRX 45SS1 SB-SS B	Satin Steel	Black		LRX 45N SB-SS B
	Antique Brass	Black	LRX DPN AB-AB B	LRX 45SS1 AB-AB B		Antique Brass	Black	LRX 45N AB-AB B
	Satin Brass	Black	LRX DPN AB-SB B	LRX 45SS1 AB-SB B		Satin Brass	Black	LRX 45N AB-SB B
	Bright Steel	White	LRX DPN SN-BS W	LRX 45SS1 SN-BS W		Bright Steel	White	LRX 45N SN-BS W
	Bright Steel	Black	LRX DPN SN-BS B	LRX 45SS1 SN-BS B		Bright Steel	Black	LRX 45N SN-BS B
	Satin Steel	White	LRX DPN SN-SS W	LRX 45SS1 SN-SS W		Satin Steel	White	LRX 45N SN-SS W
	Satin Steel	Black	LRX DPN SN-SS B	LRX 45SS1 SN-SS B		Satin Steel	Black	LRX 45N SN-SS B
	Black Nickel	Black	LRX DPN BK-BK B	LRX 45SS1 BK-BK B		Black Nickel	Black	LRX 45N BK-BK B
	Bright Steel	Black	LRX DPN BK-BS B	LRX 45SS1 BK-BS B		Bright Steel	Black	LRX 45N BK-BS B
	Polished Brass	Black	LRX DPN BK-PB B	LRX 45SS1 BK-PB B		Polished Brass	Black	LRX 45N BK-PB B

Hamilton® Linea-Rondo CFX®

Concealed Fixing Connection Units

**LRX
RANGE**



LRX SPN SB-SB W









**1 gang 13A
Double Pole
Fused Spur + Neon**

Nominal Plate Size:
91 x 91 mm

Min. Wall Box
Depth: 35 mm

Technical Insert
Reference: **SPN**
Product Code

Frame and Insert Finish	Plate Finish	Insert Surround Colour	
	Bright Steel	White	LRX SPN BC-BS W
	Bright Steel	Black	LRX SPN BC-BS B
	Satin Steel	White	LRX SPN BC-SS W
	Satin Steel	Black	LRX SPN BC-SS B
	Polished Brass	White	LRX SPN BC-PB W
	Polished Brass	Black	LRX SPN BC-PB B
	Black Nickel	Black	LRX SPN BC-BK B
	Piano Black	Black	LRX SPN BC-N B
	Polished Brass	White	LRX SPN PB-PB W
	Polished Brass	Black	LRX SPN PB-PB B
	Satin Brass	White	LRX SPN PB-SB W
	Satin Brass	Black	LRX SPN PB-SB B
	Antique Brass	White	LRX SPN PB-AB W
	Antique Brass	Black	LRX SPN PB-AB B
	Bright Steel	White	LRX SPN PB-BS W
	Bright Steel	Black	LRX SPN PB-BS B
	Satin Steel	White	LRX SPN PB-SS W
	Satin Steel	Black	LRX SPN PB-SS B
	Satin Brass	White	LRX SPN SB-SB W
	Satin Brass	Black	LRX SPN SB-SB B
	Satin Steel	White	LRX SPN SB-SS W
	Satin Steel	Black	LRX SPN SB-SS B
	Antique Brass	Black	LRX SPN AB-AB B
	Satin Brass	Black	LRX SPN AB-SB B
	Bright Steel	White	LRX SPN SN-BS W
	Bright Steel	Black	LRX SPN SN-BS B
	Satin Steel	White	LRX SPN SN-SS W
	Satin Steel	Black	LRX SPN SN-SS B
	Black Nickel	Black	LRX SPN BK-BK B
	Bright Steel	Black	LRX SPN BK-BS B
	Polished Brass	Black	LRX SPN BK-PB B



LRX FN BC-PB R




**1 gang 13A
Fuse with
Red Neon Halo**

Nominal Plate Size:
91 x 91 mm

Min. Wall Box
Depth: 35 mm

Technical Insert
Reference: **FN**
Product Code

Frame and Insert Finish	Plate Finish	Insert Surround Colour	
	Bright Steel	Red Halo	LRX FN BC-BS R
	Satin Steel	Red Halo	LRX FN BC-SS R
	Polished Brass	Red Halo	LRX FN BC-PB R
	Black Nickel	Red Halo	LRX FN BC-BK R
	Piano Black	Red Halo	LRX FN BC-N R
	Polished Brass	Red Halo	LRX FN PB-PB R
	Satin Brass	Red Halo	LRX FN PB-SB R
	Antique Brass	Red Halo	LRX FN PB-AB R
	Bright Steel	Red Halo	LRX FN PB-BS R
	Satin Steel	Red Halo	LRX FN PB-SS R
	Satin Brass	Red Halo	LRX FN SB-SB R
	Satin Steel	Red Halo	LRX FN SB-SS R
	Antique Brass	Red Halo	LRX FN AB-AB R
	Satin Brass	Red Halo	LRX FN AB-SB R
	Bright Steel	Red Halo	LRX FN SN-BS R
	Satin Steel	Red Halo	LRX FN SN-SS R
	Black Nickel	Red Halo	LRX FN BK-BK R
	Bright Steel	Red Halo	LRX FN BK-BS R
	Polished Brass	Red Halo	LRX FN BK-PB R

Hamilton® Linea-Rondo CFX®

Concealed Fixing Leading Edge Push On/Off Resistive Dimmers

Note: Tungsten filament GU10 lamps must be branded and with a fused base. Note: When using mains voltage halogen lamps - dimmers should be de-rated by 25%.
 Note: When dimming LED lamps de-rate by 75% - please contact our Technical Department for compatibility.



LRX 2X40 BC-N



Frame and Insert Finish	Plate Finish	1 gang 400W 2 way Dimmer Nominal Plate Size: 91 x 91 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: 1X40 Product Code	2 gang 400W 2 way (Max. 300 watts per gang) Dimmer Nominal Plate Size: 91 x 91 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: 2X40 Product Code	3 gang 400W 2 way Dimmer Nominal Plate Size: 150 x 91 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: 3X40 Product Code	4 gang 400W 2 way (Max. 300 watts per gang) Dimmer Nominal Plate Size: 150 x 91 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: 4X40 Product Code	1 gang 600W 2 way Dimmer Nominal Plate Size: 91 x 91 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: 1X60 Product Code	1 gang 1000W 2 way Dimmer Nominal Plate Size: 150 x 91 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: 1X1K Product Code
Bright Chrome 	Bright Steel Satin Steel Polished Brass Black Nickel Piano Black	LRX 1X40 BC-BS LRX 1X40 BC-SS LRX 1X40 BC-PB LRX 1X40 BC-BK LRX 1X40 BC-N	LRX 2X40 BC-BS LRX 2X40 BC-SS LRX 2X40 BC-PB LRX 2X40 BC-BK LRX 2X40 BC-N	LRX 3X40 BC-BS LRX 3X40 BC-SS LRX 3X40 BC-PB LRX 3X40 BC-BK LRX 3X40 BC-N	LRX 4X40 BC-BS LRX 4X40 BC-SS LRX 4X40 BC-PB LRX 4X40 BC-BK LRX 4X40 BC-N	LRX 1X60 BC-BS LRX 1X60 BC-SS LRX 1X60 BC-PB LRX 1X60 BC-BK LRX 1X60 BC-N	LRX 1X1K BC-BS LRX 1X1K BC-SS LRX 1X1K BC-PB LRX 1X1K BC-BK LRX 1X1K BC-N
Polished Brass 	Polished Brass Satin Brass Antique Brass Bright Steel Satin Steel	LRX 1X40 PB-PB LRX 1X40 PB-SB LRX 1X40 PB-AB LRX 1X40 PB-BS LRX 1X40 PB-SS	LRX 2X40 PB-PB LRX 2X40 PB-SB LRX 2X40 PB-AB LRX 2X40 PB-BS LRX 2X40 PB-SS	LRX 3X40 PB-PB LRX 3X40 PB-SB LRX 3X40 PB-AB LRX 3X40 PB-BS LRX 3X40 PB-SS	LRX 4X40 PB-PB LRX 4X40 PB-SB LRX 4X40 PB-AB LRX 4X40 PB-BS LRX 4X40 PB-SS	LRX 1X60 PB-PB LRX 1X60 PB-SB LRX 1X60 PB-AB LRX 1X60 PB-BS LRX 1X60 PB-SS	LRX 1X1K PB-PB LRX 1X1K PB-SB LRX 1X1K PB-AB LRX 1X1K PB-BS LRX 1X1K PB-SS
Satin Brass 	Satin Brass Satin Steel	LRX 1X40 SB-SB LRX 1X40 SB-SS	LRX 2X40 SB-SB LRX 2X40 SB-SS	LRX 3X40 SB-SB LRX 3X40 SB-SS	LRX 4X40 SB-SB LRX 4X40 SB-SS	LRX 1X60 SB-SB LRX 1X60 SB-SS	LRX 1X1K SB-SB LRX 1X1K SB-SS
Antique Brass 	Antique Brass Satin Brass	LRX 1X40 AB-AB LRX 1X40 AB-SB	LRX 2X40 AB-AB LRX 2X40 AB-SB	LRX 3X40 AB-AB LRX 3X40 AB-SB	LRX 4X40 AB-AB LRX 4X40 AB-SB	LRX 1X60 AB-AB LRX 1X60 AB-SB	LRX 1X1K AB-AB LRX 1X1K AB-SB
Satin Nickel 	Bright Steel Satin Steel	LRX 1X40 SN-BS LRX 1X40 SN-SS	LRX 2X40 SN-BS LRX 2X40 SN-SS	LRX 3X40 SN-BS LRX 3X40 SN-SS	LRX 4X40 SN-BS LRX 4X40 SN-SS	LRX 1X60 SN-BS LRX 1X60 SN-SS	LRX 1X1K SN-BS LRX 1X1K SN-SS
Black Nickel 	Black Nickel Bright Steel Polished Brass	LRX 1X40 BK-BK LRX 1X40 BK-BS LRX 1X40 BK-PB	LRX 2X40 BK-BK LRX 2X40 BK-BS LRX 2X40 BK-PB	LRX 3X40 BK-BK LRX 3X40 BK-BS LRX 3X40 BK-PB	LRX 4X40 BK-BK LRX 4X40 BK-BS LRX 4X40 BK-PB	LRX 1X60 BK-BK LRX 1X60 BK-BS LRX 1X60 BK-PB	LRX 1X1K BK-BK LRX 1X1K BK-BS LRX 1X1K BK-PB

Hamilton® Linea-Rondo CFX®

Concealed Fixing Leading Edge Push On/Off Inductive Dimmers

Note: When dimming LED lamps de-rate by 75% - please contact our Technical Department for compatibility.



LRX 1X2V PB-SB



**1 gang 200VA
2 way Dimmer**

Nominal Plate Size:
91 x 91 mm
Minimum Wall Box
Depth: 35 mm
Technical Insert
Reference: **1X2V**
Product Code

**1 gang 300VA
2 way Dimmer**

Nominal Plate Size:
91 x 91 mm
Minimum Wall Box
Depth: 35 mm
Technical Insert
Reference: **1X3V**
Product Code

Frame and Insert Finish	Plate Finish	1 gang 200VA 2 way Dimmer	1 gang 300VA 2 way Dimmer
 <p>Bright Chrome</p>	<p>Bright Steel Satin Steel Polished Brass Black Nickel Piano Black</p>	<p>LRX 1X2V BC-BS LRX 1X2V BC-SS LRX 1X2V BC-PB LRX 1X2V BC-BK LRX 1X2V BC-N</p>	<p>LRX 1X3V BC-BS LRX 1X3V BC-SS LRX 1X3V BC-PB LRX 1X3V BC-BK LRX 1X3V BC-N</p>
 <p>Polished Brass</p>	<p>Polished Brass Satin Brass Antique Brass Bright Steel Satin Steel</p>	<p>LRX 1X2V PB-PB LRX 1X2V PB-SB LRX 1X2V PB-AB LRX 1X2V PB-BS LRX 1X2V PB-SS</p>	<p>LRX 1X3V PB-PB LRX 1X3V PB-SB LRX 1X3V PB-AB LRX 1X3V PB-BS LRX 1X3V PB-SS</p>
 <p>Satin Brass</p>	<p>Satin Brass Satin Steel</p>	<p>LRX 1X2V SB-SB LRX 1X2V SB-SS</p>	<p>LRX 1X3V SB-SB LRX 1X3V SB-SS</p>
 <p>Antique Brass</p>	<p>Antique Brass Satin Brass</p>	<p>LRX 1X2V AB-AB LRX 1X2V AB-SB</p>	<p>LRX 1X3V AB-AB LRX 1X3V AB-SB</p>
 <p>Satin Nickel</p>	<p>Bright Steel Satin Steel</p>	<p>LRX 1X2V SN-BS LRX 1X2V SN-SS</p>	<p>LRX 1X3V SN-BS LRX 1X3V SN-SS</p>
 <p>Black Nickel</p>	<p>Black Nickel Bright Steel Polished Brass</p>	<p>LRX 1X2V BK-BK LRX 1X2V BK-BS LRX 1X2V BK-PB</p>	<p>LRX 1X3V BK-BK LRX 1X3V BK-BS LRX 1X3V BK-PB</p>

Hamilton® Linea-Rondo CFX®

Concealed Fixing Trailing Edge Push On/Off Dimmers







Note: Tungsten filament GU10 lamps must be branded and with a fused base. Note: When using mains voltage halogen lamps - dimmers should be de-rated by 25%.

Note: When using mains voltage halogen load transformers - maximum rating is 210VA. Note: When dimming LED lamps de-rate by 75% - please contact our Technical Department for compatibility.



LRX 4XTE BK-BS



Frame and Insert Finish	Plate Finish	1 gang 250W/210VA Trailing Edge Multi-Way Dimmer Nominal Plate Size: 91 x 91 mm Minimum Wall Box Size: 35 mm Technical Insert Reference: 1XTE Product Code	2 gang 250W/210VA Trailing Edge Multi-Way Dimmer Nominal Plate Size: 91 x 91 mm Minimum Wall Box Size: 35 mm Technical Insert Reference: 2XTE Product Code	3 gang 250W/210VA Trailing Edge Multi-Way Dimmer Nominal Plate Size: 150 x 91 mm Minimum Wall Box Size: 35 mm Technical Insert Reference: 3XTE Product Code	4 gang 250W/210VA Trailing Edge Multi-Way Dimmer Nominal Plate Size: 150 x 91 mm Minimum Wall Box Size: 35 mm Technical Insert Reference: 4XTE Product Code
 Bright Chrome	Bright Steel Satin Steel Polished Brass Black Nickel Piano Black	LRX 1XTE BC-BS LRX 1XTE BC-SS LRX 1XTE BC-PB LRX 1XTE BC-BK LRX 1XTE BC-N	LRX 2XTE BC-BS LRX 2XTE BC-SS LRX 2XTE BC-PB LRX 2XTE BC-BK LRX 2XTE BC-N	LRX 3XTE BC-BS LRX 3XTE BC-SS LRX 3XTE BC-PB LRX 3XTE BC-BK LRX 3XTE BC-N	LRX 4XTE BC-BS LRX 4XTE BC-SS LRX 4XTE BC-PB LRX 4XTE BC-BK LRX 4XTE BC-N
 Polished Brass	Polished Brass Satin Brass Antique Brass Bright Steel Satin Steel	LRX 1XTE PB-PB LRX 1XTE PB-SB LRX 1XTE PB-AB LRX 1XTE PB-BS LRX 1XTE PB-SS	LRX 2XTE PB-PB LRX 2XTE PB-SB LRX 2XTE PB-AB LRX 2XTE PB-BS LRX 2XTE PB-SS	LRX 3XTE PB-PB LRX 3XTE PB-SB LRX 3XTE PB-AB LRX 3XTE PB-BS LRX 3XTE PB-SS	LRX 4XTE PB-PB LRX 4XTE PB-SB LRX 4XTE PB-AB LRX 4XTE PB-BS LRX 4XTE PB-SS
 Satin Brass	Satin Brass Satin Steel	LRX 1XTE SB-SB LRX 1XTE SB-SS	LRX 2XTE SB-SB LRX 2XTE SB-SS	LRX 3XTE SB-SB LRX 3XTE SB-SS	LRX 4XTE SB-SB LRX 4XTE SB-SS
 Antique Brass	Antique Brass Satin Brass	LRX 1XTE AB-AB LRX 1XTE AB-SB	LRX 2XTE AB-AB LRX 2XTE AB-SB	LRX 3XTE AB-AB LRX 3XTE AB-SB	LRX 4XTE AB-AB LRX 4XTE AB-SB
 Satin Nickel	Bright Steel Satin Steel	LRX 1XTE SN-BS LRX 1XTE SN-SS	LRX 2XTE SN-BS LRX 2XTE SN-SS	LRX 3XTE SN-BS LRX 3XTE SN-SS	LRX 4XTE SN-BS LRX 4XTE SN-SS
 Black Nickel	Black Nickel Bright Steel Polished Brass	LRX 1XTE BK-BK LRX 1XTE BK-BS LRX 1XTE BK-PB	LRX 2XTE BK-BK LRX 2XTE BK-BS LRX 2XTE BK-PB	LRX 3XTE BK-BK LRX 3XTE BK-BS LRX 3XTE BK-PB	LRX 4XTE BK-BK LRX 4XTE BK-BS LRX 4XTE BK-PB

Hamilton® Linea-Rondo CFX®

Concealed Fixing Trailing Edge Touch Master Multi-Way Dimmers

Note: Tungsten filament GU10 lamps must be branded and with a fused base. Note: When using mains voltage halogen lamps - dimmers should be de-rated by 25%.

Note: When using mains voltage halogen load transformers - maximum rating is 210VA. Note: When dimming LED lamps de-rate by 75% - please contact our Technical Department for compatibility.



**1 gang 250W/210VA
Trailing Edge
Multi-Way
Touch Master Dimmer**

Nominal Plate Size:
91 x 91 mm
Minimum Wall Box
Depth: 35 mm
Technical Insert
Reference: 1XTM
Product Code



**2 gang 250W/210VA
Trailing Edge
Multi-Way
Touch Master Dimmer**

Nominal Plate Size:
91 x 91 mm
Minimum Wall Box
Depth: 35 mm
Technical Insert
Reference: 2XTM
Product Code









**3 gang 250W/210VA
Trailing Edge
Multi-Way
Touch Master Dimmer**

Nominal Plate Size:
150 x 91 mm
Minimum Wall Box
Depth: 35 mm
Technical Insert
Reference: 3XTM
Product Code



**4 gang 250W/210VA
Trailing Edge
Multi-Way
Touch Master Dimmer**

Nominal Plate Size:
150 x 91 mm
Minimum Wall Box
Depth: 35 mm
Technical Insert
Reference: 4XTM
Product Code

Frame and Insert Finish	Plate Finish	Insert Surround Colour	Product Code	Product Code	Product Code	Product Code	
 Bright Chrome	Bright Steel	White	LRX 1XTM BC-BS W	LRX 2XTM BC-BS W	LRX 3XTM BC-BS W	LRX 4XTM BC-BS W	
	Bright Steel	Black	LRX 1XTM BC-BS B	LRX 2XTM BC-BS B	LRX 3XTM BC-BS B	LRX 4XTM BC-BS B	
	Satin Steel	White	LRX 1XTM BC-SS W	LRX 2XTM BC-SS W	LRX 3XTM BC-SS W	LRX 4XTM BC-SS W	
	Satin Steel	Black	LRX 1XTM BC-SS B	LRX 2XTM BC-SS B	LRX 3XTM BC-SS B	LRX 4XTM BC-SS B	
	Polished Brass	White	LRX 1XTM BC-PB W	LRX 2XTM BC-PB W	LRX 3XTM BC-PB W	LRX 4XTM BC-PB W	
	Polished Brass	Black	LRX 1XTM BC-PB B	LRX 2XTM BC-PB B	LRX 3XTM BC-PB B	LRX 4XTM BC-PB B	
	Black Nickel	Black	LRX 1XTM BC-BK B	LRX 2XTM BC-BK B	LRX 3XTM BC-BK B	LRX 4XTM BC-BK B	
 Polished Brass	Polished Brass	White	LRX 1XTM PB-PB W	LRX 2XTM PB-PB W	LRX 3XTM PB-PB W	LRX 4XTM PB-PB W	
	Polished Brass	Black	LRX 1XTM PB-PB B	LRX 2XTM PB-PB B	LRX 3XTM PB-PB B	LRX 4XTM PB-PB B	
	Satin Brass	White	LRX 1XTM PB-SB W	LRX 2XTM PB-SB W	LRX 3XTM PB-SB W	LRX 4XTM PB-SB W	
	Satin Brass	Black	LRX 1XTM PB-SB B	LRX 2XTM PB-SB B	LRX 3XTM PB-SB B	LRX 4XTM PB-SB B	
	Antique Brass	White	LRX 1XTM PB-AB W	LRX 2XTM PB-AB W	LRX 3XTM PB-AB W	LRX 4XTM PB-AB W	
	Antique Brass	Black	LRX 1XTM PB-AB B	LRX 2XTM PB-AB B	LRX 3XTM PB-AB B	LRX 4XTM PB-AB B	
	Bright Steel	White	LRX 1XTM PB-BS W	LRX 2XTM PB-BS W	LRX 3XTM PB-BS W	LRX 4XTM PB-BS W	
 Satin Brass	Bright Steel	Black	LRX 1XTM PB-BS B	LRX 2XTM PB-BS B	LRX 3XTM PB-BS B	LRX 4XTM PB-BS B	
	Satin Steel	White	LRX 1XTM PB-SS W	LRX 2XTM PB-SS W	LRX 3XTM PB-SS W	LRX 4XTM PB-SS W	
	Satin Steel	Black	LRX 1XTM PB-SS B	LRX 2XTM PB-SS B	LRX 3XTM PB-SS B	LRX 4XTM PB-SS B	
	 Antique Brass	Satin Brass	White	LRX 1XTM SB-SB W	LRX 2XTM SB-SB W	LRX 3XTM SB-SB W	LRX 4XTM SB-SB W
		Satin Brass	Black	LRX 1XTM SB-SB B	LRX 2XTM SB-SB B	LRX 3XTM SB-SB B	LRX 4XTM SB-SB B
		Satin Steel	White	LRX 1XTM SB-SS W	LRX 2XTM SB-SS W	LRX 3XTM SB-SS W	LRX 4XTM SB-SS W
		Satin Steel	Black	LRX 1XTM SB-SS B	LRX 2XTM SB-SS B	LRX 3XTM SB-SS B	LRX 4XTM SB-SS B
 Satin Nickel	Antique Brass	Black	LRX 1XTM AB-AB B	LRX 2XTM AB-AB B	LRX 3XTM AB-AB B	LRX 4XTM AB-AB B	
	Satin Brass	Black	LRX 1XTM AB-SB B	LRX 2XTM AB-SB B	LRX 3XTM AB-SB B	LRX 4XTM AB-SB B	
	Bright Steel	White	LRX 1XTM SN-BS W	LRX 2XTM SN-BS W	LRX 3XTM SN-BS W	LRX 4XTM SN-BS W	
	Bright Steel	Black	LRX 1XTM SN-BS B	LRX 2XTM SN-BS B	LRX 3XTM SN-BS B	LRX 4XTM SN-BS B	
 Black Nickel	Satin Steel	White	LRX 1XTM SN-SS W	LRX 2XTM SN-SS W	LRX 3XTM SN-SS W	LRX 4XTM SN-SS W	
	Satin Steel	Black	LRX 1XTM SN-SS B	LRX 2XTM SN-SS B	LRX 3XTM SN-SS B	LRX 4XTM SN-SS B	
	Black Nickel	Black	LRX 1XTM BK-BK B	LRX 2XTM BK-BK B	LRX 3XTM BK-BK B	LRX 4XTM BK-BK B	
	Bright Steel	Black	LRX 1XTM BK-BS B	LRX 2XTM BK-BS B	LRX 3XTM BK-BS B	LRX 4XTM BK-BS B	
	Polished Brass	Black	LRX 1XTM BK-PB B	LRX 2XTM BK-PB B	LRX 3XTM BK-PB B	LRX 4XTM BK-PB B	

Hamilton® Linea-Rondo CFX®

Concealed Fixing Touch Slave Controllers

Note: To only be used with Touch Master Dimmers.

Note: Tungsten filament GU10 lamps must be branded and with a fused base.

Note: When using mains voltage halogen lamps - dimmers should be de-rated by 25%.

Note: When using mains voltage halogen load transformers - maximum rating is 210VA.



LRX 1XTS PB-BS W



1 gang Multi-Way Touch Slave Controller

Nominal Plate Size: 91 x 91 mm
Minimum Wall Box Depth: 35 mm
Technical Insert Reference: 1XTS
Product Code



2 gang Multi-Way Touch Slave Controller

Nominal Plate Size: 91 x 91 mm
Minimum Wall Box Depth: 35 mm
Technical Insert Reference: 2XTS
Product Code









3 gang Multi-Way Touch Slave Controller

Nominal Plate Size: 150 x 91 mm
Minimum Wall Box Depth: 35 mm
Technical Insert Reference: 3XTS
Product Code



4 gang Multi-Way Touch Slave Controller

Nominal Plate Size: 150 x 91 mm
Minimum Wall Box Depth: 35 mm
Technical Insert Reference: 4XTS
Product Code

Frame and Insert Finish	Plate Finish	Insert Surround Colour	Product Code	Product Code	Product Code	Product Code	
	Bright Steel	White	LRX 1XTS BC-BS W	LRX 2XTS BC-BS W	LRX 3XTS BC-BS W	LRX 4XTS BC-BS W	
	Bright Steel	Black	LRX 1XTS BC-BS B	LRX 2XTS BC-BS B	LRX 3XTS BC-BS B	LRX 4XTS BC-BS B	
	Satin Steel	White	LRX 1XTS BC-SS W	LRX 2XTS BC-SS W	LRX 3XTS BC-SS W	LRX 4XTS BC-SS W	
	Satin Steel	Black	LRX 1XTS BC-SS B	LRX 2XTS BC-SS B	LRX 3XTS BC-SS B	LRX 4XTS BC-SS B	
	Polished Brass	White	LRX 1XTS BC-PB W	LRX 2XTS BC-PB W	LRX 3XTS BC-PB W	LRX 4XTS BC-PB W	
	Polished Brass	Black	LRX 1XTS BC-PB B	LRX 2XTS BC-PB B	LRX 3XTS BC-PB B	LRX 4XTS BC-PB B	
	Black Nickel	Black	LRX 1XTS BC-BK B	LRX 2XTS BC-BK B	LRX 3XTS BC-BK B	LRX 4XTS BC-BK B	
	Piano Black	Black	LRX 1XTS BC-N B	LRX 2XTS BC-N B	LRX 3XTS BC-N B	LRX 4XTS BC-N B	
	Polished Brass	White	LRX 1XTS PB-PB W	LRX 2XTS PB-PB W	LRX 3XTS PB-PB W	LRX 4XTS PB-PB W	
	Polished Brass	Black	LRX 1XTS PB-PB B	LRX 2XTS PB-PB B	LRX 3XTS PB-PB B	LRX 4XTS PB-PB B	
	Satin Brass	White	LRX 1XTS PB-SB W	LRX 2XTS PB-SB W	LRX 3XTS PB-SB W	LRX 4XTS PB-SB W	
	Satin Brass	Black	LRX 1XTS PB-SB B	LRX 2XTS PB-SB B	LRX 3XTS PB-SB B	LRX 4XTS PB-SB B	
	Antique Brass	White	LRX 1XTS PB-AB W	LRX 2XTS PB-AB W	LRX 3XTS PB-AB W	LRX 4XTS PB-AB W	
	Antique Brass	Black	LRX 1XTS PB-AB B	LRX 2XTS PB-AB B	LRX 3XTS PB-AB B	LRX 4XTS PB-AB B	
	Bright Steel	White	LRX 1XTS PB-BS W	LRX 2XTS PB-BS W	LRX 3XTS PB-BS W	LRX 4XTS PB-BS W	
	Bright Steel	Black	LRX 1XTS PB-BS B	LRX 2XTS PB-BS B	LRX 3XTS PB-BS B	LRX 4XTS PB-BS B	
	Satin Steel	White	LRX 1XTS PB-SS W	LRX 2XTS PB-SS W	LRX 3XTS PB-SS W	LRX 4XTS PB-SS W	
	Satin Steel	Black	LRX 1XTS PB-SS B	LRX 2XTS PB-SS B	LRX 3XTS PB-SS B	LRX 4XTS PB-SS B	
		Satin Brass	White	LRX 1XTS SB-SB W	LRX 2XTS SB-SB W	LRX 3XTS SB-SB W	LRX 4XTS SB-SB W
		Satin Brass	Black	LRX 1XTS SB-SB B	LRX 2XTS SB-SB B	LRX 3XTS SB-SB B	LRX 4XTS SB-SB B
Satin Steel		White	LRX 1XTS SB-SS W	LRX 2XTS SB-SS W	LRX 3XTS SB-SS W	LRX 4XTS SB-SS W	
Satin Steel		Black	LRX 1XTS SB-SS B	LRX 2XTS SB-SS B	LRX 3XTS SB-SS B	LRX 4XTS SB-SS B	
	Antique Brass	Black	LRX 1XTS AB-AB B	LRX 2XTS AB-AB B	LRX 3XTS AB-AB B	LRX 4XTS AB-AB B	
	Satin Brass	Black	LRX 1XTS AB-SB B	LRX 2XTS AB-SB B	LRX 3XTS AB-SB B	LRX 4XTS AB-SB B	
	Bright Steel	White	LRX 1XTS SN-BS W	LRX 2XTS SN-BS W	LRX 3XTS SN-BS W	LRX 4XTS SN-BS W	
	Bright Steel	Black	LRX 1XTS SN-BS B	LRX 2XTS SN-BS B	LRX 3XTS SN-BS B	LRX 4XTS SN-BS B	
	Satin Steel	White	LRX 1XTS SN-SS W	LRX 2XTS SN-SS W	LRX 3XTS SN-SS W	LRX 4XTS SN-SS W	
	Satin Steel	Black	LRX 1XTS SN-SS B	LRX 2XTS SN-SS B	LRX 3XTS SN-SS B	LRX 4XTS SN-SS B	
	Black Nickel	Black	LRX 1XTS BK-BK B	LRX 2XTS BK-BK B	LRX 3XTS BK-BK B	LRX 4XTS BK-BK B	
	Bright Steel	Black	LRX 1XTS BK-BS B	LRX 2XTS BK-BS B	LRX 3XTS BK-BS B	LRX 4XTS BK-BS B	
	Polished Brass	Black	LRX 1XTS BK-PB B	LRX 2XTS BK-PB B	LRX 3XTS BK-PB B	LRX 4XTS BK-PB B	

Concealed Fixing EuroFix Plates complete with Fixing Grid


Minimum Wall Box Depth is dependent on the EuroFix insert fitted - please see the EuroFix section for our complete range of inserts.



		1 Module EuroFix Plate Nominal Plate Size: 91 x 91 mm Aperture: 25 x 50 mm Technical Insert Reference: EURO1 Product Code	2 Module EuroFix Plate Nominal Plate Size: 91 x 91 mm Aperture: 50 x 50 mm Technical Insert Reference: EURO2 Product Code	3 Module EuroFix Plate Nominal Plate Size: 150 x 91 mm Aperture: 75 x 50 mm Technical Insert Reference: EURO3 Product Code	4 Module EuroFix Plate Nominal Plate Size: 150 x 91 mm Aperture: 100 x 50 mm Technical Insert Reference: EURO4 Product Code
Frame Finish	Plate Finish				
Bright Chrome 	Bright Steel Satin Steel Polished Brass Black Nickel Piano Black	LRX EURO1 BC-BS LRX EURO1 BC-SS LRX EURO1 BC-PB LRX EURO1 BC-BK LRX EURO1 BC-N	LRX EURO2 BC-BS LRX EURO2 BC-SS LRX EURO2 BC-PB LRX EURO2 BC-BK LRX EURO2 BC-N	LRX EURO3 BC-BS LRX EURO3 BC-SS LRX EURO3 BC-PB LRX EURO3 BC-BK LRX EURO3 BC-N	LRX EURO4 BC-BS LRX EURO4 BC-SS LRX EURO4 BC-PB LRX EURO4 BC-BK LRX EURO4 BC-N
Polished Brass 	Polished Brass Satin Brass Antique Brass Bright Steel Satin Steel	LRX EURO1 PB-PB LRX EURO1 PB-SB LRX EURO1 PB-AB LRX EURO1 PB-BS LRX EURO1 PB-SS	LRX EURO2 PB-PB LRX EURO2 PB-SB LRX EURO2 PB-AB LRX EURO2 PB-BS LRX EURO2 PB-SS	LRX EURO3 PB-PB LRX EURO3 PB-SB LRX EURO3 PB-AB LRX EURO3 PB-BS LRX EURO3 PB-SS	LRX EURO4 PB-PB LRX EURO4 PB-SB LRX EURO4 PB-AB LRX EURO4 PB-BS LRX EURO4 PB-SS
Satin Brass 	Satin Brass Satin Steel	LRX EURO1 SB-SB LRX EURO1 SB-SS	LRX EURO2 SB-SB LRX EURO2 SB-SS	LRX EURO3 SB-SB LRX EURO3 SB-SS	LRX EURO4 SB-SB LRX EURO4 SB-SS
Antique Brass 	Antique Brass Satin Brass	LRX EURO1 AB-AB LRX EURO1 AB-SB	LRX EURO2 AB-AB LRX EURO2 AB-SB	LRX EURO3 AB-AB LRX EURO3 AB-SB	LRX EURO4 AB-AB LRX EURO4 AB-SB
Satin Nickel 	Bright Steel Satin Steel	LRX EURO1 SN-BS LRX EURO1 SN-SS	LRX EURO2 SN-BS LRX EURO2 SN-SS	LRX EURO3 SN-BS LRX EURO3 SN-SS	LRX EURO4 SN-BS LRX EURO4 SN-SS
Black Nickel 	Black Nickel Bright Steel Polished Brass	LRX EURO1 BK-BK LRX EURO1 BK-BS LRX EURO1 BK-PB	LRX EURO2 BK-BK LRX EURO2 BK-BS LRX EURO2 BK-PB	LRX EURO3 BK-BK LRX EURO3 BK-BS LRX EURO3 BK-PB	LRX EURO4 BK-BK LRX EURO4 BK-BS LRX EURO4 BK-PB

Hamilton® Linea-Rondo CFX®

Concealed Fixing Blank Plates



LRX BPD BC-N



Frame Finish	Plate Finish	Single Blank Plate Nominal Plate Size: 91 x 91 mm Technical Insert Reference: BPS Product Code	Double Blank Plate Nominal Plate Size: 150 x 91 mm Technical Insert Reference: BPD Product Code
Bright Chrome 	Bright Steel Satin Steel Polished Brass Black Nickel Piano Black	LRX BPS BC-BS LRX BPS BC-SS LRX BPS BC-PB LRX BPS BC-BK LRX BPS BC-N	LRX BPD BC-BS LRX BPD BC-SS LRX BPD BC-PB LRX BPD BC-BK LRX BPD BC-N
Polished Brass 	Polished Brass Satin Brass Antique Brass Bright Steel Satin Steel	LRX BPS PB-PB LRX BPS PB-SB LRX BPS PB-AB LRX BPS PB-BS LRX BPS PB-SS	LRX BPD PB-PB LRX BPD PB-SB LRX BPD PB-AB LRX BPD PB-BS LRX BPD PB-SS
Satin Brass 	Satin Brass Satin Steel	LRX BPS SB-SB LRX BPS SB-SS	LRX BPD SB-SB LRX BPD SB-SS
Antique Brass 	Antique Brass Satin Brass	LRX BPS AB-AB LRX BPS AB-SB	LRX BPD AB-AB LRX BPD AB-SB
Satin Nickel 	Bright Steel Satin Steel	LRX BPS SN-BS LRX BPS SN-SS	LRX BPD SN-BS LRX BPD SN-SS
Black Nickel 	Black Nickel Bright Steel Polished Brass	LRX BPS BK-BK LRX BPS BK-BS LRX BPS BK-PB	LRX BPD BK-BK LRX BPD BK-BS LRX BPD BK-PB

Hamilton® Linea-Rondo cfx®

LRX
RANGE

Concealed Fixing GRID-IT Grid Fix Plates complete with Fixing Grid

Minimum Wall Box Depth is dependent on the GRID-IT insert fitted - please see the GRID-IT section for our complete range of inserts.



LRX 4GP SN-SS



1 gang Aperture Grid Fix Plate

Nominal Plate Size:
91 x 91 mm
Technical Insert
Reference: **1GP**
Product Code



2 gang Aperture Grid Fix Plate

Nominal Plate Size:
91 x 91 mm
Technical Insert
Reference: **2GP**
Product Code









3 gang Aperture Grid Fix Plate

Nominal Plate Size:
150 x 91 mm
Technical Insert
Reference: **3GP**
Product Code



4 gang Aperture Grid Fix Plate

Nominal Plate Size:
150 x 91 mm
Technical Insert
Reference: **4GP**
Product Code

Frame Finish	Plate Finish	1 gang Aperture Grid Fix Plate Nominal Plate Size: 91 x 91 mm Technical Insert Reference: 1GP Product Code	2 gang Aperture Grid Fix Plate Nominal Plate Size: 91 x 91 mm Technical Insert Reference: 2GP Product Code	3 gang Aperture Grid Fix Plate Nominal Plate Size: 150 x 91 mm Technical Insert Reference: 3GP Product Code	4 gang Aperture Grid Fix Plate Nominal Plate Size: 150 x 91 mm Technical Insert Reference: 4GP Product Code
Bright Chrome 	Bright Steel Satin Steel Polished Brass Black Nickel Piano Black	LRX 1GP BC-BS LRX 1GP BC-SS LRX 1GP BC-PB LRX 1GP BC-BK LRX 1GP BC-N	LRX 2GP BC-BS LRX 2GP BC-SS LRX 2GP BC-PB LRX 2GP BC-BK LRX 2GP BC-N	LRX 3GP BC-BS LRX 3GP BC-SS LRX 3GP BC-PB LRX 3GP BC-BK LRX 3GP BC-N	LRX 4GP BC-BS LRX 4GP BC-SS LRX 4GP BC-PB LRX 4GP BC-BK LRX 4GP BC-N
Polished Brass 	Polished Brass Satin Brass Antique Brass Bright Steel Satin Steel	LRX 1GP PB-PB LRX 1GP PB-SB LRX 1GP PB-AB LRX 1GP PB-BS LRX 1GP PB-SS	LRX 2GP PB-PB LRX 2GP PB-SB LRX 2GP PB-AB LRX 2GP PB-BS LRX 2GP PB-SS	LRX 3GP PB-PB LRX 3GP PB-SB LRX 3GP PB-AB LRX 3GP PB-BS LRX 3GP PB-SS	LRX 4GP PB-PB LRX 4GP PB-SB LRX 4GP PB-AB LRX 4GP PB-BS LRX 4GP PB-SS
Satin Brass 	Satin Brass Satin Steel	LRX 1GP SB-SB LRX 1GP SB-SS	LRX 2GP SB-SB LRX 2GP SB-SS	LRX 3GP SB-SB LRX 3GP SB-SS	LRX 4GP SB-SB LRX 4GP SB-SS
Antique Brass 	Antique Brass Satin Brass	LRX 1GP AB-AB LRX 1GP AB-SB	LRX 2GP AB-AB LRX 2GP AB-SB	LRX 3GP AB-AB LRX 3GP AB-SB	LRX 4GP AB-AB LRX 4GP AB-SB
Satin Nickel 	Bright Steel Satin Steel	LRX 1GP SN-BS LRX 1GP SN-SS	LRX 2GP SN-BS LRX 2GP SN-SS	LRX 3GP SN-BS LRX 3GP SN-SS	LRX 4GP SN-BS LRX 4GP SN-SS
Black Nickel 	Black Nickel Bright Steel Polished Brass	LRX 1GP BK-BK LRX 1GP BK-BS LRX 1GP BK-PB	LRX 2GP BK-BK LRX 2GP BK-BS LRX 2GP BK-PB	LRX 3GP BK-BK LRX 3GP BK-BS LRX 3GP BK-PB	LRX 4GP BK-BK LRX 4GP BK-BS LRX 4GP BK-PB