

Sysco Office Shelving

Visit www.dexion.co.uk/Product-Categories/Small-Part-Handling/Sysco-Office-Shelving/ for the latest information.

With a wide selection of shelving options to suit various situations and a range of plastic storage bins for storing small parts, we can offer comprehensive solutions for any small parts storage or picking area.

Narrow bay boltless shelving or longspan mini racking systems for heavier items with a comprehensive range of accessories including carton flow and mini load systems, means that Dexion can improve any picking area for optimum space and efficiency. Sysco Office Shelving is a product in the category

Shelving Systems

Hi280 - Standard

Hi280 - Narrow Aisle

Hi280 - Mobile

Hi280 - Multi Tier

Carton Flow

Hi280 - Medium Span

Plastic Bins and Containers

Longspan Shelving

Sysco Office Shelving

Economy Shelving

Budgetline 300 Shelving

Slotted Angle

Please visit www.dexion.co.uk to see our other products.

Description

Sysco® shelving can be adapted to your needs and wishes. This steel shelving system has multiple depths and heights and will flushly fit all available space. Even around pillars, ventilations shafts and other objects. Sysco shelving is suitable for single installation along a wall and can be applied as double sided shelving placed in the room. All information and objects are directly accessible.

Optimum preservation

Uprights are available single closed and flush closed, and may be provided with perforations to allow ventilation and hence optimum preservation of your documents or objects. Sliding doors or roller front doors further protect the system's contents.

The flexible shelving system

Sysco[®] is available in a huge range of dimensions. A wide range of accessories enable you to arrange your shelving system space as efficiently as possible. And Bruynzeel's Sysco[®] shelving can be made mobile at any time. For further information on Mobile Shelving visit the Bruynzeel website www.bruynzeel.co.uk

Small Part Handling > Sysco Office Shelving

Related References

Centre for Bas-Rhin, France Landsarkivet Vadstena, Sweden













The Sysco® system's unique coating process guarantees one hundred percent coverage of steel for a perfect finish.

Sysco is manufactured by Bruynzeel Storage Systems BV, a Member of the Constructor Group, and distributed in the UK by Bruynzeel Storage Systems, a trading division of Dexion Comino Ltd.

For further information on Sysco Office Shelving and other Bruynzeel shelving products visit the UK's Bruynzeel website www.bruynzeel.co.uk



Benefits

Small Part Handling > Sysco Office Shelving

Focus on multifunctionality

- Suitable for storage in offices, archives, stores and depositories.
- Single sided shelving placed in the room or against a wall.
- Double sided shelving placed in the room for access from both sides.

Focus on flexibility

- Available in multiple dimensions.
- Sysco[®] shelving adjusts to objects such as pillars, ventilation shafts, cables etc.
- Available as open shelving or closed with sliding doors or roller front doors
- Available with single or flush closed uprights.
- Uprights can be fitted with perforations for extra ventilation.
- Shelves are easy adjustable in increments of 20 mm.
- Sysco[®] can easily be extended because of its modular set up.
- Sysco® can be made mobile at any time.

Focus on convenience

- All information and objects are easily and quickly accessible.
- Smart shelf hooks for solid fixing and easy adjustable shelves.
- Wide range of accessories Sysco[®] adapts to the files and objects stored.

Focus on quality, sustainability and excellent finish

- Complies with international quality and safety standards such as GS and RAL.
- Produced according to ISO 9001 and ISO 14001.
- Guaranteed 100% coverage of the powder coating.
- No sharp edges.









Specifications

Dimensions

- Shelving height: up to 2994mm in steps of 40 mm.
- Shelf depths: 200, 250, 270, 300, 320, 350, 370, 390, 400, 450 up to 800 mm.
- Shelf length: 800, 1000, 1200 mm.

Load capacity

- Maximum load per shelf: without use of reinforcement bar according to the RAL standard: 155 kg.
- Maximum load per bay: 800 kg.

Small Part Handling > Sysco Office Shelving





Accessories for Sysco Office Shelving



Sliding doors

Sliding doors convert open shelving units and racks into closed modules.



Roller front doors

Rooler front doors convert open shelving units and racks into closed modules.



Compartment lockers

Locking system with a key. To lock separate compartments in a bay.



Label holder

To identify aisles.



Multi-file

Multifunctional suspension file for A4 documents. Suitable for both under-shelf filing and filing in pullout frames.



Elba pendel frame

Store documents in Elba/Leitz/Pendex suspension pocket files.



ZT pendel frame

Store documents in Jalema/ZT suspension pocket files.



l'Oblique /TUB frame

Store documents in l'Oblique suspension pocket files.



Pull-out frame

Store documents in several types of suspension pocket files. The files are accessible from above.



Pull-out shelf

Pull-out shelves are used as a writing desk, work table or temporary storage of smaller goods.



Shelf perforated 2 and 3 rows

Use with solid dividing bars or steel partition panels to create subcompartments.



Steel partition panel

Create closed compartments.







Dividing bars

Create open barred compartments.



Drawer

Store smaller goods and office supplies either loose or packed. The drawer may be divided into a number of sections



Multi-purpose drawer

For preserved storage of fragile and sensitive objects, which need to be protected against dust and light.



Display shelf

Present magazines, folders, files, etc.



Foldable display

Combines the function of display of books, magazines and media and storage.



Shelf stop

Make a positive stop along the front or back edge of a shelf.



Middle stop

Used to prevent stored goods to slide over to the bay in the back. For use in double racks.



Front stop

To create a stop along the front of a shelf.



Reinforcement bar

Increase the maximum permissible shelf load.