

## GROUP 11

ADJUSTABLE SHELVING SYSTEM,  
PLASTIC CONTAINERS  
& UNIBOX  
PRODUCT RANGE



ORGANISATION IS POWER

# Group 11

**Adjustable shelving system**

**Stacking Containers - Storage and transport systems**

**Unibox - Storage and transport systems**



11











# Series 50-52

## Adjustable shelving system series *LITE*

Shelving system with drawers and shelves  
see page 202



Standard colours:  
Ral 7035 Galvanised  
 



For your safety all shelving systems must be secured to the floor or wall



Fixing material for shelving  
Part. No. 06-00046






### Uprights

Made of high-quality steel,  
slotted in increments of 25 mm

Depth mm	Height mm	Painted	Galvanised
		RAL 7035 Part. No.	Part. No.
300	1000	50-13110	52-13110
300	2000	50-13120	52-13120
300	2200	50-13122	52-13122
300	2500	50-13125	52-13125
300	3000	50-13130	52-13130
400	1000	50-14110	52-14110
400	2000	50-14120	52-14120
400	2200	50-14122	52-14122
400	2500	50-14125	52-14125
400	3000	50-14130	52-14130
500	1000	50-15110	52-15110
500	2000	50-15120	52-15120
500	2200	50-15122	52-15122
500	2500	50-15125	52-15125
500	3000	50-15130	52-15130
600	1000	50-16110	52-16110
600	2000	50-16120	52-16120
600	2200	50-16122	52-16122
600	2500	50-16125	52-16125
600	3000	50-16130	52-16130

Max load capacity per upright : 2300 kg



### Side panels **1** Central panels **2**

Made of high-quality steel

Upright depth mm	Height mm	1	2	Galvanised Part. No.
		Painted RAL 7035 Part. No.	Painted RAL 7035 Part. No.	
300	1000	50-33010	50-53009	52-53009
300	2000	50-33020	50-53020	52-53020
300	2200	50-33022	50-53022	52-53022
300	2500	50-33025	50-53025	52-53025
300	3000	50-33030	50-53030	52-53030
400	1000	50-34010	50-54009	52-54009
400	2000	50-34020	50-54020	52-54020
400	2200	50-34022	50-54022	52-54022
400	2500	50-34025	50-54025	52-54025
400	3000	50-34030	50-54030	52-54030
500	1000	50-35010	50-55009	52-55009
500	2000	50-35020	50-55020	52-55020
500	2200	50-35022	50-55022	52-55022
500	2500	50-35025	50-55025	52-55025
500	3000	50-35030	50-55030	52-55030
600	1000	50-36010	50-56009	52-56009
600	2000	50-36020	50-56020	52-56020
600	2200	50-36022	50-56022	52-56022
600	2500	50-36025	50-56025	52-56025
600	3000	50-36030	50-56030	52-56030

Central panel supplied fitted onto the upright.



### Cover plates

Made of high-quality steel

Height mm	Bay width mm	Painted	Galvanised
		RAL 7035 Part. No.	Part. No.
70	1000	50-05100	52-05100
70	1300	50-05130	52-05130



### Foot plates, pair

Fixings to upright included

Part. No.
52-00020

Fixings to the floor not included



M10x110  
Pair  
Part. No.  
06-00046



Load capacity is intended  
for evenly distributed loads

Standard colours:  
Ral 7035 Galvanised





# Series 50-52



## Adjustable shelves slotted

Made of high-quality steel.  
Fixing hooks included

Width mm	Depth mm	No. of reinforcements	Load capacity kg	Painted Ral 7035 Part. No.	Galvanised Art. Nr.
1000	300	-	50	50-31030	52-31030
1000	400	-	50	50-31040	52-31040
1000	400	1	150	50-31041	52-31041
1000	500	-	50	50-31050	52-31050
1000	500	1	150	50-31051	52-31051
1000	500	2	200	50-31052	52-31052
1000	600	-	50	50-31060	52-31060
1000	600	1	150	50-31061	52-31061
1000	600	2	200	50-31062	52-31062
Additional reinforcement					52-31000
Hooks (spare part)-Kit: 16 pieces					52-00006

Width mm	Depth mm	No. of reinforcements	Load capacity kg	Painted RAL 7035 Part. No.	Galvanised Part. No.
1300	300	-	50	50-31330	52-31330
1300	400	-	50	50-31340	52-31340
1300	400	1	100	50-31341	52-31341
1300	500	-	50	50-31350	52-31350
1300	500	1	100	50-31351	52-31351
1300	500	2	150	50-31352	52-31352
1300	600	-	50	50-31360	52-31360
1300	600	1	100	50-31361	52-31361
1300	600	2	150	50-31362	52-31362
Additional reinforcement					52-31300
Hooks (spare part)-Kit: 16 pieces					52-00006



## Shelf side panels

Made of high-quality steel

Upright depth mm	Height mm	Part. No.
300	95	52-03300
400	95	52-03400
500	95	52-03500
600	95	52-03600



## Back panels

Made of high-quality steel

To be used as an alternative to cross bracing, fitted onto uprights to stabilise the unit bay.

Upright depth mm	Usable width for bay mm	Painted RAL 7035 Part. No.	Galvanised Part. No.
1000	1000	50-41010	52-41010
2000	1000	50-41020	52-41020
2200	1000	50-41022	52-41022
2500	1000	50-41025	52-41025
3000	1000	50-41030	52-41030
1000	1300	50-41310	52-41310
2000	1300	50-41320	52-41320
2200	1300	50-41322	52-41322
2500	1300	50-41325	52-41325
3000	1300	50-41330	52-41330



## Cross bracings

Made of galvanised steel


To be used as an alternative to back panels, fitted onto uprights to stabilise the unit bay.


Upright height mm	Bay width mm	Part. No.
1000	1000	52-52010
2000	1000	52-52020
2200	1000	52-52022
2500	1000	52-52025
3000	1000	52-52030
1000	1300	52-52310
2000	1300	52-52320
2200	1300	52-52322
2500	1300	52-52325
3000	1300	52-52330



For safety, cross bracings must be used every third bay-section.

Standard colours:  
Ral 7035 Galvanised






### Drawers

Made of high-quality steel

Available in two versions (simple or total extension) with steel roller bearings.

Front height mm	Usable width mm	Usable depth mm	Extension %	Load capacity kg	Part. No.
100 S	918	459	85	50	<b>50-73100</b>
100 T	918	459	100	50	<b>50-73101</b>


Colour: Light grey RAL 7035



### Compartment dividing walls

Made of galvanised steel

Height between shelves mm	Usable height bet. shelves mm	Shelf depth 300 mm Part. No.	Shelf depth 400 mm Part. No.	Shelf depth 500 mm Part. No.	Shelf depth 600 mm Part. No.
200	165	<b>52-63020</b>	<b>52-64020</b>	<b>52-65020</b>	<b>52-66020</b>
300	265	<b>52-63030</b>	<b>52-64030</b>	<b>52-65030</b>	<b>52-66030</b>



### Shelf dividers

Made of steel

Shelf depth mm	Height mm	Part. No.
300	95	<b>52-61030</b>
400	95	<b>52-61040</b>
500	95	<b>52-61050</b>
600	95	<b>52-61060</b>



### Leaf doors

Made of high-quality sheet steel. Fitted with safety cylinder lock with 2 keys. Fixing hardware included.



55 mm

Upright height mm	Bay width mm	Starter bay Part. No.	Extension bay Part. No.
2000	1000	<b>50-81200</b>	<b>50-81200-A</b>
2000	1300	<b>50-83200</b>	<b>50-83200-A</b>

Colour: Light grey RAL 7035



### Sliding doors

Made of high-quality sheet steel. Positioned over 2 bays, sliding doors run on sealed-roller bearings in tracks. Fitted with safety lock and 2 keys. Fixing hardware included.



110 mm

Upright height mm	Bay width mm	Part. No.
2000	2x1000	<b>50-91200</b>

Colour: Light grey RAL 7035




Load capacity is intended for evenly distributed loads

Standard colours:  
Ral 7035 Galvanised





# Series 50-52



For safety, cross bracings must be used every third bay-section.

## Upright height: 2000 mm - Usable bay width: 1000 mm - Distance between shelves: 650 mm

Load capacity per shelf: 50kg  
Load capacity per upright: 450Kg

Depth mm	Starter bay painted	Extension bay painted	Starter bay	Extension bay
	RAL 7035 Part. No.	RAL 7035 Art. Nr	Galvanised Part. No.	Galvanised Part. No.
300	56-620340	56-620341	57-620340	57-620341
400	56-620440	56-620441	57-620440	57-620441
500	56-620540	56-620541	57-620540	57-620541
600	56-620640	56-620641	57-620640	57-620641

Load capacity per shelf: 150kg  
Load capacity per upright: 450Kg

Depth mm	Starter bay painted	Extension bay painted	Starter bay	Extension bay
	RAL 7035 Part. No.	RAL 7035 Art. Nr	Galvanised Part. No.	Galvanised Part. No.
300	56-720340	56-720341	57-720340	57-720341
400	56-720440	56-720441	57-720440	57-720441
500	56-720540	56-720541	57-720540	57-720541
600	56-720640	56-720641	57-720640	57-720641

## Upright height: 2000 mm - Usable bay width: 1300 mm - Distance between shelves: 650 mm

Load capacity per shelf: 50kg  
Load capacity per upright: 450Kg

Depth mm	Starter bay painted	Extension bay painted	Starter bay	Extension bay
	RAL 7035 Part. No.	RAL 7035 Art. Nr	Galvanised Part. No.	Galvanised Part. No.
300	58-620340	58-620341	59-620340	59-620341
400	58-620440	58-620441	59-620440	59-620441
500	58-620540	58-620541	59-620540	59-620541
600	58-620640	58-620641	59-620640	59-620641

Load capacity per shelf: 100kg  
Load capacity per upright: 450Kg

Depth mm	Starter bay painted	Extension bay painted	Starter bay	Extension bay
	RAL 7035 Part. No.	RAL 7035 Art. Nr	Galvanised Part. No.	Galvanised Part. No.
300	-	-	-	-
400	58-720440	58-720441	59-720440	59-720441
500	58-720540	58-720541	59-720540	59-720541
600	58-720640	58-720641	59-720640	59-720641


Standard colours:  
Ral 7035 Galvanised



For your safety all shelving systems must be secured to the floor or wall



Standard examples:



For safety, cross bracings must be used every third bay-section.

**Upright height: 2200 mm - Usable bay width: 1000 mm - Distance between shelves: 550 mm**

Load capacity per shelf: 50kg  
Load capacity per upright: 550Kg

Depth mm	Starter bay painted	Extension bay painted	Starter bay	Extension bay
	RAL 7035 Part. No.	RAL 7035 Art. Nr	Galvanised Part. No.	Galvanised Part. No.
300	56-622350	56-622351	57-622350	57-622351
400	56-622450	56-622451	57-622450	57-622451
500	56-622550	56-622551	57-622550	57-622551
600	56-622650	56-622651	57-622650	57-622651

Load capacity per shelf: 150kg  
Load capacity per upright: 550Kg

Depth mm	Starter bay painted	Extension bay painted	Starter bay	Extension bay
	RAL 7035 Part. No.	RAL 7035 Art. Nr	Galvanised Part. No.	Galvanised Part. No.
300	-	-	-	-
400	56-722450	56-722451	57-722450	57-722451
500	56-722550	56-722551	57-722550	57-722551
600	56-722650	56-722651	57-722650	57-722651

**Upright height: 2200 mm - Usable bay width: 1300 mm - Distance between shelves: 550 mm**

Load capacity per shelf: 50kg  
Load capacity per upright: 550Kg

Depth mm	Starter bay painted	Extension bay painted	Starter bay	Extension bay
	RAL 7035 Part. No.	RAL 7035 Art. Nr	Galvanised Part. No.	Galvanised Part. No.
300	58-622350	58-622351	59-622350	59-622351
400	58-622450	58-622451	59-622450	59-622451
500	58-622550	58-622551	59-622550	59-622551
600	58-622650	58-622651	59-622650	59-622651

Load capacity per shelf: 100kg  
Load capacity per upright: 550Kg

Depth mm	Starter bay painted	Extension bay painted	Starter bay	Extension bay
	RAL 7035 Part. No.	RAL 7035 Art. Nr	Galvanised Part. No.	Galvanised Part. No.
300	-	-	-	-
400	58-722450	58-722451	59-722450	59-722451
500	58-722550	58-722551	59-722550	59-722551
600	58-722650	58-722651	59-722650	59-722651




Load capacity is intended for evenly distributed loads

Standard colours:  
Ral 7035 Galvanised





# Series 50-52



For safety, cross bracings must be used every third bay-section.

## Upright height: 2500 mm - Usable bay width: 1000 mm - Distance between shelves: 500 mm

Load capacity per shelf: 50kg  
Load capacity per upright: 600Kg

Depth mm	Starter bay painted	Extension bay painted	Starter bay	Extension bay
	RAL 7035 Part. No.	RAL 7035 Art. Nr	Galvanised Part. No.	Galvanised Part. No.
300	56-625360	56-625361	57-625360	57-625361
400	56-625460	56-625461	57-625460	57-625461
500	56-625560	56-625561	57-625560	57-625561
600	56-625660	56-625661	57-625660	57-625661

Load capacity per shelf: 150kg  
Load capacity per upright: 600Kg

Depth mm	Starter bay painted	Extension bay painted	Starter bay	Extension bay
	RAL 7035 Part. No.	RAL 7035 Art. Nr	Galvanised Part. No.	Galvanised Part. No.
300	-	-	-	-
400	56-725460	56-725461	57-725460	57-725461
500	56-725560	56-725561	57-725560	57-725561
600	56-725660	56-725661	57-725660	57-725661

## Upright height: 2500 mm - Usable bay width: 1300 mm - Distance between shelves: 500 mm

Load capacity per shelf: 50kg  
Load capacity per upright: 600Kg

Depth mm	Starter bay painted	Extension bay painted	Starter bay	Extension bay
	RAL 7035 Part. No.	RAL 7035 Art. Nr	Galvanised Part. No.	Galvanised Part. No.
300	58-625360	58-625361	59-625360	59-625361
400	58-625460	58-625461	59-625460	59-625461
500	58-625560	58-625561	59-625560	59-625561
600	58-625660	58-625661	59-625660	59-625661

Load capacity per shelf: 100kg  
Load capacity per upright: 600Kg

Depth mm	Starter bay painted	Extension bay painted	Starter bay	Extension bay
	RAL 7035 Part. No.	RAL 7035 Art. Nr	Galvanised Part. No.	Galvanised Part. No.
300	-	-	-	-
400	58-725460	58-725461	59-725460	59-725461
500	58-725560	58-725561	59-725560	59-725561
600	58-725660	58-725661	59-725660	59-725661


Standard colours:  
Ral 7035 Galvanised



For your safety all shelving systems must be secured to the floor or wall

Standard examples:



 For safety, cross bracings must be used every third bay-section.

**Upright height: 3000 mm - Usable bay width: 1000 mm - Distance between shelves: 500 mm**

Load capacity per shelf: 50kg  
Load capacity per upright: 600Kg

Depth mm	Starter bay painted	Extension bay painted	Starter bay	Extension bay
	RAL 7035 Part. No.	RAL 7035 Art. Nr	Galvanised Part. No.	Galvanised Part. No.
300	56-630370	56-630371	57-630370	57-630371
400	56-630470	56-630471	57-630470	57-630471
500	56-630570	56-630571	57-630570	57-630571
600	56-630670	56-630671	57-630670	57-630671

Load capacity per shelf: 150kg  
Load capacity per upright: 600Kg

Depth mm	Starter bay painted	Extension bay painted	Starter bay	Extension bay
	RAL 7035 Part. No.	RAL 7035 Art. Nr	Galvanised Part. No.	Galvanised Part. No.
300	-	-	-	-
400	56-730470	56-730471	57-730470	57-730471
500	56-730570	56-730571	57-730570	57-730571
600	56-730670	56-730671	57-730670	57-730671

**Upright height: 3000 mm - Usable bay width: 1300 mm - Distance between shelves: 500 mm**

Load capacity per shelf: 50kg  
Load capacity per upright: 600Kg

Depth mm	Starter bay painted	Extension bay painted	Starter bay	modulo aggiuntivo
	RAL 7035 Part. No.	RAL 7035 Art. Nr	Galvanised Part. No.	Galvanised Part. No.
300	58-630370	58-630371	59-630370	59-630371
400	58-630470	58-630471	59-630470	59-630471
500	58-630570	58-630571	59-630570	59-630571
600	58-630670	58-630671	59-630670	59-630671

Load capacity per shelf: 100kg  
Load capacity per upright: 600Kg

Depth mm	Starter bay painted	Extension bay painted	Starter bay	Extension bay
	RAL 7035 Part. No.	RAL 7035 Art. Nr	Galvanised Part. No.	Galvanised Part. No.
300	-	-	-	-
400	58-730470	58-730471	59-730470	59-730471
500	58-730570	58-730571	59-730570	59-730571
600	58-730670	58-730671	59-730670	59-730671



Load capacity is intended for evenly distributed loads

Standard colours:  
Ral 7035 Galvanised








# Series 73-74

## Stacking Containers - Storage and transport systems



Container cabinets  
see page 330



Container trolleys  
see page 332



Container shelving systems  
see page 336



Standard colours:

RAL7035 Galvanised



For your safety all shelving  
systems must be secured  
to the floor or wall



Fixing material  
for shelving  
Part. No.  
06-00046





# Series 70

## Plastic containers

Made of polypropylene. Available in 3 different colours and in standard European dimensions. The containers are oil and chemical product-resistant.

### Size 1

Width mm	Depth mm	Height mm	Capacity litres/dm <sup>3</sup>	Colour	Part. No.
95	160/140	75	1	Green *	<b>70-01020</b>
95	160/140	75	1	Red	<b>70-01030</b>
95	160/140	75	1	Blue	<b>70-01040</b>

Green is available only on request. Please contact us.



### Size 2

Width mm	Depth mm	Height mm	Capacity litres/dm <sup>3</sup>	Colour	Part. No.
140	230/200	130	3,8	Green *	<b>70-02020</b>
140	230/200	130	3,8	Red	<b>70-02030</b>
140	230/200	130	3,8	Blue	<b>70-02040</b>

Green is available only on request. Please contact us.



### Size 3 B

Width mm	Depth mm	Height mm	Capacity litres/dm <sup>3</sup>	Colour	Part. No.
200	350/300	145	9,4	Green *	<b>70-03220</b>
200	350/300	145	9,4	Red	<b>70-03230</b>
200	350/300	145	9,4	Blue	<b>70-03240</b>

Green is available only on request. Please contact us.



### Size 3

Width mm	Depth mm	Height mm	Capacity litres/dm <sup>3</sup>	Colour	Part. No.
200	350/300	200	12,5	Green *	<b>70-03020</b>
200	350/300	200	12,5	Red	<b>70-03030</b>
200	350/300	200	12,5	Blue	<b>70-03040</b>

Green is available only on request. Please contact us.



### Size 4

Width mm	Depth mm	Height mm	Capacity litres/dm <sup>3</sup>	Colour	Part. No.
300	500/450	200	28	Green *	<b>70-04020</b>
300	500/450	200	28	Red	<b>70-04030</b>
300	500/450	200	28	Blue	<b>70-04040</b>

Green is available only on request. Please contact us.





# 400x300 mm

## Plastic containers series EURO

Made of polypropylene. Available in grey and in standard European dimensions.

### Lid



External dimensions mm	Internal dimensions mm	Capacity litres/dm <sup>3</sup>	closed Handles Part. No.	open Handles Part. No.
400x300x120	355x255x115	10	<b>60-41201</b>	-

External dimensions mm	Part. No.
400x300	<b>60-40001</b>



External dimensions mm	Internal dimensions mm	Capacity litres/dm <sup>3</sup>	closed Handles Part. No.	open Handles Part. No.
400x300x170	355x255x165	15	<b>60-41701</b>	-



External dimensions mm	Internal dimensions mm	Capacity litres/dm <sup>3</sup>	closed Handles Part. No.	open Handles Part. No.
400x300x220	355x255x215	20	<b>60-42201</b>	<b>60-43211</b>



External dimensions mm	Internal dimensions mm	Capacity litres/dm <sup>3</sup>	closed Handles Part. No.	open Handles Part. No.
400x300x320	355x255x315	30	<b>60-43201</b>	<b>60-43211</b>

11



# 600x400 mm



External dimensions mm	Internal dimensions mm	Capacity litres/dm <sup>3</sup>	closed Handles Part. No.	open Handles Part. No.
600x400x120	555x355x115	20	<b>60-61201</b>	-

## Lid



External dimensions mm	Part. No.
600x400	<b>60-60001</b>



External dimensions mm	Internal dimensions mm	Capacity litres/dm <sup>3</sup>	closed Handles Part. No.	open Handles Part. No.
600x400x170	555x355x165	30	<b>60-61701</b>	-



External dimensions mm	Internal dimensions mm	Capacity litres/dm <sup>3</sup>	closed Handles Part. No.	open Handles Part. No.
600x400x220	555x355x215	40	<b>60-62201</b>	<b>60-62211</b>



External dimensions mm	Internal dimensions mm	Capacity litres/dm <sup>3</sup>	closed Handles Part. No.	open Handles Part. No.
600x400x340	555x355x330	60	<b>60-63201</b>	<b>60-63211</b>



# Series 21




## Container cabinets

Made of high-quality sheet steel. Housing sides and bases are painted with high resistance products, environmentally friendly. Available in 2 different heights, with or without doors, with slotted sides in increments of 25 mm to allow shelves to be adjusted accordingly. Doors fitted with safety cylinder lock and 2 keys.

Width mm	Depth mm	Height mm	Usable height mm	with Doors Part. No.	without Doors Part. No.
700	270	1650	1530	<b>21-10160</b>	<b>21-11160</b>
700	270	2000	1880	<b>21-10200</b>	<b>21-11200</b>

Colour: Light grey RAL 7035



## Shelf stop

Made of high-quality steel

Width mm	Depth mm	Part. No.
675	70	<b>21-10021</b>



## Adjustable shelf

Made of high-quality steel

Width mm	Depth mm	Height mm	Load capacity kg	Plain Part. No.	Slotted Part. No.
675	235	16	50	<b>21-10034</b>	-
Hooks (spare part)-Kit: 16 pieces					<b>52-00006</b>



## Plastic containers

Made of polypropylene

### Size 1

Width mm	Depth mm	Height mm	Capacity litres/dm <sup>3</sup>	Colour	Part. No.
95	160/140	75	1	Green *	<b>70-01020</b>
95	160/140	75	1	Red	<b>70-01030</b>
95	160/140	75	1	Blue	<b>70-01040</b>

Green is available only on request. Please contact us.

### Size 2

Width mm	Depth mm	Height mm	Capacity litres/dm <sup>3</sup>	Colour	Part. No.
140	230/200	130	3,8	Green *	<b>70-02020</b>
140	230/200	130	3,8	Red	<b>70-02030</b>
140	230/200	130	3,8	Blue	<b>70-02040</b>

Green is available only on request. Please contact us.



Standard colour:  
RAL 7035



Load capacity is intended for evenly distributed loads

## Standard examples:



Size:	Part. No.
<b>700x270x1650 mm h</b>	
without doors and containers	<b>21-10160-10</b>
without doors – with containers	<b>21-10160-14</b>
with doors – without containers	<b>21-11160-10</b>
with doors – with containers	<b>21-11160-14</b>
Containers: no. 90 size 1	
Fittings:	
14 Adjustable shelves	



Size:	Part. No.
<b>700x270x1650 mm h</b>	
without doors and containers	<b>21-10160-20</b>
without doors – with containers	<b>21-10160-24</b>
with doors – without containers	<b>21-11160-20</b>
with doors – with containers	<b>21-11160-24</b>
Containers: no. 40 size 2	
Fittings:	
9 Adjustable shelves	



Size:	Part. No.
<b>700x270x1650 mm h</b>	
without doors and containers	<b>21-10160-30</b>
without doors – with containers	<b>21-10160-34</b>
with doors – without containers	<b>21-11160-30</b>
with doors – with containers	<b>21-11160-34</b>
Containers: no. 38 size 1 - no. 24 size 2	
Fittings:	
11 Adjustable shelves	



Size:	Part. No.
<b>700x270x2000 mm h</b>	
without doors and containers	<b>21-10200-10</b>
without doors – with containers	<b>21-10200-14</b>
with doors – without containers	<b>21-11200-10</b>
with doors – with containers	<b>21-11200-14</b>
Containers: no. 114 size 1	
Fittings:	
18 Adjustable shelves	



Size:	Part. No.
<b>700x270x2000 mm h</b>	
without doors and containers	<b>21-10200-20</b>
without doors – with containers	<b>21-10200-24</b>
with doors – without containers	<b>21-11200-20</b>
with doors – with containers	<b>21-11200-24</b>
Containers: no. 52 size 2	
Fittings:	
12 Adjustable shelves	



Size:	Part. No.
<b>700x270x2000 mm h</b>	
without doors and containers	<b>21-10200-30</b>
without doors – with containers	<b>21-10200-34</b>
with doors – without containers	<b>21-11200-30</b>
with doors – with containers	<b>21-11200-34</b>
Containers: no. 54 mis. 1 - no. 28 size 2	
Fittings:	
15 Adjustable shelves	




Standard examples are supplied with blue containers

Standard colour:

RAL 7035







# Series 75



**Container trolleys**


Made of high-quality sheet steel. Painted with high resistance products, environmentally friendly. Available in 2 different dimensions, with uprights slotted in increments of 25mm to allow rails to be adjusted accordingly. Fitted with handle, 2 fixed and 2 swivel braked rubber castors, Ø 100 mm.

Width mm	Depth mm	Height mm	Load capacity kg	Part. No.
805	605	1553	300	<b>75-30100</b>
1212	540	1553	300	<b>75-31100</b>

Colour: Light grey RAL 7035



2 fixed and 2 swivel braked rubber castors



**Container rails**

Made of steel.  
To be fitted to trolley vertical uprights

Length mm	Load capacity kg	Part. No.
723	15	<b>75-30572</b>
1130	15	<b>75-31513</b>

Colour: Light grey RAL 7035



**Plastic containers**

Made of polypropylene

**Size 1**

Width mm	Depth mm	Height mm	Capacity litres/dm <sup>3</sup>	Colour	Part. No.
95	160/140	75	1	Green *	<b>70-01020</b>
95	160/140	75	1	Red	<b>70-01030</b>
95	160/140	75	1	Blue	<b>70-01040</b>

Green is available only on request. Please contact us.

**Size 2**

Width mm	Depth mm	Height mm	Capacity litres/dm <sup>3</sup>	Colour	Part. No.
140	230/200	130	3,8	Green *	<b>70-02020</b>
140	230/200	130	3,8	Red	<b>70-02030</b>
140	230/200	130	3,8	Blue	<b>70-02040</b>

Green is available only on request. Please contact us.

**Size 3 B**

Width mm	Depth mm	Height mm	Capacity litres/dm <sup>3</sup>	Colour	Part. No.
200	350/300	145	9,4	Green *	<b>70-03220</b>
200	350/300	145	9,4	Red	<b>70-03230</b>
200	350/300	145	9,4	Blue	<b>70-03240</b>

Green is available only on request. Please contact us.

**Size 3**

Width mm	Depth mm	Height mm	Capacity litres/dm <sup>3</sup>	Colour	Part. No.
200	350/300	200	12,5	Green *	<b>70-03020</b>
200	350/300	200	12,5	Red	<b>70-03030</b>
200	350/300	200	12,5	Blue	<b>70-03040</b>

Green is available only on request. Please contact us.

Standard colour:  
RAL 7035



Standard examples:



Size:	Part. No.
805x605x1553 mm	
without containers	75-30100-10
with containers	75-30100-14
Containers: no. 108 size 1	
Fittings:	
18 Rails for containers	



Size:	Part. No.
805x605x1553 mm	
without containers	75-30100-20
with containers	75-30100-24
Containers: no. 48 size 2	
Fittings:	
12 Rails for containers	



Size:	Part. No.
805x605x1553 mm	
without containers	75-30100-30
with containers	75-30100-34
Containers: no. 60 size 1 - no. 32 size 2	
Fittings:	
18 Rails for containers	



Size:	Part. No.
805x605x1553 mm	
without containers	75-30100-40
with containers	75-30100-44
Containers: no. 24 size 2 - no. 12 size 3	
Fittings:	
10 Rails for containers	



Size:	Part. No.
805x605x1553 mm	
without containers	75-30100-50
with containers	75-30100-54
Containers: no. 24 size 3	
Fittings:	
8 Rails for containers	



Size:	Part. No.
805x605x1553 mm	
without containers	75-30100-60
with containers	75-30100-64
Containers: no. 36 size 1 - no. 16 size 2 - no. 12 size 3	
Fittings:	
14 Rails for containers	




Standard examples are supplied with blue containers

Standard colour:

RAL 7035





# Series 75



Size:	Part. No.
805x605x1553 mm	75-30110
Fittings:	
4 Perforated panels	



Size:	Part. No.
805x605x1553 mm	
without containers	75-30120-10
with containers	75-30120-14
Containers: no. 48 size 1	
Fittings:	
2 Perforated panels	
10 Rails for containers	



Size:	Part. No.
805x605x1553 mm	
without containers	75-30120-20
with containers	75-30120-24
Containers: no. 24 size 2	
Fittings:	
2 Perforated panels	
8 Rails for containers	



Size:	Part. No.
805x605x1553 mm	
without containers	75-30120-30
with containers	75-30120-34
Containers: no. 12 size 1 - no. 16 size 2	
Fittings:	
2 Perforated panels	
8 Rails for containers	



Size:	Part. No.
805x605x1553 mm	
without containers	75-30120-50
with containers	75-30120-54
Containers: no. 12 size 3	
Fittings:	
2 Perforated panels	
6 Rails for containers	



Size:	Part. No.
805x605x1553 mm	
without containers	75-30120-60
with containers	75-30120-64
Containers: no.12 size 1-no.8 size 2- no.6 size 3	
Fittings:	
2 Perforated panels	
8 Rails for containers	

Standard colour:  
RAL 7035



Hooks  
see page 249

Standard examples:



Size:	Part. No.
1212x540x1553 mm	
without containers	75-31100-10
with containers	75-31100-14
Containers: no. 200 size 1	
Fittings:	
20 Rails for containers	



Size:	Part. No.
1212x540x1553 mm	
without containers	75-31100-20
with containers	75-31100-24
Containers: no. 98 size 2	
Fittings:	
14 Rails for containers	



Size:	Part. No.
1212x540x1553 mm	
without containers	75-31100-30
with containers	75-31100-34
Containers: no. 100 size 1 - no. 56 size 2	
Fittings:	
18 Rails for containers	



Size:	Part. No.
1212x540x1553 mm	
	75-31110
Fittings:	
4 Perforated panels	



Size:	Part. No.
1212x540x1553 mm	
without containers	75-31120-10
with containers	75-31120-14
Containers: no. 80 size 1	
Fittings:	
2 Perforated panels	
10 Rails for containers	



Size:	Part. No.
1212x540x1553 mm	
without containers	75-31120-20
with containers	75-31120-24
Containers: no. 42 size 2	
Fittings:	
2 Perforated panels	
8 Rails for containers	



Standard examples are supplied with blue containers

Standard colour:

RAL 7035







# Series 73-74

**Container storage systems**

**A** Usable width: 310 mm  
**B** Height 1100 mm = Usable height: 985 mm  
 Height 2000 mm = Usable height: 1885 mm



## Plastic containers series EURO 400x300


Height mm	Capacity litres/dm <sup>3</sup>	Distance between rails mm	closed	open
			Handles Part. No.	Handles Part. No.
120	10	150	60-41201	-
170	15	200	60-41701	-
220	20	250	60-42201	60-42211
320	30	350	60-43201	60-43211

Colour: Grey

**Uprights**  
 Made of high-quality steel, slotted in increments of 25 mm

Depth mm	Height mm	Painted RAL 7035	Galvanised
		Part. No.	Part. No.
400	1100	73-24011	74-24011
400	2000	73-24020	74-24020

Foot plates to be anchored to the floor included



## Upper shelves Made of high-quality steel

Width mm	Depth mm	Height mm	Load capacity kg	Painted RAL 7035	Galvanised
				Part. No.	Part. No.
310	400	35	50	73-21400	74-21400

Fixings included

M10x110  
 Pair  
 Part. No.  
**06-00046**




## Base plinths, pair Made of high-quality steel

Width mm	Height mm	Painted RAL 7035	Galvanised
		Part. No.	Part. No.
380	80	73-21404	74-21404

Fixings included

**Cross bracing**  
 Made of galvanised steel

Upright height mm	Part. No.
1100	74-21114
2000	74-21204



## Guide rails, pair Made of galvanised steel

Depth mm	Load capacity kg	Part. No.
400	50	74-21440


For safety, cross bracings must be used every third bay-section.

Standard colours:  
 Ral 7035 Galvanised




Load capacity is intended for evenly distributed loads

Standard examples:




Type	Painted Height 1100 mm	Galvanised Height 1100 mm	Painted Height 2000 mm	Galvanised Height 2000 mm
Starter bay	73-24011-02	74-24011-02	73-24020-02	74-24020-02
Extension bay	73-24011-12	74-24011-12	73-24020-12	74-24020-12
Containers max. quantity per bay	6	6	12	12
Max. load capacity per bay: 300Kg				



Type	Painted Height 1100 mm	Galvanised Height 1100 mm	Painted Height 2000 mm	Galvanised Height 2000 mm
Starter bay	73-24011-03	74-24011-03	73-24020-03	74-24020-03
Extension bay	73-24011-13	74-24011-13	73-24020-13	74-24020-13
Containers max. quantity per bay	5	5	9	9
Max. load capacity per bay: 300Kg				



Type	Painted Height 1100 mm	Galvanised Height 1100 mm	Painted Height 2000 mm	Galvanised Height 2000 mm
Starter bay	73-24011-04	74-24011-04	73-24020-04	74-24020-04
Extension bay	73-24011-14	74-24011-14	73-24020-14	74-24020-04
Containers max. quantity per bay	3	3	7	7
Max. load capacity per bay: 300Kg				



Type	Painted Height 1100 mm	Galvanised Height 1100 mm	Painted Height 2000 mm	Galvanised Height 2000 mm
Starter bay	73-24011-05	74-24011-05	73-24020-05	74-24020-05
Extension bay	73-24011-15	74-24011-15	73-24020-15	74-24020-15
Containers max. quantity per bay	2	2	5	5
Max. load capacity per bay: 300Kg				



Container storage systems must be secured to the floor or wall



Standard examples are supplied without plastic containers

Standard colours:  
Ral 7035 Galvanised






# Series 73-74



## Container storage systems

- A** Usable width: 410 mm
- B** Height 1100 mm = Usable height: 985 mm  
Height 2000 mm = Usable height: 1885 mm



Height mm	Capacity litres/dm <sup>3</sup>	Distance between rails mm	closed	open
			Handles Part. No.	Handles Part. No.
120	10	150	<b>60-61201</b>	-
170	15	200	<b>60-61701</b>	-
220	20	250	<b>60-62201</b>	<b>60-62211</b>
320	30	350	<b>60-63201</b>	<b>60-63211</b>

Colour: Grey



## Uprights


Made of high-quality steel,  
slotted in increments of 25 mm

Depth mm	Height mm	Painted	Galvanised
		RAL 7035 Part. No.	Part. No.
600	1100	<b>73-26011</b>	<b>74-26011</b>
600	2000	<b>73-26020</b>	<b>74-26020</b>

Foot plates to be anchored to the floor included



M10x110  
Pair  
Part. No.  
**06-00046**




## Upper shelves

Made of high-quality steel

Width mm	Depth mm	Height mm	Load capacity kg	Painted	Galvanised
				RAL 7035 Part. No.	Part. No.
410	600	35	50	<b>73-21600</b>	<b>74-21600</b>

Fixings included



## Base plinths, pair

Made of high-quality steel

Width mm	Height mm	Painted	Galvanised
		Part. No.	Part. No.
480	80	<b>73-21604</b>	<b>74-21604</b>

Fixings included




## Cross bracing

Made of galvanised steel

Upright height mm	Part. No.
1100	<b>74-21116</b>
2000	<b>74-21206</b>



For safety, cross bracings must be used  
every third bay-section.



## Guide rails, pair

Made of galvanised steel


Depth mm	Load capacity kg	Part. No.
		600

Standard colours:  
Ral 7035 Galvanised




Load capacity is intended  
for evenly distributed loads

Standard examples:




Type	Painted Height	Galvanised Height	Painted Height	Galvanised Height
Starter bay	73-26011-02	74-26011-02	73-26020-02	74-26020-02
Extension bay	73-26011-12	74-26011-12	73-26020-12	74-26020-12
Max. quantity containers per bay	6	6	12	12
Max. load capacity per bay: 300Kg				



Type	Painted Height	Galvanised Height	Painted Height	Galvanised Height
Starter bay	73-26011-03	74-26011-03	73-26020-03	74-26020-03
Extension bay	73-26011-13	74-26011-13	73-26020-13	74-26020-13
Max. quantity containers per bay	5	5	9	9
Max. load capacity per bay: 300Kg				



Type	Painted Height	Galvanised Height	Painted Height	Galvanised Height
Starter bay	73-26011-04	74-26011-04	73-26020-04	74-26020-04
Extension bay	73-26011-14	74-26011-14	73-26020-14	74-26020-14
Max. quantity containers per bay	3	3	7	7
Max. load capacity per bay: 300Kg				



Type	Painted Height	Galvanised Height	Painted Height	Galvanised Height
Starter bay	73-26011-05	74-26011-05	73-26020-05	74-26020-05
Extension bay	73-26011-15	74-26011-15	73-26020-15	74-26020-15
Max. quantity containers per bay	2	2	5	5
Max. load capacity per bay: 300Kg				



Container storage systems must be secured to the floor or wall




Standard examples are supplied without plastic containers

Standard colours:  
Ral 7035 Galvanised









# Series 73-74



## Container storage systems

B

- A Usable width: 222 mm
- B Height 1100 mm = Usable height: 985 mm  
Height 2000 mm = Usable height: 1885 mm



## Plastic containers

Made of polypropylene

### Size 3 B

Width mm	Depth mm	Height mm	Capacity litres/dm <sup>3</sup>	Colour	Part. No.
200	350/300	145	9,4	Green *	<b>70-03220</b>
200	350/300	145	9,4	Red	<b>70-03230</b>
200	350/300	145	9,4	Blue	<b>70-03240</b>

Green is available only on request. Please contact us.

### Size 3

Width mm	Depth mm	Height mm	Capacity litres/dm <sup>3</sup>	Colour	Part. No.
200	350/300	200	12,5	Green *	<b>70-03020</b>
200	350/300	200	12,5	Red	<b>70-03030</b>
200	350/300	200	12,5	Blue	<b>70-03040</b>

Green is available only on request. Please contact us.



## Uprights


Made of high-quality steel, slotted in increments of 25 mm

Depth mm	Height mm	Painted	Galvanised
		RAL 7035 Part. No.	Part. No.
350	1100	<b>73-23511</b>	<b>74-23511</b>
350	2000	<b>73-23520</b>	<b>74-23520</b>

Foot plates to be anchored to the floor included



M10x110  
Pair  
Part. No.  
**06-00046**




## Upper shelves

Made of high-quality steel

Width mm	Depth mm	Height mm	Load capacity kg	Painted	Galvanised
				RAL 7035 Part. No.	Part. No.
222	350	35	50	<b>73-21350</b>	<b>74-21350</b>

Fixings included




## Base plinths, pair

Made of high-quality steel

Width mm	Height mm	Painted	Galvanised
		RAL 7035 Part. No.	Part. No.
292	80	<b>73-21354</b>	<b>74-21354</b>

Fixings included



## Guide rails, pair

Made of galvanised steel

Depth mm	Load capacity kg	Part. No.
350	50	<b>74-21335</b>

## Cross bracing

Made of galvanised steel



Upright height mm	Part. No.
1100	<b>74-21113</b>
2000	<b>74-21203</b>




For safety, cross bracings must be used every third bay-section.

Standard colours:  
Ral 7035 Galvanised




Load capacity is intended for evenly distributed loads

Standard examples:



Size 3 B



Size 3



Type	Painted Height	Galvanised Height	Painted Height	Galvanised Height
Starter bay	73-23511-02	74-23511-02	73-23520-02	74-23520-02
Extension bay	73-23511-12	74-23511-12	73-23520-12	74-23520-12
Max. quantity containers per bay	5	5	10	10
Max. load capacity per bay: 300Kg				

Type	Painted Height	Galvanised Height	Painted Height	Galvanised Height
Starter bay	73-23511-03	74-23511-03	73-23520-03	74-23520-03
Extension bay	73-23511-13	74-23511-13	73-23520-13	74-23520-13
Max. quantity containers per bay	4	4	8	8
Max. load capacity per bay: 300Kg				




Container storage systems must be secured to the floor or wall



Standard examples are supplied without plastic containers

Standard colours:  
Ral 7035 Galvanised






# Series 73-74



## Container storage systems

- A** Usable width: 322 mm
- B** Height 1100 mm = Usable height: 985 mm  
Height 2000 mm = Usable height: 1885 mm



## Plastic containers

Made of polypropylene

Size 4

Width mm	Depth mm	Height mm	Capacity litres/dm <sup>3</sup>	Colour	Part. No.
300	500/450	200	28	Green *	<b>70-04020</b>
300	500/450	200	28	Red	<b>70-04030</b>
300	500/450	200	28	Blue	<b>70-04040</b>

Green is available only on request. Please contact us.



## Uprights


Made of high-quality steel, slotted in increments of 25 mm

Depth mm	Height mm	Painted	Galvanised
		RAL 7035 Part. No.	Part. No.
500	1100	<b>73-25011</b>	<b>74-25011</b>
500	2000	<b>73-25020</b>	<b>74-25020</b>

Foot plates to be anchored to the floor included



M10x110  
Pair  
Part. No.  
**06-00046**




## Upper shelves

Made of high-quality steel

Width mm	Depth mm	Height mm	Load capacity kg	Painted	Galvanised
				RAL 7035 Part. No.	Part. No.
322	500	35	50	<b>73-21500</b>	<b>74-21500</b>

Fixings included




## Base plinths, pair

Made of high-quality steel

Width mm	Height mm	Painted	Galvanised
		RAL 7035 Part. No.	Part. No.
392	80	<b>73-21504</b>	<b>74-21504</b>

Fixings included



## Guide rails, pair

Made of galvanised steel

Depth mm	Load capacity kg	Part. No.
500	50	<b>74-21550</b>

## Cross bracing

Made of galvanised steel



Upright height mm	Part. No.
1100	<b>74-21115</b>
2000	<b>74-21205</b>



For safety, cross bracings must be used every third bay-section.

Standard colours:  
Ral 7035 Galvanised





Standard examples:



Size 4



Type	Painted Height 1100 mm	Galvanised Height 1100 mm	Painted Height 2000 mm	Galvanised Height 2000 mm
Starter bay	73-25011-03	74-25011-03	73-25020-03	74-25020-03
Extension bay	73-25011-13	74-25011-13	73-25020-13	74-25020-13
Max. quantity containers per bay	4	4	8	8
Max. load capacity per bay: 300Kg				



Container storage systems must be secured to the floor or wall




Standard examples are supplied without plastic containers

Standard colours:  
Ral 7035 Galvanised








# Series 99

## UNIBOX system



**UNIBOX with 9 compartments**

Width mm	Depth mm	Height mm	Dark grey RAL 7000 Part. No.	Light grey RAL 7035 Part. No.
600	51	77	<b>99-60901</b>	<b>99-60907</b>



**UNIBOX with 6 compartments**

Width mm	Depth mm	Height mm	Dark grey RAL 7000 Part. No.	Light grey RAL 7035 Part. No.
600	91	112	<b>99-60601</b>	<b>99-60607</b>




**UNIBOX with 5 compartments**

Width mm	Depth mm	Height mm	Dark grey RAL 7000 Part. No.	Light grey RAL 7035 Part. No.
600	133	164	<b>99-60501</b>	<b>99-60507</b>




**UNIBOX with 4 compartments**

Width mm	Depth mm	Height mm	Dark grey RAL 7000 Part. No.	Light grey RAL 7035 Part. No.
600	170	206	<b>99-60401</b>	<b>99-60407</b>




**Locking bars**  
Made of steel

For UNIBOX  
Part. No. 99-60901/07  
99-60601/07 to 99-60301/07  
Colour: Light grey RAL 7035



**UNIBOX with 3 compartments**

Width mm	Depth mm	Height mm	Dark grey RAL 7000 Part. No.	Light grey RAL 7035 Part. No.
600	200	240	<b>99-60301</b>	<b>99-60307</b>



### Unibox - Assistant

Made of high-quality steel

Width: 600mm

Height mm	Light grey RAL 7035 Part. No. 500
--------------	--

Colour: Light grey RAL 7035



<b>Size:</b>	<b>Part. No.</b>
--------------	------------------

600x183x500 mm h

UNIBOX

Dark grey RAL 7000 **99-63051-01**


Light grey RAL 7035 **99-63057-01**

Fittings:

1 x UNIBOX 6 compartments

1 x UNIBOX 5 compartments

1 x UNIBOX 4 compartments




### Unibox - Wall racks

Made of high-quality steel

Type	Height mm	Width mm	Colour RAL 7035 Part. No.
A	300	600	<b>99-62037</b>
A	500	600	<b>99-62057</b>
A	650	600	<b>99-62067</b>
B	1000	600	<b>99-62107</b>
B	1500	600	<b>99-62157</b>
B	1750	600	<b>99-62177</b>
B	1950	600	<b>99-62197</b>

Colour: Light grey RAL 7035




### Unibox - Free-standing racks


Made of high-quality steel

Height mm	Usable height mm	Width mm	Colour RAL 7035 Part. No.
1500	1400	600	<b>99-63157</b>
1750	1650	600	<b>99-63177</b>
1950	1850	600	<b>99-63197</b>

Colour: Light grey RAL 7035



# Series 99



Size:	Part. No.
600x107x300 mm	
UNIBOX	
Dark grey RAL 7000	99-62031-01
Light grey RAL 7035	99-62037-01
Fittings:	
1 x UNIBOX 9 compartments	
2 x UNIBOX 6 compartments	



Size:	Part. No.
600x78x308 mm	
UNIBOX	
Dark grey RAL 7000	99-62031-03
Light grey RAL 7035	99-62037-03
Fittings:	
4 x UNIBOX 9 compartments	



Size:	Part. No.
600x150x328 mm	
UNIBOX	
Dark grey RAL 7000	99-62031-05
Light grey RAL 7035	99-62037-05
Fittings:	
2 x UNIBOX 5 compartments	



Size:	Part. No.
600x107x500 mm	
UNIBOX	
Dark grey RAL 7000	99-62051-01
Light grey RAL 7035	99-62057-01
Fittings:	
2 x UNIBOX 9 compartments	
3 x UNIBOX 6 compartments	



Size:	Part. No.
600x183x500 mm	
UNIBOX	
Dark grey RAL 7000	99-62051-03
Light grey RAL 7035	99-62057-03
Fittings:	
1 x UNIBOX 6 compartments	
1 x UNIBOX 5 compartments	
1 x UNIBOX 4 compartments	



Size:	Part. No.
600x78x500 mm	
UNIBOX	
Dark grey RAL 7000	99-62051-05
Light grey RAL 7035	99-62057-05
Fittings:	
6 x UNIBOX 9 compartments	



Standard examples:



Size:	Part. No.
<b>600x150x660 mm</b>	
UNIBOX	
Dark grey RAL 7000	<b>99-62061-01</b>
Light grey RAL 7035	<b>99-62067-01</b>
Fittings:	
3 x UNIBOX 6 compartments	
2 x UNIBOX 5 compartments	



Size:	Part. No.
<b>600x107x650 mm</b>	
UNIBOX	
Dark grey RAL 7000	<b>99-62061-03</b>
Light grey RAL 7035	<b>99-62067-03</b>
Fittings:	
1 x UNIBOX 9 compartments	
5 x UNIBOX 6 compartments	



Size:	Part. No.
<b>600x78x650 mm</b>	
UNIBOX	
Dark grey RAL 7000	<b>99-62061-05</b>
Light grey RAL 7035	<b>99-62067-05</b>
Fittings:	
8 x UNIBOX 9 compartments	



Size:	Part. No.
<b>600x224x1000 mm</b>	
UNIBOX	
Dark grey RAL 7000	<b>99-62101-01</b>
Light grey RAL 7035	<b>99-62107-01</b>
Fittings:	
2 x UNIBOX 6 compartments	
2 x UNIBOX 5 compartments	
1 x UNIBOX 4 compartments	
1 x UNIBOX 3 compartments	



Size:	Part. No.
<b>600x113x1022 mm</b>	
UNIBOX	
Dark grey RAL 7000	<b>99-62101-03</b>
Light grey RAL 7035	<b>99-62107-03</b>
Fittings:	
6 x UNIBOX 9 compartments	
5 x UNIBOX 6 compartments	




Size:	Part. No.
<b>600x113x1008 mm</b>	
UNIBOX	
Dark grey RAL 7000	<b>99-62101-05</b>
Light grey RAL 7035	<b>99-62107-05</b>
Fittings:	
9 x UNIBOX 6 compartments	



Metal supports of our composition are supplied in RAL 7035 light grey





# Series 99



Size:	Part. No.
600x325x1500 mm	
UNIBOX	
Dark grey RAL 7000	<b>99-63151-01</b>
Light grey RAL 7035	<b>99-63157-01</b>
Fittings:	
8 x UNIBOX 9 compartments	
7 x UNIBOX 6 compartments	



Size:	Part. No.
600x325x1500 mm	
UNIBOX	
Dark grey RAL 7000	<b>99-63151-03</b>
Light grey RAL 7035	<b>99-63157-03</b>
Fittings:	
2 x UNIBOX 9 compartments	
3 x UNIBOX 6 compartments	
3 x UNIBOX 5 compartments	
1 x UNIBOX 4 compartments	
1 x UNIBOX 3 compartments	



Size:	Part. No.
600x325x1500 mm	
UNIBOX	
Dark grey RAL 7000	<b>99-63151-11</b>
Light grey RAL 7035	<b>99-6315711</b>
Fittings:	
13 x UNIBOX 6 compartments	



Standard examples:



Size:	Part. No.
600x325x1750 mm	
UNIBOX	
Dark grey RAL 7000	99-63171-03
Light grey RAL 7035	99-63177-03
Fittings:	
2 x UNIBOX 9 compartments	
3 x UNIBOX 6 compartments	
3 x UNIBOX 5 compartments	
2 x UNIBOX 4 compartments	
1 x UNIBOX 3 compartments	




Size:	Part. No.
600x325x1750 mm	
UNIBOX	
Dark grey RAL 7000	99-63171-05
Light grey RAL 7035	99-63177-05
Fittings:	
6 x UNIBOX 9 compartments	
4 x UNIBOX 6 compartments	
3 x UNIBOX 5 compartments	
1 x UNIBOX 3 compartments	



Size:	Part. No.
600x325x1750 mm	
UNIBOX	
Dark grey RAL 7000	99-63171-11
Light grey RAL 7035	99-63177-11
Fittings:	
5 x UNIBOX 6 compartments	
3 x UNIBOX 5 compartments	
3 x UNIBOX 4 compartments	



Metal supports of our composition are supplied in RAL 7035 light grey



# Series 99

Standard examples:



Size:	Part. No.
600x325x1950 mm	
UNIBOX	
Dark grey RAL 7000	<b>99-63191-01</b>
Light grey RAL 7035	<b>99-63197-01</b>
Fittings:	
6 x UNIBOX 9 compartments	
9 x UNIBOX 6 compartments	
1 x UNIBOX 5 compartments	
1 x UNIBOX 4 compartments	



Size:	Part. No.
600x325x1950 mm	
UNIBOX	
Dark grey RAL 7000	<b>99-63191-03</b>
Light grey RAL 7035	<b>99-63197-03</b>
Fittings:	
2 x UNIBOX 9 compartments	
3 x UNIBOX 6 compartments	
3 x UNIBOX 5 compartments	
3 x UNIBOX 4 compartments	
1 x UNIBOX 3 compartments	



Size:	Part. No.
600x325x1950 mm	
UNIBOX	
Dark grey RAL 7000	<b>99-63191-05</b>
Light grey RAL 7035	<b>99-63197-05</b>
Fittings:	
7 x UNIBOX 6 compartments	
4 x UNIBOX 5 compartments	
2 x UNIBOX 4 compartments	





### Unibox - Trolley

Made of high-quality steel.  
Equipped with handle and  
2 fixed and 2 swivel braked,  
rubber castors, Ø 100 mm.



Width mm	Depth mm	Height mm	Usable height mm	Load capacity kg	Part. No.
750	660	1365	1200	300	<b>99-64147</b>

Colour: Light grey RAL 7035

### Standard examples:



Size:	Part. No.
<b>660x750x1365 mm</b>	
UNIBOX	
Dark grey RAL 7000	<b>99-64141-01</b>
Light grey RAL 7035	<b>99-64147-01</b>
Fittings:	
2 x UNIBOX 9 compartments	
6 x UNIBOX 6 compartments	
4 x UNIBOX 5 compartments	
2 x UNIBOX 4 compartments	
2 x UNIBOX 3 compartments	




Size:	Part. No.
<b>660x750x1365 mm</b>	
UNIBOX	
Dark grey RAL 7000	<b>99-64141-03</b>
Light grey RAL 7035	<b>99-64147-03</b>
Fittings:	
4 x UNIBOX 6 compartments	
4 x UNIBOX 5 compartments	
4 x UNIBOX 4 compartments	
2 x UNIBOX 3 compartments	



Size:	Part. No.
<b>660x750x1365 mm</b>	
UNIBOX	
Dark grey RAL 7000	<b>99-64141-07</b>
Light grey RAL 7035	<b>99-64147-07</b>
Fittings:	
6 x UNIBOX 6 compartments	
8 x UNIBOX 5 compartments	
2 x UNIBOX 4 compartments	





# Series 99



**Unibox - Rotary towers**



Width mm	Depth mm	Height mm	Usable height mm	Load capacity kg *	Part. No.
1100	1100	1615	1500	800	<b>99-65157</b>
1100	1100	1865	1750	800	<b>99-65177</b>
1100	1100	2065	1950	800	<b>99-65197</b>

Colour: Light grey RAL 7035



M10x110  
Pair  
Part. No.  
**06-00046**

Size:	Part. No.
<b>1100x1100x1865 mm</b>	
UNIBOX	
Dark grey RAL 7000	<b>99-65171-01</b>
Light grey RAL 7035	<b>99-65177-01</b>
Fittings:	
2 x UNIBOX 9 compartments	
18 x UNIBOX 6 compartments	
22 x UNIBOX 5 compartments	
6 x UNIBOX 4 compartments	




**Unibox - Storage system with vertical drawers**

Width mm	Usable width mm	Depth mm	Height mm
1073	967	707	2000
1481	1375	707	2000

Max load capacity per vertical drawer: 150 kg  
Equipped with safety locking system.




Size: 1073x707x2000 mm




	Part. No.
Storage system with 4 drawers- without UNIBOX	<b>99-85427-01</b>
with UNIBOX dark grey RAL 7000	<b>99-85421-02</b>
with UNIBOX light grey RAL 7035	<b>99-85427-02</b>
Fittings:	
120 x UNIBOX 6 compartments	


Size: 1481x707x2000 mm




	Part. No.
Storage system with 5 drawers- without UNIBOX	<b>99-87827-01</b>
with UNIBOX dark grey RAL 7000	<b>99-87821-02</b>
with UNIBOX light grey RAL 7035	<b>99-87827-02</b>
Fittings:	
150 x UNIBOX 6 compartments	




	Part. No.
Storage system with 3 drawers- without UNIBOX	<b>99-85427-03</b>
with UNIBOX dark grey RAL 7000	<b>99-85421-04</b>
with UNIBOX light grey RAL 7035	<b>99-85427-04</b>
Fittings:	
30 x UNIBOX 6 compartments	
40 x UNIBOX 5 compartments	



	Part. No.
Storage system with 4 drawers- without UNIBOX	<b>99-87827-03</b>
with UNIBOX dark grey RAL 7000	<b>99-87821-04</b>
with UNIBOX light grey RAL 7035	<b>99-87827-04</b>
Fittings:	
30 x UNIBOX 6 compartments	
60 x UNIBOX 5 compartments	



	Part. No.
Storage system with 3 drawers- without UNIBOX	<b>99-85427-05</b>
with UNIBOX dark grey RAL 7000	<b>99-85421-06</b>
with UNIBOX light grey RAL 7035	<b>99-85427-06</b>
Fittings:	
30 x UNIBOX 6 compartments	
20 x UNIBOX 5 compartments	
16 x UNIBOX 4 compartments	



	Part. No.
Storage system with 3 drawers- without UNIBOX	<b>99-87827-05</b>
with UNIBOX dark grey RAL 7000	<b>99-87821-06</b>
with UNIBOX light grey RAL 7035	<b>99-87827-06</b>
Fittings:	
48 x UNIBOX 4 compartments	