



Traffic Signals 495 x 295 x 50 C250

495 X 295 X 45 C250


FEATURES:

- Single seal frame
- BS EN124 Class C250
- Ductile Iron for strength and durability
- Black coated finish

OPTIONS:

- Badged SW or FW
- Locking screws
- Neoprene seal
- Ventilated

C250	BS EN124: 1994	ISO 9001
-------------	-------------------------------	---------------------



Code	Product Name	Clear Opening (mm)	Over Base (mm)	Depth (mm)
1070D	TS	495 x 295	610 x 340	50

EN124 Access Covers and Frames: C250, Group 3

C250 access covers and frames are designed for use in car parks, industrial or commercial areas carrying slow moving traffic. All C250 manhole covers and frames are certified to the requirements of BS EN124.



R&B UK JT LIMITED
COURT 2000, BRIDGNORTH ROAD,
MADELEY, TELFORD
SHROPSHIRE, TF7 4JB

SWITCHBOARD: +44 (0) 1952 580554
FACSIMILE: +44 (0) 1952 580527
WEBSITE: WWW.RANDB-UK.COM
EMAIL: SALES@RANDB-UK.COM



Brecon - 450 x 450 x 45 C250

C250	BS EN124: 1994	ISO 9001
-------------	-------------------------------	---------------------

FEATURES:

- Single seal frame
- BS EN124 Class C250
- Ductile Iron for strength and durability
- Black coated finish

OPTIONS:

- Badged SW or FW
- Locking screws
- Neoprene seal
- Ventilated



BRECON - 450 X 450 X 45 C250

Code	Product Name	Clear Opening (mm)	Over Base (mm)	Depth (mm)
1013D	Brecon	450 x 450	600 x 600	45

EN124 Access Covers and Frames: C250, Group 3

C250 access covers and frames are designed for use in car parks, industrial or commercial areas carrying slow moving traffic. All C250 manhole covers and frames are certified to the requirements of BS EN124.



R&B UK JT LIMITED
 COURT 2000, BRIDGNORTH ROAD,
 MADELEY, TELFORD
 SHROPSHIRE, TF7 4JB

SWITCHBOARD: +44 (0) 1952 580554
 FACSIMILE: +44 (0) 1952 580527
 WEBSITE: WWW.RANDB-UK.COM
 EMAIL: SALES@RANDB-UK.COM



Acton - 600 x 450 x 45 C250

C250

**BS
EN124:
1994**

**ISO
9001**

FEATURES:

- Single seal frame
- BS EN124 Class C250
- Ductile Iron for strength and durability
- Black coated finish



OPTIONS:

- Badged SW or FW
- Locking screws
- Neoprene seal
- Ventilated

Code	Product Name	Clear Opening (mm)	Over Base (mm)	Depth (mm)
1012D	Acton	600 x 450	750 x 600	45

EN124 Access Covers and Frames: C250, Group 3

C250 access covers and frames are designed for use in car parks, industrial or commercial areas carrying slow moving traffic. All C250 manhole covers and frames are certified to the requirements of BS EN124.



ACTON - 600 X 450 X 45 C250

R&B UK JT LIMITED
 COURT 2000, BRIDGNORTH ROAD,
 MADELEY, TELFORD
 SHROPSHIRE, TF7 4JB

SWITCHBOARD: +44 (0) 1952 580554
 FACSIMILE: +44 (0) 1952 580527
 WEBSITE: WWW.RANDB-UK.COM
 EMAIL: SALES@RANDB-UK.COM



Acton - 600 x 450 x 45 C250
"TRAFFIC SIGNAL"

C250

BS
EN124:
1994

ISO
9001

FEATURES:

- Single seal frame
- BS EN124 Class C250
- Ductile Iron for strength and durability
- Black coated finish

OPTIONS:

- Badged SW or FW
- Locking screws
- Neoprene seal
- Ventilated



Code	Product Name	Clear Opening (mm)	Over Base (mm)	Depth (mm)
1012DTS	Acton TS	600 x 450	750 x 600	45

EN124 Access Covers and Frames: C250, Group 3

C250 access covers and frames are designed for use in car parks, industrial or commercial areas carrying slow moving traffic. All C250 manhole covers and frames are certified to the requirements of BS EN124.



ISOQAR
REGISTERED

R&B UK JT LIMITED
 COURT 2000, BRIDGNORTH ROAD,
 MADELEY, TELFORD
 SHROPSHIRE, TF7 4JB

SWITCHBOARD: +44 (0) 1952 580554
 FACSIMILE: +44 (0) 1952 580527
 WEBSITE: WWW.RANDB-UK.COM
 EMAIL: SALES@RANDB-UK.COM



Flint - 600 x 600 x 45 C250

C250

**BS
EN124:
1994**

**ISO
9001**

FEATURES:

- Single seal frame
- BS EN124 Class C250
- Ductile Iron for strength and durability
- Black coated finish



OPTIONS:

- Badged SW or FW
- Locking screws
- Neoprene seal
- Ventilated

Code	Product Name	Clear Opening (mm)	Over Base (mm)	Depth (mm)
1011D	Flint	600 x 600	650 x 650	45

EN124 Access Covers and Frames: C250, Group 3

C250 access covers and frames are designed for use in car parks, industrial or commercial areas carrying slow moving traffic. All C250 manhole covers and frames are certified to the requirements of BS EN124.



FLINT - 600 X 600 X 45 C250

R&B UK JT LIMITED
 COURT 2000, BRIDGNORTH ROAD,
 MADELEY, TELFORD
 SHROPSHIRE, TF7 4JB

SWITCHBOARD: +44 (0) 1952 580554
 FACSIMILE: +44 (0) 1952 580527
 WEBSITE: WWW.RANDB-UK.COM
 EMAIL: SALES@RANDB-UK.COM



Criccieth - 750 x 750 x 75 C250

C250

**BS
EN124:
1994**

**ISO
9001**

FEATURES:

- Single seal frame
- BS EN124 Class C250
- Ductile Iron for strength and durability
- Black coated finish



OPTIONS:

- Badged SW or FW
- Locking screws
- Neoprene seal
- Ventilated

Code	Product Name	Clear Opening (mm)	Over Base (mm)	Depth (mm)
1037D	Criccieth	750 x 750	900 x 900	75

EN124 Access Covers and Frames: C250, Group 3

C250 access covers and frames are designed for use in car parks, industrial or commercial areas carrying slow moving traffic. All C250 manhole covers and frames are certified to the requirements of BS EN124.



CRICCIETH - 750 x 750 x 75 C250

R&B UK JT LIMITED
 COURT 2000, BRIDGNORTH ROAD,
 MADELEY, TELFORD
 SHROPSHIRE, TF7 4JB

SWITCHBOARD: +44 (0) 1952 580554
 FACSIMILE: +44 (0) 1952 580527
 WEBSITE: WWW.RANDB-UK.COM
 EMAIL: SALES@RANDB-UK.COM



Croft - 900 x 600 x 50 C250

FEATURES:

Single seal frame

BS EN124 Class C250

Ductile Iron for strength and durability

Black coated finish

OPTIONS:

Badged SW or FW

Locking screws

Neoprene seal

Ventilated



C250

BS EN124: 1994

ISO 9001

CROFT - 900 X 600 X 50 C250

Code	Product Name	Clear Opening (mm)	Over Base (mm)	Depth (mm)
1007D	Croft	900 x 600	1050 x 760	50

EN124 Access Covers and Frames: C250, Group 3

C250 access covers and frames are designed for use in car parks, industrial or commercial areas carrying slow moving traffic. All C250 manhole covers and frames are certified to the requirements of BS EN124.





Penrhyn - 900 x 900 x 75 C250

C250	BS EN124: 1994	ISO 9001
-------------	-------------------------------	---------------------

FEATURES:

- Single seal frame
- BS EN124 Class C250
- Ductile Iron for strength and durability
- Black coated finish



OPTIONS:

- Badged SW or FW
- Locking screws
- Neoprene seal
- Ventilated

Code	Product Name	Clear Opening (mm)	Over Base (mm)	Depth (mm)
1038D	Penrhyn	900 x 900	1050 x 1050	75

EN124 Access Covers and Frames: C250, Group 3

C250 access covers and frames are designed for use in car parks, industrial or commercial areas carrying slow moving traffic. All C250 manhole covers and frames are certified to the requirements of BS EN124.



PENRHYN - 900 X 900 X 75 C250

R&B UK JT LIMITED
 COURT 2000, BRIDGNORTH ROAD,
 MADELEY, TELFORD
 SHROPSHIRE, TF7 4JB

SWITCHBOARD: +44 (0) 1952 580554
 FACSIMILE: +44 (0) 1952 580527
 WEBSITE: WWW.RANDB-UK.COM
 EMAIL: SALES@RANDB-UK.COM



Ruthin - 365 x 310 x 75

FEATURES:

Traffic Flow Hinged

BS EN124 Class C250


Ductile Iron for Strength and Durability

Black coated finish

C250

**BS
EN124:
1994**

**ISO
9001**



RUTHIN 365 x 310 x 75 C250

Code	Product Name	Clear Opening (mm)	Over Base (mm)	Depth (mm)
CGD18TF	Ruthin	365 x 310	515 x 405	75

EN124 Gully Gratings and Frames: C250, Group 3

C250 Gully gratings and frames are designed for use in carparks, industrial or commercial areas carrying slow moving traffic

All C250 Gully Gratings and frames are certified to BSEN124:1994



R&B UK JT LIMITED
COURT 2000, BRIDGNORTH ROAD,
MADELEY, TELFORD
SHROPSHIRE, TF7 4JB

SWITCHBOARD: +44 (0) 1952 580554
FACSIMILE: +44 (0) 1952 580527
WEBSITE: WWW.RANDB-UK.COM
EMAIL: SALES@RANDB-UK.COM



Ruthin - 380 x 310 x 75

FEATURES:

Traffic Flow Hinged

BS EN124 Class C250

Ductile Iron for Strength and Durability

Black coated finish

C250

BS EN124: 1994

ISO 9001



RUTHIN 365 x 310 x 75 C250

Code	Product Name	Clear Opening (mm)	Over Base (mm)	Depth (mm)
CGD18TF	Ruthin	380 x 310	480 x 370	75

EN124 Gully Gratings and Frames: C250, Group 3

C250 Gully gratings and frames are designed for use in carparks, industrial or commercial areas carrying slow moving traffic

All C250 Gully Gratings and frames are certified to BSEN124:1994



R&B UK JT LIMITED
 COURT 2000, BRIDGNORTH ROAD,
 MADELEY, TELFORD
 SHROPSHIRE, TF7 4JB

SWITCHBOARD: +44 (0) 1952 580554
 FACSIMILE: +44 (0) 1952 580527
 WEBSITE: WWW.RANDB-UK.COM
 EMAIL: SALES@RANDB-UK.COM



Chester 300 x 300 x 75 C250

Chester - 300 x 300 x 75 Dished

FEATURES:

Kerb hinged + Dished

Locked M8 cap head

BS EN124 Class C250

Ductile Iron for Strength and Durability

Black coated finish

C250

**BS
EN124:
1994**

**ISO
9001**



Code	Product Name	Clear Opening (mm)	Over Base (mm)	Depth (mm)
1048D	Chester	300 x 300	325 x 325	75

EN124 Gully Gratings and Frames: C250, Group 3

C250 Gully gratings and frames are designed for use in car parks, industrial or commercial areas carrying slow moving traffic

All C250 Gully Gratings and frames are certified to BSEN124:1994



R&B UK JT LIMITED
COURT 2000, BRIDGNORTH ROAD,
MADELEY, TELFORD
SHROPSHIRE, TF7 4JB

SWITCHBOARD: +44 (0) 1952 580554
FACSIMILE: +44 (0) 1952 580527
WEBSITE: WWW.RANDB-UK.COM
EMAIL: SALES@RANDB-UK.COM