

# LARGE HORSEBOX

HB510XL, HB610 & CONTAINERS



BRITAIN'S LEADING  
TRAILER MANUFACTURER

# HB510XL

## HORSEBOX

The HB510XL offers the flexibility of carrying two horses up to 17.2 hh or up to four ponies. The HB510XL comes with a headroom of 2.3m and a locking groom's door as standard.

With its 14' internal length the HB510XL offers either a range of telescopic partitions, suitable for ponies\*, or a single centre partition allowing two horses to face forward.

A comfortable and safe environment for the horse is created through ample sliding windows and roof vents, ensuring plenty of light and fresh air. The thick rubber matting on the floor helps to minimise travel fatigue on long journeys.


Whether you are a livery yard, trekking centre, riding school or private individual with a string of ponies, this trailer, with a maximum gross weight of 3500kg, makes an ideal workhorse.

Additional options available on the HB510XL include combined rear ramp and van doors for greater flexibility.

\*Animals must not be carried adjacent to the groom's door under any circumstances. Please refer to the partition layouts for guidance.

### Loading Guidelines

Horse/Pony Size	Number Per Trailer	Number of Partitions	Partition Configuration	Trailer Payload
12.2hh	4	5	Diagonal/Perpendicular	2110kg
13.2hh	3	4	Diagonal	2130kg
14.2hh	2	3	Diagonal	2150kg
15hh or over	2	1	Forward Facing	2145kg



Typical partition layouts of HB510XL



### HB510XL

Tyres	175R16C*
Maximum gross weight	3500kg
Unladen weight	1290kg
Overall height	2.82m
Overall width	2.30m
Overall length	5.76m
Internal height	2.30m
Internal width	1.74m
Internal length	4.25m
Stall width	Various
Stall length min/max	Various

\*6.50R16 tyres also available







### HB610

Tyres	175R16C*
Maximum gross weight	3500kg
Unladen weight	1450kg
Overall height	2.82m
Overall width	2.30m
Overall length	5.74m
Internal height	2.30m
Internal width	2.07m
Internal length	4.25m
Stall width	Various
Stall length min/max	Various

\*6.50R16 tyres also available

# HB610

## HORSEBOX

The HB610 represents our largest trailer and can carry two large horses up to 17.2 hh with room to spare or up to five ponies. The HB610 has a headroom of 2.3m and a locking groom's door fitted as standard.


As with the HB510XL, the HB610 has a maximum gross weight of 3500kg. However, by offering additional trailer width, the telescopic partition system allows up to five pony stalls.\*

The wide front unload ramp, which comes as standard, makes this model unique and very useful for both horse and owner.† An additional benefit is the extra storage space available in the wind deflector, accessible from inside the trailer.

The sliding windows and roof vents provide a comfortable and safe environment for your horse, ensuring plenty of light and fresh air. Additional comfort is provided through thick rubber floor matting.

\*Animals must not be carried adjacent to the groom's door under any circumstances. Please refer to the partition layouts for guidance.

†The HB610 front ramp provides a headroom of 1.9m (74") and may not be suitable for front unloading of horses over 16.2hh.



Typical partition layouts of HB610



### Loading Guidelines

Horse/Pony Size	Number Per Trailer	Number of Partitions	Partition Configuration	Trailer Payload
12.2hh	5	6	Diagonal/Perpendicular	1926kg
13.2hh	4	5	Diagonal	1946kg
14.2hh	3	4	Diagonal	1966kg
15hh	2	3	Diagonal	1986kg
15hh or over†	2	1	Forward Facing	1981kg

# HORSEBOX

## CONTAINERS

Designed to be fitted onto new or used chassis cab vehicles, the container is the ideal choice for those not wishing to tow a trailer or have the expense and upkeep of a larger commercial vehicle.



### CONTAINERS

Unladen Weight	1000kg
Internal height	2.16m
Internal width	1.82m*
Internal length	3.46m

\*For new Transit and new VW LT width is 1.96m



Containers are available to fit the Ford Transit, Iveco Daily. Please contact your local distributor for more information.



The containers have side-by-side stalls suitable for carrying horses of up to 16hh. They are constructed to the same standards as our horsebox trailers, with additional storage space in the Luton cab.

These complete units, including platforms, are supplied for fitting by a third party. Please consult your nearest dealer for advice on fitting and the suitability of your chassis cab vehicle

## Specifications

	Unladen Weight	Front Ramp	Ramp/Van Style Rear Doors	Rear Top Doors (Pair)	Locking Grooms Door	Telescopic Partition/Cross Division	Centre Partition	Head Partition***	Sliding Windows	Side Window Protection Bars	Large Wind Deflector with Storage Space	Roof Ventilator (4)	Wheel Chocks (Pair)	Mudflaps (Pair)	Wheeled Tack Pack	Aluminium Floor & Removable Rubber Mat	Trailer Camera	Datalog	Trailer Aid	Coupling Head Security Lock	13 pin to 7 pin Towing Electric Plug Adaptor
HB510XL*	1290kg	-	Option	Std	Std	Option	Option	Option	Std(6)	Option	Std	Std	Option	Option	Option	Std	Option	Std	Option	Option	Option
HB610*	1450kg	Std	-	Std	Std	Option	Option	Option	Std(5)	Option	Std	Std	Option	Option	Option	Std	Option	Std	Option	Option	Option
CONTAINER	1000kg	Std	-	-	Std**	-	Std	-	Std(3)	Option	-	Std	-	-	Option	Std	Option	-	-	-	-

STD = Standard Option \*Trailer fitted with 175/75R16 tyres as standard. 6.50R16 tyres are available as an option.

\*\*No lock. \*\*\* For telescopic partition only.

Large Horsebox models are available in Silver, Black and Blue. Containers are available in Silver.

Please note that all Ifor Williams braked trailers and Unbraked Eurolight trailers will come as standard with a 13 pin towing electric plug. This is in order to comply with the requirement under ECWTA regulation changes to provide trailer reversing lights. If your vehicle only has a 7 pin towing socket then a convenient adaptor can be purchased to convert the trailer's 13 pin socket back to 7 pin.



Ifor Williams Trailers Ltd  
Cynwyd, Corwen, Denbighshire LL21 0LB UK  
Telephone +44 (0)1490 412527  
sales@iwt.co.uk

For further information visit our comprehensive website  
[www.iwt.co.uk](http://www.iwt.co.uk)

Product design, descriptions, colours, specifications etc. correct at time of going to press. We constantly strive to improve our products, and from time to time this may result in changes to our range or to individual models. Please check that design, description, colours, specifications described in this brochure are still valid at the time of placing an order.

Our distributors have extensive product knowledge and will be pleased to offer assistance in the selection of your trailer.

© Ifor Williams Trailers Ltd 2015.

All rights reserved.

No part of this publication may be reproduced in any form or by any means, without the prior written permission of Ifor Williams Trailers Ltd.

Design by Ikon Design Ltd. Photography by Red Photography Ltd. Thanks to Land Rover and Conwy Land Rover.