








































































































Brass chain	Picture	style	Wire Dia	Outer measure Link (long x	unit	kg/100m
B08(2)		CURB	4.06	20.6 x 16.5	mm	44
B09(1)		CURB	3.66	16.8 x 12.9	mm	35.5
B10(1)		CURB	3.25	18.8 x 14.1	mm	25.8
B10(2)		CURB	3.25	16.6 x 13.1	mm	27.8
B11(1)		CURB	2.95	16 x 12.3	mm	21.8
B11(2)		CURB	2.95	15.3 x 11.7	mm	23
B11(3)		CURB	2.95	13.6 x 11.2	mm	24.5
B11(L)		CURB	2.95	20 x 11	mm	18
B11(LB)		CURB	2.95	24.15 x 18.4	mm	19.4
B12(1)		CURB	2.61	16.7 x 12.7	mm	16.7
B12(2)		CURB	2.61	13.7 x 11	mm	17.5
B12(3)		CURB	2.61	12.6 x 10.3	mm	19.2
B13(1)		CURB	2.34	15.4 x 10.03	mm	13
B13(2)		CURB	2.34	13.6 x 9.2	mm	13.5
B13(3)		CURB	2.34	12.1 x 9	mm	13.5


Brass chain	Picture	style	Wire Dia	Outer measure Link (long x	unit	kg/100m
B13(S)		CURB	2.34	10.6 x 9.15	mm	
B14(1)		CURB	2.00	13.5 x 9.6	mm	8.7
B14(2)		CURB	2.00	13 x 8.3	mm	8.8
B14(3)		CURB	2.00	10.4 x 7.7	mm	10.8
B14(4)		CURB	2.00	13.8 x 10.42	mm	
B15(1)		CURB	1.83	11.6 x 7.8	mm	7.6
B15(3)		CURB	1.83	8.4 x 6.35	mm	8.8
B15(L)		CURB	1.83	14.36 x 8.9	mm	
B16(2)		CURB	1.60	8.9 x 5.9	mm	6.5
B16(3)		CURB	1.60	8.3 x 6	mm	6.6
B17(1)		CURB	1.42	9 x 6.5	mm	4.6
B17(2)		CURB	1.42	8.3 x 5.9	mm	4.6
B17(3)		CURB	1.42	7.5 x 5.4	mm	4.9
B17(S)		CURB	1.42	6.65 x 5.14	mm	5.7
B18RB		CURB	1.29	11.6 x 8.8	mm	2.96
B18(1)		CURB	1.29	7.6 x 5.3	mm	3.3
B18(2)		CURB	1.29	7.1 x 5	mm	3.5
B18(3)		CURB	1.29	6.6 x 4.5	mm	3.6
B18(S)		CURB	1.29	5.7 x 4.8	mm	3.8



















Brass chain	Picture	style	Wire Dia	Outer measure Link (long x	unit	kg/100m
B19(1)		CURB	1.02	7 x 4.7	mm	2.3
B19(2)		CURB	1.00	5.6 x 3.75	mm	2.3
B19(3)		CURB	1.00	5.1 x 3.6	mm	2.7
B20		CURB	0.91	4.95 x 3.65	mm	2.2
B21(1)		CURB	0.80	5.9 x 3.8	mm	1.4
B21(2)		CURB	0.80	5 x 3.3	mm	1.48
B21(3)		CURB	0.80	4.3 x 3.1	mm	1.7
B23		CURB	0.61	4.1 x 2.72	mm	0.81
<b>150BS</b>		<b>CURB- WELDED</b>	<b>0.50</b>	<b>4 x 2.92</b>	<b>mm</b>	<b>0.51</b>
<b>160BS-3.5</b>		<b>CURB- WELDED</b>	<b>0.60</b>	<b>4.8 x 3.5</b>	<b>mm</b>	<b>0.63</b>
<b>135S</b>		<b>CURB- WELDED</b>	<b>0.35</b>	<b>1.73 x 1.3</b>	<b>mm</b>	<b>0.34</b>
<b>140S</b>		<b>CURB- WELDED</b>	<b>0.40</b>	<b>2.04 x 1.4</b>	<b>mm</b>	<b>0.46</b>
<b>150S</b>		<b>CURB- WELDED</b>	<b>0.50</b>	<b>2.2 x 1.8</b>	<b>mm</b>	<b>0.65</b>
<b>160S</b>		<b>CURB- WELDED</b>	<b>0.60</b>	<b>2.7 x 2.15</b>	<b>mm</b>	<b>0.86</b>
<b>180S</b>		<b>CURB- WELDED</b>	<b>0.80</b>	<b>3.65 x 2.9</b>	<b>mm</b>	<b>2.02</b>
<b>110S</b>		<b>CURB- WELDED</b>	<b>1.00</b>	<b>4.7 x 3.8+E95</b>	<b>mm</b>	<b>3.62</b>
<b>112S</b>		<b>CURB- WELDED</b>	<b>1.20</b>	<b>5.2 x 4.5</b>	<b>mm</b>	<b>4.8</b>
B15D		CURB TWIN	1.83	13.8 x 10.5	mm	15.3

Brass chain	Picture	style	Wire Dia	Outer measure Link (long x	unit	kg/100m
B15DG		CURB TWIN	1.83	13.8 x 10.5	mm	14.4
B17DG		CURB TWIN	1.42	14.1 x 8.9	mm	7.8
B08(1)G		diamond cut	4.06	20.6 x 15.6	mm	35.4
B08(2)G		diamond cut	4.06	20.6 x 16.5	mm	40.4
B08(3)G		diamond cut	4.06	18.3 x 14.8	mm	39
B09(1)G		diamond cut	3.66	16.8 x 12.9	mm	32
B09-1-4DC		diamond cut	3.66	17 x 11	mm	27.4
B09-1-8DC		diamond cut	3.66	17 x 11.6	mm	
B10(1)G		diamond cut	3.25	18.8 x 14.1	mm	25.8
B10(2)G		diamond cut	3.25	16.6 x 13.1	mm	
B11(1)G		diamond cut	2.95	16 x 12.3	mm	20
B11(2)G		diamond cut	2.95	15.3 x 11.7	mm	20.1
B11(3)G		diamond cut	2.95	13.6 x 11.2	mm	20.4
B11(L)G		diamond cut	2.95	20 x 11	mm	
B11(LB)G		diamond cut	2.95	24.15 x 18.4	mm	

Brass chain	Picture	style	Wire Dia	Outer measure Link (long x	unit	kg/100m
B11-4DC		diamond cut	2.95	13.6 x 9.1	mm	17.3
B11-RDC		diamond cut	2.95	13.3 x 10.9	mm	
B12(2)G		diamond cut	2.61	13.7 x 11	mm	
B12(3)G		diamond cut	2.61	12.6 x 10.3	mm	
B12-RDC		diamond cut	2.60	12.5 x 10.04	mm	
WF-B12		diamond cut	2.60	12.6 X 10.1	mm	16
B13(1)G		diamond cut	2.34	15.4 x 10.03	mm	12
B13(2)G		diamond cut	2.34	13.6 x 9.2	mm	12.2
B13(3)G		diamond cut	2.34	12.1 x 9	mm	12.7
B13-4DC		diamond cut	2.34	12.1 x 7.8	mm	9.5
B13-FRDC		diamond cut	2.40	11.1 x 8.2	mm	
B14(1)G		diamond cut	2.00	13.5 x 9.6	mm	8
B14(2)G		diamond cut	2.00	13 x 8.3	mm	
B14(3)G		diamond cut	2.00	10.4 x 7.7	mm	9.64
B14-FRDC		diamond cut	2.00	9.4 x 6.8	mm	
B15(1)G		diamond cut	1.83	11.6 x 7.8	mm	7
B15(2)G		diamond cut	1.83	9.9 x 7.25	mm	7.4
B15(3)G		diamond cut	1.83	8.4 x 6.35	mm	8.62
B15-4DC		diamond cut	1.83	8.4 x 5.4	mm	6.5




















Brass chain	Picture	style	Wire Dia	Outer measure Link (long x	unit	kg/100m
B16(2)G		diamond cut	1.60	8.9 x 5.9	mm	5.8
B16(3)G		diamond cut	1.60	8.3 x 6	mm	5.8
B16-4RDC		diamond cut	1.60	7 x 5	mm	
B17(1)G		diamond cut	1.42	9 x 6.5	mm	4.3
B17(2)G		diamond cut	1.42	8.3 x 5.9	mm	4.2
B17(3)G		diamond cut	1.42	7.5 x 5.4	mm	
B18(1)G		diamond cut	1.29	7.6 x 5.3	mm	
B18(2)G		diamond cut	1.29	7.1 x 5	mm	3.2
B18(3)G		diamond cut	1.29	6.6 x 4.5	mm	3.3
B18(S)G		diamond cut	1.29	5.7 x 4.8	mm	
B18-4DC		diamond cut	1.29	6 x 4.1	mm	
B19(1)G		diamond cut	1.00	7 x 4.7	mm	2.14
B19(2)G		diamond cut	1.00	5.6 x 3.9	mm	
B19(3)G		diamond cut	1.00	5.1 x 3.6	mm	2.32
B20G		diamond cut	0.91	4.95 x 3.65	mm	1.9
B21(2)G		diamond cut	0.80	5 x 3.3	mm	
B21(3)G		diamond cut	0.80	4.3 x 3.1	mm	1.5
<b>130SF</b>		<b>diamond cut - WELDED</b>	<b>0.30</b>	<b>1.15mm width</b>	<b>mm</b>	
















Brass chain	Picture	style	Wire Dia	Outer measure Link (long x	unit	kg/100m
<b>135SF</b>		<b>diamond cut - WELEDDED</b>	<b>0.35</b>	<b>1.7 x 1.25</b>	<b>mm</b>	
<b>140SF</b>		<b>diamond cut - WELEDDED</b>	<b>0.40</b>	<b>2.04 x 1.4</b>	<b>mm</b>	
<b>145SF</b>		<b>diamond cut - WELEDDED</b>	<b>0.45</b>	<b>2.15 x 1.62</b>	<b>mm</b>	
<b>150SF</b>		<b>diamond cut - WELEDDED</b>	<b>0.50</b>	<b>2.7 x 1.95</b>	<b>mm</b>	
<b>160SF</b>		<b>diamond cut - WELEDDED</b>	<b>0.60</b>	<b>2.8 x 2.17</b>	<b>mm</b>	
<b>180SF</b>		<b>diamond cut - WELEDDED</b>	<b>0.80</b>	<b>3.65 x 2.9</b>	<b>mm</b>	
<b>110SF</b>		<b>diamond cut - WELEDDED</b>	<b>1.00</b>	<b>4.4 x 3.6</b>	<b>mm</b>	
<b>112SF</b>		<b>diamond cut - WELEDDED</b>	<b>1.20</b>	<b>5.3 x 4.5</b>	<b>mm</b>	
B11(1)O		CABLE	2.95	14.8 x 11	mm	20.4
B11(2)O		CABLE	2.95	14 x 10.3	mm	20.8
B12(O)		CABLE	2.60	13.3 x 10.5	mm	16.8
B13(1)O		CABLE	2.30	14 x 10.4	mm	11.9
B13(2)O		CABLE	2.30	10.9 x 8.9	mm	13.6
B14(O)		CABLE	2.00	10.6 x 8	mm	9.44
B15(O)		CABLE	1.83	9.9 x 7.6	mm	7.6
B16(L)O		CABLE	1.60	13.7 x 9	mm	5.7
B16(1)O		CABLE	1.60	10.5 x 6.5	mm	5.6



















Brass chain	Picture	style	Wire Dia	Outer measure Link (long x	unit	kg/100m
B16(2)O		CABLE	1.60	8.5 X 6	mm	5.76
B17(1)O		CABLE	1.42	9.9 x 6	mm	4
B17(2)O		CABLE	1.42	8.4 x 5.3	mm	4.24
B17(3)O		CABLE	1.42	6.9 x 5.3	mm	4.9
B18(1)O		CABLE	1.29	7.85 x 4.9	mm	3.1
B18(2)O		CABLE	1.29	6.9 x 4.9	mm	3.2
B18(3)O		CABLE	1.29	6 x 4.5	mm	3.6
B19(1)O		CABLE	1.00	6.3 x 4.6	mm	2.2
B19(2)O		CABLE	1.00	5.8 x 4.1	mm	2.3
B21(1)O		CABLE	0.80	4.6 x 3.5	mm	
B21(3)O		CABLE	0.80	4.1 x 3.55	mm	1.42
<b>230SD</b>		<b>CABLE- WELDED</b>	<b>0.30</b>	<b>2.45 x 1.2</b>	<b>mm</b>	
<b>S-2919</b>		<b>CABLE- WELDED</b>	<b>0.60</b>	<b>4 x 2.1</b>	<b>mm</b>	
<b>230S</b>		<b>CABLE - WELDED</b>	<b>0.30</b>	<b>1.52 x 1.22</b>	<b>mm</b>	<b>0.2</b>
<b>235S</b>		<b>CABLE - WELDED</b>	<b>0.35</b>	<b>1.88 x 1.6</b>	<b>mm</b>	<b>0.3</b>
<b>240S</b>		<b>CABLE - WELDED</b>	<b>0.40</b>	<b>1.85 x 1.65</b>	<b>mm</b>	<b>0.45</b>
<b>250S</b>		<b>CABLE - WELDED</b>	<b>0.50</b>	<b>2.65 x 2.2</b>	<b>mm</b>	<b>0.76</b>
<b>260S</b>		<b>CABLE - WELDED</b>	<b>0.60</b>	<b>2.84 x 2.2</b>	<b>mm</b>	<b>0.81</b>




































Brass chain	Picture	style	Wire Dia	Outer measure Link (long x	unit	kg/100m
<b>280S</b>		<b>CABLE - WELDED</b>	<b>0.80</b>	<b>4 x 3.15</b>	<b>mm</b>	<b>1.48</b>
<b>280SB</b>		<b>CABLE - WELDED</b>	<b>0.80</b>	<b>5.55 x 3.2</b>	<b>mm</b>	
<b>290S</b>		<b>CABLE - WELDED</b>	<b>0.90</b>	<b>4.1 x 3.55</b>	<b>mm</b>	<b>2.1</b>
<b>210S</b>		<b>CABLE - WELDED</b>	<b>1.00</b>	<b>5.1 x 3.9</b>	<b>mm</b>	
<b>212S</b>		<b>CABLE - WELDED</b>	<b>1.20</b>	<b>5.2 x 4.7</b>	<b>mm</b>	<b>4</b>
245S4DC		CABLE DIAMOND CUT	0.45	2.25 x 1.5	mm	0.42
260S4DC		CABLE DIAMOND CUT	0.60	3.1 x 2.2	mm	0.65
270S4DC		CABLE DIAMOND CUT	0.70	3.8 x 2.5	mm	1.05
280S4DC		CABLE DIAMOND CUT	0.80	4 x 2.8	mm	1.45
210S4DC		CABLE DIAMOND CUT	1.00	5 x 3.45	mm	2.25
212S4DC		CABLE DIAMOND CUT	1.20	5.8 x 4.2	mm	3.5
214S4DC		CABLE DIAMOND CUT	1.40	6.5 x 5.1	mm	4.8
2120S4DC		CABLE DIAMOND CUT	2.00	9 x 7.1	mm	9.6
<b>B14(1)F</b>		<b>CABLE - FLATTEN</b>	<b>2.00</b>	<b>12.5 x 8</b>	<b>mm</b>	<b>8.2</b>
<b>B14LF</b>		<b>CABLE - FLATTEN</b>	<b>2.00</b>	<b>14 x 8</b>	<b>mm</b>	<b>7.5</b>
<b>B15F</b>		<b>CABLE - FLATTEN</b>	<b>1.83</b>	<b>11.5 x 7.1</b>	<b>mm</b>	<b>6.1</b>
<b>B16(2)F</b>		<b>CABLE - FLATTEN</b>	<b>1.60</b>	<b>9.1 x 6.2</b>	<b>mm</b>	<b>5.42</b>
<b>B17F</b>		<b>CABLE - FLATTEN</b>	<b>1.42</b>	<b>8.7 x 5.4</b>	<b>mm</b>	<b>3.9</b>


















Brass chain	Picture	style	Wire Dia	Outer measure Link (long x	unit	kg/100m
<b>B18(1)F</b>		<b>CABLE - FLATTEN</b>	<b>1.29</b>	<b>8.3 x 4.6</b>	<b>mm</b>	<b>3.02</b>
<b>B18(2)F</b>		<b>CABLE - FLATTEN</b>	<b>1.29</b>	<b>7.5 x 4.8</b>	<b>mm</b>	<b>3.22</b>
<b>B19(1)F</b>		<b>CABLE - FLATTEN</b>	<b>1.02</b>	<b>6.1 x 4</b>	<b>mm</b>	<b>2.2</b>
<b>B19(2)F</b>		<b>CABLE - FLATTEN</b>	<b>1.00</b>	<b>4.65 x 3.6</b>	<b>mm</b>	
<b>B19LF</b>		<b>CABLE - FLATTEN</b>	<b>1.00</b>	<b>7.8 x 5</b>	<b>mm</b>	<b>2</b>
<b>B20F</b>		<b>CABLE - FLATTEN</b>	<b>0.91</b>	<b>4.7 x 3.6</b>	<b>mm</b>	<b>1.4</b>
<b>B21(1)F</b>		<b>CABLE - FLATTEN</b>	<b>0.80</b>	<b>5 x 3.1</b>	<b>mm</b>	<b>1.32</b>
230SF		CABLE FLATTEN & WELDED	0.30	1.5 x 1.3	mm	
235SF		CABLE FLATTEN & WELDED	0.35	2.03 x 1.65	mm	0.32
240SF		CABLE FLATTEN & WELDED	0.40	2.1 x 1.8	mm	
245SF		CABLE FLATTEN & WELDED	0.45	2.4 x 2.1	mm	0.5
260SF-2.4		CABLE FLATTEN & WELDED	0.60	3 x 2.4	mm	0.95
260SF-2.7		CABLE FLATTEN & WELDED	0.60	3.2 x 2.7	mm	0.73
260BSF		CABLE FLATTEN & WELDED	0.60	4.35 x 2.4	mm	
280SF		CABLE FLATTEN & WELDED	0.80	3.75 x 3.06	mm	1.55
SD212C		CABLE- FLAT WIRE	1.20	7 x 3.4	mm	1.9
B16M		CABLE TWIN	1.60	10.15 x 7.8	mm	11.52
180YJL		flatten		4mm width x 0.7 thk	mm	1.6
112YJL		flatten		5mm width x 1.2 thk	mm	3.7


















Brass chain	Picture	style	Wire Dia	Outer measure Link (long x	unit	kg/100m
SB-12		LACE		12mm width	mm	5.5
SB-15		LACE		15mm width	mm	7.2
RSB-12		LACE		12mm width	mm	
RSB-15		LACE		15mm width	mm	
RSB-20		LACE		20mm width	mm	
DS-1540		hand bag	2.45 x 1.8	10 x 6.8	mm	
SQ226(1:1)		CABLE SQ	2.9 x 2.7	13.1 x 16.2 & 9.3 x 7.0	mm	
SQ220L-B		CABLE SQ	2.5 x 1.86	22.16 x 9.2	mm	
SQ234		CABLE SQ	2.9 x 2.8	24 x 13.4	mm	
B209(3:1)		CABLE SQ	5 x 2.12	29 x 9.6 & 16.3 x 9.9	mm	
D220(2.5)		BASKET	2.00	12	mm	
B6174		BASKET	1.20	8	mm	
B6172		BASKET	1.20	8	mm	
CR-25		BASKET	2.45	11.6 dia	mm	
B25L-BL		fashion	2.80	23.8 x 11.1 & 12.4 x 10	mm	

Brass chain	Picture	style	Wire Dia	Outer measure Link (long x	unit	kg/100m
BF15DH		fashion	2.5 x 1	16 x 14	mm	
SK-B150		fashion	2.4 x 1.2	12.16 x 5.1 thk	mm	
SQ215(7)		RINGS	1.3 x 1.3	9.2	mm	8.1
SQ215(8)		RINGS	1.6 x 1.6	8	mm	
SQ215(9)		RINGS	1.7 x 1.8	9	mm	
B216W(7)		RINGS	1.60	7	mm	
B216W(8)		RINGS	1.60	8	mm	
B216W(10)		RINGS	1.60	10	mm	
B216(7X2+10)		RINGS	1.60	7 & 10	mm	
B216W(7+10)		RINGS	1.60	7 & 10	mm	
BR1.0-4.6		RINGS	1.00	4.6	mm	
BR1.2-5.6		RINGS	1.20	5.6	mm	
BR1.4-6.4		RINGS	1.40	6.4	mm	
BR1.6-7.3		RINGS	1.60	7.3	mm	
BR1.8-8.2		RINGS	1.80	8.2	mm	
BR2.0-9.2		RINGS	2.00	9.2	mm	
B116W		CURB - PATTERN	1.60	13.5 x 9.8	mm	
DH116W		CURB DOUBLE	1.60	13.5 x 9.8	mm	

Brass chain	Picture	style	Wire Dia	Outer measure Link (long x	unit	kg/100m
B12DH		CURB DOUBLE	2.60	width 19.65	mm	
BHF214S		CABLE WELDED	1.40	20.3 x 14.5	mm	
135SER		ROPE	0.35	0.8mm width	mm	0.28
145SER		ROPE	0.45	1mm width	mm	0.51
160SER		ROPE	0.60	1.3mm width	mm	0.97
180SER		ROPE	0.80	1.9mm width	mm	1.86
NK110SER		ROPE	1.00	2.3mm width	mm	2.8
NK112SER		ROPE	1.20	2.7mm width	mm	3.7
NK114SER		ROPE	1.40	3.2 mm width	mm	4.65
NK118SER		ROPE	1.80	4.3mm width	mm	8.3
NK120SER		ROPE	2.00	4.7mm width	mm	
NK125SER		ROPE	2.50	5.9mm width	mm	
BF220TWR		ROPE	2.00	6	mm	
135SETW		twisted	0.35	1.2	mm	0.27
145SETW		twisted	0.45	1.55	mm	0.45
160SETW		twisted	0.60	2	mm	

Brass chain	Picture	style	Wire Dia	Outer measure Link (long x	unit	kg/100m
180SETW		twisted	0.80	2.8	mm	1.5
235PNR		round	0.35	0.8	mm	0.3
245PNR		round	0.45	1	mm	0.48
260PNR		round	0.60	1.3	mm	0.97
280PNR		round	0.80	1.8	mm	1.35
NK210PNR		round	1.00	2.1	mm	2.46
NK212PNR		round	1.20	2.6	mm	3.35
NK214PNR		round	1.40	3	mm	4
NK216PNR		round	1.60	3.6	mm	4.55
NK218PNR		round	1.80	4	mm	
NK220PNR		round		4.5	mm	8.52
NK225PNR		round		5.2	mm	
NK230PNR		round		6.3	mm	
NK225PN-4		flatten		5	mm	
KP-214		round		6.45	mm	
K218R		round		5.8	mm	
245PNDCTW		twisted	0.45	1.1	mm	0.45


Brass chain	Picture	style	Wire Dia	Outer measure Link (long x	unit	kg/100m
260PNDCTW		twisted	0.60	1.4	mm	0.75
280PNDCTW		twisted	0.80	1.8	mm	1.48
235PNDC		PNDC	0.35	0.67	mm	0.3
245PNDC		PNDC	0.45	0.8	mm	0.46
260PNDC		PNDC	0.60	1.15	mm	0.74
280PNDC		PNDC	0.80	1.5	mm	1.4
210PNDC		PNDC	1.00	1.8	mm	
245CDC		CDC	0.45	1.2 x 0.6	mm	
WD-2027(08)		flatten		3.15 x 0.9	mm	
WD-2027(10)		flatten		3.3 x 1.2	mm	
212CRDC		flatten		3.85 x 1.3	mm	
S-1004		flatten		4.4 x 1.15	mm	
PD145		flatten		4	mm	1.8
PD150		flatten		5	mm	2.2
PD160		flatten		5.6-5.8	mm	3.1
PD180		flatten		7.5	mm	4.8
135SEDC		SEDC	0.35	1.0 width	mm	0.3



















Brass chain	Picture	style	Wire Dia	Outer measure Link (long x	unit	kg/100m
145SEDC		SEDC	0.45	1.3 width	mm	0.43
160SEDC		SEDC	0.60	1.8 width	mm	0.88
114SEDC		SEDC	1.40	4.3 width	mm	4.25
BL-1		RINGS		3.7 x 1.2	mm	1.5
BL-2		RINGS		4.8 x 1.5	mm	3.1
BL-3		RINGS		5.5 x 2	mm	5.3
BL-4		RINGS		6.5 x 2.4	mm	6
BL-5		RINGS		7 x 2.7	mm	7.7
BL-32		RINGS		2.5 x 0.8	mm	1.06
BL-18S		RINGS		3.2 x 1	mm	1.67
BL-3S		RINGS		5.5 x 2	mm	5.4
BL-5S		RINGS		7 x 2.7	mm	7.7
BL-0.8-2S		RINGS		4.7 x 0.8	mm	3.75
BL-10		RINGS	3.9 width	10.1 x 3.9	mm	16.7
D225S		twisted	0.25	1.75 x 1.55	mm	0.34
D230S		twisted	0.3	2.1 x 1.7	mm	0.42
D235S		twisted	0.35	2.45 x 2.1	mm	0.6
D240S		twisted	0.4	2.88 x 2.3	mm	0.8
D260S		twisted	0.6	4.2 x 3.46	mm	1.7



Brass chain	Picture	style	Wire Dia	Outer measure Link (long x	unit	kg/100m
D210S		twisted	1.00	6.85 x 5.25	mm	4.7
B16M		CABLE TWIN	1.60	10.15 x 7.8	mm	11.52
BRC1.2		NAIL		1.45	mm	
BRC1.5		NAIL		1.7	mm	
BRC1.8		NAIL		1.9	mm	
BRC2.4		NAIL		2.7	mm	
NFR340S		Strawberry		1.8	mm	
NFR350S		Strawberry		2	mm	1.1
NFR370S		Strawberry		2.6	mm	1.8
NFR380S		Strawberry		3.7	mm	4.15
BFR350		rope		2.5	mm	1.68
BFR360		rope		3	mm	2.33
BFR380		rope		4	mm	4.2
BFR310		rope		5	mm	6.72
D130HM		wave	0.30	2.2 x 1.65	mm	0.42
D140HM		wave	0.40	2.8 x 2.3	mm	0.52
D150HM		wave	0.50	3.65 x 2.76	mm	0.95
D160HM		wave	0.60	4.57 x 3.65	mm	1.2
BRFG140(3:1)		FIGARO	0.40	4 x 1.55 & 2.1 x 1.5	mm	





Brass chain	Picture	style	Wire Dia	Outer measure Link (long x	unit	kg/100m
BRFG145(3:1)		FIGARO	0.45	4.5 x 1.8 & 2.55 x 1.8	mm	
BRFG150(3:1)		FIGARO	0.50	4.9 x 1.95 & 2.65 x 1.95	mm	
BRFG150(5:1)		FIGARO	0.50	4.9 x 1.95 & 2.65 x 1.95	mm	
BRFG160(3:1)		FIGARO	0.60	6.3 x 2.55 & 3.15 x 2.6	mm	
BRFG180(3:1)		FIGARO	0.80	6.8 x 3.48 & 3.92 x 3.1	mm	
BRFG180(5:1)		FIGARO	0.80	6.8 x 3.48 & 3.92 x 3.1	mm	
BRFG110(5:1)		FIGARO	1.00	9 x 3.8 & x 3.8	4.8 mm	
BRFG112(5:1)		FIGARO	1.20	10.3 x 5 & x 4.65	5.65 mm	
NKFG116(3:1)		FIGARO	1.60	14.2 x 6.1 & x 6.1	9.5 mm	
NKFG1120(3:1)		FIGARO	2.00	17.4 x 8.1 & 11.1 x 8.1	mm	
NK114L		FIGARO	1.40	12.5 x 5.9	mm	
NK114L-B		FIGARO	1.40	16.8 x 5.6	mm	
NK116L		FIGARO	1.60	17.55 x 5.35	mm	4
NK118L		FIGARO	1.80	16.2 x 7.2	mm	4.8
FG180SBH		FIGARO	0.80	8 x 5.2 & 3.9 x 3.1	mm	
FG110SBH		FIGARO	1.00	9 x 6.5 & 5 x 4	mm	
FG112SBH		FIGARO	1.20	11 x 5.1 & x 4.4	5.75 mm	
FG114SBH		FIGARO	1.40	13 x 8.75 & x 5.1	6.8 mm	
160SBH		CURB PRESSED	0.60	4.8 x 3.3	mm	

Brass chain	Picture	style	Wire Dia	Outer measure Link (long x	unit	kg/100m
180SBH		CURB PRESSED	0.80	6.9 x 5.2	mm	
110SBH		CURB PRESSED	1.00	8.55 x 6.1	mm	
112SBH		CURB PRESSED	1.20	10 x 6.9	mm	
114SBH		CURB PRESSED	1.40	12.15 x 8.4	mm	
SS-2Q(3:1)		BOX	2.0 x 0.6	8.3 x 3.7 & 5.4 x 3.7	mm	
SS-2Q		BOX	2.0 x 0.6	5.4 x 3.7	mm	
BOX 2.5BR		BOX	1.1 x 0.8	4.7 x 2.7	mm	
BOX 7.5BR		BOX		7.5	mm	
EE808-2DC		eye	0.80	6.9 x 3.2	mm	
280BWD		eye	0.80	5.4 x 3.2	mm	
EE210		eye	1.00	6.9 x 4.5	mm	
EE815-2DC		eye	1.50	11 x 6.6	mm	
EE815-6DC		eye	1.50	12 x 6.4	mm	
245LACEDC		LACE	0.45	1.75	mm	
260ACEDC		LACE	0.60	2.25	mm	
280LACEDC		LACE	0.80	3.2	mm	
S-734		LACE		3.55	mm	1.72
280FT		LACE	0.80	3.6	mm	1.72
GUCCI-SS		fashion		4.5 x 3.4	mm	1.25

Brass chain	Picture	style	Wire Dia	Outer measure Link (long x	unit	kg/100m
GUCCI-S		fashion		6.54 x 4.4	mm	2.05
GUCCI-M		fashion		7.3 x 5.55	mm	2.4
GUCCI-L		fashion		8.7 x 6.45	mm	2.9
MS-086		fashion		8.9 x 6.4	mm	3.17
WD-1996		fashion		6.3 width	mm	
DS-01		fashion		5.5 width	mm	3.2
PNG-SS		hand bag		5.5 x 3.8	mm	3
PNG-S		hand bag		7.3 x 4.52	mm	4.65
PNG-M		hand bag		8.7 x 5.5	mm	6.1
PNG-L		hand bag		10.2 x 6.56	mm	9
TH-011		hand bag		10mm width	mm	
TH-012		hand bag		16.6 width	mm	
TH-013		hand bag		12.7 width	mm	
TH-001		hand bag		12.5 width	mm	
TH-009		hand bag		7.4 width	mm	
TH-010		hand bag		12.45 width	mm	
145EFRDC		flatten		width 1.3	mm	0.45
145EFDC		flatten		width 1.16	mm	0.47












Brass chain	Picture	style	Wire Dia	Outer measure Link (long x	unit	kg/100m
145EF6DC		flatten		width 1.16	mm	0.47
160EFDC		flatten		width 1.65	mm	0.88
160EFRDC		flatten		width 1.75	mm	0.74
160EF6DC		flatten		width 1.75	mm	0.85
D160EF6DC		flatten		width 2.76	mm	1.55
D160EFDC		flatten		width 2.64	mm	1.44
180EF6DC		flatten		width 2.6	mm	1.45
180EFDC		flatten		width 2.6	mm	1.57
180EFRDC		flatten		width 2.5	mm	1.49
D180EFRDC		flatten		width 3.5	mm	2.35
D180EF6DC		flatten		width 3.6	mm	2.6
0.8FR		flatten		3.1 x 1.0 thk	mm	
110EFDC		flatten		3.4 x 1.1 thk	mm	2.62
114EF6DC		flatten		4.6 x 1.6 thk	mm	4.93
WD-358(360)		flatten		4.35 x 1.05 thk	mm	
NKD310FR		flatten		6.3 x 1.6 thk	mm	6.1
NK110EFR		flatten		3.1 x 1.5 thk	mm	2.55
NK114EFR		flatten		5.2 x 1.7 thk	mm	5
WST-1738		flatten		3.75 x 1.1 thk	mm	



Brass chain	Picture	style	Wire Dia	Outer measure Link (long x	unit	kg/100m
WST-62		flatten		4.75 x 1.2 thk	mm	
WD-1420(B)		diamond cut		2.6 x 1.5 thk	mm	
WD-1420(C)		diamond cut		3.6 x 1.65 thk	mm	
WD-1963		diamond cut		5 x 1.84 thk	mm	
WD-1964		diamond cut		5.25 x 2.6 thk	mm	
WD-1966		diamond cut		6.7 x 3.15 thk	mm	
WD-2106(14)		diamond cut		5 x 2.5 thk	mm	
WD-2106(18)		diamond cut		6.45 x 3 thk	mm	
WD-2106(20)		diamond cut		7 x 3 thk	mm	
235CB		flatten		0.6	mm	
245CB		flatten		0.8 width	mm	
260CB		flatten		1.1 width	mm	
280CB		flatten		1.6 width	mm	
212CB		flatten		2.46 width	mm	
214CB		flatten		2.8 width	mm	
145ZDC		flatten		0.9 width	mm	
160ZDC		flatten		1.3 width	mm	
110ZDC		flatten		2.65 width	mm	
3135		hand bag		4.6 width	mm	

Brass chain	Picture	style	Wire Dia	Outer measure Link (long x	unit	kg/100m
3136		hand bag		4.9 width	mm	
D110/88B		hand bag		5.4 width	mm	
S-1082		hand bag		6.56 width	mm	
NKD210YJLH		hand bag		5.1 x 1.7	mm	
SG-257-S		fashion	0.60	0.6 x 12.05	mm	0.52
SG-257-L		fashion		1.0 x 21.5	mm	
DS-5663		fashion	1.00	1.0 x 21.8	mm	2.4
SK-2008		fashion		6 x 2.5	mm	1.55
BS-154		fashion		12.8 x 1.9	mm	
SK-105		fashion		12.3 x 2.0	mm	
STA-A		fashion		6.0 x 1.74 thk	mm	
WD-969		fashion		4 x 2.2 thk	mm	
SH-58		fashion		4.5 x 1.8 thk	mm	
S-1117		fashion		4.5 x 2.9 thk	mm	
DSD505		fashion		5.1 x 2 thk	mm	
BOX2.5BR		fashion		4.68 x 2.7	mm	
BOX5.0R		fashion		5	mm	
WD-292(14)		fashion		11.3 x 6.38 & 6.2 x 5.0	mm	

Brass chain	Picture	style	Wire Dia	Outer measure Link (long x	unit	kg/100m
KP-278		fashion		2.32 width	mm	
KP-221		fashion		11.25 x 2.3	mm	
S-1043		fashion		2.8 width	mm	
D360LH		fashion		3.9 width	mm	
112B-D		fashion		4.1 width	mm	
K280-4		box		3.4 width	mm	
2123SFW-1DC		curb		11.6 x 9.6	mm	
CP114F(12MM)		fish bone		12 width	mm	
MCTW3055		mesh		5.76 width	mm	3
DS-5489		twisted		6.9 width	mm	
3X2BR		curb		22.6 x 16.7	mm	
D380FR		flatten		5 x 1.4 thk	mm	
1.4FR		flatten		5.36 x 1.72 thk	mm	
1.2FR		flatten		4.55 x 1.55 thk	mm	3.8
SB712		hand bag		7.4	mm	
245PNSF		fashion	0.45	2.2	mm	
260PNSF		fashion	0.60	3	mm	
FG260SBF		fashion	0.60	3.1	mm	



Brass chain	Picture	style	Wire Dia	Outer measure Link (long x	unit	kg/100m
245ASF		fashion	0.45	3	mm	
145TWF		fashion	0.45	2.54	mm	
B1.5 x 3		fashion	1.50	1.5 Dia	mm	
BWS-6		WS		6	mm	
BWS-9		fashion		9	mm	
BWS-11		WS		11	mm	
BWS-14		WS		14	mm	
BWS-6X3		WS		6	mm	
BWS-6X4		WS		6	mm	
BWS-9X3		WS		9	mm	
BWS-9X4		WS		9	mm	

Brass chain	Picture	style	Wire Dia	Outer measure Link (long x	unit	kg/100m
BWS-11X3		WS		11	mm	
BWS-11X4		WS		11	mm	