TECHNICAL SPECIFICATION: PAGE 1/3

GUARDIAN COMBINATION UNIT



DESCRIPTION:

THE GUARDIAN COMBINATION UNIT COMPRISES OF OUR DWP TYPE 1 CASHIER WINDOW AND GUARDIAN E.T.U

THE COMBINED UNIT ALLOWS SMALLER ITEMS TO BE PASSED THROUGH THE SHALLOW TRAY AND LARGER ITEMS THROUGH THE E.T.U WITH A GLAZED VISION PANEL ABOVE

DIMENSIONS:

GUARDIAN COMBINATION UNIT

OVERALL SIZE 479 x 1227mm

MAXIMUM WALL THICKNESS 150mm TO COMPLY WITH RETURN ANGLE

GUARDIAN E.T.U:

FOR SAFE AND EASY TRANSFER OF LARGE ITEMS FROM A NON-SECURE AREA DIRECTLY THROUGH A WALL OR COUNTER UP TO 495mm THICK

OPERATION IS BY PUSH BUTTON, WHICH RELEASES SOLENOID LATCHES TO EITHER THE INNER OR OUTER DOOR AND INCORPORATES AN ELECTRONIC INTERLOCK ENSURING ONLY ONE DOOR CAN BE OPENED AT A TIME

UNIT COMES WITH RETURN SECURING FLANGE AND ADJUSTABLE SUPPORT LEGS

GAS SPRINGS ON BOTH DOORS EASE THE CLOSE AND OPEN OPERATIONS

DWP TYPE 1 CASHIER WINDOW:

STANDARD CASHIER UNIT WITH 50mm DEEP BASE AND 25mm DT1 SHALLOW DOCUMENT TRAY

SPEECH:

THROUGH VERTICAL RECESSED SPEECH MULLIONS

RESISTANCE:


ANTI-BANDIT WITH 11.5mm LAMINATED SECURITY GLASS

FRAMEWORK:

POLYESTER POWDER COATED 00 A 05 LEATHERETE FINISH

BASE:

CHOICE OF LAMINATE, LINOLEUM OR VENEER WITH A RANGE OF HARD WOOD LIPPINGS TO ALL SIDES



STANDARD FINISH:

POLYESTER POWDER COATED 00 A 05 GREY

OPTIONS:

NON STANDARD COLOURS

CONTROL PANEL ON COUNTER TOP

PRIVACY BLIND

SURFACE MOUNTED AUDIBILITY SYSTEM


LARGER RETURN ANGLE FOR WALLS DEEPER THAN 150mm


REPLACE SHALLOW BASE WITH EITHER TYPE 2 OR 3 UNIT


NOT SUITABLE FOR EXTERNAL USE


TECHNICAL SPECIFICATION: PAGE 2/3GUARDIAN COMBINATION UNIT











TECHNICAL SPECIFICATION: PAGE 3/3GUARDIAN COMBINATION UNIT





