

# LANDSCAPE SUPPLIES GUIDE

Landscape Lighting / Professional Tools  
Water Gardening / Drainage / Patio Lighting  
Professional Tools / Holiday Decor  
Synthetic Turf / Fountains & Aerators  
BBQ Grills



IRRIGATION  
STATION

Texas

**281.890.6574**

Oklahoma

**405.842.4415**



## WHY PROFESSIONAL CONTRACTORS CHOOSE IRRIGATION STATION FIRST...AND YOU SHOULD TOO.



### FIRST IN SERVICE & SUPPORT

Get everything you need, when you need it and then get back to work. When you order from Irrigation Station, you'll get everything you need plus a friendly, responsive team who is committed to your success.

- Attentive, caring service – knowing you personally.
- Area's fastest and easiest direct-to-jobsite delivery.
- Expert technical assistance from veterans who “get it!”
- Help with managing the details so you don't have to. Focus on growing your business rather than on paperwork.
- Partner with a supplier who keeps your business healthy, rewarding, and fun.

Our line-up of brands and categories is impressive and includes all of the leading names in the industry.


### THE BROADEST SELECTION OF PROFESSIONAL PRODUCTS

- Irrigation – sprinklers, controls, valves, pipe, fittings, pumps, drip and more.
- Outdoor Living – lighting, water gardens, fountains, BBQ grills, outdoor audio and more.
- Landscape – drainage, edging, artificial turf, tree planting, and more.

***It's no wonder why so many professionals make Irrigation Station their distributor of choice. Enjoy the Irrigation Station difference.***

Additional products and options are available. Contact your Irrigation Station representative for more information.





## FXLuminaire



### NP ACCENT LIGHT INTEGRATED LED

Die-cast aluminum, available in 3LED, 6LED, 9LED and dim / color.  
 ND 3 LED B2 3 LED  
 NP 6 LEDBZ 6 LED  
 NP 9 LED B2 9 LED



### HP-48 PAVER LIGHT (INTEGRATED LED)

Drive-over-rated HP-48 seamlessly integrates with standard paver systems.



### SP-A ALUMINUM PATH LIGHT

Designed for minimalist themes or compact spaces, where larger path lights just won't work.



### LF HARDSCAPE LIGHT

LED under-the-cap hardscape wall light, available in 1LED and dim / color  
 LF 1 LED CUAB Antique brass



### WS SERIES ALUMINUM WALL WASH FIXTURE

Rounded, minimalist features in durable die-cast aluminum.



### RS ACCENT LIGHT

Die-cast aluminum. Interchange lamps to create custom effects  
 RSNLB2 No lamp  
 RSNLLSBZ No lamp, long shroud



### FC SERIES MINI IN-GROUND INTEGRATED LED

Subterranean for controlled illumination in smaller scale spaces. Die cast brass.



### LUXOR CONTROL CENTER

150 watt or 300 watt. Offers lighting control with zoning, dimming, and RGBW color creation capabilities, plus optional Wi-Fi control using Luxor® technology



### PE SERIES AIMABLE IN-GROUND INTEGRATED LED

LED Projector placed on a swivel mount, the light can be positioned exactly to your demands.



### LUXOR CUBE MODULE

With the Luxor CUBE, the Luxor controller can now zone and dim other brands of low voltage light fixtures. LCMLY



### C-LINE ANTIQUE BRASS

Mid-grade brass fixture line provides a full selection of coordinating fixtures at low price point with a premium appeal.

Products feature MR-16 or G4 lamp bases that accept drop-in LED lamps for ease of serviceability.

- C-UL Uplight
- C-DL Downlight
- C-IN In-Ground
- C-LL Ledge Light
- C-PL Path Light
- C-WW Wall Wash



### EX TRANSFORMER

150 watt economical, low-wattage power and control option for LED lighting projects EXISOM



### DX TRANSFORMER

150 watt (DXISOM) or 300 watt (DX300M). The only digital facepack-controlled transformer with astronomical timing and event-based programming pre-installed, so there is no need for plug-in accessories such as timers and photocells

Additional products and options are available. Contact your Irrigation Station representative for more information.

## KICHLER



### VARIABLE LUMEN OUTPUT (VLO) ACCENT LIGHT (SMALL)

- Output can be switched with magnet tool from 2W to 3.5W or 5.0W, equivalent to 10, 20 and 35W halogen. Customize output in the field!
- Standard in 3000K warm white, 2700K pure white by special order
- AZT architectural bronze standard, other colors available

**16015** = Small 15° Spot  
**16016** = Small 35° Flood  
**16017** = Small 60° Wide Flood



### 16022AZT VARIABLE LUMEN OUTPUT 6X5 LED FLOOD FIXTURE, TEXTURED ARCHITECTURAL BRONZE

- Easily switch between three lumen outputs (500, 700, 900 lumens)



### 15805BKT SHALLOW SHADE MODERN PATH LIGHT TEXTURED BLACK



### 15820 TRADITIONAL PATH LIGHT "LLENA"

- 4 watt, 3000K warm white
- AZT architectural bronze, 22.5" height x 6.25" diameter



### 15810 DOME PATH LIGHT

- 4 watt, 3000K warm white
- AZT architectural bronze, 22" height x 8.25" diameter



### VARIABLE LUMEN OUTPUT ACCENT LIGHT (LARGE)

- Output can be switched with magnet tool from 5.25W to 8W or 12W,
- Standard in 3000K warm white, 2700K by special order

**16018** = Large 15° Spot  
**16019** = Large 35° Flood  
**16020** = Large 60° Wide Flood



### INTEGRATED LED ACCENT LIGHT (GEN 1.5 STANDARD)

- Industry-leading integrated fixture is even more efficient and precise than previous versions.
- Standard in 3000K
- AZT architectural bronze standard, other colors available

**16150** = 10° Spot, 2.5W  
**16151** = 35° Flood, 2.5W  
**16152** = 60° Wide Flood, 2.5W  
**16153** = 10° Spot, 3.5W  
**16154** = 35° Flood, 3.5W  
**16155** = 60° Wide Flood, 3.5W  
**16156** = 10° Spot, 7W  
**16157** = 35° Flood, 7W  
**16158** = 60° Wide Flood, 7W




### DESIGN PRO LED HARDSCAPE LIGHTS (GEN 2)

- Include mounting plate for easy integration into railings, steps, block walls, etc.
- Many finish options to blend with the surroundings
- Also available without bracket

**16100** = 3" length, warm white, 0.3 watts  
**16101** = 6" length, warm white, 0.9 watts  
**16102** = 12" length, warm white, 1.9 watts  
**16103** = 18" length, warm white, 2.7 watts

Additional products and options are available. Contact your Irrigation Station representative for more information.





## KICHLER®

### CENTENNIAL BRASS FAMILY

A family of matching high-grade fixtures value-priced for the professional. These fixtures use drop-in LED lamps, purchased separately.

**15483** = MR-8 Accent Light in Centennial Brass

**15517** = MR-16 Louvered Body Brass Accent Light in Centennial Brass

**15475** = MR-16 12V Brass Accent Light in Centennial Brass

**15476** = Wall-Washer / Flood Light in Centennial Brass

**15478** = Brass 21"H x 6.75" Path Light in Centennial Brass

**15480CBR** = Brass 23.25" H x 8.5" diameter Path Light

**15470CBR** = 12V Cast Brass 6" Dome Path Light Centennial Brass

**15485CBR** = 12V MR-16 Adjustable Cowl Brass Accent-Centennial Brass

**15490CBR** = Recessed Niche Light, Plain Lens, uses MR-8 light


**15492CBR** = Recessed Niche Light, Louvered Lens Cover, uses MR-8 lamp

**15491CBR** = Recessed Niche Light, Cowl Cover, uses MR-8 lamp



### 15765AZT30R DECK LIGHT

- 3.75" width, 2.25" height, 2.5 watt



### 15763TZT27R HAMMERED ROOF DECK LIGHT

- 3.5" width, 2.25" height, 2.5 watt



### 15782AZT30R MINI STEP LIGHT

- 5" width, 2.5 watt



### 15PR PRO SERIES STAINLESS TRANSFORMERS

- Available in 100, 200, 300, 600, 900 and 1200 watt models
- Our best seller for options and flexibility
- Toroid core saves energy, runs cooler and quieter (no hum)
- Tilted terminal board with large multiple lugs

Additional products and options are available. Contact your Irrigation Station representative for more information.

## KICHLER



### MR-16 LAMPS, AVAILABLE IN 2700K (WARM WHITE) OR 3000K (PURE WHITE)

240 lumens, 15 degree beam, 20w equivalent

240 lumens, 25 degree beam, 20w equivalent

240 lumens, 40 degree beam, 20w equivalent

240 lumens, 60 degree beam, 20w equivalent

380 lumens, 12 degree beam, 35w equivalent

380 lumens, 22 degree beam, 35w equivalent

380 lumens, 36 degree beam, 35w equivalent

380 lumens, 60 degree beam, 35w equivalent



### T-3 LAMPS AVAILABLE 2700K (WARM WHITE) OR 3000K (PURE WHITE)

285 lumens, 10W equivalent

160 lumens, 20W equivalent



### T-5 LAMPS AVAILABLE 2700K (WARM WHITE) OR 3000K (PURE WHITE)

110 lumens, 18W equivalent



### CEILING FAN

**310192SBK** Canfield Patio 52" Fan  
Satin Black



### CEILING FAN

**310215TZP** Tern™ Patio LED 15" Fan  
Tannery Bronze™

### LIGHTING ACCESSORIES

#### WIRE

14-2	14 GA LIGHTING WIRE
16-2	16 GA LIGHTING WIRE
12-2	12 GA LIGHTING WIRE
10-2	10 GA LIGHTING WIRE

#### WIRE SPLICES

20230 DBR/Y-600 King Direct Bury Splice

King  
61135 SMALL WIRE SPLICE  
This is a black and white wire nut  
Used for: 14,16 and 18 ga. wire

King  
61235 MEDIUM WIRE SPICE  
This is a black and gray wire nut  
Used for: 12, 14,16, and 18 ga. wire

#### TIMERS

7C-112 24 HOUR MECHANICAL TIMER  
Timer used inside the transformer.

DTC-200L ASTRONOMIC TIMER  
Auto-adjusts sunrise and sunset

#### LENSES

Spread lens, color lens, frosted lens are available from our manufacturers. Please let us know which fixtures are being used and our customer service staff will help you with your selection.

Additional products and options are available. Contact your Irrigation Station representative for more information.



## PRIME PATIO THE PROFESSIONAL-GRADE PATIO LIGHTING SYSTEM

Prime Patio lighting enlivens outdoor decks, patios, shade structures, dining areas and more. Integrate Prime Patio lighting directly with your 12-volt landscape lighting system. Or choose the traditional 120-volt system. We can supply cable, lamps and mounting kits for a complete, easy installation.



### COMMERCIAL-GRADE PATIO LIGHTING WIRE

This heavy-duty wire offers E26 sockets spaced every 24" on center to create impressive lighting displays for events and facilities of all types. String across pergolas, shade structures or beams.

- Available in 48' and 100' lengths. (Length includes 1' lead and tail) end-to-end connectivity available. (Runs over 50' we recommend using a support cable)
- Suspended socket design with 4" drop. Includes an eyelet for attaching an optional cable wire to provide additional support. The drop lowers the socket to help provide better illumination.
- 16 gauge wire. UV resistant wire and sockets resists sunlight exposure.
- Wire rated to 1200 watts.
- Soft edges to sockets ensure weather-tight seal around thread-in lamps.

### LED S14 CLASSIC "SIGN LAMP" SHAPE BULBS

Used in signs, marquees and in overhead string lights for decades, the shape of the Classic S14 sign lamp is timeless. Now you can get the look of those lamps in long-life, energy-efficient LED.

- 1.1 watt consumption per bulb (compares to 11 watt S14 incandescent), only 10% of the normal consumption!
- Bulbs can be used for new installations or retrofits of existing installations.
- Smooth, transparent appearance matches classic "Edison" lamps.
- Mix and match color for special themes, events and more.
- Lamps are available "warm white" color



Additional products and options are available. Contact your Irrigation Station representative for more information.



WAC

LANDSCAPE LIGHTING



### 5011 INTEGRATED LED ACCENT LIGHT 12V

- Adjustable internal brightness control: 2W to 6W, Brightness: 190 lm to 1045 lm
- Adjustable Beam Angle: 10° to 60°
- Easily tailor light output on-site to exact needs, no lamps to carry or change



### 5111 INTEGRATED LED ACCENT LIGHT 12V

- Adjustable internal brightness control: 1W to 7W, Brightness: 45 lm to 365 lm
- Adjustable Beam Angle: 10° to 50°



### 5211 INTEGRATED LED GRAND ACCENT LIGHT 12V

- Adjustable internal brightness control: 15W to 45W / Brightness: 740 lm to 2000 lm
- Adjustable Beam Angle: 15° to 60°



### 5021 INTEGRATED LED WALL WASHER LIGHT 12V

- Adjustable internal brightness control: 2W to 16W / 190lm to 980 lm
- Patent Pending Optical Design (even coverage at 15° upwards, 50° x 80°)



### 5121 INTEGRATED LED MINI WALL WASHER LIGHT 12V

- Adjustable internal brightness control: 1W to 8W / 80lm to 420 lm



### 604130B2 TIKI PATH LIGHT

- 6.5W 22" height



### 601130BZ PATH AND AREA LIGHT

- 22" high, 7.5" diameter, 5.8 watt



### 605130BZ CANOPY LIGHT

- 22" high, 8.5" diameter, 6.5 watt



### 503130BZ INTEGRATED LED IN-GROUND LIGHT 12V

- 3" diameter, bronze finish



### 203130SS SUBMERSIBLE IN-GROUND

- 4 watt, 2" diameter, includes a detachable mounting bracket for use in or out of water



### 5511 UNDERWATER SPOT LIGHT

- Cast brass construction/ Machined brass thumb screw. IP68 Rated, suitable for continuous immersion, under water in depths up to 3'
- 30' lead wire included



### 810130BK 10-FOOT 12V OUTDOOR TAPE LIGHTING

- Submersible up to 5 feet
- May be tied into any 12V landscape lighting system
- Flexible linear lights maybe cut to desired length at the end of the run

Additional products and options are available. Contact your Irrigation Station representative for more information.





**WAC**  
LANDSCAPE LIGHTING



## WAC MAGNETIC TRANSFORMERS

Taps for 12V, 13V, 14V and 15V. Knock outs for power and photocell connections. 3-prong outlet for timer. Outdoor rated.

**9150-TRN-SS** 150 watt

**9300-TRN-SS** 300 watt

**9600-TRN-SS** 600 watt (2x 300W)



## 5011-CC RGB COLOR CHANGING INTEGRATED LED ACCENT LIGHT 12V

- Color and brightness controlled with ilumenight™ IOS mobile app
- Adjustable internal brightness control: .5W to 14.5W
- Adjustable Beam Angle: 15° to 60°



## 5021-CC RGB COLOR CHANGING INTEGRATED LED WALL WASHER LIGHT 12V

- Color and brightness controlled with ilumenight™ IOS mobile app
- Adjustable internal brightness control: .5W to 14.5W



## HARDSCAPE LIGHTS – INTEGRATED LED

- Dual CCT and Integral Brightness Control
- Hardscape easily detaches from capstone bracket after installation

**71812730B2** = 18" length, 8.5 watts

**71212730B2** = 12" length, 7.0 watts

**70612730B2** = 6" length, 4.0 watts

**703130BZ** = 3" length, 1.4 watts

Additional products and options are available. Contact your Irrigation Station representative for more information.



## SONANCE



### OUTDOOR AUDIO SYSTEMS

Sonance offers complete outdoor audio systems specifically designed for landscape areas

- Perfectly even coverage and high quality sound in areas up to 5000 sq. ft.
- Satellite speakers designed to hide within the landscape.
- Below-ground subwoofer with canopy hidden under foliage.
- Runs off a standard 2-channel power amplifier or stereo receiver.
- Daisy-chain wiring configuration for simple installation with 14 gauge, 4 conductor wire.



#### A SONANCE PATIO SERIES

Sonance Patio Series 4.1 Speaker System includes 4 satellite speakers and one in-ground subwoofer all powered from a single Sonance DSP amplifier.

#### B SONANCE GARDEN SERIES

Sonance Garden Series borrows performance design elements from the industry-leading Sonance Landscape Series products and creates a smaller scale system ideal for outdoor areas up to 3,500 square feet. Sonance Garden Series is the perfect balance of performance and simplicity in an outdoor audio system.

#### C ROCKS SPEAKERS

Amazing performance in a rock form factor. Durable, corrosion-free and weather-resistant design can withstand exposure to UV, high heat, wind, rain, snow and splashing pool water. IPX4 rated. Two sizes and two colors available. Rock subwoofer for increased bass response.

#### D MARINER OUTDOOR SPEAKERS

Sonance's award-winning Mariner speakers feature an all-weather construction. With three sizes and three performance levels, there is a speaker to suit nearly any outdoor application and the most critical ear. Deliver pristine sound while remaining unaffected by the elements. Available in a white or black sealed polypropylene enclosure with a matching perforated aluminum grille.

Additional products and options are available. Contact your Irrigation Station representative for more information.



Kitchens are where everyone gathers and mingles during parties. Adding an outdoor kitchen allows your customers to prepare meals in their beautiful backyards. With professional-grade components from Bull BBQ you can create an outdoor kitchen of any scale. From a simple drop-in grill head to complete outdoor kitchens with beverage service areas, food prep areas and more. Bull makes all of the components. We can get you everything you need for a complete installation.

**Here are some examples of popular components.**  
**For full information, ask us for a Bull BBQ catalog.**

## OUTDOOR KITCHENS

### A BRAHMA GRILL HEAD

5-burner stainless steel built in gas barbecue grill with infrared back burner. 90,000 BTUs, 16 gauge 304 stainless steel. Dual-lined roll top hood with seamless welded edges. Cooking grates, warming rack. Rotisserie. Available propane or natural gas.

### B ANGUS GRILL HEAD

4-burner stainless steel built-in gas barbecue grill with infrared back burner. 75,000 BTUs, 16 gauge 304 stainless steel. Dual-lined roll top hood with seamless welded edges. Cooking grates, warming rack. Rotisserie. Available propane or natural gas.

### C STAINLESS STEEL DOORS

For access to propane tanks and other utility connections. Creates handsome appearance. Available single door or dual door.

### D DRAWERS

Stainless drawers in single or double configuration. Warming drawer option.

### E STAINLESS STEEL WET BAR CENTER

Includes sink, condiment trays, ice area. Everything for the bar tender!

**Other accessories available:** slide in burner units, stainless steel ice chest.



A



B



C



D



E



Additional products and options are available. Contact your Irrigation Station representative for more information.







## ARTIFICIAL TURF IN TEXAS?

**ABSOLUTELY! HERE ARE FOUR PLACES IT SELLS WELL**



### PLAYGROUNDS

There's a better way to make play surfaces easy to maintain, safe, clean and fun! Artificial turf products provide a surface that's safer, cleaner, and more comfortable than natural sod or any other synthetic grass on the market. No ugly wear spots or constant maintenance. Artificial turf has passed fall height requirement tests for up to 12 feet. This playground system, including play pad, is extremely durable yet non-abrasive, promoting longevity with a comfortable playing surface.

### DOG RUNS

Artificial grass is the perfect dog friendly backyard landscaping addition and play surface for your customers' dogs. Evolved technology allows the artificial grass to be soft against paws and plush enough to roll around in for hours. Plus, they will love how simple it is to easily pick up and wash away pet droppings. Pet friendly and pet owner friendly; what's not to love about that?



### WEAR SPOTS

High traffic areas that constantly turn to mud and look ugly? Convert them to artificial grass for a clean, neat appearance year-round. Common applications include retail entryways, parking lot islands and outdoor event spaces (amphitheaters and performance areas). Artificial turf is durable enough to withstand heavy foot and paw traffic, making it the perfect choice for thriving communities.



### ROOF GARDENS & BUILDING COURTYARDS

Create inviting outdoor spaces that don't require regular mowing. Now balconies, roofs and other spaces can be enjoyable recreation areas that are an additional amenity to tenants and guests.

**Ready to get started? Ask the Irrigation Station team for options for your need.**

**We provide complete project support including quoting, specification assistance, installation training / coaching and more.**

Additional products and options are available. Contact your Irrigation Station representative for more information.









## GROW YOUR SUCCESS

- Take advantage of on-demand learning for yourself and your team with our 24/7 on-line training portal.
- Classes include crew leadership, coordinating a profitable job site, irrigation design, troubleshooting and much more. Over 15 different industry categories are offered.
- Learn at your pace: Online training classes are broken into short modules. You can start and stop a module at your leisure. You can listen to a section again if you need to.
- Learn only what you want to: No need to cover what you already know. Pick what interests you. Your learning experience is totally in your control.
- Test your knowledge. Optional quizzes at the end of each course test your expert knowledge. Team members can print certificates of completion for courses too.
- Learn 24/7- Even just a few minutes in the evenings can help you learn valuable information. 24/7 access also allows new team members to learn in the off hours.



Additional products and options are available. Contact your Irrigation Station representative for more information.





- A CC06 COLOR CHANGING FALLS** 6" width
- B CC12 COLOR CHANGING FALLS** 12" width
- C CC24 COLOR CHANGING FALLS** 24" width
- D CC36 COLOR CHANGING FALLS** 36" width

**E CFBASINKIT12 BASIN KIT FOR COLORFALLS**  
 Basin kit, contains TW2400 pump and works with the CC06 and CC12 color changing falls.

**F CFBASINKIT24 BASIN KIT FOR COLORFALLS**  
 Basin kit, contains TW2400 pump and works with the CC24 color changing falls.

**G CFBASINKIT36 BASIN KIT FOR COLORFALLS**  
 Basin kit, contains TW3700 pump and works with the CC36 color changing falls.


A-D



E-G



Additional products and options are available. Contact your Irrigation Station representative for more information.



**PS3900 SKIMMER**

Weir Width: 6" Max Pump Flow: 3,900 gph.



**PS4600 SKIMMER**

6" weir width. 4,000 gph pump flow rate.



**PS7000 SKIMMER**

Weir Width: 9" Max Pump Flow: 7,000 gph.



**BF1900 FILTER FALLS**

19" spillway. 2,500 to 4,000 gph pump flow rate.



**BF2600 FILTER FALLS**

Width: 26" Spillway, Pump Range: 4,000 - 6,000 gph.



**BF3800 FILTER FALLS**

Width: 38" Spillway; Pump Range: 6,000 - 8,000 gph.



**SP1900 FAST FALLS**

20 1/2" x 17" x 10 1/4". 19" waterfall width. 4,000 gph. pump flow rate.



**SP2600 FAST FALLS**

27 1/2" x 17" x 10 1/4". 26" waterfall width. 6,000 gph. pump flow rate.



**PV1800 PUMP BASIN**

18" x 24". 10,000 gph pump flow rate.



**PV1800EXT EXTENSION FOR PUMP BASIN**

16 1/2" x 19 1/2" x 14".



**PV2300 PUMP BASIN**

23" x 30". 15,000 gph pump flow rate.



**PV2300EXT EXTENSION FOR PUMP BASIN**

21 1/2" x 19 1/2" x 17".



**FB3200 FOUNTAIN BASIN**

23" x 13". Pump flow rate 2,000 gph. 32 gallon capacity.



**FB4600 FOUNTAIN BASIN**

46" x 13". Pump flow rate 4,000 gph 67 gallon capacity.



**ECORISE20 FOR BOULDER PLACEMENT**

20" x 20" x 3". Maximum load 3,000 lbs.

Additional products and options are available. Contact your Irrigation Station representative for more information.





**NBC 24  
BASALT COLUMN**

10" x 24" column for use with FB2400 basin and FP400 pump.



**NBC 30  
BASALT COLUMN**

10" x 30" column for use with FB3200 basin and FP500 pump.



**NBC 36  
BASALT COLUMN**

10" x 36" column for use with FB4600 basin and FP500 pump.




**NBCX3  
COLUMN KIT**

Contains all three columns for use with FB4600 basin, FBKIT3 and TT2000 pump.



**ECOBLOX WATER  
STORAGE MATRIX**

• Capacity: 31½ Gallons



**SS SERIES STAINLESS SPILLWAYS**

SS12 12" Stainless Steel Spillway, projection: 9-10" at 18"H & 1,200 gph 1.5" FIPT

SS24 24" Stainless Steel Spillway, projection: 9-10" at 18"H & 2,400 gph 1.5" FIPT

SS36 36" Stainless Steel Spillway projection: 9-10" at 18"H & 3,600 gph 1.5" FIPT



**WSM-S MANTOVA WALL SPOUT**

• Projection: 14-16" at 18"H & 600 gph



**WSR-O RAVENNA WALL SPOUT**

• Projection: 14-16" at 18"H & 600 gph



**WSV-S VERONA WALL SPOUT**

• Projection: 14-16" at 18"H & 600 gph



**WSO-O OLIVETT WALL SPOUT**

• Projection: 14-16" at 18"H & 600 gph



**TR215CV CHECK VALVE**

Works with both 1 1/2" and 2" hose.



**AWGCV30 CHECK VALVE**

Works with 3" hose.



**MD SERIES MAG DRIVE PUMPS**

Magnetic induction pumps provide years of service in the demanding conditions of smaller ponds, waterfalls and fountains. Better flows at higher heads, a longer warranty and are easier to service.

**MD550** 550 gph, 40 watts.

**MD1000** 1000gph, 90 watts.

**MD1500** 1500gph, 165 watts.

Additional products and options are available. Contact your Irrigation Station representative for more information.





## TT SERIES PUMPS

Asynchronous pumps combine the efficiency of Magnetic Induction with the power of Direct Drive geometry, keeping operating and ownership costs to a minimum. Pumps more water for less watts regardless of water chemistry. Fits in the tightest pump chambers Excellent resistance to fouling.

- TT2000** Max Pump Flow: 2640 gph
- TT3000** Max Pump Flow: 3000 gph
- TT4000** Max Pump Flow: 4490 gph
- TT5000** Max Pump Flow: 5150 gph
- TT6000** Max Pump Flow: 6600 gph
- TT7500** Max Pump Flow: 7650 gph
- TT9000** Max Pump Flow: 8800 gph



## VARIABLE SPEED PUMP CONTROLLER – WORKS WITH REMOTE CONTROL

**TWVSC** For Use With: TT -Series Pumps up to 800 watts

- includes 2.4GHz Remote Control



## TRION3 IONIZER

Electric water clarifier. Releases copper ions to reduce algae growth without need for chemicals.



## AF1000 WATER FILL VALVE

## LF1000 DIY BLACK FOAM



## LF1310 PRO FOAM GUN



## LF1300 BLACK FOAM 29 OZ

## LF1315 PRO FOAM GUN COMPOSITE MATERIAL

## LF1325 FOAM GUN CLEANER



## BOXED POND LINER

Convenient Pre-Cut Pond Liner for features of all sizes and types. Trim to the exact size you need.

- LI810B** 8' x 10' boxed liner
- LI1010B** 10' x 10' boxed liner
- LI1015B** 10' x 15' boxed liner
- LI1515B** 15' x 15' boxed liner
- LI1520B** 15' x 20' boxed liner
- LI1525B** 15' x 25' boxed liner
- LI2020B** 20' x 20' boxed liner
- LI2025B** 25' x 25' boxed liner



## TR3WAY THREE WAY DIVERTER

Manifold for using hoses for use with FB4600.



## FBKIT3 FOUNTAIN BASIN KIT

For use with TW1200-2400 and MD1000 & 2000 pumps. Contains 3 way diverter.



## FBKIT1 FOUNTAIN BASIN KIT

For use with TW250-750 and FP200-500 pumps.

Additional products and options are available. Contact your Irrigation Station representative for more information.



## NEW EARTH MULCH

New Earth Mulch is made from 100% recycled products from right here in our community. Mulch is a natural product that provides weed suppression, moisture retention, and color enhancement.

Choose Natural Hardwood or Black



## NEW EARTH BAGGED TOPSOIL

Perfect for topdressing, new sod, new lawns, planting and more.



## SAKRETE HIGH STRENGTH CONCRETE MIX

Sakrete High-Strength Concrete Mix is a preblended mixture of sand, coarse aggregate, and cementitious materials. The use of this quality mixture, ensuring your finished project will last you for years to come. For new construction or repairs where concrete thickness exceeds 2 inches, you'll want to count on a preblended mixture that can guarantee quality results.



## QUIKRETE ALL PURPOSE GRAVEL #1151

High quality clean gravel with an approximate top size of 3/8" (10 mm). Suitable for landscaping, concrete manufacture and a variety of other purposes. Meets ASTM C33, Standard Specification for Concrete Aggregates.



## T-POST TREE STAKES

Secure trees reliably with heavy-duty, rot-resistant steel posts.



## KING SAPLING SOAKER

Provides watering for a new tree for one week with each 15 gallon fill. Two built-in emitters for even distribution of water and controlled water release.



## HEAVY DUTY LANDSCAPE FABRIC- 25 YEAR LIFE

Keeps weeds out— small openings in fabric lets air & water in. No chemical to harm the soil, pets and environment. Allows proper air exchange— oxygen can enter soil, which is necessary for the absorption of water and nutrients.



## MARKING PAINT AND MARKING FLAGS

Easily mark your jobsites. A variety of colors and options available



## TERRA-BLEND 70/30 HYDROMULCH

Terra-Blend 70/30 with UltraGro combines 100% Thermally Refined™ wood fiber with the highest quality cellulose in the industry. Terra-Blend is designed to pump more easily than 100% wood fiber. Now with UltraGro – a proprietary biostimulant to ensure healthy growth even in harsh environments. Terra-Blend delivers up to 15% greater yields versus competitive blends and covers up to 20% more ground than cellulose without a big jump in price. Dyed a dark green color for easy metering.



## TERRA-BLEND™ WITH TACKING AGENT 3® HYDROMULCH

Combines Thermally Refined® wood fiber with a high quality of cellulose pre-blended with Tacking Agent 3®. Enhanced water-holding capacity due to refined wood fibers, allowing for better germination, fewer washouts and reduced callbacks

Additional products and options are available. Contact your Irrigation Station representative for more information.



## NEED PROFESSIONAL LANDSCAPE EDGING? WE CARRY IT!

We offer professional grade edging that provides a lasting border for lawns, gardens, and work sites in commercial and residential projects.

Epic Plastics recycled thick plastic wood-like edging sets the standard for quality and durability. Made from 100% recycled

plastic, Bend-A-Board provides a durable edging solution while retaining flexibility for creative landscape designs. Invented as a superior alternative to natural wood edgings, Bend-A-Board will not rot or splinter.

- **GREAT APPEARANCE** subtly accents landscapes with clean lines and minimal intrusion.
- **DURABILITY** stands up to maintenance equipment, will not rot or become brittle in cold weather.
- **STRENGTH** withstands landscape maintenance with its uniform thickness and weight.
- **EASIER INSTALLATION AND STAYS IN PLACE** using heavy-duty stakes.



## CHOOSE FROM OUR COLOR OPTIONS TO COMPLIMENT YOUR LANDSCAPE



Black



Teak

Additional products and options are available. Contact your Irrigation Station representative for more information.







# PORTABLE HAND-HELD TRENCHERS



## RETHINK THE WAY YOU TRENCH WITH MINITRENCHER'S GEORIPPER

Now you can install landscape lighting, irrigation and outdoor audio systems faster and with less landscape disruption. No more back-breaking hand-digging. No messy cleanup from a traditional trencher. Say goodbye to hassles and experience the increased efficiency of MiniTrencher's GeoRipper.

The GeoRipper is a portable, commercial handheld trencher. Use it alone to cut narrow trenches or excavate holes up to 16" deep. Or use it with an EZ Kart for continuous linear trenching.

All GeoRippers are built with powerful two or four stroke engines by a brand you can trust, Makita. Expand your capabilities while saving time and money with MiniTrencher's GeoRipper.

Additional products and options are available. Contact your Irrigation Station representative for more information.





## EZFLOW FRENCH DRAIN

EZflow is an innovative solution to traditional french drains that eliminates the need for hauling and installing gravel. Simply dig a trench, lay in the EZflow and backfill. No labor or expense of gravel. Using EZflow can deliver up to a 40% savings in material and labor cost, and allows most projects to be completed in a single day.

**EZ-0701F** 7" Mesh w/ 3" slotted pipe

**EZ-1001F** 10" Mesh w/4" slotted pipe



## WET WEATHER? GROW YOUR SALES WITH DRAINAGE.

Help customers protect their homes from drainage. Smart solutions collect and move water away from structures. Solve problems fast. Let us show you the profit potential in drainage.



## NDS LUXURY BRASS GRATES

Models 914 and 923 fit 4" PVC, model 922 fits 6" PVC (include Styrene adapter)

**914 PB** 5" Square Grate

**923 PB** 6" Square Grate

**922 PB** 6" Square Grate

Additional products and options are available. Contact your Irrigation Station representative for more information.





# DRAINAGE



## 9" CATCH BASINS

- NDS-900** 9" Catch Basin, 2 openings
- NDS-900-4** 9" Catch Basin, 4 openings



## 9" GRATES

- NDS-980** 9" Square Grate, black
- NDS-990** 9" Square Grate, green
- NDS-999** 9" Square Grate, gray
- NDS-981** 9" Atrium Grate, black
- NDS-991** 9" Atrium Grate, green



## 12" CATCH BASINS

- NDS-1200** 12" x 12" Catch Basin, 2 openings
- NDS-1204** 12" x 12" Catch Basin, 4 openings



## 12" GRATES

- NDS-1211** 12" Square Grate, black
- NDS-1212** 12" Square Grate, green
- NDS-1212S** 12" Square Grate, sand
- NDS-1280** 12" Atrium Grate, Green
- NDS-1280** 12" Atrium Grate, Black



## 18" CATCH BASINS

- NDS-1882** 18" One Piece Catch Basin, 2 openings
- NDS-1800** 18" Expandable Catch Basin, 2 openings




## 18" GRATES

- NDS-1811** 18" Square Grate, black
- NDS-1812** 18" Square Grate, green
- NDS-1881** 18" Atrium Grate, black



## PRO SERIES CHANNEL

- NDS-864** 5" x 1 meter light traffic grate & channel drain kit (includes 1 end outlet & 1 end cap)



## SPEE-D CHANNEL DRAIN

- NDS-400** 4 ft. Channel Drain, gray
- NDS-400-10** 10 ft. Channel Drain, gray
- NDS-224** 2 ft. Bottom Outlet w/strainer, gray



## SPEE-D CHANNEL FITTINGS

- NDS-247** Channel End Outlet, gray
- NDS-248** Channel Coupling, gray
- NDS-249** 3" & 4" Offset End Outlet



## SPEE-D CHANNEL GRATES

- NDS-241** 2 ft. Channel Grate, gray
- NDS-243** 2 ft. Channel Grate, black



- NDS-201** Spee-D Basin 2-Basin
- NDS-101** Spee-D Basin 1-Basin
- NDS-50** 6" Round Grate, Green
- NDS-40** 6" Round Grate, Black

	4 INCH	6 INCH
<b>PLUG (UNIV)</b>	NDS-1206	NDS-1206
<b>OUTLET (UNIV)</b>	NDS-1243	NDS-1266

Additional products and options are available. Contact your Irrigation Station representative for more information.



## ADS CORRUGATED PIPE

- 4510100** 4" Solid (No Holes)
- 4010100** 4" Perforated
- 4730100** 4" Perforated with Sock
- 6510100** 6" Solid (No Holes)
- 6010100** 6" Perforated
- 6730100** 6" Perforated with Sock



	4 INCH	6 INCH
<b>TEE</b>	0421AA	0626AA



	4 INCH	6 INCH
<b>WYE</b>	0422AA	0622AA



	4 INCH	6 INCH
<b>END CAP</b>	0432AA	0631AA



	4 INCH	6 INCH
<b>ELBOW</b>	0490AA	0641AA



	4 INCH	6 INCH
<b>INTERNAL COUPLER</b>	0417AA	0615AA
<b>EXTERNAL COUPLER</b>	0412AA	0612AA



	4 INCH	6 INCH
<b>DWNSPT ADAPTER</b>	0465AA	0664AA



	4" X 3"	6" X 4"
<b>REDUCER</b>	0314AA	0614AA

Additional products and options are available. Contact your Irrigation Station representative for more information.





# CONTRACTOR TOOLS



A-D



E-H



I



J



K



L



M



N

## FIBERGLASS HANDLE TRENCHING SHOVELS - POLYMER COATED

- A. 89243 KENYON® S550 IRRIGATION™**  
3" width Trenching Shovel
- B. 89244 KENYON® S550 IRRIGATION™**  
4" width Trenching Shovel
- C. 89245 KENYON® S550 IRRIGATION™**  
5" width Trenching Shovel
- D. 89246 KENYON® S550 IRRIGATION™**  
6" width Trenching Shovel

## WOOD HANDLED TRENCHING SHOVELS

- E. 89223 KENYON® S550 IRRIGATION™**  
3" width Trenching Shovel
- F. 89224 KENYON® S550 IRRIGATION™**  
4" width Trenching Shovel
- G. 89225 KENYON® S550 IRRIGATION™**  
5" width Trenching Shovel
- H. 89226 KENYON® S550 IRRIGATION™**  
6" width Trenching Shovel

- I. 49454 SEYMOUR® INDUSTRIAL™ NURSERY SPADE**
- J. 49553 STRUCTRON® LONG HANDLE SPADE SHOVEL**
- K. 49666 KENYON® FIBERGLASS HANDLE SHARPSHOOTER 14" BLADE**
- L. 49336 KENYON® WOOD HANDLE SHARPSHOOTER 14" BLADE**
- M. 49667 KENYON® FIBERGLASS HANDLE DRAIN SPADE SHOVEL**
- N. 49157 SEYMOUR® WOOD HANDLE DRAIN SPADE SHOVEL**

Additional products and options are available. Contact your Irrigation Station representative for more information.





**O**



**P**



**Q**



**R**



**S**



**T**



**U**

**O. 49457 SEYMOUR® INDUSTRIAL™ DRAIN SPADE SHOVEL**

**P. 49589 STRUCTRON® S800 SUPER-DUTY™ DRAIN SPADE SHOVEL**

**Q. 49640 KENYON® POLYMER COATED FIBERGLASS HANDLE ROUND POINT SHOVEL**

**R. 49642 KENYON® POLYMER COATED FIBERGLASS HANDLE SQUARE POINT SHOVEL**

**S. 49152 SEYMOUR® WOOD HANDLE SQUARE POINT SHOVEL**

**T. S819D STRUCTRON FORGED POST SPADE, 29"**

**U. 49044 KENYON® LANDSCAPE LIGHTING WIRE TRENCHER / EDGER**

Additional products and options are available. Contact your Irrigation Station representative for more information.





# CONTRACTOR TOOLS



**A. 85366 SEYMOUR® JOBSITE™  
17 LB DIGGING AND TAMPING BAR**

**B. 85367 SEYMOUR® JOBSITE™  
17 LB SAN ANGELO BAR – WITH  
POINTED TIP**

**C. 49013 SEYMOUR® PRO-VALUE  
GENERAL PURPOSE SCOOP**

**D. 49278 SEYMOUR® FORGED™  
MANURE FORK / BARK MULCH FORK**

**E. 85058 KENYON® ALL-STEEL  
TAMPER**

**F. 85422 KENYON® SPRINKLER HEAD  
TRIMMER 2.75" DIAMETER / 85423  
3.5" DIAMETER**

**G. 85490 KENYON OPERATING  
WRENCH KEY - INTERCHANGEABLE  
ENDS FOR DIFFERENT VALVE TYPES**

**H. 85462 KENYON® IRRIGATION™  
SOIL PROBE / TILE PROBE**

Additional products and options are available. Contact your Irrigation Station representative for more information.



**I**



**J**



**K**



**L**



**M**



**N**

**I. 85623 SEYMOUR® 3" POST DRIVER / TREE STAKE DRIVER**

**J. 41860 SEYMOUR® JOBSITE™ 8 LB. SLEDGE HAMMER 36" HANDLE**  
6" width Trenching Shovel

**K. 82924 SEYMOUR® INDUSTRIAL™ GENERAL PURPOSE BROOM**  
24" head, curved aluminum 60" handle

**L. 82614 KENYON® PRO LANDSCAPER WONDER BROOM**  
24" head, straight aluminum handle

**M. 42610 KENYON® PRO LANDSCAPER 2-WAY HOE**

**N. 42455 SEYMOUR® FORGED™ GARDEN HOE**

Additional products and options are available. Contact your Irrigation Station representative for more information.





# CONTRACTOR TOOLS



**A**



**B**



**C**



**D**



**E**

**A.42351 SEYMOUR® JOBSITE™  
LEVEL HEAD RAKE**

**B. 73320 KENYON® TRENCH  
BACKFILL RAKE**

**C. 42324 SEYMOUR® JOBSITE™  
FG HANDLE BOW RAKE**

**D. 43331 MIDWEST RAKE PRO-FLEX  
8" SHRUB RAKE**

**E.43372 SEYMOUR® DURALITE™  
STEEL TINE RAKE**

**F. 41414 KENYON PRUNING LOPPER  
1.25" capacity**

**G. 41406 KENYON ¾" BYPASS PRUN-  
ER**

**H. 41424 KENYON® HEDGE SHEARS**

**I. 41718 SEYMOUR® MACHETE KNIFE**

**J. SS5740 SIDEWALK SLEEVER  
1" SIZE**

**K. 85750 SEYMOUR® INDUSTRIAL™  
SOD ROLLER**

**L. 85740 SEYMOUR® JOBSITE™  
STEEL WHEELBARROW**

Additional products and options are available. Contact your Irrigation Station representative for more information.





F



G



H



L



I



J



K



M

## M. 85736 STRUCTRON® EXCAVATOR MAX WHEELBARROW

## N. MASTERGARDNER S90N SPREADER

90lb capacity, multi-purpose professional spreader.

## BORIT KIT

Boring underground has never been faster, less expensive, and more predictable. Go under driveways, sidewalks, and other hard surfaces with this complete kit with 3 bits.



N

Additional products and options are available. Contact your Irrigation Station representative for more information.



## CREATE BRILLIANT AND DRAMATIC SEASONAL DISPLAYS WHILE SAVING ENERGY AND THE ENVIRONMENT WITH RUGGED LED LIGHTS

### LED FEATURES AND BENEFITS AT A GLANCE:

- **Brilliant light output with jewel-like colors:** Provides a dazzling display that draws crowds and wins accolades.
- **Environmentally-friendly, low energy consumption:** Reduces operating costs of seasonal displays, allows the use of more lights and displays to create larger impact.
- **Rugged design:** Don't confuse our LEDs with inexpensive knock-offs found in discount stores.
- **Eligible for rebates:** Many local power utilities offer attractive rebates to users that upgrade to LED technology. Check for money-saving rebates in your area.
- **Safety:** Cool-touch lamps (unlike traditional holiday designs), tamper resistant and shock resistant end-to-end connectors.
- **Longevity:** Can be used multiple seasons.

### RESIDENTIAL



### COMMERCIAL



### EVENT



Additional products and options are available. Contact your Irrigation Station representative for more information.

# IRRIGATION PRODUCT LINES



Irrigation Station is the area's leading distributor for residential, commercial and sports field irrigation products. We offer the broadest selection and deepest inventories of sprinkler and drip irrigation components from the leading brands.



Contact us for manufacturer catalogs and pricing information on these and other irrigation products. We also offer design and project estimating assistance.

Additional products and options are available. Contact your Irrigation Station representative for more information.



## **DIRECT-TO-JOBSITE DELIVERY IS OUR SPECIALTY**

Count on us to get you what you need, when you need it.  
Scheduled delivery service throughout Texas and Oklahoma.  
Prompt, professional and accurate. Call now to place your order.

### **Houston, Texas**

11929 Windfern Road  
Houston, TX 77064  
Phone 281.890.6574

### **Oklahoma City, Oklahoma**

9500 North Robinson Avenue  
Oklahoma City, OK 73114  
Phone 405.842.4415



**IRRIGATION  
STATION**

Texas

**281.890.6574**

Oklahoma

**405.842.4415**